INLINE® SYSTEMS

2013 Price List

Terms and Conditions i vi
Standards and Qualifications
Social Responsibility Statement
Terms and Conditions
Warranty

trēo® 1-1 ... 1-50
Contemporary casegoods

Post Mounted Screens 2-1 2-6
Desk-mounted screens in fabric, smoked acrylic and pebbled acrylic

Boardwalk™ 3-1 ... 3-38
Executive casegoods furniture in ten rich woodgrains

Latitude® 4-1 ... 4-40
Interconnecting freestanding system, featuring superior strength and durability
Suited to high-traffic and 24/7 applications

Tables 5-1 ... 5-22
Meeting, Conference and Training tables

Stages® 6-1 ... 6-38
Height-adjustable worksurfaces in a wide range of sizes and adjustability options

Accessories 7-1 ... 7-10
Keyboards, lights, paper mangement and wire management
Electrical distribution modules and power/data management

Finishes and Forms 8-1 8-4
Standard Finishes List
Literature Request Form
Project Registration Form

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture
GOLD

All products are SCS Indoor Advantage Certified except Latitude®, Accessories section and drum bases.

STANDARDS AND QUALIFICATIONS

INLINE® SYSTEMS

ISO 9001:2008
CGSB Registered
Certificate 991042

ISO 9001:2008 Registered

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture
GOLD

SCS Indoor Advantage and Indoor Advantage GOLD certified

(trēo®, BOARDWALK™, STAGES®; except drum bases)

ANSI/BIFMA X 5.5
(desk/table products)

ANSI/BIFMA X 5.9
(storage units)

CAN/CGSB 44.227
(all products)

National Master Standing Offer and Supply Arrangement Contracts:
Freestanding Furniture

GSA Contract Holder
Contract GS-29F-0147G

SOCIAL RESPONSIBILITY: A Matter of Policy

INLINE SYSTEMS® is committed to conducting business in a socially responsible manner. This includes constant efforts to reduce the impact of our operations and products on the environment as well as designing functionality into our products to make them user friendly for those with special needs.

Environmental Issues:
Our industry association, BIFMA, is working diligently to establish industry-wide standards for the manufacture of furniture products that respect the environment. This industry focus emphasizes recycling, reusing and reducing waste. INLINE is an industry leader today in this effort, and we believe our environmental commitment and our manufacturing methods stand up very well when compared with all outside accreditation standards.

With regard to our products:
- Well over 50% of the materials used to make our furniture are manufactured within a 500 mile radius of our factory.
- All core material is low emission particleboard with Green Cross environmental certification.
- trēo®, BOARDWALK™ and STAGES® Workstation Systems have achieved both SCS Indoor Advantage and SCS Indoor Advantage Gold certifications from Scientific Certification Systems (SCS), verifying these products meet the ANSI/BIFMA M7.1-2007 standards for air emissions, required for LEED certification.
- Particleboard is primarily compressed organic wood fibre, recycled from the waste products of the forest industry, which itself is a renewable resource.
- In some applications, we use board containing non-wood, cellulose fibre.
- All offcuts, sawdust, and board waste are either recycled or re-used.
- Fabric covered tackboards are made from 100% recycled materials.
- Both plastic and metal components are sourced from suppliers who optimize the content of recycled materials during manufacturing.
- All purchased materials & supplies are packaged only in recyclable containers.
- All cartons contain a minimum of 35% recycled fibre and are themselves 100% recyclable.
- On all large projects, furniture is bulk-packed to minimize packaging waste and maximize freight efficiency (thereby minimizing fuel consumption).
- INLINE welcomes the return of cartons and other packaging materials for re-use in our own facility.
- At the end of its life, all INLINE products & components can be either recycled or re-used.

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

With regard to product design:
- Product components are sized to provide maximum utilization of board sizes, reducing off-cuts and waste.
- Designs permit easy extension and reconfiguration making them quickly adaptable to changing work environments, thereby minimizing product obsolescence and maximizing refurbishing opportunities; all of which reduces waste.
- All products are designed to ship flat-packed and ready-to-assemble which maximizes shipping efficiency and minimizes fossil fuel consumption, with the exception of files.
- All work surfaces incorporate high impact PVC edging to extend the life of the product indefinitely, thereby minimizing future waste.
- PVC edging can also be removed at the end of its useful life, making both the board and PVC recyclable.
- Corrugated cartons are sized to tightly fit finished products, thereby minimizing corrugated consumption.

With regard to our processes:
- Use products and processes designed to minimize off-gassing.
- Use solid adhesives primarily, which avoids gas emissions and waste issues associated with over-spray, but when spray methods are employed, we use water-based adhesives exclusively.
- Do not use any 'controlled chemicals' or known carcinogens in any process.
- Steel components are finished with hybrid epoxy powder-coat, a process which minimizes waste and discharges.
- Cutting, drilling, and shaping equipment is connected to a sophisticated air exhaust / dust collection system to both capture recyclable sawdust and minimize dust in the factory environment.
- Orders are programmed by sophisticated cut-plan optimization software to maximize board yield and thus, reduce waste to the absolute minimum.
- Employ state-of-the-art, high-production, CNC (computer numerically controlled) equipment, powered by energy efficient electric motors.
- Heat with natural gas, radiant heaters, the most fuel efficient heat source and cleanest burning of fossil fuels.
- Operate our forklifts using natural gas.
- Use high-efficiency fluorescent lighting in our offices.
- Use paper with recycled & post-consumer waste content and re-use paper for internal office reports.

Special Needs
Our product design has been influenced by the need to provide functionality for those with special needs.
- Many standard desk surfaces can be field retro-fitted with gables to accommodate wheel-chair use.
- Many desk surfaces can be field retro-fitted with gables to accommodate standing height applications, should either health needs or functionality require.
- Continuously height-adjustable worksurfaces are a standard product, providing heights starting as low as 24" going to as high as 51".

We believe that environmental and social responsibility is integral to the well being of our employees, our customers and our community in both our working environment and our natural environment.

TERMS AND CONDITIONS

LIMITED LIFETIME WARRANTY

- INLINE SYSTEMS® warrants its products to be free from defects in material and workmanship for as long as the original user owns the product, or twenty-five years in the case of a corporation or institution, subject to the limitations below. This warranty is made by INLINE only to original purchasers who have acquired the product directly from one of INLINE's authorized dealers and is installed by an authorized INLINE SYSTEMS® installer. The original purchaser's sole remedy under this warranty is limited to repair or replacement with comparable product, at INLINE's option. Consent must be obtained from INLINE before any warranty work is performed.
- This warranty does not apply to any products which must be replaced due to normal wear and tear, negligence, abuse or accidental damage, shipping damage, or product use and installation other than in accordance with written instructions. It will also not apply to customers own material (COM) or when product has been modified or altered, repaired or refurbished other than by INLINE or by an authorized dealer of INLINE based upon instructions received from INLINE. When repairing or replacing a defective product, INLINE does not guarantee that it can match colour or dye lots of the existing product. This warranty does not cover the cost of transportation or labour.
- INLINE makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set out here. This warranty is the purchaser's sole and exclusive remedy for product defect. In no event shall INLINE be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages. This warranty is not valid if the products are used for rental purposes. This warranty applies only to products purchased after January 1, 2008. Warranties commence on the original purchaser's date of purchase. Claims must be made within date of limitations as follows:

Locks, slides, casters & TFL worksurfaces:	10 years
Keyboard mechanisms:	7 years
Crank height-adjustable mechanisms:	10 years
Electric-height-adjustable mechanisms:	1 year (extended warranty available)
Electrical components (e.g. task lights):	1 year

ORDERING INFORMATION

- INLINE SYSTEMS® requires all orders to be in writing and requests orders be accompanied by drawings to verify the items ordered and where applicable, the appropriate project registration number. Purchasers ordering for registered projects may be required to submit documents to verify source of order. Orders with incorrect or incomplete information cannot be entered or scheduled for manufacturing.

ORDER ACKNOWLEDGEMENT

- Once all information required to process an order is received, an order acknowledgement form will be sent to the Purchaser providing a description of the goods ordered, pricing, and an estimated shipping date. Extra discounts for large projects will be deducted from the sub-total at the bottom of the acknowledgement, and not from each individual line item. Please check this acknowledgement against the P.O. for any variances. It is the Purchaser's responsibility to determine that the information in the acknowledgement is correct.

CHANGES, CANCELLATIONS & RETURNS

- All INLINE products are manufactured to order using the Purchaser's selection of finishes and trim. Consequently, we regret that we are not able to cancel orders once they are committed to production or to issue credit for returned items unless they have been made in error by INLINE. Prior to being committed to production, orders for standard items may be cancelled subject to a 25% cancellation charge, and orders for special items will be subject to a 35% cancellation charge plus the cost of any items purchased to make the "special". Should it be necessary to return an item made in error by INLINE, please obtain a Return Authorization (R.A.) number from INLINE Customer Service. The R.A. number must be noted clearly on all returned cartons.

ESTIMATED SHIPPING DATES

- The shipping date provided on the order acknowledgement is INLINE's best estimate at the time the order is acknowledged and is subject to change. In no instance shall INLINE incur any obligation or liability to the Purchaser for failure to ship by the specified date unless INLINE has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized head office personnel.

PRICES

- Prices are suggested list prices only and are subject to change on 30 days notice. Taxes are extra where applicable.

TERMS AND CONDITIONS

TERMS

- Upon approved credit, terms are Net 30 days from date of shipping / date of invoice. The Purchaser agrees that INLINE shall have the right to enforce a charge amounting to 2% per month (24% per year) on invoices outstanding more than 30 days. INLINE also reserves the right to stop shipments on overdue accounts.
- New accounts and purchasers whose most recent annual net volume has been less than $5000 may be required to pay in advance.

SHIPPING

- All shipments are F.O.B. Factory
- In Canada, the purchaser selects either freight collect by their specified carrier; or freight pre-paid and invoiced to the Purchaser, plus a service fee of 15% to a maximum of $20. Note: the service fee only applies to freight which is prepaid and charged on the invoice.
- In the U.S., orders under $4000 List will incur a freight charge of $125 which will be added to the invoice. Orders over this minimum volume are pre-paid by INLINE.
- Shipments requiring residential delivery, specific delivery appointment times; phone calls ahead of time to confirm delivery; and need for lift-gate trucks will incur a charge to the Purchaser. The amount of the charge will be equal to the amount charged to INLINE by the freight company, plus 15% of this cost as an administration fee.
- INLINE will attempt to combine orders and shipments when requested. However, it may not be possible to comply at all times and INLINE cannot be held responsible for potential increased costs.

CLAIMS

- All goods are sold F.O.B. Factory, including those for which INLINE SYSTEMS® pays the freight. INLINE is not responsible for damage which occurs in transit or storage. The carrier signs for all goods received in apparently good order at the time the truck is loaded at the factory. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage. If any damage is apparent, have the carrier complete an inspection report and file a freight claim. It is also suggested that all bills of lading be signed "SUBJECT TO INSPECTION FOR CONCEALED DAMAGE" at the time of receiving the goods.

INSTALLATION

- Assembly instructions are provided with all shipments of standard items. Many assembly drawings are also available at www.inlinesystems.ca. Hardware for each item is packaged in each carton. Please be sure your installers look carefully for the hardware bags, as they will be located such that they do not come into contact with the components. INLINE SYSTEMS® provides spare hardware kits to its dealers at no charge, so a lack of hardware should never delay an installation. To order spare hardware kits, please call your Customer Service representative.

NOTES

INLINE trēo®

2013

Contents

The INLINE trēo® System 1-2
How to Specify Finishes in INLINE trēo® 1-3

Layout Guides
Layout Guides 1-4

Tops
Regular and Bow Top Desks 1-10
Open and Executive Returns 1-12
Bridging and Linking Tops 1-13
Credenzas – Full Modesty 1-14
Credenzas – Partial Modesty 1-15
D Islands 1-16
P and K Islands 1-17
Rectangular Shells 1-18
Curved Shells – Left 1-20
Curved Shells – Right 1-21
Corner Tops 1-22
Extended Corner Tops – Left 1-23
Extended Corner Tops – Right 1-24
Extended Corner Tops / Islands with Keyboard 1-25
Extended Corner “D” – Left 1-26
Extended Corner “D” – Right 1-27

Storage
Pedestals 1-28
Lateral File / Storage Units 1-29
Tall Lateral / Storage Units 1-30
Tall Multi-Storage Units 1-31
Storage Units 1-32
Tall Storage / Bookcases 1-33
Storage with Framed Translucent Doors 1-34
Hutches / Wall Bins 1-35
Hutches 1-36
Flipper Door Hutches / Tack Boards 1-37
Double Tier Hutches / Paper Management 1-38
Hutches with Framed Translucent Doors / Tack Boards 1-39

Specialty Items
Specialty Storage 1-40
Meeting Room Accessories 1-41
Gallery / Reception Desks 1-43

Education Specialties
Single / Linking Study Carrels 1-46
Double / Linking Study Carrels 1-47
Adding Power to Study Carrels 1-48

Mailroom Furniture 1-49

THE INLINE trēo® SYSTEM

OVERVIEW

INLINE trēo® offers:

- A very extensive range of components and sizes, including tops from 24" to 84" wide in various depths.
- A multitude of tall and low storage options and accessories.
- Flexibility in laminate selection and mixing of finishes, colors and edging.
- Superior structural strength using metal-to-metal (Mod-eez®) fasteners.

CONSTRUCTION DETAILS

General

- Tops, end panels and weight-bearing shelves are 1" thick with 3mm PVC edging.
- No charge option to have HPL tops made $1^{1}/_{16}$" thick; subject to minimum volume requirements.
- Doors, drawer fronts and modesty panels are $^{3}/_{4}$" thick.
- Doors and drawer fronts are edged on all sides with 3mm PVC edging.
- Non-PVC edging available for special applications; subject to minimum volume requirements.
- All core material is 45 lb commercial grade particle board.

Worksurfaces

- All worksurfaces are 28.5" high unless otherwise stated.
- Glides provide over 1" height adjustability (stem is $1^{1}/_{2}$" long).
- All end panels, both full and partial, are non-handed.
- Modesty panels are $^{3}/_{4}$" thick and are reversible.
- Full modesty panels are same height as end panel.
- Partial modesty panel is 16" off floor for normal power/data access.
- Wall access modesty panels provide 20" clear access which is the new building code standard for new construction.
- End panels are flush to ends of top and modesty is flush to back, unless otherwise noted.
- Width and depth dimensions for tops are actual.
- Worksurfaces come with one grommet unless otherwise stated.
- Islands (D, P, Q and K) not intended to be used as freestanding units.

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

Drawers

- All drawers, including box drawers, have full extension, tempered steel, ball-bearings slides.
- All drawers on pedestals and lateral files gang-lock.
- Box and file drawers have load capacity of 100 lbs.
- Lateral file drawers have load capacity of 150 lbs.
- All lateral file drawers have steel reinforced bottoms.
- Top box drawers include a pencil tray, except in multifiles, where the box drawers are slightly narrower.
- Drawer interiors are black textured, mar-resistant finish for easy cleaning
- Floor pedestals have 1" leveling capability.

Miscellaneous

- Modesty panels use structurally superior, hidden, Mod-eez® fasteners. Most other connections use conventional cam & pin fittings.
- All locking units are keyed randomly unless specified “keyed-alike” at time of order (no up-charge).
- All units, except those with drawers, are shipped RTA (ready to assemble).
- Translucent doors on tall storage units and hutches have annodized aluminium frames with mitred joints.

FINISHES

- One, two or three tone finishes available. Tops, faces and chassis can be same finish or mixed in any combination (see How to Specify Finishes in INLINE trēo® page 1-3).
- 16 standard Thermally Fused Laminates (TFL).
- 22 standard High Pressure Laminates (HPL) - available for worksurfaces, drawer faces and door fronts.
- INLINE thermally fused laminates meet all the performance requirements of high pressure laminate required for sales as worksurfaces under National Master Standing Offer and Supply Arrangement contracts.
- All solid and woodgrain TFL finishes come with matching edging as standard.
- All solid and woodgrain HPL finishes come with matching edging except for Ginger Root Maple.
- User has option to specify contrasting edging (eg. black edging on cherry laminate).
- Two handle styles in two handle finishes to choose from:

  Black - Tear Drop K1
  - Wire K2

  Nickel - Tear Drop N1
  - Wire N2

  (if purchase order does not specify handle selection, Black Tear Drop handles will be shipped)
- Custom HP Laminates can be used for a nominal upcharge.
- Standard Finishes shown on page 8-2.

HOW TO SPECIFY INLINE trēo® FINISHES

INLINE trēo

TOPS, RECTANGULAR, CURVED, CORNER, EXTENDED CORNER, BRIDGING





T = Top finish (worksurface), can be specified in either TFL or HPL
TT = Top Trim selection
B = Base finish (support and modesty panels), can be specified in TFL only
BT = Base Trim selection

TOPS – D, P, Q, K





T = Top finish (worksurface), can be specified in either TFL or HPL
TT = Top Trim selection
B = Base finish (support and modesty panels), can be specified in TFL only
BT = Base Trim selection
Post leg units come standard with black post leg
Nickel post leg available, add “N” to end of product code and add $105 List

DESKS – REGULAR, BOW, TOP, EXECUTIVE RETURNS





T = Top finish (worksurface), can be specified in either TFL or HPL
TT = Top Trim selection
C = Contrast finish (drawer fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (support and modesty panels), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for pedestals

HUTCHES – OPEN, TRANSACTION, FLIPPER DOOR, CUPBOARD DOOR, TALL STORAGE UNITS





T = Top finish (top panel), can be specified in TFL only (except transaction hutches can be HPL, for flipper door hutches top matches base finish)
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (support and back panels, shelves on open hutches), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for Tall Storage Units

PEDESTALS – MOBILE, FLOOR, HANGING





T = Top finish (mobiles), can be specified in either TFL or HPL (extra)
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (pedestal body), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for pedestals

LOW STORAGE – LATERAL FILES, MULTIFILES, CREDENZAS





T = Top finish (freestanding only), can be specified in either TFL or HPL
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (support and back panels), can be specified in TFL only,
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for doors and drawers

ACCESSORIES – BOOKCASES, KEYBOARDS, ETC.





T = Top finish (keyboard tray), can be specified in either TFL or HPL,
TT = Top Trim selection
B = Bookcase shelves / gables
BT = Base Trim selection
Mechanisms such as keyboard trays come in Black only
Bookcases are available in TFL only, also need to specify your choice of edging



L-GROUP: SUITE #TR001

Item	Model	List TFL
Rectangular Shell	3 TP 7224 - X	516
Executive Return	3 ER H 4824 R	673
Cupboard Door Hutch	3 HD 7236	903
Keyboard	3 KS 2611	140

Total List: $ 2232

Options: Door Locks, Tackboard, Task Light, Wire Management, CPU Trolley



L-GROUP: SUITE #TR002

Item	Model	List TFL
Extended Corner	3 CEP 3624 R66 - Y	709
Rectangular Shell	3 TP 3024 - Y	364
Hanging Ped	3 SHW 20	480
Open Hutch	3 HH T 6636	625

Total List: $ 2178



L-GROUP: SUITE #TR003

Item	Model	List TFL
Credenza	3 SCP 7224 BXX	959
D-Island	3 DN 3624	382
Cupboard Door Hutch	3 HD 7236	903
Tall Multistorage	3 SIMD 2465 R	1,571

Total List: $ 3815

Hutch Lock Option: HDLK4 Add $144



L-GROUP: SUITE #TR004

Item	Model	List TFL
Corner Unit	3 CP 3624 S	485
Rectangular Shell	3 TP 3624 - Y	377
Rectangular Shell	3 TP 3624 - Y	377
Hanging Ped	3 SHW 20	480

Total List: $ 1719

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



L-GROUP: SUITE #TR005

Item	Model	List TFL
Corner Unit	3 CF 3624 S	558
Rectangular Shell	3 TF 3624 - Y	425
Rectangular Shell	3 TF 3624 - Y	425
Hanging Ped	3 SHW 20	480
Keyboard	3 KS 2611	140
Cupboard Door Hutch	3 HD 7236	903

Total List: $ 2931

Options: Door Locks, Tackboard, Task Light, Wire Management, CPU Trolley



L-GROUP: SUITE #TR006

Item	Model	List TFL
Corner Unit	3 CP 3620 C	509
Curved Shell	3 TP 3624 R20 C - Y	427
Curved Shell	3 TP 3624 L20 C - Y	427
Hanging Ped	3 SHW 20	480
Open Hutch	3 HH T 7236	644

Total List: $ 2487



L-GROUP: SUITE #TR007

Item	Model	List TFL
K-Island	3 PKTS 7236 R	728
Curved Shell	3 TP 4824 R20 C - Y	475
Hanging Ped	3 SHW 20	480
Open Hutch	3 HD 4836	685

Total List: $ 2368

Hutch Lock Option: HDLK3 Add $133



U-GROUP: SUITE #TR008

Item	Model	List TFL
Credenza	3 SCP 7224 BXX	959
Linking Top	3 BN 3620 S	175
D-Island	3 DT 7236	668
Cupboard Door Hutch	3 HD 7236	903

Total List: $ 2705

Hutch Lock Option: HDLK4 Add $144

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



U-GROUP: SUITE #TR009

Item	Model	List TFL
Credenza	3 SCP 7224 BXX	959
Linking Top	3 BN 4224 S	218
P-Island	3 PT 7230 R	722
Cupboard Door Hutch	3 HD 7236	903
Tall Multistorage	3 SIMD 2465 R	1571

Total List: $ 4373



L-GROUP: SUITE #TR010

Item	Model	List TFL
Extended Corner	3 CEF 3624 L72 - Y	806
Freestanding Multifile	3 SMF 3024	964
Cupboard Door Hutch	3 HD 6636	855

Total List: $ 2625



DUAL L-GROUP WITH SCREENS: SUITE #TR027

Item	Model	List TFL
Corner Unit	3 CP 3624 S (2 @ $485 ea.)	970
Rectangular Shell	3 TP 3624-Y (2 @ $377 ea.)	754
Rectangular Shell	3 TF 3624-Y (2 @ $425 ea.)	850
Tall Storage (left)	3 SIMD 2454 L	1476
Tall Storage (right)	3 SIMD 2454 R	1476
Hanging Ped	3 SHW 20 (2 @ $480 ea.)	960
Screen Post	FSPST 12 (2 @ $58 ea.)	116
Screen Post	FSPST 18 (5 @ $87 ea.)	435
Smoked Acrylic Screen	FSPST 3612	173
Smoked Acrylic Screen	FSPST 3618	203
Smoked Acrylic Screen	FSPST 7218 (2 @ $370 ea.)	740
Fabric Gap Filler (12")	FGF 12 BL	N/C
Fabric Gap Filler (18")	FGF 18 BL	N/C

Total List: $ 8153



U-GROUP: SUITE #TR012

Item	Model	List TFL
Credenza	3 SCP 7224 FXX	959
Bow Front Desk (B/B/F)	3 RFB 7236 XB	1164
Bridging Top	3 BF 4224 C	377
Curved Flipper Door Hutch	3 HF C 7236	1067
Tall Storage	3 SPF 362465	1547
Keyboard	3 KS 3215	170

Total List: $ 5284

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



U-GROUP: SUITE #TR013

Item	Model	List TFL
Credenza	3 SCP 7220 HXH	970
Desk (B/F; B/F)	3 RF 7236 HH	1092

Total List: $ 2062



U-GROUP: SUITE #TR014

Item	Model	List TFL
Credenza	3 SCP 7220 HXX	752
Desk (B/F)	3 RF 7236 HX	940
Linking Top	3 BN 4224 S	218
Open Hutch	3 HH T 7236	644

Total List: $ 2554



RECEPTION DESK WITH SCREENS: SUITE #TR025

Item	Model	List TFL
Corner w/ KB	3 CFK 4224 S	1043
Curved Shell	3 TF 4230 R24 C-Y	524
Curved Shell	3 TF 6030 L24 C-Y	608
Lateral File	3 SLU 3024	679
Floor Ped (B/B/F)	3 SJX 24	668
Screen Post	FSPST 12 (7 @ $58 ea.)	406
Smoked Acrylic Screen	FSPS 4212 (3 @ $196 ea.)	588
Smoked Acrylic Screen	FSPS 6012	254
Transaction Top (42")	3 FSC 4212 S	131
Transaction Top (60")	3 FSC 6012 S	168
Corner Trans. Top	3 FSCS 4242	552
Fabric Gap Filler (2)	FGF 12 BL	N/C

Total List: $ 5621



RECEPTION DESK WITH SCREENS: SUITE #TR026

Item	Model	List TFL
Desk w / Hanging Ped	3 RF 7236 HX	940
Rectangular Shell	3 TF 6024-Y	498
Mobile Ped (F/F)	3 SMY 20	673
Screen Posts (12")	FSPST 12 (5 @ $58 ea.)	290
Fabric Screen (72")	FSPF 7212	300
Fabric Screen (36")	FSPF 3612	173
Fabric Screen (60")	FSPF 6012	254
Transaction Top	3 FSC 7212 S	200
Fabric Gap Filler	FGF 12 BL	N/C

Total List: $ 3328

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



EXECUTIVE DESK: SUITE #TR017

Item	Model	List TFL
Credenza	3 SCP 7224 FXF	1298
Desk (F/F, B/B/F)	3 RF 7230 FB	1316
Hutch	3 HF S 7236	1031

Total List: $ 3645



EXECUTIVE DESK: SUITE #TR018

Item	Model	List TFL
Credenza	3 SCF 7224 LS	1323
Desk (B/F; B/F)	3 RF 7236 HH	1092
Cupboard Door Hutch	3 HD 7236	903

Total List: $ 3318

Hutch Lock Option: HDLK4 Add $144



EXECUTIVE DESK: SUITE #TR028

Item	Model	List TFL
Desk (F/F; B/B/F)	3 RF 7236 FB	1352
Credenza	3 SCF 6024 SS	1201
Hutch	3 HD G 6036	1390
Tall Storage	3 SPFG 362465 (2 @ $2072 ea.)	4144

Total List: $ 8087

Hutch Lock Option: HDLK4 Add $144



EXECUTIVE DESK: SUITE #TR029

Item	Model	List TFL
Desk (F/F; B/B/F)	3 RFB 7236 FB	1502
Credenza	3 SCP 7224 FXB	1298
Cupboard Door Hutch	3 HD 7243	993
Tall Storage (left)	3 SPB 362472	1369
Tall Storage (right)	3 SPF 362472	1609
Paper Management	3 SHP 70	528

Total List: $ 7299

Options: Door Locks, Tackboard, Task Light, Wire Management, CPU Trolley

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL

NOTES

REGULAR & BOW TOP DESKS

INLINE treo

tréo®

DESK SHELLS





SIN 711-2



	Model #	W	D	C	Wt	V	TFL $	HPL $
Regular Desk Shell	**3 RF 4824**	48	24	24	88	5.8	**480**	**630**
	3 RF 4830	48	30	30	96	5.8	**504**	**672**
	3 RF 6030	60	30	30	118	4.5	**546**	**728**
	3 RF 6630	66	30	30	126	4.8	**564**	**758**
	3 RF 7230	72	30	30	133	5.0	**588**	**789**
	3 RF 6036	60	36	36	134	4.9	**609**	**833**
	3 RF 6636	66	36	36	144	5.2	**632**	**864**
	3 RF 7236	72	36	36	153	5.6	**660**	**903**
	3 RF 8436	84	36	36	170	6.2	**722**	**994**
Bow Top Desk Shell	**3 RFB 6636**	66	36	30	136	5.0	**679**	**928**
	3 RFB 7236	72	36	30	145	5.4	**697**	**940**
	3 RFB 7242	72	42	36	164	6.2	**819**	**1071**
	3 RFB 8442	84	42	36	183	7.0	**940**	**1194**

- Using Desk Shells and Mobile or Floor Peds provides non-handed configurations

Regular Shells
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Bow Top Shells
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

SINGLE PEDESTAL DESKS – HANGING PED





SIN 711-2

Single Pedestal Desk (Non-Handed)	**3 RF 4824 HX (-)**	48	24	24	150	9.8	**710**	**932**
	3 RF 4830 HX (-)	48	30	30	165	9.8	**734**	**1013**
	3 RF 6030 HX (-)	60	30	30	180	8.5	**795**	**1105**
	3 RF 6630 HX (-)	66	30	30	188	8.8	**843**	**1153**
	3 RF 7230 HX (-)	72	30	30	196	9.0	**903**	**1225**
	3 RF 7236 HX (-)	72	36	36	208	9.6	**940**	**1256**
Single Pedestal Bow Top Desk (Non-Handed)	**3 RFB 7236 HX (-)**	72	36	30	208	9.4	**1025**	**1328**
	3 RFB 7242 HX (-)	72	42	36	221	10.2	**1140**	**1479**

Single Pedestal Desk – Hanging Ped
- 1 locking B/F Hanging Pedestal on left or right
- Pencil tray in box drawer
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Single Pedestal Bow Top Desk – Hanging Ped
- 1 locking B/F Hanging Pedestal on left or right
- Pencil tray in box drawer
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

Non-Handed Desks
- Single hanging pedestal desks are non-handed, allowing ped to be installed left or right on these units

DOUBLE PEDESTAL DESKS – HANGING PED





SIN 711-2

Double Pedestal Desk	**3 RF 6030 HH (-)**	60	30	30	240	12.5	**970**	**1309**
	3 RF 6630 HH (-)	66	30	30	248	12.7	**1043**	**1383**
	3 RF 7230 HH (-)	72	30	30	256	13.1	**1067**	**1425**
	3 RF 7236 HH (-)	72	36	36	268	13.6	**1092**	**1474**
Double Pedestal Bow Top Desk	**3 RFB 7236 HH (-)**	72	36	30	268	13.4	**1229**	**1596**
	3 RFB 7242 HH (-)	72	42	36	281	14.2	**1340**	**1741**

Double Pedestal Desk – Hanging Peds
- 2 locking B/F Hanging Pedestals
- Pencil tray
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Double Pedestal Bow Top Desk – Hanging Peds
- 2 locking B/F Hanging Pedestals
- Pencil tray
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

DOUBLE PEDESTAL DESKS – FLOOR PED







SIN 711-2

Double Pedestal Desk	**3 RF 6030 FB (-)**	60	30	30	272	16.8	**1201**	**1667**
	3 RF 6630 FB (-)	66	30	30	280	17.6	**1262**	**1760**
	3 RF 7230 FB (-)	72	30	30	288	18.0	**1316**	**1832**
	3 RF 7236 FB (-)	72	36	36	300	19.0	**1352**	**1886**
Double Pedestal Desk with Bow Top	**3 RFB 7236 FB (-)**	72	36	30	300	19.0	**1502**	**1989**
	3 RFB 7242 FB (-)	72	42	36	313	20.0	**1631**	**2153**

Enter Handle Selection to complete code
4 Handles to choose from:
K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

Double Pedestal Desk – Floor Peds
- 1 locking B/B/F Pedestal on right
- 1 locking F/F Pedestal on left
- Pencil tray
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Double Pedestal Bow Top Desk – Floor Peds
- 1 locking B/B/F Pedestal on right
- 1 locking F/F Pedestal on left
- Pencil tray
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

Can specify up to 3 finishes (Contrast – drawer faces, Base-body, Top-top) – drawer faces or top or both can be HP laminate

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

REGULAR & BOW TOP DESKS

INLINE tréo

SINGLE PEDESTAL DESKS – FLOOR PED









	Model #	W	D	C	Wt	V	TFL $	HPL $
Regular Desk Left Pedestal (Handed)	**3 RF 6030 BX (-)**	60	30	30	202	11.8	**910**	**1261**
	3 RF 6630 BX (-)	66	30	30	210	12.6	**977**	**1352**
	3 RF 7230 BX (-)	72	30	30	218	13.0	**1025**	**1420**
	3 RF 7236 BX (-)	72	36	36	230	14.0	**1062**	**1486**
	3 RF 8436 BX (-)	84	36	36	245	14.6	**1194**	**1577**
Bow Top Desk Left Pedestal (Handed)	**3 RFB 7236 BX (-)**	72	36	30	230	14.0	**1164**	**1504**
	3 RFB 7242 BX (-)	72	42	36	243	15.0	**1250**	**1607**
Regular Desk Right Pedestal (Handed)	**3 RF 6030 XB (-)**	60	30	30	202	11.8	**910**	**1261**
	3 RF 6630 XB (-)	66	30	30	210	12.6	**977**	**1352**
	3 RF 7230 XB (-)	72	30	30	218	13.0	**1025**	**1420**
	3 RF 7236 XB (-)	72	36	36	230	14.0	**1062**	**1486**
	3 RF 8436 XB (-)	84	36	36	245	14.6	**1194**	**1577**
Bow Top Desk Right Pedestal (Handed)	**3 RFB 7236 XB (-)**	72	36	30	230	14.0	**1164**	**1504**
	3 RFB 7242 XB (-)	72	42	36	243	15.0	**1250**	**1607**



SIN 711-2

- All desks on this page are handed. Peds cannot be switched.

Left Single Pedestal Desk
- 1 locking B/B/F Pedestal on left
- Pencil tray
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Left Single Pedestal Bow Top Desk
- 1 locking B/B/F Pedestal on left
- Pencil tray
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

Right Single Pedestal Desks
- 1 locking B/B/F Pedestal on right
- Pencil tray
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Right Single Pedestal Bow Top Desk
- 1 locking B/B/F Pedestal on right
- Pencil tray
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

EXTENDED CORNER DESKS – FLOOR PED





	Model #	A	B	C	D	Wt	V	TFL $	HPL $
Left Pedestal (Handed)	**3 RFBC 7248 BX (-)**	72	48	24	30	243	15.0	**1512**	**1902**
Right Pedestal (Handed)	**3 RFBC 7248 XB (-)**	72	48	24	30	243	15.0	**1512**	**1902**



Enter Handle Selection to complete code
4 Handles to choose from:
K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

SIN 711-2

GC6000 (3") grommets available in standard worksurface locations for all Regular and Bow Top Desks.
Add $35 List per Grommet
Order as:
GL (Grommet Left)
- Grommet positioned with center 4" in from left edge of worksurface, straddling modesty panel

GC (Grommet Center)
- Grommet centered width wise on worksurface, straddling modesty panel

GR (Grommet Right)
- Grommet positioned with center 4" in from right edge of worksurface, straddling modesty panel

Can specify up to 3 finishes (Contrast – drawer faces, Base-body, Top-top) – drawer faces or top or both can be HP laminate

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

OPEN & EXECUTIVE RETURNS

INLINE treo

OPEN RETURNS



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
Left – 20" Deep	**3 ER N 3620 L**	36	20	58	2.0	**384**	**463**
	3 ER N 4220 L	42	20	65	2.3	**408**	**494**
	3 ER N 4820 L	48	20	72	2.5	**434**	**530**
Left – 24" Deep	**3 ER N 3624 L**	36	24	65	2.0	**422**	**507**
	3 ER N 4224 L	42	24	73	2.3	**431**	**528**
	3 ER N 4824 L	48	24	80	2.5	**449**	**558**
Right – 20" Deep	**3 ER N 3620 R**	36	20	58	2.0	**384**	**463**
	3 ER N 4220 R	42	20	65	2.3	**408**	**494**
	3 ER N 4820 R	48	20	72	2.5	**434**	**530**
Right – 24" Deep	**3 ER N 3624 R**	36	24	65	2.0	**422**	**507**
	3 ER N 4224 R	42	24	73	2.3	**431**	**528**
	3 ER N 4824 R	48	24	80	2.5	**449**	**558**

Remarks

- Includes top, full height modesty panel, end panel and hardware
- Modesty panel is 1" thick plus has glide at both ends
- Connects to desk with flat brackets
- Cross-grain on top to match abutting desk.
- Returns are handed and cannot be switched.

EXECUTIVE RETURNS – LEFT







SIN 711-2

		W	D	Wt	V	TFL $	HPL $
BOX / FILE PEDESTAL 20" Deep	**3 ER H 3020 L (-)**	30	20	104	5.9	**564**	**673**
	3 ER H 3620 L (-)	36	20	111	6.1	**576**	**689**
	3 ER H 4220 L (-)	42	20	118	6.3	**620**	**740**
	3 ER H 4820 L (-)	48	20	125	6.5	**636**	**758**
24" Deep	**3 ER H 4224 L (-)**	42	24	124	6.3	**655**	**795**
	3 ER H 4824 L (-)	48	24	131	6.5	**673**	**838**
BOX / BOX / FILE 20" Deep	**3 ER B 4220 L (-)**	42	20	136	8.3	**747**	**910**
	3 ER B 4820 L (-)	48	20	143	8.5	**771**	**946**
24" Deep	**3 ER B 4224 L (-)**	42	24	141	8.3	**789**	**970**
	3 ER B 4824 L (-)	48	24	148	8.5	**813**	**1019**
FILE / FILE PEDESTAL 20" Deep	**3 ER F 4220 L (-)**	42	20	136	8.3	**747**	**910**
	3 ER F 4820 L (-)	48	20	143	8.5	**771**	**946**
24" Deep	**3 ER F 4224 L (-)**	42	24	141	8.3	**789**	**970**
	3 ER F 4824 L (-)	48	24	148	8.5	**813**	**1019**

Enter Handle Selection to complete code

- Includes top, full height modesty panel, end panel and hardware
- Can specify up to 3 finishes (Contrast – drawer faces, Base - body, Top - top) – drawer faces or top or both can be HP Laminate
- Need to select handle style and finish
- Gang lock secures all pedestal drawers
- Drawers mounted on full extension, ball bearing slides
- Includes suspension bars
- Accepts legal & letter files
- Box / File and Box / Box / File peds include one pencil tray
- Modesty panel is 1" thick plus has glide at both ends
- Connects to desk with flat brackets
- Cross-grain on top to match abutting desk.
- Returns are handed and cannot be switched.

EXECUTIVE RETURNS – RIGHT







SIN 711-2

		W	D	Wt	V	TFL $	HPL $
BOX / FILE PEDESTAL 20" Deep	**3 ER H 3020 R (-)**	30	20	104	5.9	**564**	**673**
	3 ER H 3620 R (-)	36	20	111	6.1	**576**	**689**
	3 ER H 4220 R (-)	42	20	118	6.3	**620**	**740**
	3 ER H 4820 R (-)	48	20	125	6.5	**636**	**758**
24" Deep	**3 ER H 4224 R (-)**	42	24	124	6.3	**655**	**795**
	3 ER H 4824 R (-)	48	24	131	6.5	**673**	**838**
BOX / BOX / FILE 20" Deep	**3 ER B 4220 R (-)**	42	20	136	8.3	**747**	**910**
	3 ER B 4820 R (-)	48	20	143	8.5	**771**	**946**
24" Deep	**3 ER B 4224 R (-)**	42	24	141	8.3	**789**	**970**
	3 ER B 4824 R (-)	48	24	148	8.5	**813**	**1019**
FILE / FILE PEDESTAL 20" Deep	**3 ER F 4220 R (-)**	42	20	136	8.3	**747**	**910**
	3 ER F 4820 R (-)	48	20	143	8.5	**771**	**946**
24" Deep	**3 ER F 4224 R (-)**	42	24	141	8.3	**789**	**970**
	3 ER F 4824 R (-)	48	24	148	8.5	**813**	**1019**

Enter Handle Selection to complete code

- Includes top, full height modesty panel, end panel and hardware
- Can specify up to 3 finishes (Contrast – drawer faces, Base - body, Top - top) – drawer faces or top or both can be HP Laminate
- Need to select handle style and finish
- Gang lock secures all pedestal drawers
- Drawers mounted on full extension, ball bearing slides
- Includes suspension bars
- Accepts legal & letter files
- Box / File and Box / Box / File peds include one pencil tray
- Modesty panel is 1" thick plus has glide at both ends
- Connects to desk with flat brackets
- Cross-grain on top to match abutting desk.
- Returns are handed and cannot be switched.

4 Handles to choose from:

K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BRIDGING & LINKING TOPS

INLINE treo

BRIDGING TOPS (WITH MODESTY)		Model #	W	D	Wt	V	TFL $	HPL $	Remarks
 **Straight** SIN 711-2	**20" Deep**	**3 BF 3020 S**	30	20	35	2.5	**243**	**315**	• Cross-grain on top to match abutting desk **Bridging Tops** • Includes top, full height modesty panel and hardware • Modesty panels are 1" thick, flush to back • Includes 4 flat brackets and 2 glides • One grommet – centered **Choosing a Pedestal** • 24"D BF's will accommodate 20"D floor or mobile pedestals only • 20"D BF's do not accommodate pedestals. Use 20"D BN model • Curved BF's do not accommodate pedestals
		3 BF 3620 S	36	20	44	2.5	**255**	**345**	
		3 BF 4220 S	42	20	56	3.0	**291**	**377**	
		3 BF 4820 S	48	20	67	3.0	**315**	**413**	
	24" Deep	**3 BF 3024 S**	30	24	42	2.0	**267**	**345**	
		3 BF 3624 S	36	24	53	2.3	**291**	**389**	
		3 BF 4224 S	42	24	64	2.6	**339**	**437**	
		3 BF 4824 S	48	24	72	3.0	**389**	**498**	
 **Curved** SIN 711-2	**24" Deep Curved**	**3 BF 3024 C**	30	24	42	2.0	**303**	**382**	
		3 BF 3624 C	36	24	53	2.3	**328**	**413**	
		3 BF 4224 C	42	24	64	2.6	**377**	**474**	
		3 BF 4824 C	48	24	72	3.0	**425**	**533**	
LINKING TOPS (NO MODESTY)									
 **Straight** SIN 711-2	**20" Deep**	**3 BN 3020 S**	30	20	16	1.3	**159**	**218**	• Cross-grain on top to match abutting desk **Linking Tops** • Includes top and 4 flat brackets • One grommet – centered **Choosing a Pedestal** • 20"D pedestals go with 20"D BN's • 24"D pedestals go with 24"D straight BN's • Curved BN's do not accommodate pedestals
		3 BN 3620 S	36	20	19	1.6	**175**	**243**	
		3 BN 4220 S	42	20	22	1.8	**194**	**267**	
		3 BN 4820 S	48	20	25	2.0	**212**	**286**	
		3 BN 6020 S	60	20	31	2.5	**280**	**377**	
		3 BN 7220 S	72	20	38	3.0	**315**	**423**	
	24" Deep	**3 BN 3024 S**	30	24	19	1.5	**170**	**237**	
		3 BN 3624 S	36	24	23	1.8	**194**	**267**	
		3 BN 4224 S	42	24	26	2.1	**218**	**297**	
		3 BN 4824 S	48	24	30	2.4	**243**	**334**	
		3 BN 6024 S	60	24	38	3.0	**333**	**457**	
		3 BN 7224 S	72	24	45	3.5	**370**	**507**	
 **Curved** SIN 711-2	**24" Deep Curved**	**3 BN 3024 C**	30	24	22	2.5	**207**	**273**	
		3 BN 3624 C	36	24	25	2.5	**231**	**303**	
		3 BN 4224 C	42	24	30	3.0	**267**	**345**	
		3 BN 4824 C	48	24	32	3.0	**303**	**394**	
FLAT BRACKET (PAIR)									
 SIN 711-2		**3 BRPK2**	2	3			**16**	**N/A**	• Extra brackets sold in pairs
COMMON TOPS FOR FILES									
	**20" Deep**	**3 BN 3020**	30	20	18	2.5	**151**	**212**	• Grain runs full width • Special tops can be ordered to span files which are back to back • Can be used to convert underdesk files to freestanding files • Adding tops to single or double lateral files may require slightly different sizes, depending on age of file **Measure exactly before ordering.** • Call factory for quote on custom sizes
		3 BN 3620	36	20	22	2.5	**164**	**231**	
		3 BN 4820	48	20	26	3.0	**207**	**279**	
		3 BN 6020	60	20	40	4.0	**249**	**377**	
		3 BN 6620	66	20	58	4.8	**265**	**401**	
		3 BN 7220	72	20	65	5.0	**279**	**425**	
		3 BN 7820	78	20	72	5.5	**321**	**480**	
		3 BN 8420	84	20	78	6.0	**345**	**522**	
	24" Deep	**3 BN 3024**	30	24	28	2.5	**159**	**224**	
		3 BN 3624	36	24	32	2.5	**170**	**243**	
		3 BN 4824	48	24	36	3.0	**218**	**310**	
		3 BN 5424	54	24	43	3.5	**246**	**364**	
		3 BN 6024	60	24	50	4.0	**273**	**418**	
		3 BN 6624	66	24	65	4.7	**289**	**446**	
		3 BN 7224	72	24	75	5.0	**303**	**474**	
		3 BN 7824	78	24	82	5.5	**364**	**546**	
		3 BN 8424	84	24	88	6.0	**389**	**582**	

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CREDENZAS – FULL MODESTY

INLINE tréo

tréo®

CREDENZAS		Model #	W	D	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT	Remarks
	**2 Laterals**	**3 SCF 6020 LL (-)**	60	20	255	23.1	**1327**	**1570**	**1836**	**Credenzas** • All lateral files and peds gang-lock and have full suspension drawers • Cabinets are non-handed • Cabinets can be installed facing opposite directions at user's option
		3 SCF 7220 LL (-)	72	20	260	26.0	**1436**	**1679**	**1947**	
		3 SCF 6024 LL (-)	60	24	278	23.6	**1377**	**1643**	**1910**	
		3 SCF 7224 LL (-)	72	24	280	26.3	**1498**	**1765**	**2032**	
	Lateral, Storage,	**3 SCF 6020 LS (-)**	60	20	235	23.1	**1116**	**1359**	**1698**	
		3 SCF 7220 LS (-)	72	20	240	26.0	**1225**	**1468**	**1808**	
		3 SCF 6024 LS (-)	60	24	250	23.6	**1201**	**1468**	**1759**	
		3 SCF 7224 LS (-)	72	24	250	26.3	**1323**	**1590**	**1881**	
	2 Storage	**3 SCF 6020 SS (-)**	60	20	215	23.1	**951**	**1194**	**1534**	
		3 SCF 7220 SS (-)	72	20	220	26.0	**1062**	**1304**	**1643**	
		3 SCF 6024 SS (-)	60	24	222	23.6	**1019**	**1285**	**1577**	
		3 SCF 7224 SS (-)	72	24	220	26.3	**1140**	**1407**	**1698**	
 SIN 711-2	**Combination**	**3 SCF 6020 FSB (-)**	60	20	257	22.0	**1510**	**1728**	**2056**	• Files accept legal side-to-side as standard • For either letter side-to-side or front-to-back configurations, see notes and accessories on page 1-29
		3 SCF 6620 FSB (-)	66	20	257	22.1	**1571**	**1801**	**2178**	
		3 SCF 7220 FSB (-)	72	20	275	24.0	**1619**	**1862**	**2262**	
		3 SCF 6024 FSB (-)	60	24	277	26.3	**1571**	**1801**	**2153**	
		3 SCF 6624 FSB (-)	66	24	277	26.5	**1625**	**1881**	**2244**	
		3 SCF 7224 FSB (-)	72	24	295	28.3	**1693**	**1959**	**2323**	
 SIN 711-2	**Knee Space Lateral**	**3 SCF 7220 LX (-)**	72	20	179	14.2	**1031**	**1274**	**1577**	**Knee Space Lateral Credenzas** • Lateral file can mount left or right • Lateral files are 30" wide
		3 SCF 8420 LX (-)	84	20	191	14.8	**1182**	**1455**	**1813**	
		**3 SCF 7224 LX (-)**	72	24	202	15.9	**1105**	**1371**	**1638**	
		3 SCF 8424 LX (-)	84	24	215	16.5	**1280**	**1582**	**1881**	
 SIN 711-2	**Knee Space Multifile**	**3 SCF 7220 MX (-)**	72	20	179	14.2	**1086**	**1328**	**1650**	**Knee Space Multifile Credenzas** • Multifiles can mount left or right • Multifiles are 30" wide • Lateral and box drawers gang-lock • Lock kit available for file drawer; order **MFLK** $58 List (installed)
		3 SCF 8420 MX (-)	84	20	191	14.8	**1237**	**1510**	**1886**	
		**3 SCF 7224 MX (-)**	72	24	202	15.9	**1164**	**1431**	**1717**	
		3 SCF 8424 MX (-)	84	24	215	16.5	**1340**	**1643**	**1959**	
 SIN 711-2	**Knee Space Storage**	**3 SCF 7220 SX (-)**	72	20	171	14.2	**820**	**1013**	**1254**	**Knee Space Storage Credenzas** • Storage unit can mount left or right • Storage units are 30" wide • Unit has one adjustable shelf behind doors
		3 SCF 8420 SX (-)	84	20	183	14.8	**970**	**1194**	**1488**	
		**3 SCF 7224 SX (-)**	72	24	194	15.9	**895**	**1110**	**1326**	
		3 SCF 8424 SX (-)	84	24	207	16.5	**1070**	**1322**	**1572**	
 SIN 711-2	**Knee Space (Double Floor Pedestals)**	**3 SCF 7220 FXB (-)**	72	20	220	13.9	**1304**	**1547**	**1735**	**Knee Space Floor Pedestal Credenzas** • Units are non-handed • Peds can install left or right • For 2 F/F peds, change suffix to FXF (see pg 1-15)
		3 SCF 6024 FXB (-)	60	24	231	13.3	**1261**	**1492**	**1662**	
		3 SCF 6624 FXB (-)	66	24	238	13.6	**1309**	**1566**	**1741**	
		3 SCF 7224 FXB (-)	72	24	245	13.9	**1335**	**1601**	**1789**	
 SIN 711-2	**Knee Space B/B/F**	**3 SCF 7220 BXX (-)**	72	20	163	8.9	**903**	**1146**	**1243**	• Peds can install left or right • Box drawer models have one pencil tray
		**3 SCF 6024 BXX (-)**	60	24	167	8.3	**927**	**1170**	**1267**	
		3 SCF 6624 BXX (-)	66	24	174	8.6	**965**	**1232**	**1328**	
		3 SCF 7224 BXX (-)	72	24	181	8.9	**994**	**1280**	**1377**	
 SIN 711-2	**Knee Space F/F**	**3 SCF 7220 FXX (-)**	72	20	163	8.9	**903**	**1146**	**1243**	• For all Credenzas, can specify up to 3 finishes (Contrast – doors and drawers, Base - body, Top - top). Doors/drawers, top or both can be HPL, price depends on HPL option chosen. • Grommets available–see pg 7-5 Must be custom installed
		**3 SCF 6024 FXX (-)**	60	24	167	8.3	**927**	**1170**	**1267**	
		3 SCF 6624 FXX (-)	66	24	174	8.6	**965**	**1232**	**1328**	
		3 SCF 7224 FXX (-)	72	24	181	8.9	**994**	**1280**	**1377**	
 SIN 711-2	**Knee Space B/F**	**3 SCF 6020 HXX (-)**	60	20	155	7.3	**740**	**959**	**1019**	**Knee Space Hanging Pedestal Credenzas** • Units are non-handed • Peds can install left or right
		3 SCF 7220 HXX (-)	72	20	167	7.9	**789**	**1031**	**1092**	
		3 SCF 6024 HXX (-)	60	24	167	7.3	**819**	**1062**	**1121**	
		3 SCF 7224 HXX (-)	72	24	181	7.9	**879**	**1164**	**1225**	**4 Handles to choose from:** K1 Black, Tear Drop K2 Black, Wire N1 Nickel, Tear Drop N2 Nickel, Wire **Enter Handle Selection in (-) to complete code**
 SIN 711-2	**Knee Space B/Fx2**	**3 SCF 6020 HXH (-)**	60	20	222	11.3	**946**	**1164**	**1285**	
		3 SCF 7220 HXH (-)	72	20	234	11.9	**1007**	**1250**	**1371**	
		3 SCF 6024 HXH (-)	60	24	234	11.3	**1025**	**1267**	**1388**	
		3 SCF 7224 HXH (-)	72	24	248	11.9	**1086**	**1371**	**1492**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CREDENZAS – PARTIAL MODESTY

INLINE treo

CREDENZAS	Model #	W	D	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT
 SIN 711-2 — **Knee Space Lateral** 	**3 SCP 6620 LX (-)**	66	20	165	13.1	**970**	**1201**	**1504**
	3 SCP 7220 LX (-)	72	20	169	13.3	**994**	**1237**	**1540**
	3 SCP 8420 LX (-)	84	20	178	13.8	**1134**	**1407**	**1765**
	3 SCP 6624 LX (-)	66	24	177	15.2	**1012**	**1267**	**1528**
	3 SCP 7224 LX (-)	72	24	182	15.5	**1067**	**1335**	**1601**
	3 SCP 8424 LX (-)	84	24	192	16.1	**1232**	**1534**	**1832**
 SIN 711-2 — **Knee Space Multifile** 	**3 SCP 6620 MX (-)**	66	20	165	13.1	**1025**	**1256**	**1577**
	3 SCP 7220 MX (-)	72	20	169	13.3	**1049**	**1292**	**1614**
	3 SCP 8420 MX (-)	84	20	178	13.8	**1189**	**1462**	**1838**
	3 SCP 6624 MX (-)	66	24	177	15.2	**1073**	**1267**	**1607**
	3 SCP 7224 MX (-)	72	24	182	15.5	**1129**	**1335**	**1679**
	3 SCP 8424 MX (-)	84	24	192	16.1	**1292**	**1534**	**1910**
 SIN 711-2 — **Knee Space Storage** 	**3 SCP 7220 SX (-)**	72	20	161	13.3	**783**	**967**	**1197**
	3 SCP 8420 SX (-)	84	20	170	13.8	**922**	**1135**	**1414**
	3 SCP 7224 SX (-)	72	24	174	15.5	**857**	**1063**	**1270**
	3 SCP 8424 SX (-)	84	24	184	16.1	**1022**	**1263**	**1502**
 SIN 711-2 — **Knee Space (Double Floor Pedestals)**	**3 SCP 7220 FXB (-)**	72	20	210	13.0	**1256**	**1498**	**1686**
	3 SCP 6624 FXB (-)	66	24	220	13.2	**1274**	**1528**	**1704**
	3 SCP 7224 FXB (-)	72	24	225	13.5	**1298**	**1566**	**1752**
 SIN 711-2 — **Knee Space (Double Floor Pedestals)**	**3 SCP 7220 FXF (-)**	72	20	210	13.0	**1256**	**1498**	**1686**
	3 SCP 6624 FXF (-)	66	24	220	13.2	**1274**	**1528**	**1704**
	3 SCP 7224 FXF (-)	72	24	225	13.5	**1298**	**1566**	**1752**
 SIN 711-2 — **Knee Space B/B/F** 	**3 SCP 6020 BXX (-)**	60	20	139	7.5	**831**	**1049**	**1146**
	3 SCP 6620 BXX (-)	66	20	143	7.8	**855**	**1086**	**1182**
	3 SCP 7220 BXX (-)	72	20	148	8.0	**867**	**1110**	**1208**
	3 SCP 6624 BXX (-)	66	24	156	8.2	**927**	**1194**	**1292**
	3 SCP 7224 BXX (-)	72	24	161	8.5	**959**	**1243**	**1340**
 SIN 711-2 — **Knee Space F/F** 	**3 SCP 6020 FXX (-)**	60	20	151	8.3	**831**	**1049**	**1146**
	3 SCP 6620 FXX (-)	66	20	157	8.6	**855**	**1086**	**1182**
	3 SCP 7220 FXX (-)	72	20	163	8.9	**867**	**1110**	**1208**
	3 SCP 6624 FXX (-)	66	24	174	8.6	**927**	**1194**	**1292**
	3 SCP 7224 FXX (-)	72	24	181	8.9	**959**	**1243**	**1340**
 SIN 711-2 — **Knee Space B/F**	**3 SCP 6020 HXX (-)**	60	20	139	6.5	**704**	**922**	**983**
	3 SCP 7220 HXX (-)	72	20	148	7.0	**752**	**994**	**1055**
	3 SCP 6024 HXX (-)	60	24	151	7.0	**782**	**1025**	**1086**
	3 SCP 7224 HXX (-)	72	24	161	7.5	**831**	**1116**	**1177**
 SIN 711-2 — **Knee Space B/Fx2**	**3 SCP 6020 HXH (-)**	60	20	206	10.5	**922**	**1140**	**1261**
	3 SCP 7220 HXH (-)	72	20	215	11.0	**970**	**1213**	**1335**
	3 SCP 6024 HXH (-)	60	24	218	11.0	**989**	**1232**	**1352**
	3 SCP 7224 HXH (-)	72	24	228	11.5	**1049**	**1335**	**1455**

Enter Handle Selection to complete code
4 Handles to choose from:
K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

Remarks

Knee Space Lateral Credenzas
- All files/peds shipped assembled
- Lateral file can mount left or right
- Lateral files are 30" wide
- Legal files side-to-side, standard
- See pg. 1-29 for other options

Knee Space Multifile Credenzas
- Multifiles can mount left or right
- Multifiles are 30" wide
- Lateral and box drawers gang-lock
- Lock kit available for file drawer; order **MFLK** $58 List (installed)

Knee Space Storage Credenzas
- Storage unit can mount left or right
- Storage units are 30" wide
- Unit has one adjustable shelf behind doors

Knee Space Floor Pedestal Credenzas
- Units are non-handed
- Peds can install left or right
- No modesty on SCP double ped credenzas

- For all Credenzas, can specify up to 3 finishes (Contrast – doors and drawers, Base - body, Top - top). Doors/drawers, top or both can be HPL, price depends on HPL option chosen.

- Peds can install left or right
- Box drawer models have one pencil tray

- For 20"H Wall Access Modesty panel, change code of any model on this page to **3 SCPQ** and use Full Modesty version price (see page 1-14)

Knee Space Hanging Pedestal Credenzas
- Units are non-handed
- Peds can install left or right
- Box drawer models have one pencil tray

- Grommets available–see pg 7-5 Must be custom installed

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

"D" ISLANDS

INLINE tréo

tréo®

D ISLAND – T LEG



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Deep	**3 DT 4824**	48	24	65	5.0	**485**	**679**
	3 DT 6024	60	24	79	5.5	**509**	**716**
	3 DT 7224	72	24	94	5.5	**546**	**764**
30" Deep	**3 DT 6030**	60	30	90	5.5	**570**	**789**
	3 DT 6630	66	30	96	6.0	**595**	**819**
	3 DT 7230	72	30	103	6.0	**620**	**855**
	3 DT 7830	78	30	110	6.5	**647**	**893**
36" Deep	**3 DT 6036**	60	36	103	6.0	**620**	**869**
	3 DT 6636	66	36	107	6.3	**643**	**898**
	3 DT 7236	72	36	110	6.5	**668**	**927**

D Island – T Modesty
- Includes top, end panel, support panel, post leg and hardware
- Post leg comes in Black
- To order Nickel leg add **"N"** to end of code (add $105 List)

D ISLAND – PARTIAL / WALL ACCESS MODESTY



SIN 711-2

		Model #	W	D	Wt	V	TFL $	HPL $
Partial Modesty	24" Deep	**3 DP 4824**	48	24	60	5.0	**449**	**644**
		3 DP 6024	60	24	74	5.5	**474**	**679**
		3 DP 7224	72	24	89	5.5	**509**	**727**
	30" Deep	**3 DP 6030**	60	30	85	5.5	**533**	**752**
		3 DP 7230	72	30	98	6.0	**588**	**824**
Wall Access Modesty	24" Deep	**3 DPQ 4824**	48	24	60	5.0	**449**	**644**
		3 DPQ 6024	60	24	74	5.5	**474**	**679**
	30" Deep	**3 DPQ 6030**	60	30	85	5.5	**533**	**752**
		3 DPQ 6630	66	30	91	6.0	**552**	**776**
		3 DPQ 7230	72	30	98	6.0	**588**	**824**

D Island – Partial/Wall Access Modesty
- Includes top, end panel, support panels, post leg, hardware and grommet
- Partial (DP) modesty gives 16" floor clearance
- Wall access (DPQ) modesty gives 20" floor clearance
- Post leg comes in Black
- To order Nickel leg add **"N"** to end of code (add $105 List)
- Cover hides wire access hole when one side of unit is exposed
- Partial user modesty can be added to 72" models. Order **3 DMP 7212** @ $ 152 list.

D TOP – NO MODESTY



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Deep	**3 DN 3624**	36	24	32	4.0	**382**	**564**
	3 DN 4224	42	24	38	4.3	**399**	**586**
	3 DN 4824	48	24	44	4.5	**413**	**607**
30" Deep	**3 DN 4830**	48	30	53	4.5	**437**	**636**
	3 DN 6030	60	30	60	5.0	**466**	**685**
	3 DN 6630	66	30	66	5.0	**485**	**716**

D Top - No Modesty
- Includes top, post leg and hardware
- Post leg comes in Black
- To order Nickel leg add **"N"** to end of code (add $105 List)

D ISLAND – PARTIAL MODESTY





SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
30" Deep	**3 DM 6030**	60	30	96	5.5	**607**	**824**
	3 DM 6630	66	30	104	6.0	**625**	**849**
	3 DM 7230	72	30	111	6.5	**655**	**891**
36" Deep	**3 DM 6036**	60	36	108	7.2	**668**	**927**
	3 DM 6636	66	36	116	7.6	**679**	**946**
	3 DM 7236	72	36	123	8.0	**692**	**965**

Partial Modesty
- Includes top, 11" D modesty, end panel, leg panel and hardware
- Modesty is non-handed to mount inboard, outboard or centered

D ISLAND – FULL MODESTY





SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
30" Deep	**3 DMF 6030**	60	30	101	5.5	**655**	**874**
	3 DMF 6630	66	30	109	6.0	**673**	**898**
	3 DMF 7230	72	30	116	6.5	**704**	**940**
36" Deep	**3 DMF 7236**	72	36	128	8.0	**740**	**1013**

Full Modesty
- Includes top, full height modesty, end panel, leg panel, hardware and grommet
- Modesty is non-handed to mount inboard, outboard or centered

D ISLAND – FULL LEG MODESTY





SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
30" Deep	**3 DMFP 6030**	60	30	100	5.5	**760**	**978**
	3 DMFP 6630	66	30	108	6.0	**778**	**1003**
	3 DMFP 7230	72	30	116	6.5	**809**	**1045**
36" Deep	**3 DMFP 7236**	72	36	128	8.0	**845**	**1118**

Full Post-Leg Modesty
- Includes top, full height modesty, end panel, post leg and hardware

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

"P" & "K" ISLANDS

INLINE tréo

	Model #	W	A	B	Wt	V	TFL $	HPL $	Remarks
P ISLAND LEFT – T LEG									
30" Deep	3 PT 6030 L	60	36	30	99	5.6	655	886	**P Islands** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add **"N"** to end of code (add $105 List)
	3 PT 6630 L	66	36	30	103	6.0	697	940	
	3 PT 7230 L	72	36	30	108	6.5	722	989	
36" Deep	3 PT 7236 L	72	42	36	119	7.0	752	1062	
P ISLAND LEFT – PARTIAL MODESTY									
30" Deep	3 PM 6030 L	60	36	30	106	5.6	692	946	**Extended Modesty** • Includes top, 12" D modesty, end panel, leg panel and hardware • Modesty is non-handed to mount outboard or centered
	3 PM 6630 L	66	36	30	114	6.0	709	970	
	3 PM 7230 L	72	36	30	121	6.5	728	994	
36" Deep	3 PM 7236 L	72	42	36	133	8.0	789	1080	
	3 PM 8436 L	84	42	36	155	8.5	910	1238	
P ISLAND LEFT – FULL MODESTY									
30" Deep	3 PMF 6630 L	66	36	30	119	6.0	758	1018	**Full Modesty** • Includes top, full height modesty, end panel, leg panel and hardware
	3 PMF 7230 L	72	36	30	126	6.5	776	1043	
36" Deep	3 PMF 7236 L	72	42	36	138	8.0	838	1129	
K ISLAND LEFT – T LEG									**K Islands** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add **"N"** to end of code (add $105 List) • Curved corner work area • Uses 3 KM 2813CL keyboard (see page 7-2)
20" Connect	3 PKTS 7236 L	72	36	20	136	7.5	728	1019	
24" Connect	3 PKT 7236 L	72	36	24	136	7.5	728	1019	
P ISLAND RIGHT – T LEG									
30" Deep	3 PT 6030 R	60	36	30	99	5.6	655	886	**P Islands** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add **"N"** to end of code (add $105 List)
	3 PT 6630 R	66	36	30	103	6.0	697	940	
	3 PT 7230 R	72	36	30	108	6.5	722	989	
36" Deep	3 PT 7236 R	72	42	36	119	7.0	752	1062	
P ISLAND RIGHT – PARTIAL MODESTY									
30" Deep	3 PM 6030 R	60	36	30	106	5.6	692	946	**Extended Modesty** • Includes top, 12" D modesty, end panel, leg panel and hardware • Modesty is non-handed to mount outboard or centered
	3 PM 6630 R	66	36	30	114	6.0	709	970	
	3 PM 7230 R	72	36	30	121	6.5	728	994	
36" Deep	3 PM 7236 R	72	42	36	133	8.0	789	1080	
	3 PM 8436 R	84	42	36	155	8.5	910	1238	
P ISLAND RIGHT – FULL MODESTY									
30" Deep	3 PMF 6630 R	66	36	30	119	6.0	758	1018	**Full Modesty** • Includes top, full height modesty, end panel, leg panel and hardware
	3 PMF 7230 R	72	36	30	126	6.5	776	1043	
36" Deep	3 PMF 7236 R	72	42	36	138	8.0	838	1129	
K ISLAND RIGHT – T LEG									**K Islands** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add **"N"** to end of code (add $105 List) • Curved corner work area • Uses 3 KM 2813CL keyboard (see page 7-2)
20" Connect	3 PKTS 7236 R	72	36	20	136	7.5	728	1019	
24" Connect	3 PKT 7236 R	72	36	24	136	7.5	728	1019	

All items SIN 711-2

LEGEND: **W**=width; **A**=P depth; **B**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

RECTANGULAR SHELLS

INLINE tréo

tréo®

RECTANGULAR SHELLS – FULL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
20" Deep	**3 TF 4220 (-)**	42	20	65	5.1	**415**	**571**
	3 TF 4820 (-)	48	20	71	5.8	**442**	**593**
	3 TF 6020 (-)	60	20	99	4.5	**473**	**627**
	3 TF 6620 (-)	66	20	108	4.8	**494**	**655**
	3 TF 7220 (-)	72	20	118	5.1	**515**	**684**
24" Deep	**3 TF 2424 (-)**	24	24	58	3.1	**389**	**540**
	3 TF 3024 (-)	30	24	64	3.8	**413**	**558**
	3 TF 3624 (-)	36	24	72	4.5	**425**	**595**
	3 TF 4224 (-)	42	24	82	5.1	**437**	**601**
	3 TF 4824 (-)	48	24	88	5.8	**466**	**625**
	3 TF 5424 (-)	54	24	97	4.2	**474**	**636**
	3 TF 6024 (-)	60	24	106	4.5	**498**	**660**
	3 TF 6624 (-)	66	24	115	4.8	**516**	**685**
	3 TF 7224 (-)	72	24	125	5.1	**552**	**734**
	3 TF 7824 (-)	78	24	134	5.4	**601**	**795**
	3 TF 8424 (-)	84	24	144	5.8	**649**	**855**
30" Deep	**3 TF 2430 (-)**	24	30	66	3.1	**418**	**564**
	3 TF 3030 (-)	30	30	73	3.8	**437**	**588**
	3 TF 3630 (-)	36	30	80	4.5	**449**	**612**
	3 TF 4230 (-)	42	30	89	5.1	**474**	**636**
	3 TF 4830 (-)	48	30	96	5.8	**498**	**688**
	3 TF 5430 (-)	54	30	106	4.2	**522**	**704**
	3 TF 6030 (-)	60	30	113	4.5	**558**	**740**
	3 TF 6630 (-)	66	30	121	4.8	**582**	**776**
	3 TF 7230 (-)	72	30	132	5.1	**601**	**800**
	3 TF 7830 (-)	78	30	143	5.4	**660**	**879**
	3 TF 8430 (-)	84	30	153	5.8	**722**	**965**

Must enter X, Y or Z to define legs

RECTANGULAR SHELLS – PARTIAL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

20" Deep	**3 TP 4220 (-)**	42	20	53	5.1	**373**	**528**
	3 TP 4820 (-)	48	20	57	5.8	**402**	**556**
	3 TP 6020 (-)	60	20	85	4.5	**441**	**597**
	3 TP 6620 (-)	66	20	94	4.8	**462**	**624**
	3 TP 7220 (-)	72	20	102	5.1	**483**	**653**
24" Deep	**3 TP 2424 (-)**	24	24	51	3.1	**353**	**498**
	3 TP 3024 (-)	30	24	57	3.8	**364**	**522**
	3 TP 3624 (-)	36	24	65	4.5	**377**	**533**
	3 TP 4224 (-)	42	24	73	5.1	**394**	**558**
	3 TP 4824 (-)	48	24	79	5.8	**425**	**588**
	3 TP 5424 (-)	54	24	87	4.2	**437**	**601**
	3 TP 6024 (-)	60	24	95	4.5	**466**	**631**
	3 TP 6624 (-)	66	24	101	4.8	**485**	**655**
	3 TP 7224 (-)	72	24	110	5.1	**516**	**697**
	3 TP 7824 (-)	78	24	121	5.4	**552**	**734**
	3 TP 8424 (-)	84	24	132	5.8	**601**	**806**
30" Deep	**3 TP 2430 (-)**	24	30	63	3.1	**382**	**528**
	3 TP 3030 (-)	30	30	70	3.8	**401**	**540**
	3 TP 3630 (-)	36	30	77	4.5	**413**	**576**
	3 TP 4230 (-)	42	30	85	5.1	**437**	**601**
	3 TP 4830 (-)	48	30	92	5.8	**461**	**631**
	3 TP 5430 (-)	54	30	102	4.2	**480**	**660**
	3 TP 6030 (-)	60	30	105	4.5	**522**	**704**
	3 TP 6630 (-)	66	30	110	4.8	**540**	**734**
	3 TP 7230 (-)	72	30	115	5.1	**570**	**771**
	3 TP 7830 (-)	78	30	130	5.4	**620**	**838**
	3 TP 8430 (-)	84	30	144	5.8	**679**	**922**

Must enter X, Y or Z to define legs

Rectangular Shells

- Includes work surface, modesty panel, and two end panels (choose option X, Y or Z)
- Modesty panels are flush to the back
- Specify with Full Modesty (TF); Partial Modesty (TP); Wall Access Modesty (TPQ)
- Full Modesty (TF) same height as end panels
- Recessed end panels are 11"D
- Add either X, Y or Z for end panels
- End panels are non-handed
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners (see below)

- 78" and longer Shells should have center support – see below
- Partial Modesty panels are 16" off the floor
- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these tops are to be configured up against tops with no recessed gables, it is recommended to order a 3 BRPK 2 bracket pack (see pg. 1-13)

Choosing a Pedestal

- Only 3 SHW 20 hanging peds fit 20"D shells
- 20"D pedestals go with 24"D TF's and TP's
- 24"D and 29"D pedestals go with 30"D TF's and TP's

Optional Center Supports for Longer Tops

24" D Tops **3 LGV 2808** $91

30" D Tops **3 LGV 2812** $116

- Recommended for 78" and 84" shells unless floor filing or storage used
- Attached using Mod-eez® clips and angle bracket

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

RECTANGULAR SHELLS

INLINE treo

RECTANGULAR SHELLS–WALL ACCESS MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
20" Deep	**3 TPQ 6020 (-)**	60	20	85	4.5	**473**	**627**
	3 TPQ 6620 (-)	66	20	94	4.8	**494**	**655**
	3 TPQ 7220 (-)	72	20	102	5.1	**515**	**684**
24" Deep	**3 TPQ 2424 (-)**	24	24	51	3.1	**389**	**540**
	3 TPQ 3024 (-)	30	24	57	3.8	**413**	**558**
	3 TPQ 3624 (-)	36	24	65	4.5	**425**	**595**
	3 TPQ 4224 (-)	42	24	73	5.1	**437**	**601**
	3 TPQ 4824 (-)	48	24	79	5.8	**466**	**625**
	3 TPQ 5424 (-)	54	24	87	4.2	**474**	**636**
	3 TPQ 6024 (-)	60	24	95	4.5	**498**	**660**
	3 TPQ 6624 (-)	66	24	101	4.8	**516**	**685**
	3 TPQ 7224 (-)	72	24	110	5.1	**552**	**734**
	3 TPQ 7824 (-)	78	24	121	5.4	**601**	**795**
	3 TPQ 8424 (-)	84	24	132	5.8	**649**	**855**
30" Deep	**3 TPQ 2430 (-)**	24	30	63	3.1	**418**	**564**
	3 TPQ 3030 (-)	30	30	70	3.8	**437**	**588**
	3 TPQ 3630 (-)	36	30	77	4.5	**449**	**612**
	3 TPQ 4230 (-)	42	30	85	5.1	**474**	**636**
	3 TPQ 4830 (-)	48	30	92	5.8	**498**	**668**
	3 TPQ 5430 (-)	54	30	102	4.2	**522**	**704**
	3 TPQ 6030 (-)	60	30	105	4.5	**558**	**740**
	3 TPQ 6630 (-)	66	30	110	4.8	**582**	**776**
	3 TPQ 7230 (-)	72	30	115	5.1	**601**	**800**
	3 TPQ 7830 (-)	78	30	130	5.4	**660**	**879**
	3 TPQ 8430 (-)	84	30	144	5.8	**722**	**965**

Must enter X, Y or Z to define legs

MODESTY OPTIONS

TF Modesty
(Full to the floor)

TP Modesty
(16" off floor)



TPQ Modesty
(20" off floor)



SPARE END PANELS



(Full)
(Recessed)

SIN 711-2

		W	D	Wt	V	TFL $
Recessed	**3 LGW 12**	11	27	8	0.5	**103**
Full – 24"D	**3 LGW 24**	24	27	17	0.9	**120**
Full – 30"D	**3 LGW 30**	30	27	21	1.1	**127**

END PANELS: WHEELCHAIR ACCESSIBLE



(Full)
(Recessed)

SIN 711-2

		W	D	Wt	V	TFL $
Recessed	**3 LGW 1232**	11	31	9	0.5	**126**
Full – 24"D	**3 LGW 2432**	24	31	19	0.9	**147**
Full – 30"D	**3 LGW 3032**	30	31	23	1.1	**166**
Corner Post	**3 LCP 32**	4	31	18	0.7	**168**

Remarks

Rectangular Shells

- Includes work surface, modesty panel, and two end panels (choose option X, Y or Z)
- Modesty panels are flush to the back
- TPQ modesty gives 20" clearance above floor
- Recessed end panels are 11"D
- Add either X, Y or Z for end panels
- End panels are non-handed
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners (see below)



- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these tops are to be configured up against tops with no recessed gables, it is recommended to order a 3 BRPK 2 bracket pack (see pg. 1-13)

Choosing a Pedestal

- Only 3 SHW 20 hanging peds fit 20"D shells
- 20"D pedestals go with 24"D TF's and TP's
- 24"D and 29"D pedestals go with 30"D TF's and TP's

- For use in converting shells between X, Y and Z configurations
- Including glides, end panels are 27½"

- Use to retrofit standard height corners and desk shells to wheelchair height
- Standard modesty panels fit, but rise additional 4" from floor
- Keep standard end panels should desk need to be lowered back to standard height
- Finished desk height = 32½"

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVED SHELLS – LEFT

INLINE tréo

tréo®

CURVED SHELLS (LEFT) – FULL MODESTY



(Y) 1 Recessed, 1 Full

(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join (20 / 24)	**3 TF 2424 L20 C (-)**	24	24	20	58	3.1	**439**	**590**
	3 TF 3024 L20 C (-)	30	24	20	61	3.8	**463**	**608**
	3 TF 3624 L20 C (-)	36	24	20	64	4.5	**475**	**645**
	3 TF 4224 L20 C (-)	42	24	20	72	5.1	**487**	**651**
	3 TF 4824 L20 C (-)	48	24	20	82	5.8	**516**	**675**
	3 TF 5424 L20 C (-)	54	24	20	88	4.2	**524**	**686**
	3 TF 6024 L20 C (-)	60	24	20	97	4.5	**548**	**710**
	3 TF 6624 L20 C (-)	66	24	20	106	4.8	**566**	**735**
	3 TF 7224 L20 C (-)	72	24	20	115	5.1	**602**	**784**
30" Deep, 24" Join (24 / 30)	**3 TF 2430 L24 C (-)**	24	30	24	66	3.1	**468**	**614**
	3 TF 3030 L24 C (-)	30	30	24	73	3.8	**487**	**638**
	3 TF 3630 L24 C (-)	36	30	24	80	4.5	**499**	**662**
	3 TF 4230 L24 C (-)	42	30	24	89	5.1	**524**	**686**
	3 TF 4830 L24 C (-)	48	30	24	96	5.8	**548**	**718**
	3 TF 5430 L24 C (-)	54	30	24	106	4.2	**572**	**754**
	3 TF 6030 L24 C (-)	60	30	24	113	4.5	**608**	**790**
	3 TF 6630 L24 C (-)	66	30	24	121	4.8	**632**	**826**
	3 TF 7230 L24 C (-)	72	30	24	132	5.1	**651**	**850**

CURVED SHELLS (LEFT)–WALL ACCESS MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join (20 / 24)	**3 TPQ 2424 L20 C (-)**	24	24	20	51	3.1	**439**	**590**
	3 TPQ 3024 L20 C (-)	30	24	20	57	3.8	**463**	**608**
	3 TPQ 3624 L20 C (-)	36	24	20	65	4.5	**475**	**645**
	3 TPQ 4224 L20 C (-)	42	24	20	73	5.1	**487**	**651**
	3 TPQ 4824 L20 C (-)	48	24	20	79	5.8	**516**	**675**
	3 TPQ 5424 L20 C (-)	54	24	20	87	4.2	**524**	**686**
	3 TPQ 6024 L20 C (-)	60	24	20	95	4.5	**548**	**710**
	3 TPQ 6624 L20 C (-)	66	24	20	101	4.8	**566**	**735**
	3 TPQ 7224 L20 C (-)	72	24	20	110	5.1	**602**	**784**
30" Deep, 24" Join (24 / 30)	**3 TPQ 2430 L24 C (-)**	24	30	24	63	3.1	**468**	**614**
	3 TPQ 3030 L24 C (-)	30	30	24	70	3.8	**487**	**638**
	3 TPQ 3630 L24 C (-)	36	30	24	77	4.5	**499**	**662**
	3 TPQ 4230 L24 C (-)	42	30	24	85	5.1	**524**	**686**
	3 TPQ 4830 L24 C (-)	48	30	24	92	5.8	**548**	**718**
	3 TPQ 5430 L24 C (-)	54	30	24	102	4.2	**572**	**754**
	3 TPQ 6030 L24 C (-)	60	30	24	105	4.5	**608**	**790**
	3 TPQ 6630 L24 C (-)	66	30	24	110	4.8	**632**	**826**
	3 TPQ 7230 L24 C (-)	72	30	24	115	5.1	**651**	**850**

CURVED SHELLS (LEFT) – PARTIAL MODESTY



(Y) 1 Recessed, 1 Full

(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join (20 / 24)	**3 TP 2424 L20 C (-)**	24	24	20	51	3.1	**403**	**548**
	3 TP 3024 L20 C (-)	30	24	20	57	3.8	**414**	**572**
	3 TP 3624 L20 C (-)	36	24	20	65	4.5	**427**	**583**
	3 TP 4224 L20 C (-)	42	24	20	73	5.1	**444**	**608**
	3 TP 4824 L20 C (-)	48	24	20	79	5.8	**475**	**638**
	3 TP 5424 L20 C (-)	54	24	20	87	4.2	**487**	**651**
	3 TP 6024 L20 C (-)	60	24	20	95	4.5	**516**	**681**
	3 TP 6624 L20 C (-)	66	24	20	101	4.8	**535**	**705**
	3 TP 7224 L20 C (-)	72	24	20	110	5.1	**566**	**747**
30" Deep, 24" Join (24 / 30)	**3 TP 2430 L24 C (-)**	24	30	24	63	3.1	**432**	**578**
	3 TP 3030 L24 C (-)	30	30	24	70	3.8	**451**	**590**
	3 TP 3630 L24 C (-)	36	30	24	77	4.5	**463**	**626**
	3 TP 4230 L24 C (-)	42	30	24	85	5.1	**487**	**651**
	3 TP 4830 L24 C (-)	48	30	24	92	5.8	**511**	**681**
	3 TP 5430 L24 C (-)	54	30	24	102	4.2	**530**	**710**
	3 TP 6030 L24 C (-)	60	30	24	105	4.5	**572**	**754**
	3 TP 6630 L24 C (-)	66	30	24	110	4.8	**590**	**784**
	3 TP 7230 L24 C (-)	72	30	24	115	5.1	**620**	**821**

Must enter either Y or Z to define legs.

Curved Shells

- Fits Corners with matching connection depth
- Includes worksurface, modesty panel, and two end panels
- Must add Y or Z for end panel combination
- End panels are non-handed
- Recessed end panels are 11"D
- Modesty panels are flush to the back
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners

Curves

- Length of curve in Curved Shells:
  - 24" deep, 20" join → 20.5"
  - 30" deep, 24" join → 20.5"
  - 30" deep, 20" join → 27"
  - ie. for 30" deep Shell (24" Join) would need a 54" Shell to fit a 30" Lateral File → 30" (lateral) + 20.5" (curve) + 1" (panel) = 51.5", closest size is 54"
- Minimum length of Curved Shells to allow for a pedestal:
  - 3 TF 3624 L20 C Z
  - 3 TF 3630 L24 C Z
  - 3 TF 4230 L20 C Z
- Minimum length Curved Shells allowing for a 30" Lateral File
  - 3 TF 5424 L20 C Z
  - 3 TF 5430 L24 C Z
  - 3 TF 6030 L20 C Z
- Minimum length Curved Shell allowing for a 36" Lateral File
  - 3 TF 6024 L20 C Z
  - 3 TF 6030 L24 C Z
  - 3 TF 6630 L20 C Z

Choosing a Pedestal

- 20"D pedestals go with 24"D TF's and TP's
- 24"D and 29"D pedestals go with 30"D TF's and TP's

NOTE:

- 30"D Shells curving down to 20" join also available.
  Order as **3TF / TP / TPQ xx30 L20 C (-)**
- Add $25 List to similar 30"D Shells curving down to 24" join
- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these tops are to be configured up against tops with no recessed gables, it is recommended to order a 3 BRPK 2 bracket pack (see pg. 1-13)
- If NMSO requires, will cut curved end to 18"D

LEGEND: **W**=width; **D**=depth; **C**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVED SHELLS – RIGHT

INLINE treo

CURVED SHELLS (RIGHT) – FULL MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

24" Deep, 20" Join



Model #	W	D	C	Wt	V	TFL $	HPL $
3 TF 2424 R20 C (-)	24	24	20	58	3.1	**439**	**590**
3 TF 3024 R20 C (-)	30	24	20	61	3.8	**463**	**608**
3 TF 3624 R20 C (-)	36	24	20	64	4.5	**475**	**645**
3 TF 4224 R20 C (-)	42	24	20	72	5.1	**487**	**651**
3 TF 4824 R20 C (-)	48	24	20	82	5.8	**516**	**675**
3 TF 5424 R20 C (-)	54	24	20	88	4.2	**524**	**686**
3 TF 6024 R20 C (-)	60	24	20	97	4.5	**548**	**710**
3 TF 6624 R20 C (-)	66	24	20	106	4.8	**566**	**735**
3 TF 7224 R20 C (-)	72	24	20	115	5.1	**602**	**784**

30" Deep, 24" Join

Model #	W	D	C	Wt	V	TFL $	HPL $
3 TF 2430 R24 C (-)	24	30	24	66	3.1	**468**	**614**
3 TF 3030 R24 C (-)	30	30	24	73	3.8	**487**	**638**
3 TF 3630 R24 C (-)	36	30	24	80	4.5	**499**	**662**
3 TF 4230 R24 C (-)	42	30	24	89	5.1	**524**	**686**
3 TF 4830 R24 C (-)	48	30	24	96	5.8	**548**	**718**
3 TF 5430 R24 C (-)	54	30	24	106	4.2	**572**	**754**
3 TF 6030 R24 C (-)	60	30	24	113	4.5	**608**	**790**
3 TF 6630 R24 C (-)	66	30	24	121	4.8	**632**	**826**
3 TF 7230 R24 C (-)	72	30	24	132	5.1	**651**	**850**

CURVED SHELLS (RIGHT)–WALL ACCESS MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

24" Deep, 20" Join

Model #	W	D	C	Wt	V	TFL $	HPL $
3 TPQ 2424 R20 C (-)	24	24	20	51	3.1	**439**	**590**
3 TPQ 3024 R20 C (-)	30	24	20	57	3.8	**463**	**608**
3 TPQ 3624 R20 C (-)	36	24	20	65	4.5	**475**	**645**
3 TPQ 4224 R20 C (-)	42	24	20	73	5.1	**487**	**651**
3 TPQ 4824 R20 C (-)	48	24	20	79	5.8	**516**	**675**
3 TPQ 5424 R20 C (-)	54	24	20	87	4.2	**524**	**686**
3 TPQ 6024 R20 C (-)	60	24	20	95	4.5	**548**	**710**
3 TPQ 6624 R20 C (-)	66	24	20	101	4.8	**566**	**735**
3 TPQ 7224 R20 C (-)	72	24	20	110	5.1	**602**	**784**

30" Deep, 24" Join

Model #	W	D	C	Wt	V	TFL $	HPL $
3 TPQ 2430 R24 C (-)	24	30	24	63	3.1	**468**	**614**
3 TPQ 3030 R24 C (-)	30	30	24	70	3.8	**487**	**638**
3 TPQ 3630 R24 C (-)	36	30	24	77	4.5	**499**	**662**
3 TPQ 4230 R24 C (-)	42	30	24	85	5.1	**524**	**686**
3 TPQ 4830 R24 C (-)	48	30	24	92	5.8	**548**	**718**
3 TPQ 5430 R24 C (-)	54	30	24	102	4.2	**572**	**754**
3 TPQ 6030 R24 C (-)	60	30	24	105	4.5	**608**	**790**
3 TPQ 6630 R24 C (-)	66	30	24	110	4.8	**632**	**826**
3 TPQ 7230 R24 C (-)	72	30	24	115	5.1	**651**	**850**

CURVED SHELLS (RIGHT) – PARTIAL MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

24" Deep, 20" Join



Model #	W	D	C	Wt	V	TFL $	HPL $
3 TP 2424 R20 C (-)	24	24	20	51	3.1	**403**	**548**
3 TP 3024 R20 C (-)	30	24	20	57	3.8	**414**	**572**
3 TP 3624 R20 C (-)	36	24	20	65	4.5	**427**	**583**
3 TP 4224 R20 C (-)	42	24	20	73	5.1	**444**	**608**
3 TP 4824 R20 C (-)	48	24	20	79	5.8	**475**	**638**
3 TP 5424 R20 C (-)	54	24	20	87	4.2	**487**	**651**
3 TP 6024 R20 C (-)	60	24	20	95	4.5	**516**	**681**
3 TP 6624 R20 C (-)	66	24	20	101	4.8	**535**	**705**
3 TP 7224 R20 C (-)	72	24	20	110	5.1	**566**	**747**

30" Deep, 24" Join



Model #	W	D	C	Wt	V	TFL $	HPL $
3 TP 2430 R24 C (-)	24	30	24	63	3.1	**432**	**578**
3 TP 3030 R24 C (-)	30	30	24	70	3.8	**451**	**590**
3 TP 3630 R24 C (-)	36	30	24	77	4.5	**463**	**626**
3 TP 4230 R24 C (-)	42	30	24	85	5.1	**487**	**651**
3 TP 4830 R24 C (-)	48	30	24	92	5.8	**511**	**681**
3 TP 5430 R24 C (-)	54	30	24	102	4.2	**530**	**710**
3 TP 6030 R24 C (-)	60	30	24	105	4.5	**572**	**754**
3 TP 6630 R24 C (-)	66	30	24	110	4.8	**590**	**784**
3 TP 7230 R24 C (-)	72	30	24	115	5.1	**620**	**821**

Must enter either Y or Z to define legs.

Curved Shells

- Fits Corners with matching connection depth
- Includes worksurface, modesty panel, and two end panels
- Must add Y or Z for end panel combination
- End panels are non-handed
- Recessed end panels are 11"D
- Modesty panels are flush to the back
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners

Curves

- Length of curve in Curved Shells:
  - 24" deep, 20" join → 20.5"
  - 30" deep, 24" join → 20.5"
  - 30" deep, 20" join → 27"
  - ie. for 30" deep Shell (24" Join) would need a 54" Shell to fit a 30" Lateral File → 30" (lateral) + 20.5" (curve) + 1" (panel) = 51.5", closest size is 54"
- Minimum length of Curved Shells to allow for a pedestal:
  - 3 TF 3624 R20 C Z
  - 3 TF 3630 R24 C Z
  - 3 TF 4230 R20 C Z
- Minimum length Curved Shells allowing for a 30" Lateral File
  - 3 TF 5424 R20 C Z
  - 3 TF 5430 R24 C Z
  - 3 TF 6030 R20 C Z
- Minimum length Curved Shell allowing for a 36" Lateral File
  - 3 TF 6024 R20 C Z
  - 3 TF 6030 R24 C Z
  - 3 TF 6630 R20 C Z

Choosing a Pedestal

- 20"D pedestals go with 24"D TF's and TP's
- 24"D and 29"D pedestals go with 30"D TF's and TP's

NOTE:

- 30"D Shells curving down to 20" join also available.
  Order as **3TF / TP / TPQ xx30 R20 C (-)**
- Add $25 List to similar 30"D Shells curving down to 24" join
- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these tops are to be configured up against tops with no recessed gables, it is recommended to order a 3BRPK2 bracket pack (see pg. 1-13)
- If NMSO requires, will cut curved end to 18"D

LEGEND: **W**=width; **D**=depth; **C**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER TOPS

INLINE tréo

CORNER – FULL MODESTY		Model #	A	B	C	Wt	V	TFL $	HPL $
Straight (S) SIN 711-2		**3 CF 3620 S**	36	20	23	80	5.2	**558**	**734**
		3 CF 3624 S	36	24	17	80	5.2	**558**	**734**
		3 CF 4224 S	42	24	25	98	6.7	**655**	**862**
		3 CF 4824 S	48	24	34	107	7.5	**752**	**965**
		3 CF 4830 S	48	30	25	107	7.5	**752**	**965**
 **Curve (C)** SIN 711-2		**3 CF 3620 C**	36	20	23	80	5.2	**582**	**771**
		3 CF 3624 C	36	24	17	80	5.2	**582**	**771**
		3 CF 4224 C	42	24	25	98	6.7	**679**	**886**
		3 CF 4824 C	48	24	34	107	7.5	**789**	**1001**
		3 CF 4830 C	48	30	25	107	7.5	**789**	**1001**
 **Integrated Keyboard Corners** SIN 711-2	 **Straight Front**	**Single Arm KB**							
		3 CFK 4224 S	42	24	25	116	8.2	**1043**	**1250**
		Double Arm KB							
		3 CFF 4224 S	42	24	25	132	8.2	**1463**	**1752**
CORNER – WALL ACCESS MODESTY									
 **Straight (S)** SIN 711-2		**3 CPQ 3620 S**	36	20	23	69	5.2	**558**	**734**
		3 CPQ 3624 S	36	24	17	69	5.2	**558**	**734**
		3 CPQ 4224 S	42	24	25	89	6.7	**655**	**862**
		3 CPQ 4824 S	48	24	34	106	7.5	**752**	**965**
		3 CPQ 4830 S	48	30	25	106	7.5	**752**	**965**
 **Curve (C)** SIN 711-2		**3 CPQ 3620 C**	36	20	23	69	5.2	**582**	**771**
		3 CPQ 3624 C	36	24	17	69	5.2	**582**	**771**
		3 CPQ 4224 C	42	24	25	89	6.7	**679**	**886**
		3 CPQ 4824 C	48	24	34	106	7.5	**789**	**1001**
		3 CPQ 4830 C	48	30	25	106	7.5	**789**	**1001**
 **Integrated Keyboard Corners** SIN 711-2	 **Straight Front**	**Single Arm KB**							
		3 CPQK 4224 S	42	24	25	116	8.2	**1043**	**1250**
		Double Arm KB							
		3 CPQF 4224 S	42	24	25	132	8.2	**1463**	**1752**
CORNER – PARTIAL MODESTY									
 **Straight (S)** SIN 711-2		**3 CP 3620 S**	36	20	23	69	5.2	**485**	**660**
		3 CP 3624 S	36	24	17	69	5.2	**485**	**660**
		3 CP 4224 S	42	24	25	89	6.7	**576**	**782**
		3 CP 4824 S	48	24	34	106	7.5	**679**	**891**
		3 CP 4830 S	48	30	25	106	7.5	**679**	**891**
 **Curve (C)** SIN 711-2		**3 CP 3620 C**	36	20	23	69	5.2	**509**	**685**
		3 CP 3624 C	36	24	17	69	5.2	**509**	**685**
		3 CP 4224 C	42	24	25	89	6.7	**607**	**813**
		3 CP 4824 C	48	24	34	106	7.5	**716**	**916**
		3 CP 4830 C	48	30	25	106	7.5	**716**	**916**
 **Integrated Keyboard Corners** SIN 711-2	 **Straight Front**	**Single Arm KB**							
		3 CPK 4224 S	42	24	25	107	8.2	**970**	**1176**
		Double Arm KB							
		3 CPF 4224 S	42	24	25	123	8.2	**1361**	**1650**

Remarks

Corners

- Includes top, 2 modesty panels, 2 support panels and leg
- Includes one grommet
- Modesty panels are non-handed
- See pg. 1-20 to view modesty options
- Modesty panels are inter-changeable between full and partial modesty units. Thus, corners can have mixed full and partial modesties. To do this, order appropriate numbers of full and partial modesty corner units and inter-change the modesties
- Corner leg is hollow to provide wire management conduit
- Corner leg comes assembled
- Corners have 3" round grommet
- Recessed end panels are 11"D
- Single arm integrated keyboard corners have “KM” style (low) mechanisms (see pg 7-2 for details)
- Double arm integrated keyboard corners have “KF” (Full Flex) mechanisms (see pg 7-2 for details)
- Keyboard platform is 15"D
- Includes one grommet
- If NMSO requires, will cut connection to 18"D

Full Gable Options

- For two full legs on corner units, add “X” to code; add $100 to List price
- For one full / one partial leg, add “Y” to code; add $100 to List price
- Standard code ships with 2 partial legs

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER TOPS – LEFT

INLINE tréo

EXTENDED CORNERS (LEFT) – FULL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	3 CEF 3620 L60 (-)	60	36	20	24	141	8.5	**740**	**951**
	3 CEF 3620 L66 (-)	66	36	20	24	147	9.5	**764**	**989**
	3 CEF 3620 L72 (-)	72	36	20	24	154	10.0	**795**	**1055**
36" Corner, 24" Join	3 CEF 3624 L54 (-)	54	36	24	24	135	7.9	**736**	**943**
	3 CEF 3624 L60 (-)	60	36	24	24	141	8.5	**752**	**965**
	3 CEF 3624 L66 (-)	66	36	24	24	148	9.5	**764**	**989**
	3 CEF 3624 L72 (-)	72	36	24	24	155	10.0	**806**	**1067**
	3 CEF 3624 L84 (-)	84	36	24	24	169	11.4	**865**	**1180**
42" Corner, 24" Join	3 CEF 4224 L60 (-)	60	42	24	24	148	9.9	**910**	**1167**
	3 CEF 4224 L66 (-)	66	42	24	24	155	10.5	**922**	**1189**
	3 CEF 4224 L72 (-)	72	42	24	24	162	11.0	**994**	**1267**
	3 CEF 4224 L84 (-)	84	42	24	24	175	12.1	**1188**	**1513**
48" Corner, 24" Join	3 CEF 4824 L72 (-)	72	48	24	24	169	12.0	**1063**	**1345**



Must enter X, Y or Z to define legs

Extended Corners
- Includes top, 2 full modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- Uses 3 KM 2813CL keyboard (see page 7-2)
- See page 1-20 to view modesty options

EXT'D CORNERS (LEFT)–WALL ACCESS MODESTY

(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full

(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 24" Join	3 CEPQ 3624 L54 (-)	54	36	24	24	111	7.9	**736**	**943**
	3 CEPQ 3624 L60 (-)	60	36	24	24	116	8.5	**752**	**965**
	3 CEPQ 3624 L66 (-)	66	36	24	24	121	9.5	**764**	**989**
	3 CEPQ 3624 L72 (-)	72	36	24	24	126	10.0	**806**	**1067**
	3 CEPQ 3624 L84 (-)	84	36	24	24	136	11.4	**865**	**1180**
42" Corner, 24" Join	3 CEPQ 4224 L60 (-)	60	42	24	24	121	9.9	**910**	**1167**
	3 CEPQ 4224 L66 (-)	66	42	24	24	126	10.5	**922**	**1189**
	3 CEPQ 4224 L72 (-)	72	42	24	24	131	11.0	**994**	**1267**
	3 CEPQ 4224 L84 (-)	84	42	24	24	141	12.1	**1188**	**1513**
48" Corner, 24" Join	3 CEPQ 4824 L72 (-)	72	48	24	24	136	12.0	**1063**	**1345**

Must enter X, Y or Z to define legs

- Includes top, 2 wall access modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- Uses 3 KM 2813CL keyboard (see page 7-2)
- See page 1-20 to view modesty options

EXTENDED CORNERS (LEFT) – PARTIAL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full

(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	3 CEP 3620 L60 (-)	60	36	20	24	115	8.5	**673**	**874**
	3 CEP 3620 L66 (-)	66	36	20	24	120	9.5	**697**	**935**
	3 CEP 3620 L72 (-)	72	36	20	24	125	10.0	**716**	**989**
36" Corner, 24" Join	3 CEP 3624 L54 (-)	54	36	24	24	111	7.9	**670**	**866**
	3 CEP 3624 L60 (-)	60	36	24	24	116	8.5	**685**	**886**
	3 CEP 3624 L66 (-)	66	36	24	24	121	9.5	**709**	**946**
	3 CEP 3624 L72 (-)	72	36	24	24	126	10.0	**728**	**1001**
	3 CEP 3624 L84 (-)	84	36	24	24	136	11.4	**781**	**1107**
42" Corner, 24" Join	3 CEP 4224 L60 (-)	60	42	24	24	121	9.9	**815**	**1061**
	3 CEP 4224 L66 (-)	66	42	24	24	126	10.5	**824**	**1080**
	3 CEP 4224 L72 (-)	72	42	24	24	131	11.0	**898**	**1170**
	3 CEP 4224 L84 (-)	84	42	24	24	141	12.1	**1072**	**1398**
48" Corner, 24" Join	3 CEP 4824 L72 (-)	72	48	24	24	136	12.0	**982**	**1265**

Must enter X, Y or Z to define legs

- Includes top, 2 partial modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- Uses 3 KM 2813CL keyboard (see page 7-2)

Choosing a Pedestal
- 20"D pedestals go with Extended corners with 24"D return end

LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER TOPS – RIGHT

INLINE tréo

tréo®

EXTENDED CORNERS (RIGHT) – FULL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	3 CEF 3620 R60 (-)	60	36	20	24	141	8.5	**740**	**951**
	3 CEF 3620 R66 (-)	66	36	20	24	147	9.5	**764**	**989**
	3 CEF 3620 R72 (-)	72	36	20	24	154	10.0	**795**	**1055**
36" Corner, 24" Join	3 CEF 3624 R54 (-)	54	36	24	24	135	7.9	**736**	**943**
	3 CEF 3624 R60 (-)	60	36	24	24	141	8.5	**752**	**965**
	3 CEF 3624 R66 (-)	66	36	24	24	148	9.5	**764**	**989**
	3 CEF 3624 R72 (-)	72	36	24	24	155	10.0	**806**	**1067**
	3 CEF 3624 R84 (-)	84	36	24	24	169	11.4	**865**	**1180**
42" Corner, 24" Join	3 CEF 4224 R60 (-)	60	42	24	24	148	9.9	**910**	**1167**
	3 CEF 4224 R66 (-)	66	42	24	24	155	10.5	**922**	**1189**
	3 CEF 4224 R72 (-)	72	42	24	24	162	11.0	**994**	**1267**
	3 CEF 4224 R84 (-)	84	42	24	24	175	12.1	**1188**	**1513**
48" Corner, 24" Join	3 CEF 4824 R72 (-)	72	48	24	24	169	12.0	**1063**	**1345**



Must enter X, Y or Z to define legs

Extended Corners
- Includes top, 2 full modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- Uses 3 KM 2813CL keyboard (see page 7-2)
- See page 1-20 to view modesty options

EXT'D CORNERS (RIGHT)–WALL ACCESS MODESTY

(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full

(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 24" Join	3 CEPQ 3624 R54 (-)	54	36	24	24	111	7.9	**736**	**943**
	3 CEPQ 3624 R60 (-)	60	36	24	24	116	8.5	**752**	**965**
	3 CEPQ 3624 R66 (-)	66	36	24	24	121	9.5	**764**	**989**
	3 CEPQ 3624 R72 (-)	72	36	24	24	126	10.0	**806**	**1067**
	3 CEPQ 3624 R84 (-)	84	36	24	24	136	11.4	**865**	**1180**
42" Corner, 24" Join	3 CEPQ 4224 R60 (-)	60	42	24	24	121	9.9	**910**	**1167**
	3 CEPQ 4224 R66 (-)	66	42	24	24	126	10.5	**922**	**1189**
	3 CEPQ 4224 R72 (-)	72	42	24	24	131	11.0	**994**	**1267**
	3 CEPQ 4224 R84 (-)	84	42	24	24	141	12.1	**1188**	**1513**
48" Corner, 24" Join	3 CEPQ 4824 R72 (-)	72	48	24	24	136	12.0	**1063**	**1345**

Must enter X, Y or Z to define legs

- Includes top, 2 wall access modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- Uses 3 KM 2813CL keyboard (see page 7-2)
- See page 1-20 to view modesty options

EXTENDED CORNERS (RIGHT) – PARTIAL MOD.



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	3 CEP 3620 R60 (-)	60	36	20	24	115	8.5	**673**	**874**
	3 CEP 3620 R66 (-)	66	36	20	24	120	9.5	**697**	**935**
	3 CEP 3620 R72 (-)	72	36	20	24	125	10.0	**716**	**989**
36" Corner, 24" Join	3 CEP 3624 R54 (-)	54	36	24	24	111	7.9	**670**	**866**
	3 CEP 3624 R60 (-)	60	36	24	24	116	8.5	**685**	**886**
	3 CEP 3624 R66 (-)	66	36	24	24	121	9.5	**709**	**946**
	3 CEP 3624 R72 (-)	72	36	24	24	126	10.0	**728**	**1001**
	3 CEP 3624 R84 (-)	84	36	24	24	136	11.4	**781**	**1107**
42" Corner, 24" Join	3 CEP 4224 R60 (-)	60	42	24	24	121	9.9	**815**	**1061**
	3 CEP 4224 R66 (-)	66	42	24	24	126	10.5	**824**	**1080**
	3 CEP 4224 R72 (-)	72	42	24	24	131	11.0	**898**	**1170**
	3 CEP 4224 R84 (-)	84	42	24	24	141	12.1	**1072**	**1398**
48" Corner, 24" Join	3 CEP 4824 R72 (-)	72	48	24	24	136	12.0	**982**	**1265**

Must enter X, Y or Z to define legs

- Includes top, 2 partial modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- Uses 3 KM 2813CL keyboard (see page 7-2)

Choosing a Pedestal
- 20"D pedestals go with Extended corners with 24"D return end

LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER TOPS / ISLANDS WITH KEYBOARD

INLINE treo

EXTENDED CORNERS – FULL MODESTY	Model #	A	B	C	D	Wt	V	TFL $	HPL $
 Left with 1 Full / 1 Rec. Legs (Y)	**48" Corner, 24" Join Left**								
	3 CEFK 4824 L60 (-)	60	48	24	24	149	10.1	**1510**	**1750**
	3 CEFK 4824 L66 (-)	66	48	24	24	156	11.1	**1534**	**1798**
	3 CEFK 4824 L72 (-)	72	48	24	24	164	12.0	**1548**	**1828**
 Right with 2 Recessed Legs (Z)	**48" Corner, 24" Join Right**								
	3 CEFK 4824 R60 (-)	60	48	24	24	149	10.1	**1510**	**1750**
	3 CEFK 4824 R66 (-)	66	48	24	24	156	11.1	**1534**	**1798**
	3 CEFK 4824 R72 (-)	72	48	24	24	164	12.0	**1548**	**1828**
EXT'D CORNERS – WALL ACCESS MODESTY									
 Left with 1 Full / 1 Rec. Legs (Y)	**48" Corner, 24" Join Left**								
	3 CEPQK 4824 L60 (-)	60	48	24	24	121	10.1	**1510**	**1750**
	3 CEPQK 4824 L66 (-)	66	48	24	24	126	11.1	**1534**	**1798**
	3 CEPQK 4824 L72 (-)	72	48	24	24	131	12.0	**1548**	**1828**
Right with 2 Recessed Legs (Z)	**48" Corner, 24" Join Right**								
	3 CEPQK 4824 R60 (-)	60	48	24	24	121	10.1	**1510**	**1750**
	3 CEPQK 4824 R66 (-)	66	48	24	24	126	11.1	**1534**	**1798**
	3 CEPQK 4824 R72 (-)	72	48	24	24	131	12.0	**1548**	**1828**

Must enter Y or Z to define legs

Extended Corners
- Includes top, 2 modesty panels (full or wall access depending on model), corner leg, keyboard tray & single-arm articulating KB mechanism, and 2 end panels
- Keyboard tray on retractable OE 1000 KA mechanism see page 6-31
- Must add "Y" or "Z" end panels (end panels are non-handed)
- Includes two grommets: one in corner and one at extended end
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 11"D
- See page 1-19 to view modesty options



EXT. "J"–PARTIAL USER/PARTIAL WALL MODESTY									
 Left	**48" Corner, 24" Join**	**3 JCPMK 4824 L72**	72	48	24	30	127	12.0	**1546**	**1826**
 Right	**48" Corner, 24" Join**	**3 JCPMK 4824 R72**	72	48	24	30	127	12.0	**1546**	**1826**
EXT. "J" – PARTIAL USER / HIGH WALL MODESTY									
 Left	**48" Corner, 24" Join**	**3 JCQMK 4824 L72**	72	48	24	30	127	12.0	**1626**	**1910**
 Right	**48" Corner, 24" Join**	**3 JCQMK 4824 R72**	72	48	24	30	127	12.0	**1626**	**1910**

Extended Corner "J" Islands (single post)
- Includes top, modesty panel (partial or wall access depending on model), partial user modesty, keyboard tray & single-arm articulating KB mechanism, solid end panel, end panel with wiring grommet, post leg and hardware
- Keyboard tray on non-retractable OE 1000 KF mechanism see page 6-31
- Includes one grommet
- Recessed end panels are 11"D
- See page 1-19 to view modesty options
- To order Nickel leg add **"N"** to end of code (add $105 list)



EXTENDED "J" – PARTIAL WALL MODESTY									
Left	**48" Corner, 24" Join**	**3 JCPDK 4824 L72**	72	48	24	30	113	12.0	**1410**	**1690**
Right	**48" Corner, 24" Join**	**3 JCPDK 4824 R72**	72	48	24	30	113	12.0	**1410**	**1690**
EXTENDED "J" – HIGH WALL ACCESS MODESTY									
 Left	**48" Corner, 24" Join**	**3 JCQDK 4824 L72**	72	48	24	30	113	12.0	**1460**	**1740**
Right	**48" Corner, 24" Join**	**3 JCQDK 4824 R72**	72	48	24	30	113	12.0	**1460**	**1740**

Extended Corner "J" Islands (double post)
- Includes top, modesty panel (partial or wall access depending on model), keyboard tray & single-arm articulating KB mechanism, solid end panel, end panel with wiring grommet, 2 post legs and hardware
- Keyboard tray on retractable OE 1000 KA mechanism see page 6-31
- Includes one grommet
- Recessed end panels are 11"D
- See page 1-19 to view modesty options
- To order Nickel legs add **"N"** to end of code (add $210 list)



LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER “D” – LEFT

INLINE tréo

EXTENDED CORNERS “D” (LEFT) – FULL MODESTY





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	**3 DMCF 3620 L48**	48	36	20	24	86	7.0	**990**	**1284**
	3 DMCF 3620 L54	54	36	20	24	93	7.7	**1010**	**1309**
	3 DMCF 3620 L60	60	36	20	24	100	8.4	**1030**	**1335**
	3 DMCF 3620 L66	66	36	20	24	107	9.2	**1050**	**1361**
	3 DMCF 3620 L72	72	36	20	24	113	9.9	**1070**	**1395**
36" Corner, 24" Join	**3 DMCF 3624 L54**	54	36	24	24	94	7.7	**1015**	**1314**
	3 DMCF 3624 L60	60	36	24	24	101	8.4	**1035**	**1340**
	3 DMCF 3624 L66	66	36	24	24	108	9.2	**1055**	**1366**
	3 DMCF 3624 L72	72	36	24	24	115	9.9	**1075**	**1396**
42" Corner, 24" Join	**3 DMCF 4224 L72**	72	42	24	30	120	10.2	**1080**	**1404**
	3 DMCF 4224 L84	84	42	24	30	135	11.7	**1190**	**1547**
48" Corner, 24" Join	**3 DMCF 4824 L72**	72	48	24	30	128	11.5	**1140**	**1482**
	3 DMCF 4824 L84	84	48	24	30	143	13.2	**1250**	**1625**

Remarks

- Includes top, full height user modesty and end panel, post leg and hardware
- 36" Corner units have 24" deep D-Top
- 42" and 48" Corner units have 30” deep D-Top
- To order Nickel leg add **“N”** to end of code (add $105 List)

EXTENDED CORNER “D” SIZING LEGEND



EXTENDED CORNERS “D” (LEFT)–PARTIAL MOD.





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	**3 DMCP 3620 L48**	48	36	20	24	69	7.0	**940**	**1223**
	3 DMCP 3620 L54	54	36	20	24	74	7.7	**960**	**1249**
	3 DMCP 3620 L60	60	36	20	24	79	8.4	**980**	**1275**
	3 DMCP 3620 L66	66	36	20	24	84	9.2	**1000**	**1301**
	3 DMCP 3620 L72	72	36	20	24	89	9.9	**1020**	**1335**
36" Corner, 24" Join	**3 DMCP 3624 L54**	54	36	24	24	75	7.7	**965**	**1254**
	3 DMCP 3624 L60	60	36	24	24	80	8.4	**985**	**1280**
	3 DMCP 3624 L66	66	36	24	24	85	9.2	**1005**	**1306**
	3 DMCP 3624 L72	72	36	24	24	90	9.9	**1025**	**1331**
42" Corner, 24" Join	**3 DMCP 4224 L72**	72	42	24	30	92	10.2	**1030**	**1340**
	3 DMCP 4224 L84	84	42	24	30	103	11.7	**1140**	**1469**
48" Corner, 24" Join	**3 DMCP 4824 L72**	72	48	24	30	103	11.5	**1090**	**1417**
	3 DMCP 4824 L84	84	48	24	30	117	13.2	**1190**	**1547**

- Includes top, partial height user modesty and end panel, support panel with wiring grommet, post leg and hardware
- 36” Corner units have 24” deep D-Top
- 42” and 48” Corner units have 30” deep D-Top
- To order Nickel leg add **“N”** to end of code (add $105 List)

EXTENDED CORNER “D” SIZING LEGEND



EXTENDED CORNERS “D” (LEFT) – T LEG





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	**3 DCT 3620 L48**	48	36	20	24	86	7.0	**900**	**1200**
	3 DCT 3620 L54	54	36	20	24	93	7.7	**920**	**1220**
	3 DCT 3620 L60	60	36	20	24	100	8.4	**940**	**1245**
	3 DCT 3620 L66	66	36	20	24	107	9.2	**960**	**1270**
	3 DCT 3620 L72	72	36	20	24	113	9.9	**970**	**1291**
36" Corner, 24" Join	**3 DCT 3624 L54**	54	36	24	24	94	7.7	**925**	**1225**
	3 DCT 3624 L60	60	36	24	24	101	8.4	**945**	**1250**
	3 DCT 3624 L66	66	36	24	24	108	9.2	**965**	**1276**
	3 DCT 3624 L72	72	36	24	24	115	9.9	**975**	**1296**
42" Corner, 24" Join	**3 DCT 4224 L72**	72	42	24	30	120	10.2	**980**	**1304**
	3 DCT 4224 L84	84	42	24	30	135	11.7	**1090**	**1447**
48" Corner, 24" Join	**3 DCT 4824 L72**	72	48	24	30	128	11.5	**1040**	**1382**
	3 DCT 4824 L84	84	48	24	30	143	13.2	**1150**	**1525**

- Includes top, support panel with wiring grommet and end panel, post leg and hardware
- 36" Corner units have 24" deep D-Top
- 42" and 48" Corner units have 30" deep D-Top
- To order Nickel leg add **“N”** to end of code (add $105 List)

EXTENDED CORNER “D” SIZING LEGEND



LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER "D" – RIGHT

INLINE treo

EXTENDED CORNERS "D" (RIGHT) – FULL MODESTY





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	**3 DMCF 3620 R48**	48	36	20	24	86	7.0	**990**	**1284**
	3 DMCF 3620 R54	54	36	20	24	93	7.7	**1010**	**1309**
	3 DMCF 3620 R60	60	36	20	24	100	8.4	**1030**	**1335**
	3 DMCF 3620 R66	66	36	20	24	107	9.2	**1050**	**1361**
	3 DMCF 3620 R72	72	36	20	24	113	9.9	**1070**	**1395**
36" Corner, 24" Join	**3 DMCF 3624 R54**	54	36	24	24	94	7.7	**1015**	**1314**
	3 DMCF 3624 R60	60	36	24	24	101	8.4	**1035**	**1340**
	3 DMCF 3624 R66	66	36	24	24	108	9.2	**1055**	**1366**
	3 DMCF 3624 R72	72	36	24	24	115	9.9	**1075**	**1396**
42" Corner, 24" Join	**3 DMCF 4224 R72**	72	42	24	30	120	10.2	**1080**	**1404**
	3 DMCF 4224 R84	84	42	24	30	135	11.7	**1190**	**1547**
48" Corner, 24" Join	**3 DMCF 4824 R72**	72	48	24	30	128	11.5	**1140**	**1482**
	3 DMCF 4824 R84	84	48	24	30	143	13.2	**1250**	**1625**

Remarks

- Includes top, full height user modesty and end panel, post leg and hardware
- 36" Corner units have 24" deep D-Top
- 42" and 48" Corner units have 30" deep D-Top
- To order Nickel leg add **"N"** to end of code (add $105 List)

EXTENDED CORNER "D"
SIZING LEGEND



EXTENDED CORNERS "D" (RIGHT)–PARTIAL MOD.





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	**3 DMCP 3620 R48**	48	36	20	24	69	7.0	**940**	**1223**
	3 DMCP 3620 R54	54	36	20	24	74	7.7	**960**	**1249**
	3 DMCP 3620 R60	60	36	20	24	79	8.4	**980**	**1275**
	3 DMCP 3620 R66	66	36	20	24	84	9.2	**1000**	**1301**
	3 DMCP 3620 R72	72	36	20	24	89	9.9	**1020**	**1335**
36" Corner, 24" Join	**3 DMCP 3624 R54**	54	36	24	24	75	7.7	**965**	**1254**
	3 DMCP 3624 R60	60	36	24	24	80	8.4	**985**	**1280**
	3 DMCP 3624 R66	66	36	24	24	85	9.2	**1005**	**1306**
	3 DMCP 3624 R72	72	36	24	24	90	9.9	**1025**	**1331**
42" Corner, 24" Join	**3 DMCP 4224 R72**	72	42	24	30	92	10.2	**1030**	**1340**
	3 DMCP 4224 R84	84	42	24	30	103	11.7	**1140**	**1469**
48" Corner, 24" Join	**3 DMCP 4824 R72**	72	48	24	30	103	11.5	**1090**	**1417**
	3 DMCP 4824 R84	84	48	24	30	117	13.2	**1190**	**1547**

- Includes top, partial height user modesty and end panel, support panel with wiring grommet, post leg and hardware
- 36" Corner units have 24" deep D-Top
- 42" and 48" Corner units have 30" deep D-Top
- To order Nickel leg add **"N"** to end of code (add $105 List)

EXTENDED CORNER "D"
SIZING LEGEND



EXTENDED CORNERS "D" (RIGHT) – T LEG





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 20" Join	**3 DCT 3620 R48**	48	36	20	24	86	7.0	**900**	**1200**
	3 DCT 3620 R54	54	36	20	24	93	7.7	**920**	**1220**
	3 DCT 3620 R60	60	36	20	24	100	8.4	**940**	**1245**
	3 DCT 3620 R66	66	36	20	24	107	9.2	**960**	**1270**
	3 DCT 3620 R72	72	36	20	24	113	9.9	**970**	**1291**
36" Corner, 24" Join	**3 DCT 3624 R54**	54	36	24	24	94	7.7	**925**	**1225**
	3 DCT 3624 R60	60	36	24	24	101	8.4	**945**	**1250**
	3 DCT 3624 R66	66	36	24	24	108	9.2	**965**	**1276**
	3 DCT 3624 R72	72	36	24	24	115	9.9	**975**	**1296**
42" Corner, 24" Join	**3 DCT 4224 R72**	72	42	24	30	120	10.2	**980**	**1304**
	3 DCT 4224 R84	84	42	24	30	135	11.7	**1090**	**1447**
48" Corner, 24" Join	**3 DCT 4824 R72**	72	48	24	30	128	11.5	**1040**	**1382**
	3 DCT 4824 R84	84	48	24	30	143	13.2	**1150**	**1525**

- Includes top, support panel with wiring grommet and end panel, post leg and hardware
- 36" Corner units have 24" deep D-Top
- 42" and 48" Corner units have 30" deep D-Top
- To order Nickel leg add **"N"** to end of code (add $105 List)

EXTENDED CORNER "D"
SIZING LEGEND



LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

PEDESTALS

INLINE treo

MOBILE PEDESTALS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Box / File	**3 SMW 20 (-)**	16	20	22	56	4.0	**570**	**652**
	3 SMW 24 (-)	16	24	22	65	5.0	**620**	**701**
	3 SMW 30 (-)	16	29	22	74	6.0	**679**	**761**
Box / Box / File	**3 SMX 20 (-)**	16	20	27	68	5.0	**673**	**755**
	3 SMX 24 (-)	16	24	27	81	7.0	**722**	**804**
	3 SMX 30 (-)	16	29	27	94	9.0	**782**	**864**
File / File	**3 SMY 20 (-)**	16	20	27	67	5.0	**673**	**755**
	3 SMY 24 (-)	16	24	27	80	7.0	**722**	**804**
	3 SMY 30 (-)	16	29	27	93	9.0	**782**	**864**

SEATED PEDESTALS

SIN 711-2

Box / File	**3 SMWS 20 (-)**	16	20	23	65	4.0	**704**	**785**
	3 SMWS 24 (-)	16	24	23	75	5.0	**795**	**877**

Note: Black seating fabric only. C.O.M. at same price.

HANGING PEDESTALS



SIN 711-2

Box / File	**3 SHW 20 (-)**	16	18	18	54	4.0	**480**	**562**
	3 SHW 24 (-)	16	24	18	62	5.0	**540**	**622**

FLOOR PEDESTALS



SIN 711-2

Open / Box / File	**3 SJO 20 (-)**	16	20	27	59	5.0	**528**	**610**
	3 SJO 24 (-)	16	24	27	70	7.0	**558**	**639**
Box / Box / File	**3 SJX 20 (-)**	16	20	27	65	5.0	**620**	**701**
	3 SJX 24 (-)	16	24	27	78	7.0	**668**	**750**
	3 SJX 30 (-)	16	29	27	99	9.0	**728**	**810**
File / File	**3 SJY 20 (-)**	16	20	27	64	5.0	**620**	**701**
	3 SJY 24 (-)	16	24	27	73	7.0	**668**	**750**
	3 SJY 30 (-)	16	29	27	98	9.0	**728**	**810**
Tops To Make Peds Free Standing	**3 BN 1620**	16	20	1	8	1.0	**72**	**103**
	3 BN 1624	16	24	1	10	1.1	**79**	**116**
	3 BN 1630	16	29	1	12	1.2	**95**	**134**

LEGAL WIDTH MOBILE PEDESTALS



SIN 711-2

Box / File	**3 SMW 2020 (-)**	19	20	22	75	7.0	**716**	**821**
	3 SMW 2024 (-)	19	24	22	96	8.3	**782**	**887**
	3 SMW 2030 (-)	19	29	22	117	10.2	**852**	**957**
Box / Box / File	**3 SMX 2020 (-)**	19	20	27	98	8.4	**789**	**894**
	3 SMX 2024 (-)	19	24	27	110	9.9	**866**	**971**
	3 SMX 2030 (-)	19	29	27	131	12.2	**944**	**1049**
File / File	**3 SMY 2020 (-)**	19	20	27	98	8.4	**789**	**894**
	3 SMY 2024 (-)	19	24	27	110	9.9	**866**	**971**
	3 SMY 2030 (-)	19	29	27	131	12.2	**944**	**1049**

Enter Handle Selection to complete code

Remarks

- Can specify up to 3 finishes (Contrast – drawer faces, Base-body, Top-top) – drawer faces or top or both can be HP laminate.
- HPL price includes HP on Tops (T) or Faces (C) (specify which). If both wanted in HP, add $78 List, ($100 List for legal width peds).
- Can be keyed alike, specify on order
- Need to select handle style and finish
- Gang lock secures all pedestal drawers
- All drawers on full extension, ball bearing slides.
- Includes hanging file suspension bars
- Accepts legal and letter files.
- Includes pencil tray in top "Box" drawer.
- Mobile peds have hidden 5th wheel behind bottom face to prevent tipping when bottom and top drawers open at the same time.
- 3mm trim on all top and face edges
- Mobile peds can be ordered as freestanding by adding "F" to the end of model numbers eg. 3 SMX 20 **F**. Casters replaced with levellers in factory, price remains the same.
- Cushion is attached using Velcro.
- Seating fabric is standard in Black. Panel fabrics from INLINE Fabric Card can be used but they do not meet BIFMA seating wear standards.
- **Explanation of Standard Coding:**
  - S → Storage
  - M → Mobile Pedestal
  - H → Hanging Pedestal
  - J → Floor Pedestal
  - W → Box / File
  - WS → Box / File / Seat
  - X → Box / Box / File
  - Y → File / File
- Floor pedestal glides have over 1" leveling capacity

Choosing a Pedestal

18"D hanging ped fits any top

20"D Pedestals fit under
- 24"D TF's and TP's
- 20"D straight BN's
- 24"D straight BF's
- all CEF's and CEP's

24"D Pedestals fit under
- 30"D TF's and TP's
- 24"D straight BN's

30"D Floor Pedestals fit under
- 30"D TF's and TP's (actual depth is 29")

- Legal width files hang side-to-side or front-to-back

4 Handles to choose from:

K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATERAL FILE / STORAGE UNITS

INLINE treo

MULTIFILE



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT
Under Desk	3 SMU 3020 (-)	30	20	27.5	110	10.3	789	N/A	983
	3 SMU 3024 (-)	30	24	27.5	115	10.3	824	N/A	1031
Freestanding	3 SMF 3020 (-)	30	20	28.5	125	10.9	922	1031	1208
	3 SMF 3024 (-)	30	24	28.5	130	10.9	946	1067	1250

Lock on small File Drawer **MFLK**: ADD $58 List

MULTIFILE / STORAGE



SIN 711-3

Under Desk	3 SMCU 3020 (-)	30	20	27.5	110	10.3	769	N/A	963
	3 SMCU 3024 (-)	30	24	27.5	115	10.3	804	N/A	1011
Freestanding	3 SMCF 3020 (-)	30	20	28.5	125	10.9	902	1011	1188
	3 SMCF 3024 (-)	30	24	28.5	130	10.9	926	1047	1230

LATERAL / OPEN STORAGE



SIN 711-3

Under Desk	3 SMOU 3020 (-)	30	20	27.5	85	10.3	549	N/A	743
	3 SMOU 3620 (-)	36	20	27.5	107	12.0	585	N/A	791
Freestanding	3 SMOF 3020 (-)	30	20	28.5	100	10.9	647	756	931
	3 SMOF 3024 (-)	30	24	28.5	110	10.9	676	798	980
	3 SMOF 3620 (-)	36	20	28.5	127	12.0	682	803	990
	3 SMOF 3624 (-)	36	24	28.5	136	13.8	719	857	1040

LATERAL / BOX DRAWERS



SIN 711-3

Under Desk	3 SMBU 3020 (-)	30	20	27.5	110	10.3	789	N/A	983
	3 SMBU 3024 (-)	30	24	27.5	115	10.3	824	N/A	1031
Freestanding	3 SMBF 3020 (-)	30	20	28.5	125	10.9	922	1031	1208
	3 SMBF 3024 (-)	30	24	28.5	130	10.9	946	1067	1250

LATERAL FILE



SIN 711-3

Under Desk	3 SLU 3020 (-)	30	20	27.5	108	10.3	649	N/A	843
	3 SLU 3620 (-)	36	20	27.5	130	12.0	685	N/A	891
	3 SLU 4420 (-)	44	20	27.5	159	18.8	822	N/A	1071
	3 SLU 3024 (-)	30	24	27.5	114	10.3	679	N/A	866
	3 SLU 3624 (-)	36	24	27.5	137	13.8	716	N/A	927
	3 SLU 4424 (-)	44	24	27.5	167	22.0	859	N/A	1113
Freestanding 2 Drawer Lateral	3 SLF 3020 (-)	30	20	28.5	123	10.3	747	856	1031
	3 SLF 3620 (-)	36	20	28.5	150	12.0	782	903	1080
	3 SLF 4420 (-)	44	20	28.5	181	18.8	938	1093	1296
	3 SLF 3024 (-)	30	24	28.5	133	10.3	776	898	1080
	3 SLF 3624 (-)	36	24	28.5	159	13.8	819	957	1140
	3 SLF 4424 (-)	44	24	28.5	195	18.8	982	1147	1367
3 Drawer Lateral	3 SLX 3020 (-)	30	20	42	174	17.9	1344	1464	1746
	3 SLX 3620 (-)	36	20	42	208	19.0	1395	1518	1813
	3 SLX 3624 (-)	36	24	42	242	20.3	1470	1617	1930

TALL FILING UNITS



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $ FRONT ONLY
4 Drawer Lateral	3 SLY 3020 (-)	30	20	56	230	22.0	1659	2160
	3 SLY 3620 (-)	36	20	56	276	26.0	1728	2250
4 Drawer Lateral plus Storage	3 SLZ 3020 (-)	30	20	71	254	28.0	1901	2470
	3 SLZ 3620 (-)	36	20	71	304	33.0	2001	2601

Enter Handle Selection to complete code

Remarks

See pg. 1-3 for specifying finishes

Multifile
- Lateral drawer accepts legal files side-to-side
- For 2 rows letter files front-to-back order (1) **SLFB** @ $20 List
- Lock secures lateral file and both box drawers
- Lock Kit available for other file drawer; order – **MFLK** – $58 List (installed)

Multifile / Storage
- Cupboard has an adjustable shelf
- Ped gang-locks, cupboard has own lock

Lateral / Open Storage
- Interrnal shelf 12¹/₄" clear height.

Lateral Files
- Full extension, heavy-duty ball-bearing slides
- Anti-tip locking system allows only one drawer open at a time
- All drawer-bottoms reinforced with steel
- Gang-lock included
- 5 High unit has fixed storage shelf at top with locking flipper door

Filing configurations:
- Standard configuration is for legal hanging folders, side-to-side only.
- For letter size filing side-to-side on 36"W file drawers only, order (1) **SLSS 36** @ $45 List for each drawer required

For front-to-back filing on:
- 30"W files: for 2 rows of letter files order (1) **SLFB** @ $20 List/drawer
- 36"W files: for 2 rows of legal files front-to-back; or 2 rows of letter files front-to-back, order (1) **SLFB** @ $20 List per drawer
- 44"W files: for 2 rows of legal files front-to-back, order (1) **SLFB** @ $20 List; for 3 rows of letter files front-to-back, order (2) **SLFB** @ $20 List/each pair/drawer

- All units shipped assembled

4 Handles to choose from:
- K1 Black, Tear Drop
- K2 Black, Wire
- N1 Nickel, Tear Drop
- N2 Nickel, Wire

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TALL LATERAL / STORAGE UNITS

INLINE treo

TALL LATERAL / STORAGE WITH REAR WARDROBE



L (Left)



R (Right)

All items SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SIF 2454 L (-)	24	24	54	201	18.8	**1480**	**1820**
3 SIF 2465 L (-)	24	24	65	223	24.0	**1573**	**1904**
3 SIF 2472 L (-)	24	24	72	240	26.4	**1626**	**1951**
3 SIF 2454 R (-)	24	24	54	201	18.8	**1480**	**1820**
3 SIF 2465 R (-)	24	24	65	223	24.0	**1573**	**1904**
3 SIF 2472 R (-)	24	24	72	240	26.4	**1626**	**1951**

Tall Lateral / Storage (with Rear Wardrobe)

Includes:
- Gang lock on lateral file drawers
- Lock on non-handed storage door
- 2 adjustable shelves (54"H have one shelf only)
- Rear wardrobe is 4.8" wide
- Accepts legal hanging folders side-to-side only

TALL FILING & STORAGE UNITS







All items SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
1/2 Storage 1/2 Lateral							
3 SPF 362054 (-)	36	20	54	212	25.0	**1238**	**1627**
3 SPF 362454 (-)	36	24	54	227	29.0	**1328**	**1717**
3 SPF 362065 (-)	36	20	65	250	30.0	**1428**	**1816**
3 SPF 362465 (-)	36	24	65	270	36.0	**1547**	**1971**
3 SPF 362072 (-)	36	20	72	268	33.0	**1481**	**1866**
3 SPF 362472 (-)	36	24	72	289	40.0	**1609**	**2027**
3 SPF 362479 (-)	36	24	79	300	42.0	**1894**	**2367**
Open Storage 1/2 Lateral							
3 SPFO 362054 (-)	36	20	54	202	25.0	**1110**	**1430**
3 SPFO 362454 (-)	36	24	54	217	29.0	**1250**	**1570**
3 SPFO 362065 (-)	36	20	65	240	30.0	**1153**	**1479**
3 SPFO 362465 (-)	36	24	65	260	36.0	**1304**	**1628**
3 SPFO 362072 (-)	36	20	72	255	33.0	**1199**	**1538**
3 SPFO 362472 (-)	36	24	72	276	40.0	**1356**	**1693**
1/2 & 1/2 with 3 Drawer Lateral File							
3 SPFT 362065 (-)	36	20	65	275	30.0	**1881**	**2305**
3 SPFT 362465 (-)	36	24	65	295	36.0	**2032**	**2456**
3 SPFT 362072 (-)	36	20	72	293	33.0	**1937**	**2324**
3 SPFT 362472 (-)	36	24	72	314	40.0	**2093**	**2637**
3 SPFT 362479 (-)	36	24	79	325	42.0	**2379**	**2852**
1/2 Storage 1/2 Multifile							
3 SPFM 302065 (-)	30	20	65	236	25.0	**1460**	**1888**
3 SPFM 302465 (-)	30	24	65	256	29.6	**1701**	**2167**
3 SPFM 302072 (-)	30	20	72	252	27.5	**1519**	**1914**
3 SPFM 302472 (-)	30	24	72	273	32.7	**1770**	**2230**

Tall Filing & Storage
- HPL finishes are not available on "Top" surfaces of Tall Filing and Storage units

1/2 Storage, 1/2 Lateral
- Locking storage area with 2 adjustable 1" shelves
- No doors on open version
- 2 locking lateral file drawers

1/2 Storage, 1/2 Lateral – 3 drawer
- Locking storage area with adjustable 1" shelf
- 3 locking lateral file drawers
- Lateral drawers accept legal files side-to-side. See "filing configurations" note on pg. 1-29

1/2 Storage, 1/2 Multifile
- Lock Kit available for other file drawer; order – **MFLK** – $58 List (installed)

Note: all 3SPF, 3SPFO & 3SPFT models available 30"W.
Change model number to "30"
eg. 3SPF362065 becomes 3SPF302065, reduce price of 36"W model by $25 List.

- Lock Kit available for wardrobe door; order – **HDLK1** – $58 List (installed)

LATERAL / WARDROBE TOWER



L (Left)



R (Right)



L (Left)



R (Right)

All items SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
24" Lateral/6" Wardrobe (single door)							
3 SPFX 302465 L (-)	30	24	65	284	34.0	**1790**	**2280**
3 SPFX 302472 L (-)	30	24	72	303	37.6	**1866**	**2351**
3 SPFX 302465 R (-)	30	24	65	284	34.0	**1790**	**2280**
3 SPFX 302472 R (-)	30	24	72	303	37.6	**1866**	**2351**
30" Lateral/6" Wardrobe (double door)							
3 SPFX 362465 L (-)	36	24	65	298	40.2	**1899**	**2419**
3 SPFX 362472 L (-)	36	24	72	319	44.5	**1979**	**2493**
3 SPFX 362465 R (-)	36	24	65	298	40.2	**1899**	**2419**
3 SPFX 362472 R (-)	36	24	72	319	44.5	**1979**	**2493**
36" Lateral/6" Wardrobe (double door)							
3 SPFX 422465 L (-)	42	24	65	312	46.4	**2007**	**2557**
3 SPFX 422472 L (-)	42	24	72	335	51.3	**2092**	**2635**
3 SPFX 422465 R (-)	42	24	65	312	46.4	**2007**	**2557**
3 SPFX 422472 R (-)	42	24	72	335	51.3	**2092**	**2635**

Enter Handle Selection to complete code

4 Handles to choose from:
- K1 Black, Tear Drop
- K2 Black, Wire
- N1 Nickel, Tear Drop
- N2 Nickel, Wire

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TALL MULTI-STORAGE UNITS

INLINE tréo

MULTI-STORAGE, OPEN SHELF



L (Left)



R (Right)

SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SIM 2448 L (-)	24	24	48	171	16.7	**1300**	**1610**
3 SIM 2454 L (-)	24	24	54	191	18.8	**1344**	**1658**
3 SIM 2465 L (-)	24	24	65	210	24.0	**1431**	**1765**
3 SIM 2472 L (-)	24	24	72	226	26.4	**1491**	**1845**
3 SIM 2448 R (-)	24	24	48	171	16.7	**1300**	**1610**
3 SIM 2454 R (-)	24	24	54	191	18.8	**1344**	**1658**
3 SIM 2465 R (-)	24	24	65	210	24.0	**1431**	**1765**
3 SIM 2472 R (-)	24	24	72	226	26.4	**1491**	**1845**

MULTI-STORAGE, SHELF & DOOR



3 SIMB
L (Left)



3 SIMD
R (Right)



3 SIMX
L (Left)



3 SIMY
R (Right)

SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Box / Box / File	**3 SIMB 2448 L (-)**	24	24	48	166	16.0	**1412**	**1764**
	3 SIMB 2454 L (-)	24	24	54	201	18.8	**1476**	**1810**
	3 SIMB 2465 L (-)	24	24	65	225	24.0	**1571**	**1922**
	3 SIMB 2472 L (-)	24	24	72	241	26.4	**1631**	**2002**
	3 SIMB 2448 R (-)	24	24	48	166	16.0	**1412**	**1764**
	3 SIMB 2454 R (-)	24	24	54	201	18.8	**1476**	**1810**
	3 SIMB 2465 R (-)	24	24	65	225	24.0	**1571**	**1922**
	3 SIMB 2472 R (-)	24	24	72	241	26.4	**1631**	**2002**
File / File	**3 SIMD 2448 L (-)**	24	24	48	166	16.0	**1412**	**1764**
	3 SIMD 2454 L (-)	24	24	54	201	18.8	**1476**	**1810**
	3 SIMD 2465 L (-)	24	24	65	225	24.0	**1571**	**1922**
	3 SIMD 2472 L (-)	24	24	72	241	26.4	**1631**	**2002**
	3 SIMD 2448 R (-)	24	24	48	166	16.0	**1412**	**1764**
	3 SIMD 2454 R (-)	24	24	54	201	18.8	**1476**	**1810**
	3 SIMD 2465 R (-)	24	24	65	225	24.0	**1571**	**1922**
	3 SIMD 2472 R (-)	24	24	72	241	26.4	**1631**	**2002**
File / File / File	**3 SIMX 2454 L (-)**	24	24	54	217	18.8	**1626**	**1960**
	3 SIMX 2465 L (-)	24	24	65	241	24.0	**1721**	**2072**
	3 SIMX 2472 L (-)	24	24	72	257	26.4	**1781**	**2152**
	3 SIMX 2454 R (-)	24	24	54	217	18.8	**1626**	**1960**
	3 SIMX 2465 R (-)	24	24	65	241	24.0	**1721**	**2072**
	3 SIMX 2472 R (-)	24	24	72	257	26.4	**1781**	**2152**
4-High File	**3 SIMY 2465 L (-)**	24	24	65	257	24.0	**1871**	**2222**
	3 SIMY 2472 L (-)	24	24	72	273	26.4	**1931**	**2302**
	3 SIMY 2465 R (-)	24	24	65	257	24.0	**1871**	**2222**
	3 SIMY 2472 R (-)	24	24	72	273	26.4	**1931**	**2302**

MULTI-STORAGE WITH SIDE BOOK SHELF



L (Left)



R (Right)

SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
File / File	**3 SIS 2448 L (-)**	24	24	48	161	16.7	**1320**	**1630**
	3 SIS 2454 L (-)	24	24	54	179	18.8	**1370**	**1685**
	3 SIS 2465 L (-)	24	24	65	210	24.0	**1431**	**1765**
	3 SIS 2472 L (-)	24	24	72	226	26.4	**1491**	**1845**
	3 SIS 2448 R (-)	24	24	48	161	16.7	**1320**	**1630**
	3 SIS 2454 R (-)	24	24	54	179	18.8	**1370**	**1685**
	3 SIS 2465 R (-)	24	24	65	210	24.0	**1431**	**1765**
	3 SIS 2472 R (-)	24	24	72	226	26.4	**1491**	**1845**

Remarks

Multi-Storage
(Open & Door versions) Include:
- Full extension, ball bearing slides
- Gang lock on all drawers
- Lock on upper storage door
- SIMB, SIMD, SIMX and SIMY units also have wardrobe lock
- 2 adjustable shelves in upper area
- 48"H & 54"H versions have 1 adjustable shelf only
- SIMX models have one adjustable shelf in upper area of 65"H and 72"H models only
- SIMY models have one adjustable shelf in upper area of 72"H models only
- Shipped assembled

For all items on page
- Can specify up to 3 finishes (Contrast – doors, Base – body, Top – top) – HPL option is for doors only
- Need to select handle style and finish
  - Black (K) or Nickel (N)
  - Tear Drop (1) or Wire (2)
  - eg. for Black Tear Drop handles, add K1 to end of code
- Lock Kit available for wardrobe door (where not already included); order – **HDLK1** – $58 List (installed)

Multi-Storage (with side bookshelf)
Includes:
- Full extension ball bearing slides
- Gang lock for drawers
- Shipped assembled
- Side wardrobe is 7.1" wide
- 48H" and 54"H versions have 1 adjustable shelf only

tréo®

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STORAGE UNITS

INLINE tréo

tréo®

STORAGE UNITS











	Model #	W	D	H	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT
Under Desk	**3 SSU 1620 (-)**	16	20	27.5	64	7.6	**446**	**N/A**	**625**
	3 SSU 2420 (-)	24	20	27.5	81	10.8	**496**	**N/A**	**694**
	3 SSU 3020 (-)	30	20	27.5	95	13.2	**516**	**N/A**	**722**
	3 SSU 3620 (-)	36	20	27.5	108	15.6	**552**	**N/A**	**771**
	3 SSU 4220 (-)	42	20	27.5	121	18.0	**633**	**N/A**	**887**
	3 SSU 4820 (-)	48	20	27.5	134	20.4	**673**	**N/A**	**940**
	3 SSU 1624 (-)	16	24	27.5	72	8.9	**468**	**N/A**	**650**
	3 SSU 2424 (-)	24	24	27.5	92	12.7	**506**	**N/A**	**704**
	3 SSU 3024 (-)	30	24	27.5	106	15.5	**528**	**N/A**	**734**
	3 SSU 3624 (-)	36	24	27.5	120	18.3	**564**	**N/A**	**782**
	3 SSU 4224 (-)	42	24	27.5	135	21.1	**649**	**N/A**	**902**
	3 SSU 4824 (-)	48	24	27.5	149	23.9	**697**	**N/A**	**965**
Freestanding (Desk Height)	**3 SSF 1620 (-)**	16	20	28.5	72	7.8	**544**	**627**	**803**
	3 SSF 2420 (-)	24	20	28.5	94	11.1	**595**	**689**	**878**
	3 SSF 3020 (-)	30	20	28.5	110	13.6	**616**	**722**	**910**
	3 SSF 3620 (-)	36	20	28.5	126	16.1	**649**	**764**	**958**
	3 SSF 4220 (-)	42	20	28.5	143	18.6	**749**	**875**	**1101**
	3 SSF 4820 (-)	48	20	28.5	159	21.0	**846**	**984**	**1248**
	3 SSF 1624 (-)	16	24	28.5	83	9.2	**578**	**671**	**864**
	3 SSF 2424 (-)	24	24	28.5	106	13.1	**615**	**720**	**921**
	3 SSF 3024 (-)	30	24	28.5	125	16.0	**637**	**753**	**954**
	3 SSF 3624 (-)	36	24	28.5	143	18.9	**671**	**797**	**1004**
	3 SSF 4224 (-)	42	24	28.5	161	21.8	**793**	**930**	**1185**
	3 SSF 4824 (-)	48	24	28.5	179	24.7	**897**	**1046**	**1341**
Freestanding (Mid-Height) 36" High	**3 SSF 302436 (-)**	30	24	36	139	20.1	**765**	**904**	**1143**
	3 SSF 362436 (-)	36	24	36	161	23.8	**805**	**958**	**1203**
	3 SSF 422436 (-)	42	24	36	184	27.4	**950**	**1116**	**1421**
42" High	**3 SSF 302442 (-)**	30	24	42	151	23.2	**925**	**1093**	**1383**
	3 SSF 362442 (-)	36	24	42	174	27.4	**973**	**1156**	**1454**
	3 SSF 422442 (-)	42	24	42	198	31.6	**1148**	**1348**	**1719**
48" High	**3 SSF 302048 (-)**	30	20	48	143	22.4	**985**	**1164**	**1473**
	3 SSF 362048 (-)	36	20	48	166	26.5	**1038**	**1233**	**1551**
	3 SSF 302448 (-)	30	24	48	162	26.3	**1085**	**1282**	**1622**
	3 SSF 362448 (-)	36	24	48	187	31.1	**1144**	**1359**	**1709**
54" High	**3 SSF 302054 (-)**	30	20	54	154	25.0	**1000**	**1182**	**1496**
	3 SSF 362054 (-)	36	20	54	177	29.6	**1060**	**1259**	**1584**
	3 SSF 302454 (-)	30	24	54	173	29.4	**1145**	**1353**	**1712**
	3 SSF 362454 (-)	36	24	54	200	34.7	**1208**	**1435**	**1805**

All items SIN 711-3

Remarks

Storage

- For Freestanding Storage, can specify up to 3 finishes (Contrast – doors, Base - body, Top - top) – doors or top or both can be HPL
- Need to select handle style
- Doors open 110°
- Desk height units include lock and 1 adjustable shelf
- Mid-height units include lock and 2 adjustable shelves
- 48" wide version has shelf fixed at mid-height
- 16"w and 24"w versions have one door only; hinged on left
- For 18"D versions, change code to 3 SSF xx18. Price same as equivalent 20"D unit.
- Shipped assembled
- For open cabinets, add "O" to code and deduct 20% from list price. eg: 3 SSF 3624 becomes 3 SSFO 3624

Extra Shelves	
16"W	List
3 SPBSH 1620	**80**
3 SPBSH 1624	**90**
24"W	
3 SPBSH 2420	**85**
3 SPBSH 2424	**97**
30"W	
3 SPBSH 3020	**88**
3 SPBSH 3024	**100**
36"W	
3 SPBSH 3620	**97**
3 SPBSH 3624	**110**
42"W	
3 SPBSH 4220	**108**
3 SPBSH 4224	**120**
48"W	
3 SPBSH 4820	**116**
3 SPBSH 4824	**130**

TALL STORAGE



See half-door models on pg 1-40





	Model #	W	D	H	Wt	V	TFL $	HPL $ FRONT
Personal Storage	**3 SPB 242065 (-)**	24	20	65	145	20.0	**789**	**1055**
	3 SPB 242465 (-)	24	24	65	155	24.0	**922**	**1189**
	3 SPB 302065 (-)	30	20	65	168	25.0	**1128**	**1491**
	3 SPB 302465 (-)	30	24	65	180	30.0	**1279**	**1642**
	3 SPB 362065 (-)	36	20	65	190	30.0	**1153**	**1516**
	3 SPB 362465 (-)	36	24	65	215	36.0	**1304**	**1667**
	3 SPB 302072 (-)	30	20	72	182	27.1	**1173**	**1519**
	3 SPB 302472 (-)	30	24	72	194	32.3	**1344**	**1686**
	3 SPB 362072 (-)	36	20	72	208	32.8	**1198**	**1544**
	3 SPB 362472 (-)	36	24	72	233	39.1	**1369**	**1711**
1/2 Storage 1/2 Wardrobe	**3 SPS 242448 (-)**	24	24	48	143	21.5	**1350**	**1746**
	3 SPS 242454 (-)	24	24	54	153	24.0	**1420**	**1837**
	3 SPS 362465 (-)	36	24	65	240	36.0	**1516**	**1844**
	3 SPS 362472 (-)	36	24	72	259	40.0	**1604**	**1941**
Full Wardrobe	**3 SPW 242448 (-)**	24	24	48	124	21.5	**820**	**1061**
	3 SPW 242454 (-)	24	24	54	135	24.0	**860**	**1112**
	3 SPW 242465 (-)	24	24	65	155	24.0	**910**	**1177**
	3 SPW 302465 (-)	30	24	65	198	30.0	**1183**	**1546**
	3 SPW 362465 (-)	36	24	65	240	36.0	**1208**	**1571**
	3 SPW 242472 (-)	24	24	72	173	26.4	**965**	**1235**
	3 SPW 302472 (-)	30	24	72	216	32.8	**1234**	**1587**
	3 SPW 362472 (-)	36	24	72	259	39.1	**1259**	**1612**

All items SIN 711-3

Personal Storage

- Locking storage with 1 fixed shelf, 3 adjustable shelves
- 36"w units have 2 doors
- 24"w units have 1 door

1/2 Storage, 1/2 Wardrobe

- Storage section has locking storage with 1 fixed shelf, 3 adjustable shelves
- Wardrobe section has 1 fixed shelf and hanger bar

Full Wardrobe

- Storage with 1 fixed shelf and hanger bar
- For 18"D versions of 3 SPB models, change code to 3 SPB xx18xx. Price same as equivalent 20"D unit.
- Lock Kit available for wardrobe door; order – **HDLK1** – $58 List (installed)

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TALL STORAGE / BOOKCASES

INLINE treo

TALL COMBO STORAGE WITH REAR WARDROBE



L (Left)



R (Right)

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SIB 2065 L (-)	24	20	65	140	22.0	**1116**	**1412**
3 SIB 2465 L (-)	24	24	65	160	24.0	**1189**	**1474**
3 SIB 2472 L (-)	24	24	72	176	26.4	**1248**	**1547**
3 SIB 2065 R (-)	24	20	65	140	22.0	**1116**	**1412**
3 SIB 2465 R (-)	24	24	65	160	24.0	**1189**	**1474**
3 SIB 2472 R (-)	24	24	72	176	26.4	**1248**	**1547**

Enter Handle Selection to complete code

Remarks

Multi-Storage (with Rear Wardrobe)
Includes:
- Lock for storage area
- One adjustable shelf behind doors
- Shipped assembled
- Rear wardrobe is 7.4" wide on both models

4 Handles to choose from:

K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

BOOKCASES







30" Wide, 12" Deep							
29" High	**3 SBGN 2912**	30	12	29	60	2.4	**474**
42" High	**3 SBGN 4212**	30	12	42	83	3.4	**488**
48" High	**3 SBGN 4812**	30	12	48	90	3.9	**508**
54" High	**3 SBGN 5412**	30	12	54	93	4.2	**520**
60" High	**3 SBGN 6012**	30	12	60	112	5.8	**547**
65" High	**3 SBGN 6512**	30	12	65	117	6.3	**566**
72" High	**3 SBGN 7212**	30	12	72	133	6.9	**602**
82" High	**3 SBGN 8212**	30	12	82	153	7.5	**706**
36" Wide, 12" Deep							
29" High	**3 SBG 2912**	36	12	29	69	4.0	**480**
42" High	**3 SBG 4212**	36	12	42	95	6.0	**522**
48" High	**3 SBG 4812**	36	12	48	102	6.5	**546**
54" High	**3 SBG 5412**	36	12	54	106	6.7	**560**
60" High	**3 SBG 6012**	36	12	60	127	7.0	**588**
65" High	**3 SBG 6512**	36	12	65	133	8.0	**607**
72" High	**3 SBG 7212**	36	12	72	152	9.0	**644**
82" High	**3 SBG 8212**	36	12	82	174	10.0	**752**
36" Wide, 15" Deep							
29" High	**3 SBG 2915**	36	15	29	79	4.0	**531**
42" High	**3 SBG 4215**	36	15	42	109	6.0	**567**
48" High	**3 SBG 4815**	36	15	48	118	6.5	**592**
54" High	**3 SBG 5415**	36	15	54	122	6.7	**610**
60" High	**3 SBG 6015**	36	15	60	146	7.0	**635**
65" High	**3 SBG 6515**	36	15	65	159	8.0	**672**
72" High	**3 SBG 7215**	36	15	72	175	9.0	**731**
82" High	**3 SBG 8215**	36	15	82	200	10.0	**838**
Optional Shelves							
for 30"W, 12"D	**3 SBGN SH 11**	28	11	1	7	1.0	**74**
for 36"W, 12"D	**3 SBG SH 11**	34	11	1	9	1.5	**84**
for 36"W, 15"D	**3 SBG SH 14**	34	14	1	12	1.8	**95**

For all Bookcase items
- Can specify up to 2 finishes
  Top – top shelf
  Base – sides, back and other shelves

Bookcases
- Includes top and bottom shelf, 2 side panels and back
- Fixed shelf for 60", 65", 72" & 82"H at 28.5"H so two lower rows are both binder height
- Other shelves are adjustable:
  - 29"H – 2 openings
  - 42"H – 3 openings
  - 48"H – 3 openings
  - 60"H – 4 openings
  - 65"H – 4 openings – matches height of most tall storage units
  - 72"H – 5 openings
  - 82"H – 6 openings
- Sides and shelves are 1" thick
- Back is solid 3/4" thick TFL panel
- Shelf depth is 1" less than overall cabinet depth
- Bookcases must be placed against wall for stability

CORNER BOOKCASE



3 SBG 6536	36	36	65	211	11.4	**1337**	
3 SBG 7236	36	36	72	242	13.5	**1419**	

Corner Bookcases
- Includes top and bottom shelf, side and back panels, and one fixed shelf
- Other shelves are adjustable:
  - 65"H has 4 openings
  - 72"H has 5 openings

1/4 ROUND CORNER BOOKCASES





All items SIN 711-3

Desk Height	**3 SWM 2028**	20	20	29	46	1.8	**358**	**466**
	3 SWM 2428	24	24	29	53	2.3	**423**	**533**
	3 SWM 3028	30	30	29	77	3.8	**504**	**631**
Hutch Height	**3 SWM 2065**	20	20	65	92	3.6	**595**	**N/A**
	3 SWM 2465	24	24	65	106	4.6	**716**	**N/A**
	3 SWM 3065	30	30	65	123	6.5	**838**	**N/A**

1/4 Round Corner Bookcases
- Includes top, shelves, back panels and hardware
- HPL option is on top panel of desk height unit only
- 28"H version has top, bottom and 1 fixed shelf
- 65"H version has top, bottom and 4 fixed shelves
- All components are 1" thick

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STORAGE WITH FRAMED TRANSLUCENT DOORS

INLINE tréo

tréo®

MULTI-STORAGE, SHELF & DOOR



3 SIMBG L (Left)



3 SIMDG R (Right)

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SIMBG 2454 L (-)	24	24	54	196	18.8	**1686**	**1935**
3 SIMBG 2465 L (-)	24	24	65	219	24.0	**1845**	**2118**
3 SIMBG 2472 L (-)	24	24	72	233	26.4	**1981**	**2262**
3 SIMBG 2454 R (-)	24	24	54	196	18.8	**1686**	**1935**
3 SIMBG 2465 R (-)	24	24	65	219	24.0	**1845**	**2118**
3 SIMBG 2472 R (-)	24	24	72	233	26.4	**1981**	**2262**
3 SIMDG 2454 L (-)	24	24	54	196	18.8	**1686**	**1935**
3 SIMDG 2465 L (-)	24	24	65	219	24.0	**1845**	**2118**
3 SIMDG 2472 L (-)	24	24	72	233	26.4	**1981**	**2262**
3 SIMDG 2454 R (-)	24	24	54	196	18.8	**1686**	**1935**
3 SIMDG 2465 R (-)	24	24	65	219	24.0	**1845**	**2118**
3 SIMDG 2472 R (-)	24	24	72	233	26.4	**1981**	**2262**

- Door frames are annodized aluminium with mitred joints.

Multi-storage, Shelf and Door Units
- Translucent door on storage area only.
- HPL applies to wardrobe door and drawer faces only.
- 2 adjustable shelves in storage area
- Gang lock on all drawers
- SIMBG and SIMDG units also have wardrobe lock

TALL LATERAL/STORAGE WITH REAR WARDROBE



L (Left)

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SIFG 2465 L (-)	24	24	65	213	24.0	**1875**	**2152**
3 SIFG 2472 L (-)	24	24	72	229	26.4	**1998**	**2282**
3 SIFG 2465 R (-)	24	24	65	213	24.0	**1875**	**2152**
3 SIFG 2472 R (-)	24	24	72	229	26.4	**1998**	**2282**

Tall Lateral/Storage with Rear Wardrobe
- Translucent door on storage area only.
- HPL applies to drawer faces only.
- 2 adjustable shelves in storage area
- Gang lock on lateral file drawers
- Rear Wardrobe 4.8" wide
- Accepts legal hanging folders side-to-side only

TALL FILING & STORAGE UNITS



1/2 Storage 1/2 Lateral



1/2 and 1/2 with 3 Drawer Lateral File

SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SPFG 362065 (-)	36	20	65	235	30.0	**1883**	**2163**
3 SPFG 362465 (-)	36	24	65	255	36.0	**2072**	**2282**
3 SPFG 362072 (-)	36	20	72	252	33.0	**2028**	**2240**
3 SPFG 362472 (-)	36	24	72	273	40.0	**2250**	**2480**
3 SPFTG 362065 (-)	36	20	65	266	30.0	**2248**	**2548**
3 SPFTG 362465 (-)	36	24	65	286	36.0	**2398**	**2698**
3 SPFTG 362072 (-)	36	20	72	283	33.0	**2377**	**2684**
3 SPFTG 362472 (-)	36	24	72	304	40.0	**2552**	**2880**

Tall Filing & Storage Units
- HPL finishes on lateral drawer fronts only
- 2 drawer cabinet has 2 adjustable shelves
- 3 drawer cabinet has 1 adjustable shelf
- Door and drawer locks are keyed alike

TALL STORAGE



Personal Storage



1/2 Storage 1/2 Wardrobe

SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SPBG 362065 (-)	36	20	65	162	30.0	**2050**	**N/A**
3 SPBG 362465 (-)	36	24	65	187	36.0	**2200**	**N/A**
3 SPBG 362472 (-)	36	24	72	203	40.0	**2280**	**N/A**
3 SPSG 362465 (-)	36	24	65	226	36.0	**1996**	**N/A**
3 SPSG 362472 (-)	36	24	72	243	40.0	**2074**	**N/A**

Tall Storage
- Full storage units have both doors translucent
- 1 fixed and 3 adjustable shelves
- Locking

- 1/2 Storage / 1/2 Wardrobe units have translucent door over storage only. Wardrobe door is solid laminate
- Only storage door locks
- Wardrobe section has one fixed shelf and a hanging bar

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HUTCHES / WALL BINS

INLINE trēo

TRANSACTION HUTCH



	Model #	W	D	H	Wt	V	TFL $	HPL $
14" High	**3 HA 3014**	30	13	14	36	1.3	**249**	**321**
13" Deep	**3 HA 3614**	36	13	14	40	1.3	**261**	**334**
	3 HA 4214	42	13	14	46	1.4	**279**	**358**
	3 HA 4814	48	13	14	52	1.6	**291**	**377**
	3 HA 5414	54	13	14	58	1.6	**303**	**394**
	3 HA 6014	60	13	14	62	1.6	**321**	**418**
	3 HA 6614	66	13	14	66	1.8	**334**	**437**
	3 HA 7214	72	13	14	70	1.8	**353**	**455**
	3 HA 7814	78	13	14	74	2.0	**377**	**480**
	3 HA 8414	84	13	14	78	2.0	**406**	**509**

Transaction Hutch
- 13” clearance to desk
- All hutches adhere to desk tops with double-sided tape

CORNER TRANSACTION HUTCH



36" Corner	**3 HCA 3614**	36	13	14	43	3.7	**480**	**576**
42" Corner	**3 HCA 4214**	42	13	14	52	4.8	**509**	**612**
48" Corner	**3 HCA 4814**	48	13	14	63	5.9	**570**	**685**

Corner Transaction Hutch
- 13" clearance under counter
- 2 piece top

OPEN WALL BINS





14" High	**3 HW T 3614**	36	13	14	57	2.1	**358**	**N/A**
13" Deep	**3 HW T 4214**	42	13	14	65	2.3	**394**	**N/A**
	3 HW T 4814	48	13	14	74	2.6	**425**	**N/A**
	3 HW T 5414	54	13	14	76	2.8	**461**	**N/A**
	3 HW T 6014	60	13	14	85	3.1	**498**	**N/A**
	3 HW T 6614	66	13	14	93	3.5	**528**	**N/A**
	3 HW T 7214	72	13	14	102	3.7	**546**	**N/A**

trēo® Wall Bins
- Interior 12"D
- Shipped RTA
- Can specify up to 3 finishes with order (Contrast – doors, if applicable, Base – sides and back, Top – top)
- HPL option available for door faces only
- Wall mounting components provided
- Installer’s responsibility to properly secure hanging strip to wall (see below)
- Tackboard wall mount requires purchase of **FWKIT** at $21 List. See page 1-37
- For full width and fuller height tackboard coverage under wall bins, 25"H tackboards can be purchased from the Boardwalk line, see page 3-35
- Interior height (open bin) 12"

CUPBOARD DOOR WALL BINS





2 Doors	**3 HD W 3016**	30	13	16	53	2.8	**446**	**529**
30" - 42"	**3 HD W 3616**	36	13	16	63	3.4	**458**	**544**
	3 HD W 4216	42	13	16	72	3.9	**483**	**578**
3 Doors	**3 HD W 4816**	48	13	16	81	4.4	**508**	**599**
48" - 54"	**3 HD W 5416**	54	13	16	84	4.7	**533**	**638**
4 Doors	**3 HD W 6016**	60	13	16	94	5.2	**593**	**706**
60" - 72"	**3 HD W 6616**	66	13	16	102	5.6	**634**	**756**
	3 HD W 7216	72	13	16	111	6.1	**698**	**830**

- Non-locking is standard for Cupboard Door Wall Bins
- Interior height 12"

Locking Option – specifiy:
2 doors – **HDLK2** – $87 List
3 doors – **HDLK3** – $133 List
4 doors – **HDLK4** – $144 List

FLIPPER DOOR WALL BINS





1 Door	**3 HF W 3014**	30	14	14	53	2.8	**528**	**633**
	3 HF W 3614	36	14	14	63	3.4	**549**	**657**
	3 HF W 4214	42	14	14	72	3.9	**553**	**663**
	3 HF W 4814	48	14	14	81	4.4	**568**	**683**
2 Doors	**3 HF W 5414**	54	14	14	84	4.7	**679**	**816**
	3 HF W 6014	60	14	14	94	5.2	**732**	**879**
	3 HF W 6614	66	14	14	102	5.6	**774**	**928**
	3 HF W 7214	72	14	14	111	6.1	**826**	**991**

- Flipper door bins come locking as standard
- Interior height 12"

Mounting Details



All Items
SIN 711-2

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HUTCHES

INLINE tréo

OPEN HUTCH WITH TOP



SIN 711-2



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
36" High 13" Deep	**3 HH T 2436**	24	13	36	59	2.6	**364**	**N/A**
	3 HH T 3036	30	13	36	67	3.0	**394**	**N/A**
	3 HH T 3636	36	13	36	75	3.4	**418**	**N/A**
	3 HH T 4236	42	13	36	85	4.2	**455**	**N/A**
	3 HH T 4836	48	13	36	96	5.1	**498**	**N/A**
	3 HH T 5436	54	13	36	105	6.0	**533**	**N/A**
	3 HH T 6036	60	13	36	114	7.3	**570**	**N/A**
	3 HH T 6636	66	13	36	123	8.6	**625**	**N/A**
	3 HH T 7236	72	13	36	132	10.0	**644**	**N/A**
	3 HH T 7836	78	13	36	141	11.4	**728**	**N/A**
	3 HH T 8436	84	13	36	150	12.8	**813**	**N/A**
43" High 13" Deep	**3 HH T 3043**	30	13	43	73	3.8	**453**	**N/A**
	3 HH T 3643	36	13	43	82	4.2	**481**	**N/A**
	3 HH T 4243	42	13	43	93	5.0	**523**	**N/A**
	3 HH T 4843	48	13	43	105	5.9	**572**	**N/A**
	3 HH T 5443	54	13	43	115	6.8	**613**	**N/A**
	3 HH T 6043	60	13	43	125	8.1	**655**	**N/A**
	3 HH T 6643	66	13	43	135	9.4	**718**	**N/A**
	3 HH T 7243	72	13	43	145	10.8	**740**	**N/A**
	3 HH T 7843	78	13	43	155	12.2	**837**	**N/A**
	3 HH T 8443	84	13	43	166	13.6	**935**	**N/A**

36"H Open Hutch
- Height matches 65"H storage
- 22" clearance under shelf; 19" under valance
- Full width wire access strip at bottom
- Task light wire grommet in back panel
- Shipped RTA
- Tack Boards (see page 1-37)
- Shelves and uprights are 1" material, back is 3/4" thick
- Top panel adds 1" to overall depth of open hutches
- Interior height 12"

43"H Open Hutch
- Height matches 72"H storage
- As above except clearance under shelf is 27 3/4"
- Interior height 13"

Horizontal Paper Management slots available on page 1-38

Note: all 42"H hutch models have been altered to 43"H (with new model numbers) to match the height of 72"H freestanding storage units.
42"H models can still be ordered at same price as like sized 43"H units.

CUPBOARD DOOR HUTCH







SIN 711-2

		Model #	W	D	H	Wt	V	TFL $	HPL $
36" H	**2 Doors 24" - 42"**	**3 HD 2436**	24	13	36	75	3.0	**504**	**601**
		3 HD 3036	30	13	36	79	3.0	**552**	**655**
		3 HD 3636	36	13	36	88	3.6	**576**	**685**
		3 HD 4236	42	13	36	94	5.2	**625**	**747**
	3 Doors 48" - 54"	**3 HD 4836**	48	13	36	102	6.5	**685**	**806**
		3 HD 5436	54	13	36	110	7.6	**740**	**886**
	4 Doors 60" - 84"	**3 HD 6036**	60	13	36	124	8.4	**806**	**959**
		3 HD 6636	66	13	36	138	9.2	**855**	**1019**
		3 HD 7236	72	13	36	153	10.0	**903**	**1073**
		3 HD 7836	78	13	36	168	10.7	**1025**	**1201**
		3 HD 8436	84	13	36	183	11.7	**1134**	**1298**
43" H	**2 Doors 24" - 42"**	**3 HD 2443**	24	13	43	81	3.8	**554**	**660**
		3 HD 3043	30	13	43	86	3.8	**608**	**720**
		3 HD 3643	36	13	43	96	4.4	**634**	**753**
		3 HD 4243	42	13	43	103	6.0	**688**	**821**
	3 Doors 48" - 54"	**3 HD 4843**	48	13	43	112	7.3	**753**	**887**
		3 HD 5443	54	13	43	121	8.4	**815**	**974**
	4 Doors 60" - 84"	**3 HD 6043**	60	13	43	136	9.2	**887**	**1054**
		3 HD 6643	66	13	43	151	10.0	**940**	**1120**
		3 HD 7243	72	13	43	167	10.8	**993**	**1180**
		3 HD 7843	78	13	43	183	11.5	**1128**	**1321**
		3 HD 8443	84	13	43	199	12.5	**1247**	**1428**

36"H Cupboard Door Hutches
- Height matches 65"H storage
- Doors / top panel add 1" to overall depth of Cupboard Door Hutches
- Interior 12"D and 12"H
- 20" clear under doors; 22" under shelf
- Full width wire access strip at bottom
- Task light wire grommet in back panel
- Hinges open 110°
- Can specify up to 3 finishes with order (Contrast – doors, Base - sides and back, Top - top)
- HPL option available for door faces only
- Non-locking is standard
  Locking Option – specify:
  2 doors – HDLK2 - $87 List
  3 doors – HDLK3 - $133 List
  4 doors – HDLK4 - $144 List

43"H Cupboard Door Hutches
- Height matches 72"H storage
- As above except clearance under doors is 25 3/4" and under shelf is 27 3/4"
- Interior height 13"

Horizontal Paper Management slots available on page 1-38

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

FLIPPER DOOR HUTCHES

INLINE treo

FLIPPER HUTCH STRAIGHT DOOR





SIN 711-2

		Model #	W	D	H	Wt	V	TFL $	HPL $
36"H	1 Door	3 HF S 2436	24	13	36	75	3.5	595	709
		3 HF S 3036	30	13	36	79	4.0	631	752
		3 HF S 3636	36	13	36	84	4.1	668	800
		3 HF S 4236	42	13	36	92	4.6	728	867
		3 HF S 4836	48	13	36	106	5.4	776	927
	2 Doors	3 HF S 5436	54	13	36	120	6.8	886	1055
		3 HF S 6036	60	13	36	133	7.5	946	1129
		3 HF S 6636	66	13	36	148	8.5	994	1182
		3 HF S 7236	72	13	36	160	9.6	1031	1225
		3 HF S 7836	78	13	36	172	10.7	1121	1298
		3 HF S 8436	84	13	36	184	11.7	1243	1407
43"H	1 Door	3 HF S 3643	36	13	43	91	4.9	735	880
		3 HF S 4243	42	13	43	99	5.4	800	954
		3 HF S 4843	48	13	43	114	6.2	854	1020
	2 Doors	3 HF S 5443	54	13	43	129	7.6	974	1161
		3 HF S 6043	60	13	43	143	8.3	1041	1242
		3 HF S 6643	66	13	43	159	9.3	1094	1301
		3 HF S 7243	72	13	43	172	10.4	1134	1348
		3 HF S 7843	78	13	43	185	11.5	1234	1428
		3 HF S 8443	84	13	43	198	12.5	1367	1548

Remarks

- Doors add 1" to overall depth of Flipper Door Hutches

36"H Flipper Door Hutches

- Interior 12"D
- 20" clear under doors; 22" under shelf
- Interior height 12"
- Full width wire access strip at bottom
- Task light wire grommet in back panel
- Door opens over top shelf
- 2 door models keyed alike
- Top is same finish as panels and modesty
- HPL option available for door faces only
- Shipped RTA
- Tack Boards (see below)
- Power / Data Module can be installed in hutch back panel requires 2" clearance **PD 7500** – $237 List (see pg. 7-7 for order information)



- 43"H Interior height 13"

Note: all 42"H hutch models have been altered to 43"H (with new model numbers) to match the height of 72"H freestanding storage units.
42"H models can still be ordered at same price as like sized 43"H units.

FLIPPER HUTCH CURVED DOOR





36"H	1 Door	3 HF C 3636	36	13	36	84	4.1	704	843
		3 HF C 4236	42	13	36	92	4.6	764	910
		3 HF C 4836	48	13	36	106	5.4	813	970
	2 Doors	3 HF C 5436	54	13	36	120	6.8	922	1105
		3 HF C 6036	60	13	36	133	7.5	983	1170
		3 HF C 6636	66	13	36	148	8.5	1031	1225
		3 HF C 7236	72	13	36	160	9.6	1067	1267
		3 HF C 7836	78	13	36	172	10.7	1164	1352
		3 HF C 8436	84	13	36	184	11.7	1285	1462

- 36"H Interior height 12"

43"H Curved Flipper Door Hutches

- Change code to **3 HF C xx43** and add 10% to List price
  eg: **3 HF C 6043**
- Clearance under 43"H models 26" to doors and 27 3/4" to shelf
- 43"H Interior height 13"

Horizontal Paper Management slots available on page 1-38

FABRIC TACK BOARD – FOR 36"H HUTCHES



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
3 FW 22	22	0.5	16	4	0.6	153	188
3 FW 28	28	0.5	16	4	0.7	159	194
3 FW 34	34	0.5	16	5	0.8	164	200
3 FW 40	40	0.5	16	6	0.9	200	242
3 FW 46	46	0.5	16	7	1.2	212	253
3 FW 52	52	0.5	16	8	1.2	224	266
3 FW 58	58	0.5	16	9	1.3	237	286
3 FW 64	64	0.5	16	10	1.5	243	291
3 FW 70	70	0.5	16	11	1.6	249	301
3 FW 76	76	0.5	16	12	1.7	255	338
3 FW 82	82	0.5	16	13	1.9	267	362

Fabric Tack Board

- See Fabric Card for fabric options
- Wall mount requires purchase of **FWHKIT** at $21 List

Front View



Side View

FABRIC TACK BOARD – FOR 42"H HUTCHES



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
3 FW 2822	28	0.5	21.75	6	0.9	189	233
3 FW 3422	34	0.5	21.75	7	1.1	196	240
3 FW 4022	40	0.5	21.75	9	1.2	240	290
3 FW 4622	46	0.5	21.75	10	1.4	255	305
3 FW 5222	52	0.5	21.75	11	1.6	269	319
3 FW 5822	58	0.5	21.75	12	1.8	285	342
3 FW 6422	64	0.5	21.75	14	1.9	291	349
3 FW 7022	70	0.5	21.75	15	2.1	298	362
3 FW 7622	76	0.5	21.75	16	2.3	307	406
3 FW 8222	82	0.5	21.75	18	2.4	320	436

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

DOUBLE TIER HUTCHES

INLINE treo

tréo®

OPEN HUTCH



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
3 HHTD 3051	30	13	51	92	8.6	**736**	
3 HHTD 3651	36	13	51	104	9.6	**751**	
3 HHTD 4251	42	13	51	116	11.7	**810**	
3 HHTD 4851	48	13	51	127	13.8	**835**	
3 HHTD 5451	54	13	51	147	14.3	**886**	
3 HHTD 6051	60	13	51	158	15.5	**966**	
3 HHTD 6651	66	13	51	170	16.8	**1080**	
3 HHTD 7251	72	13	51	182	18.5	**1143**	
3 HHTD 7851	78	13	51	193	20.3	**1257**	
3 HHTD 8451	84	13	51	205	23.3	**1366**	

- Optional valance included is 3"H

Open Hutches
- 22" clearance under shelf; 19" clear under valance
- Interior height: 12" (top tier)
  14" (bottom tier)
- Full width wire access strip at bottom
- Task light wire grommet in back panel
- Shipped RTA
- Top panel adds 1" to overall depth of Open Hutches

CUPBOARD DOOR



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
2 Doors	**3 HDD 3051**	30	13	51	103	8.6	**817**	**965**
	3 HDD 3651	36	13	51	117	9.6	**843**	**993**
	3 HDD 4251	42	13	51	131	11.7	**922**	**1087**
3 Doors	**3 HDD 4851**	48	13	51	143	13.8	**1001**	**1170**
	3 HDD 5451	54	13	51	165	14.3	**1086**	**1285**
4 Doors	**3 HDD 6051**	60	13	51	178	15.5	**1182**	**1409**
	3 HDD 6651	66	13	51	191	16.8	**1298**	**1538**
	3 HDD 7251	72	13	51	205	18.5	**1392**	**1651**
	3 HDD 7851	78	13	51	218	20.3	**1529**	**1854**
	3 HDD 8451	84	13	51	231	23.3	**1741**	**2072**

Cupboard Door Hutches
- 22" clearance under shelf; 19" clear under valance
- 20" clearance under full cupboard doors
- Interior height: 12" (top tier)
  14" (bottom tier)
- Full width wire access strip at bottom
- Task light wire grommet in back panel
- Can specify up to 3 finishes with order (Contrast - doors, Base - sides and back, Top - top)
- HPL option available for door faces only
- Non-locking is standard
- Locking option-specify:
  2 doors – **HDLK2** – $87 List
  3 doors – **HDLK3** – $133 List
  4 doors – **HDLK4** – $144 List
- Shipped RTA
- Tack Boards (see pg. 1-37)
- Doors / top panel add 1" to overall depth of Cupboard Door Hutches

FULL CUPBOARD DOOR



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
2 Doors	**3 HDDF 3051**	30	13	51	110	8.6	**959**	**1157**
	3 HDDF 3651	36	13	51	126	9.6	**989**	**1197**
	3 HDDF 4251	42	13	51	141	11.7	**1062**	**1304**
3 Doors	**3 HDDF 4851**	48	13	51	155	13.8	**1140**	**1383**
	3 HDDF 5451	54	13	51	178	14.3	**1232**	**1467**
4 Doors	**3 HDDF 6051**	60	13	51	192	15.5	**1355**	**1610**
	3 HDDF 6651	66	13	51	207	16.8	**1474**	**1742**
	3 HDDF 7251	72	13	51	222	18.5	**1558**	**1910**
	3 HDDF 7851	78	13	51	236	20.3	**1722**	**2010**
	3 HDDF 8451	84	13	51	251	23.3	**1935**	**2228**

HORIZONTAL PAPER MANAGEMENT



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
3 slots for 28" to 52"	**3 SHP 28**	28	12	5	13	0.8	**237**	**N/A**
	3 SHP 34	34	12	5	18	1.0	**261**	**N/A**
	3 SHP 40	40	12	5	20	1.1	**286**	**N/A**
	3 SHP 46	46	12	5	22	1.3	**334**	**N/A**
	3 SHP 52	52	12	5	26	1.4	**382**	**N/A**
4 slots for 58" to 82"	**3 SHP 58**	58	12	5	29	1.6	**431**	**N/A**
	3 SHP 64	64	12	5	32	1.7	**480**	**N/A**
	3 SHP 70	70	12	5	35	1.9	**528**	**N/A**
	3 SHP 76	76	12	5	38	2.1	**576**	**N/A**
	3 SHP 82	82	12	5	41	2.2	**629**	**N/A**

- Valance and task light can be mounted below
- Slots match width of hutch doors
- Shipped RTA

- Flipper and cupboard doors will partly cover horizontal slots

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HUTCHES WITH FRAMED TRANSLUCENT DOORS

INLINE treo

FRAMED TRANSLUCENT CUPBOARD DOOR HUTCH







SIN 711-2

		Model #	W	D	H	Wt	V	TFL $	HPL $
36" H	2 Doors 30" - 42"	3 HD G 3036	30	13	36	74	3.0	850	N/A
		3 HD G 3636	36	13	36	82	3.6	876	N/A
		3 HD G 4236	42	13	36	87	5.2	955	N/A
	3 Doors 48" - 54"	3 HD G 4836	48	13	36	94	6.5	1160	N/A
		3 HD G 5436	54	13	36	101	7.6	1275	N/A
	4 Doors 60" - 84"	3 HD G 6036	60	13	36	114	8.4	1390	N/A
		3 HD G 6636	66	13	36	127	9.2	1470	N/A
		3 HD G 7236	72	13	36	141	10.0	1496	N/A
		3 HD G 7836	78	13	36	155	10.7	1600	N/A
		3 HD G 8436	84	13	36	169	11.7	1760	N/A
43" H	2 Doors 30" - 42"	3 HD G 3043	30	13	43	81	3.8	908	N/A
		3 HD G 3643	36	13	43	90	4.4	934	N/A
		3 HD G 4243	42	13	43	96	6.0	1018	N/A
	3 Doors 48" - 54"	3 HD G 4843	48	13	43	104	7.3	1228	N/A
		3 HD G 5443	54	13	43	112	8.4	1352	N/A
	4 Doors 60" - 84"	3 HD G 6043	60	13	43	126	9.2	1474	N/A
		3 HD G 6643	66	13	43	140	10.0	1555	N/A
		3 HD G 7243	72	13	43	155	10.8	1590	N/A
		3 HD G 7843	78	13	43	170	11.5	1706	N/A
		3 HD G 8443	84	13	43	185	12.5	1890	N/A

36"H Cupboard Door Hutches
- Doors / top panel add 1" to overall depth of Cupboard Door Hutches
- Interior 12"D
- Interior height 12"
- 20" clear under doors; 22" under shelf
- Full width wire access strip at bottom
- Task light wire grommet in back panel
- Can specify up to 2 finishes with order (Base - sides and back, Top - top)
- Doors are brushed aluminum with frosted acrylic insert
- Non-locking is standard
  Locking Option – specify:
  2 doors – HDLK2 - $87 List
  3 doors – HDLK3 - $133 List
  4 doors – HDLK4 - $144 List

43"H Cupboard Door Hutches
- As above except clearance under shelf is 27 3/4"
- Interior height 13"

Note: all 42"H hutch models have been altered to 43"H (with new model numbers) to match the height of 72"H freestanding storage units.
42"H models can still be ordered at same price as like sized 43"H units.

Horizontal Paper Management slots available on page 1-38

DOUBLE TIER TRANSLUCENT DOOR HUTCH



3 Doors 48" - 54"	3 HDDF G 4851	48	13	51	139	13.8	1800	N/A
	3 HDDF G 5451	54	13	51	160	14.3	1950	N/A
4 Doors 60" - 84"	3 HDDF G 6051	60	13	51	172	15.5	2110	N/A
	3 HDDF G 6651	66	13	51	184	16.8	2254	N/A
	3 HDDF G 7251	72	13	51	197	18.5	2358	N/A
	3 HDDF G 7851	78	13	51	209	20.3	2522	N/A
	3 HDDF G 8451	84	13	51	222	23.3	2840	N/A

- Door frames (these models and above) are annodized aluminium with mitred joints.

CORNER HUTCH – TOP



SIN 711-2

36" Corner	3 HCT 3636	36	13	36	116	4.5	752	N/A
42" Corner	3 HCT 4236	42	13	36	134	5.2	824	N/A
48" Corner	3 HCT 4836	48	13	36	152	6.0	886	N/A

36" Corner Hutch with Top
- 22" clearance under shelf
- Interior height 12"
- 12 1/4" clearance between shelves
- 2 piece top and shelf

CORNER FABRIC TACK BOARDS



SIN 711-2

	Model #	W	W	H	Wt	V	GRD A $	GRD B $
36" Corner	3 FW 3636	34	34	16	12	2.6	303	379
42" Corner	3 FW 4242	40	40	16	14	3.2	328	406
48" Corner	3 FW 4848	46	46	16	16	3.5	359	449

Fabric Tack Board
- See Fabric Card for fabric options

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

SPECIALTY STORAGE

INLINE tréo

tréo®

TILTED SHELF LITERATURE RACKS



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SLR 4215	36	15	42	95	6.0	**752**	**N/A**
3 SLR 6515	36	15	65	120	8.0	**1086**	**N/A**

Tilted Shelf Literature Racks
- 42"h unit has 3 tilted shelves
- 65"h unit has 4 tilted shelves
- Each tilted shelf has a fixed shelf behind it for additional storage
- Shipped RTA

TROPHY / DISPLAY CASES



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
36" Wide	**3 SDC 3620 (-)**	36	20	65	250	33.0	**2080**	**2262**
	3 SDC 3624 (-)	36	24	65	270	36.0	**2262**	**2462**
48" Wide	**3 SDC 4820 (-)**	48	20	65	313	35.0	**2808**	**3014**
	3 SDC 4824 (-)	48	24	65	338	39.0	**3110**	**3317**

Trophy / Display Cases
- Locks included on both glass and door sections
- 2 shelves above; 1 below
- Shipped RTA, glass packed separately
- 48"w version has center support
- Options include: full glass front and glass shelves. Call INLINE Sales Rep for quote
- 72"H version also available

LIBRARY STORAGE



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SPO 3620 (-)	36	20	65	237	33.0	**935**	**1177**
3 SPO 3624 (-)	36	24	65	257	36.0	**1086**	**1328**

Library Storage
- 2 adjustable shelves above; 1 below
- Locks included on bottom section
- Shipped assembled

BANKERS BOX STORAGE





SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
42" Wide								
3 - High	**3 SBB 4241**	42	17	41	91	2.4	**709**	**N/A**
4 - High	**3 SBB 4254**	42	17	54	121	2.7	**804**	**N/A**
5 - High	**3 SBB 4267**	42	17	67	152	3.1	**936**	**N/A**
72" Wide								
3 - High	**3 SBB 7241**	72	17	41	131	4.0	**1073**	**N/A**
4 - High	**3 SBB 7254**	72	17	54	174	4.6	**1219**	**N/A**
5 - High	**3 SBB 7267**	72	17	67	217	5.2	**1398**	**N/A**
86" Wide								
3 - High	**3 SBB 8641**	86	17	41	150	4.6	**1328**	**N/A**
4 - High	**3 SBB 8654**	86	17	54	199	5.5	**1516**	**N/A**
5 - High	**3 SBB 8667**	86	17	67	248	6.0	**1750**	**N/A**

Bankers Box Storage
- Each opening on 42" holds 3 Bankers Boxes
- Each opening on 72" holds 5 Bankers Boxes
- Each opening on 86" holds 6 Bankers Boxes
- 41"h unit has 3 openings
- 54"h unit has 4 openings
- 67"h unit has 5 openings
- Top can be used as additional shelf
- 72"w unit has offset center divider to maximize storage space
- 86"w unit has center divider
- Bottom is open to floor
- Shipped RTA
- Shelves can be made to extend and retract. Call factory for details. (List price $160 ea.)

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING ROOM ACCESSORIES

INLINE tréo

AV CABINET	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
 SIN 711-3									• 270° fold-away top doors • 1 fixed shelf, 2 adjustable shelves • Opening for TV is max. 34"W x 35"H with adjustable top shelf removed • Fully ventilated • Wire access top to bottom • Locks top and bottom • Mobile version has 3" casters • Shipped assembled
AV Cabinet	**3 PAV 3624 (-)**	36	24	65	235	36.0	**1807**	**2239**	
	3 PAVM 3624 (-)	36	24	65	237	36.0	**1983**	**2417**	
WHITE BOARD									
 SIN 711-3									• Tackable surface inside one door, Fabric is Opal (AOP011) only • Hooks for flip chart on other door • HPL option for door faces only • Marker tray included on ledge • Shipped assembled
	Non-magnetic White Board								
White Board	**3 PWB 4848 (-)**	48	6	48	143	11.8	**965**	**1450**	
	Magnetic White Board								
	3 PWBM 4848 (-)	48	6	48	143	11.8	**1295**	**1785**	
LECTERN									
 SIN 711-2									• Sloping top shelf with paper stop • Fixed shelf underneath • On casters, front locking • Casters mounted to metal channel
Lectern	**3 PLC 4420**	21	21	44	75	3.6	**558**	**N/A**	
AV LECTERN									
 SIN 711-2									• Sloping top shelf with paper stop • Flip-out side shelf for extra work surface • Power and data connections at floor connected to PD4500 at user level • On casters, front locking • Casters mounted to metal channel • One fixed and one adjustable shelf
AV Lectern	**3 PLAV 2020**	21	21	44	96	14.1	**1268**	**N/A**	
MULTIMEDIA PODIUM									
 SIN 711-3									• Wire access from top to interior components • Paper retention strip on slanted surface • Retractable shelf for keyboard • Two adjustable shelves behind locking doors • Lower front area has fabric covered speaker port-holes (fabric in black only) • Four casters, two locking
Podium	**3 SMM 2424 (-)**	24	24	42	98	4.0	**1201**	**N/A**	
LARGE AV PODIUM									
 Front Back									• Flip-out side shelf for extra work surface • On-board power and data connections at the floor • On casters, front locking • Roll out keyboard tray • Top features slopping document surface and flat monitor/equipment area • HPL price includes high pressure laminate on dual top, flip-out surface and keyboard tray • Locking door option adds lock to rear doors too
	3 PLAV 3230 (-)	32	30	44	125	20.0	**2450**	**2622**	
 Foot Rail									
Foot Rail	**3 PLAV 32 FR**	–	–	–	–	–	**88**	**–**	
Locking Doors	**3 PLAV 32 DR**	–	–	–	19	1.1	**250**	**460**	
Second Flip-up Surface	**3 PLAV 32 FL**	–	–	–	8	.5	**235**	**287**	
SIN 711-3									

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

tréo®

MEETING ROOM ACCESSORIES

INLINE tréo

tréo®

MOBILE SERVING CART

SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Serving Cart	**3 PSC 2020 (-)**	19	20	36	114	11	**697**	**806**

- Pull-out shelf at top
- Full extension drawer slides
- HPL option on top only
- Need to select handle style and finish
- Four casters, 2 locking
- One adjustable shelf behind door

MOBILE SERVING BUFFET

SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Serving Buffet	**3 PSBM 3620 (-)**	36	20	36	179	19	**1164**	**1347**

- Pull-out shelf at top
- Full extension drawer slides
- HPL option on top only
- Need to select handle style and finish
- Four casters, 2 locking
- One adjustable shelf behind door
- Locking option on cupboard doors, order **HDLK2** - $87 List (installed)

MEETING ROOM BUFFET



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Meeting Room Buffet	**3 PSB 3620 (-)**	36	20	36	179	19	**1103**	**1276**
	3 PSB 7220 (-)	72	20	36	358	38	**1989**	**2302**

Enter Handle Selection to complete code

4 Handles to choose from:
- K1 Black, Tear Drop
- K2 Black, Wire
- N1 Nickel, Tear Drop
- N2 Nickel, Wire

- 4 full extension drawers along top
- 2 adjustable shelves in each section
- HPL option on top only
- Need to select handle style and finish
- Locking option on cupboard doors. order **HDLK4** - $144 List (installed)

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $



GALLERY RECEPTION: SUITE #TR021

Item	Model	List TFL
Desk	3 RGR 7236	819
Transaction Counter	3 HBGR 7215	347
Credenza	3 RGR 7224	693
Bridging Top	3 BFGR 4224	426
Keyboard	3 KM 2610 L	358
Lateral File	3 SLU 3020	649

Total List: $ 3292



GALLERY L-GROUP: SUITE #TR022

Item	Model	List TFL
Corner w/ Keyboard	3 CGRF 4224 S	1493
Transaction Counter	3 HAGR 8412	289
Left Return	3 EGR 4824 L	655
Right Return	3 EGR 4224 R	594
Floor Ped (B/B/F)	3 SJX 20	620
Floor Ped (F/F)	3 SJY 20	620

Total List: $ 4271



CURVED GALLERY L-GROUP: SUITE #TR023

Item	Model	List TFL
Corner w/ Keyboard	3 CGRF 4224 S	1493
Corner Counter	3 HCGS 4212	552
Left Return	3 TGR 4830 R24	624
Transaction Counter	3 HAGR 4812	152
Right Return	3 TGR 6030 L24	750
Transaction Counter	3 HAGR 6012	189
Mobile Ped (B/B/F)	3 SMX 24	722
Lateral File	3 SLU 3624	716
Counter Supports (2 @ $53)	3 LGW 4	106

Total List: $ 5304



TWO PERSON GALLERY U-GROUP: SUITE #TR024

Item	Model	List TFL
Corner w/ Keyboard (2 @ $1493)	3 CGRF 4224 S	2986
Corner Counter (2 @ $373)	3 HCGR 4212	746
Bridging Top	3 BFGR 4824	487
Transaction Counter	3 HAGR 4812	152
Left Return	3 EGR 6024 L	783
Transaction Counter	3 HAGR 6012	189
Right Return	3 TF 3024-Y	413
Mobile Ped (2 @ $673)	3 SMX 20	1346
Tall Storage	3 SPB 3620	1153
Tall Storage / Filing	3 SPF 3620	1328

Total List: $ 9583

NOTE: All prices above are TFL

GALLERY / RECEPTION DESKS

INLINE tréo

		Model #	W	D	Wt	V	TFL $	HPL $	Remarks
GALLERY DESKS									
 SIN 711-2	**24"D Worksurface**	**3 RGR 7224**	74	25	175	6.8	**693**	**901**	• Codes represent actual top sizes. Overall size increased by 1" for each end panel and modesty panel • Woodgrain on modesty panel is horizontal due to 72" width • Grain is vertical on end panels
	30"D Worksurface	**3 RGR 7230**	74	31	199	7.2	**741**	**1001**	
	36"D Worksurface	**3 RGR 7236**	74	37	223	7.6	**819**	**1106**	
STRAIGHT GALLERY RETURNS									
 **L (Left)** **R (Right)** SIN 711-2	**Left**	**3 EGR 3624 L**	37	25	88	3.6	**533**	**667**	• Includes top, gallery height modesty, gallery height end panel, two connecting flat brackets • Tops have cross-grain • Grain is vertical on end panels and modesties • Codes represent actual top sizes. Overall size increased by 1" for each end panel and modesty panel
		3 EGR 4224 L	43	25	98	4.2	**594**	**743**	
		3 EGR 4824 L	49	25	108	4.7	**655**	**819**	
		3 EGR 5424 L	55	25	118	5.3	**718**	**898**	
		3 EGR 6024 L	61	25	128	5.8	**783**	**980**	
	Right	**3 EGR 3624 R**	37	25	88	3.6	**533**	**667**	
		3 EGR 4224 R	43	25	98	4.2	**594**	**743**	
		3 EGR 4824 R	49	25	108	4.7	**655**	**819**	
		3 EGR 5424 R	55	25	118	5.3	**718**	**898**	
		3 EGR 6024 R	61	25	128	5.8	**783**	**980**	
BRIDGING GALLERY TOPS									• Includes top, gallery height modesty panel, 4 flat-brackets • Center grommet • Tops have cross-grain • Vertical grain on modesties • Codes represent actual top sizes. Overall depth increased by 1" for modesty panel only.
 SIN 711-2		**3 BFGR 3624**	36	25	61	2.6	**365**	**475**	
		3 BFGR 4224	42	25	71	3.0	**426**	**554**	
		3 BFGR 4824	48	25	81	3.4	**487**	**633**	
GALLERY CORNER – NO KEYBOARD									
 SIN 711-2	**36" Curved Corner**	**3 CGR3624 C**	37	37	126	4.7	**725**	**912**	• Includes top, gallery modesties and two recessed legs • Vertical grain on modesties • Codes are nominal sizes • Actual dimensions increased by 1" modesty panels
	42" Curved Corner	**3 CGR4224 C**	43	43	151	5.4	**819**	**1032**	
GALLERY CORNER – INTEGRATED KEYBOARD									
 SIN 711-2	**Single Arm Keyboard**	**3 CGRK 3624 S**	37	37	151	6.7	**1245**	**1494**	• as above • Single arm "KM" keyboard is used on 36" corner • Double arm "KF" keyboard is used on 42" corner
	Double Arm Keyboard	**3 CGRF 4224 S**	43	43	176	7.4	**1493**	**1791**	
CURVED GALLERY RETURNS – LEFT									
 SIN 711-2	**24/30"D Worksurface**	**3 TGR 3030 R24**	31	31	96	3.1	**578**	**722**	• Includes top, gallery modesty, gallery-height end panel, one recessed leg and hardware • Grain is length-wise on Tops • End panels and modesties are vertical grain
		3 TGR 3630 R24	37	31	107	3.6	**588**	**735**	
		3 TGR 4230 R24	43	31	118	4.2	**611**	**764**	
		3 TGR 4830 R24	49	31	130	4.7	**624**	**780**	
		3 TGR 5430 R24	55	31	141	5.3	**651**	**814**	
		3 TGR 6030 R24	61	31	152	5.8	**750**	**938**	
CURVED GALLERY RETURNS – RIGHT									
 SIN 711-2	**24/30"D Worksurface**	**3 TGR 3030 L24**	31	31	96	3.1	**578**	**722**	• as above
		3 TGR 3630 L24	37	31	107	3.6	**588**	**735**	
		3 TGR 4230 L24	43	31	118	4.2	**611**	**764**	
		3 TGR 4830 L24	49	31	130	4.7	**624**	**780**	
		3 TGR 5430 L24	55	31	141	5.3	**651**	**814**	
		3 TGR 6030 L24	61	31	152	5.8	**750**	**938**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

GALLERY / RECEPTION DESKS

INLINE trēo

TWO PIECE CORNER COUNTER





SIN 711-2

	Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	1.5" Thick TFL $	1.5" Thick HPL $
Spans Single Top	**3/4 HAGR 3012**	31	12	12.1	0.7	**126**	**180**	**163**	**233**
	3/4 HAGR 3612	37	12	13.6	0.8	**131**	**187**	**168**	**240**
	3/4 HAGR 4212	43	12	15.4	0.9	**142**	**203**	**182**	**261**
	3/4 HAGR 4812	49	12	17.3	1.0	**152**	**218**	**195**	**282**
	3/4 HAGR 5412	55	12	19.2	1.1	**168**	**242**	**216**	**314**
	3/4 HAGR 6012	61	12	21.1	1.2	**189**	**273**	**245**	**356**
Spans Two Tops	**3/4 HAGR 6612**	68	12	22.9	1.3	**200**	**289**	**258**	**377**
	3/4 HAGR 7212	74	12	24.8	1.4	**227**	**330**	**295**	**432**
	3/4 HAGR 7812	80	12	27.0	1.6	**242**	**352**	**314**	**461**
	3/4 HAGR 8412	86	12	28.9	1.7	**289**	**423**	**377**	**555**
	3/4 HAGR 9012	92	12	30.8	1.8	**294**	**431**	**384**	**566**
	3/4 HAGR 9612	98	12	32.6	1.9	**300**	**440**	**393**	**579**
	3/4 HAGR 10212	104	12	34.5	2.0	**311**	**456**	**406**	**600**

Remarks:
- Shorter lengths span returns / corners only
- Counters overhang 4" to guest side
- Use “3” prefix for trēo® (1")
- Use “4” prefix for Boardwalk™ (1½")
- Longer lengths for spanning combinations of corners and returns

BOW FRONT TRANSACTION COUNTER



SIN 711-2

3/4 HBGR 7215	74	15	30.9	1.7	**347**	**509**	**454**	**670**

- Counters overhang to guest side by 4" at end, 7" in middle.

TWO PIECE CORNER COUNTER



SIN 711-2

36" x 36" Corner	**3/4 HCGR 3612**	41	12	31	1.4	**352**	**460**	**431**	**569**
42" x 42" Corner	**3/4 HCGR 4212**	47	12	35	1.5	**373**	**487**	**466**	**622**

- Includes 2 tops, 2 recessed supports, and attachment hardware.
- Two pieces meet at 45° angle.
- Tops offset 4" to outside and 7" to inside.
- Use “3” prefix for trēo® (1")
- Use “4” prefix for Boardwalk™ (1½")

ONE PIECE CORNER COUNTER

SIN 711-2

36" x 36" Corner	**3/4 HCGS 3612**	41	41	33	1.8	**441**	**628**	**617**	**882**
42" x 42" Corner	**3/4 HCGS 4212**	47	47	37	2.4	**552**	**725**	**731**	**951**

- Tops offset 4" to outside and 7" to inside.
- If abutting to another transaction counter, order one 3LGS4 recessed support for each end abutting a counter

RECESSED COUNTER SUPPORT



SIN 711-2

3 LGS 4	4	13	1.4	0.1	**53**			

- Supports counters where two meet end-to-end
- Drilling template provided to secure to worksurface
- Flat brackets included to join counters

SQUARE END TABLE

	Model #	W	D	H	Wt	V	TFL $	HPL $
Cross Base	**3 RCS 2222**	22	22	21	35	1.1	**255**	**358**
	3 RCS 2626	26	26	21	37	1.5	**303**	**413**
Panel End	**3 RCSF 2222**	22	22	21	35	1.1	**255**	**358**
	3 RCSF 2626	26	26	21	37	1.5	**303**	**413**

- Boardwalk™ units (1½" top) available on pg 3-36.

ROUND END TABLE

Round Cross Base	**3 RCR 2424**	24	24	21	42	1.3	**303**	**413**

- Boardwalk™ units (1½" top) available on pg 3-36.

RECTANGULAR COFFEE TABLE



SIN 711-11

Rectangular Panel End	**3 RCSF 3618**	36	18	18	40	1.4	**308**	**419**
	3 RCSF 4824	48	24	18	55	3.0	**345**	**466**

- Boardwalk™ units (1½" top) available on pg 3-36.

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

SINGLE / LINKING STUDY CARRELS

INLINE tréo

tréo®

STAND ALONE CARREL – 48" H



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
24"D	**3 CR 3624 C**	36	24	48	89	4.4	**697**	**782**
	3 CR 4224 C	42	24	48	97	5.1	**722**	**806**
	3 CR 4824 C	48	24	48	105	5.8	**747**	**831**
30"D	**3 CR 3630 C**	36	30	48	103	4.4	**734**	**819**
	3 CR 4230 C	42	30	48	112	5.1	**758**	**843**
	3 CR 4830 C	48	30	48	121	5.8	**782**	**867**

STAND ALONE CARREL – 54" H



SIN 711-2

24"D	**3 CRH 3624 C**	36	24	54	98	4.9	**782**	**867**
	3 CRH 4224 C	42	24	54	107	5.7	**806**	**891**
	3 CRH 4824 C	48	24	54	116	6.5	**831**	**916**
30"D	**3 CRH 3630 C**	36	30	54	113	4.9	**819**	**916**
	3 CRH 4230 C	42	30	54	123	5.7	**843**	**940**
	3 CRH 4830 C	48	30	54	132	6.5	**867**	**965**

ADD-ON CARREL – 48" H



SIN 711-2

24"D	**3 CL 3624 C**	35	24	48	68	3.3	**566**	**651**
	3 CL 4224 C	41	24	48	76	3.8	**590**	**676**
	3 CL 4824 C	47	24	48	84	4.3	**614**	**700**
30"D	**3 CL 3630 C**	35	30	48	77	3.3	**603**	**700**
	3 CL 4230 C	41	30	48	85	3.8	**627**	**725**
	3 CL 4830 C	47	30	48	94	4.3	**651**	**749**

ADD-ON CARREL – 54" H



SIN 711-2

24"D	**3 CLH 3624 C**	35	24	54	74	3.7	**627**	**712**
	3 CLH 4224 C	41	24	54	83	4.3	**651**	**736**
	3 CLH 4824 C	47	24	54	92	4.8	**676**	**760**
30"D	**3 CLH 3630 C**	35	30	54	84	3.7	**663**	**760**
	3 CLH 4230 C	41	30	54	93	4.3	**688**	**784**
	3 CLH 4830 C	47	30	54	103	4.8	**712**	**809**

Stand Alone Carrels
- Work surface height - 28"
- 24"D Models have 20"D work surface
- 30"D Models have 24"D work surface
- Work surface and end panels 1" thick; back panels 3/4" thick
- 54"H versions have 12"D shelf with 3"H valance. Shelf clearance is 22 1/4"
- Modesty panel is raised 3" for wire access
- Carrels come standard with one grommet in work surface
- Stand alone carrels can be ordered with a grommet in both side panels. To order, change product code suffix "C" to "G" and add $50 List.
- Glides have 1 1/2" stem
- See pages 7-5 and 7-6 for Wire Management Accessories

Add-on Carrels
- Connects to stand alone carrel to make a run
- General specifications as above
- Carrels come standard with one grommet in work surface
- Add-on carrels come standard with a wire management cut-out in the side panel
- Glides have 1 1/2" stem

- See Accessories pages for cable management, task lights etc.

FABRIC TACK BOARD



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
3 CRTB 34	34	0.75	16	6	1.8	**164**	**200**
3 CRTB 40	40	0.75	16	6	2.0	**200**	**242**
3 CRTB 46	46	0.75	16	6	2.2	**212**	**253**

Fabric Tack Board
- See Fabric Card for fabric options

Study carrels can be customized and even electrified to accommodate larger projects

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

DOUBLE / LINKING STUDY CARRELS

INLINE tréo

STAND ALONE CARREL – 48" H



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
24"D	**3 CR 3648 C**	36	48	48	149	7.5	**1219**	**1388**
	3 CR 4248 C	42	48	48	160	7.5	**1261**	**1431**
	3 CR 4848 C	48	48	48	172	7.5	**1304**	**1474**
30"D	**3 CR 3660 C**	36	60	48	177	9.3	**1292**	**1462**
	3 CR 4260 C	42	60	48	190	9.3	**1335**	**1504**
	3 CR 4860 C	48	60	48	202	9.3	**1377**	**1547**

STAND ALONE CARREL – 54" H



SIN 711-2

24"D	**3 CRH 3648 C**	36	48	54	188	8.4	**1388**	**1558**
	3 CRH 4248 C	42	48	54	205	8.4	**1431**	**1601**
	3 CRH 4848 C	48	48	54	221	8.4	**1474**	**1643**
30"D	**3 CRH 3660 C**	36	60	54	219	10.4	**1462**	**1631**
	3 CRH 4260 C	42	60	54	237	10.4	**1504**	**1674**
	3 CRH 4860 C	48	60	54	255	10.4	**1547**	**1717**

Stand Alone Carrels

- Work surface height - 28"
- 24"D Models have 20"D work surface
- 30"D Models have 24"D work surface
- Work surface and end panels 1" thick, back panels 3/4" thick
- 54"H versions have 12"D shelf with 3"H valance. Shelf clearance is 22 1/4"
- Modesty panel is raised 3" for wire access
- Carrels come standard with one grommet in each work surface
- Stand alone carrels can be ordered with 2 grommets in both side panels (two for each individual carrel). To order, change product code suffix "C" to "G" and add $100 List.
- Glides have 1 1/2" long stem
- See pages 7-5 and 7-6 for Wire Management Accessories

ADD-ON CARREL – 48" H



SIN 711-2

24"D	**3 CL 3648 C**	35	48	48	107	6.8	**957**	**1127**
	3 CL 4248 C	41	48	48	118	6.8	**1000**	**1169**
	3 CL 4848 C	47	48	48	129	6.8	**1042**	**1212**
30"D	**3 CL 3660 C**	35	60	48	124	8.4	**1029**	**1199**
	3 CL 4260 C	41	60	48	137	8.4	**1072**	**1242**
	3 CL 4860 C	47	60	48	149	8.4	**1115**	**1284**

Add-on Carrels

- Connects to stand alone carrel to make a run
- General specifications as above
- Carrels come standard with one grommet in each work surface
- Add-on carrels come standard with a wire management cut-out in the side panel
- Glides have 1 1/2" long stem
- See Accessories pages for cable management, task lights etc.

ADD-ON CARREL – 54" H



SIN 711-2

24"D	**3 CLH 3648 C**	35	48	54	141	7.6	**1077**	**1247**
	3 CLH 4248 C	41	48	54	157	7.6	**1120**	**1290**
	3 CLH 4848 C	47	48	54	173	7.6	**1163**	**1332**
30"D	**3 CLH 3660 C**	35	60	54	160	9.4	**1151**	**1320**
	3 CLH 4260 C	41	60	54	177	9.4	**1193**	**1363**
	3 CLH 4860 C	47	60	54	195	9.4	**1236**	**1406**

FABRIC TACK BOARD



SIN 711-3

Model #	W	D	H	Wt	V	GRD A $	GRD B $
3 CRTB 34	34	0.75	16	6	1.8	**164**	**200**
3 CRTB 40	40	0.75	16	6	2.0	**200**	**242**
3 CRTB 46	46	0.75	16	6	2.2	**212**	**253**

Fabric Tack Board

- See Fabric Card for fabric options
- Pricing is for one tack board for each individual carrel

Study carrels can be customized and even electrified to accommodate larger projects

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

Single Sided



Side View



Carrel Components

Item	Model	Qty	List (TFL)
Starter Carrel w/ Grommet	3 CR 4224 G	1	772
Add-on Carrell	3 CL 4224 C	2	1180

Electrical Components

Item	Model	Qty	List
Duplex Block (installed)	ELD22	3	171
Plug-in Starter Cable	ELDSP72	1	209
Linking Cable	ELDL36	2	156

Total List: $ 2488

Double Sided



Side View



Back to back carrels can share a single sided electrical system. Wires run through grommets in back panels.

Carrel Components

Item	Model	Qty	List (TFL)
Starter Carrel w/ Grommet	3 CR 4248 G	1	1361
Add-on Carrell	3 CL 4248 C	2	2000
Grommet in Back Panel	GC6000	3	252

Electrical Components

Item	Model	Qty	List
Duplex Block (installed)	ELD22	6	342
Duplex Block Connector	ELDCN	3	93
Plug-in Starter Cable	ELDSP72	1	209
Linking Cable	ELDL36	2	156

Total List: $ 4413

MAIL ROOM FURNITURE

INLINE tréo

MAIL SORTERS – STANDARD HEIGHT (36")



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
13"D Units	**3 HMS 361336**	36	13	36	148	5.3	**1029**	**N/A**
	3 HMS 481336	48	13	36	192	6.9	**1329**	**N/A**
	3 HMS 601336	60	13	36	237	10.0	**1638**	**N/A**
	3 HMS 721336	72	13	36	281	11.8	**1943**	**N/A**
16"D Units	**3 HMS 361636**	36	16	36	177	6.2	**1208**	**N/A**
	3 HMS 481636	48	16	36	230	8.1	**1592**	**N/A**
	3 HMS 601636	60	16	36	283	11.4	**1974**	**N/A**
	3 HMS 721636	72	16	36	336	13.5	**2363**	**N/A**

MAIL SORTERS – TALL HEIGHT (48")



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
13"D Units	**3 HMS 361348**	36	13	48	183	6.9	**1313**	**N/A**
	3 HMS 481348	48	13	48	238	10.5	**1722**	**N/A**
	3 HMS 601348	60	13	48	293	14.9	**2098**	**N/A**
	3 HMS 721348	72	13	48	347	17.7	**2499**	**N/A**
16"D Units	**3 HMS 361648**	36	16	48	219	8.1	**1565**	**N/A**
	3 HMS 481648	48	16	48	284	12.0	**1985**	**N/A**
	3 HMS 601648	60	16	48	349	16.7	**2468**	**N/A**
	3 HMS 721648	72	16	48	415	19.9	**2919**	**N/A**

MAIL SORTERS

- Units have one bay for each foot of width eg: 3 HMS 361336 has 3 bays
- All outer bays are 10.55"w; all inner bays are 11.25"w
- Standard height units – each bay contains 6 – 3/4" thick TFL shelves, making 7 slots / bay
- Tall height units – each bay contains 8 – 3/4" thick TFL shelves, making 9 slots / bay
- Shelves adjustable on 1.9" centers
- Standard height Mail Sorters have 8.4" clear under bottom shelf
- Tall height Mail Sorters have 12 1/2" clear under bottom shelf
- 13"D units - Top is 14"D; uprights 13"D; shelves 12"D
- 16"D units - Top is 17"D; uprights 16"D; shelves 15"D
- Grommet under bottom shelf
- Tambour door upper sorters also available. (Call factory for quote; see below)

BASE CABINETS (OPEN) – STD HEIGHT (30")



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SMO 363029	36	30	29	130	5.2	**515**	**662**
3 SMO 483029	48	30	29	169	6.8	**688**	**856**
3 SMO 603029	60	30	29	208	9.6	**840**	**1040**
3 SMO 663029	66	30	29	188	10.5	**861**	**1061**
3 SMO 723029	72	30	29	260	11.5	**956**	**1218**

Note: 66"W units have 30"W open area for use with other cabinets in corner configurations (see pg. 1-50)

STANDARD HEIGHT BASE CABINETS (OPEN)

- Cabinets are 24"D with 30"D overhanging top panel to create "toe kick" area
- Cabinet has one adjustable shelf
- Open cabinets are predrilled for later addition of locking cupboard doors

BASE CABINETS (CUPBOARD) – STD HEIGHT (30")



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SMD 363029	36	30	29	150	6.0	**777**	**924**
3 SMD 483029	48	30	29	196	7.8	**1029**	**1197**
3 SMD 603029	60	30	29	242	10.8	**1260**	**1460**
3 SMD 663029	66	30	29	208	11.9	**1176**	**1376**
3 SMD 723029	72	30	29	300	12.9	**1481**	**1743**

Note: 66"W units have 30"W open area for use with other cabinets in corner configurations (see pg. 1-50)

STANDARD HEIGHT BASE CABINETS (CUPBOARD)

- Cabinets are 24"D with 30"D overhanging top panel to create "toe kick" area
- Cabinet has one adjustable shelf except 48"W model where shelf is fixed
- Cupboard doors are locking



Standard Height Mail Sorter on Standard Height, Open Cabinet



Tall Height Mail Sorter on Standard Height, Cupboard Cabinet

HPL $ applies to tops only

ALL ITEMS ON THIS PAGE SHIP RTA



Tambour Door Upper Sorter

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MAIL ROOM FURNITURE

INLINE tréo

tréo®

BASE CABINETS (OPEN) – TALL HEIGHT (36")



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
3 SMO 363036	36	30	36	140	6.0	**725**	**872**
3 SMO 483036	48	30	36	176	7.8	**930**	**1098**
3 SMO 603036	60	30	36	313	10.8	**1113**	**1313**
3 SMO 663036	66	30	36	339	11.9	**1155**	**1365**
3 SMO 723036	72	30	36	364	12.9	**1292**	**1554**

Note: 66"W units have 30"W open area for use with other cabinets in corner configurations (see example below)

TALL HEIGHT BASE CABINETS (OPEN)
- Cabinets are 28"D x 30"H with 30"D overhanging top panel, cabinet rests on 24"D x 6"H base to create "toe kick" area
- Cabinet has one adjustable shelf mounted on metal shelf standards
- Open cabinets are predrilled for later addition of locking cupboard doors

BASE CABINETS (CUPBOARD) – TALL HEIGHT (36")



SIN 711-3

3 SMD 363036	36	30	36	159	6.7	**987**	**1134**
3 SMD 483036	48	30	36	201	8.8	**1271**	**1439**
3 SMD 603036	60	30	36	344	12.0	**1533**	**1733**
3 SMD 663036	66	30	36	373	13.2	**1470**	**1680**
3 SMD 723036	72	30	36	401	14.3	**1817**	**2079**

Note: 66"W units have 30"W open area for use with other cabinets in corner configurations (see example below)

TALL HEIGHT BASE CABINETS (CUPBOARD)
- Cabinets are 28"D x 30"H with 30"D overhanging top panel, cabinet rests on 24"D x 6"H base to create "toe kick" area
- Cabinet has one adjustable shelf mounted on metal shelf standards except 48"W model where shelf is fixed
- Cupboard doors are locking
- Tambour door upper sorters also available. (Call factory for quote)

BASE CABINETS (TAMBOUR) – TALL HEIGHT (36")



SIN 711-3

3 SMT 363036	36	30	36	150	23.8	**1197**	**1344**
3 SMT 483036	48	30	36	189	31.2	**1533**	**1701**
3 SMT 603036	60	30	36	339	38.5	**1953**	**2153**
3 SMT 663036	66	30	36	356	42.2	**1680**	**1890**
3 SMT 723036	72	30	36	383	45.8	**2331**	**2594**

Note: 66"W units have 30"W open area for use with other cabinets in corner configurations (see example below)

TALL HEIGHT BASE CABINETS (TAMBOUR DOOR)
- Cabinets are 28"D x 30"H with 30"D overhanging top panel, cabinet rests on 24"D x 6"H base to create "toe kick" area
- Cabinet has one adjustable shelf mounted on metal shelf standards
- Roll-up tambour doors are locking and come in silver only

EXTRA SHELVES / WIRES



SIN 711-2

For 13"D – Outer Bay	**3 SHMN 1012**	10.55	12	.75	2	0.2	**25**
For 13"D – Inner Bay	**3 SHMN 1112**	11.25	12	.75	2.5	0.3	**25**
For 16"D – Outer Bay	**3 SHMN 1015**	10.55	15	.75	3	0.3	**28**
For 16"D – Inner Bay	**3 SHMN 1115**	11.25	15	.75	3	0.4	**28**

- Two outer bays require shelves to be 10.55"W
- Inner bays require shelves to be 11.25"W
- Shelves include 2 mounting wires
- If ordering for add-on to product ordered 2012 or earlier, please state on order

HPL $ applies to tops only

ALL ITEMS (Except Tambour Door Base Cabinets) SHIP RTA



Tall Mail Sorter
on Tall Height, Tambour Cabinet



Standard Height Mail Sorter
on Tall Height,
Corner Configured
Cupboard Cabinets

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

INLINE treo®

BOARDWALK™

Post Mounted Screens 2013

Post Mounted Screens

Metal Posts 2-2
Post Mounted Screens – Tackable Fabric 2-2
Post Mounted Screens – Acrylic (Smoked) 2-3
Post Mounted Screens – Acrylic (Pebbled) 2-4
Post Mounted Screens – Transaction Tops 2-5

SCREEN LAYOUT OPTIONS

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD



ODD SIZED SCREENS



Odd-number coded screens 43 and larger are sized to span combinations of standard bridging tops and space on adjoining credenzas not covered by a hutch. Use chart below to determine proper screen for your configuration.

FSPx 43xx
specify material — specify height

Bridge Width	Depth of Surface with Hutch		
	20"	24"	30"
36"	FSPx 43xx	FSPx 47xx	FSPx 53xx
42"	FSPx 49xx	FSPx 53xx	FSPx 59xx
48"	FSPx 55xx	FSPx 59xx	FSPx 65xx

POST MOUNTED SCREENS – TACKABLE FABRIC

INLINE treo BOARDWALK™

SCREENS

METAL POSTS

SIN 711-2

Model #	W	D	H	Wt	V	Black $
FSPST 12	1.5	1.5	12	1.2	0.1	**58**
FSPST 18	1.5	1.5	18	1.8	0.1	**87**
FSPST 24	1.5	1.5	24	2.4	0.2	**110**
FSPST 30	1.5	1.5	30	3.0	0.2	**145**
FSPST 36	1.5	1.5	36	3.6	0.3	**173**

12"H FABRIC



SIN 711-2

Model #	W	D	H	Wt	V	Grd A $	Grd B $
FSPF 2012	18.5	0.5	12	1.8	0.4	**122**	**141**
FSPF 2312	22	0.5	12	2.0	0.5	**125**	**144**
FSPF 2412	22.5	0.5	12	2.3	0.5	**127**	**145**
FSPF 2912	28	0.5	12	2.6	0.6	**137**	**155**
FSPF 3012	28.5	0.5	12	3.0	0.6	**145**	**166**
FSPF 3612	34.5	0.5	12	3.7	0.7	**173**	**200**
FSPF 4212	40.5	0.5	12	4.4	0.8	**196**	**229**
FSPF 4312	42	0.5	12	4.6	0.8	**208**	**244**
FSPF 4712	46	0.5	12	4.9	0.9	**214**	**251**
FSPF 4812	46.5	0.5	12	5.1	0.9	**219**	**257**
FSPF 4912	48	0.5	12	5.3	0.9	**231**	**271**
FSPF 5312	52	0.5	12	5.6	1.0	**237**	**277**
FSPF 5412	52.5	0.5	12	5.8	1.0	**243**	**284**
FSPF 5512	54	0.5	12	6.0	1.0	**250**	**293**
FSPF 5912	58	0.5	12	6.3	1.1	**252**	**295**
FSPF 6012	58.5	0.5	12	6.5	1.1	**254**	**297**
FSPF 6512	64	0.5	12	7.0	1.2	**266**	**311**
FSPF 6612	64.5	0.5	12	7.2	1.2	**277**	**324**
FSPF 7212	70.5	0.5	12	7.9	1.3	**300**	**351**

18"H FABRIC



SIN 711-2

Model #	W	D	H	Wt	V	Grd A $	Grd B $
FSPF 2018	18.5	0.5	18	2.7	0.6	**145**	**166**
FSPF 2318	22	0.5	18	3.0	0.6	**147**	**170**
FSPF 2418	22.5	0.5	18	3.4	0.7	**150**	**173**
FSPF 2918	28	0.5	18	4	0.8	**162**	**186**
FSPF 3018	28.5	0.5	18	4.5	0.8	**173**	**200**
FSPF 3618	34.5	0.5	18	5.5	0.9	**203**	**232**
FSPF 4218	40.5	0.5	18	6.6	1.1	**231**	**266**
FSPF 4318	42	0.5	18	6.9	1.1	**243**	**279**
FSPF 4718	46	0.5	18	7.4	1.2	**249**	**289**
FSPF 4818	46.5	0.5	18	7.6	1.2	**254**	**297**
FSPF 4918	48	0.5	18	8.0	1.3	**266**	**311**
FSPF 5318	52	0.5	18	8.5	1.4	**272**	**318**
FSPF 5418	52.5	0.5	18	8.7	1.4	**277**	**324**
FSPF 5518	54	0.5	18	9.0	1.4	**289**	**338**
FSPF 5918	58	0.5	18	9.5	1.5	**398**	**349**
FSPF 6018	58.5	0.5	18	9.7	1.5	**307**	**358**
FSPF 6518	64	0.5	18	10.2	1.7	**321**	**375**
FSPF 6618	64.5	0.5	18	10.8	1.7	**335**	**392**
FSPF 7218	70.5	0.5	18	11.8	1.8	**370**	**434**

24"H FABRIC



SIN 711-2

Model #	W	D	H	Wt	V	Grd A $	Grd B $
FSPF 2024	18.5	0.5	24	3.6	0.7	**162**	**186**
FSPF 2424	22.5	0.5	24	4.6	0.8	**173**	**200**
FSPF 3024	28.5	0.5	24	6.0	1.0	**196**	**227**
FSPF 3624	34.5	0.5	24	7.4	1.2	**226**	**258**
FSPF 4224	40.5	0.5	24	8.8	1.4	**260**	**299**
FSPF 4824	46.5	0.5	24	10.2	1.6	**277**	**324**
FSPF 5424	52.5	0.5	24	11.6	1.8	**300**	**351**
FSPF 6024	58.5	0.5	24	13.0	2.0	**330**	**384**
FSPF 6624	64.5	0.5	24	14.4	2.2	**370**	**432**
FSPF 7224	70.5	0.5	24	15.8	2.3	**416**	**486**

Remarks

- Each screen requires 2 posts
- Create corner screens with two screens and three posts
- Screens are sized to fit tops corresponding to model numbers, eg. FSPF 4812 (with 2 posts) fits a 3TF4824
- Width includes size of two posts; actual screen is approximately 3" less
- Tops must be drilled on site to mount posts. Template is provided.
- Posts available in black only and come with plastic finishing cap
- Fabric screens are tackable on both sides and surrounded by black, U-channel frame on all sides
- Screens are stackable, eg: can combine 12"H screen with 24"H screen (using 36"H posts) to make screen 36"H overall
- Black fabric-wrapped filler available for gap between adjacent screens. Black fillers are no charge but must be ordered as required.
  12"H – **FGF 12 BL**
  18"H – **FGF 18 BL**
  24"H – **FGF 24 BL**
  30"H – **FGF 30 BL**
  36"H – **FGF 36 BL**
- Fabric-wrapped fillers matching fabric screens also available, but at List Price of $25 each for any size. Use same codes as above but change **"BL"** to code of desired fabric.
- FSPF 23xx screens are sized to span space not covered by a hutch on a 36" corner
- FSPF 29xx screens are sized to span space not covered by a hutch on a 42" corner
- Optional no-charge filler strip for gap between hutch and post
  Order FPFxx ("xx" is height)

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

POST MOUNTED SCREENS – ACRYLIC (SMOKED)

INLINE treo BOARDWALK™

SMOKED – 12"H



SIN 711-2

Model #	W	D	H	Wt	V	List $
FSPS 2012	18.5	0.5	12	0.7	0.4	**122**
FSPS 2312	22	0.5	12	0.8	0.5	**125**
FSPS 2412	22.5	0.5	12	0.9	0.5	**127**
FSPS 2912	28	0.5	12	1.0	0.6	**137**
FSPS 3012	28.5	0.5	12	1.2	0.6	**145**
FSPS 3612	34.5	0.5	12	1.5	0.7	**173**
FSPS 4212	40.5	0.5	12	1.8	0.8	**196**
FSPS 4312	42	0.5	12	1.9	0.8	**208**
FSPS 4712	46	0.5	12	2.0	0.9	**214**
FSPS 4812	46.5	0.5	12	2.1	0.9	**219**
FSPS 4912	48	0.5	12	2.2	0.9	**231**
FSPS 5312	52	0.5	12	2.3	1.0	**237**
FSPS 5412	52.5	0.5	12	2.4	1.0	**243**
FSPS 5512	54	0.5	12	2.5	1.0	**250**
FSPS 5912	58	0.5	12	2.6	1.1	**252**
FSPS 6012	58.5	0.5	12	2.7	1.1	**254**
FSPS 6512	64	0.5	12	2.8	1.2	**266**
FSPS 6612	64.5	0.5	12	2.9	1.2	**277**
FSPS 7212	70.5	0.5	12	3.2	1.3	**300**

SMOKED – 18"H



SIN 711-2

Model #	W	D	H	Wt	V	List $
FSPS 2018	18.5	0.5	18	1.1	0.6	**145**
FSPS 2318	22	0.5	18	1.3	0.6	**147**
FSPS 2418	22.5	0.5	18	1.4	0.7	**150**
FSPS 2918	28	0.5	18	1.6	0.8	**162**
FSPS 3018	28.5	0.5	18	1.8	0.8	**173**
FSPS 3618	34.5	0.5	18	2.3	0.9	**203**
FSPS 4218	40.5	0.5	18	2.7	1.1	**231**
FSPS 4318	42	0.5	18	2.8	1.1	**243**
FSPS 4718	46	0.5	18	3.0	1.2	**249**
FSPS 4818	46.5	0.5	18	3.1	1.2	**254**
FSPS 4918	48	0.5	18	3.3	1.3	**266**
FSPS 5318	52	0.5	18	3.4	1.4	**272**
FSPS 5418	52.5	0.5	18	3.5	1.4	**277**
FSPS 5518	54	0.5	18	3.7	1.4	**289**
FSPS 5918	58	0.5	18	3.9	1.5	**298**
FSPS 6018	58.5	0.5	18	4.0	1.5	**307**
FSPS 6518	64	0.5	18	4.3	1.7	**321**
FSPS 6618	64.5	0.5	18	4.4	1.7	**335**
FSPS 7218	70.5	0.5	18	4.8	1.8	**370**

SMOKED – 24"H



SIN 711-2

Model #	W	D	H	Wt	V	List $
FSPS 2024	18.5	0.5	24	1.5	0.7	**162**
FSPS 2424	22.5	0.5	24	1.9	0.8	**173**
FSPS 3024	28.5	0.5	24	2.4	1.0	**196**
FSPS 3624	34.5	0.5	24	3.0	1.2	**226**
FSPS 4224	40.5	0.5	24	3.6	1.4	**260**
FSPS 4824	46.5	0.5	24	4.2	1.6	**277**
FSPS 5424	52.5	0.5	24	4.7	1.8	**300**
FSPS 6024	58.5	0.5	24	5.3	2.0	**330**
FSPS 6624	64.5	0.5	24	5.9	2.2	**370**
FSPS 7224	70.5	0.5	24	6.4	2.3	**416**

Remarks

- Each screen requires 2 posts
- Create corner screens with two screens and three posts
- Screens are sized to fit tops corresponding to model numbers, eg. FSPS 4812 (with 2 posts) fits a 3 TF 4824
- Width includes size of two posts; actual screen is approximately 3" less
- Tops must be drilled on site to mount posts. Template is provided
- Screens are tackable on both sides and surrounded by black, U-channel frame on all sides
- Screens are stackable, eg: can combine 12"H screen with 24"H screen (using 36"H posts) to make screen 36"H overall
- Black fabric-wrapped filler available for gap between adjacent screens. Black fillers are no charge but must be ordered as required.
  12"H – **FGF 12 BL**
  18"H – **FGF 18 BL**
  24"H – **FGF 24 BL**
  30"H – **FGF 30 BL**
  36"H – **FGF 36 BL**
- FSPS 23xx screens are sized to span space not covered by a hutch on a 36" corner
- FSPS 29xx screens are sized to span space not covered by a hutch on a 42" corner
- Optional no-charge filler strip for gap between hutch and post
  Order FPFxx ("xx" is height)

SCREENS

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

POST MOUNTED SCREENS – ACRYLIC (PEBBLED)

INLINE treo BOARDWALK™

SCREENS

PEBBLED – 12"H



SIN 711-2

Model #	W	D	H	Wt	V	List $
FSPP 2012	18.5	0.5	12	0.7	0.4	**122**
FSPP 2312	22	0.5	12	0.8	0.5	**125**
FSPP 2412	22.5	0.5	12	0.9	0.5	**127**
FSPP 2912	28	0.5	12	1.0	0.6	**137**
FSPP 3012	28.5	0.5	12	1.2	0.6	**145**
FSPP 3612	34.5	0.5	12	1.5	0.7	**173**
FSPP 4212	40.5	0.5	12	1.8	0.8	**196**
FSPP 4312	42	0.5	12	1.9	0.8	**208**
FSPP 4712	46	0.5	12	2.0	0.9	**214**
FSPP 4812	46.5	0.5	12	2.1	0.9	**219**
FSPP 4912	48	0.5	12	2.2	0.9	**231**
FSPP 5312	52	0.5	12	2.3	1.0	**237**
FSPP 5412	52.5	0.5	12	2.4	1.0	**243**
FSPP 5512	54	0.5	12	2.5	1.0	**250**
FSPP 5912	58	0.5	12	2.6	1.1	**252**
FSPP 6012	58.5	0.5	12	2.7	1.1	**254**
FSPP 6512	64	0.5	12	2.8	1.2	**266**
FSPP 6612	64.5	0.5	12	2.9	1.2	**277**
FSPP 7212	70.5	0.5	12	3.2	1.3	**300**

PEBBLED – 18"H



SIN 711-2

Model #	W	D	H	Wt	V	List $
FSPP 2018	18.5	0.5	18	1.1	0.6	**145**
FSPP 2318	22	0.5	18	1.3	0.6	**147**
FSPP 2418	22.5	0.5	18	1.4	0.7	**150**
FSPP 2918	28	0.5	18	1.6	0.8	**162**
FSPP 3018	28.5	0.5	18	1.8	0.8	**173**
FSPP 3618	34.5	0.5	18	2.3	0.9	**203**
FSPP 4218	40.5	0.5	18	2.7	1.1	**231**
FSPP 4318	42	0.5	18	2.8	1.1	**243**
FSPP 4718	46	0.5	18	3.0	1.2	**249**
FSPP 4818	46.5	0.5	18	3.1	1.2	**254**
FSPP 4918	48	0.5	18	3.3	1.3	**266**
FSPP 5318	52	0.5	18	3.4	1.4	**272**
FSPP 5418	52.5	0.5	18	3.5	1.4	**277**
FSPP 5518	54	0.5	18	3.7	1.4	**289**
FSPP 5918	58	0.5	18	3.9	1.5	**298**
FSPP 6018	58.5	0.5	18	4.0	1.5	**307**
FSPP 6518	64	0.5	18	4.3	1.7	**321**
FSPP 6618	64.5	0.5	18	4.4	1.7	**335**
FSPP 7218	70.5	0.5	18	4.8	1.8	**370**

PEBBLED – 24"H



SIN 711-2

Model #	W	D	H	Wt	V	List $
FSPP 2024	18.5	0.5	24	1.5	0.7	**162**
FSPP 2424	22.5	0.5	24	1.9	0.8	**173**
FSPP 3024	28.5	0.5	24	2.4	1.0	**196**
FSPP 3624	34.5	0.5	24	3.0	1.2	**226**
FSPP 4224	40.5	0.5	24	3.6	1.4	**260**
FSPP 4824	46.5	0.5	24	4.2	1.6	**277**
FSPP 5424	52.5	0.5	24	4.7	1.8	**300**
FSPP 6024	58.5	0.5	24	5.3	2.0	**330**
FSPP 6624	64.5	0.5	24	5.9	2.2	**370**
FSPP 7224	70.5	0.5	24	6.4	2.3	**416**

Remarks

- Each screen requires 2 posts
- Create corner screens with two screens and three posts
- Screens are sized to fit tops corresponding to model numbers, eg. FSPP 4812 (with 2 posts) fits a 3 TF 4824
- Width includes size of two posts; actual screen is approximately 3" less
- Tops must be drilled on site to mount posts. Template is provided
- Screens are tackable on both sides and surrounded by black, U-channel frame on all sides
- Screens are stackable, eg: can combine 12"H screen with 24"H screen (using 36"H posts) to make screen 36"H overall
- Black fabric-wrapped filler available for gap between adjacent screens. Black fillers are no charge but must be ordered as required.
  12"H – **FGF 12 BL**
  18"H – **FGF 18 BL**
  24"H – **FGF 24 BL**
  30"H – **FGF 30 BL**
  36"H – **FGF 36 BL**
- FSPP 23xx screens are sized to span space not covered by a hutch on a 36" corner
- FSPP 29xx screens are sized to span space not covered by a hutch on a 42" corner
- Optional no-charge filler strip for gap between hutch and post
  Order FPFxx ("xx" is height)

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

POST MOUNTED SCREENS – TRANSACTION COUNTERS

INLINE treo BOARDWALK™

RECTANGULAR

SIN 711-2

Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	1.5" Thick TFL $	1.5" Thick HPL $
3/4 FSC 2412 S	24	12	8	0.7	**79**	**108**	**98**	**137**
3/4 FSC 3012 S	30	12	9	0.9	**100**	**140**	**126**	**179**
3/4 FSC 3612 S	36	12	11	1.0	**110**	**155**	**140**	**200**
3/4 FSC 4212 S	42	12	13	1.2	**131**	**187**	**168**	**240**
3/4 FSC 4712 S	47	12	15	1.2	**140**	**200**	**180**	**260**
3/4 FSC 4812 S	48	12	15	1.3	**142**	**203**	**182**	**261**
3/4 FSC 5312 S	53	12	17	1.3	**150**	**216**	**192**	**280**
3/4 FSC 5412 S	54	12	17	1.5	**152**	**218**	**195**	**282**
3/4 FSC 5912 S	59	12	18	1.5	**166**	**240**	**214**	**310**
3/4 FSC 6012 S	60	12	19	1.6	**168**	**242**	**216**	**314**
3/4 FSC 6512 S	65	12	21	1.8	**188**	**272**	**240**	**350**
3/4 FSC 6612 S	66	12	21	1.8	**189**	**273**	**245**	**356**
3/4 FSC 7212 S	72	12	23	2.0	**200**	**289**	**258**	**377**

Remarks

- Use code with "3" prefix for 1" thick top with 3mm PVC edge
- Use code with "4" prefix for 1½" thick top and matching BOARDWALK Trim
- Order rectangular tops to match the worksurface width eg. 3FSC4812S goes with a screen mounted on a 3TF4824
- Counters are centered over edge of desk
- Custom sizes available to abut hutches on adjoining surfaces. Call factory for quote.

BULLET END

SIN 711-2

Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	1.5" Thick TFL $	1.5" Thick HPL $
3/4 FSC 2012 D	26	12	8	0.7	**116**	**163**	**147**	**210**
3/4 FSC 2412 D	30	12	9	0.9	**126**	**179**	**161**	**231**
3/4 FSC 3012 D	36	12	11	1.0	**137**	**194**	**174**	**251**
3/4 FSC 3612 D	42	12	13	1.2	**158**	**226**	**203**	**293**
3/4 FSC 4212 D	48	12	15	1.3	**168**	**242**	**216**	**314**
3/4 FSC 4812 D	54	12	17	1.5	**179**	**257**	**231**	**335**
3/4 FSC 5412 D	60	12	19	1.6	**194**	**281**	**251**	**366**
3/4 FSC 6012 D	66	12	21	1.8	**215**	**313**	**279**	**408**
3/4 FSC 6612 D	72	12	23	2.0	**226**	**329**	**293**	**429**
3/4 FSC 7212 D	78	12	24	2.1	**253**	**370**	**330**	**484**

- Odd size counters go on odd size screens. eg. 3FSC4712S goes on FSPF4712 screen
- Bullet end tops overhang the worksurface width by 6" at one end eg. 3FSC4812D will be 54" wide

ISLAND

SIN 711-2

Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	1.5" Thick TFL $	1.5" Thick HPL $
3/4 FSC 2012 DD	32	12	9	0.9	**147**	**210**	**189**	**272**
3/4 FSC 2412 DD	36	12	11	1.0	**158**	**226**	**203**	**293**
3/4 FSC 3012 DD	42	12	13	1.2	**179**	**257**	**231**	**335**
3/4 FSC 3612 DD	48	12	15	1.3	**189**	**273**	**245**	**356**
3/4 FSC 4212 DD	54	12	17	1.5	**200**	**289**	**258**	**377**
3/4 FSC 4812 DD	60	12	19	1.6	**215**	**313**	**279**	**408**
3/4 FSC 5412 DD	66	12	21	1.8	**236**	**344**	**308**	**450**
3/4 FSC 6012 DD	72	12	23	2.0	**247**	**360**	**321**	**471**
3/4 FSC 6612 DD	78	12	24	2.1	**274**	**401**	**358**	**526**
3/4 FSC 7212 DD	84	12	26	2.3	**299**	**439**	**391**	**576**

- Island tops overhang the worksurface width by 6" at both ends eg. 3FSC4812DD will be 60" wide

CURVED CORNER

SIN 711-2

Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	1.5" Thick TFL $	1.5" Thick HPL $
3/4 FSCS 3636	42	12	26	3.5	**441**	**628**	**617**	**882**
3/4 FSCS 4242	48	12	29	4.4	**552**	**725**	**731**	**951**

- For use on 36" x 36" and 42" x 42" corner screens
- Counter overhangs desk by 6" towards user

JOINER WEDGE



SIN 711-2

Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	1.5" Thick TFL $	1.5" Thick HPL $
3/4 FSCC 1212	12	12	3	.03	**143**	**200**	**194**	**242**

- To change direction at corner, deduct 6" from each side abutting the joiner wedge
- Includes post attachment plate and flat brackets for abutting corners



See pg. 1-7 for details on these stations.

- Note: Weight and volumes are for 1"material. To estimate 1.5" thick versions, multiply weight by 1.5 and volume by 1.2

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

NOTES

BOARDWALK™ 2013

Contents

The Boardwalk™ System 3-2
How to Specify Boardwalk™ Finishes 3-3

Layout Guides

Layout Guides 3-4

Tops

Regular and Bow Top Desks 3-10
Open and Executive Returns 3-12
Bridging, Linking and Common Tops 3-13
Credenzas – Full Modesty 3-14
Credenzas – Partial Modesty 3-15
"D" Islands 3-16
"P" Islands 3-17
Rectangular Shells 3-18
Curved Shells – Left 3-20
Curved Shells – Right 3-21
Corner Tops 3-22
Extended Corner Tops – Left 3-23
Extended Corner Tops – Right 3-24
Extended Corner "D" Islands 3-25

Storage

Pedestals 3-26
Lateral / Multifiles 3-27
Tall Lateral / Storage Units 3-28
Tall Multi-Storage Units 3-29
Tall Lateral / Storage Units with Framed Translucent Doors 3-30
Bookcases 3-31
Hutches (Cupboard Door) 3-32
Hutches with Framed Translucent Doors 3-33
Hutches (Flipper Door / Open) 3-34
Tackboards 3-35

Reception

Reception Station / Tables 3-36

Meeting Room / Specialty Storage

Meeting Room Accessories 3-37
Specialty Storage 3-38

THE BOARDWALK™ SYSTEM

BOARDWALK™

OVERVIEW

INLINE BOARDWALK™ offers:

- A very extensive range of components and sizes, including tops from 24" to 96" wide in various depths.
- A multitude of tall and low storage options and accessories.
- Flexibility in laminate selection and mixing of finishes, colors and edging.
- Superior structural strength using metal-to-metal (Mod-eez®) fasteners on modesty panels.

CONSTRUCTION DETAILS

General

- All tops are 1½" thick including worksurfaces, tops of hutches (except flipper door hutches), transaction counters and storage cabinets.
- All tops are standard with ribbed PVC edging (except for Black edging which is smooth).
- End panels and weight-bearing shelves are 1" thick.
- All core material is 45 lb commercial grade particle board.

Worksurfaces

- All worksurfaces are 29" high unless otherwise stated.
- All end panels, both full and partial, are non-handed.
- Modesty panels are ¾" thick and are reversible.
- Full modesty panel is same height as end panel.
- Partial modesty panel is 16" off floor for power/data access.
- End panels are flush to ends of top and modesty is flush to back, unless otherwise noted.
- Width and depth dimensions for tops are actual.
- Worksurfaces come with one grommet unless otherwise stated.
- Glides provide over 1" height adjustability (stem is 1½" long).

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

Drawers

- All drawers, including box drawers, have full extension, tempered steel, ball-bearings slides.
- All drawers on pedestals and lateral files gang-lock.
- Box and file drawers have load capacity of 100 lbs.
- Lateral file drawers have load capacity of 150 lbs.
- All lateral file drawers are steel reinforced
- Top box drawers include a pencil tray.
- Drawer interiors are black textured, mar-resistant finish for easy cleaning
- Floor pedestals have 1" leveling capability.

Miscellaneous

- Modesty panels use structurally superior, hidden, Mod-eez® fasteners. Most other connections use conventional cam & pin fittings.
- All locking units are keyed randomly unless specified “keyed-alike” at time of order (no up-charge).
- All units, except those with drawers, are shipped RTA (ready to assemble).
- Translucent doors on tall storage units and hutches have annodized aluminium frames with mitred joints.

FINISHES

- One, two or three tone finishes available. Top, faces and chassis can be same finish or mixed in any combination (see How to Specify Finishes in BOARDWALK™ page 3-3).
- 7 standard 1½" thick Thermally Fused Laminates (TFL) are available for Top Finishes with matching, ribbed, 3mm PVC edging (see page 8-2).
- The other TFL finishes are available for Base and Contrast surfaces.
- All standard High Pressure Laminates (HPL) are available for worksurfaces, however edging finishes are limited to those shown on page 8-2.
- HPL finishes used on contrast surfaces such as door and drawer fronts have matching or complementary edge finishes available, as shown on page 8-2.
- All 1" solid and woodgrain TFL finishes come with matching edging as standard, when used on Base or Contrast surfaces.
- 1½" edging is also available in Black. Black edging is smooth (not ribbed)
- User has option to specify contrasting edging (eg. black edging on cherry laminate).
- Two handle styles in two handle finishes to choose from:
  - Black – Wide Wire, KW
  - – Loop, KL
  - Nickel – Wide Wire, NW
  - – Loop, NL
- Custom HP Laminates can be used for a nominal upcharge. Contact Sales Rep or Factory for details.

HOW TO SPECIFY BOARDWALK™ FINISHES

BOARDWALK™

TOPS, RECTANGULAR, CURVED, CORNER, EXTENDED CORNER, BRIDGING





T = Top finish (worksurface), can be specified in either TFL or HPL (1 1/2" thick)
TT = Top Trim selection
B = Base finish (support and modesty panels), can be specified in TFL only
BT = Base Trim selection

TOPS – D, P, Q, K





T = Top finish (worksurface), can be specified in either TFL or HPL (1 1/2" thick)
TT = Top Trim selection
B = Base finish (support and modesty panels), can be specified in TFL only
BT = Base Trim selection
Post leg units come standard with black post leg
Nickel post leg available, add "N" to end of product code and add $105 List

DESKS – REGULAR, BOW, TOP, EXECUTIVE RETURNS





T = Top finish (worksurface), can be specified in either TFL or HPL (1 1/2" thick)
TT = Top Trim selection
C = Contrast finish (drawer fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (support and modesty panels), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for pedestals

HUTCHES – OPEN, TRANSACTION, FLIPPER DOOR, CUPBOARD DOOR, TALL STORAGE UNITS





T = Top finish (top panel), can be specified in TFL only (except transaction hutches can be HPL, for flipper door hutches top matches base finish) (1 1/2" thick)
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (support and back panels, shelves on open hutches), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for Tall Storage Units

PEDESTALS – MOBILE, FLOOR, HANGING





T = Top finish (mobiles), can be specified in either TFL or HPL (extra) (1" thick only)
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (pedestal body), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for pedestals

LOW STORAGE – LATERAL FILES, MULTIFILES, CREDENZAS





T = Top finish (freestanding only), can be specified in either TFL or HPL (1 1/2" thick)
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL
CT = Contrast Trim selection
B = Base finish (support and back panels), can be specified in TFL only
BT = Base Trim selection
(-) = Handle selection, choose from 4 styles of handle for doors and drawers

ACCESSORIES – BOOKCASES, KEYBOARDS, ETC.





T = Top finish, can be specified in TFL only (1 1/2" thick)
TT = Top Trim selection
C = Contrast finish (drawer/door fronts), can be specified in either TFL or HPL. Also shelves on bookcases can be a different TFL
CT = Contrast Trim selection
B = Base finish (support and back panels), can be specified in TFL only
BT = Base Trim selection
Bookcases are available in TFL only, also need to specify your choice of edging



Executive Desk: Suite #BW100A

Item	Model	List TFL
Desk (B/F; B/F)	4 RF 7236 HH	1418
Credenza	4 SCP 7220 FXF	1395
Cupboard Door Hutch	4 HD 7236	1007

Total List: $ 3820

Hutch Lock Option: HDLK4 Add $144



Executive Desk: Suite #BW101A

Item	Model	List TFL
Desk (B/F; B/F)	4 RF 7236 HH	1418
Credenza	4 SCF 7224 LS	1523
Cupboard Door Hutch	4 HD 7236	1007

Total List: $ 3948



Executive Desk: Suite #BW102A

Item	Model	List TFL
Desk (F/F; B/B/F)	4 RFB 7236 FB	1789
Credenza	4 SCF 7224 LL	1698
Cupboard Door Hutch	4 HD 7236	1007
Tall Storage	4 SIB 2466 L	1309

Total List: $ 5803

Options: Door Locks, Tackboard, Task Light, Wire Management, CPU Trolley



L-Group: Suite #BW103A

Item	Model	List TFL
Extended Corner	4 CEP 3624 R72 - Y	910
Rectangular Shell	4 TP 3624 - Y	466
Cupboard Door Hutch	4 HD 7236	1007
Floor Ped	4 SJX 20	660

Total List: $ 3043

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



L-Group: Suite #BW104A

Item	Model	List TFL
Extended Corner D-Top	4 DCF 4224 L84	1208
Rectangular Shell	4 TF 4224 - Y	504
Cupboard Door Hutch	4 HD 8436	1208
Floor Ped	4 SJY 20	660
Mobile Ped (B/F)	4 SMWS 24	789
Slim Line Storage	4 SBF 2466	1261

Total List: $ 5630

Hutch Lock Option: HDLK4 Add $144



U-Group: Suite #BW105A

Item	Model	List TFL
Desk Shell	4 RF 7236	831
Credenza	4 SCP 7224 MX	1377
Bridging Top	4 BF 4224 S	401
Cupboard Door Hutch	4 HD 7236	1007

Total List: $ 3616



U-Group: Suite #BW106A

Item	Model	List TFL
Desk (B/B/F)	4 RF 7236 XB	1267
Credenza	4 SCP 7224 FXX	1129
Linking Top	4 BN 4224 S	334
Cupboard Door Hutch	4 HD 7236	1007
Tall Multistorage	4 SIMD 2466 L	1674

Total List: $ 5411

Options: Door Locks, Tackboard, Task Light, Wire Management, CPU Trolley



U-Group: Suite #BW107A

Item	Model	List TFL
P-Island	4 PT 7230 R	935
Credenza	4 SCP 7224 BXX	1129
Linking Top	4 BN 4224 S	334
Cupboard Door Hutch	4 HD 7236	1007
Tall Storage	4 SPF 242466	1571

Total List: $ 4976

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



U-Group: Suite #BW108A

Item	Model	List TFL
Desk Shell	4 RFB 7236	893
Credenza	4 SCP 7224 BXX	1129
Bridging Top	4 BF 4824 S	455
Cupboard Door Hutch	4 HD 7236	1007
Tall Storage	4 SPF 362466	1693
Keyboard	3 KS 2811	151

Total List: $ 5328

Hutch Lock Option: HDLK4 Add $144



U-Group: Suite #BW109A

Item	Model	List TFL
Extended Corner (Partial Mod.)	4 CEP 4224 L72 - Z	1105
D-Top (Full Modesty)	4 DMF 7230	959
Multifile	4 SMF 3024	1067
Cupboard Door Hutch	4 HD 7236	1007

Total List: $ 4138



U-Group: Suite #BW110A

Item	Model	List TFL
D-Island	4 DT 7236	874
Credenza	4 SCP 7224 BXX	1129
Linking Top	4 BN 4224 S	334
Cupboard Door Hutch	4 HD 7236	1007
Tall Multistorage	4 SIF 2466 R	1735

Total List: $ 5079



U-Group: Suite #BW120A

Item	Model	List TFL
D-Island	4 DMFP 7236	1428
Credenza	4 SCP 7224 FXX	1129
Linking Top	4 BN 4824 S	466
Hutch	4 HD G 7236	1600
Tall Storage	4 SPFWG 242466 R	1884

Total List: $ 6507

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



U-Group: Suite #BW121A

Item	Model	List TFL
P-Island	4 PMFP 7230 L	1134
Extended Corner (Partial Mod.)	4 CEP 4224 R72 - Z	1105
Rectangular Shell	4 TP 4224 - Y	491
Lateral File	4 SLU 3020	649
Hutch	4 HD G 8436	1834
Tall Storage	4 SPFG 362466	2218

Total List: $ 7431

Hutch Lock Option: HDLK4 Add $144



U-Group: Suite #BW113A

Item	Model	List TFL
Extended Corner	4 CEP 4824 R72 - Y	1274
Extended Corner D-Top	4 DCP 4824 L72	1129
Floor Ped	4 SJX 20	660
Cupboard Door Hutch	4 HD 7242	1116
Horizontal Paper Management	4 SHP 70	480
Tall Storage / Lateral File	4 SPF 362472	1765

Total List: $ 6424



Executive Desk: Suite #BW114A

Item	Model	List TFL
Desk (F/F; B/B/F)	4 RFCB 7236 FB	1881
Credenza	4 SCP 7224 FXB	1431
Cupboard Door Hutch	4 HD 7242	1116
Horizontal Paper Management	4 SHP 70	480
Tall Storage	4 SPF 242472	1643
Tall Storage (Wardrobe)	4 SPFW 242472	1667

Total List: $ 8218

Options: Door Locks, Tackboard, Task Light, Wire Management, CPU Trolley



Executive Desk: Suite #BW115A

Item	Model	List TFL
Desk (F/F; B/B/F)	4 RF 7236 XB	1267
Credenza	4 SCP 6624 FXF	1395
Cupboard Door Hutch	4 HD 6636	946
Tall Storage	4 SPF 242466	1571
Tall Storage (Wardrobe)	4 SPFW 242466	1582

Total List: $ 6761

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL



Executive Desk: Suite #BW116A

Item	Model	List TFL
Desk (F/F; B/B/F)	4 RFCB 7242 FB	2001
Credenza	4 SCP 7224 FXB	1431
Hutch	4 HD 7236	1007
Tall Storage	4 SPB 362466	1450
Tall Storage (Lateral)	4 SPF 362466	1693
Horizontal Paper Management	4 SHP 70	480

Total List: $ 8062

Hutch Lock Option: HDLK4 Add $144



Executive Desk: Suite #BW117A

Item	Model	List TFL
Desk (F/F; B/B/F)	4 RFCB 8442 FB	2178
Credenza	4 SCF 7224 LL	1698
Hutch	4 HD 7242	1116
Tall Storage (2 @ $1765 each)	4 SPF 362472	3530
Horizontal Paper Management	4 SHP 70	480

Total List: $ 9002

Hutch Lock Option: HDLK4 Add $144



Boardroom: Suite #BW118A

Item	Model	List TFL
AV Cabinet	4 PAV 3624	2123
Bookcase (2 @ $692 each)	4 SBG 6612	1384
Extra Shelf (2 @ $97 each)	4 SBG SH 11	194
White Board	4 PWB 4848	1025
Serving Buffet	4 PSB 7220	2189
Racetrack Top	4 RT 12048	965
Double Sandwich Panel Base	3 UPWS 120	1201
Lectern	3 PLC 4420	558

Total List: $ 9639



Reception Station: Suite #BW119A

Item	Model	List TFL
Gallery Desk	4 REC 7230 HX	1504
Gallery Return	4 RER 4824 R	916

Total List: $ 2420

All stations shown can be electrified. See Accessories Section 7 or contact customer service to discuss your needs.

NOTE: All prices above are TFL

NOTES

REGULAR & BOW TOP DESKS

BOARDWALK™

DESK SHELLS



	Model #	W	D	C	Wt	V	TFL $	HPL $
Regular Desk Shell	**4 RF 6030**	60	30	30	142	4.5	**685**	**867**
	4 RF 6630	66	30	30	152	4.8	**709**	**903**
	4 RF 7230	72	30	30	161	5.0	**747**	**946**
	4 RF 7236	72	36	36	187	5.6	**831**	**1073**
	4 RF 8436	84	36	36	209	6.2	**910**	**1182**





	Model #	W	D	C	Wt	V	TFL $	HPL $
Bow Top Desk Shell	**4 RFB 6636**	66	36	30	167	5.0	**855**	**1092**
	4 RFB 7236	72	36	30	179	5.4	**893**	**1134**
	4 RFB 7242	72	42	36	203	6.2	**1048**	**1313**
	4 RFB 8442	84	42	36	229	7.0	**1197**	**1481**

SIN 711-2

Using Desk Shells with Mobile or Floor Peds provides non-handed configurations

Regular Shells
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Bow Top Shells
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D
- Optional center support for longer tops,(see pg. 3-20)

SINGLE PEDESTAL DESKS – HANGING PED



	Model #	W	D	C	Wt	V	TFL $	HPL $
Regular Desk with Full Recessed Modesty One Hanging Ped	**4 RF 4830 HX (-)**	48	30	30	188	9.8	**886**	**1164**
	4 RF 6030 HX (-)	60	30	30	208	8.5	**1007**	**1316**
	4 RF 6630 HX (-)	66	30	30	218	8.8	**1073**	**1383**
	4 RF 7230 HX (-)	72	30	30	228	9.0	**1110**	**1431**
	4 RF 7236 HX (-)	72	36	36	254	9.6	**1153**	**1468**



	Model #	W	D	C	Wt	V	TFL $	HPL $
with Bow Top	**4 RFB 7236 HX (-)**	72	36	30	245	9.4	**1239**	**1554**
	4 RFB 7242 HX (-)	72	42	36	271	10.2	**1386**	**1733**
	4 RFB 8442 HX (-)	84	42	36	296	11.0	**1554**	**1932**

SIN 711-2

- Includes top, full height modesty, end panels, pedestal(s) and hardware
- Single pedestal desks have 1 locking B/F Hanging Pedestal which can be installed on left or right or elsewhere
- Double pedestal desks have 2 locking B/F Hanging Pedestals
- Pencil tray in each box drawer
- Regular desks have full height modesty recessed 6” on 30”D and 10” on 36”D
- Bow Top desks have full height modesty recessed 6” on 36”D and 10” on 42”D
- When used as stand-alone desks or in combination with non-handed, hanging ped credenzas these units allow for easy reconfiguration of any work space
- 36”D and 42”D desks have 24"D pedestals

DOUBLE PEDESTAL DESKS – HANGING PED



	Model #	W	D	C	Wt	V	TFL $	HPL $
Regular Desk with Full Recessed Modesty	**4 RF 6030 HH (-)**	60	30	30	275	12.5	**1229**	**1565**
	4 RF 6630 HH (-)	66	30	30	285	12.8	**1304**	**1643**
	4 RF 7230 HH (-)	72	30	30	295	13.0	**1334**	**1691**
	4 RF 7236 HH (-)	72	36	36	321	13.6	**1418**	**1796**



	Model #	W	D	C	Wt	V	TFL $	HPL $
with Bow Top with Full Recessed Modesty	**4 RFB 7236 HH (-)**	72	36	30	312	13.4	**1565**	**1947**
	4 RFB 7242 HH (-)	72	42	36	338	14.2	**1722**	**2123**





Enter Handle Selection to complete code
4 Handles to choose from:
KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

SIN 711-2

GC6000 (3") grommets available in standard worksurface locations for all Regular and Bow Top Desks.
Add $35 List per Grommet
Order as:
GL (Grommet Left)
- Grommet positioned with center 4" in from left edge of worksurface, straddling modesty panel

GC (Grommet Center)
- Grommet centered width wise on worksurface, straddling modesty panel

GR (Grommet Right)
- Grommet positioned with center 4" in from right edge of worksurface, straddling modesty panel

Can specify up to 3 finishes (Top - top, Contrast - drawer faces, Base - body) – top or drawer faces or both can be HP laminate

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

REGULAR & BOW TOP DESKS

BOARDWALK™

SINGLE PEDESTAL DESKS – FLOOR PED









SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
Regular Desk with	4 RF 6030 BX (-)	60	30	30	215	11.8	1098	1474
Full Recessed	4 RF 6630 BX (-)	66	30	30	225	12.6	1161	1558
Modesty	4 RF 7230 BX (-)	72	30	30	235	13.0	1219	1614
One Floor Ped	4 RF 6636 BX (-)	66	36	30	240	13.5	1214	1607
(Left - BBF)	4 RF 7236 BX (-)	72	36	36	261	14.0	1267	1693
	4 RF 8436 BX (-)	84	36	36	284	14.6	1340	1764
Bow Top Desk	4 RFB 7236 BX (-)	72	36	30	252	14.0	1395	1735
with Full Recessed	4 RFB 7242 BX (-)	72	42	36	278	15.0	1502	1848
Modesty (Left - BBF)	4 RFB 8442 BX (-)	84	42	36	303	15.8	1691	2111
Regular Desk with	4 RF 6030 XB (-)	60	30	30	215	11.8	1098	1474
Full Recessed	4 RF 6630 XB (-)	66	30	30	225	12.6	1161	1558
Modesty	4 RF 7230 XB (-)	72	30	30	235	13.0	1219	1614
One Floor Ped	4 RF 6636 XB (-)	66	36	30	240	13.5	1214	1607
(Right - BBF)	4 RF 7236 XB (-)	72	36	36	261	14.0	1267	1693
	4 RF 8436 XB (-)	84	36	36	284	14.6	1340	1764
Bow Top Desk	4 RFB 7236 XB (-)	72	36	30	252	14.0	1394	1735
with Full Recessed	4 RFB 7242 XB (-)	72	42	36	278	15.0	1502	1848
Modesty (Right - BBF)	4 RFB 8442 XB (-)	84	42	36	303	15.8	1691	2111

Enter Handle Selection to complete code

Left Single Pedestal Desk
- 1 locking B/B/F Pedestal on left
- Pencil tray in one box drawer
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Left Single Pedestal Bow Top Desk
- 1 locking B/B/F Pedestal on left
- Pencil tray in one box drawer
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

Right Single Pedestal Desks
- 1 locking B/B/F Pedestal on right
- Pencil tray in one box drawer
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Right Single Pedestal Bow Top Desk
- 1 locking B/B/F Pedestal on right
- Pencil tray in one box drawer
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

DOUBLE PEDESTAL – FLOOR PED – FULL MODESTY





Regular Desk with	4 RF 6030 FB (-)	60	30	30	290	16.8	1462	1929
with Full Recessed	4 RF 6630 FB (-)	66	30	30	300	17.6	1523	2025
Modesty	4 RF 7230 FB (-)	72	30	30	310	18.0	1577	2092
	4 RF 7236 FB (-)	72	36	36	335	19.0	1631	2164
	4 RF 8436 FB (-)	84	36	36	358	19.6	1704	2213
Bow Top Desk with	4 RFB 7236 FB (-)	72	36	30	326	19.0	1789	2268
with Full Recessed	4 RFB 7242 FB (-)	72	42	36	352	20.0	1943	2457
Modesty	4 RFB 8442 FB (-)	84	42	36	377	20.8	2090	2604

Double Pedestal Desk
- 1 locking B/B/F Pedestal on right
- 1 locking F/F Pedestal on left
- Pencil tray in one box drawer
- Full height modesty recessed 6" on 30"D and 10" on 36"D

Double Pedestal Bow Top Desk
- 1 locking B/B/F Pedestal on right
- 1 locking F/F Pedestal on left
- Pencil tray in one box drawer
- Bow Top worksurface
- Full height modesty recessed at end panels, 6" on 36"D and 10" on 42"D

- Desks with 36"D end panels have 24"D pedestals

DOUBLE PEDESTAL – FLOOR PED – CRESCENT MODESTY







SIN 711-2

Regular Desk with	4 RFC 7230 FB (-)	72	30	30	310	18.0	1667	2183
with Full Crescent	4 RFC 7236 FB (-)	72	36	36	335	19.0	1722	2255
Modesty	4 RFC 8436 FB (-)	84	36	36	358	19.6	1849	2358
Bow Top Desk with	4 RFCB 7236 FB (-)	72	36	30	326	19.0	1881	2298
with Full Crescent	4 RFCB 7242 FB (-)	72	42	36	352	20.0	2001	2469
Modesty	4 RFCB 8442 FB (-)	84	42	36	377	20.8	2178	2687



Enter Handle Selection to complete code
4 Handles to choose from:
KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

Can specify up to 3 finishes (Top - top, Contrast - drawer faces, Base - body) – top or drawer faces or both can be HP laminate

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BOARDWALK™

OPEN & EXECUTIVE RETURNS

BOARDWALK™

OPEN RETURNS





SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
Open Returns Left	**4 ER N 3620 L**	36	20	67	2.0	**474**	**552**
	4 ER N 4220 L	42	20	76	2.3	**491**	**576**
	4 ER N 4820 L	48	20	85	2.5	**522**	**620**
	4 ER N 3624 L	36	24	76	2.0	**485**	**570**
	4 ER N 4224 L	42	24	86	2.3	**504**	**601**
	4 ER N 4824 L	48	24	95	2.5	**533**	**644**
	4 ER N 6024 L	60	24	114	3.0	**582**	**704**
Open Returns Right	**4 ER N 3620 R**	36	20	67	2.0	**474**	**552**
	4 ER N 4220 R	42	20	76	2.3	**491**	**576**
	4 ER N 4820 R	48	20	85	2.5	**522**	**620**
	4 ER N 3624 R	36	24	76	2.0	**485**	**570**
	4 ER N 4224 R	42	24	86	2.3	**504**	**601**
	4 ER N 4824 R	48	24	95	2.5	**533**	**644**
	4 ER N 6024 R	60	24	114	3.0	**582**	**704**

Remarks

- Includes top, full height modesty panel, end panel and hardware
- Cross-grain on top to match abutting desk
- Modesty panel is 1” thick plus has glide at both ends
- Connects to desk with flat brackets
- Returns are handed and cannot be switched

EXECUTIVE RETURNS – LEFT







SIN 711-2

		W	D	Wt	V	TFL $	HPL $
BOX / FILE 24" Deep	**4 ER H 4224 L (-)**	42	24	152	6.3	**740**	**965**
	4 ER H 4824 L (-)	48	24	162	6.5	**806**	**1062**
	4 ER H 6024 L (-)	60	24	182	6.8	**879**	**1158**
BOX / BOX / FILE 24" Deep	**4 ER B 4224 L (-)**	42	24	163	8.3	**879**	**1105**
	4 ER B 4824 L (-)	48	24	173	8.5	**927**	**1170**
	4 ER B 6024 L (-)	60	24	192	8.8	**1025**	**1292**
FILE / FILE 24" Deep	**4 ER F 4224 L (-)**	42	24	163	8.3	**879**	**1105**
	4 ER F 4824 L (-)	48	24	173	8.5	**927**	**1170**
	4 ER F 6024 L (-)	60	24	192	8.8	**1025**	**1292**

Enter Handle Selection to complete code

EXECUTIVE RETURNS – RIGHT







SIN 711-2

		W	D	Wt	V	TFL $	HPL $
BOX / FILE 24" Deep	**4 ER H 4224 R (-)**	42	24	152	6.3	**740**	**965**
	4 ER H 4824 R (-)	48	24	162	6.5	**806**	**1062**
	4 ER H 6024 R (-)	60	24	182	6.8	**879**	**1158**
BOX / BOX / FILE 24" Deep	**4 ER B 4224 R (-)**	42	24	163	8.3	**879**	**1105**
	4 ER B 4824 R (-)	48	24	173	8.5	**927**	**1170**
	4 ER B 6024 R (-)	60	24	192	8.8	**1025**	**1292**
FILE / FILE 24" Deep	**4 ER F 4224 R (-)**	42	24	163	8.3	**879**	**1105**
	4 ER F 4824 R (-)	48	24	173	8.5	**927**	**1170**
	4 ER F 6024 R (-)	60	24	192	8.8	**1025**	**1292**

Enter Handle Selection to complete code

- Includes top, full height modesty panel, end panel and hardware
- Can specify up to 3 finishes (Top - top, Contrast - drawer faces, Base - body) – top or drawer faces or both can be HP Laminate
- Cross-grain on top to match abutting desk
- Modesty panel is 1” thick plus has glide at both ends
- Connects to desk with flat brackets (included)
- Need to select handle style and finish
- Gang lock secures all pedestal drawers
- Drawers mounted on full extension, ball bearing slides
- Includes file suspension bars
- Accepts legal & letter files
- Box / File and Box / Box / File peds include one pencil tray
- Box / File peds are independent. Can be mounted elsewhere.
- Returns are handed and cannot be switched

4 Handles to choose from:

KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BRIDGING, LINKING & COMMON TOPS

BOARDWALK™

BRIDGING TOPS



Straight

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
20" Deep	**4 BF 3620 S**	36	20	53	2.5	**328**	**418**
	4 BF 4220 S	42	20	62	3.0	**364**	**449**
	4 BF 4820 S	48	20	71	3.0	**394**	**491**
24" Deep	**4 BF 3024 S**	30	24	49	2.0	**339**	**418**
	4 BF 3624 S	36	24	59	2.3	**364**	**461**
	4 BF 4224 S	42	24	69	2.6	**401**	**498**
	4 BF 4824 S	48	24	78	3.0	**455**	**564**

Bridging Tops
- Includes top, full height modesty panel and hardware
- Modesty panels are 1" thick, flush to back; have 2 glides
- Includes 4 flat brackets
- One grommet – centered
- Cross-grain on top to match abutting desk and credenza

Choosing a Pedestal
- 24"D BF's will accommodate 20"D floor or mobile pedestals only
- 20"D BF's accommodate **3 SHW 20** pedestals only
- Curved BF's do not accommodate pedestals

LINKING TOPS



Straight
no modesty

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
20" Deep	**4 BN 3620 S**	36	20	28	2.5	**255**	**321**
	4 BN 4220 S	42	20	33	3.0	**286**	**358**
	4 BN 4820 S	48	20	38	3.0	**315**	**389**
	4 BN 6020 S	60	20	47	3.5	**401**	**528**
	4 BN 7220 S	72	20	56	4.0	**461**	**607**
24" Deep	**4 BN 3624 S**	36	24	34	2.5	**286**	**358**
	4 BN 4224 S	42	24	39	3.0	**334**	**413**
	4 BN 4824 S	48	24	45	3.0	**377**	**466**
	4 BN 6024 S	60	24	56	3.5	**442**	**588**
	4 BN 7224 S	72	24	68	4.0	**485**	**655**

Linking Tops
- Includes top and 4 flat brackets
- One grommet – centered
- Cross-grain on top to match abutting desk and credenza

Choosing a Pedestal
- 20"D pedestals go with 20"D BN's
- 24"D pedestals go with 24"D straight BN's

COMMON TOPS FOR FILES



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
20" Deep	**4 BN 3020**	30	20	1.5	24	2.5	**231**	**291**
	4 BN 3620	36	20	1.5	28	2.5	**237**	**302**
	4 BN 4820	48	20	1.5	38	3.0	**291**	**364**
	4 BN 6020	60	20	1.5	47	4.0	**377**	**504**
	4 BN 7220	72	20	1.5	56	5.0	**437**	**582**
24" Deep	**4 BN 3024**	30	24	1.5	29	2.5	**255**	**321**
	4 BN 3624	36	24	1.5	34	2.5	**273**	**345**
	4 BN 4824	48	24	1.5	45	3.0	**364**	**454**
	4 BN 6024	60	24	1.5	56	4.0	**431**	**576**
	4 BN 7224	72	24	1.5	68	5.0	**474**	**644**

- Use with under desk storage, peds and lateral files
- Grain runs length-wise
- Adding tops to single or double lateral files may require slightly different sizes, depending on age of file. **Measure exactly before ordering.**

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CREDENZAS – FULL MODESTY

BOARDWALK™

CREDENZAS	Model #	W	D	H	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT	Remarks
 **2 Laterals**	**4 SCF 6020 LL (-)**	60	20	29	271	23.1	**1491**	**1713**	**1964**	**Credenzas** • All lateral files and peds gang-lock and have full suspension drawers • Cabinets are non-handed • Cabinets can be installed facing opposite directions at user's option 
	4 SCF 7220 LL (-)	72	20	29	316	26.0	**1607**	**1849**	**2116**	
	4 SCF 6024 LL (-)	60	24	29	296	23.6	**1572**	**1819**	**2065**	
	4 SCF 7224 LL (-)	72	24	29	348	26.3	**1698**	**1965**	**2231**	
Lateral, Storage	**4 SCF 6020 LS (-)**	60	20	29	251	23.1	**1309**	**1532**	**1845**	
	4 SCF 7220 LS (-)	72	20	29	296	26.0	**1425**	**1667**	**2008**	
	4 SCF 6024 LS (-)	60	24	29	268	23.6	**1397**	**1641**	**1908**	
	4 SCF 7224 LS (-)	72	24	29	318	26.3	**1523**	**1789**	**2080**	
2 Storage	**4 SCF 6020 SS (-)**	60	20	29	231	23.1	**1140**	**1362**	**1670**	
	4 SCF 7220 SS (-)	72	20	29	276	26.0	**1256**	**1498**	**1838**	
	4 SCF 6024 SS (-)	60	24	29	240	23.6	**1214**	**1449**	**1719**	
	4 SCF 7224 SS (-)	72	24	29	288	26.3	**1340**	**1607**	**1897**	
 SIN 711-2 **Combination**	**4 SCF 6020 FSB (-)**	60	20	29	322	22.0	**1655**	**1873**	**2202**	• Files accept legal side-to-side as standard • For either letter side-to-side or front-to-back configurations, see notes and accessories on page 1-29
	4 SCF 6620 FSB (-)	66	20	29	328	22.1	**1728**	**1959**	**2334**	
	4 SCF 7220 FSB (-)	72	20	29	332	24.0	**1777**	**2019**	**2420**	
	4 SCF 6024 FSB (-)	60	24	29	351	26.3	**1728**	**1959**	**2310**	
	4 SCF 6624 FSB (-)	66	24	29	357	26.5	**1783**	**2037**	**2401**	
	4 SCF 7224 FSB (-)	72	24	29	363	28.3	**1862**	**2128**	**2493**	
 SIN 711-2  **Knee Space Lateral Credenza**	**4 SCF 7220 LX (-)**	72	20	29	201	14.2	**1189**	**1431**	**1735**	**Knee Space Lateral Credenzas** • Lateral file can mount left or right • Lateral files are 30" wide
	4 SCF 6624 LX (-)	66	24	29	212	15.6	**1250**	**1504**	**1765**	
	4 SCF 7224 LX (-)	72	24	29	220	15.9	**1309**	**1577**	**1844**	
	4 SCF 8424 LX (-)	84	24	29	238	16.5	**1528**	**1832**	**2128**	
 SIN 711-2  **Knee Space Multifile Credenza**	**4 SCF 7220 MX (-)**	72	20	29	201	14.2	**1298**	**1540**	**1862**	**Knee Space Multifile Credenzas** • Multifiles can mount left or right • Multifiles are 30" wide • Lateral and box drawers gang-lock • Lock kit available for file drawer; order **MFLK** $58 list (installed)
	4 SCF 7224 MX (-)	72	24	29	220	15.9	**1420**	**1686**	**1971**	
	4 SCF 8424 MX (-)	84	24	29	238	16.5	**1638**	**1940**	**2255**	
 SIN 711-2  **Knee Space Storage**	**4 SCF 7220 SX (-)**	72	20	29	190	14.2	**946**	**1169**	**1447**	**Knee Space Storage Credenzas** • Storage unit can mount left or right • Storage units are 30" wide • Unit has one adjustable shelf behind dooors
	4 SCF 8420 SX (-)	84	20	29	205	14.8	**1119**	**1377**	**1716**	
	4 SCF 7224 SX (-)	72	24	29	216	15.9	**1060**	**1315**	**1571**	
	4 SCF 8424 SX (-)	84	24	29	233	16.5	**1277**	**1578**	**1876**	
 SIN 711-2 **Knee Space Credenza (Double Floor Pedestals)**	**4 SCF 7220 FXB (-)**	72	20	29	241	13.9	**1492**	**1770**	**1922**	**Knee Space Floor Pedestal Credenzas** • Units are non-handed • Peds can install left or right • For file / file ped on both sides change **FXB** to **FXF**
	4 SCF 6624 FXB (-)	66	24	29	264	13.6	**1498**	**1789**	**1929**	
	4 SCF 7224 FXB (-)	72	24	29	272	13.9	**1534**	**1844**	**1989**	
	4 SCF 8424 FXB (-)	84	24	29	290	14.5	**1752**	**2104**	**2255**	
 SIN 711-2  **Knee Space Credenza (Single Floor Pedestal)**	**4 SCF 6620 BXX (-)**	66	20	29	175	8.6	**1049**	**1280**	**1377**	• Peds can install left or right
	4 SCF 7220 BXX (-)	72	20	29	182	8.9	**1062**	**1304**	**1401**	• For all Credenzas, can specify up to 3 finishes (Top - top, Contrast - doors and drawers, Base - body). Top or doors and drawers or both can be HPL, price depends on HPL option chosen.
	4 SCF 6624 BXX (-)	66	24	29	198	8.6	**1121**	**1388**	**1486**	
	4 SCF 7224 BXX (-)	72	24	29	206	8.9	**1164**	**1450**	**1547**	
	4 SCF 8424 BXX (-)	84	24	29	223	9.5	**1377**	**1679**	**1777**	
 SIN 711-2  **Knee Space Credenza (Single Floor Pedestal)**	**4 SCF 6620 FXX (-)**	66	20	29	175	8.6	**1049**	**1280**	**1377**	• Grommets available–see pg 7-5
	4 SCF 7220 FXX (-)	72	20	29	182	8.9	**1062**	**1304**	**1401**	
	4 SCF 6624 FXX (-)	66	24	29	198	8.6	**1121**	**1388**	**1486**	**4 Handles to choose from:** KW Black, Wide Wire; NW Nickel, Wide Wire; KL Black, Loop; NL Nickel, Loop
	4 SCF 7224 FXX (-)	72	24	29	206	8.9	**1164**	**1450**	**1547**	
	4 SCF 8424 FXX (-)	84	24	29	223	9.5	**1377**	**1679**	**1777**	

Enter Handle Selection to complete code

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CREDENZAS – PARTIAL MODESTY

BOARDWALK™

CREDENZAS	Model #	W	D	H	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT	Remarks
  SIN 711-2	**Knee Space Lateral Credenza**									**Knee Space Lateral Credenzas** • All files/peds shipped assembled • Lateral file can mount left or right • Lateral files are 30" wide • Partial modesty gives 16" floor clearance
	4 SCP 7220 LX (-)	72	20	29	189	13.3	**1153**	**1395**	**1698**	
	4 SCP 8420 LX (-)	84	20	29	200	13.8	**1316**	**1590**	**1947**	
	4 SCP 6624 LX (-)	66	24	29	201	15.2	**1208**	**1462**	**1722**	
	4 SCP 7224 LX (-)	72	24	29	208	15.5	**1250**	**1516**	**1783**	
	4 SCP 8424 LX (-)	84	24	29	221	16.1	**1468**	**1770**	**2067**	
  SIN 711-2	**Knee Space Multifile Credenza**									**Knee Space Multifile Credenzas** • Multifiles can mount left or right • Multifiles are 30" wide • Lateral and box drawers gang-lock • Lock kit available for file drawer; order **MFLK** $58 list (installed)
	4 SCP 7220 MX (-)	72	20	29	189	13.3	**1250**	**1492**	**1813**	
	4 SCP 8420 MX (-)	84	20	29	200	13.8	**1412**	**1686**	**2062**	
	4 SCP 7224 MX (-)	72	24	29	208	15.5	**1377**	**1582**	**1929**	
	4 SCP 8424 MX (-)	84	24	29	221	16.1	**1590**	**1832**	**2207**	
  SIN 711-2	**Knee Space Storage**									**Knee Space Storage Credenzas** • Storage unit can mount left or right • Storage units are 30" wide • Unit has one adjustable shelf behind dooors
	4 SCP 7220 SX (-)	72	20	29	180	13.3	**908**	**1121**	**1388**	
	4 SCP 8420 SX (-)	84	20	29	192	13.8	**1070**	**1317**	**1641**	
	4 SCP 7224 SX (-)	72	24	29	196	15.5	**1004**	**1245**	**1487**	
	4 SCP 8424 SX (-)	84	24	29	210	16.1	**1218**	**1505**	**1790**	
 SIN 711-2	**Knee Space Credenza (Double Floor Pedestals)**									**Knee Space Floor Pedestal Credenzas** • Units are non-handed • Peds can install left or right • For file / file ped on both sides change **FXB** to **FXF**
	4 SCP 6620 FXB (-)	66	20	29	223	12.8	**1371**	**1625**	**1770**	
	4 SCP 7220 FXB (-)	72	20	29	229	13.0	**1395**	**1638**	**1825**	
	4 SCP 8420 FXB (-)	84	20	29	241	13.5	**1582**	**1856**	**2056**	
	4 SCP 6624 FXB (-)	66	24	29	254	13.2	**1395**	**1650**	**1825**	
	4 SCP 7224 FXB (-)	72	24	29	261	13.5	**1431**	**1698**	**1886**	
	4 SCP 8424 FXB (-)	84	24	29	274	14.1	**1667**	**1971**	**2171**	
  SIN 711-2	**Knee Space Credenza (Single Floor Pedestal)**									• Peds can install left or right
	4 SCP 6620 BXX (-)	66	20	29	160	7.8	**1013**	**1243**	**1340**	
	4 SCP 7220 BXX (-)	72	20	29	166	8.0	**1025**	**1267**	**1364**	
	4 SCP 6624 BXX (-)	66	24	29	183	8.2	**1086**	**1352**	**1450**	
	4 SCP 7224 BXX (-)	72	24	29	190	8.5	**1129**	**1412**	**1510**	
	4 SCP 8424 BXX (-)	84	24	29	203	9.1	**1328**	**1631**	**1728**	
  SIN 711-2	**Knee Space Credenza (Single Floor Pedestal)**									• For 20"H Wall Access Modesty, change code of any model on this page to **4 SCPQ** and use Full Modesty version price (see page 3-14)
	4 SCP 6620 FXX (-)	66	20	29	160	7.8	**1013**	**1243**	**1340**	
	4 SCP 7220 FXX (-)	72	20	29	166	8.0	**1025**	**1267**	**1364**	
	4 SCP 6624 FXX (-)	66	24	29	183	8.2	**1086**	**1352**	**1450**	
	4 SCP 7224 FXX (-)	72	24	29	190	8.5	**1129**	**1412**	**1510**	
	4 SCP 8424 FXX (-)	84	24	29	203	9.1	**1328**	**1631**	**1728**	
 SIN 711-2	**Knee Space Credenza (Double Hanging Pedestals)**									**Knee Space Hanging Pedestal Credenzas** • Units are non-handed • Peds can install left or right
	4 SCP 6620 HXH (-)	66	20	29	227	10.8	**1140**	**1371**	**1492**	
	4 SCP 7220 HXH (-)	72	20	29	233	11.0	**1164**	**1407**	**1528**	
	4 SCP 6624 HXH (-)	66	24	29	243	11.2	**1189**	**1455**	**1577**	
	4 SCP 7224 HXH (-)	72	24	29	249	11.5	**1219**	**1504**	**1625**	

Enter Handle Selection to complete code
4 Handles to choose from:
KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

• Grommets available–see pg 7-5

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BOARDWALK™

"D" ISLANDS

BOARDWALK™

		Model #	W	D	Wt	V	TFL $	HPL $	Remarks
D ISLAND – T LEG									
 SIN 711-2	**24" Deep**	**4 DT 6024**	60	24	94	5.0	**693**	**891**	**D Island – T Modesty** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add "N" to end of code (add $105 list)
		4 DT 6624	66	24	99	5.5	**716**	**923**	
	30" Deep	**4 DT 6030**	60	30	110	5.5	**758**	**977**	
		4 DT 6630	66	30	117	6.0	**782**	**1007**	
		4 DT 7230	72	30	124	6.0	**806**	**1043**	
	36" Deep	**4 DT 7236**	72	36	145	6.5	**874**	**1134**	
D ISLAND – PARTIAL / WALL ACCESS MODESTY									**D Island – Partial/Wall Access Modesty** • Includes top, end panel, support panels, post leg and hardware • Partial (DP) modesty gives 16" floor clearance • Wall access (DPQ) modesty gives 20" floor clearance • Post leg comes in Black • To order Nickel leg add **"N"** to end of code (add $105 list) • Cover hides wire access hole when one side of unit is exposed
 SIN 711-2	**Partial Modesty** **30" Deep**	**4 DP 6030**	60	30	105	6.0	**728**	**946**	
		4 DP 7230	72	30	140	6.0	**789**	**1025**	
	Wall Access Modesty **30" Deep**	**4 DPQ 7230**	72	30	138	6.0	**789**	**1025**	
D TOP – NO MODESTY									
 SIN 711-2	**24" Deep**	**4 DN 3624**	36	24	44	4.0	**552**	**734**	**D Top - No Modesty** • Includes top, post leg and hardware • Post leg comes in Black • To order Nickel leg add "N" to end of code (add $105 list)
		4 DN 4824	48	24	55	4.5	**570**	**764**	
		4 DN 6024	60	24	68	5.0	**599**	**796**	
	30" Deep	**4 DN 4830**	48	30	66	4.5	**631**	**831**	
		4 DN 6030	60	30	80	5.0	**660**	**879**	
		4 DN 6630	66	30	87	5.0	**697**	**927**	
D ISLAND – PARTIAL TABLE MODESTY									
 SIN 711-2	 **30" Deep**	**4 DM 6030**	60	30	109	5.5	**813**	**1031**	**Partial Table Modesty** • Includes top, 11" high modesty, end panel, leg panel and hardware • Modesty is non-handed to mount inboard, outboard or centered
		4 DM 6630	66	30	117	6.0	**849**	**1073**	
		4 DM 7230	72	30	126	6.5	**910**	**1146**	
	36" Deep	**4 DM 7236**	72	36	147	8.0	**1001**	**1274**	
D ISLAND – FULL MODESTY									
 SIN 711-2	 **30" Deep**	**4 DMF 6030**	60	30	111	5.5	**862**	**1076**	**Full Modesty** • Modesty can be mounted left or right • Modesty is non-handed to mount inboard, outboard or centered
		4 DMF 6630	66	30	120	6.0	**898**	**1121**	
		4 DMF 7230	72	30	129	6.5	**959**	**1194**	
	36" Deep	**4 DMF 7236**	72	36	150	8.3	**1049**	**1323**	
D ISLAND – FULL MODESTY WITH POST									
 SIN 711-2	 **30" Deep**	**4 DMFP 7230**	72	30	129	6.5	**1064**	**1299**	**Full Modesty with Post** • Includes top, end panel, full modesty, black post leg and hardware • To order Nickel leg add "N" to end of code (add $105 list)
	36" Deep	**4 DMFP 7236**	72	36	150	8.0	**1154**	**1428**	

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

"P" ISLANDS

BOARDWALK™

		Model #	W	A	B	Wt	V	TFL $	HPL $	Remarks
P ISLAND LEFT – T LEG										
 SIN 711-2	 **Left**	**36" / 30"**	**4 PT 7230 L**	72	36	30	141	6.5	**935**	**1201**	**P Islands** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add "N" to end of code (add $105 list)
		42" / 36"	**4 PT 7236 L**	72	42	36	162	7.0	**1007**	**1316**	
P ISLAND LEFT – PARTIAL MODESTY										
 SIN 711-2	 **Left**	**36" / 30"**	**4 PM 7230 L**	72	36	30	154	6.5	**1035**	**1330**	**Extended Modesty** • Includes top, 12" high modesty, end panel, leg panel and hardware • Also available with full height modesty, change prefix to "PMF" and add $46 list.
P ISLAND LEFT – FULL MODESTY WITH POST										
 SIN 711-2	 **Left**	**36" / 30"**	**4 PMFP 7230 L**	72	36	30	154	6.5	**1134**	**1443**	**Full Modesty with Post** • Includes top, full modesty, end panel, post leg and hardware • To order Nickel leg add "N" to end of code (add $105 list)
		42" / 36"	**4 PMFP 7236 L**	72	42	36	168	8.0	**1218**	**1575**	
P TOPS RIGHT – T LEG										
 SIN 711-2	**Right**	**36" / 30"**	**4 PT 7230 R**	72	36	30	141	6.5	**935**	**1201**	**P Islands** • Includes top, end panel, support panel, post leg and hardware • Post leg comes in Black • To order Nickel leg add "N" to end of code (add $105 list)
		42" / 36"	**4 PT 7236 R**	72	42	36	162	7.0	**1007**	**1316**	
P ISLAND RIGHT – PARTIAL MODESTY										
 SIN 711-2	**Right**	**36" / 30"**	**4 PM 7230 R**	72	36	30	154	6.5	**1035**	**1330**	**Extended Modesty** • Includes top, 12" high modesty, end panel, leg panel and hardware • Also available with full height modesty, change prefix to "PMF" and add $46 list.
P ISLAND RIGHT – FULL MODESTY WITH POST										
 SIN 711-2	**Right**	**36" / 30"**	**4 PMFP 7230 R**	72	36	30	154	6.5	**1134**	**1443**	**Full Modesty with Post** • Includes top, full modesty, end panel, post leg and hardware • To order Nickel leg add "N" to end of code (add $105 list)
		42" / 36"	**4 PMFP 7236 R**	72	42	36	168	8.0	**1218**	**1575**	

LEGEND: **W**=width; **A**=P depth; **B**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

RECTANGULAR SHELLS

BOARDWALK™

RECTANGULAR SHELLS – FULL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
20" Deep	**4 TF 4220 (-)**	42	20	70	5.1	**478**	**634**
	4 TF 4820 (-)	48	20	76	5.8	**501**	**650**
24" Deep	**4 TF 3024 (-)**	30	24	67	3.8	**466**	**612**
	4 TF 3624 (-)	36	24	76	4.5	**485**	**655**
	4 TF 4224 (-)	42	24	85	5.1	**504**	**668**
	4 TF 4824 (-)	48	24	93	5.8	**528**	**685**
	4 TF 5424 (-)	54	24	102	4.2	**564**	**728**
	4 TF 6024 (-)	60	24	110	4.5	**595**	**758**
	4 TF 6624 (-)	66	24	119	4.8	**631**	**800**
	4 TF 7224 (-)	72	24	128	5.1	**655**	**838**
	4 TF 7824 (-)	78	24	136	5.4	**716**	**910**
	4 TF 8424 (-)	84	24	145	5.8	**782**	**989**
	4 TF 9624 (-)	96	24	154	6.4	**903**	**1158**
30" Deep	**4 TF 3630 (-)**	36	30	89	4.5	**522**	**685**
	4 TF 4230 (-)	42	30	99	5.1	**552**	**716**
	4 TF 4830 (-)	48	30	109	5.8	**588**	**758**
	4 TF 5430 (-)	54	30	119	4.2	**620**	**789**
	4 TF 6030 (-)	60	30	129	4.5	**655**	**838**
	4 TF 6630 (-)	66	30	139	4.8	**685**	**879**
	4 TF 7230 (-)	72	30	149	5.1	**709**	**910**
	4 TF 7830 (-)	78	30	159	5.4	**776**	**994**
	4 TF 8430 (-)	84	30	169	5.8	**862**	**1105**
	4 TF 9630 (-)	96	30	179	6.4	**1007**	**1292**

RECTANGULAR SHELLS – PARTIAL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

		W	D	Wt	V	TFL $	HPL $
20" Deep	**4 TP 4220 (-)**	42	20	58	5.1	**465**	**619**
	4 TP 4820 (-)	48	20	62	5.8	**488**	**642**
24" Deep	**4 TP 3024 (-)**	30	24	59	3.8	**449**	**607**
	4 TP 3624 (-)	36	24	66	4.5	**466**	**625**
	4 TP 4224 (-)	42	24	73	5.1	**491**	**655**
	4 TP 4824 (-)	48	24	80	5.8	**516**	**679**
	4 TP 5424 (-)	54	24	87	4.2	**533**	**697**
	4 TP 6024 (-)	60	24	93	4.5	**576**	**740**
	4 TP 6624 (-)	66	24	100	4.8	**601**	**771**
	4 TP 7224 (-)	72	24	107	5.1	**644**	**824**
	4 TP 7824 (-)	78	24	114	5.4	**692**	**874**
	4 TP 8424 (-)	84	24	121	5.8	**747**	**951**
	4 TP 9624 (-)	96	24	128	6.4	**862**	**1080**
30" Deep	**4 TP 3630 (-)**	36	30	79	4.5	**504**	**668**
	4 TP 4230 (-)	42	30	87	5.1	**540**	**704**
	4 TP 4830 (-)	48	30	95	5.8	**570**	**740**
	4 TP 5430 (-)	54	30	103	4.2	**601**	**782**
	4 TP 6030 (-)	60	30	112	4.5	**636**	**819**
	4 TP 6630 (-)	66	30	120	4.8	**660**	**855**
	4 TP 7230 (-)	72	30	128	5.1	**679**	**879**

Must enter X, Y or Z to define legs

OPTIONAL CENTER SUPPORT FOR LONGER TOPS

SIN 711-2

		W	D	Wt	V	TFL $	HPL $
24"D Tops	**4 LGV 2808**	1	8	6	0.5	**91**	**N/A**
30"D Tops	**4 LGV 2812**	1	12	8	0.5	**116**	**N/A**

Remarks

Rectangular Shells

- Includes work surface, modesty panel, and two end panels (choose option X, Y or Z))
- Modesty panels are flush to the back
- Specify with Full Modesty (TF) or Partial Modesty (TP)
- Full Modesty (TF) same height as end panels
- Partial Modesty (TP) 16" above floor
- Recessed end panels are 11"D
- Add either X, Y or Z for end panels
- End panels are non-handed
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners (see below)

- 78" and longer Shells should have center support – see below

Choosing a Pedestal

- Only 4 SHW 20 hanging peds fit 20"D shells
- 20"D pedestals go with 24"D TF's and TP's
- 24"D pedestals go with 30"D TF's and TP's
- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these shells are to be configured up against tops with no recessed gables, it is recommended to order a 3BRPK2 bracket pack (see pg. 1-13)

- Recommended for 78", 84" and 96" tops unless floor filing or storage used
- Attached using Mod-eez® clips and angle bracket

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

RECTANGULAR SHELLS

BOARDWALK™

RECTANGULAR SHELLS–WALL ACCESS MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
20" Deep	**4 TPQ 4220 (-)**	42	20	58	5.1	**478**	**634**
	4 TPQ 4820 (-)	48	20	62	5.8	**501**	**650**
24" Deep	**4 TPQ 3024 (-)**	30	24	59	3.8	**466**	**612**
	4 TPQ 3624 (-)	36	24	66	4.5	**485**	**655**
	4 TPQ 4224 (-)	42	24	73	5.1	**504**	**657**
	4 TPQ 4824 (-)	48	24	80	5.8	**528**	**685**
	4 TPQ 5424 (-)	54	24	87	4.2	**564**	**728**
	4 TPQ 6024 (-)	60	24	93	4.5	**595**	**758**
	4 TPQ 6624 (-)	66	24	100	4.8	**631**	**800**
	4 TPQ 7224 (-)	72	24	107	5.1	**655**	**838**
	4 TPQ 7824 (-)	78	24	114	5.4	**716**	**910**
	4 TPQ 8424 (-)	84	24	121	5.8	**782**	**989**
	4 TPQ 9624 (-)	96	24	128	6.4	**903**	**1158**
30" Deep	**4 TPQ 3630 (-)**	36	30	79	4.5	**522**	**685**
	4 TPQ 4230 (-)	42	30	87	5.1	**552**	**716**
	4 TPQ 4830 (-)	48	30	95	5.8	**588**	**758**
	4 TPQ 5430 (-)	54	30	103	4.2	**620**	**789**
	4 TPQ 6030 (-)	60	30	112	4.5	**655**	**838**
	4 TPQ 6630 (-)	66	30	120	4.8	**685**	**879**
	4 TPQ 7230 (-)	72	30	128	5.1	**709**	**910**

Must enter X, Y or Z to define legs

MODESTY OPTIONS

TF Modesty
(Full to the floor)



TP Modesty
(16" off floor)



TPQ Modesty
(20" off floor)



SPARE END PANELS



(Full)

(Recessed)

SIN 711-2

		W	D	Wt	V	TFL $
Recessed	**3 LGW 12**	11	27	8	0.5	**103**
Full – 24"D	**3 LGW 24**	24	27	17	0.9	**120**
Full – 30"D	**3 LGW 30**	30	27	21	1.1	**127**

END PANELS: WHEELCHAIR ACCESSIBLE



(Full)

(Recessed)

SIN 711-2

		W	D	Wt	V	TFL $
Recessed	**3 LGW 1232**	11	31	9	0.5	**126**
Full – 24"D	**3 LGW 2432**	24	31	19	0.9	**147**
Full – 30"D	**3 LGW 3032**	30	31	23	1.1	**166**
Corner Post	**3 LCP 32**	4	31	18	0.7	**168**

Remarks

Rectangular Shells – Wall Access

- Includes work surface, modesty panel, and two end panels (choose option X, Y or Z)
- Modesty panels are flush to the back
- Specify with Wall Access Modesty (TPQ)
- Wall Access Modesty (TPQ) 20" above floor
- Recessed end panels are 11"D
- Add either X, Y or Z for end panels
- End panels are non-handed
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners (see below)

- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these shells are to be configured up against tops with no recessed gables, it is recommended to order a 3 BRPK 2 bracket pack (see pg. 1-13)

Choosing a Pedestal

- Only 4 SHW 20 hanging peds fit 20"D shells
- 20"D pedestals go with 24"D TF's and TP's
- 24"D pedestals go with 30"D TF's and TP's
- NMSO orders for these shells, with 2 full (-X) end panels get 2 corner mounted grommets at no extra charge

- For use in converting shells between X, Y and Z configurations
- Including glides, end panels are 27 1/2"

- Use to retrofit standard height corners and desk shells to wheelchair height
- Standard modesty panels fit, but rise additional 4" from floor
- Keep standard end panels should desk need to be lowered back to standard height
- Finished desk height = 32 1/2"

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVED SHELLS – LEFT

BOARDWALK™

CURVED SHELLS (LEFT) – FULL MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join							
4 TF 3024 L20 C (-)	30	24	20	67	3.8	**516**	**662**
4 TF 3624 L20 C (-)	36	24	20	76	4.5	**535**	**705**
4 TF 4224 L20 C (-)	42	24	20	85	5.1	**554**	**718**
4 TF 4824 L20 C (-)	48	24	20	93	5.8	**578**	**735**
4 TF 5424 L20 C (-)	54	24	20	102	4.2	**614**	**778**
4 TF 6024 L20 C (-)	60	24	20	110	4.5	**645**	**808**
4 TF 6624 L20 C (-)	66	24	20	119	4.8	**681**	**850**
4 TF 7224 L20 C (-)	72	24	20	128	5.1	**705**	**888**
30" Deep, 24" Join							
4 TF 3030 L24 C (-)	30	30	24	79	3.8	**541**	**694**
4 TF 3630 L24 C (-)	36	30	24	89	4.5	**572**	**735**
4 TF 4230 L24 C (-)	42	30	24	99	5.1	**602**	**766**
4 TF 4830 L24 C (-)	48	30	24	109	5.8	**638**	**808**
4 TF 5430 L24 C (-)	54	30	24	119	4.2	**670**	**839**
4 TF 6030 L24 C (-)	60	30	24	129	4.5	**705**	**888**
4 TF 6630 L24 C (-)	66	30	24	139	4.8	**735**	**929**
4 TF 7230 L24 C (-)	72	30	24	149	5.1	**759**	**960**

CURVED SHELLS (LEFT)–WALL ACCESS MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join							
4 TPQ 3024 L20 C (-)	30	24	20	59	3.8	**516**	**662**
4 TPQ 3624 L20 C (-)	36	24	20	66	4.5	**535**	**705**
4 TPQ 4224 L20 C (-)	42	24	20	73	5.1	**554**	**707**
4 TPQ 4824 L20 C (-)	48	24	20	80	5.8	**578**	**735**
4 TPQ 5424 L20 C (-)	54	24	20	87	4.2	**614**	**778**
4 TPQ 6024 L20 C (-)	60	24	20	93	4.5	**645**	**808**
4 TPQ 6624 L20 C (-)	66	24	20	100	4.8	**681**	**850**
4 TPQ 7224 L20 C (-)	72	24	20	107	5.1	**705**	**888**
30" Deep, 24" Join							
4 TPQ 3030 L24 C (-)	30	30	24	70	3.8	**541**	**694**
4 TPQ 3630 L24 C (-)	36	30	24	79	4.5	**572**	**735**
4 TPQ 4230 L24 C (-)	42	30	24	87	5.1	**602**	**766**
4 TPQ 4830 L24 C (-)	48	30	24	95	5.8	**638**	**808**
4 TPQ 5430 L24 C (-)	54	30	24	103	4.2	**670**	**839**
4 TPQ 6030 L24 C (-)	60	30	24	112	4.5	**705**	**888**
4 TPQ 6630 L24 C (-)	66	30	24	120	4.8	**735**	**929**
4 TPQ 7230 L24 C (-)	72	30	24	128	5.1	**759**	**960**

CURVED SHELLS (LEFT) – PARTIAL MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join							
4 TP 3024 L20 C (-)	30	24	20	59	3.8	**499**	**657**
4 TP 3624 L20 C (-)	36	24	20	66	4.5	**516**	**675**
4 TP 4224 L20 C (-)	42	24	20	73	5.1	**541**	**705**
4 TP 4824 L20 C (-)	48	24	20	80	5.8	**566**	**729**
4 TP 5424 L20 C (-)	54	24	20	87	4.2	**583**	**747**
4 TP 6024 L20 C (-)	60	24	20	93	4.5	**626**	**790**
4 TP 6624 L20 C (-)	66	24	20	100	4.8	**651**	**821**
4 TP 7224 L20 C (-)	72	24	20	107	5.1	**694**	**874**
30" Deep, 24" Join							
4 TP 3030 L24 C (-)	30	30	24	70	3.8	**524**	**662**
4 TP 3630 L24 C (-)	36	30	24	79	4.5	**554**	**718**
4 TP 4230 L24 C (-)	42	30	24	87	5.1	**590**	**754**
4 TP 4830 L24 C (-)	48	30	24	95	5.8	**620**	**790**
4 TP 5430 L24 C (-)	54	30	24	103	4.2	**651**	**832**
4 TP 6030 L24 C (-)	60	30	24	112	4.5	**686**	**869**
4 TP 6630 L24 C (-)	66	30	24	120	4.8	**710**	**905**
4 TP 7230 L24 C (-)	72	30	24	128	5.1	**729**	**929**

Must enter either Y or Z to define legs.

Curved Shells

- Fits Corners with matching connection depth
- Includes worksurface, modesty panel, and two end panels
- End panels are pre-drilled to be non-handed
- Must add Y or Z for end panel combination
- Recessed end panels are 11"D
- Modesty panels are flush to the back
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners

Curves

- Length of curve in Curved Shells:
  - 24" deep, 20" join → 20.5"
  - 30" deep, 24" join → 20.5"
  - 30" deep, 20" join → 27"
  - ie. for 30" deep Shell (24" Join) would need a 54" Shell to fit a 30" Lateral File → 30" (lateral) + 20.5" (curve) + 1" (panel) = 51.5", closest size is 54"
- Minimum length of Curved Shells to allow for a pedestal:
  - 4 TF 3624 L20 C Z
  - 4 TF 3630 L24 C Z
  - 4 TF 4230 L20 C Z
- Minimum length Curved Shells allowing for a 30" Lateral File
  - 4 TF 5424 L20 C Z
  - 4 TF 5430 L24 C Z
  - 4 TF 6030 L20 C Z
- Minimum length Curved Shell allowing for a 36" Lateral File
  - 4 TF 6024 L20 C Z
  - 4 TF 6030 L24 C Z
  - 4 TF 6630 L20 C Z

Choosing a Pedestal

- 20"D pedestals go with 24"D TF's and TP's
- 24"D pedestals go with 30"D TF's and TP's

NOTE:

- 30"D Shells curving down to 20" join also available.
  Order as **4TF / TP / TPQ xx30 L20 C (-)**
- Add $25 List to similar 30"D Shells curving down to 24" join
- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these tops are to be configured up against tops with no recessed gables, it is recommended to order a 3BRPK2 bracket pack (see pg. 1-13)
- If NMSO requires, will cut curved end to 18" D

LEGEND: **W**=width; **D**=depth; **C**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVED SHELLS – RIGHT

BOARDWALK™

CURVED SHELLS (RIGHT) – FULL MODESTY



(Y) 1 Recessed, 1 Full

(Z) 2 Recessed Legs

SIN 711-2





Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep, 20" Join							
4 TF 3024 R20 C (-)	30	24	20	67	3.8	**516**	**662**
4 TF 3624 R20 C (-)	36	24	20	76	4.5	**535**	**705**
4 TF 4224 R20 C (-)	42	24	20	85	5.1	**554**	**718**
4 TF 4824 R20 C (-)	48	24	20	93	5.8	**578**	**735**
4 TF 5424 R20 C (-)	54	24	20	102	4.2	**614**	**778**
4 TF 6024 R20 C (-)	60	24	20	110	4.5	**645**	**808**
4 TF 6624 R20 C (-)	66	24	20	119	4.8	**681**	**850**
4 TF 7224 R20 C (-)	72	24	20	128	5.1	**705**	**888**
30" Deep, 24" Join							
4 TF 3030 R24 C (-)	30	30	24	79	3.8	**541**	**694**
4 TF 3630 R24 C (-)	36	30	24	89	4.5	**572**	**735**
4 TF 4230 R24 C (-)	42	30	24	99	5.1	**602**	**766**
4 TF 4830 R24 C (-)	48	30	24	109	5.8	**638**	**808**
4 TF 5430 R24 C (-)	54	30	24	119	4.2	**670**	**839**
4 TF 6030 R24 C (-)	60	30	24	129	4.5	**705**	**888**
4 TF 6630 R24 C (-)	66	30	24	139	4.8	**735**	**929**
4 TF 7230 R24 C (-)	72	30	24	149	5.1	**759**	**960**

CURVED SHELLS (RIGHT)–WALL ACCESS MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

24" Deep, 20" Join							
4 TPQ 3024 R20 C (-)	30	24	20	59	3.8	**516**	**662**
4 TPQ 3624 R20 C (-)	36	24	20	66	4.5	**535**	**705**
4 TPQ 4224 R20 C (-)	42	24	20	73	5.1	**554**	**707**
4 TPQ 4824 R20 C (-)	48	24	20	80	5.8	**578**	**735**
4 TPQ 5424 R20 C (-)	54	24	20	87	4.2	**614**	**778**
4 TPQ 6024 R20 C (-)	60	24	20	93	4.5	**645**	**808**
4 TPQ 6624 R20 C (-)	66	24	20	100	4.8	**681**	**850**
4 TPQ 7224 R20 C (-)	72	24	20	107	5.1	**705**	**888**
30" Deep, 24" Join							
4 TPQ 3030 R24 C (-)	30	30	24	70	3.8	**541**	**694**
4 TPQ 3630 R24 C (-)	36	30	24	79	4.5	**572**	**735**
4 TPQ 4230 R24 C (-)	42	30	24	87	5.1	**602**	**766**
4 TPQ 4830 R24 C (-)	48	30	24	95	5.8	**638**	**808**
4 TPQ 5430 R24 C (-)	54	30	24	103	4.2	**670**	**839**
4 TPQ 6030 R24 C (-)	60	30	24	112	4.5	**705**	**888**
4 TPQ 6630 R24 C (-)	66	30	24	120	4.8	**735**	**929**
4 TPQ 7230 R24 C (-)	72	30	24	128	5.1	**759**	**960**

CURVED SHELLS (RIGHT) – PARTIAL MODESTY



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

24" Deep, 20" Join							
4 TP 3024 R20 C (-)	30	24	20	59	3.8	**499**	**657**
4 TP 3624 R20 C (-)	36	24	20	66	4.5	**516**	**675**
4 TP 4224 R20 C (-)	42	24	20	73	5.1	**541**	**705**
4 TP 4824 R20 C (-)	48	24	20	80	5.8	**566**	**729**
4 TP 5424 R20 C (-)	54	24	20	87	4.2	**583**	**747**
4 TP 6024 R20 C (-)	60	24	20	93	4.5	**626**	**790**
4 TP 6624 R20 C (-)	66	24	20	100	4.8	**651**	**821**
4 TP 7224 R20 C (-)	72	24	20	107	5.1	**694**	**874**
30" Deep, 24" Join							
4 TP 3030 R24 C (-)	30	30	24	70	3.8	**524**	**662**
4 TP 3630 R24 C (-)	36	30	24	79	4.5	**554**	**718**
4 TP 4230 R24 C (-)	42	30	24	87	5.1	**590**	**754**
4 TP 4830 R24 C (-)	48	30	24	95	5.8	**620**	**790**
4 TP 5430 R24 C (-)	54	30	24	103	4.2	**651**	**832**
4 TP 6030 R24 C (-)	60	30	24	112	4.5	**686**	**869**
4 TP 6630 R24 C (-)	66	30	24	120	4.8	**710**	**905**
4 TP 7230 R24 C (-)	72	30	24	128	5.1	**729**	**929**

Must enter either Y or Z to define legs.

Remarks

Curved Tops

- Fits Corners with matching connection depth
- Includes worksurface, modesty panel, and two end panels
- End panels are pre-drilled to be non-handed
- Must add Y or Z for end panel combination
- Recessed end panels are 11"D
- Modesty panels are flush to the back
- Shells up to 48"W have one grommet – centred
- Shells 54"W and larger have 2 grommets – located in corners

Curves

- Length of curve in Curved Shells:
  - 24" deep, 20" join → 20.5"
  - 30" deep, 24" join → 20.5"
  - 30" deep, 20" join → 27"
  - ie. for 30" deep Shell (24" Join) would need a 54" Shell to fit a 30" Lateral File → 30" (lateral) + 20.5" (curve) + 1" (panel) = 51.5", closest size is 54"
- Minimum length of Curved Shells to allow for a pedestal:
  - 4 TF 3624 R20 C Z
  - 4 TF 3630 R24 C Z
  - 4 TF 4230 R20 C Z
- Minimum length Curved Shells allowing for a 30" Lateral File
  - 4 TF 5424 R20 C Z
  - 4 TF 5430 R24 C Z
  - 4 TF 6030 R20 C Z
- Minimum length Curved Shell allowing for a 36" Lateral File
  - 4 TF 6024 R20 C Z
  - 4 TF 6030 R24 C Z
  - 4 TF 6630 R20 C Z

Choosing a Pedestal

- 20"D pedestals go with 24"D TF's and TP's
- 24"D pedestals go with 30"D TF's and TP's

NOTE:

- 30"D Shells curving down to 20" join also available.
  Order as **4TF / TP / TPQ xx30 L20 C (-)**
- Add $25 List to similar 30"D Shells curving down to 24" join
- Shells ordered with Z (2 recessed) gables ship with 2 flat brackets only. If these shells are to be configured up against tops with no recessed gables, it is recommended to order a 3BRPK2 bracket pack (see pg. 1-13)
- If NMSO requires, will cut curved end to 18" D

LEGEND: **W**=width; **D**=depth; **C**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER TOPS

BOARDWALK™

CORNER – FULL MODESTY



Straight (S)

SIN 711-2



Model #	A	B	C	Wt	V	TFL $	HPL $
4 CF 3620 S	36	20	23	101	5.2	**673**	**849**
4 CF 3624 S	36	24	17	103	5.2	**673**	**849**
4 CF 4224 S	42	24	25	124	6.7	**800**	**1007**
4 CF 4824 S	48	24	34	146	7.5	**927**	**1140**
4 CF 4830 S	48	30	25	151	7.5	**927**	**1140**



Curve (C)

SIN 711-2



4 CF 3620 C	36	20	25	101	5.2	**697**	**886**
4 CF 3624 C	36	24	17	103	5.2	**697**	**886**
4 CF 4224 C	42	24	25	124	6.7	**824**	**1153**
4 CF 4824 C	48	24	34	146	7.5	**965**	**1177**
4 CF 4830 C	48	30	25	151	7.5	**965**	**1177**

CORNER – WALL ACCESS MODESTY



Straight (S)

SIN 711-2



4 CPQ 3620 S	36	20	25	83	5.2	**673**	**849**
4 CPQ 3624 S	36	24	17	86	5.2	**673**	**849**
4 CPQ 4224 S	42	24	25	102	6.7	**800**	**1007**
4 CPQ 4824 S	48	24	34	121	7.5	**927**	**1140**
4 CPQ 4830 S	48	30	25	126	7.5	**927**	**1140**



Curve (C)

SIN 711-2



4 CPQ 3620 C	36	20	23	83	5.2	**697**	**886**
4 CPQ 3624 C	36	24	17	86	5.2	**697**	**886**
4 CPQ 4224 C	42	24	25	102	6.7	**824**	**1153**
4 CPQ 4824 C	48	24	34	121	7.5	**965**	**1177**
4 CPQ 4830 C	48	30	25	125	7.5	**965**	**1177**

CORNER – PARTIAL MODESTY



Straight (S)

SIN 711-2



4 CP 3620 S	36	20	25	83	5.2	**631**	**806**
4 CP 3624 S	36	24	17	86	5.2	**631**	**806**
4 CP 4224 S	42	24	25	102	6.7	**747**	**951**
4 CP 4824 S	48	24	34	121	7.5	**874**	**1086**
4 CP 4830 S	48	30	25	126	7.5	**874**	**1086**



Curve (C)

SIN 711-2



4 CP 3620 C	36	20	25	83	5.2	**660**	**838**
4 CP 3624 C	36	24	17	86	5.2	**660**	**838**
4 CP 4224 C	42	24	25	102	6.7	**789**	**994**
4 CP 4824 C	48	24	34	121	7.5	**916**	**1116**
4 CP 4830 C	48	30	25	125	7.5	**916**	**1116**

Remarks

Corners

- Includes top, 2 full modesty panels, 2 support panels and leg
- Includes one grommet
- Modesty panels are non-handed and inter-changeable between full, partial and wall access modesty units. Thus, corners can have mixed full, partial and wall access CF, CP and CPQ modesties. To do this, order appropriate numbers of modesty corners, and have installers mix panels on site.
- Corner leg is hollow to provide wire management conduit
- Corner leg comes assembled
- Recessed end panels are 11"D
- Full modesty panels go to floor
- Partial modesty panels give 16" floor clearance
- Wall Access modesty panels give 20" floor clearance
- If NMSO requires, will cut curved end to 18" D

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER TOPS – LEFT

BOARDWALK™

EXTENDED CORNERS (LEFT) – FULL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 24" Join	4 CEF 3624 L66 (-)	66	36	24	24	152	9.5	**927**	**1153**
	4 CEF 3624 L72 (-)	72	36	24	24	161	10.0	**977**	**1237**
42" Corner, 24" Join	4 CEF 4224 L66 (-)	66	42	24	24	161	10.5	**1129**	**1395**
	4 CEF 4224 L72 (-)	72	42	24	24	169	11.0	**1201**	**1474**
48" Corner, 24" Join	4 CEF 4824 L72 (-)	72	48	24	24	178	12.0	**1359**	**1619**
	4 CEF 4824 L78 (-)	78	48	24	24	187	12.3	**1444**	**1722**
	4 CEF 4824 L84 (-)	84	48	24	24	195	12.5	**1516**	**1808**
54" Corner, 24" Join	4 CEF 5424 L72 (-)	72	54	24	30	202	13.5	**1479**	**1765**
	4 CEF 5424 L78 (-)	78	54	24	30	212	13.8	**1566**	**1868**
	4 CEF 5424 L84 (-)	84	54	24	30	222	14.0	**1638**	**1953**

Must enter X, Y or Z to define legs

Extended Corners
- Includes top, 2 full modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- 48" and 54" corners include 3 grommets
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 12"D
- Uses **3 KM 2813CL** keyboard (see page 7-2)
- Optional center support for 78" & 84" Tops recommended unless floor filing/storage used (see page 3-18)

Choosing a Pedestal
- 20"D pedestals go with 24"D tops
- 24"D pedestals go with 30"D tops



EXTENDED CORNERS (LEFT) – PARTIAL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #		A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 24" Join	4 CEP 3624 L66 (-)	66	36	24	24	125	9.5	**862**	**1097**
	4 CEP 3624 L72 (-)	72	36	24	24	132	10.0	**910**	**1182**
42" Corner, 24" Join	4 CEP 4224 L66 (-)	66	42	24	24	132	10.5	**1031**	**1285**
	4 CEP 4224 L72 (-)	72	42	24	24	139	11.0	**1105**	**1377**
48" Corner, 24" Join	4 CEP 4824 L72 (-)	72	48	24	24	148	12.0	**1274**	**1571**
	4 CEP 4824 L78 (-)	78	48	24	24	152	12.3	**1359**	**1674**
	4 CEP 4824 L84 (-)	84	48	24	24	159	12.5	**1431**	**1765**
54" Corner, 24" Join	4 CEP 5424 L72 (-)	72	54	24	30	168	13.5	**1383**	**1704**
	4 CEP 5424 L78 (-)	78	54	24	30	176	13.8	**1468**	**1813**
	4 CEP 5424 L84 (-)	84	54	24	30	184	14.0	**1540**	**1897**

Must enter X, Y or Z to define legs

- Includes top, 2 partial modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- 48" and 54" corners include 3 grommets
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 12"D
- Uses **3 KM 2813CL** keyboard (see page 7-2)
- Optional center support for 78" & 84" Tops recommended unless floor filing/storage used (see page 3-18)

Choosing a Pedestal
- 20"D pedestals go with 24"D tops
- 24"D pedestals go with 30"D tops



LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER TOPS – RIGHT

BOARDWALK™

EXTENDED CORNERS (RIGHT) – FULL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 24" Join								
4 CEF 3624 R66 (-)	66	36	24	24	152	9.5	**927**	**1153**
4 CEF 3624 R72 (-)	72	36	24	24	161	10.0	**977**	**1237**
42" Corner, 24" Join								
4 CEF 4224 R66 (-)	66	42	24	24	161	10.5	**1129**	**1395**
4 CEF 4224 R72 (-)	72	42	24	24	169	11.0	**1201**	**1474**
48" Corner, 24" Join								
4 CEF 4824 R72 (-)	72	48	24	24	178	12.0	**1359**	**1619**
4 CEF 4824 R78 (-)	78	48	24	24	187	12.3	**1444**	**1722**
4 CEF 4824 R84 (-)	84	48	24	24	195	12.5	**1516**	**1808**
54" Corner, 24" Join								
4 CEF 5424 R72 (-)	72	54	24	30	202	13.5	**1479**	**1765**
4 CEF 5424 R78 (-)	78	54	24	30	212	13.8	**1566**	**1868**
4 CEF 5424 R84 (-)	84	54	24	30	222	14.0	**1638**	**1953**

Must enter X, Y or Z to define legs

Extended Corners
- Includes top, 2 full modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- 48" and 54" corners include 3 grommets
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 12"D
- Uses **3 KM 2813CL** keyboard (see page 7-2)
- Optional center support for 78" & 84" Tops recommended unless floor filing/storage used (see page 3-18)

Choosing a Pedestal
- 20"D pedestals go with 24"D tops
- 24"D pedestals go with 30"D tops



EXTENDED CORNERS (RIGHT) – PARTIAL MODESTY



(X) 2 Full-Width Legs



(Y) 1 Full, 1 Recessed



(Y) 1 Recessed, 1 Full



(Z) 2 Recessed Legs

SIN 711-2

Model #	A	B	C	D	Wt	V	TFL $	HPL $
36" Corner, 24" Join								
4 CEP 3624 R66 (-)	66	36	24	24	125	9.5	**862**	**1097**
4 CEP 3624 R72 (-)	72	36	24	24	132	10.0	**910**	**1182**
42" Corner, 24" Join								
4 CEP 4224 R66 (-)	66	42	24	24	132	10.5	**1031**	**1285**
4 CEP 4224 R72 (-)	72	42	24	24	139	11.0	**1105**	**1377**
48" Corner, 24" Join								
4 CEP 4824 R72 (-)	72	48	24	24	148	12.0	**1274**	**1571**
4 CEP 4824 R78 (-)	78	48	24	24	152	12.3	**1359**	**1674**
4 CEP 4824 R84 (-)	84	48	24	24	159	12.5	**1431**	**1765**
54" Corner, 24" Join								
4 CEP 5424 R72 (-)	72	54	24	30	168	13.5	**1383**	**1704**
4 CEP 5424 R78 (-)	78	54	24	30	176	13.8	**1468**	**1813**
4 CEP 5424 R84 (-)	84	54	24	30	184	14.0	**1540**	**1897**

Must enter X, Y or Z to define legs

- Includes top, 2 partial modesty panels, corner leg and 2 end panels
- Must complete the code by choosing either X, Y or Z end panel combination
- Includes two grommets: one in corner and one at extended end
- 48" and 54" corners include 3 grommets
- Corner leg is hollow to permit use as wire management conduit
- Recessed end panels are 12"D
- Uses **3 KM 2813CL** keyboard (see page 7-2)
- Optional center support for 78" & 84" Tops recommended unless floor filing/storage used. (see page 3-18)

Choosing a Pedestal
- 20"D pedestals go with 24"D tops
- 24"D pedestals go with 30"D tops



LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER "D" ISLANDS

BOARDWALK™

EXTENDED CORNER "D" – FULL USER MODESTY





Left





Right

Model #	A	B	C	D	Wt	V	TFL $	HPL $	Remarks
42" Corner, 24" Join (Left)									• Includes top, full height user modesty and end panel, post leg and hardware • To order Nickel leg add "N" to end of code (add $105 list)
4 DMCF 4224 L72	72	42	24	30	152	11.6	**1275**	**1657**	
4 DMCF 4224 L78	78	42	24	30	162	12.2	**1375**	**1787**	
4 DMCF 4224 L84	84	42	24	30	172	12.8	**1404**	**1826**	
48" Corner, 24" Join (Left)									
4 DMCF 4824 L72	72	48	24	30	162	12.6	**1345**	**1749**	
4 DMCF 4824 L78	78	48	24	30	172	13.3	**1440**	**1873**	
4 DMCF 4824 L84	84	48	24	30	182	14.0	**1475**	**1918**	
42" Corner, 24" Join (Right)									
4 DMCF 4224 R72	72	42	24	30	152	11.6	**1275**	**1657**	
4 DMCF 4224 R78	78	42	24	30	162	12.2	**1375**	**1787**	
4 DMCF 4224 R84	84	42	24	30	172	12.8	**1404**	**1826**	
48" Corner, 24" Join (Right)									
4 DMCF 4824 R72	72	48	24	30	162	12.6	**1345**	**1749**	
4 DMCF 4824 R78	78	48	24	30	172	13.3	**1440**	**1873**	
4 DMCF 4824 R84	84	48	24	30	182	14.0	**1475**	**1918**	

EXTENDED CORNER "D" – FULL END PANEL



Left



Right

SIN 711-2

Model #	A	B	C	D	Wt	V	TFL $	HPL $	Remarks
42" Corner, 24" Join (Left)									• Includes top, full height modesty panel, solid end panel, end panel with wiring grommet, post leg and hardware • To order Nickel leg add "N" to end of code (add $105 list)
4 DCF 4224 L72	72	42	24	30	138	11.6	**1080**	**1457**	
4 DCF 4224 L78	78	42	24	30	145	12.2	**1158**	**1562**	
4 DCF 4224 L84	84	42	24	30	152	12.8	**1208**	**1629**	
48" Corner, 24" Join (Left)									
4 DCF 4824 L72	72	48	24	30	146	12.6	**1158**	**1562**	
4 DCF 4824 L78	78	48	24	30	153	13.3	**1243**	**1678**	
4 DCF 4824 L84	84	48	24	30	160	14.0	**1304**	**1760**	
42" Corner, 24" Join (Right)									
4 DCF 4224 R72	72	42	24	30	138	11.6	**1080**	**1457**	
4 DCF 4224 R78	78	42	24	30	145	12.2	**1158**	**1562**	
4 DCF 4224 R84	84	42	24	30	152	12.8	**1208**	**1629**	
48" Corner, 24" Join (Right)									
4 DCF 4824 R72	72	48	24	30	146	12.6	**1158**	**1562**	
4 DCF 4824 R78	78	48	24	30	153	13.3	**1243**	**1678**	
4 DCF 4824 R84	84	48	24	30	160	14.0	**1304**	**1760**	

EXTENDED CORNER "D" – PARTIAL END PANEL



Left



Right

SIN 711-2

Model #	A	B	C	D	Wt	V	TFL $	HPL $
42" Corner, 24" Join (Left)								
4 DCP 4224 L72	72	42	24	30	127	11.6	**1055**	**1425**
4 DCP 4224 L78	78	42	24	30	134	12.2	**1134**	**1531**
4 DCP 4224 L84	84	42	24	30	141	12.8	**1182**	**1596**
48" Corner, 24" Join (Left)								
4 DCP 4824 L72	72	48	24	30	133	12.6	**1129**	**1524**
4 DCP 4824 L78	78	48	24	30	140	13.3	**1219**	**1646**
4 DCP 4824 L84	84	48	24	30	147	14.0	**1274**	**1720**
42" Corner, 24" Join (Right)								
4 DCP 4224 R72	72	42	24	30	127	11.6	**1055**	**1425**
4 DCP 4224 R78	78	42	24	30	134	12.2	**1134**	**1531**
4 DCP 4224 R84	84	42	24	30	141	12.8	**1182**	**1596**
48" Corner, 24" Join (Right)								
4 DCP 4824 R72	72	48	24	30	133	12.6	**1129**	**1524**
4 DCP 4824 R78	78	48	24	30	140	13.3	**1219**	**1646**
4 DCP 4824 R84	84	48	24	30	147	14.0	**1274**	**1720**

• Includes top, partial height modesty panel, solid end panel, end panel with wiring grommet, post leg and hardware
• To order Nickel leg add "N" to end of code (add $105 list)

EXTENDED CORNER "D"
SIZING LEGEND



OPTIONAL PARTIAL MODESTY



SIN 711-2

Model #	W	H	Wt	V	TFL $
for 72"D					
3 DMP 7212	54	12	14	1.1	**152**
for 78"D					
3 DMP 7812	60	12	16	1.2	**168**
for 84"D					
3 DMP 8412	66	12	17	1.3	**189**

• 12"H hanging modesty attaches to both full and partial end panels

LEGEND: **A**=length; **B**=depth; **C**=join; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

PEDESTALS

BOARDWALK™

MOBILE PEDESTALS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Box / File	**4 SMW 20 (-)**	16	20	22	65	4.0	**595**	**677**
	4 SMW 24 (-)	16	24	22	75	5.0	**644**	**726**
Box / Box / File	**4 SMX 20 (-)**	16	20	27	84	5.0	**709**	**791**
	4 SMX 24 (-)	16	24	27	94	7.0	**758**	**840**
File / File	**4 SMY 20 (-)**	16	20	27	81	5.0	**709**	**791**
	4 SMY 24 (-)	16	24	27	91	7.0	**758**	**840**

SEATED PEDESTALS



SIN 711-2

Box / File	**4 SMWS 20 (-)**	16	20	23	65	4.0	**704**	**785**
	4 SMWS 24 (-)	16	24	23	75	5.0	**789**	**870**

Note: Black fabric only. C.O.M. option at same price.

HANGING PEDESTALS



SIN 711-2

Box / File	**4 SHW 20 (-)**	16	18	18	67	4.0	**504**	**586**
	4 SHW 24 (-)	16	24	18	77	5.0	**564**	**646**

FLOOR PEDESTALS



SIN 711-2

Tops To Make Peds Free Standing	**4 BN 1620**	16	20	1	8	1.0	**116**	**146**
	4 BN 1624	16	24	1	10	1.1	**127**	**164**
Box / Box / File	**4 SJX 20 (-)**	16	20	27	84	5.0	**660**	**742**
	4 SJX 24 (-)	16	24	27	94	7.0	**704**	**785**
File / File	**4 SJY 20 (-)**	16	20	27	81	5.0	**660**	**742**
	4 SJY 24 (-)	16	24	27	91	7.0	**704**	**785**

LEGAL WIDTH MOBILE PEDESTALS



SIN 711-2

Box / File	**4 SMW 2020 (-)**	19	20	22	75	7.0	**740**	**845**
	4 SMW 2024 (-)	19	24	22	96	8.3	**806**	**911**
	4 SMW 2030 (-)	19	29	22	117	10.2	**867**	**972**
Box / Box / File	**4 SMX 2020 (-)**	19	20	27	98	8.4	**824**	**929**
	4 SMX 2024 (-)	19	24	27	110	9.9	**903**	**1008**
	4 SMX 2030 (-)	19	29	27	131	12.2	**983**	**1088**
File / File	**4 SMY 2020 (-)**	19	20	27	98	8.4	**824**	**929**
	4 SMY 2024 (-)	19	24	27	110	9.9	**903**	**1008**
	4 SMY 2030 (-)	19	29	27	131	12.2	**983**	**1088**

Enter Handle Selection to complete code

Remarks

- Gang lock secures all pedestal drawers
- All drawers on full extension, ball bearing slides
- Can specify up to 3 finishes (Top - top, Contrast - drawer faces, Base - body) – drawer faces or top or both can be HP laminate
- HPL price is for HPL on drawer faces
- HPL on tops – $78 list
- Tops on mobile pedestals are 3/4" TFL as standard
- Can be keyed alike, specify on order
- Need to select handle style and finish
- Includes hanging file suspension bars
- Accepts legal and letter files
- Includes one pencil tray in top "Box" drawer except legal width peds
- Seated pedestals have 1" of medium density foam
- Cushion is attached using Velcro
- Seating fabric is standard in Black. Panel fabrics from INLINE Fabric Card can be used but they do not meet BIFMA seating wear standards.
- Mobile peds can be ordered as freestanding by adding "F" to the end of model numbers eg. 4 SMX 20 **F**. Casters replaced with levellers in factory, price remains the same.
- **Explanation of Standard Coding:**
  - S → Storage
  - M → Mobile Pedestal
  - H → Hanging Pedestal
  - J → Floor Pedestal
  - W → Box / File
  - WS → Box / File / Seat
  - X → Box / Box / File
  - Y → File / File
- Floor pedestal glides have over 1" leveling capacity

Choosing a Pedestal

18"D hanging ped fits any top

20"D Pedestals fit under
- 24"D TF's and TP's
- 20"D straight BN's
- 24"D straight BF's
- all CEF's and CEP's

24"D Pedestals fit under
- 30"D TF's and TP's
- 24"D straight BN's

Legal Width Pedestals
- Permit legal files to be side-to-side facing front
- HPL price is for HPL on drawer faces
- HPL on tops - $100 list

4 Handles to choose from:

KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATERAL / MULTIFILES

BOARDWALK™

LATERAL FILE

	Model #	W	D	H	Wt	V	TFL $	HPL $ TOP ONLY	HPL $ TOP & FRONT
Under Desk	**4 SLU 3020 (-)**	30	20	27.5	112	10.3	**649**	**N/A**	**843**
	4 SLU 3620 (-)	36	20	27.5	130	12.0	**685**	**N/A**	**891**
	4 SLU 4420 (-)	44	20	27.5	148	18.8	**831**	**N/A**	**1073**
	4 SLU 3024 (-)	30	24	27.5	120	10.3	**679**	**N/A**	**886**
	4 SLU 3624 (-)	36	24	27.5	140	12.0	**716**	**N/A**	**927**
	4 SLU 4424 (-)	44	24	27.5	159	22.0	**867**	**N/A**	**1121**
Under Desk with Opening	**4 SLOU 3020 (-)**	30	20	27.5	108	10.3	**680**	**N/A**	**883**
	4 SLOU 3620 (-)	36	20	27.5	126	12.0	**720**	**N/A**	**937**
Freestanding Box/Box/File	**4 SLBF 3024 (-)**	30	24	27.5	177	10.9	**980**	**1201**	**1305**
	4 SLBF 3624 (-)	36	24	27.5	201	12.8	**1050**	**1281**	**1399**
Freestanding	**4 SLF 3020 (-)**	30	20	29	120	10.9	**855**	**1049**	**1140**
	4 SLF 3620 (-)	36	20	29	139	12.8	**891**	**1092**	**1189**
	4 SLF 4420 (-)	44	20	29	161	20.0	**1013**	**1225**	**1323**
	4 SLF 3024 (-)	30	24	29	177	10.9	**910**	**1116**	**1213**
	4 SLF 3624 (-)	36	24	29	201	12.8	**965**	**1177**	**1285**
	4 SLF 4424 (-)	44	24	29	225	23.5	**1097**	**1323**	**1436**
3 Drawer Lateral	**4 SLX 3020 (-)**	30	20	43	187	16.2	**1444**	**1563**	**1849**
	4 SLX 3620 (-)	36	20	43	217	19.0	**1504**	**1626**	**1922**
4 Drawer Lateral	**4 SLY 3020 (-)**	30	20	56	246	22.0	**1759**	**N/A**	**2255**
	4 SLY 3620 (-)	36	20	56	285	26.0	**1838**	**N/A**	**2358**
4 Drawer Lateral plus Storage	**4 SLZ 3020 (-)**	30	20	72	270	28.0	**2013**	**N/A**	**2589**
	4 SLZ 3620 (-)	36	20	72	313	33.0	**2111**	**N/A**	**2711**

SIN 711-3

STORAGE UNIT

Freestanding	**4 SSF 3020 (-)**	30	20	29	100	10.9	**692**	**886**	**977**
	4 SSF 3620 (-)	36	20	29	119	12.8	**722**	**922**	**1019**
	4 SSF 4820 (-)	48	20	29	159	15.4	**910**	**1164**	**1322**
	4 SSF 3024 (-)	30	24	29	101	10.9	**715**	**922**	**1019**
	4 SSF 3624 (-)	36	24	29	121	12.8	**758**	**970**	**1080**
	4 SSF 4824 (-)	48	24	29	161	15.4	**959**	**1232**	**1401**

SIN 711-3

MULTIFILE

Under Desk	**4 SMU 3020 (-)**	30	20	27.5	110	10.3	**789**	**N/A**	**983**
	4 SMU 3024 (-)	30	24	27.5	115	10.3	**824**	**N/A**	**1031**
Freestanding	**4 SMF 3020 (-)**	30	20	29	138	10.9	**1031**	**1225**	**1316**
	4 SMF 3024 (-)	30	24	29	144	10.9	**1067**	**1274**	**1371**

Enter Handle Selection to complete code

4 Handles to choose from:
- KW Black, Wide Wire
- NW Nickel, Wide Wire
- KL Black, Loop
- NL Nickel, Loop

SIN 711-3

Remarks

See pg 3-3 for specifying finishes

Lateral Files
- Full extension, heavy-duty ball-bearing slides
- Anti-tip locking system allows only one drawer open at a time
- All drawer-bottoms reinforced with steel
- Gang-lock included
- 5 High unit has fixed storage shelf at top with locking cupboard doors

Filing configurations:
- Standard configuration is for legal hanging folders, side-to-side only
- For letter size filing side-to-side on 36"W file drawers only, order (1) **SLSS 36** @ $45 List for each drawer required

For front-to-back filing on:
- 30"W files: for 2 rows of letter files order (1) **SLFB** @ $20 List/drawer
- 36"W files: for 2 rows of legal files front-to-back; or 2 rows of letter files front-to-back, order (1) **SLFB** @ $20 List per drawer
- 44"W files: for 2 rows of legal files front-to-back, order (1) **SLFB** @ $20 List; for 3 rows of letter files front-to-back, order (2) **SLFB** @ $20 List each/drawer

- Shipped assembled

Storage
- Need to select handle style
- Includes lock, one adjustable shelf
- Shipped ready-to-assemble
- 48"W version has shelf fixed at mid-height
- Doors open 110˚
- For open cabinets, add "0" to code and deduct 20% from list price. eg: 4 SSF 3624 becomes 4 SSFO 3624

Multifile
- Need to select handle style and finish
- Lock secures lateral file and both box drawers
- Lock Kit available for other file drawer; order – **MFLK** – $58 List (installed)
- Lateral drawer accepts legal files side-to-side
- For 2 rows letter files front-to-back order (1) **SLFB** @ $20 List
- Lock secures lateral file and both box drawers
- Shipped assembled

BOARDWALK™

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TALL LATERAL / STORAGE UNITS

BOARDWALK™

FILING & STORAGE UNITS	Model #	W	D	H	Wt	V	TFL $	HPL $
1/2 Storage 1/2 Lateral	**4 SPF 242066 (-)**	24	20	66	221	20.0	**1371**	**1679**
	4 SPF 242466 (-)	24	24	66	233	24.0	**1571**	**1922**
	4 SPF 242072 (-)	24	20	72	227	22.0	**1431**	**1752**
	4 SPF 242472 (-)	24	24	72	249	26.0	**1643**	**2013**
Lateral Storage with Wardrobe	**4 SPFW 242466 (-)**	24	24	66	233	24.0	**1582**	**1940**
	4 SPFW 242472 (-)	24	24	72	249	26.0	**1677**	**2043**
1/2 Storage 1/2 Lateral	**4 SPF 362066 (-)**	36	20	66	259	30.0	**1574**	**1984**
	4 SPF 362466 (-)	36	24	66	281	36.0	**1693**	**2147**
	4 SPF 362072 (-)	36	20	72	277	33.0	**1637**	**2066**
	4 SPF 362472 (-)	36	24	72	300	40.0	**1765**	**2226**
Storage with 3 Drawer Lateral	**4 SPFT 362066 (-)**	36	20	66	259	30.0	**2017**	**2406**
	4 SPFT 362466 (-)	36	24	66	281	36.0	**2113**	**2672**
	4 SPFT 362072 (-)	36	20	72	277	33.0	**2077**	**2484**
	4 SPFT 362472 (-)	36	24	72	300	40.0	**2185**	**2751**
Personal Storage	**4 SPB 242066 (-)**	24	20	66	115	20.0	**891**	**1158**
	4 SPB 242466 (-)	24	24	66	163	24.0	**1037**	**1304**
	4 SPB 242072 (-)	24	20	72	131	22.0	**951**	**1232**
	4 SPB 242472 (-)	24	24	72	179	26.0	**1110**	**1395**
	4 SPB 362066 (-)	36	20	66	199	30.0	**1285**	**1650**
	4 SPB 362466 (-)	36	24	66	226	36.0	**1450**	**1813**
	4 SPB 362072 (-)	36	20	72	217	33.0	**1335**	**1717**
	4 SPB 362472 (-)	36	24	72	245	40.0	**1523**	**1905**
Extra Shelf	**4 SPBSH 2420**	22	18	1	10	1.0	**85**	**N/A**
	4 SPBSH 2424	22	22	1	13	1.2	**97**	**N/A**
	4 SPBSH 3620	34	18	1	16	1.3	**97**	**N/A**
	4 SPBSH 3624	34	22	1	19	1.5	**110**	**N/A**
1/2 Storage 1/2 Wardrobe	**4 SPS 362466 (-)**	36	24	66	251	36.0	**1571**	**1897**
	4 SPS 362472 (-)	36	24	72	270	40.0	**1662**	**2008**
Full Wardrobe	**4 SPW 362466 (-)**	36	24	66	251	36.0	**1304**	**1667**
	4 SPW 362472 (-)	36	24	72	270	40.0	**1359**	**1741**

Enter Handle Selection to complete code

SIN 711- 3

For all items on page
- Can specify up to 3 finishes (Top - top, Contrast - doors, Base - body) – HPL option is for doors and drawers only.
- Need to select handle style and finish
- Doors open 110˚
- Units are non-handed, lock and handle on single door SPF / SPFW units are center mounted so door can be installed left or right
- All files shipped assembled; Storage only shipped RTA
- See "Filing configurations" note on previous page

1/2 Storage, 1/2 Lateral
- Locking storage area with 2 adjustable 1" shelves
- 2 locking lateral file drawers

Storage and 3 Drawer Lateral
- Storage area has one adjustable shelf
- Gang-lock drawers
- Anti-tip allows only one drawer to be open

Personal Storage
- Locking storage with 1 fixed shelf, 3 adjustable shelves
- 36"w units have 2 doors
- 24"w units have 1 door

- **Note:** extra shelves available for any unit. See trēo® page 1-31

1/2 Storage, 1/2 Wardrobe
- Storage section has locking storage with 1 fixed shelf, 3 adjustable shelves
- Wardrobe section has storage with 1 fixed shelf and hanger bar

Full Wardrobe
- 1 fixed shelf and hanger bar

4 Handles to choose from:
- KW Black, Wide Wire
- NW Nickel, Wide Wire
- KL Black, Loop
- NL Nickel, Loop

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TALL MULTI-STORAGE UNITS

BOARDWALK™

SLIM LINE STORAGE



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Box / Box / File	**4 SBF 2066 (-)**	16	20	66	139	13.4	**1194**	**1285**
	4 SBF 2466 (-)	16	24	66	157	16.0	**1261**	**1352**
	4 SBF 2072 (-)	16	20	72	147	15.1	**1254**	**1350**
	4 SBF 2472 (-)	16	24	72	167	18.0	**1330**	**1426**
File / File	**4 SFF 2066 (-)**	16	20	66	139	13.4	**1194**	**1285**
	4 SFF 2466 (-)	16	24	66	157	16.0	**1261**	**1352**
	4 SFF 2072 (-)	16	20	72	147	15.1	**1254**	**1350**
	4 SFF 2472 (-)	16	24	72	167	18.0	**1330**	**1426**
Storage	**4 SBS 2066 (-)**	16	20	66	94	13.4	**891**	**965**
	4 SBS 2466 (-)	16	24	66	114	16.0	**959**	**1031**
	4 SBS 2072 (-)	16	20	72	147	15.1	**950**	**1029**
	4 SBS 2472 (-)	16	24	72	167	18.0	**1030**	**1107**

For all items on page
- Can specify up to 3 finishes (Top - top, Contrast - doors / drawers, Base - body) – HPL option is for doors only
- Need to select handle style and finish
- Shipped assembled

Filing Versions Include:
- Full extension, ball bearing slides
- Gang lock on all drawers
- 2 adjustable shelves in storage area
- Locking door installs left or right
- SIMB and SIMD units also have wardrobe lock

Storage Version Includes:
- Lock on storage area
- 1 fixed shelf and 3 adjustable shelves
- Locking door installs left or right

Tall Multi-Storage
- Includes:
  - Full extension ball bearing slides
  - Gang lock for drawers
  - 2 adjustable shelves

TALL MULTI-STORAGE WITH SHELF & DOOR



L (Left) R (Right)

SIN 711-3

4 SIMD 2466 L (-)	24	24	66	233	24.0	**1674**	**2025**
4 SIMD 2472 L (-)	24	24	72	249	26.4	**1744**	**2099**
4 SIMD 2466 R (-)	24	24	66	233	24.0	**1674**	**2025**
4 SIMD 2472 R (-)	24	24	72	249	26.4	**1744**	**2099**

Also available with BBF Ped, change code to **4 SIMB**.
Pricing is the same.

TALL STORAGE WITH REAR WARDROBE



L (Left) R (Right)

SIN 711-3

4 SIB 2466 L (-)	24	24	66	168	24.0	**1309**	**1516**
4 SIB 2472 L (-)	24	24	72	184	26.4	**1371**	**1577**
4 SIB 2466 R (-)	24	24	66	168	24.0	**1309**	**1516**
4 SIB 2472 R (-)	24	24	72	184	26.4	**1371**	**1577**

Tall Storage (with Rear Wardrobe)
- Includes:
  - Lock for storage area
  - Upper shelves adjustable
  - One adjustable shelf behind doors

TALL MULTI-STORAGE WITH REAR WARDROBE



L (Left) R (Right)

SIN 711-3

4 SIF 2466 L (-)	24	24	66	223	24.0	**1735**	**2099**
4 SIF 2472 L (-)	24	24	72	249	26.4	**1810**	**2159**
4 SIF 2466 R (-)	24	24	66	223	24.0	**1735**	**2099**
4 SIF 2472 R (-)	24	24	72	249	26.4	**1810**	**2159**

Tall Multi-Storage (with Rear Wardrobe)
- Includes:
  - Gang lock on lateral file drawers
  - Lock on non-handed storage door
  - 2 adjustable shelves
- Accepts legal hanging folders side-to-side only

Enter Handle Selection to complete code

4 Handles to choose from:
- KW Black, Wide Wire
- NW Nickel, Wide Wire
- KL Black, Loop
- NL Nickel, Loop

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BOARDWALK™

TALL LATERAL/STORAGE UNITS with FRAMED TRANSLUCENT DOORS

BOARDWALK™

TALL FILING & STORAGE UNITS



4 SIMBG
L (Left)



4 SIMDG
R (Right)

	Model #	W	D	H	Wt	V	TFL $	HPL $
Multi-Storage, Shelf and Door	**4 SIMDG 2466 L (-)**	24	24	66	227	24.0	**1948**	**2236**
	4 SIMDG 2472 L (-)	24	24	72	242	26.4	**2093**	**2390**
	4 SIMDG 2466 R (-)	24	24	66	227	24.0	**1948**	**2236**
	4 SIMDG 2472 R (-)	24	24	72	242	26.4	**2093**	**2390**

• Also available with BBF Ped, change code to 4 SIMBG. Pricing is the same.



1/2 Storage 1/2 Lateral	**4 SPFG 242466 (-)**	24	24	66	223	24.0	**1873**	**2065**
	4 SPFG 242472 (-)	24	24	72	238	26.0	**2015**	**2210**



Lateral Storage with Wardrobe	**4 SPFWG 242466 (-)**	24	24	66	223	24.0	**1884**	**2076**
	4 SPFWG 242472 (-)	24	24	72	238	26.0	**2049**	**2244**



1/2 Storage 1/2 Lateral	**4 SPFG 362066 (-)**	36	20	66	244	30.0	**2047**	**2248**
	4 SPFG 362466 (-)	36	24	66	265	36.0	**2218**	**2430**
	4 SPFG 362072 (-)	36	20	72	261	33.0	**2241**	**2444**
	4 SPFG 362472 (-)	36	24	72	284	40.0	**2406**	**2620**



Storage with 3 Drawer Lateral	**4 SPFTG 362066 (-)**	36	20	66	250	30.0	**2384**	**2690**
	4 SPFTG 362466 (-)	36	24	66	272	36.0	**2479**	**2785**
	4 SPFTG 362072 (-)	36	20	72	267	33.0	**2549**	**2878**
	4 SPFTG 362472 (-)	36	24	72	290	40.0	**2644**	**2974**

Multi-storage, Shelf and Door Units
- Translucent door on storage area only.
- HPL applies to wardrobe door and drawer faces only.
- 2 adjustable shelves in storage area
- Gang lock on all drawers
- SIMBG and SIMDG units also have wardrobe lock

Tall Filing & Storage Units
- HPL finishes on lateral drawer fronts only
- 2 drawer cabinet has 2 adjustable shelves
- 3 drawer cabinet has 1 adjustable shelf
- Door and drawer locks are keyed alike

TALL STORAGE



Personal Storage	**4 SPBG 362066 (-)**	36	20	66	171	30.0	**2182**	**N/A**
	4 SPBG 362466 (-)	36	24	66	198	36.0	**2346**	**N/A**
	4 SPBG 362072 (-)	36	20	72	186	33.0	**2294**	**N/A**
	4 SPBG 362472 (-)	36	24	72	214	40.0	**2444**	**N/A**



1/2 Storage 1/2 Wardrobe	**4 SPSG 362466 (-)**	36	24	66	237	36.0	**2021**	**2196**
	4 SPSG 362472 (-)	36	24	72	254	40.0	**2132**	**2320**

Tall Storage
- Full storage units have both doors translucent
- 1 fixed and 3 adjustable shelves
- Locking

- 1/2 Storage/ 1/2 Wardrobe units have translucent door over storage only. Wardrobe door is solid laminate
- Only storage door locks
- Wardrobe sections has one fixed shelf and a hanging bar

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BOOKCASES

BOARDWALK™

BOOKCASES





SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
12" Deep 29" High	**4 SBG 2912**	36	12	29	94	4.0	**558**	
42" High	**4 SBG 4212**	36	12	42	101	6.0	**601**	
48" High	**4 SBG 4812**	36	12	48	106	6.5	**625**	
60" High	**4 SBG 6012**	36	12	60	116	7.0	**668**	
66" High	**4 SBG 6612**	36	12	66	126	8.0	**692**	
72" High	**4 SBG 7212**	36	12	72	144	9.0	**716**	
82" High	**4 SBG 8212**	36	12	82	160	10.0	**831**	
15" Deep 29" High	**4 SBG 2915**	36	15	29	87	4.0	**665**	
42" High	**4 SBG 4215**	36	15	42	116	6.0	**715**	
48" High	**4 SBG 4815**	36	15	48	125	6.5	**749**	
60" High	**4 SBG 6015**	36	15	60	153	7.0	**793**	
66" High	**4 SBG 6615**	36	15	65	166	8.0	**824**	
72" High	**4 SBG 7215**	36	15	72	182	9.0	**858**	
82" High	**4 SBG 8215**	36	15	82	207	10.0	**980**	
Optional Shelves for 36" Wide, 12" Deep	**4 SBG SH 11**	34	11	1	9	1.5	**97**	
36" Wide, 15" Deep	**4 SBG SH 14**	34	14	1	12	1.8	**105**	

For all items on page
- Can specify up to 3 finishes
  Top – top shelf
  Contrast – other shelves
  Base – sides and back

Bookcases
- Includes top & bottom shelf, 2 side panels & back
- One fixed shelf for 60", 66", 72" & 82" H bookcases
- Other shelves are adjustable:
  - 29" H – 2 openings
  - 42" H – 3 openings
  - 48" H – 3 openings
  - 60" H – 4 openings
  - 66" H – 4 openings – matches height of most tall storage units
  - 72" H – 5 openings
  - 82" H – 6 openings
- Sides and shelves are 1" thick
- Back 3/4" thick
- Top is 1 1/2" thick
- Bookcases must be placed against wall for stability

1/4 ROUND CORNER BOOKCASES



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Desk Height	**4 SWM 2028**	20	20	29	49	1.8	**425**	**533**
	4 SWM 2428	24	24	29	57	2.3	**491**	**602**
	4 SWM 3028	30	30	29	84	3.8	**601**	**728**
Hutch Height Add-On								
36.5"	**4 SWM 1336**	13	13	36.5	92	1.1	**353**	**N/A**
42.5"	**4 SWM 1342**	13	13	42	106	1.3	**377**	**N/A**
66" Full Height	**4 SWM 2066**	20	20	66	101	3.6	**649**	**N/A**
	4 SWM 2466	24	24	66	129	4.6	**776**	**N/A**
72" Full Height	**4 SWM 2072**	20	20	72	108	4.0	**709**	**N/A**
	4 SWM 2472	24	24	72	138	5.0	**824**	**N/A**

1/4 Round Corner Bookcases
- Includes top, shelves, back panels and hardware
- HPL option is on top panel of desk height unit only
- Desk height version has 2 openings (fixed shelves)
- Hutch height add-on version has 3 openings (all shelves fixed)
- 66" H & 72" H versions have 5 openings (all shelves fixed)
- All components are 1" thick except top and desk height shelf on full height models, which are 1 1/2" thick

STORAGE HUTCHES





SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Single, Open								
36.5"H	**4 HHBG 3636**	36	13	36.5	98	5.0	**552**	**N/A**
42.5"H	**4 HHBG 3642**	36	13	42.5	101	6.0	**572**	**N/A**
Single with Doors (not shown)								
36.5"H	**4 HDBG 3636**	36	13	36.5	122	6.0	**896**	**1233**
42.5"H	**4 HDBG 3642**	36	13	42.5	129	7.0	**936**	**1298**
Double, Open (not shown)								
36.5"H	**4 HHBG 7236**	72	13	36.5	184	10.0	**1034**	**N/A**
42.5"H	**4 HHBG 7242**	72	13	42.5	189	12.0	**1077**	**N/A**
Double with Doors								
36.5"H	**4 HDBG 7236**	72	13	36.5	231	12.0	**1695**	**2398**
42.5"H	**4 HDBG 7242**	72	13	42.5	242	14.0	**1782**	**2519**

- Single Bookcase Hutches have 2 adjustable shelves
- Double Bookcase Hutches have 4 adjustable shelves
- Same depth as standard desktop hutches
- Locking option – specify
  2 doors – **HDLK 2** – $87 List
  4 doors – **HDLK 4** – $144 List

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HUTCHES

BOARDWALK™

CUPBOARD DOOR HUTCH



4 HD Hutch with PD 7500 (see notes at right)

SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Standard Hutch with 2 Doors 24" - 42"	**4 HD 3036 (-)**	30	13	36.5	82	3.0	**601**	**704**
	4 HD 3636 (-)	36	13	36.5	90	3.6	**636**	**747**
	4 HD 4236 (-)	42	13	36.5	96	5.2	**679**	**800**
3 Doors 48" - 54"	**4 HD 4836 (-)**	48	13	36.5	109	6.5	**747**	**867**
	4 HD 5436 (-)	54	13	36.5	119	7.6	**806**	**951**
4 Doors 60" - 84"	**4 HD 6036 (-)**	60	13	36.5	133	8.4	**879**	**1031**
	4 HD 6636 (-)	66	13	36.5	143	9.2	**946**	**1110**
	4 HD 7236 (-)	72	13	36.5	156	10.0	**1007**	**1177**
	4 HD 7836 (-)	78	13	36.5	171	10.7	**1097**	**1274**
	4 HD 8436 (-)	84	13	36.5	186	11.7	**1208**	**1371**
Tall Hutch with 2 Doors 24" - 42"	**4 HD 3042 (-)**	30	13	42.5	89	3.8	**704**	**818**
	4 HD 3642 (-)	36	13	42.5	99	4.4	**752**	**873**
	4 HD 4242 (-)	42	13	42.5	105	6.0	**819**	**951**
3 Doors 48" - 54"	**4 HD 4842 (-)**	48	13	42.5	119	7.3	**879**	**1013**
	4 HD 5442 (-)	54	13	42.5	130	8.4	**927**	**1087**
4 Doors 60" - 84"	**4 HD 6042 (-)**	60	13	42.5	145	9.2	**1013**	**1180**
	4 HD 6642 (-)	66	13	42.5	155	10.0	**1062**	**1242**
	4 HD 7242 (-)	72	13	42.5	173	10.8	**1116**	**1303**
	4 HD 7842 (-)	78	13	42.5	187	11.5	**1208**	**1401**
	4 HD 8442 (-)	84	13	42.5	202	12.5	**1328**	**1509**

Standard & Tall Cupboard Door Hutches

- Full width wire access strip at bottom
- Can specify up to 3 finishes with order (Top - top, Contrast - doors, Base - sides and back)
- HPL option available for door faces only
- Non-locking is standard
  Locking Option – specify:
  2 doors – **HDLK2** - $87 List
  3 doors – **HDLK3** - $133 List
  4 doors – **HDLK4** - $144 List
- All doors open 110˚
- Grommet in back panel for light cord
- Standard hutches have 21" clearance under shelf, 18" clearance under valance
- Tall hutches have 25½" clearance under shelf, 22½" clearance under valance
- Interior heights: 12" (standard)
  14" (tall)
- Non-structural 3" valance included; installation optional
- Power / Data Module can be installed in hutch back panel **PD 7500** – $237 list (see pg. 7-7 for order information)



DOUBLE TIER CUPBOARD DOOR HUTCH



SIN 711-2

2 Doors	**4 HDD 3651 (-)**	36	13	51.5	123	9.6	**903**	**1064**
	4 HDD 4251 (-)	42	13	51.5	138	11.7	**977**	**1151**
3 Doors	**4 HDD 4851 (-)**	48	13	51.5	151	13.8	**1063**	**1242**
	4 HDD 5451 (-)	54	13	51.5	174	14.3	**1152**	**1364**
4 Doors	**4 HDD 6051 (-)**	60	13	51.5	188	15.5	**1255**	**1495**
	4 HDD 6651 (-)	66	13	51.5	202	16.8	**1389**	**1646**
	4 HDD 7251 (-)	72	13	51.5	217	18.5	**1496**	**1773**
	4 HDD 7851 (-)	78	13	51.5	231	20.3	**1601**	**1943**
	4 HDD 8451 (-)	84	13	51.5	245	23.3	**1814**	**2159**

Double Tier Cupboard Door Hutches

- 22" clearance under shelf; 19" clearance under valance
- Interior heights: 12" (top tier)
  14" (bottom tier)
- Full width wire access strip at bottom
- HPL option available for door faces only
- Non-locking is standard
- Locking option-specify:
  2 doors – **HDLK2** – $87 List
  3 doors – **HDLK3** – $133 List
  4 doors – **HDLK4**– $144 List
- Shipped RTA
- Doors / top panel add 1" to overall depth of Cupboard Door Hutches
- For full height doors, change code to **4 HDDF** and add 10% to price

CUPBOARD DOOR WALL BINS



SIN 711-2

2 Doors	**4 HD W 3021 (-)**	30	13	20	53	1.9	**601**	**716**
	4 HD W 3621 (-)	36	13	20	61	2.3	**636**	**782**
	4 HD W 4221 (-)	42	13	20	70	2.5	**685**	**838**
3 Doors	**4 HD W 4821 (-)**	48	13	20	81	2.8	**734**	**910**
	4 HD W 5421 (-)	54	13	20	89	3.2	**771**	**935**
4 Doors	**4 HD W 6021 (-)**	60	13	20	101	3.5	**831**	**1001**
	4 HD W 6621 (-)	66	13	20	109	3.8	**862**	**1043**
	4 HD W 7221 (-)	72	13	20	117	4.2	**898**	**1092**

Enter Handle Selection to complete code

4 Handles to choose from:
KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

- Designed to match tall hutches
- Locking Option – specify:
  2 doors – **HDLK2** - $87 List
  3 doors – **HDLK3** - $133 List
  4 doors – **HDLK4** - $144 List
- Non-structural 3" valance included; installation optional
- Interior height 14.5"

Mounting Details



LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HUTCHES with FRAMED TRANSLUCENT DOORS

BOARDWALK™

FRAMED TRANSLUCENT CUPBOARD DOOR HUTCH







SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Standard Hutch with 2 Doors 24" - 42"	**4 HD G 3036 (-)**	30	13	36.5	77	3.0	**899**	**N/A**
	4 HD G 3636 (-)	36	13	36.5	84	3.6	**936**	**N/A**
	4 HD G 4236 (-)	42	13	36.5	89	5.2	**1009**	**N/A**
3 Doors 48" - 54"	**4 HD G 4836 (-)**	48	13	36.5	101	6.5	**1222**	**N/A**
	4 HD G 5436 (-)	54	13	36.5	110	7.6	**1341**	**N/A**
4 Doors 60" - 84"	**4 HD G 6036 (-)**	60	13	36.5	123	8.4	**1463**	**N/A**
	4 HD G 6636 (-)	66	13	36.5	132	9.2	**1561**	**N/A**
	4 HD G 7236 (-)	72	13	36.5	144	10.0	**1600**	**N/A**
	4 HD G 7836 (-)	78	13	36.5	158	10.7	**1672**	**N/A**
	4 HD G 8436 (-)	84	13	36.5	172	11.7	**1834**	**N/A**
Tall Hutch with 2 Doors 24" - 42"	**4 HD G 3042 (-)**	30	13	42.5	84	3.8	**1004**	**N/A**
	4 HD G 3642 (-)	36	13	42.5	93	4.4	**1052**	**N/A**
	4 HD G 4242 (-)	42	13	42.5	98	6.0	**1149**	**N/A**
3 Doors 48" - 54"	**4 HD G 4842 (-)**	48	13	42.5	111	7.3	**1354**	**N/A**
	4 HD G 5442 (-)	54	13	42.5	121	8.4	**1464**	**N/A**
4 Doors 60" - 84"	**4 HD G 6042 (-)**	60	13	42.5	135	9.2	**1600**	**N/A**
	4 HD G 6642 (-)	66	13	42.5	144	10.0	**1677**	**N/A**
	4 HD G 7242 (-)	72	13	42.5	161	10.8	**1713**	**N/A**
	4 HD G 7842 (-)	78	13	42.5	174	11.5	**1786**	**N/A**
	4 HD G 8442 (-)	84	13	42.5	188	12.5	**1971**	**N/A**

Standard & Tall Cupboard Door Hutches

- Full width wire access strip at bottom
- Can specify up to 2 finishes with order (Top - top, Base - sides and back)
- Doors are brushed aluminum frame with frosted acrylic inset
- Non-locking is standard
  Locking Option – specify:
  2 doors – **HDLK2** - $87 List
  3 doors – **HDLK3** - $133 List
  4 doors – **HDLK4** - $144 List
- All doors open 110˚
- Grommet in back panel for light cord
- Standard hutches have 21" clearance under shelf, 18" clearance under valance
- Tall hutches have 25½" clearance under shelf, 22½" clearance under valance
- Interior heights: 12" (standard)
  14" (tall)
- Non-structural 3" valance included; installation optional
- Power / Data Module can be installed in hutch back panel **PD 7500** – $237 list (see pg. 7-7 for order information)



BOARDWALK™

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HUTCHES

BOARDWALK™

FLIPPER HUTCH STRAIGHT DOOR







SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Standard Height 1 Door	**4 HF S 3636**	36	13	36.5	84	4.1	**722**	**838**
	4 HF S 4236	42	13	36.5	95	4.7	**789**	**935**
	4 HF S 4836	48	13	36.5	106	5.4	**843**	**1001**
2 Doors	**4 HF S 5436**	54	13	36.5	120	6.8	**959**	**1136**
	4 HF S 6036	60	13	36.5	133	7.5	**1019**	**1208**
	4 HF S 6636	66	13	36.5	148	8.5	**1080**	**1278**
	4 HF S 7236	72	13	36.5	160	9.6	**1116**	**1323**
	4 HF S 7836	78	13	36.5	172	10.7	**1213**	**1436**
	4 HF S 8436	84	13	36.5	184	11.7	**1340**	**1587**
Tall Height 1 Door	**4 HF S 3042**	30	13	42.5	71	3.8	**754**	**894**
	4 HF S 3642	36	13	42.5	86	4.6	**795**	**921**
	4 HF S 4242	42	13	42.5	101	5.4	**867**	**1027**
	4 HF S 4842	48	13	42.5	116	6.2	**927**	**1100**
2 Doors	**4 HF S 5442**	54	13	42.5	131	7.6	**1053**	**1251**
	4 HF S 6042	60	13	42.5	145	8.3	**1120**	**1328**
	4 HF S 6642	66	13	42.5	161	9.3	**1188**	**1405**
	4 HF S 7242	72	13	42.5	174	10.4	**1227**	**1454**
	4 HF S 7842	78	13	42.5	187	11.5	**1335**	**1581**
	4 HF S 8442	84	13	42.5	200	12.5	**1475**	**1746**
Power / Data Module (installed)	**PD 7500**	6.25	2.5	3.25			**237**	

36"H Flipper Door Hutches
- 21 1/2" clearance under shelf, 18 1/2" clearance under valance
- Interior height 12"
- Full width wire access strip at bottom
- Grommet installed in upper back panel for task light cord
- Door opens over top shelf
- 2 door models keyed alike
- Top is same finish as panels and modesty
- HPL option available for door faces only
- Non-structural 3" valance provided, installation optional
- Shipped RTA
- Tack Boards, see page 3-35

42"H Flipper Door Hutches
- 26" clearance under shelf, 23" clearance under valance
- Interior height 14"

- Power / Data Module can be installed in hutch back panel
- When used with tackboards, tackboard must be cut by installer on site

FLIPPER HUTCH CURVED DOOR



SIN 711-2

Standard Height 1 Door	**4 HF C 4836**	48	13	36.5	116	6.2	**878**	**1035**
2 Doors	**4 HF C 5436**	54	13	36.5	131	7.6	**993**	**1171**
	4 HF C 6036	60	13	36.5	145	8.3	**1053**	**1242**
	4 HF C 6636	66	13	36.5	161	9.3	**1115**	**1313**
	4 HF C 7236	72	13	36.5	174	10.4	**1151**	**1358**
	4 HF C 7836	78	13	36.5	187	11.5	**1247**	**1471**
	4 HF C 8436	84	13	36.5	200	12.5	**1374**	**1621**

- Tall Height models with curved doors available. Specify as **4 HFC xx42** and add 10%
- Interior heights: 12" (standard)
  14" (tall)

OPEN HUTCH WITH TOP



SIN 711-2

Standard Hutch 36.5" High	**4 HH T 3036**	30	13	36.5	65	3.0	**442**	**N/A**
	4 HH T 3636	36	13	36.5	74	3.4	**480**	**N/A**
	4 HH T 4236	42	13	36.5	83	4.2	**522**	**N/A**
	4 HH T 4836	48	13	36.5	95	5.1	**576**	**N/A**
	4 HH T 5436	54	13	36.5	104	6.0	**620**	**N/A**
	4 HH T 6036	60	13	36.5	112	7.3	**660**	**N/A**
	4 HH T 6636	66	13	36.5	121	8.6	**722**	**N/A**
	4 HH T 7236	72	13	36.5	130	10.0	**758**	**N/A**
	4 HH T 7836	78	13	36.5	138	11.4	**819**	**N/A**
	4 HH T 8436	84	13	36.5	147	12.8	**910**	**N/A**
Tall Hutch 42.5" High	**4 HH T 3042**	30	13	42.5	73	3.8	**522**	**N/A**
	4 HH T 3642	36	13	42.5	82	4.4	**558**	**N/A**
	4 HH T 4242	42	13	42.5	92	5.0	**601**	**N/A**
	4 HH T 4842	48	13	42.5	105	5.6	**655**	**N/A**
	4 HH T 5442	54	13	42.5	114	6.5	**697**	**N/A**
	4 HH T 6042	60	13	42.5	124	7.9	**728**	**N/A**
	4 HH T 6642	66	13	42.5	133	9.2	**819**	**N/A**
	4 HH T 7242	72	13	42.5	143	10.6	**843**	**N/A**
	4 HH T 7842	78	13	42.5	152	12.0	**927**	**N/A**
	4 HH T 8442	84	13	42.5	162	13.5	**1019**	**N/A**

Standard Open Hutch
- 21" clearance under shelf, 18" clearance under valance
- Interior height 12"
- Full width wire access strip at bottom
- Shipped RTA
- Tack Boards (see below)
- Shelves and uprights are 1" material, back is 3/4" thick
- Non-structural 3" valance included; installation optional
- Top is 1 1/2" thick
- Grommet installed in back panel for task light cord

Tall Open Hutch
- Grommet installed in back panel for task light cord
- 25 1/2" clearance under shelf, 22 1/2" clearance under valance
- Interior height 14"
- Non-structural 3" valance included; installation optional

LEGEND: **W**=width; **D**=depth; H=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TACKBOARDS

BOARDWALK™

FABRIC TACKBOARD – 16"H



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
4 FW 2816	28	0.5	16	3	0.7	**159**	**194**
4 FW 3416	34	0.5	16	4	0.8	**164**	**200**
4 FW 4016	40	0.5	16	5	0.9	**200**	**242**
4 FW 4616	46	0.5	16	5	1.2	**212**	**253**
4 FW 5216	52	0.5	16	6	1.2	**224**	**266**
4 FW 5816	58	0.5	16	7	1.3	**237**	**286**
4 FW 6416	64	0.5	16	7	1.5	**255**	**307**
4 FW 7016	70	0.5	16	8	1.6	**267**	**323**
4 FW 7616	76	0.5	16	9	1.7	**286**	**379**
4 FW 8216	82	0.5	16	9	1.9	**303**	**413**

Fabric Tack Board
- See Fabric Card for fabric options
- Can be used with any Boardwalk™ hutch
- In use, part of hutch back panel will be visible above and below tackboard and leaves full access to task light grommet

FABRIC TACKBOARD – 19.5"H



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
4 FW 2819	28	0.5	18.75	4	0.8	**183**	**223**
4 FW 3419	34	0.5	18.75	5	1.0	**188**	**231**
4 FW 4019	40	0.5	18.75	6	1.1	**231**	**277**
4 FW 4619	46	0.5	18.75	7	1.3	**244**	**291**
4 FW 5219	52	0.5	18.75	8	1.5	**258**	**307**
4 FW 5819	58	0.5	18.75	9	1.6	**272**	**328**
4 FW 6419	64	0.5	18.75	10	1.8	**293**	**353**
4 FW 7019	70	0.5	18.75	11	1.9	**308**	**372**
4 FW 7619	76	0.5	18.75	12	2.1	**328**	**436**
4 FW 8219	82	0.5	18.75	13	2.3	**349**	**474**

- Use for fuller height coverage on standard height hutches without horizontal paper management (partially covers back grommet)
- Use with tall hutches when Horizontal Paper Management installed
- In use, covers complete back panel on Standard Height hutches except 1 1/2" to access task light grommet

FABRIC TACKBOARD – 22"H



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
4 FW 2822	28	0.5	21.75	4	0.9	**210**	**257**
4 FW 3422	34	0.5	21.75	5	1.1	**218**	**266**
4 FW 4022	40	0.5	21.75	6	1.2	**266**	**314**
4 FW 4622	46	0.5	21.75	7	1.4	**281**	**336**
4 FW 5222	52	0.5	21.75	8	1.6	**298**	**353**
4 FW 5822	58	0.5	21.75	9	1.8	**313**	**379**
4 FW 6422	64	0.5	21.75	10	1.9	**338**	**405**
4 FW 7022	70	0.5	21.75	11	2.1	**355**	**428**
4 FW 7622	76	0.5	21.75	12	2.2	**373**	**475**
4 FW 8222	82	0.5	21.75	13	2.4	**393**	**508**

- Use for fuller height coverage on Tall Height hutches without Horizontal Paper Management. Leaves 2" of rear grommet exposed.

FABRIC TACKBOARD – 25"H (WALL BINS ONLY)



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
4 FW 3025	30	0.5	25	4	0.9	**237**	**291**
4 FW 3625	36	0.5	25	5	1.1	**246**	**300**
4 FW 4225	42	0.5	25	6	1.2	**300**	**362**
4 FW 4825	48	0.5	25	7	1.4	**319**	**381**
4 FW 5425	54	0.5	25	8	1.6	**337**	**399**
4 FW 6025	60	0.5	25	9	1.8	**356**	**428**
4 FW 6625	66	0.5	25	10	1.9	**382**	**459**
4 FW 7225	72	0.5	25	11	2.1	**401**	**486**

- Use to fill complete wall space under wall bins
- Wall mount requires purchase of **FWHKIT** at $21 list

Front View



Side View

HORIZONTAL PAPER MANAGEMENT



SIN 711-2

	Model #	W	D	H	Wt	V	GRD A $	GRD B $
3 slots for 28" to 52"	**4 SHP 28**	28	12	4.5	13	0.8	**224**	**N/A**
	4 SHP 34	34	12	4.5	18	1.0	**237**	**N/A**
	4 SHP 40	40	12	4.5	20	1.1	**261**	**N/A**
	4 SHP 46	46	12	4.5	22	1.3	**286**	**N/A**
	4 SHP 52	52	12	4.5	26	1.4	**334**	**N/A**
4 slots for 58" to 82"	**4 SHP 58**	58	12	4.5	29	1.6	**382**	**N/A**
	4 SHP 64	64	12	4.5	32	1.7	**431**	**N/A**
	4 SHP 70	70	12	4.5	35	1.9	**480**	**N/A**
	4 SHP 76	76	12	4.5	38	2.1	**528**	**N/A**
	4 SHP 82	82	12	4.5	41	2.2	**576**	**N/A**

Horizontal Paper Management
- Valance and task light can be mounted below
- Slots match width of hutch doors
- Shipped RTA

Vertical Paper Management
- **4 SVP 18** fits under standard hutch with valance attached or tall hutch with valiance and horizontal paper management attached
- **4 SVP 21** fits under standard hutch without valance or tall hutch with either, but not both of valance or horizontal paper management attached

- Note hutch clearances when sizing vertical paper management

VERTICAL PAPER MANAGEMENT



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
4 SVP 18	13.25	11.75	18	17	0.9	**291**	**N/A**
4 SVP 21	13.25	11.75	21	18	1.0	**310**	**N/A**

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

RECEPTION STATIONS / TABLES

BOARDWALK™

RECEPTION DESK – RIGHT

	Model #	W	D	H	Wt	V	TFL $	HPL $
Desk Shell only	**4 REC 7230**	72	30	43	258	11.0	**1201**	**1486**
Desk with Pedestal	**4 REC 7230 HX (-)**	72	30	43	325	15.0	**1504**	**1862**
42" Reception Return	**4 RER 4224 R (-)**	42	24	43	175	9.8	**855**	**1170**
48" Reception Return	**4 RER 4824 R (-)**	48	24	43	187	10.6	**916**	**1243**



SIN 711-2

Enter Handle Selection to complete code

RECEPTION DESK – LEFT

Desk Shell only	**4 REC 7230**	72	30	43	258	11.0	**1201**	**1486**
Desk with Pedestal	**4 REC 7230 XH (-)**	72	30	43	325	15.0	**1504**	**1862**
42" Reception Return	**4 RER 4224 L (-)**	42	24	43	175	9.8	**855**	**1170**
48" Reception Return	**4 RER 4824 L (-)**	48	24	43	187	10.6	**916**	**1243**



SIN 711-2

Enter Handle Selection to complete code

Reception Stations

- Boardwalk™ -style worksurfaces and transaction counter
- 1 grommet in each top
- Bow Shaped Transaction shelf
- Desk can be ordered as "shell only" or with Box / File pedestal
- Hanging, Box / File pedestal on return can be mounted on either return or desk
- Returns are cross-grain on top to match abutting desk.
- Pencil tray in box drawer
- Full height modesty panel

4 Handles to choose from:

KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

SQUARE END TABLE



SIN 711-11

Cross Base	**4 RCS 2222**	22	22	21	36	1.1	**310**	**413**
	4 RCS 2626	26	26	21	47	1.5	**364**	**474**
Panel End	**4 RCSF 2222**	22	22	21	36	1.1	**310**	**413**
	4 RCSF 2626	26	26	21	47	1.5	**364**	**474**

ROUND END TABLE

SIN 711-11

Round Cross Base	**4 RCR 2424**	24	24	21	42	1.3	**364**	**474**

RECTANGULAR COFFEE TABLE



SIN 711-11

Rectangular Panel End	**4 RCSF 3618**	36	18	18	41	1.4	**377**	**480**
	4 RCSF 4824	48	24	18	70	3.0	**431**	**552**

LEGEND: **W**=width; **D**=depth; H=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING ROOM ACCESSORIES

BOARDWALK™

	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
AV CABINET									
 SIN 711-3									• 270° fold-away top doors • 1 fixed shelf, 2 adjustable shelves • Opening for TV is max. 34"w x 35"h with adjustable top shelf removed • Fully ventilated • Wire access top to bottom behind shelves • Locks top and bottom • Mobile version has 3" casters • Shipped assembled
Fixed	**4 PAV 3624 (-)**	36	24	66	247	36.0	**2039**	**2495**	
Mobile	**4 PAVM 3624 (-)**	36	24	66	249	36.0	**2234**	**2690**	
WHITE BOARD									
 SIN 711-3									• Tackable surface inside one door, Fabric is Opal (AOP011) only • Hooks for flip chart on other door • HPL option for door faces only • Marker tray included on ledge • Shipped assembled
	Non-magnetic White Board								
White Board	**4 PWB 4848 (-)**	48	6	48	147	11.8	**1025**	**1510**	
	Magnetic White Board								
	4 PWBM 4848 (-)	48	6	48	147	11.8	**1355**	**1840**	
LECTERN									
 SIN 711-2									• Sloping top shelf with paper stop • Fixed shelf underneath • On casters, front locking
Lectern	**3 PLC 4420**	20	20	44	90	3.6	**558**	**N/A**	
MOBILE SERVING CART									
 SIN 711-3									• Pull-out shelf at top • Full extension drawer slides • HPL option on top only • Need to select handle style and finish • Four casters, 2 locking • One adjustable shelf behind door • Locking option on cupboard door, order **HDLK1** - $58 list (installed)
Serving Cart	**4 PSC 2020 (-)**	20	20	36	119	11	**771**	**879**	
MOBILE SERVING BUFFET									
 SIN 711-3									• Pull-out shelf at top • Full extension drawer slides • HPL option on top only • Need to select handle style and finish • Four casters, 2 locking • One adjustable shelf behind door • Locking option on cupboard doors, order **HDLK2** - $87 list (installed)
Serving Buffet	**4 PSBM 3620 (-)**	36	20	36	189	19	**1285**	**1468**	
MEETING ROOM BUFFET									
 SIN 711-3									• 4 full extension drawers along top • 2 adjustable shelves in each section • HPL option on top only • Need to select handle style and finish • **4 PSB 7220** is not mobile • Locking option on cupboard doors, order **HDLK4** - $144 list (installed)
Meeting Room Buffet	**4 PSB 3620 (-)**	36	20	36	179	19	**1213**	**1385**	
	4 PSB 7220 (-)	72	20	36	358	38	**2189**	**2498**	

Enter Handle Selection to complete code

4 Handles to choose from:
KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

SPECIALTY STORAGE

BOARDWALK™

TILTED SHELF LITERATURE RACKS



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
4 SLR 4215	36	15	42	102	6.0	**849**	**N/A**
4 SLR 6615	36	15	66	127	8.0	**1182**	**N/A**

Tilted Shelf Literature Racks
- 42"h unit has 3 tilted shelves
- 65"h unit has 4 tilted shelves
- Storage shelf behind each tilting shelf
- Shipped RTA

TROPHY / DISPLAY CASES



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
36" Wide	**4 SDC 3620 (-)**	36	20	66	259	33.0	**2202**	**2382**
	4 SDC 3624 (-)	36	24	66	281	36.0	**2407**	**2608**
48" Wide	**4 SDC 4820 (-)**	48	20	66	326	39.0	**2935**	**3142**
	4 SDC 4824 (-)	48	24	66	353	39.0	**3263**	**3468**

Trophy / Display Cases
- Locks included on both glass and door sections
- 2 shelves above; 1 below
- Shipped assembled, except glass which is packed separately
- 48"w version has center support
- Options include: full glass front and glass shelves. Call INLINE Sales Rep for quote
- 72"H versions also available

LIBRARY STORAGE



SIN 711-3

Model #	W	D	H	Wt	V	TFL $	HPL $
4 SPO 3620 (-)	36	20	66	246	33.0	**1055**	**1298**
4 SPO 3624 (-)	36	24	66	268	36.0	**1232**	**1474**

Enter Handle Selection to complete code
4 Handles to choose from:
KW Black, Wide Wire
NW Nickel, Wide Wire
KL Black, Loop
NL Nickel, Loop

Library Storage
- 2 adjustable shelves above; 1 below
- Locks included on bottom section
- Shipped assembled

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

L·A·T·I·T·U·D·E®

2013

Contents

The INLINE LATITUDE® System 4-2

Standard Worksurfaces

Standard Tops 4-3
Corner Tops and Wedges 4-5
Standard Gables 4-7
Bridging and Return Tops 4-8
End & Side Connecting D-Tops 4-9
End Connecting P-Tops 4-10

Curved Work Surfaces

24" Curved Tops – 18" Connection 4-11
30" Curved Tops – 18" Connection 4-12
30" Curved Tops – 24" Connection 4-13
Radius Corners 4-14
Curved D-Tops 4-15
Curved D-Tops with Modesty 4-16
Extended Corner D-Tops 4-17
Extended Corner P-Tops 4-18
Extended 36", 42" & 48" Corner Tops 4-19

Storage and Screens

Mobile Pedestals 4-20
Hanging Pedestals 4-21
Floor Peds – For Tops with Modesty Panels & Top Supporting Floor Peds 4-22
Lateral Files – Low Storage & Credenza 4-23
Multifiles 4-25
Storage 4-26
Tall Lateral / Storage Units / Bookcases 4-27
Corner Hutches & Extended Corner Hutches 4-28
Screen-Style Open Hutches 4-29
Screen-Style Flipper Door & Cupboard Door Hutches 4-30
Gable-End Open Hutches 4-31
Gable-End Flipper Door Hutches 4-32
Screen-Style Double Tier Hutches 4-33
Transaction Hutches 4-34
Cantilevered Transaction Hutches 4-35
1/4 Round Corner Hutches & Wall-Mounted Bins 4-36

Keyboards

Keyboards 4-37

Accessories, Tables and Mobiles

Meeting Room, Accessories & Reception Tables 4-38
Meeting Table Tops 4-39

THE LATITUDE® SYSTEM

L·A·T·I·T·U·D·E®

OVERVIEW

LATITUDE® offers:

- Flexibility through an extensive range of components and sizes
- Flexibility in laminate selection and mixing finishes
- Superior structural strength using metal-to-metal fasteners
- Superior and consistent product quality using state of the art CNC manufacturing equipment CAD design and the ISO 9000 Quality System
- Guaranteed delivery lead times to ensure total customer satisfaction

FLEXIBILITY OF COMPONENTS

- LATITUDE® offers an extensive range of components including tops from 18" wide to 96" wide. This range is available in 18", 24", 30" and 36" depths.
- In addition to a complete selection of worksurfaces, LATITUDE® offers a complete line of storage options and accessories.
- All worksurfaces and supports are 29.5" high unless otherwise stated.

STANDARDS OF EXCELLENCE

LATITUDE® meets:

- ANSI/BIFMA x5.5-2008 Standards required for GSA registration and Canadian General Standards Board (CGSB)
- CAN/CGSB 44.227-2008 required for National Master Standing offer
- OASIS SPECIFICATION 004 TYPE II CLASS B for Canadian Federal Government Standing Offer Program.
- INLINE SYSTEMS®, meets ISO 9001:2008 quality control standards and is certified by the Canadian General Standards Board.

RECONFIGURATION

- LATITUDE® has been designed and engineered with many non-handed components. Thus, worksurfaces and support gables can be reversed or repositioned from left to right and right to left without having to add additional hardware or drill new holes. Changes in user requirements and personnel moves makes it necessary to add/delete or reconfigure workstations regularly. LATITUDE® conforms to these requirements by using a superior connection system (Mod-eez®) and joiner gables that connect two surfaces. Non-handedness does not apply to curved worksurfaces. D & P Tops are not intended to be used as freestanding units.

SUPERIOR STRUCTURAL STRENGTH

- LATITUDE® uses the Mod-eez® system of “metal-to-metal” fasteners to ensure the strength of connections. The spring steel fasteners are embedded in the wood core in each connecting surface ensuring that the structural stress is evenly distributed over a wide surface area. These fasteners are not visible after installation, and provide a clean finish to the workstation components.

CONSTRUCTION DETAILS

- All finishes are laminated to 45lb. Industrial grade particleboard.

CUSTOM FINISHES

- Custom H.P. laminate, that are not standard Inline laminate, can be ordered for a small up charge. Please phone for a quotation.

MODESTY PANELS

- All worksurfaces are available with full, partial or raised height modesty panels.

DRAWERS

- Drawer interiors are black textured, mar-resistant finish for easy cleaning. Box drawers include a pencil tray and are mounted on heavy-duty, 100 lbs. load rated, telescoping, full extension slides with tempered steel precision ball-bearings.
- File drawers are mounted on heavy-duty, 100 lbs. load rated, telescoping, full extension slides with tempered steel ball-bearings.
- Lateral file drawers are mounted on super heavy-duty, 150 lbs. load rated, telescoping, full extension slides with tempered steel ball-bearings.
- File and lateral file drawers allow for legal and letter size filing (back-to-front or side-to-side).
- Lateral file drawer bottoms are reinforced with metal strap.

STANDARD TOPS

L·A·T·I·T·U·D·E®

STANDARD TOPS – FULL MODESTY



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Depth	**TR 1824**	16	23.5	25	2.3	**230**	**299**
	TR 2424	22	23.5	28	2.3	**244**	**315**
	TR 3024	28	23.5	37	2.3	**261**	**338**
	TR 3624	34	23.5	44	2.3	**281**	**366**
	TR 3924	37	23.5	46	2.5	**293**	**378**
	TR 4224	40	23.5	50	2.9	**300**	**389**
	TR 4824	46	23.5	62	3.3	**315**	**412**
	TR 5424	52	23.5	75	3.6	**386**	**505**
	TR 6024	58	23.5	78	4.0	**407**	**530**
	TR 6624	64	23.5	86	4.8	**428**	**557**
	TR 7224	70	23.5	88	4.8	**454**	**589**
	TR 7824	76	23.5	92	5.2	**559**	**742**
	TR 8424	82	23.5	96	5.6	**615**	**801**
	TR 9624	94	23.5	104	5.6	**659**	**858**
30" Depth	**TR 2430**	22	29.5	28	2.3	**279**	**362**
	TR 3030	28	29.5	37	2.3	**299**	**389**
	TR 3630	34	29.5	44	2.3	**322**	**417**
	TR 4230	40	29.5	50	2.9	**344**	**447**
	TR 4830	46	29.5	62	3.3	**365**	**476**
	TR 5430	52	29.5	75	3.6	**434**	**564**
	TR 6030	58	29.5	78	4.0	**455**	**590**
	TR 6630	64	29.5	86	4.8	**476**	**616**
	TR 7230	70	29.5	88	4.8	**499**	**646**
	TR 7830	76	29.5	92	5.2	**613**	**797**
	TR 8430	82	29.5	96	5.6	**659**	**858**
	TR 9630	94	29.5	104	5.6	**706**	**917**
36" Depth	**TR 6036**	58	35.5	88	4.8	**589**	**760**
	TR 6636	64	35.5	97	5.2	**612**	**785**
	TR 7236	70	35.5	100	5.7	**637**	**820**
	TR 7836	76	35.5	105	6.1	**742**	**972**
	TR 8436	82	35.5	110	6.6	**790**	**1016**

Remarks

- Dimensions are for tops only
- Tops are 29.5" high
- Glides provide 1" of height adjustability
- Standard tops include worksurface, modesty panel and hardware
- Full modesty is 2" from floor and inset, 5" from rear of worksurface
- TQ modesty is raised 16" from floor and inset, 5" from rear of worksurface
- 24" - 30" lengths include one grommet
- 36" - 96" lengths include two grommets
- 54" - 96" lengths include steel support bar
- Full gables add 1" to width at each end
- Joiner gables add 1/4" to width
- GV 2908 support may be added to 84" & 96" tops for added support for heavy-duty applications (see pg. 4-8)
- Options:
  - Extra grommets (see pg. 7-5)
  - Cable raceway (see pg. 7-6)
- Modesty can be inset 5", 11" or centered on 36" tops

BOW FRONT – FULL MODESTY



SIN 711-2

		W	D	Wt	V	TFL $	HPL $
30"/36" Bow Front	**TB 6036**	58	30/36	85	4.8	**651**	**840**
	TB 6636	64	30/36	93	5.2	**680**	**878**
	TB 7236	70	30/36	96	5.7	**712**	**918**
36"/42" Bow Front	**TB 6042**	58	36/42	98	5.0	**718**	**935**
	TB 6642	64	36/42	103	5.4	**748**	**972**
	TB 7242	70	36/42	107	5.9	**786**	**1011**
	TB 7842	76	36/42	112	6.3	**886**	**1151**
	TB 8442	82	36/42	118	6.8	**935**	**1215**

- Tops are either 30" at ends, 36" in middle; or 36" deep at ends, 42" in middle
- Modesty can be inset 5" or 11" from end of top
- Steel support bar included

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD TOPS

L·A·T·I·T·U·D·E®

STANDARD TOPS – RAISED MODESTY



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Depth	**TQ 1824**	16	23.5	25	2.3	**255**	**324**
	TQ 2424	22	23.5	28	2.3	**275**	**349**
	TQ 3024	28	23.5	37	2.3	**295**	**372**
	TQ 3624	34	23.5	44	2.3	**313**	**399**
	TQ 3924	37	23.5	46	2.5	**331**	**415**
	TQ 4224	40	23.5	50	2.9	**336**	**427**
	TQ 4824	46	23.5	62	3.3	**355**	**450**
	TQ 5424	52	23.5	75	3.6	**432**	**550**
	TQ 6024	58	23.5	78	4.0	**453**	**575**
	TQ 6624	64	23.5	86	4.8	**474**	**602**
	TQ 7224	70	23.5	88	4.8	**505**	**639**
	TQ 7824	76	23.5	92	5.2	**610**	**794**
	TQ 8424	82	23.5	96	5.6	**680**	**864**
	TQ 9624	94	23.5	104	5.6	**722**	**921**
30" Depth	**TQ 2430**	22	29.5	28	2.3	**311**	**396**
	TQ 3030	28	29.5	37	2.3	**331**	**422**
	TQ 3630	34	29.5	44	2.3	**354**	**450**
	TQ 4230	40	29.5	50	2.9	**381**	**484**
	TQ 4830	46	29.5	62	3.3	**404**	**512**
	TQ 5430	52	29.5	75	3.6	**477**	**609**
	TQ 6030	58	29.5	78	4.0	**500**	**635**
	TQ 6630	64	29.5	86	4.8	**519**	**662**
	TQ 7230	70	29.5	88	4.8	**550**	**696**
	TQ 7830	76	29.5	92	5.2	**665**	**847**
	TQ 8430	82	29.5	96	5.6	**723**	**921**
	TQ 9630	94	29.5	104	5.6	**769**	**982**
36" Depth	**TQ 6036**	58	35.5	88	4.8	**634**	**805**
	TQ 6636	64	35.5	97	5.2	**657**	**831**
	TQ 7236	70	35.5	100	5.7	**689**	**870**
	TQ 7836	76	35.5	105	6.1	**794**	**1024**
	TQ 8436	82	35.5	110	6.6	**855**	**1082**

- Dimensions are for tops only
- Tops are 29.5" high
- Glides provide 1" of height adjustability
- Standard tops include worksurface, modesty panel and hardware
- TQ modesty is raised 16" from floor and inset, 5" from rear of worksurface
- 24" - 30" lengths include one grommet
- 36" - 96" lengths include two grommets
- 54" - 96" lengths include steel support bar
- Full gables add 1" to width at each end
- Joiner gables add 1/4" to width
- Options:
  - Extra grommets (see pg. 7-5)
  - Cable raceway (see pg. 7-6)
- Modesty can be inset 5", 11" or centered on 36" tops

STANDARD TOPS – PARTIAL MODESTY



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Depth	**TP 1824**	16	23.5	25	2.3	**230**	**299**
	TP 2424	22	23.5	28	2.3	**244**	**315**
	TP 3024	28	23.5	37	2.3	**261**	**338**
	TP 3624	34	23.5	44	2.3	**281**	**366**
	TP 3924	37	23.5	46	2.5	**293**	**378**
	TP 4224	40	23.5	50	2.9	**299**	**389**
	TP 4824	46	23.5	62	3.3	**315**	**412**
	TP 5424	52	23.5	75	3.6	**387**	**505**
	TP 6024	58	23.5	78	4.0	**407**	**530**
	TP 6624	64	23.5	86	4.8	**428**	**557**
	TP 7224	70	23.5	88	4.8	**454**	**589**
30" Depth	**TP 2430**	22	29.5	28	2.3	**279**	**362**
	TP 3030	28	29.5	37	2.3	**299**	**389**
	TP 3630	34	29.5	44	2.3	**322**	**417**
	TP 4230	40	29.5	50	2.9	**344**	**447**
	TP 4830	46	29.5	62	3.3	**365**	**476**
	TP 5430	52	29.5	75	3.6	**434**	**564**
	TP 6030	58	29.5	78	4.0	**455**	**590**
	TP 6630	64	29.5	86	4.8	**476**	**616**
	TP 7230	70	29.5	88	4.8	**498**	**646**

- TP-style tops cannot be used exclusively for a complete workstation
- Dimensions are for tops only
- Tops are 29.5" high
- Glides provide 1" of height adjustability
- Standard tops include worksurface, 2 partial modesty panels and hardware
- Partial modesty is 2" wide at bottom, 10" wide at top
- 24" - 30" lengths include one grommet
- 36" - 72" lengths include two grommets
- 54" - 72" lengths include steel support bar
- Full gables add 1" to width at each end
- Joiner gables add 1/4" to width
- TP modesty not for use on lengths over 72"

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER TOPS

L·A·T·I·T·U·D·E®

		Model #	A	B	C	Wt	V	TFL $	HPL $	Remarks
36" COMPACT										
 SIN 711-2	**Full Modesty**	**CZ 2924**	36	24	18	80	4.5	**450**	**585**	• Connects to 24" deep standard tops only, with recessed joiner gables • Two GK 2912 gables leave 25.75" for keyboard • Two GH 2912 gables leave 34.5" for keyboard • Includes one oblong grommet • CZQ has modesty raised 16" on both sides • CZP has two partial modesties on one 4" steel post-leg • CZP model must connect to at least one top with either full modesty (TR) or raised modesty (TQ)
	Raised Modesty	**CZQ 2924**	36	24	18	76	4.5	**512**	**649**	
	Partial Modesty	**CZP 2924**	36	24	18	64	4.5	**450**	**585**	
										
42" UNIVERSAL										As above, except: • Connects to 24" deep tops as is • Connects to 30" deep tops with TA 0606 corner block (see below) • Requires recessed joiner cable with 24" tops or universal joiner gable with 30" tops • Two GK 2920 gables leave 26.25" for keyboard • Two GH 2920 or GK 2912 gables leave 35.25" for keyboard • Includes one oblong grommet
 SIN 711-2	**Full Modesty**	**CU 2924**	42	24	27	100	6.5	**574**	**747**	
	Raised Modesty	**CUQ 2924**	42	24	27	95	6.5	**637**	**811**	
	Partial Modesty	**CUP 2924**	42	24	27	80	6.5	**574**	**747**	
48" UNIVERSAL										As above, except: • 2924 connects to 24" tops as is or to 30" with TA 0606 corner blocks • 2930 connects to 30" tops only • Requires recessed joiner gable or universal joiner gable
 SIN 711-2	**Full Modesty**	**CW 2924**	48	24	35	117	7.8	**730**	**947**	
	Raised Modesty	**CWQ 2924**	48	24	35	111	7.8	**806**	**1024**	
	Full Modesty	**CW 2930**	48	48	26	125	7.8	**730**	**947**	
	Raised Modesty	**CWQ 2930**	48	48	26	119	7.8	**806**	**1024**	
42" CUTAWAY										• Connects to 24" deep tops as is • Connects to 30" deep tops with TA 0606 corner block (see below) • Requires joiner gables, shown on pg. 4-7 • Two GK 2920 gables leave 26.25" for keyboard • Two GH 2920 gables leave 35.25" for keyboard • Includes two round grommets Note: Raised or Partial Modesty panels not available
 SIN 711-2		**CC 2924**	42	24	27	86	6.5	**522**	**678**	
CORNER BLOCK										• Corner block is required when a 30" deep worksurface is adjacent to a corner top with 24" connection • Use with CU and CC corners only • Available in all matching finishes • Wood grain parallel to front of block • PVC moulded front
 SIN 711-2		**TA 0606**	6	6	1	1	1	**41**		
Modesty Options on Corners	**Raised Modesty**									• Corner units may also have Raised or Partial modesty panels as shown.
SIN 711-2	**Partial Modesty**									

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

CORNER TOPS

L·A·T·I·T·U·D·E®

42" SPACESAVER



SIN 711-2

Model #	W	D	CD	Wt	V	TFL $	HPL $
24" CONNECTION FULL MODESTY CX 2924	42	42	24	98	6.5	**609**	**792**
RAISED MODESTY CXQ 2924	42	42	24	93	6.5	**671**	**856**
18" CONNECTION FULL MODESTY CXX 2918	42	42	18	98	6.5	**609**	**792**
RAISED MODESTY CXXQ 2918	42	42	18	93	6.5	**671**	**856**
KEYBOARD Shown KM 2610 L	26	10	.75	17	1.5	**358**	**394**

Remarks:
- Raised Modesty "Q" option modesties are 16" from floor, both sides
- Connects to 24" deep tops only
- Do not use with 30" tops
- Requires recessed joiner gable
- Cutaway for sliding or articulating keyboards
- Two GK 2920 gables leave 26.25" room for keyboard
- Two GH 2920 gables leave 35.25" room for keyboard
- User opening is 27" wide
- Includes one oblong grommet

48" SPACESAVER



SIN 711-2

Model #	W	D	CD	Wt	V	TFL $	HPL $
24" CONNECTION FULL MODESTY CY 2924	48	48	24	110	7.8	**773**	**901**
RAISED MODESTY CYQ 2924	48	48	24	105	7.8	**849**	**978**
KEYBOARD Shown KF 3010 WF	30	10		35	3.7	**764**	**813**

As above except:
- 2924 connects to 24" tops only
- Will not accommodate corner blocks (TA 0606)
- Requires recessed joiner gable or universal joiner gable
- Cutaway for sliding and articulating keyboard platforms
- CY 2924 shown with KF 3010 WF keyboard

CORNER EDGE GABLE



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
GF 2924	1	24	30	21	2.3	**187**	**N/A**
GI 2924	1	24	30	21	2.3	**187**	**N/A**

Remarks:
- 24" deep only
- Permits termination of workstation at corner
- Each unit adds 4.5" to space available for retractable keyboard
- Cut back is 6.75"

WEDGES

90° WEDGE



SIN 711-2



Model #	W	D	CD	Wt	V	TFL $	HPL $
WN 2424	25.5	25.5	24	53	2.3	**320**	**414**
WN 2430	25.5	31.5	24/30	60	2.3	**355**	**461**
WN 3024	31.5	25.5	30/24	60	2.3	**355**	**461**
WN 3030	31.5	31.5	30	67	2.3	**379**	**489**

Remarks:

WN 2424
- Non-handed; Requires joiner gables
- Includes one grommet

WN 2430 & WN 3024
- Handed; Requires joiner gables
- Includes one grommet

WN 3030
- Non-handed; Requires joiner gables
- Includes one grommet

45° WEDGE



SIN 711-2



Model #	W	D	CD	Wt	V	TFL $	HPL $
WF 2424	11	11	24	25	2.3	**357**	**465**
WF 2430	20	5	24/30	27	2.3	**383**	**500**
WF 3024	5	20	30/24	27	2.3	**383**	**500**
WF 3030	14	14	30	31	2.3	**423**	**551**

Remarks:

WF 2424
- Non-handed; Requires joiner gables

WF 2430 & WF 3024
- Handed; Requires joiner gables

WF 3030
- Non-handed; Requires joiner gables

LEGEND: **W**=width; **D**=depth; **CD**=connection depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD GABLES

L·A·T·I·T·U·D·E®

FULL GABLE / END PANEL



SIN 711-2

	Model #	D	H	Wt	V	TFL $
Regular Height 30"	**GS 2924**	24	29.75	22	1.0	**118**
	GS 2930	30	29.75	26	1.0	**142**
	GS 2936	36	29.75	31	1.2	**169**
Wheelchair Height 33"	**GS 3324**	24	33	23	1.1	**154**
	GS 3330	30	33	28	1.2	**180**
Workbench Height 36"	**GS 3624**	24	36	26	1.2	**169**
	GS 3630	30	36	32	1.4	**193**
Stand-Up Height 42"	**GS 4224**	24	42	30	1.4	**184**
	GS 4230	30	42	37	1.6	**209**

Remarks

- Non-handed
- Each full gable adds 1" to width of top surface
- GS 2936 to be used with 36" deep Standard Tops, D Tops
- Gables are about 1/2" higher than worksurface
- Modesty panel on taller gables rises further from floor unless custom top ordered

24" & 30" UNIVERSAL JOINER GABLE



SIN 711-2

Regular Height	**GK 2920**	20	28	13	0.5	**170**

- Required to connect end-to-end worksurfaces
- Supports 24" & 30" deep worksurfaces
- Non-handed
- Includes cutaway for cable pass-through
- Includes black accent strip
- Adds 1/4" to width of surface
- Not for use with BTs, BLs or DRs

24" RECESSED JOINER GABLE



SIN 711-2

Regular Height	**GK 2912**	12	28	12	0.4	**142**

- Required to connect end-to-end worksurfaces
- Primarily used with 24" deep Standard Tops
- Non-handed
- Includes cutaway for cable pass-through
- Includes black accent strip
- Adds 1/4" to width of surface
- Not for use with BTs, BLs or DRs

30" DEEP RECESSED GABLE



SIN 711-2

Regular Height	**GH 2920**	11	28	12	0.5	**203**
Wheelchair Height	**GH 3320**	11	31	13	0.6	**230**

- Use for either 24" or 30" connections
- Use where keyboard hardware requires clearance
- Gives 13" knee clearance under 30" tops
- Other features similar to GK 2920

24" DEEP RECESSED GABLE



SIN 711-2

Regular Height	**GH 2912**	5	28	8	0.4	**185**
Wheelchair Height	**GH 3312**	5	31	8	0.5	**218**

- Use for either 18" or 24" connections
- Use where keyboard hardware requires clearance
- Gives 13" knee clearance under 24" tops
- Other features similar to GK 2912
- Use with 24" deep TR's only

LEGEND: **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

BRIDGING TOPS & RETURN TOPS

L·A·T·I·T·U·D·E®

FLUSH HEIGHT (BRIDGING APPLICATION)



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
18" Depth	**BT 3018**	30	19	29	41	2.3	**260**	**338**
	BT 3618	36	19	29	48	2.6	**279**	**362**
	BT 4218	42	19	29	56	3.0	**296**	**372**
	BT 4818	48	19	29	63	3.4	**371**	**481**
24" Depth	**BT 3024**	30	25	29	45	2.3	**293**	**380**
	BT 3624	36	25	29	54	2.6	**312**	**406**
	BT 4224	42	25	29	62	3.0	**334**	**435**
	BT 4824	48	25	29	72	3.4	**404**	**526**
	BT 5424	54	25	29	80	3.8	**439**	**573**
	BT 6024	60	25	29	88	4.1	**459**	**595**
	BT 7224	72	25	29	105	4.3	**579**	**752**
30" Depth	**BT 4830**	48	31	29	79	3.4	**441**	**575**
	BT 5430	54	31	29	88	3.8	**464**	**605**
	BT 6030	60	31	29	98	4.1	**487**	**634**

Remarks

- Includes:
  - Worksurface, modesty panel & 4 flat brackets
  - 36" & under have 1 grommet
  - 42" & over have 2 grommets
- Call for other sizes
- Dimensions include worksurface and modesty
- Modesty panel extends 1" above worksurface
- Requires bridging gables to meet ANSI-BIFMA specs

FLUSH HEIGHT (RAISED MODESTY)



SIN 711-2

18" Depth	**BQ 4218**	42	19	29	49	2.6	**347**	**450**
	BQ 4818	48	19	29	56	2.9	**422**	**549**
	BQ 6018	60	19	29	69	3.6	**484**	**631**
	BQ 7218	72	19	29	82	4.3	**580**	**754**
24" Depth	**BQ 4224**	42	25	29	56	2.6	**384**	**501**
	BQ 4824	48	25	29	64	2.9	**455**	**591**
	BQ 6024	60	25	29	79	3.6	**509**	**663**
	BQ 6624	66	25	29	86	4.0	**607**	**789**
	BQ 7224	72	25	29	94	4.3	**630**	**818**
30" Depth	**BQ 6030**	60	31	29	88	3.6	**539**	**702**
	BQ 7230	72	31	29	98	4.3	**685**	**890**

- As above except: BQ modesty raised 16" from floor

FLUSH HEIGHT BRIDGING GABLES



SIN 711-2

Cut-Away Gable							
18" Depth	**GZ 2918**	1	18	28	13	2.3	**124**
24" Depth	**GZ 2924**	1	24	28	17	2.3	**129**
30" Depth	**GZ 2930**	1	30	28	20	2.3	**138**
Straight Recessed Gable / All Depths	**GV 2908**	1	8	28	6	2.3	**96**

- Non-handed
- GZ required to meet ANSI-BIFMA Specs
- Includes cutaway for cables
- GV 2908 can be used as extra support for standard tops over 72" long. Installer positions to suit configuration.

FLUSH HEIGHT RETURN GABLE



SIN 711-2

18" Depth	**GW 2918**	1	18	28	14	2.3	**117**
24" Depth	**GW 2924**	1	24	28	19	2.3	**124**
30" Depth	**GW 2930**	1	30	28	24	2.3	**130**

- Non-handed

LINKING TOP (RETURN WITH NO MODESTY)



SIN 711-2

18" Depth	**BL 3618**	36	19		19	2.6	**181**	**281**
	BL 4218	42	19		22	2.9	**196**	**308**
	BL 4818	48	19		25	3.2	**217**	**333**
24" Depth	**BL 3624**	36	25		25	2.6	**204**	**308**
	BL 4224	42	25		29	2.9	**223**	**335**
	BL 4824	48	25		33	3.2	**244**	**362**
	BL 5424	54	25		37	3.5	**264**	**396**
	BL 6024	60	25		41	3.8	**276**	**413**
	BL 6624	66	25		45	4.1	**315**	**476**

- May link floor mount ped to TR or angled shell
- May link two opposing surfaces
- For use with closed back return floor pedestals (see pg. 4-22)
- Shipped with two flat brackets
- Additional brackets also available (See item below)

FLAT BRACKET (PAIR)



BRPK2	2	3		0.5		**16**	**N/A**

- Sold in pairs
- When extra support required for bridging, return, linking tops “D” and “P” returns

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

END & SIDE CONNECTING D-TOPS

L·A·T·I·T·U·D·E®

CORNER CONNECTING / SIDE ABUTTING





	Model #	W	D	Wt	V	TFL $	HPL $
24" Depth	**DI 3624**	34	23.5	33	2.6	**438**	**569**
	DI 4224	40	23.5	37	3.0	**452**	**587**
	DI 4824	46	23.5	40	3.4	**463**	**604**
	DI 6024	58	23.5	47	4.1	**487**	**634**
	DI 7224	70	23.5	57	4.9	**512**	**667**
30" Depth	**DI 3630**	34	29.5	36	2.6	**494**	**643**
	DI 4230	40	29.5	41	3.0	**507**	**659**
	DI 4830	46	29.5	45	3.4	**519**	**677**
	DI 5430	52	29.5	50	3.8	**532**	**692**
	DI 6030	58	29.5	54	4.1	**543**	**707**
	DI 6630	64	29.5	59	4.5	**557**	**722**
	DI 7230	70	29.5	64	4.9	**568**	**739**
36" Depth	**DI 6036**	58	35.5	57	4.5	**621**	**791**
	DI 6636	64	35.5	63	4.9	**634**	**809**
	DI 7236	70	35.5	71	5.3	**646**	**823**

Remarks:
- Connects to corners, TRs or full gables
- Use TA0606 to connect 30D models to corners
- Steel leg is 4" in diameter and is height adjustable
- 36"D models will connect only to CW 2930 corner (pg. 4-5) and with use of TA 0606 corner block (pg. 4-5). Will not connect to other corner units
- Includes:
  - Worksurface
  - Angled support
  - Post leg

FULL MODESTY: CORNER CONNECTING / FULL MODESTY: SIDE ABUTTING





	Model #	W	D	Wt	V	TFL $	HPL $
24" Depth	**DIM 3624**	34	23.5	51	2.2	**512**	**642**
	DIM 4224	40	23.5	58	2.6	**530**	**662**
	DIM 4824	46	23.5	65	3.0	**543**	**680**
	DIM 5424	52	23.5	72	3.4	**559**	**700**
	DIM 6024	58	23.5	79	3.7	**574**	**716**
	DIM 6624	64	23.5	86	4.1	**589**	**737**
	DIM 7224	70	23.5	93	4.5	**603**	**754**
30" Depth	**DIM 3630**	34	29.5	55	2.2	**580**	**726**
	DIM 4230	40	29.5	63	2.6	**595**	**743**
	DIM 4830	46	29.5	70	3.0	**610**	**762**
	DIM 5430	52	29.5	77	3.4	**625**	**781**
	DIM 6030	58	29.5	84	3.7	**638**	**798**
	DIM 6630	64	29.5	91	4.1	**654**	**817**
	DIM 7230	70	29.5	98	4.5	**667**	**834**
	DIM 7830	76	29.5	107	4.9	**700**	**870**
36" Depth	**DIM 7236**	70	35.5	108	5.3	**743**	**936**
Raised Modesty 30" Depth	**DIMR 6030**	58	29.5	79	3.7	**596**	**756**
	DIMR 7230	70	29.5	93	4.5	**625**	**792**

Remarks:
- Connects to corners, TRs or full gables
- Use TA 0606 to connect 30"D models for corners
- 36"D models will connect only to CW 2930 corner (pg. 4-5) and with use of TA 0606 corner block (pg. 4-5). Will not connect to other corner units
- Includes:
  - Worksurfaces
  - Modesty panel & gable
  - Hardware
- Modesty panel is non-handed to mount inboard, outboard or centered

- Raised modesty on DIMR model is 16" from floor

D-RETURN: END ABUTTING



	Model #	W	D	Wt	V	TFL $	HPL $
30" Depth	**DR 3624**	34	23.5	33	2.6	**330**	**428**
	DR 4224	40	23.5	37	3.0	**344**	**447**
	DR 4824	46	23.5	40	3.4	**358**	**465**
	DR 6024	58	23.5	47	4.1	**381**	**497**
	DR 7224	70	23.5	57	4.9	**411**	**533**
Support Gable	**DR 3630**	34	29.5	36	2.6	**379**	**491**
	DR 4230	40	29.5	41	3.0	**392**	**510**
	DR 4830	46	29.5	45	3.4	**405**	**528**
	DR 6030	58	29.5	54	4.1	**429**	**558**
	DR 7230	70	29.5	64	4.9	**473**	**612**
	GG 2912	1	12	24	1.5	**143**	**N/A**

Remarks:
- Connects to TRs finished edge
- Steel leg is 4" in diameter and is height adjustable
- Includes:
  - Worksurface
  - Joiner plates
  - Post leg
- Support gable (GG 2912) is optional and is only required for ANSI/BIFMA

DOUBLE D-TOPS



	Model #	W	D	Wt	V	TFL $	HPL $
24" 24"	**DD 4824**	48	24	66	2.5	**668**	**868**
30" 30"	**DD 6030**	60	30	90	4.0	**792**	**1030**

Remarks:
- Includes:
  - Worksurface
  - Double joiner gable
  - Post leg
  - Accent Strips
- Connects to two back-to-back TRs with 2 Accent Strips

24" CONNECTION D-TOP'S





All items SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
Post Leg Left	**WND 663024L**	66	31.5	24	30	96	4.9	**798**	**1057**
	WND 723024L	72	31.5	24	30	101	5.3	**831**	**1087**
Post Leg Right	**WND 663024R**	66	31.5	24	30	96	4.9	**798**	**1057**
	WND 723024R	72	31.5	24	30	101	5.3	**831**	**1087**
Full Modesty	**WDIM 663024L**	66	31.5	24	30	116	4.9	**888**	**1145**
	WDIM 723024L	72	31.5	24	30	123	5.3	**932**	**1189**
	WDIM 663024R	66	31.5	24	30	116	4.9	**888**	**1145**
	WDIM 723024R	72	31.5	24	30	123	5.3	**932**	**1189**

Remarks:
- Connects to side of 24"D TR, TQ, & TP Tops only
- Does not connect to BT/BL Tops
- Use joiner gable at connection (pg. 4-7)
- End panel recessed 5" from end, consistent with adjoining modesty panel

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

END CONNECTING P-TOPS

L·A·T·I·T·U·D·E®

CORNER CONNECTING



	Model #	W	D	Dia	Wt	V	TFL $	HPL $
Right Handed 30" Depth (R)	**PJ 4830**	46	29.5	36	51	3.5	**644**	**838**
	PJ 5430	52	29.5	36	55	3.9	**659**	**858**
	PJ 6030	58	29.5	36	59	4.3	**674**	**875**
	PJ 6630	64	29.5	36	63	4.7	**688**	**893**
	PJ 7230	70	29.5	36	68	6.0	**773**	**1007**

SIDE ABUTTING



	Model #	W	D	Dia	Wt	V	TFL $	HPL $
Left Handed 30" Depth (L)	**PI 4830**	46	29.5	36	51	3.5	**644**	**838**
	PI 5430	52	29.5	36	55	3.9	**659**	**858**
	PI 6030	58	29.5	36	59	4.3	**674**	**875**
	PI 6630	64	29.5	36	63	4.7	**688**	**893**
	PI 7230	70	29.5	36	68	6.0	**773**	**1007**

- Connects to corners, TRs or full gables
- Steel leg is 4" in diameter and is height adjustable
- Use TA 0606 (pg. 4-5) to connect 30"D models to corners
- Includes:
  - Worksurface
  - Angled support
  - Post leg

FULL MODESTY: CORNER CONNECTING



	Model #	W	D	Dia	Wt	V	TFL $	HPL $
Right Handed 30" Depth (R)	**PJM 4830**	46	29.5	36	78	3.5	**738**	**922**
	PJM 5430	52	29.5	36	87	3.6	**754**	**942**
	PJM 6030	58	29.5	36	96	3.7	**790**	**989**
	PJM 6630	64	29.5	36	105	4.1	**807**	**1009**
	PJM 7230	70	29.5	36	124	5.4	**908**	**1135**

FULL MODESTY: SIDE ABUTTING



	Model #	W	D	Dia	Wt	V	TFL $	HPL $
Left Handed 30" Depth (L)	**PIM 4830**	46	29.5	36	78	3.5	**738**	**922**
	PIM 5430	52	29.5	36	87	3.6	**754**	**942**
	PIM 6030	58	29.5	36	96	3.7	**790**	**989**
	PIM 6630	64	29.5	36	105	4.1	**807**	**1009**
	PIM 7230	70	29.5	36	124	5.4	**908**	**1135**

- Connects to corners or full gables
- Use TA 0606 (pg. 4-5) to connect 30"D models to corners
- Includes:
  - Worksurface
  - Modesty panel & gable
  - Hardware

P-RETURN: END ABUTTING



	Model #	W	D	Dia	Wt	V	TFL $	HPL $
Right Handed 30" Depth (R)	**PM 4830**	46	29.5	36	50	3.6	**518**	**674**
	PM 6030	58	29.5	36	59	4.3	**549**	**712**
	PM 7230	70	29.5	36	68	5.2	**562**	**731**
Left Handed 30" Depth (L)	**PL 4830**	46	29.5	36	50	3.6	**518**	**674**
	PL 6030	58	29.5	36	59	4.3	**549**	**712**
	PL 7230	70	29.5	36	68	5.2	**562**	**731**
Support Gable	**GG 2912**	1	12		24	1.5	**143**	**N/A**

- Connects to TRs finished edge
- Steel leg is 4" in diameter and is height adjustable
- Includes:
  - Worksurface
  - Joiner plates
  - Post leg
- Support gable (GG 2912) is optional and is only required for ANSI BIFMA

All items SIN 711-2

LEGEND: **W**=width; **D**=depth; **Dia**=diameter (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

24" CURVED TOPS – 18" CONNECTION

L·A·T·I·T·U·D·E®

RIGHT 18"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 2424 R18	22	23.5	28	2.3	**294**	**365**
TR 3024 R18	28	23.5	37	2.3	**311**	**388**
TR 3624 R18	34	23.5	44	2.3	**331**	**416**
TR 4224 R18	40	23.5	50	2.9	**350**	**439**
TR 4824 R18	46	23.5	62	3.3	**365**	**462**
TR 5424 R18	52	23.5	75	3.6	**436**	**555**
TR 6024 R18	58	23.5	78	4.0	**457**	**580**
TR 6624 R18	64	23.5	86	4.8	**478**	**607**
TR 7224 R18	70	23.5	88	4.8	**504**	**639**
TR 7824 R18	76	23.5	92	5.2	**609**	**792**
TR 8424 R18	82	23.5	96	5.6	**665**	**851**
TR 9624 R18	94	23.5	104	5.6	**709**	**908**

Remarks

- Standard tops include worksurface, modesty panel and hardware
- Curve is either on right or left end of worksurface
- 24"-30" lengths include one grommet
- 36"-96" lengths include two grommets
- 54"-96" lengths include steel support bar
- Dimensions for tops are worksurface only
- Full gables add 1" to width at each end
- Joiner gables add 1/4" to width
- Options (see Accessories section):
  - Extra grommets
  - Cable raceway

LEFT 18"



SIN 711-2



TR 2424 L18	22	23.5	28	2.3	**294**	**365**
TR 3024 L18	28	23.5	37	2.3	**311**	**388**
TR 3624 L18	34	23.5	44	2.3	**331**	**416**
TR 4224 L18	40	23.5	50	2.9	**350**	**439**
TR 4824 L18	46	23.5	62	3.3	**365**	**462**
TR 5424 L18	52	23.5	75	3.6	**436**	**555**
TR 6024 L18	58	23.5	78	4.0	**457**	**580**
TR 6624 L18	64	23.5	86	4.8	**478**	**607**
TR 7224 L18	70	23.5	88	4.8	**504**	**639**
TR 7824 L18	76	23.5	92	5.2	**609**	**792**
TR 8424 L18	82	23.5	96	5.6	**665**	**851**
TR 9624 L18	94	23.5	104	5.6	**709**	**908**

- Available with TQ & TP modesties, substitute TQ or TP for TR prefix (see below)

- TP Tops only up to 72" wide

BOTH 18"



SIN 711-2



TR 3624 B18	34	23.5	44	2.3	**356**	**441**
TR 4224 B18	40	23.5	50	2.9	**375**	**464**
TR 4824 B18	46	23.5	62	3.3	**390**	**487**
TR 5424 B18	52	23.5	75	3.6	**461**	**580**
TR 6024 B18	58	23.5	78	4.0	**482**	**605**
TR 6624 B18	64	23.5	86	4.8	**503**	**632**
TR 7224 B18	70	23.5	88	4.8	**529**	**664**
TR 7824 B18	76	23.5	92	5.2	**634**	**817**
TR 8424 B18	82	23.5	96	5.6	**690**	**876**
TR 9624 B18	94	23.5	104	5.6	**734**	**933**

MODESTY OPTIONS FOR CURVED TOPS

TQ Raised Modesty



- **For TQ – Raised Modesty**
  Substitute TQ prefix for TR prefix in product code
  eg: TR 4824 becomes TQ 4824

TP Partial Modesty



- **For TP – Partial Modesty**
  Substitute TP prefix for TR prefix in product code
  eg: TR 4824 becomes TP 4824

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

30" CURVED TOPS – 18" CONNECTION

L·A·T·I·T·U·D·E®

RIGHT 18"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 2430 R18	22	29.5	28	2.3	**329**	**412**
TR 3030 R18	28	29.5	37	2.3	**349**	**439**
TR 3630 R18	34	29.5	44	2.3	**372**	**467**
TR 4230 R18	40	29.5	50	2.9	**394**	**497**
TR 4830 R18	46	29.5	62	3.3	**415**	**526**
TR 5430 R18	52	29.5	75	3.6	**484**	**614**
TR 6030 R18	58	29.5	78	4.0	**505**	**640**
TR 6630 R18	64	29.5	86	4.8	**526**	**666**
TR 7230 R18	70	29.5	88	4.8	**549**	**696**
TR 7830 R18	76	29.5	92	5.2	**663**	**847**
TR 8430 R18	82	29.5	96	5.6	**709**	**908**
TR 9630 R18	94	29.5	104	5.6	**756**	**967**

LEFT 18"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 2430 L18	22	29.5	28	2.3	**329**	**412**
TR 3030 L18	28	29.5	37	2.3	**349**	**439**
TR 3630 L18	34	29.5	44	2.3	**372**	**467**
TR 4230 L18	40	29.5	50	2.9	**394**	**497**
TR 4830 L18	46	29.5	62	3.3	**415**	**526**
TR 5430 L18	52	29.5	75	3.6	**484**	**614**
TR 6030 L18	58	29.5	78	4.0	**505**	**640**
TR 6630 L18	64	29.5	86	4.8	**526**	**666**
TR 7230 L18	70	29.5	88	4.8	**549**	**696**
TR 7830 L18	76	29.5	92	5.2	**663**	**847**
TR 8430 L18	82	29.5	96	5.6	**709**	**908**
TR 9630 L18	94	29.5	104	5.6	**756**	**967**

BOTH 18"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 4830 B18	46	29.5	62	3.3	**440**	**551**
TR 5430 B18	52	29.5	75	3.6	**509**	**639**
TR 6030 B18	58	29.5	78	4.0	**530**	**665**
TR 6630 B18	64	29.5	86	4.8	**551**	**691**
TR 7230 B18	70	29.5	88	4.8	**574**	**721**
TR 7830 B18	76	29.5	92	5.2	**688**	**872**
TR 8430 B18	82	29.5	96	5.6	**734**	**933**
TR 9630 B18	94	29.5	104	5.6	**781**	**992**

Remarks

- Standard tops include worksurface, modesty panel and hardware
- Curve is either on right or left end of worksurface
- 24"-30" lengths include one grommet
- 36"-96" lengths include two grommets
- 54"-96" lengths include support bar modesty panel and hardware
- Dimensions for tops are worksurface only
- Full gables add 1" to width
- Joiner gables add 1/4" to width
- GV 2908 support may be added to 84" and 96" tops for added support (see pg. 4-8)
- Options (see Accessories section)
  - Extra grommets
  - Paper feed slot
  - Cable raceways

- Available with TQ & TP modesties, substitutes TQ or TP for TR prefix (see pg. 4-11)

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

30" CURVED TOPS – 24" CONNECTION

L·A·T·I·T·U·D·E®

RIGHT 24"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 2430 R24	22	29.5	28	2.3	**329**	**412**
TR 3030 R24	28	29.5	37	2.3	**349**	**439**
TR 3630 R24	34	29.5	44	2.3	**372**	**467**
TR 4230 R24	40	29.5	50	2.9	**394**	**497**
TR 4830 R24	46	29.5	62	3.3	**415**	**526**
TR 5430 R24	52	29.5	75	3.6	**484**	**614**
TR 6030 R24	58	29.5	78	4.0	**505**	**640**
TR 6630 R24	64	29.5	86	4.8	**526**	**666**
TR 7230 R24	70	29.5	88	4.8	**549**	**696**
TR 7830 R24	76	29.5	92	5.2	**663**	**847**
TR 8430 R24	82	29.5	96	5.6	**709**	**908**
TR 9630 R24	94	29.5	104	5.6	**756**	**967**

LEFT 24"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 2430 L24	22	29.5	28	2.3	**329**	**412**
TR 3030 L24	28	29.5	37	2.3	**349**	**439**
TR 3630 L24	34	29.5	44	2.3	**372**	**467**
TR 4230 L24	40	29.5	50	2.9	**394**	**497**
TR 4830 L24	46	29.5	62	3.3	**415**	**526**
TR 5430 L24	52	29.5	75	3.6	**484**	**614**
TR 6030 L24	58	29.5	78	4.0	**505**	**640**
TR 6630 L24	64	29.5	86	4.8	**526**	**666**
TR 7230 L24	70	29.5	88	4.8	**549**	**696**
TR 7830 L24	76	29.5	92	5.2	**663**	**847**
TR 8430 L24	82	29.5	96	5.6	**709**	**908**
TR 9630 L24	94	29.5	104	5.6	**756**	**967**

BOTH 24"



SIN 711-2



Model #	W	D	Wt	V	TFL $	HPL $
TR 4830 B24	46	29.5	62	3.3	**440**	**551**
TR 5430 B24	52	29.5	75	3.6	**509**	**639**
TR 6030 B24	58	29.5	78	4.0	**530**	**665**
TR 6630 B24	64	29.5	86	4.8	**551**	**691**
TR 7230 B24	70	29.5	88	4.8	**574**	**721**
TR 7830 B24	76	29.5	92	5.2	**688**	**872**
TR 8430 B24	82	29.5	96	5.6	**734**	**933**
TR 9630 B24	94	29.5	104	5.6	**781**	**992**

Remarks

- Does not connect to CZS 2918
- Curve is either on right or left end of worksurface
- 24"-30" lengths include one grommet
- 36"-96" lengths include two grommets
- 54"-96" lengths include support bar
- Standard tops include worksurface, modesty panel and hardware
- Dimensions for tops are worksurface only
- Full gables add 1" to width at each end
- Joiner gables add 1/4" to width
- GV 2908 support may be added to 84" and 96" tops for added support (see pg. 4-8)
- Options (see Accessories section)
  - Extra grommets
  - Cable raceways
- Available with TQ & TP modesties, substitute TQ or TP for TR prefix (see pg. 4-11)
- TP Tops only up to 72" wide

LATITUDE®

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

RADIUS CORNERS

L·A·T·I·T·U·D·E®

	Model #	W	D	CD	Wt	V	TFL $	HPL $	Remarks
36" WIDE RADIUS FRONT									
 SIN 711-2	**CZS 2918**	36	36	18	80	4.5	**450**	**585**	• Connects to 24" or 30" deep tops that "curve" to 18" deep at one end • Recommend joiner gables; GK 2912 or GH 2912 (pg. 4-7) • Two GK 2912 gables leave 25.75" for keyboard • Two GH 2912 gables leave 34.5" for keyboard • Includes one oblong grommet
Shown with	**KF 3215 WF**	32	14		40	4.5	**800**	**849**	
Modesty Options	**RAISED CZSQ 2918**	36	36	18	76	4.5	**512**	**649**	
36" COMPACT RADIUS FRONT									
 SIN 711-2	**CZC 2924**	36	36	24	80	4.5	**450**	**585**	• Connects to 30" deep tops curving to 24" or 24" deep standard tops • Requires recessed joiner gable to connect other tops (see pg. 4-7) • Two GK 2912 gables leave 25.75" for keyboard • Two GH 2912 gables leave 34.5" for keyboard • Includes one oblong grommet
Shown with	**KMCZC 2813 L**	28	13		18	1.5	**404**	**465**	
Modesty Options	**RAISED CZCQ 2924**	36	36	24	76	4.5	**512**	**649**	
42" WIDE RADIUS FRONT									
 SIN 711-2	**CUC 2924**	42	42	24	100	6.5	**575**	**747**	• Connects to 30" deep curved tops with a 24" depth on one side • Connects to 24" deep standard tops • Requires recessed joiner gable to connect other tops (see pg. 4-7) • Two GK 2920 gables leave 26.25" for keyboard • Two GH 2920 gables leave 35.25" for keyboard • Includes one oblong grommet
Shown with	**KF 3214 WF**	32	14		40	4.5	**800**	**849**	
Modesty Options	**RAISED CUCQ 2924**	42	42	24	80	6.5	**637**	**811**	
42" CUTAWAY WITH RADIUS FRONT									
 SIN 711-2	**CCC 2924**	42	42	24	86	6.5	**522**	**678**	

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVED D-TOPS

L·A·T·I·T·U·D·E®

18" CONNECTION – POST LEG



Right Connection



Left Connection

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" D-Top Right 	**DI 3624 R18**	34	23.5	33	2.6	**488**	**619**
	DI 4224 R18	40	23.5	37	3.0	**502**	**637**
	DI 4824 R18	46	23.5	40	3.4	**513**	**654**
Left 	**DI 3624 L18**	34	23.5	33	2.6	**488**	**619**
	DI 4224 L18	40	23.5	37	3.0	**502**	**637**
	DI 4824 L18	46	23.5	40	3.4	**513**	**654**
30" D-Top Right 	**DI 3630 R18**	34	29.5	36	2.6	**544**	**693**
	DI 4230 R18	40	29.5	41	3.0	**557**	**709**
	DI 4830 R18	46	29.5	45	3.4	**569**	**727**
	DI 5430 R18	52	29.5	50	3.8	**582**	**742**
	DI 6030 R18	58	29.5	54	4.1	**593**	**757**
	DI 6630 R18	64	29.5	59	4.5	**607**	**772**
	DI 7230 R18	70	29.5	64	4.9	**618**	**789**
Left 	**DI 3630 L18**	34	29.5	36	2.6	**544**	**693**
	DI 4230 L18	40	29.5	41	3.0	**557**	**709**
	DI 4830 L18	46	29.5	45	3.4	**569**	**727**
	DI 5430 L18	52	29.5	50	3.8	**582**	**742**
	DI 6030 L18	58	29.5	54	4.1	**593**	**757**
	DI 6630 L18	64	29.5	59	4.5	**607**	**772**
	DI 7230 L18	70	29.5	64	4.9	**618**	**789**

Remarks

- Connects to CZS corner only
- 4" diameter steel leg has leveler
- Includes:
  - Worksurface
  - Angled support
  - Post leg

24" CONNECTION – POST LEG

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
30" D-Top Right 	**DI 3630 R24**	34	29.5	36	2.6	**544**	**693**
	DI 4230 R24	40	29.5	41	3.0	**557**	**709**
	DI 4830 R24	46	29.5	45	3.4	**569**	**727**
	DI 5430 R24	52	29.5	50	3.8	**582**	**742**
	DI 6030 R24	58	29.5	54	4.1	**593**	**757**
	DI 6630 R24	64	29.5	59	4.5	**607**	**772**
	DI 7230 R24	70	29.5	64	4.9	**618**	**789**
Left 	**DI 3630 L24**	34	29.5	36	2.6	**544**	**693**
	DI 4230 L24	40	29.5	41	3.0	**557**	**709**
	DI 4830 L24	46	29.5	45	3.4	**569**	**727**
	DI 5430 L24	52	29.5	50	3.8	**582**	**742**
	DI 6030 L24	58	29.5	54	4.1	**593**	**757**
	DI 6630 L24	64	29.5	59	4.5	**607**	**772**
	DI 7230 L24	70	29.5	64	4.9	**618**	**789**

Remarks

- 4" diameter steel leg has leveler
- Includes:
  - Worksurface
  - Angled support
  - Post leg

- Connects to any Corner unit with 24"D connection

LATITUDE®

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVED D-TOPS WITH MODESTY

L·A·T·I·T·U·D·E®

18" CONNECTION – MODESTY



Right Connection



Left Connection

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" D-Top Right Connection 	**DIM 3624 R18**	34	23.5	51	2.2	**562**	**692**
	DIM 4224 R18	40	23.5	58	2.6	**580**	**712**
	DIM 4824 R18	46	23.5	65	3.0	**593**	**730**
Left Connection 	**DIM 3624 L18**	34	23.5	51	2.2	**562**	**692**
	DIM 4224 L18	40	23.5	58	2.6	**580**	**712**
	DIM 4824 L18	46	23.5	65	3.0	**593**	**730**
30" D-Top Right Connection 	**DIM 3630 R18**	34	29.5	55	2.2	**630**	**776**
	DIM 4230 R18	40	29.5	63	2.6	**645**	**793**
	DIM 4830 R18	46	29.5	70	3.0	**660**	**812**
	DIM 5430 R18	52	29.5	77	3.4	**675**	**831**
	DIM 6030 R18	58	29.5	84	3.7	**688**	**848**
	DIM 6630 R18	64	29.5	91	4.1	**704**	**867**
	DIM 7230 R18	70	29.5	98	4.5	**717**	**884**
Left Connection 	**DIM 3630 L18**	34	29.5	55	2.2	**630**	**776**
	DIM 4230 L18	40	29.5	63	2.6	**645**	**793**
	DIM 4830 L18	46	29.5	70	3.0	**660**	**812**
	DIM 5430 L18	52	29.5	77	3.4	**675**	**831**
	DIM 6030 L18	58	29.5	84	3.7	**688**	**848**
	DIM 6630 L18	64	29.5	91	4.1	**704**	**867**
	DIM 7230 L18	70	29.5	98	4.5	**717**	**884**

Remarks

- Connects to CZS corner only
- Includes:
  - Worksurface
  - Full modesty
  - Gable leg

24" CONNECTION – MODESTY

SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" D-Top Right Connection 	**DIM 3630 R24**	34	29.5	55	2.2	**630**	**776**
	DIM 4230 R24	40	29.5	63	2.6	**645**	**793**
	DIM 4830 R24	46	29.5	70	3.0	**660**	**812**
	DIM 5430 R24	52	29.5	77	3.4	**675**	**831**
	DIM 6030 R24	58	29.5	84	3.7	**688**	**848**
	DIM 6630 R24	64	29.5	91	4.1	**704**	**867**
	DIM 7230 R24	70	29.5	98	4.5	**717**	**884**
Left Connection 	**DIM 3630 L24**	34	29.5	55	2.2	**630**	**776**
	DIM 4230 L24	40	29.5	63	2.6	**645**	**793**
	DIM 4830 L24	46	29.5	70	3.0	**660**	**812**
	DIM 5430 L24	52	29.5	77	3.4	**675**	**831**
	DIM 6030 L24	58	29.5	84	3.7	**688**	**848**
	DIM 6630 L24	64	29.5	91	4.1	**704**	**867**
	DIM 7230 L24	70	29.5	98	4.5	**717**	**884**

Remarks

- Connects to any Corner unit with 24"D connection
- Includes:
  - Worksurface
  - Full modesty
  - Gable leg

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED CORNER D-TOPS

L·A·T·I·T·U·D·E®

		Model #	A	B	C	D	Wt	V	TFL $	HPL $	Remarks
36" CZS STYLE CORNER / 18" CONNECTION											
	 **Left**	**CZSD 72 L**	72	36	18	30	101	6.1	**944**	**1226**	• Same as CZS corner with D-Island either right or left • Connects only to TR, TQ or TP Tops curving to 18" • Use Joiner Gable at connection (pg. 4-7) • End panel is recessed 5" from end, consistent with adjoining modesty panel • Will not work with BT/BL Tops
		CZSD 78 L	78	36	18	30	106	6.5	**958**	**1244**	
		CZSD 84 L	84	36	18	30	110	6.9	**969**	**1261**	
	 **Right**	**CZSD 72 R**	72	36	18	30	101	6.1	**944**	**1226**	
		CZSD 78 R	78	36	18	30	106	6.5	**958**	**1244**	
		CZSD 84 R	84	36	18	30	110	6.9	**969**	**1261**	
36" CZC STYLE CORNER / 24" CONNECTION											
	 **Left**	**CZCD 72 L**	72	36	24	30	105	6.1	**944**	**1226**	• As above, except: • Same contour as CZC corner • Connects only to TR, TQ or TP Tops, 24"D at connecting end
		CZCD 78 L	78	36	24	30	110	6.5	**958**	**1244**	
		CZCD 84 L	84	36	24	30	114	6.9	**969**	**1261**	
	 **Right**	**CZCD 72 R**	72	36	24	30	105	6.1	**944**	**1226**	
		CZCD 78 R	78	36	24	30	110	6.5	**958**	**1244**	
		CZCD 84 R	84	36	24	30	114	6.9	**969**	**1261**	
42" CUC STYLE CORNER / 24" CONNECTION											
	 **Left**	**CUCD 72 L**	72	42	24	30	121	9.3	**1043**	**1370**	• As above, except: • Same contour as CUC corner
		CUCD 78 L	78	42	24	30	126	9.6	**1069**	**1390**	
		CUCD 84 L	84	42	24	30	131	10.0	**1083**	**1406**	
	 **Right**	**CUCD 72 R**	72	42	24	30	121	9.3	**1043**	**1370**	
		CUCD 78 R	78	42	24	30	126	9.6	**1069**	**1390**	
		CUCD 84 R	84	42	24	30	131	10.0	**1083**	**1406**	
36" CZS STYLE CORNER / 18" CONNECTION FULL MODESTY											
	 **Left**	**CZSDM 72 L**	72	36	18	30	120	5.2	**1030**	**1306**	• Same as CZS corner with D-Island either right or left • Connects only to TR, TQ or TP Tops curving to 18" • Use Joiner Gable at connection (pg. 4-7) • End panel is recessed 5" from end, consistent with adjoining modesty panel • Will not work with BT/BL Tops
		CZSDM 78 L	78	36	18	30	128	5.6	**1046**	**1328**	
		CZSDM 84 L	84	36	18	30	135	6.0	**1061**	**1347**	
	 **Right**	**CZSDM 72 R**	72	36	18	30	120	5.2	**1030**	**1306**	
		CZSDM 78 R	78	36	18	30	128	5.6	**1046**	**1328**	
		CZSDM 84 R	84	36	18	30	135	6.0	**1061**	**1347**	
36" CZC STYLE CORNER / 24" CONNECTION FULL MODESTY											
	 **Left**	**CZCDM 72 L**	72	36	24	30	124	5.2	**1030**	**1306**	• As above, except: • Same contour as CZC corner • Connects only to TR, TQ or TP Tops, 24"D at connecting end
		CZCDM 78 L	78	36	24	30	132	5.6	**1046**	**1328**	
		CZCDM 84 L	84	36	24	30	139	6.0	**1061**	**1347**	
	 **Right**	**CZCDM 72 R**	72	36	24	30	124	5.2	**1030**	**1306**	
		CZCDM 78 R	78	36	24	30	132	5.6	**1046**	**1328**	
		CZCDM 84 R	84	36	24	30	139	6.0	**1061**	**1347**	
42" CUC STYLE CORNER / 24" CONNECTION FULL MODESTY											
	 **Left**	**CUCDM 72 L**	72	42	24	30	148	8.3	**1134**	**1451**	• As above, except • Same contour as CUC corner
		CUCDM 78 L	78	42	24	30	155	8.6	**1167**	**1471**	
		CUCDM 84 L	84	42	24	30	163	9.0	**1196**	**1492**	
	 **Right**	**CUCDM 72 R**	72	42	24	30	148	8.3	**1134**	**1451**	
		CUCDM 78 R	78	42	24	30	155	8.6	**1167**	**1471**	
All items SIN 711-2		**CUCDM 84 R**	84	42	24	30	163	9.0	**1196**	**1492**	

LEGEND: **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

EXTENDED CORNER P-TOPS

L·A·T·I·T·U·D·E®

		Model #	A	B	C	D	Wt	V	TFL $	HPL $	Remarks
36" CZS STYLE CORNER											
	**Left**	**CZCP 72 L**	72	36	24	36	108	7.2	**1057**	**1371**	• Same as CZC corner with D-Island either right or left • Connects only to TR, TQ or TP Tops ending at 24"D • Use Joiner Gable at connection (pg. 4-7) • End panel is recessed 5" from end, consistent with adjoining modesty panel • Will not work with BT/BL Tops
		CZCP 78 L	78	36	24	36	113	7.6	**1074**	**1395**	
		CZCP 84 L	84	36	24	36	117	8.0	**1094**	**1422**	
	Right	**CZCP 72 R**	72	36	24	36	108	7.2	**1057**	**1371**	
		CZCP 78 R	78	36	24	36	113	7.6	**1074**	**1395**	
		CZCP 84 R	84	36	24	36	117	8.0	**1094**	**1422**	
42" CUC STYLE CORNER / 24" CONNECTION											
	**Left**	**CUCP 72 L**	72	42	24	36	124	7.8	**1162**	**1516**	• As above, except: • Same contour as CUC corner
		CUCP 78 L	78	42	24	36	129	8.2	**1179**	**1533**	
		CUCP 84 L	84	42	24	36	134	8.6	**1199**	**1558**	
	Right	**CUCP 72 R**	72	42	24	36	124	7.8	**1162**	**1516**	
		CUCP 78 R	78	42	24	36	129	8.2	**1179**	**1533**	
		CUCP 84 R	84	42	24	36	134	8.6	**1199**	**1558**	
36" CZS STYLE CORNER – FULL MODESTY											
	**Left**	**CZCPM 72 L**	72	36	24	36	127	8.5	**1154**	**1469**	• Same as CZC corner with D-Island either right or left • Connects only to TR, TQ or TP Tops ending at 24"D • Use Joiner Gable at connection (pg. 4-7) • Modesty panel is recessed 5" at end and along straight part of P-Top • Will not work with BT/BL Tops
		CZCPM 78 L	78	36	24	36	135	8.9	**1173**	**1489**	
		CZCPM 84 L	84	36	24	36	142	9.3	**1189**	**1506**	
	Right	**CZCPM 72 R**	72	36	24	36	127	8.5	**1154**	**1469**	
		CZCPM 78 R	78	36	24	36	135	8.9	**1173**	**1489**	
		CZCPM 84 R	84	36	24	36	142	9.3	**1189**	**1506**	
42" CUC STYLE CORNER / 24" CONNECTION FULL MODESTY											
	**Left**	**CUCPM 72 L**	72	42	24	36	151	9.3	**1259**	**1612**	• As above, except: • Same contour as CUC corner
		CUCPM 78 L	78	42	24	36	158	9.6	**1279**	**1631**	
		CUCPM 84 L	84	42	24	36	166	10.0	**1297**	**1651**	
	Right	**CUCPM 72 R**	72	42	24	36	151	9.3	**1259**	**1612**	
		CUCPM 78 R	78	42	24	36	158	9.6	**1279**	**1631**	
		CUCPM 84 R	84	42	24	36	166	10.0	**1297**	**1651**	

All items SIN 711-2

LEGEND: **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED 36", 42" & 48" CORNER TOPS

L·A·T·I·T·U·D·E®

	Model #	A	B	C	D	Wt	V	TFL $	HPL $	Remarks
36" CZS STYLE CORNER / 24" D RETURN										
										
24"Depth Left	**CZSTR 6024 L**	58	36	18	24	105	2.8	**742**	**950**	• Same as CZS corner with TR Top either right or left
	CZSTR 6624 L	64	36	18	24	112	3.0	**762**	**973**	• Connects only to TR, TQ or TP Tops curving to 18"
	CZSTR 7224 L	70	36	18	24	119	3.3	**783**	**1002**	• Use Joiner Gable at connection (pg. 4-7)
Right	**CZSTR 6024 R**	58	36	18	24	105	2.8	**742**	**950**	• End panels are recessed 5"
	CZSTR 6624 R	64	36	18	24	112	3.0	**762**	**973**	• Will not work with BT/BL Tops
	CZSTR 7224 R	70	36	18	24	119	3.3	**783**	**1002**	• Requires GS 2924 at end unless connecting to other tops
36" CZC STYLE CORNER / 24" D RETURN										
										
24" Depth Left	**CZCTR 6024 L**	58	36	24	24	107	2.8	**742**	**950**	• As above, except:
	CZCTR 6624 L	64	36	24	24	114	3.0	**762**	**973**	• Same contour as CZC corner
	CZCTR 7224 L	70	36	24	24	120	3.3	**783**	**1002**	• Connects only to TR, or TP Tops ending at 24"D
Right	**CZCTR 6024 R**	58	36	24	24	107	2.8	**742**	**950**	• Requires GS 2924 to terminate
	CZCTR 6624 R	64	36	24	24	114	3.0	**762**	**973**	
	CZCTR 7224 R	70	36	24	24	120	3.3	**783**	**1002**	
36" CZC STYLE CORNER / 30" D RETURN										
										
30" Depth Left	**CZCTR 6030 L**	58	36	24	30	112	2.8	**781**	**996**	
	CZCTR 6630 L	64	36	24	30	120	3.0	**798**	**1023**	
	CZCTR 7230 L	70	36	24	30	128	3.3	**821**	**1051**	
Right	**CZCTR 6030 R**	58	36	24	30	112	2.8	**781**	**996**	• As above, except:
	CZCTR 6630 R	64	36	24	30	120	3.0	**798**	**1023**	• Requires GS 2930 to terminate
	CZCTR 7230 R	70	36	24	30	128	3.3	**821**	**1051**	
42" CUC STYLE CORNER / 24" DEEP RETURN										
										
24" Depth Left	**CUCTR 6024 L**	58	42	24	24	125	3.4	**841**	**1085**	• Same as CUC corner with TR Top either right or left
	CUCTR 6624 L	64	42	24	24	131	3.7	**864**	**1111**	• Connects only to TR, TQ or TP Tops ending at 24"D
	CUCTR 7224 L	70	42	24	24	137	4.0	**887**	**1138**	• Will not connect to BT/BL Tops
Right	**CUCTR 6024 R**	58	42	24	24	125	3.4	**841**	**1085**	• Requires GS 2924 at end unless connecting to other tops
	CUCTR 6624 R	64	42	24	24	131	3.7	**864**	**1111**	• Use Joiner Gable at connecting end (pg. 4-7)
	CUCTR 7224 R	70	42	24	24	137	4.0	**887**	**1138**	• CUCTR 7224 L and R are available as standard width raised modesties. Change code to CUCTQ; pricing is the same
42" CUC STYLE CORNER / 30" DEEP RETURN										
										
30" Depth Left	**CUCTR 7230 L**	70	42	24	30	148	4.0	**905**	**1162**	
	CUCTR 8430 L	82	42	24	30	163	4.7	**968**	**1244**	
Right	**CUCTR 7230 R**	70	42	24	30	148	4.0	**905**	**1162**	
	CUCTR 8430 R	82	42	24	30	163	4.7	**968**	**1244**	
42" CUC30 STYLE CORNER / 30" DEEP RETURN										
										
30" Depth Left	**CUC30TR 6030 L**	58	42	30	30	136	3.4	**859**	**1103**	• As above, except:
	CUC30TR 6630 L	64	42	30	30	142	3.7	**882**	**1133**	• Requires GS 2930 at end unless connecting to other tops
	CUC30TR 7230 L	70	42	30	30	148	4.0	**905**	**1162**	
Right	**CUC30TR 6030 R**	58	42	30	30	136	3.4	**859**	**1103**	
	CUC30TR 6630 R	64	42	30	30	142	3.7	**882**	**1133**	
	CUC30TR 7230 R	70	42	30	30	148	4.0	**905**	**1162**	
48" CWC24 STYLE CORNER / 24" DEEP RETURN										
 All items SIN 711-2										
24" Depth Left	**CWC24TR 6624 L**	64	48	24	24	135	4.2	**995**	**1285**	• As above, except:
	CWC24TR 7224 L	70	48	24	24	141	4.6	**1019**	**1313**	• Same contour as CWC 2924 with 24"D TR extension
	CWC24TR 8424 L	82	48	24	24	154	5.3	**1063**	**1366**	• Requires GS 2924 at end unless connecting to other tops
Right	**CWC24TR 6624 R**	64	48	24	24	135	4.2	**995**	**1285**	
	CWC24TR 7224 R	70	48	24	24	141	4.6	**1019**	**1313**	
	CWC24TR 8424 R	82	48	24	24	154	5.3	**1063**	**1366**	

CUCTQ R

LEGEND: **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

MOBILE PEDESTALS

L·A·T·I·T·U·D·E®

		Model #	W	D	H	Wt	V	TFL $	HPL $
1 BOX & 1 FILE									
 SIN 711-2	**No Lock**	**MS 1718**	17	18	21.5	52	4.0	**494**	**575**
		MS 1724	17	24	21.5	63	5.0	**547**	**629**
	Gang Lock	**MW 1718**	17	18	21.5	52	4.0	**573**	**655**
		MW 1724	17	24	21.5	63	5.0	**624**	**706**
		MW 1730	17	30	21.5	74	6.0	**642**	**723**
2 BOX & 1 FILE									
 SIN 711-2	**No Lock**	**MB 1718**	17	18	27.5	65	5.0	**565**	**647**
		MB 1724	17	24	27.5	78	7.0	**630**	**712**
	Gang Lock	**MX 1718**	17	18	27.5	65	5.0	**655**	**737**
		MX 1724	17	24	27.5	78	7.0	**717**	**799**
		MX 1730	17	30	27.5	91	9.0	**746**	**827**
2 FILE									
 SIN 711-2	**No Lock**	**MF 1718**	17	18	27.5	62	5.0	**565**	**647**
		MF 1724	17	24	27.5	75	7.0	**642**	**723**
	Gang Lock	**MY 1718**	17	18	27.5	62	5.0	**667**	**749**
		MY 1724	17	24	27.5	75	7.0	**726**	**807**
		MY 1730	17	30	27.5	88	9.0	**752**	**834**
1 BOX & 1 FILE – LEGAL WIDTH									
 SIN 711-2	**Gang Lock**	**MW 2018**	20	18	21.5	58	4.5	**712**	**817**
		MW 2024	20	24	21.5	71	5.8	**776**	**881**
2 BOX & 1 FILE – LEGAL WIDTH									
 SIN 711-2	**Gang Lock**	**MX 2018**	20	18	27.5	73	6.0	**794**	**899**
		MX 2024	20	24	27.5	85	8.0	**869**	**974**
2 FILE – LEGAL WIDTH									
 SIN 711-2	**Gang Lock**	**MY 2018**	20	18	27.5	71	6.0	**794**	**899**
		MY 2024	20	24	27.5	83	8.0	**869**	**974**

Remarks

- 18" deep unit fits under 24" & 30" deep standard tops and 18" deep bridging tops
- 24" deep unit fits under 30" deep standard tops and 24" deep bridging tops – they do not fit flush under 24" standard top
- 30" deep unit fits under 30" deep bridging tops only – they do not fit flush under 30" standard top
- Drawers mounted on full extension, ball bearing slides
- Bottom drawer has a 5th caster to prevent tipping
- Gang lock secures all drawers
- Accepts letter and legal files
- Top box drawers include 1 pencil tray
- **HP** Lam top – add $78
- Mobile pedestals can be ordered as freestanding stationary by adding "F" to the end of model numbers eg. MX 1718 **F**.
  Casters are replaced with levellers in factory, price remains the same.

- 18" deep unit fits under 24" & 30" deep standard tops and 18" deep bridging tops
- 24" deep unit fits under 30" deep standard tops and 24" deep bridging tops – they do not fit flush under 24" standard top
- Drawers mounted on full extension, ball bearing slides
- Bottom drawer has a 5th caster to prevent tipping
- Gang lock secures all drawers
- Accepts legal hanging folders only
- Top box drawers include 1 pencil tray
- **HP** Lam top – add $100

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

HANGING PEDESTALS

L·A·T·I·T·U·D·E®

	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
1 BOX & 1 FILE									
 SIN 711-2									• Fits under 24" & 30" deep standard tops and 18" deep bridging tops • Drawers mounted on full extension, ball bearing slides • Gang lock secures both drawers • Accepts letter and legal files • Includes 1 pencil tray
	No Lock | **HS 1718**	17	18	19	51	5.3	**419**	**501**	
	Gang Lock | **HW 1718**	17	18	19	51	5.3	**497**	**579**	
1 BOX & 1 FILE									
 SIN 711-2									• Fits under 30" deep standard tops and 24" deep bridging tops – does not fit under 24" standard top • Drawers mounted on full extension, ball bearing slides • Gang lock secures both drawers • Accepts letter and legal files • Includes 1 pencil tray
	No Lock | **HS 1724**	17	24	19	62	6.9	**494**	**575**	
	Gang Lock | **HW 1724**	17	24	19	62	6.9	**559**	**641**	
3 BOX									
 SIN 711-2									• Fits under 24" & 30" deep standard tops and 18" deep bridging tops • Drawers mounted on full extension, ball bearing slides • Gang lock secures all drawers • Includes 1 pencil tray
	No Lock | **HT 1718**	17	18	19	52	5.3	**447**	**529**	
	Gang Lock | **HZ 1718**	17	18	19	52	5.3	**522**	**604**	
3 BOX									
 SIN 711-2									• Fits under 30" deep standard tops and 24" deep bridging tops – does not fit under 24" standard top • Drawers mounted on full extension, ball bearing slides • Gang lock secures all drawers • Includes 1 pencil tray **3 mm Edge Option** • Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.
	No Lock | **HT 1724**	17	24	19	63	6.9	**509**	**591**	
	Gang Lock | **HZ 1724**	17	24	19	63	6.9	**586**	**668**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

FLOOR PEDS – FOR TOPS WITH MODESTY PANELS

L·A·T·I·T·U·D·E®

STANDARD FLOOR PED – 2 BOX & 1 FILE



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
No Lock	**JBSD 18**	17	18	28.5	64	12.0	**504**	**586**
	JBSD 24	17	24	28.5	78	12.0	**564**	**646**
Gang Lock	**JXSD 18**	17	18	28.5	64	12.0	**605**	**687**
	JXSD 24	17	24	28.5	78	12.0	**666**	**748**

STANDARD FLOOR PED – 2 FILE



SIN 711-2

No Lock	**JFSD 18**	17	18	28.5	63	12.0	**504**	**586**
	JFSD 24	17	24	28.5	77	12.0	**565**	**646**
Gang Lock	**JYSD 18**	17	18	28.5	63	12.0	**605**	**687**
	JYSD 24	17	24	28.5	77	12.0	**665**	**748**

- 18"D units – sides notched to fit under work surface hardware on 24" & 30" deep standard tops over 48"W
- 24"D units – sides notched to fit under work surface hardware on 30" deep standard tops over 48"W (they do not fit under 24" deep standard tops)
- Not recommended for use with BL, BT or TP tops as back is unfinished
- Drawers mounted on full extension, ball bearing slides
- Gang lock secures all drawers
- Accepts letter and legal files
- Top box drawers include 1 pencil tray

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

CPU PEDESTAL



SIN 711-2

JCSD 24	12	21	28.5	45	7.0	**287**	

- Sides notched to fit under work surface hardware on 30" deep standard tops over 48"W
- Not recommended for use with BL, BT or TP tops as back is unfinished
- Back is open for air flow
- CPU sits on slide-out tray
- Holds CPU up to 9.5"W x 18"D x 21"H

TOP SUPPORTING FLOOR PEDS

RETURN FLOOR PEDS – 2 BOX & 1 FILE



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
No Lock	**JBRT 18**	17	18	28.5	65	12.0	**519**	**601**
	JBRT 24	17	24	28.5	79	12.0	**584**	**666**
Gang Lock	**JXRT 18**	17	18	28.5	65	12.0	**621**	**702**
	JXRT 24	17	24	28.5	79	12.0	**685**	**767**

RETURN FLOOR PEDS – 2 FILE



SIN 711-2

No Lock	**JFRT 18**	17	18	28.5	62	12.0	**519**	**601**
	JFRT 24	17	24	28.5	74	12.0	**584**	**666**
Gang Lock	**JYRT 18**	17	18	28.5	62	12.0	**621**	**702**
	JYRT 24	17	24	28.5	74	12.0	**685**	**767**

- For use with BL linking tops, Bridging Tops, and Standard Tops 42" long and less
- Fit under bridging tops, linking tops & D-islands
- Can replace return gable under bridging tops
- Finished on all sides except top
- Drawers mounted on full extension ball bearing slides
- Gang lock secures all drawers
- Accepts letter and legal files
- Top box drawers includes 1 pencil tray

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

CPU PEDESTAL



SIN 711-2

JCRT 24	12	21	28.5	45	7.0	**287**	

- For use with BL linking tops, Bridging Tops and Standard Tops 42" long and less
- Fit under bridging tops, linking tops & D-islands
- Can replace return gable under bridging tops
- Back is open for air flow
- CPU sits on slide-out tray
- Holds CPU up to 9.5"W x 18"d x 21"H

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATERAL FILES – LOW STORAGE AND CREDENZAS

L·A·T·I·T·U·D·E®

		Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
UNDER DESK LATERAL FILE										
 SIN 711-3	**Open Back**	**LFSD 30**	31	18	28.5	112	10.3	**696**	**868**	• "Open Back" model has Sides notched to fit under worksurface support hardware • "Closed Back" model used under Bridging Tops or Linking tops • Shipped assembled
		LFSD 36	37	18	28.5	130	12.0	**737**	**919**	
	Closed Back	**LFRT 30**	31	18	28.5	112	10.3	**731**	**912**	
		LFRT 36	37	18	28.5	130	12.0	**776**	**958**	
FREESTANDING LATERAL FILE										**All Lateral Files** • Full extension, heavy-duty ball-bearing slides • Anti-tip locking system allows only one drawer open at a time • All drawer-bottoms reinforced with steel • Gang-lock included • 5 High unit has fixed storage shelf at top with locking flipper door • HPL price includes choice of HPL on tops or drawer fronts or both
 SIN 711-3	**No Counter Weight**	**LH 3018**	31	19	29.5	128	10.9	**822**	**1089**	
		LH 3618	37	19	29.5	150	17.0	**885**	**1140**	
	With Counter Weight	**LG 3018**	31	19	29.5	168	10.9	**961**	**1216**	
		LG 3618	37	19	29.5	190	17.0	**1012**	**1268**	
3 DRAWER LATERAL FILE										
 SIN 711-3		**LGX 3618**	37	19	43	208	19.0	**1515**	**1846**	**Filing configurations:** • Standard configuration is for legal hanging folders, side-to-side only. • For letter size filing side-to-side on 36"W file drawers only, order (1) **SLSS 36** @ $45 List for each drawer required
4 DRAWER LATERAL FILE										
 SIN 711-3		**LGT 3618**	37	19	56	276	28.0	**1843**	**2274**	**For front-to-back filing on:** • 30"W files: for 2 rows of letter files order (1) **SLFB** @ $20 List/drawer • 36"W files: for 2 rows of legal files front-to-back; or 2 rows of letter files front-to-back, order (1) **SLFB** @ $20 List/drawer
4 DRAWER PLUS FLIP-UP SHELF DOOR										• Shipped assembled
 SIN 711-3		**LHUJ 36**	37	19	69	304	37.0	**2101**	**2600**	**3 mm Edge Option** • Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.
COMMON TOP FOR LOW STORAGE										
 SIN 711-2		**LFT 1819**	18	19		6	0.5	**79**	**116**	• Fits JB / JX / JF and JYRT18
		LFT 1825	18	25		8	0.7	**95**	**134**	• Fits JB / JX / JF and JYRT24
		LFT 6119	61	19		32	1.5	**251**	**426**	• Fits two 30" files end-to-end
		LFT 7319	73	19		38	2.0	**311**	**503**	• Fits two 36" files end-to-end
		LFT 7337	73	37		75	3.5	**497**	**797**	• Fits four 36" files in quad

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATERAL FILES – LOW STORAGE AND CREDENZAS

L·A·T·I·T·U·D·E®

UNDER DESK LOW STORAGE



SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
Open Back	SOSD 30	31	19	28.5	92	3.5	**565**	**751**
	SOSD 36	37	19	28.5	110	4.0	**604**	**813**
Closed Back	SORT 30	31	19	28.5	92	3.5	**573**	**776**
	SORT 36	37	19	28.5	110	4.0	**615**	**836**

FREESTANDING LOW STORAGE



SIN 711-3

	W	D	H	Wt	V	TFL $	HPL $
SMFS 30	31	19	29.5	92	3.5	**615**	**878**
SMFS 36	37	19	29.5	110	4.0	**680**	**960**
SMFS 48	49	19	29.5	128	6.0	**807**	**1125**

Remarks

- Sides of SOSD 30 and 36 are notched to fit under "Standard Tops" worksurface support hardware
- Use SORT 30 or 36 under Bridging or Linking tops
- Shipped ready-to-assemble
- Includes:
  - Lock
  - One adjustable shelf
- HP laminate option has HP on door faces / backs and tops only
- 48"w version has fixed shelf
- Extra shelves available.
- See bottom of this page

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

72" CREDENZAS



SIN 711-3

	W	D	H	Wt	V	TFL $	HPL $
CFFS 73	72.5	19	29.5	300	26.0	**2008**	**2476**
COFS 73	72.5	19	29.5	220	12.0	**1341**	**1868**
CMFS 73	72.5	19	29.5	260	20.0	**1677**	**2172**

- Credenza files have anti-tip castors on bottom drawers
- Cabinets have shared top
- Lateral files shipped assembled; cabinets shipped RTA
- Extra shelves for low storage cabinets at bottom of this page.
- Shipped ready-to-assemble

- Cabinets can be installed facing opposite directions at user's option



- Files accept legal side-to-side as standard
- For either letter side-to-side or front-to-back configurations, see notes and accessories on page 4-23

60" CREDENZAS



SIN 711-3

	W	D	H	Wt	V	TFL $	HPL $
CFFS 60	61	19	29.5	250	22.0	**1868**	**2382**
COFS 60	61	19	29.5	183	10.0	**1194**	**1716**
CMFS 60	61	19	29.5	217	17.0	**1531**	**2053**

EXTRA SHELF FOR LOW STORAGE



SIN 711-2

	W	D	H	Wt	V	TFL $	HPL $
SOSH 30	28	15	1	8	1.3	**90**	**N/A**
SOSH 36	34	15	1	10	1.5	**99**	**N/A**

- SOSH 30 shelf fits in all 30" Low Storage cabinets on this page
- SOSH 36 shelf fits in all 36" Low Storage cabinets on this page

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MULTIFILES

L·A·T·I·T·U·D·E®

	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
30"W OPEN BACK									
 SIN 711-3	**MFSD 30**	31	18	28.5	110	14.5	**888**	**1077**	• Use under Standard Tops with modesty panels • Accepts legal and letter size files • HP Lam on drawer/door faces only • Drawers and door locks except single file drawer. Lock kit available – see bottom of page • Center door on 36"W model fits Lap-top computers and "most" purses • Lateral drawer accepts legal files side-to-side (all models on this page) • For 2 rows letter files front-to-back order (1) **SLFB** @ $20 List • Lock secures lateral file and both box drawers
36"W OPEN BACK									
 SIN 711-3	**MFSD 36**	36	18	28.5	130	17.0	**1015**	**1204**	
30"W CLOSED BACK									
 SIN 711-3	**MFRT 30**	31	18	28.5	110	14.5	**888**	**1077**	• Use "Closed Back" under Bridging tops or Linking tops • Accepts legal and letter size files • HP Lam on drawer/door faces only • Drawers and door locks except single file drawer. Lock kit available-see bottom of page • Center door on 36"W model fits Lap-top computers and "most" purses
36"W CLOSED BACK									
 SIN 711-3	**MFRT 36**	36	18	28.5	130	17.0	**1015**	**1204**	
30"W FREESTANDING									
 SIN 711-3	**MFFS 30**	31	19	29.5	130	14.5	**998**	**1303**	• Accepts legal and letter size files • HP Lam on drawer and door faces, and on top • Drawers and door locks except single file drawer. Lock option kit below • Center door on 36"W model fits Lap-top computers and "most" purses **3 mm Edge Option** • Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.
36"W FREESTANDING									
 SIN 711-3	**MFFS 36**	37	19	29.5	150	17.0	**1139**	**1520**	
ADD LOCK TO FILE DRAWER									
	MFLK	Any multifile add **$65**							• Cam lock to lock single file drawer. Will be keyed alike.

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

STORAGE

L·A·T·I·T·U·D·E®

1/2 WARDROBE & 1/2 STORAGE	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
 SIN 711-3									
24" Wide	**PS 2424**	24	24	65	158	8.0	**1112**	**1416**	• Includes:
36" Wide	**PS 3624**	36	24	65	240	8.0	**1513**	**2029**	• 1 fixed shelf
									• 3 adjustable shelves
Optional Shelf (Adjustable)									• 1 coat hanger bar
									• 1 reversible door & lock on 24" wide
24" Wide	**PSSH 2424**	13	22		10	1.3	**102**		• 2 doors & locks on 36" wide
36" Wide	**PSSH 3624**	16.5	22		11	1.5	**116**		• Shipped knockdown

FULL STORAGE 24" WIDE									
 SIN 711-3									
15" Depth	**PB 2415**	24	15	65	140	8.0	**839**	**1142**	• Includes:
24" Depth	**PB 2424**	24	24	65	155	8.0	**1023**	**1326**	• 1 fixed shelf
									• 3 adjustable shelves
Optional Shelf (Adjustable)									• 1 door with lock
									• Door mounts left or right
15" Depth	**PBSH 2415**	22	13		10	1.3	**90**		• Shipped knockdown
24" Depth	**PBSH 2424**	22	22		13	1.5	**102**		

FULL STORAGE 36" WIDE									
 SIN 711-3									
15" Depth	**PB 3615**	36	15	65	190	8.0	**1217**	**1723**	• Includes:
24" Depth	**PB 3624**	36	24	65	235	8.0	**1427**	**1947**	• 1 fixed shelf
									• 3 adjustable shelves
Optional Shelf (Adjustable)									• 2 doors & locks
									• Shipped knockdown
15" Depth	**PBSH 3615**	34	13		13	1.3	**102**		
24" Depth	**PBSH 3624**	34	22		15	1.5	**116**		

MULTISTORAGE (RIGHT)									
 SIN 711-3									• Tall, locking wardrobe door on right
									• 3 adjustable shelves
Open Shelves (Shown)	**POJY 2424R**	24	24	65	221	23.0	**1423**	**1849**	• Locking file drawers hold letter and legal
									• Closed shelf unit has locking door included
Closed Shelves	**PBJY 2424R**	24	24	65	232	23.0	**1570**	**2013**	• Keyed alike unless specified otherwise
									• Box/Box/File version also available. Change "Y" in product code to "X" and use same pricing.

MULTISTORAGE (LEFT)									
 SIN 711-3									• As above except:
									• Tall, locking wardrobe door on left
Open Shelves	**POJY 2424L**	24	24	65	221	23.0	**1423**	**1849**	**3 mm Edge Option**
									• Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.
Closed Shelves (Shown)	**PBJY 2424L**	24	24	65	232	23.0	**1570**	**2013**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TALL LATERAL / STORAGE UNITS / BOOKCASES

L·A·T·I·T·U·D·E®

FILING & STORAGE UNITS







SIN 711-3

	Model #	W	D	H	Wt	V	TFL $	HPL $
1/2 STORAGE & 1/2 LATERAL	**PF 3624**	36	24	65	270	33.0	**1716**	**2169**
OPEN STORAGE & 1/2 LATERAL (not shown)	**PFO 3624**	36	24	65	260	33.0	**1463**	**1810**
1/2 & 1/2 with 3-DRAWER LATERAL FILE	**PFX 3624**	36	24	65	280	33.0	**2221**	**2813**
1/2 & 1/2 with 3-DRAWER LATERAL FILE (TALL version)	**PFT 3624**	36	24	79	295	40.0	**2379**	**3007**
OPTIONAL SHELF (ADJUSTABLE) 24" Depth	**PBSH** *(Fits any of the above)*	34	22	1	14	1.5	**116**	

1/2 Storage, 1/2 Lateral
- Locking storage area with 2 adjustable 1" shelves
- No doors on open version
- 2 locking lateral file drawers
- Shipped assembled
- See "Filing Configurations" note on page 4-23

1/2 Storage, 1/2 Lateral – 3 drawer
- Locking storage area with adjustable 1" shelf
- 3 locking lateral file drawers
- 3 locks keyed alike
- Tall version matches height of double-tier hutch on desk top
- Shipped assembled
- See "Filing Configurations" note on page 4-23

3 mm Edge Option
- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

LITERATURE ORGANIZER / MAILSORTER



SIN 711-2

	W	D	H	Wt	V	TFL $	HPL $
BM 1215	12	15	65	58	2.2	**501**	

- Melamine back
- Includes:
  - 1 fixed melamine center shelf
  - 18 adjustable masonite shelves

BOOKCASES





SIN 711-3

	W	D	H	Wt	V	TFL $	HPL $
29" High	**BG 2915**	36	15	29	97	4.0	**475**
42" High	**BG 4215**	36	15	42	102	6.0	**549**
48" High	**BG 4815**	36	15	48	125	7.0	**592**
65" High	**BG 6515**	36	15	65	140	8.0	**669**
72" High	**BG 7215**	36	15	72	152	8.0	**731**
82" High	**BG 8215**	36	15	82	187	10.5	**830**
EXTRA SHELF (any of above)	**BGSH 15**	34	13	1	9	1.5	**102**

Bookcases
- Top, bottom and interior shelves and 2 side gables are 1" thick
- Back is 3/4" thick
- One fixed shelf for 65" & 72"H bookcases
- Other shelves are adjustable:
- 29"H – 2 openings
- 42"H – 3 openings
- 48"H – 3 openings
- 65"H – 4 openings – matches height of most tall storage units
- 72"H – 5 openings
- 82"H – 6 openings
- extra shelf fits all BG units
- Bookcases must be placed against wall for stability

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER HUTCHES & EXTENDED CORNER HUTCHES

L·A·T·I·T·U·D·E®

LATITUDE®

OPEN SHELF



SIN 711-2

	Model #	A	B	H	Wt	V	TFL $	HPL $
Laminate Back	**UE 3636**	36	36	35	78	3.5	**628**	**N/A**
	UE 4242	42	42	35	91	3.8	**686**	**N/A**
	UE 4848	48	48	35	104	4.1	**776**	**N/A**
							TFL $ Grd A	**TFL $ Grd B**
Fabric Back	**UF 3636**	36	36	35	78	3.5	**794**	**863**
	UF 4242	42	42	35	91	3.8	**870**	**940**
	UF 4848	48	48	35	104	4.1	**985**	**1055**

LAMINATE BACK
- Full height back
- Gables cutaway on top
- 20" clearance under shelf
- 17" clearance under valance
- Valance installation optional (not required for structure)
- Shelves are 11.5"D
- Gables are 13"D

FABRIC BACK
- Back panels are fabric covered inside & outside
- Non-tackable

OPEN SHELF & TOP



SIN 711-2

UO 3636	36	36	35	94	4.2	**754**	**N/A**
UO 4242	42	42	35	110	4.6	**822**	**N/A**
UO 4848	48	48	35	126	5.0	**924**	**N/A**

LAMINATE BACK
- Full height back
- 12" clearance between shelves
- 20" clearance under shelf
- 17" clearance under valance
- Valance installation optional (not required for structure)
- Shelves are 11.5"D
- Gables are 13"D

- If fabric backs required, call factory for quote

CORNER HUTCH FABRIC INSERTS



SIN 711-2

FW 3636	34	34	16	8		**319**	**397**
FW 4242	40	40	16	8		**344**	**426**
FW 4848	46	46	16	9		**377**	**471**

EXTENDED CORNER HUTCH (RIGHT)



SIN 711-2

UOJ 5836	58	36	35	183	10.1	**1265**	**1519**
UOJ 6436	64	36	35	197	10.6	**1290**	**1545**
UOJ 7036	70	36	35	210	11.1	**1361**	**1620**
UOJ 5842	58	42	35	197	10.6	**1341**	**1620**
UOJ 6442	64	42	35	210	11.1	**1378**	**1658**
UOJ 7042	70	42	35	223	11.6	**1463**	**1747**

- All doors lock
- 12" clearance between shelves
- Valances are optional
- 20" clearance under lower shelf
- 17" clearance under lower shelf with a valance
- Gables are 13"D

EXTENDED CORNER HUTCH (LEFT)



SIN 711-2

UOJ 3658	36	58	35	183	10.1	**1265**	**1519**
UOJ 3664	36	64	35	197	10.6	**1290**	**1545**
UOJ 3670	36	70	35	210	11.1	**1361**	**1620**
UOJ 4258	42	58	35	197	10.6	**1341**	**1620**
UOJ 4264	42	64	35	210	11.1	**1378**	**1658**
UOJ 4270	42	70	35	223	11.6	**1463**	**1747**

- 12" clearance between shelves
- Valances are optional
- 20" clearance under lower shelf
- 17" clearance under lower shelf with a valance
- Gables are 13"D

EXTENDED CORNER FABRIC INSERTS



SIN 711-2

FW 5836	58	36	35	9		**365**	**417**
FW 6436	64	36	35	9		**379**	**434**
FW 7036	70	36	35	9		**392**	**452**
FW 5842	58	42	35	9		**379**	**431**
FW 6442	64	42	35	9		**391**	**447**
FW 7042	70	42	35	10		**405**	**463**

LEGEND: **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

SCREEN-STYLE OPEN HUTCHES

L·A·T·I·T·U·D·E®

OPEN HUTCH



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
LAMINATE BACK	UG 2813	28	13	35	62	5.0	**370**	**N/A**
	UG 3413	34	13	35	70	5.8	**376**	**N/A**
	UG 3613	36	13	35	73	6.0	**381**	**N/A**
	UG 4013	40	13	35	78	6.6	**406**	**N/A**
	UG 4213	42	13	35	83	6.8	**413**	**N/A**
	UG 4613	46	13	35	87	7.6	**432**	**N/A**
	UG 4813	48	13	35	92	7.8	**452**	**N/A**
	UG 5213	52	13	35	97	8.4	**497**	**N/A**
	UG 5813	58	13	35	106	9.2	**518**	**N/A**
	UG 6413	64	13	35	115	10.0	**553**	**N/A**
	UG 7013	70	13	35	124	10.8	**591**	**N/A**
	UG 7613	76	13	35	133	11.6	**621**	**N/A**
	UG 8213	82	13	35	144	12.7	**685**	**N/A**

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Valance installation optional (not structural)
- Gables drilled for optional adjustable shelf
- Full height back edged on 3 sides
- Gables cutaway on top
- 20" clearance under shelf
- 17" clearance under valance
- 3613, 4213 and 4813 are for use with matching corners units

OPEN HUTCH WITH TOP



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
LAMINATE BACK	UQ 2813	28	13	35	75	6.0	**406**	**N/A**
	UQ 3413	34	13	35	84	7.0	**431**	**N/A**
	UQ 3613	36	13	35	88	7.2	**432**	**N/A**
	UQ 4013	40	13	35	94	8.0	**450**	**N/A**
	UQ 4213	42	13	35	100	8.2	**468**	**N/A**
	UQ 4613	46	13	35	105	9.2	**515**	**N/A**
	UQ 4813	48	13	35	111	9.4	**515**	**N/A**
	UQ 5213	52	13	35	117	10.0	**562**	**N/A**
	UQ 5813	58	13	35	127	11.0	**593**	**N/A**
	UQ 6413	64	13	35	138	12.0	**630**	**N/A**
	UQ 7013	70	13	35	149	13.0	**668**	**N/A**
	UQ 7613	76	13	35	160	14.0	**731**	**N/A**
	UQ 8213	82	13	35	169	15.0	**786**	**N/A**

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Valance installation optional (not structural)
- Gables drilled for optional adjustable shelf
- Full height back edged on 3 sides
- 20" clearance under shelf
- 17" clearance under valance
- 3613, 4213 and 4813 are for use with matching corners units

EXTRA SHELF



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
SINGLE SHELF	USH 28	26	9	1	8	0.4	**74**	**N/A**
	USH 34	32	9	1	9	0.4	**85**	**N/A**
	USH 36	34	9	1	9	0.5	**91**	**N/A**
	USH 40	38	9	1	10	0.5	**100**	**N/A**
	USH 42	40	9	1	10	0.6	**104**	**N/A**
	USH 46	44	9	1	10	0.6	**111**	**N/A**
	USH 48	46	9	1	11	0.7	**118**	**N/A**
TWO SHELVES & DIVIDER	USH 52	(2) 25	9	1	28	0.8	**209**	**N/A**
	USH 58	(2) 26	9	1	30	0.9	**223**	**N/A**
	USH 64	(2) 31	9	1	32	1.0	**233**	**N/A**
	USH 70	(2) 34	9	1	34	1.1	**243**	**N/A**
	USH 76	(2) 37	9	1	36	1.2	**250**	**N/A**
	USH 82	(2) 40	9	1	40	1.2	**273**	**N/A**

- Full width single adjustable shelf for models 46" & under
- Hanging divider and two shelves for larger models
- Gables are pre-drilled on all open hutches
- Both shelves can be put on either side

TACK BOARD (FOR ALL SCREEN STYLE HUTCHES)



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
FW 28	26	.5	16	3	1.3	**148**	**184**
FW 34	32	.5	16	4	1.5	**159**	**198**
FW 36	34	.5	16	4	1.6	**166**	**204**
FW 40	38	.5	16	4	1.7	**192**	**233**
FW 42	40	.5	16	4	2.0	**196**	**239**
FW 46	44	.5	16	4	2.0	**203**	**247**
FW 48	46	.5	16	4	2.0	**208**	**254**
FW 52	50	.5	16	4	2.2	**214**	**261**
FW 58	56	.5	16	5	2.5	**222**	**277**
FW 64	62	.5	16	5	2.7	**228**	**297**
FW 70	68	.5	16	5	3.0	**233**	**315**
FW 76	74	.5	16	6	3.3	**249**	**355**
FW 82	80	.5	16	8	4.0	**265**	**380**

- Match code to hutch code. e.g. FW 28 fits UJ 2813 hutch
- All fabric back hutches (except corners) include tackboard
- For use with all screen-style hutches
- Mounts to hutch with double-stick tape

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

SCREEN-STYLE FLIPPER DOOR & CUPBOARD DOOR HUTCHES

L·A·T·I·T·U·D·E®

LAMINATE BACK FLIPPER DOOR



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
NON-LOCKING	**UI 2813**	28	13	35	71	5.2	**609**	**727**
	UI 3413	34	13	35	80	6.0	**649**	**742**
	UI 3613	36	13	35	83	6.2	**655**	**761**
	UI 4013	40	13	35	89	6.8	**686**	**804**
	UI 4213	42	13	35	94	7.0	**700**	**813**
	UI 4613	46	13	35	99	7.8	**737**	**869**
	UI 4813	48	13	35	104	8.0	**751**	**890**
	UI 5213	52	13	35	110	8.6	**807**	**959**
	UI 5813	58	13	35	121	9.4	**858**	**1012**
	UI 6413	64	13	35	131	10.2	**935**	**1088**
	UI 7013	70	13	35	141	11.0	**1005**	**1163**
	UI 7613	76	13	35	151	11.8	**1093**	**1259**
	UI 8213	82	13	35	190	15.0	**1163**	**1341**
LOCKING	**UJ 2813**	28	13	35	71	5.2	**660**	**789**
	UJ 3413	34	13	35	80	6.0	**712**	**807**
	UJ 3613	36	13	35	83	6.2	**717**	**823**
	UJ 4013	40	13	35	89	6.8	**762**	**881**
	UJ 4213	42	13	35	94	7.0	**776**	**889**
	UJ 4613	46	13	35	99	7.8	**813**	**946**
	UJ 4813	48	13	35	104	8.0	**827**	**967**
	UJ 5213	52	13	35	440	8.6	**960**	**1108**
	UJ 5813	58	13	35	121	9.4	**1011**	**1166**
	UJ 6413	64	13	35	131	10.2	**1093**	**1246**
	UJ 7013	70	13	35	141	11.0	**1163**	**1321**
	UJ 7613	76	13	35	151	11.8	**1234**	**1418**
	UJ 8213	82	13	35	190	15.0	**1336**	**1513**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Gables inset slightly from back
- Full height back
- 20" clearance under door
- 17" clearance under valance
- Valance installation optional (not required for structure)
- 3613, 4213 and 4813 are for use with matching corner units
- Option to key alike with peds and files
- HP Lam price includes HP on doors only

LAMINATE BACK CUPBOARD DOOR



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
NON-LOCKING	**UW 2813**	28	13	35	71	5.2	**601**	**718**
	UW 3413	34	13	35	80	6.0	**609**	**731**
	UW 3613	36	13	35	83	6.2	**625**	**748**
	UW 4013	40	13	35	89	6.8	**660**	**776**
	UW 4213	42	13	35	94	7.0	**667**	**794**
	UW 4613	46	13	35	99	7.8	**717**	**864**
	UW 4813	48	13	35	104	8.0	**731**	**884**
	UW 5213	52	13	35	110	8.6	**788**	**946**
	UW 5813	58	13	35	121	9.4	**839**	**1005**
	UW 6413	64	13	35	131	10.2	**915**	**1093**
	UW 7013	70	13	35	141	11.0	**985**	**1175**
	UW 7613	76	13	35	151	11.8	**1073**	**1277**
	UW 8213	82	13	35	190	15.0	**1141**	**1483**
LOCKING	**UX 2813**	28	13	35	71	5.2	**676**	**783**
	UX 3413	34	13	35	80	6.0	**685**	**807**
	UX 3613	36	13	35	83	6.2	**701**	**823**
	UX 4013	40	13	35	89	6.8	**737**	**853**
	UX 4213	42	13	35	94	7.0	**742**	**869**
	UX 4613	46	13	35	99	7.8	**794**	**940**
	UX 4813	48	13	35	104	8.0	**807**	**960**
	UX 5213	52	13	35	110	8.6	**915**	**1073**
	UX 5813	58	13	35	121	9.4	**966**	**1132**
	UX 6413	64	13	35	131	10.2	**1073**	**1252**
	UX 7013	70	13	35	141	11.0	**1143**	**1336**
	UX 7613	76	13	35	151	11.8	**1234**	**1436**
	UX 8213	82	13	35	190	15.0	**1300**	**1643**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Gables inset slightly from back
- Full height back
- 20" clearance under door
- 17" clearance under valance
- Valance installation optional (not required for structure)
- 3613, 4213 and 4813 are for use with matching corner units
- Option to key alike with peds and files
- HP Lam. price includes HP on doors only

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

FABRIC BACK FLIPPER DOOR



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
LOCKING	**UN 2813**	28	13	35	71	5.4	**761**	**843**	**914**	**995**
	UN 3413	34	13	35	80	6.2	**783**	**865**	**939**	**1021**
	UN 3613	36	13	35	83	6.4	**809**	**893**	**971**	**1055**
	UN 4013	40	13	35	89	7.0	**817**	**903**	**982**	**1066**
	UN 4213	42	13	35	94	7.2	**839**	**923**	**1008**	**1092**
	UN 4613	46	13	35	99	8.0	**867**	**958**	**1042**	**1132**
	UN 4813	48	13	35	104	8.2	**889**	**980**	**1067**	**1157**
	UN 5213	52	13	35	110	8.8	**1027**	**1117**	**1233**	**1323**
	UN 5813	58	13	35	121	9.6	**1104**	**1193**	**1326**	**1415**
	UN 6413	64	13	35	131	10.4	**1158**	**1252**	**1389**	**1483**
	UN 7013	70	13	35	141	11.2	**1234**	**1327**	**1481**	**1574**
	UN 7613	76	13	35	151	12.0	**1358**	**1452**	**1570**	**1664**
	UN 8213	82	13	35	190	15.0	**1443**	**1531**	**1666**	**1760**

Remarks

- Same as UJ except:
- Back panels are fabric covered inside & outside
- Tackable inside below shelf only

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

GABLE-END OPEN HUTCHES

L·A·T·I·T·U·D·E®

VALANCE HUTCHES (15" DEEP)



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
HV 2815	28	15	35	58	3.6	**389**	**N/A**
HV 3415	34	15	35	62	3.6	**392**	**N/A**
HV 3615	36	15	35	66	3.7	**395**	**N/A**
HV 4015	40	15	35	68	3.9	**399**	**N/A**
HV 4215	42	15	35	70	4.7	**401**	**N/A**
HV 4615	46	15	35	73	4.7	**405**	**N/A**
HV 4815	48	15	35	75	4.7	**407**	**N/A**
HV 5215	52	15	35	79	4.7	**448**	**N/A**
HV 5815	58	15	35	82	5.2	**489**	**N/A**
HV 6415	64	15	35	85	5.6	**533**	**N/A**
HV 7015	70	15	35	89	6.2	**575**	**N/A**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Back inset between gables
- Gap between upper & lower back can be left open or fitted with fabric insert (FI model below)
- Includes valance
- Height from desktop to valance: 19"
- Depth matches flipper door hutches
- Adjustable shelf on units under 46" length are 12" deep
- Lengths 52" and over do not accommodate adjustable shelf

FABRIC INSERT



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
FI 2617	26	.5	16	3	1.3	**166**	**210**
FI 3217	32	.5	16	4	1.5	**172**	**216**
FI 3417	34	.5	16	4	1.6	**177**	**223**
FI 3817	38	.5	16	4	1.7	**192**	**231**
FI 4017	40	.5	16	4	2.0	**209**	**245**
FI 4417	44	.5	16	4	2.0	**223**	**264**
FI 4617	46	.5	16	4	2.1	**229**	**268**
FI 5017	50	.5	16	5	2.2	**234**	**278**
FI 5617	56	.5	16	5	2.5	**243**	**289**
FI 6217	62	.5	16	5	2.7	**249**	**299**
FI 6817	68	.5	16	5	3.0	**254**	**309**
FI 7417	74	.5	16	6	3.3	**305**	**364**
FI 8017	80	.5	16	6	3.5	**344**	**405**

- Fabric insert is tackable front and back
- Fabric is wrapped around a fire resistant 1/2" mineral fibre board (contains no asbestos)
- Insert is fastened using retaining channels
- Fits both HH & HV model hutches

LATITUDE®

"SCREEN-STYLE" HUTCHES







"GABLE END" HUTCHES







LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

GABLE-END FLIPPER DOOR HUTCHES

L·A·T·I·T·U·D·E®

LAMINATE BACK





SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Non-Locking	**HI 2815**	28	15	35	85	9.4	**634**	**751**
	HI 3415	34	15	35	96	11.0	**674**	**770**
	HI 3615	36	15	35	100	11.5	**680**	**786**
	HI 4015	40	15	35	107	12.7	**713**	**804**
	HI 4215	42	15	35	113	14.0	**726**	**840**
	HI 4615	46	15	35	119	14.0	**761**	**894**
	HI 4815	48	15	35	125	15.3	**777**	**917**
	HI 5215	52	15	35	132	16.0	**844**	**983**
	HI 5815	58	15	35	145	18.0	**896**	**1041**
	HI 6415	64	15	35	158	20.0	**970**	**1118**
	HI 7015	70	15	35	170	22.0	**1041**	**1196**
	HI 7615	76	15	35	182	22.5	**1133**	**1306**
	HI 8215	82	15	35	190	23.0	**1201**	**1379**
Locking	**HJ 2815**	28	15	35	85	9.4	**685**	**815**
	HJ 3415	34	15	35	96	11.0	**716**	**832**
	HJ 3615	36	15	35	100	11.5	**727**	**849**
	HJ 4015	40	15	35	107	12.7	**786**	**907**
	HJ 4215	42	15	35	113	14.0	**803**	**916**
	HJ 4615	46	15	35	119	14.0	**839**	**972**
	HJ 4815	48	15	35	125	15.3	**856**	**994**
	HJ 5215	52	15	35	132	16.0	**981**	**1136**
	HJ 5815	58	15	35	145	18.0	**1050**	**1194**
	HJ 6415	64	15	35	158	20.0	**1122**	**1278**
	HJ 7015	70	15	35	170	22.0	**1202**	**1352**
	HJ 7615	76	15	35	182	22.5	**1266**	**1440**
	HJ 8215	82	15	35	190	23.0	**1371**	**1549**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Hx 7013 hutch fits TR 72xx Top
- Back inset between gables
- Door (s) retract into pocket
- Hutches include a 3" valance
- Height from desktop to valance: 15"
- Valance may be removed to achieve 18" height
- HI / HJ 3615, 4215 and 4815 are for use with matching corner units
- Units 52" and over have double doors
- Option to key alike with peds and files
- HP Lam price includes HP on doors only
- Use FB tackboards below

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code "3M" after the standard product code.

TACKBOARD FOR ALL GABLE END HUTCHES



SIN 711-2

Model #	W	D	H	Wt	V	GRD A $	GRD B $
FB 2616	26	.5	16	3	1.3	**148**	**184**
FB 3216	32	.5	16	4	1.5	**159**	**198**
FB 3416	34	.5	16	4	1.6	**166**	**204**
FB 3816	38	.5	16	4	1.7	**192**	**233**
FB 4016	40	.5	16	4	2.0	**196**	**239**
FB 4416	44	.5	16	4	2.0	**203**	**247**
FB 4616	46	.5	16	4	2.0	**208**	**254**
FB 5016	50	.5	16	5	2.2	**214**	**261**
FB 5616	56	.5	16	5	2.5	**222**	**277**
FB 6216	62	.5	16	5	2.7	**228**	**297**
FB 6816	68	.5	16	5	3.0	**233**	**315**
FB 7416	78	.5	16	8	4.0	**249**	**355**
FB 8016	80	.5	16	8	4.0	**265**	**380**

- For use with Gable-end hutches
- HN hutches already have tackboard included
- Proper sizing requires 2" less length than hutch e.g. HJ 7015 uses FB 6816
- Mounts to hutch with double-stick tape

FABRIC BACK





SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
Locking	**HN 2815**	28	15	35	85	9.4	**797**	**878**	**959**	**1037**
	HN 3415	34	15	35	96	11.0	**820**	**899**	**985**	**1064**
	HN 3615	36	15	35	100	11.5	**847**	**928**	**1019**	**1097**
	HN 4015	40	15	35	107	12.7	**859**	**938**	**1031**	**1110**
	HN 4215	42	15	35	113	14.0	**870**	**949**	**1047**	**1125**
	HN 4615	46	15	35	119	14.0	**912**	**991**	**1095**	**1174**
	HN 4815	48	15	35	125	15.3	**974**	**1055**	**1157**	**1238**
	HN 5215	52	15	35	132	16.0	**1030**	**1109**	**1221**	**1302**
	HN 5815	58	15	35	145	18.0	**1154**	**1235**	**1387**	**1466**
	HN 6415	64	15	35	158	20.0	**1210**	**1288**	**1450**	**1528**
	HN 7015	70	15	35	170	22.0	**1289**	**1367**	**1547**	**1625**
	HN 7615	76	15	35	182	22.5	**1369**	**1447**	**1643**	**1722**
	HN 8215	82	15	35	190	23.0	**1456**	**1535**	**1750**	**1828**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Hx 7013 hutch fits TR 72xx Top
- Back inset between gables
- Door (s) retract into pocket
- Height from desktop to valance: 15"
- Back panels are fabric covered inside and outside
- Tackable inside, below shelf only
- Non-tackable outside
- Hutches include a 3" valance
- HN 3615, 4215 and 4815 are for use with matching corner units
- Units 52" and over have double doors
- Option to key alike with peds and files
- Comes with tackboard

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

SCREEN-STYLE DOUBLE TIER HUTCHES

L·A·T·I·T·U·D·E®

OPEN HUTCH



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Laminate Back	**UQQ 2813**	28	13	49	82	8.4	**757**	**N/A**
	UQQ 3413	34	13	49	93	9.4	**764**	**N/A**
	UQQ 3613	36	13	49	97	9.5	**772**	**N/A**
	UQQ 4013	40	13	49	104	10.8	**801**	**N/A**
	UQQ 4213	42	13	49	108	11.7	**831**	**N/A**
	UQQ 4613	46	13	49	115	12.9	**843**	**N/A**
	UQQ 4813	48	13	49	118	13.8	**856**	**N/A**
	UQQ 5213	52	13	49	133	14.0	**907**	**N/A**
	UQQ 5813	58	13	49	144	15.2	**987**	**N/A**
	UQQ 6413	64	13	49	155	16.5	**1101**	**N/A**
	UQQ 7013	70	13	49	166	18.2	**1164**	**N/A**
	UQQ 7613	76	13	49	177	19.9	**1278**	**N/A**
	UQQ 8213	82	13	49	187	23.0	**1387**	**N/A**

FLIPPER DOOR



SIN 711-2

LOCKING	**UJJ 2813**	28	13	49	93	8.4	**964**	**1118**
	UJJ 3413	34	13	49	105	9.4	**978**	**1136**
	UJJ 3613	36	13	49	110	9.5	**990**	**1149**
	UJJ 4013	40	13	49	118	10.8	**1026**	**1185**
	UJJ 4213	42	13	49	123	11.7	**1062**	**1229**
	UJJ 4613	46	13	49	131	12.9	**1080**	**1248**
	UJJ 4813	48	13	49	134	13.8	**1098**	**1268**
	UJJ 5213	52	13	49	150	14.0	**1264**	**1442**
	UJJ 5813	58	13	49	163	15.2	**1373**	**1554**
	UJJ 6413	64	13	49	176	16.5	**1488**	**1682**
	UJJ 7013	70	13	49	188	18.2	**1566**	**1763**
	UJJ 7613	76	13	49	201	19.9	**1714**	**1922**
	UJJ 8213	82	13	49	213	23.0	**1913**	**2128**

FULL CUPBOARD DOOR



SIN 711-2

LOCKING	**UXX 2813**	28	13	49	93	8.4	**838**	**1004**
	UXX 3413	34	13	49	105	9.4	**852**	**1024**
	UXX 3613	36	13	49	110	9.5	**864**	**1038**
	UXX 4013	40	13	49	118	10.8	**904**	**1084**
	UXX 4213	42	13	49	123	11.7	**943**	**1132**
	UXX 4613	46	13	49	131	12.9	**983**	**1178**
	UXX 4813	48	13	49	134	13.8	**1022**	**1222**
	UXX 5213	52	13	49	150	14.0	**1107**	**1329**
	UXX 5813	58	13	49	163	15.2	**1203**	**1447**
	UXX 6413	64	13	49	176	16.5	**1319**	**1583**
	UXX 7013	70	13	49	188	18.2	**1413**	**1697**
	UXX 7613	76	13	49	201	19.9	**1550**	**1888**
	UXX 8213	82	13	49	213	23.0	**1762**	**2116**

FULL CUPBOARD DOOR



SIN 711-2

LOCKING	**UQX 2813**	28	13	49	99	8.4	**980**	**1196**
	UQX 3413	34	13	49	114	9.4	**995**	**1218**
	UQX 3613	36	13	49	119	9.5	**1010**	**1242**
	UQX 4013	40	13	49	128	10.8	**1047**	**1300**
	UQX 4213	42	13	49	133	11.7	**1083**	**1326**
	UQX 4613	46	13	49	142	12.9	**1122**	**1384**
	UQX 4813	48	13	49	146	13.8	**1161**	**1429**
	UQX 5213	52	13	49	163	14.0	**1253**	**1505**
	UQX 5813	58	13	49	177	15.2	**1376**	**1609**
	UQX 6413	64	13	49	191	16.5	**1495**	**1784**
	UQX 7013	70	13	49	205	18.2	**1579**	**1872**
	UQX 7613	76	13	49	219	19.9	**1743**	**2056**
	UQX 8213	82	13	49	232	23.0	**1956**	**2281**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Gables inset slightly from back
- Full height back
- Valance installation optional (not required for structure)
- 20" clearance under door
- 17" clearance under valance
- 3613, 4213 and 4813 are for use with matching corner units
- Option to key alike with peds and files
- HP Lam. price includes HP on doors only
- Use FW tackboards with double-tier hutches (pg. 4-29)
- Flipper door available for top shelf only
- Recommend these hutches be secured to walls
- Mod-eez® clips are incorporated into bottom of uprights to provide mechanical connection to desktop

3 mm Edge Option

- Users have the option to substitute a flat profile, 3 mm, PVC edging (in place of standard 5 mm T-moulding) on to square corner faces. This option is ordered adding the code “3M” after the standard product code.

LATITUDE®

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TRANSACTION HUTCHES

L·A·T·I·T·U·D·E®

STRAIGHT TRANSACTION HUTCHES



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
LAMINATE BACK	**ULT 2213**	22	13.5	14	19	0.9	**253**		**315**	
	ULT 2813	28	13.5	14	22	1.1	**259**		**338**	
	ULT 3413	34	13.5	14	26	1.3	**266**		**348**	
	ULT 3613	36	13.5	14	27	1.3	**272**		**354**	
	ULT 4013	40	13.5	14	29	1.4	**281**		**368**	
	ULT 4213	42	13.5	14	31	1.6	**290**		**376**	
	ULT 4613	46	13.5	14	33	1.6	**296**		**385**	
	ULT 4813	48	13.5	14	34	1.7	**301**		**391**	
	ULT 5213	52	13.5	14	39	1.8	**314**		**407**	
	ULT 5813	58	13.5	14	43	2.0	**332**		**433**	
	ULT 6413	64	13.5	14	46	2.2	**344**		**447**	
	ULT 7013	70	13.5	14	50	2.4	**363**		**471**	
	ULT 7613	76	13.5	14	53	2.5	**387**		**504**	
	ULT 8213	82	13.5	14	55	2.7	**417**		**542**	
FABRIC BACK	**UKT 2813**	28	13.5	14	22	1.1	**285**	**320**	**371**	**404**
	UKT 3413	34	13.5	14	26	1.3	**296**	**330**	**383**	**417**
	UKT 3613	36	13.5	14	27	1.3	**297**	**331**	**384**	**420**
	UKT 4013	40	13.5	14	29	1.4	**301**	**335**	**391**	**426**
	UKT 4213	42	13.5	14	31	1.6	**327**	**360**	**418**	**452**
	UKT 4613	46	13.5	14	33	1.6	**345**	**372**	**446**	**473**
	UKT 4813	48	13.5	14	34	1.7	**355**	**385**	**461**	**491**
	UKT 5213	52	13.5	14	39	1.8	**362**	**402**	**470**	**510**
	UKT 5813	58	13.5	14	43	2.0	**400**	**437**	**518**	**557**
	UKT 6413	64	13.5	14	46	2.2	**434**	**478**	**563**	**608**
	UKT 7013	70	13.5	14	50	2.4	**468**	**512**	**610**	**655**
	UKT 7613	76	13.5	14	53	2.5	**505**	**550**	**657**	**702**
	UKT 8213	82	13.5	14	55	2.7	**561**	**604**	**696**	**739**

Remarks

- Ensure hutch length matches actual length of worksurface (see dimension column) e.g. Ux 7013 hutch fits TR 72xx Top
- Models with fabric back panels are covered inside and outside
- Non-tackable
- 13" clearance under top

- Previous UL/UK models with only 12" clearance are available to match existing installations. Call Customer Service for ordering info
- Mounts on desk-top with double-stick tape

CORNER TRANSACTION HUTCHES



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
LAMINATE BACK	**UUT 3636**	36	36	14	43	3.7	**490**		**639**	
	UUT 4242	42	42	14	52	4.8	**520**		**676**	
FABRIC BACK	**UTT 3636**	36	36	14	43	3.7	**561**	**604**	**729**	**771**
	UTT 4242	42	42	14	52	4.8	**628**	**670**	**816**	**859**

- Models with fabric back panels are covered inside and outside
- Non-tackable
- Mounts on desk-top with double-stick tape

CORNER TRANSACTION WITH MONITOR RECESS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
LAMINATE BACK	**UUTC 3636**	36	36	14	43	3.7	**516**		**656**	
	UUTC 4242	42	42	14	51	4.8	**565**		**719**	
FABRIC BACK	**UTTC 3636**	36	36	14	43	3.7	**611**	**655**	**780**	**821**
	UTTC 4242	42	42	14	51	4.8	**679**	**720**	**866**	**910**

- Models with fabric back panels are covered inside and outside
- Creates more space for large monitors
- Mounts on desk-top with double-stick tape

CORNER TRANSACTION HUTCHES



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
LAMINATE BACK	**UUT 4040**	41	42	14	38	4.6	**515**		**669**	
FABRIC BACK	**UTT 4040**	41	41	14	38	4.6	**628**	**670**	**816**	**859**

- Models with fabric back panels are covered inside and outside
- Non-tackable
- Mounts on desk-top with double-stick tape

CORNER TRANSACTION WITH MONITOR RECESS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
LAMINATE BACK	**UUTC 4040**	41	42	14	38	4.6	**565**		**719**	
FABRIC BACK	**UTTC 4040**	41	41	14	38	4.6	**679**	**720**	**866**	**910**

- Models with fabric back panels are covered inside and outside
- Creates more space for large monitors
- Mounts on desk-top with double-stick tape

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CANTILEVERED TRANSACTION HUTCHES

L·A·T·I·T·U·D·E®

CANTILEVERED STRAIGHT TRANSACTION HUTCHES



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
Laminate Back	**ULXT 2813**	28	13.5	14	22	1.1	**259**		**338**	
	ULXT 3413	34	13.5	14	26	1.3	**266**		**348**	
	ULXT 3613	36	13.5	14	27	1.3	**272**		**354**	
	ULXT 4013	40	13.5	14	29	1.4	**281**		**368**	
	ULXT 4213	42	13.5	14	31	1.6	**290**		**376**	
	ULXT 4613	46	13.5	14	33	1.6	**296**		**385**	
	ULXT 4813	48	13.5	14	34	1.7	**301**		**391**	
	ULXT 5213	52	13.5	14	39	1.8	**314**		**407**	
	ULXT 5813	58	13.5	14	43	2.0	**332**		**433**	
	ULXT 6413	64	13.5	14	46	2.2	**344**		**447**	
	ULXT 7013	70	13.5	14	50	2.4	**363**		**471**	
	ULXT 7613	76	13.5	14	53	2.5	**387**		**504**	
	ULXT 8213	82	13.5	14	55	2.7	**417**		**542**	
Fabric Back	**UKXT 2813**	28	13.5	14	22	1.1	**285**	**319**	**371**	**404**
	UKXT 3413	34	13.5	14	26	1.3	**296**	**330**	**383**	**417**
	UKXT 3613	36	13.5	14	27	1.3	**297**	**331**	**384**	**420**
	UKXT 4013	40	13.5	14	29	1.4	**301**	**335**	**391**	**426**
	UKXT 4213	42	13.5	14	31	1.6	**327**	**360**	**418**	**452**
	UKXT 4613	46	13.5	14	33	1.6	**345**	**372**	**446**	**473**
	UKXT 4813	48	13.5	14	34	1.7	**355**	**385**	**461**	**491**
	UKXT 5213	52	13.5	14	39	1.8	**362**	**402**	**470**	**510**
	UKXT 5813	58	13.5	14	43	2.0	**400**	**437**	**518**	**557**
	UKXT 6413	64	13.5	14	46	2.2	**434**	**478**	**563**	**608**
	UKXT 7013	70	13.5	14	50	2.4	**468**	**512**	**610**	**655**
	UKXT 7613	76	13.5	14	53	2.5	**505**	**550**	**657**	**702**
	UKXT 8213	82	13.5	14	55	2.7	**561**	**604**	**696**	**739**

Remarks

- Hutches overhang desktop by 5"
- Hutches secured to desk with threaded steel dowels. Holes in desk-top must be drilled by installers
- Fabric back models covered inside and outside but not tackable
- 3613, 4213, and 4813 are for use with matching corner units,when only one side required

CANTILEVERED CORNER & TRANSACTION WEDGE HUTCHES



SIN 711-2

Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
UUXT 3636	36	36	14	43	3.7	**520**		**676**	
UUXT 4242	42	42	14	52	4.8	**667**		**858**	
UTXT 3636	36	36	14	43	3.7	**628**	**670**	**816**	**859**
UTXT 4242	42	42	14	52	4.8	**769**	**820**	**1005**	**1067**

- For use with UKX / ULX units
- Hutches secured to desk with threaded steel dowels. Holes in desk-top must be drilled by installers
- Models with fabric back panels are covered inside and outside but are non-tackable
- Height is 14" overall
- Corner hutches fit corner tops. They are not sized to fit the depth of TR tops

CANTILEVERED CORNER & TRANSACTION WEDGE HUTCHES



SIN 711-2

Model #	W	D	H	Wt	V	TFL $ GRD. A	TFL $ GRD. B	HPL $ GRD. A	HPL $ GRD. B
UUXT 4040	42	42	14	52	4.8	**603**		**783**	
UTXT 4040	42	42	14	52	4.8	**722**	**765**	**940**	**984**

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

1/4 ROUND CORNER HUTCHES & WALL-MOUNTED BINS

L·A·T·I·T·U·D·E®

1/4 ROUND HUTCH REGULAR HEIGHT	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
 SIN 711-3	**HX 1515**	14	14	35	40	2.5	**380**	**N/A**	• Sits on desk-top • Matches height of single-tier hutches
1/4 ROUND LOWER SHELVING FREE STANDING									
 SIN 711-3	**WO 2424**	25.5	25.5	29	53	2.3	**447**	**541**	• Freestanding unit • HP Lam price includes HP on top only
	WO 3030	31	31	29	67	2.3	**505**	**616**	
FLIPPER DOOR BIN									
 SIN 711-2	**NON-LOCKING**								• Wall mounting components provided • Installer's responsibility to properly secure hanging strip to the wall • Option to key-alike with peds and files • Tackboards can be mounted under bin. Order closest FW size (pg. 4-29) and one **FWH Kit** ($21 List) Mounting Details 
	WI 2813	28	13	17	53	2.8	**494**	**592**	
	WI 3413	34	13	17	60	3.2	**503**	**603**	
	WI 3613	36	13	17	63	3.4	**516**	**618**	
	WI 4013	40	13	17	67	3.7	**519**	**625**	
	WI 4213	42	13	17	72	3.9	**522**	**626**	
	WI 4613	46	13	17	76	4.2	**536**	**644**	
	WI 4813	48	13	17	81	4.4	**538**	**646**	
	WI 5213	52	13	17	84	4.7	**593**	**714**	
	WI 5813	58	13	17	94	5.2	**651**	**781**	
	WI 6413	64	13	17	102	5.6	**693**	**833**	
	WI 7013	70	13	17	111	6.1	**748**	**898**	
	LOCKING								
	WJ 2813	28	13	17	53	2.8	**553**	**663**	
	WJ 3413	34	13	17	60	3.2	**561**	**671**	
	WJ 3613	36	13	17	63	3.4	**575**	**689**	
	WJ 4013	40	13	17	67	3.7	**579**	**693**	
	WJ 4213	42	13	17	72	3.9	**580**	**694**	
	WJ 4613	46	13	17	76	4.2	**593**	**714**	
	WJ 4813	48	13	17	81	4.4	**595**	**715**	
	WJ 5213	52	13	17	84	4.7	**711**	**855**	
	WJ 5813	58	13	17	94	5.2	**767**	**921**	
	WJ 6413	64	13	17	102	5.6	**811**	**972**	
	WJ 7013	70	13	17	111	6.1	**865**	**1038**	
OPEN BIN									
 SIN 711-2	**WG 2813**	28	13	17	44	1.4	**322**	**N/A**	• Cutaway gables • Wall mounting components provided • Installer's responsibility to properly secure hanging strip to the wall • Mounting details see drawing above • Tackboards can be mounted under bin. Order closest FW size (pg. 4-29) and one **FWH Kit** ($21 List)
	WG 3413	34	13	17	50	1.6	**324**	**N/A**	
	WG 3613	36	13	17	53	1.7	**327**	**N/A**	
	WG 4013	40	13	17	56	1.8	**330**	**N/A**	
	WG 4213	42	13	17	61	2.0	**332**	**N/A**	
	WG 4613	46	13	17	64	2.1	**335**	**N/A**	
	WG 4813	48	13	17	69	2.2	**338**	**N/A**	
	WG 5213	52	13	17	71	2.3	**371**	**N/A**	
	WG 5813	58	13	17	79	2.6	**405**	**N/A**	
	WG 6413	64	13	17	86	2.8	**439**	**N/A**	
	WG 7013	70	13	17	94	3.1	**476**	**N/A**	
OPEN BIN WITH TOP									
 SIN 711-2	**WE 2813**	28	13	17	47	1.7	**378**	**N/A**	• 12.0" space between shelves • Wall mounting components provided • Installer's responsibility to properly secure hanging strip to the wall • Mounting details see drawing above • Tackboards can be mounted under bin. Order closest FW size (pg. 4-29) and one **FWH Kit** ($21 List)
	WE 3413	34	13	17	54	1.9	**381**	**N/A**	
	WE 3613	36	13	17	57	2.1	**384**	**N/A**	
	WE 4013	40	13	17	60	2.2	**389**	**N/A**	
	WE 4213	42	13	17	65	2.3	**391**	**N/A**	
	WE 4613	46	13	17	69	2.5	**395**	**N/A**	
	WE 4813	48	13	17	74	2.6	**396**	**N/A**	
	WE 5213	52	13	17	76	2.8	**434**	**N/A**	
	WE 5813	58	13	17	85	3.1	**476**	**N/A**	
	WE 6413	64	13	17	93	3.5	**516**	**N/A**	
	WE 7013	70	13	17	102	3.7	**558**	**N/A**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

KEYBOARDS

L·A·T·I·T·U·D·E®

	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
SLIDING KEYBOARD SHELF									
 SIN 711-2	**KS 2011**	20	11	.75	15	0.5	**122**	**159**	• KS 26, 28, 30, 32 accommodate a mouse • KS 30 & 32 only fit on 36" corner with GH 2912 recessed gables (see pg. 4-7) • Tray surface 2.5" below work surface • Mounting tabs add 2.5" to width shown
	KS 2411	24	11	.75	15	.75	**131**	**165**	
	KS 2611	26	11	.75	15	.75	**140**	**170**	
	KS 2811	28	11	.75	15.5	.88	**151**	**188**	
	KS 3011	30	11	.75	15.5	.88	**158**	**198**	
	KS 3211	32	11	.75	16	1.0	**164**	**207**	
CURVED SLIDING KEYBOARD									
 SIN 711-2	**KS 3215**	32	15	.75	16	10	**170**	**218**	• All keyboards on this page have keyboard / mouse retention strip front and back of tray • Accommodates a mouse • Recommended for 36" and 42" curved corners with GH model recessed gables (see pg. 4-7)
ARTICULATING RETRACTABLE KEYBOARD ARM									
 SIN 711-2	**KM 2815 ML** 42" Corner 								• Keyboard arm is black • Keyboard tray matches worksurface colours • Height adjustable 6.6" below worksurface to flush with worksurface • Tilt adjustment +15º / -15º • Swivel adjustment 360º • Requires KK0101 spacer for TRs 52" & over • Retractable on 17" track
	KM 2010L	20	10	.75	17	1.5	**345**	**382**	
	KM 2210L	22	10	.75	17	1.5	**345**	**382**	
	KM 2410L	24	10	.75	17	1.5	**345**	**382**	
	KM 2610L	26	10	.75	17	1.5	**358**	**394**	
	KM 2810L	28	10	.75	18	1.5	**358**	**394**	
	KM 2815ML	25	15	.75	18	1.5	**406**	**455**	
STANDING HEIGHT ARTICULATING KEYBOARD									
 SIN 711-2	**KM 2010H**	20	10	.75	17	1.5	**492**	**531**	• As above except: • Height adjustable 6.2" above and 6" below worksurface • Retractable on 21" track • All keyboards on this page have keyboard / mouse retention strip front and back of tray
	KM 2410H	24	10	.75	17	1.5	**492**	**531**	
	KM 2610H	26	10	.75	17	1.5	**502**	**541**	
	KM 2810H	28	10	.75	18	1.6	**502**	**541**	
CURVED FULL FLEX									
 SIN 711-2	**NON-RETRACTABLE**								• KF 3215 WF fits on CZS 2918 corner unit (pg. 4-14) • KF 3214 WF fits on CUC 2924, CWC 2924 or CCC 2924 corners (pg. 4-14) • Requires 10" mounting depth • Straight units mount on standard surfaces over 32"W and bridging surfaces over 36"W • Lift and Lock height adjustment of 6" above surface and 6" below • Tilt adjustment knob easily reached while seated • Tilts +9° / -15° • Keyboard arm is black • Keyboard tray matches worksurface colours
	KF3214 WF	32	14	1	35	4.5	**800**	**849**	
	KF3215 WF	32	14	1	35	4.5	**800**	**849**	
FULL FLEX KEYBOARD									
 SIN 711-2	**NON-RETRACTABLE**								
	KF 3010 WF	30	10	1	35	3.7	**764**	**813**	
	KF 3210 WF	32	10	1	35	4.5	**769**	**818**	
	KF 3410 WF	34	10	1	36	4.5	**776**	**824**	
	KF 3610 WF	36	10	1	37	4.5	**782**	**860**	
	KF 4210 WF	42	10	1	39	5.2	**799**	**879**	
	KF 4810 WF	48	10	1	41	6.0	**816**	**898**	
LONG TOP SPACER KIT									
 SIN 711-2	**KK 1010**	6.5	6	1	1	N/A	**32**	**N/A**	• Required to install KM keyboard arm on longer standard tops which have steel support bars (52" and wider) • Lowers keyboard by 1"

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

LATITUDE®

MEETING ROOM, ACCESSORIES & RECEPTION TABLES

L·A·T·I·T·U·D·E®

	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
AV CABINET									
 SIN 711-3	**PAV 3624**	36	24	65	235	20	**1970**	**2423**	• 270° fold-away top doors • Drawer for videos • 1 fixed shelf • 2 adjustable shelves • Fully ventilated • Wire access top to bottom • Locks top and bottom • Shipped assembled
LECTURN									
 SIN 711-2	**PLC 4420**	21.5	21.5	44	90	3.6	**585**	**N/A**	• Sloping top shelf with paper stop • Fixed shelf underneath • On casters, front locking
WHITEBOARD									
 SIN 711-3	**Non-magnetic White Board** **PWB 4848**	48	48	6	143		**1209**	**N/A**	• Tackable surface inside one door • Hooks for flip chart on other door • Marker tray included on ledge • Shipped assembled
	Magnetic White Board **PWBM 4848**	48	48	6	143		**1539**	**N/A**	
SQUARE END TABLE									
 SIN 711-11	**RCS 2222**	22	22	18			**268**	**376**	
RECTANGULAR COFFEE TABLE									
 SIN 711-11	**RCS 4824**	48	24	18			**319**	**438**	
OVAL COFFEE TABLE									
 SIN 711-11	**RCT 4824**	48	24	18			**361**	**483**	
SKATE BOARD									
 SIN 711-2	**SK 1017**	10	17	7	7	2.3	**100**		• Accommodates upright computer and keeps it out of the way under desk surface • Casters make it easy to pull out computer for maintenance or upgrades • Adjustable width from 5.2" to 8.7" (9 positions)

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING TABLE TOPS (see Tables pages 5-8 through 5-12 for base options)

L·A·T·I·T·U·D·E®

		Model #	W	D	Wt	V	1" Thick TFL $	1" Thick HPL $	Remarks
HALF ROUND TOP									
SIN 711-11	 48"	DDR 4824	48	24	23	1.6	**298**	**427**	-• If stand-alone, use three ULP4BL, 4NI or 2NIT legs
	60"	DDR 6030	60	30	35	2.0	**374**	**609**	• Use with one ULP4BL when attaching to 2 returns as shown
ROUND TOP									
 SIN 711-11	24"	RR 24	24	24	11	0.9	**160**	**285**	• Use 4 post-legs or matching cross, spider, cube or drum bases on following pages
	30"	RR 30	30	30	19	1.2	**200**	**353**	
	36"	RR 36	36	36	28	1.7	**243**	**389**	
	42"	RR 42	42	42	37	2.2	**364**	**580**	• 60" uses 5 post-legs, 4-column spider base or wood cross base
	48"	RR 48	48	48	50	2.9	**401**	**646**	
	60"	RR 60	60	60	77	4.4	**498**	**821**	
SQUARE TOP									
SIN 711-11	24" x 24"	RS 2424	24	24	15	0.9	**140**	**240**	• Use 4 post-legs, 2 t-legs or matching cross, spider, cube or drum bases
	30" x 30"	RS 3030	30	30	23	1.2	**158**	**256**	
	36" x 36"	RS 3636	36	36	34	1.7	**218**	**345**	
	42" x 42"	RS 4242	42	42	46	2.2	**303**	**466**	
	48" x 48"	RS 4848	48	48	60	2.9	**353**	**522**	
	60" x 60"	RS 6060	60	60	94	4.4	**430**	**698**	
RECTANGLE TOP									
	36" x 24"	RS 3624	36	24	23	1.7	**170**	**267**	• Tops up to 96" use (4) ULP4 Post Legs; (2) Bases suitable to the Top depth; or a panel base suitable to the length
	42" x 24"	RS 4224	42	24	28	2.1	**210**	**300**	
	48" x 24"	RS 4824	48	24	30	2.4	**218**	**310**	
	54" x 24"	RS 5424	54	24	34	2.7	**245**	**362**	
	60" x 24"	RS 6024	60	24	38	3.0	**273**	**418**	
	72" x 24"	RS 7224	72	24	45	3.5	**303**	**474**	
	48" x 30"	RS 4830	48	30	38	2.9	**231**	**389**	
	54" x 30"	RS 5430	54	30	43	3.3	**250**	**410**	
	60" x 30"	RS 6030	60	30	47	3.6	**291**	**455**	
	66" x 30"	RS 6630	66	30	52	4.0	**320**	**530**	
	72" x 30"	RS 7230	72	30	56	4.3	**334**	**546**	• Note: Please see Tables pages 5-8 through 5-12 for base options. See also Tables page 5-5 for Top / Base pairing guide.
	84" x 30"	RS 8430	84	30	66	5.0	**430**	**700**	
	48" x 36"	RS 4836	48	36	45	3.5	**291**	**480**	
	60" x 36"	RS 6036	60	36	56	4.3	**364**	**582**	
	72" x 36"	RS 7236	72	36	68	5.1	**425**	**679**	
	84" x 36"	RS 8436	84	36	79	5.9	**485**	**775**	
	96" x 36"	RS 9636	96	36	90	6.7	**545**	**873**	
	72" x 42"	RS 7242	72	42	79	5.9	**461**	**734**	
	84" x 42"	RS 8442	84	42	92	6.8	**516**	**782**	
	96" x 42"	RS 9642	84	42	105	7.7	**570**	**831**	
	96" x 48"	RS 9648	96	48	120	8.8	**607**	**921**	
	108" x 48"	RS 10848	108	48	137	9.5	**650**	**1100**	
BOAT-SHAPE TOP									
	1 Pc Top 72" x 36/28"	RB 7236	72	36	62	5.1	**485**	**758**	
	84" x 42/32"	RB 8442	84	42	83	6.8	**601**	**932**	
	96" x 42/32"	RB 9642	96	42	78	7.7	**660**	**950**	
	96" x 48/36"	RB 9648	96	48	107	8.8	**668**	**957**	
	108" x 48/36"	RB 10848	108	48	120	9.5	**696**	**1260**	
RACETRACK TOP									
 All items SIN 711-11	1 Pc Top 72" x 36"	RT 7236	72	36	62	5.1	**485**	**758**	
	84" x 36"	RT 8436	84	36	73	5.9	**550**	**860**	
	84" x 42"	RT 8442	84	42	83	6.8	**601**	**932**	
	96" x 42"	RT 9642	96	42	80	7.7	**660**	**950**	
	96" x 48"	RT 9648	96	48	92	8.8	**668**	**957**	
	108" x 48"	RT 10848	108	48	107	9.5	**696**	**1260**	

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

Tables 2013

Contents

Tables

Configuring and Reconfiguring "Facet" Meeting Tables (trēo®) 5-2
Configuring Trapezoids & Meeting Table Tops (trēo®) 5-3
Meeting Table Tops and Bases (for tops up to 108" wide) (trēo®) 5-5
Conference Table Tops (trēo®) 5-6
Conference Table Tops and Bases (for tops 120+" wide) (trēo®) 5-7
Metal Legs and Bases – Round Tube (trēo® and Boardwalk™) 5-8
Metal Legs and Bases – Rectangular Tube (trēo® and Boardwalk™) 5-9
Flipping and Folding Legs and Bases (trēo® and Boardwalk™) 5-10
Wood Bases (trēo®) 5-11
Wood Bases / Connecting Hardware (trēo®) 5-12
Adding Power to Training Tables 5-13
Configuring and Reconfiguring "Facet" Meeting Tables (Boardwalk™) 5-14
Configuring Trapezoids & Meeting Table Tops (Boardwalk™) 5-15
Meeting Table Tops and Bases (for tops up to 108" wide) (Boardwalk™) 5-17
Conference Table Tops (Boardwalk™) 5-18
Conference Table Tops and Bases (for tops 120+" wide) 5-19
Wood Bases (Boardwalk™) 5-20
Wood Bases / Connecting Hardware (Boardwalk™) 5-21
Smart Boardroom Tables 5-22

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

All products are SCS Indoor Advantage Certified except drum bases.

CONFIGURING AND RECONFIGURING "FACET" MEETING TABLES

INLINE treo

SINGLE FACET TABLES



Overall Dimensions: 180"W x 60"D

Tops used: 3RS6030(2); 3RSF6030L(2); 3RSF6030R(2)

Sugg. bases: UTH20BL; UTHC20BL; UTMF24BL-W or UTCMF30BL-W















DOUBLE FACET TABLES



Overall Dimensions: 144"W x 48"D

Tops used: 3RS4824(4); 3RDF4824(2)

Sugg. bases: UTH20BL; UTHC20BL; UTMF24BL-N or UTCMF24BL-N









QUICK CONNECT HARDWARE - SEE PAGE 5-12

QUICK RELEASE JOINERS



TG 1000

OR

TABLE GANGING PLATE



TG 10001

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CONFIGURING TRAPEZOIDS



Overall Dimensions:
144"W x 125"D

Tops used: 3RZ723636(6)

Seating capacity: 12



Overall Dimensions:
120"W x 104"D

Tops used: 3RZ603030(6)

Seating capacity: 12



Overall Dimensions:
120"W x 104"D

Tops used: 3RZ602424(6)

Seating capacity: 12



Overall Dimensions:
96"W x 83"D

Tops used: 3RZ482424(6)

Seating capacity: 6

Combine with Rectangular Tops



MEETING TABLE TOPS (trēo® – 1" thick tops)

HEXAGON TRAPEZOID TOP	Model #	A	B	C	D	Wt	V	TFL $	HPL $
48" x 24/24/24"	3 RZ 482424	48	24	24	21	21	2.4	**278**	**370**
60" x 24/36/24"	3 RZ 602436	60	24	36	21	27	3.0	**310**	**480**
60" x 30/30/30"	3 RZ 603030	60	30	30	26	33	3.6	**352**	**528**
72" x 36/36/36"	3 RZ 723636	72	35	37	30	45	4.3	**450**	**680**



SINGLE FACET TOP	Model #	A	B	C	D	Wt	V	TFL $	HPL $
(Left) 60" x 30"	3 RSF 602430	60	24	30	30	45	3.6	**332**	**508**
(Right) 60" x 30"	3 RSF 603024	60	30	30	24	45	3.6	**332**	**508**





DOUBLE FACET TOP	Model #	A	B	C	D	Wt	V	TFL $	HPL $
48" x 24"	3 RDF 4824	48	18	24	24	26	2.4	**276**	**368**
60" x 30"	3 RDF 6030	60	24	30	30	42	3.6	**350**	**526**



All items SIN 711-11

Remarks

- Hexagon Trapezoid tops sized to form circular groups of six (6) tables. For octagon tables which form circular groups of eight (8), call factory for pricing
- 3 RZ 482424 should use ULP 2 post legs or UTHS 20 side-mount T-legs only (see note on pg. 5-9 for UTHS legs)

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING TABLE TOPS (trēo® – 1" thick tops)

INLINE trēo

		Model #	W	D	Wt	V	TFL $	HPL $	Remarks
HALF ROUND TOP									
SIN 711-11	 **48"**	**3 DDR 4824**	48	24	23	1.6	**298**	**427**	• If stand-alone, use three ULP4BL, 4NI or 2NIT legs • Use with one ULP4BL when attaching to 2 returns as shown
	60"	**3 DDR 6030**	60	30	35	2.0	**374**	**609**	
ROUND TOP									
 SIN 711-11	**24"**	**3 RR 24**	24	24	11	0.9	**160**	**285**	• Use 4 post-legs or matching cross, spider, cube or drum bases on following pages • 60" uses 5 post-legs, 4 column spider base or wood cross base
	30"	**3 RR 30**	30	30	19	1.2	**200**	**353**	
	36"	**3 RR 36**	36	36	28	1.7	**243**	**389**	
	42"	**3 RR 42**	42	42	37	2.2	**364**	**580**	
	48"	**3 RR 48**	48	48	50	2.9	**401**	**646**	
	60"	**3 RR 60**	60	60	77	4.4	**498**	**821**	
SQUARE TOP									
SIN 711-11	**24" x 24"**	**3 RS 2424**	24	24	15	0.9	**140**	**240**	• Use 4 post-legs, 2 t-legs or matching cross, spider, cube or drum bases on following pages
	30" x 30"	**3 RS 3030**	30	30	23	1.2	**158**	**256**	
	36" x 36"	**3 RS 3636**	36	36	34	1.7	**218**	**345**	
	42" x 42"	**3 RS 4242**	42	42	46	2.2	**303**	**466**	
	48" x 48"	**3 RS 4848**	48	48	60	2.9	**353**	**522**	
	60" x 60"	**3 RS 6060**	60	60	94	4.4	**430**	**698**	
RECTANGLE TOP									
	36" x 24"	**3 RS 3624**	36	24	23	1.7	**170**	**267**	• Tops up to 96" use (4) ULP4 Post Legs; (2) Bases suitable to the Top depth; or a panel base suitable to the length
	42" x 24"	**3 RS 4224**	42	24	28	2.1	**210**	**300**	
	48" x 24"	**3 RS 4824**	48	24	30	2.4	**218**	**310**	
	54" x 24"	**3 RS 5424**	54	24	34	2.7	**245**	**362**	
	60" x 24"	**3 RS 6024**	60	24	38	3.0	**273**	**418**	
	66" x 24"	**3 RS 6624**	66	24	42	3.2	**294**	**460**	
	72" x 24"	**3 RS 7224**	72	24	45	3.5	**303**	**474**	
	42" x 30"	**3 RS 4230**	42	30	33	2.5	**211**	**373**	
	48" x 30"	**3 RS 4830**	48	30	38	2.9	**231**	**389**	
	54" x 30"	**3 RS 5430**	54	30	43	3.3	**250**	**410**	
	60" x 30"	**3 RS 6030**	60	30	47	3.6	**291**	**455**	**For longer tops see Conference Table Section on page 5-6**
	66" x 30"	**3 RS 6630**	66	30	52	4.0	**320**	**530**	
	72" x 30"	**3 RS 7230**	72	30	56	4.3	**334**	**546**	
	84" x 30"	**3 RS 8430**	84	30	66	5.0	**430**	**700**	
	48" x 36"	**3 RS 4836**	48	36	45	3.5	**291**	**480**	
	60" x 36"	**3 RS 6036**	60	36	56	4.3	**364**	**582**	
	72" x 36"	**3 RS 7236**	72	36	68	5.1	**425**	**679**	
	84" x 36"	**3 RS 8436**	84	36	79	5.9	**485**	**775**	
	96" x 36"	**3 RS 9636**	96	36	90	6.7	**545**	**873**	
	72" x 42"	**3 RS 7242**	72	42	79	5.9	**461**	**734**	• Additional Meeting and Conference room furniture available on pg. 1-41
	84" x 42"	**3 RS 8442**	84	42	92	6.8	**516**	**782**	
	96" x 42"	**3 RS 9642**	84	42	105	7.7	**570**	**831**	
	96" x 48"	**3 RS 9648**	96	48	120	8.8	**607**	**921**	
	108" x 48"	**3 RS 10848**	108	48	137	9.5	**650**	**–**	
BOAT-SHAPE TOP									
	**1 Pc Top 72" x 36/28"**	**3 RB 7236**	72	36	62	5.1	**485**	**758**	
	84" x 42/32"	**3 RB 8442**	84	42	83	6.8	**601**	**932**	
	96" x 42/32"	**3 RB 9642**	96	42	95	7.7	**660**	**950**	
	96" x 48/36"	**3 RB 9648**	96	48	107	8.8	**668**	**957**	
	108" x 48/36"	**3 RB 10848**	108	48	120	9.5	**696**	**–**	
RACETRACK TOP									
 All items SIN 711-11	**1 Pc Top 72" x 36"**	**3 RT 7236**	72	36	62	5.1	**485**	**758**	
	84" x 36"	**3 RT 8436**	84	36	73	5.9	**550**	**860**	
	84" x 42"	**3 RT 8442**	84	42	83	6.8	**601**	**932**	
	96" x 42"	**3 RT 9642**	96	42	95	7.7	**660**	**950**	
	96" x 48"	**3 RT 9648**	96	48	107	8.8	**668**	**957**	
	108" x 48"	**3 RT 10848**	108	48	120	9.5	**696**	**–**	

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING TABLE TOPS AND BASES (for tops up to 108" Wide)

INLINE treo

TOPS / BASES		DDR	RR	RS (Square)	RZ	RSF & RDF	RS up to 84"W	RS 96" to 108"W	RT 96" to 108"W	RB 96" to 108"W	
	ULP2BL ULP2NI	3 (f/s) or 1 (attached)	4	4	4	4	4 ≤ 60"W 5 ≥ 66"W	6	6	6	
	ULP4BL ULP4NI	3 (f/s) or 1 (attached)	4	4	4	4	4 ≤ 72"W 5 ≥ 78"W	5	4 ≤ 96"W 5 @ 108"W	4 ≤ 96"W 5 @ 108"W	
	UTM20BL UTH20BL UTHS20BL	2 (f/s) or 1 (attached)	–	2 ≤ 30"W	2	2	2 ≤ 30"D	–	–	–	
	UTM30BL UTH30BL UTHS30BL	–	–	2 ≥ 36"W	–	–	2 ≥ 36"D	2 ≥ 36"D	2 ≥ 36"D	2 ≥ 36"D	
	UXH24BL	–	1 ≤ 24" dia.	1 ≤ 24"W	–	–	2 ≤ 30"D	–	–	–	
	UXM28BL UXH28BL	–	1 ≤ 42" dia.	1 ≤ 42"W	–	–	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D	
	UXM42BL UXH42BL	–	1 ≤ 48" dia.	1 ≤ 48"W	–	–	2 @ 48"D	2 @ 48"D	2 @ 48"D	2 @ 48"D	
	UXHQ42BL	–	1 @ 60" dia.	1 @ 60"W	–	–	–	–	–	–	
	UXW USW	–	1	1	–	–	2	2	2	2	
	UCW	–	1	1	–	–	2	2	2	2	
	UVW16	–	–	–	–	–	2 ≤ 36"D	2 ≤ 36"D	2 ≤ 36"D	2 ≤ 36"D	
	UVW20	–	–	–	–	–	2 ≥ 42"D	2 ≥ 42"D	2 ≥ 42"D	2 ≥ 42"D	
	UPW	–	–	–	–	–	1	1	1	1	
	UPWS	–	–	–	–	–	1	1	1	1	
	UDR18	–	1 ≤ 42" dia.	1 ≤ 42"W	–	–	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D	
	UDR24	–	1 ≥ 48" dia.	1 ≥ 48"W	–	–	2 ≥ 48"D	2 ≥ 48"D	2 ≥ 48"D	2 ≥ 48"D	
	ULF24BL	–	–	–	4 @ 72"W only	–	4 ≥ 60"W	–	–	–	
	UTF24BL	–	–	–	–	–	2 ≥ 60"W	2 ≥ 60"W	2 ≥ 60"W	2 ≥ 60"W	
	UTMF24BL -N / W	–	–	–	1 ≤ 60 x 30	1	1 ≤ 72 x 30	–	–	–	
	UTCMF24 BL-N / W	–	4	4	1 ≤ 60 x 24	1 @ 48 x 24	1 ≤ 72 x 24	–	–	–	
	UTCMF30 BL-N / W	–	–	–	1 ≤ 60 x 30	1 @ 60 x 30	1 ≤ 72 x 30	–	–	–	

TABLES

CONFERENCE TABLE TOPS (trēo® – 1" thick tops)

INLINE trēo

RECTANGLE TOP	Model #	# Sections	Wt	V	TFL $	HPL $
120" x 48"	3 RS 12048	2	155	11.2	**786**	**1200**
144" x 48"	3 RS 14448	2	185	13.3	**866**	**1370**
168" x 48"	3 RS 16848	2	215	15.1	**1060**	**1710**

SIN 711-11

BOAT-SHAPE TOP	Model #	# Sections	Wt	V	TFL $	HPL $
120" x 48/36"	3 RB 12048	2	136	11.2	**936**	**1375**
144" x 48/36"	3 RB 14448	2	163	13.3	**1040**	**1570**
168" x 48/36"	3 RB 16848	2	189	15.1	**1260**	**1935**



SIN 711-11

RACETRACK TOP	Model #	# Sections	Wt	V	TFL $	HPL $
120" x 48"	3 RT 12048	2	125	11.2	**986**	**1425**
144" x 48"	3 RT 14448	2	155	13.3	**1090**	**1620**
168" x 48"	3 RT 16848	2	185	15.1	**1310**	**1985**
144" x 60"	3 RT 14460	2	186	16.1	**1230**	**1760**
168" x 60"	3 RT 16860	2	224	18.8	**1475**	**2240**
180" x 60"	3 RT 18060	2	242	19.6	**1625**	**2360**
192" x 60"	3 RT 19260	2	261	21.5	**1725**	**2480**
216" x 60"	3 RT 21660	3	299	23.6	**1820**	**2700**



SIN 711-11

VIDEO CONFERENCE TOP	Model #	# Sections	Wt	V	TFL $	HPL $
96" x 48/36"	3 RV 9648	1	110	8.8	**668**	**957**
120" x 48/36"	3 RV 12048	2	136	11.2	**936**	**1375**
144" x 48/36"	3 RV 14448	2	163	13.3	**1040**	**1570**
168" x 48/36"	3 RV 16848	2	189	15.1	**1260**	**1935**
144" x 60/45"	3 RV 14460	2	205	16.1	**1180**	**1710**
168" x 60/45"	3 RV 16860	2	238	18.8	**1425**	**2200**
180" x 60/45"	3 RV 18060	2	254	19.6	**1575**	**2300**
192" x 60/45"	3 RV 19260	2	271	21.5	**1675**	**2410**
216" x 60/45"	3 RV 21660	3	303	23.6	**1770**	**2650**

SIN 711-11

Remarks

- Woodgrains run lengthwise
- 216"W tops are in 2 pcs. in TFL, but 3 pcs. in HPL
- 120"W and 144"W tops in HPL can be made in one piece as a custom order. Add $300 List and include "-1Pc" as suffix to product code.
- Woodgrain laminate finishes will not align exactly where two tops join
- Multiple piece tops use table-tightener clamps at joints
- For longer tables, call factory for quote
- 60"D not available in some HPL finishes (eg: Passion and Shadow Oak). All TFL finishes available.
- Additional Meeting and Conference room furniture available on pg. 1-41

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CONFERENCE TABLE TOPS AND BASES (for tops 120+" Wide)

TOPS / BASES		RS 120"W+ (48"D)	RS 144"W+ (60"D)	RB 120"W+ (48"D)	RB 144"W+ (60"D)	RT 120"W+ (48"D)	RT 144"W+ (60"D)	RV 96"W+ (48"D)	RV 144"W+ (60"D)
	ULP4BL ULP4NI	6 ≤ 168"W		6 ≤ 168"W		6 ≤ 168"W	6 ≤ 168"W 8 ≥ 180"W	–	–
	UTM30BL UTH30BL	3		3		3	–	–	–
	UTHD30BL	3		3		3	3 ≤ 180"W 4 ≥ 192"W	–	–
	UXM42BL UXH42BL	2 ≤ 144"W 3 @ 168"W		2 ≤ 144"W 3 @ 168"W		2 ≤ 144"W 3 @ 168"W	–	–	–
	UXHQ42BL	2 ≤ 144"W 3 @ 168"W		2 ≤ 144"W 3 @ 168"W		2 ≤ 144"W 3 @ 168"W	3 ≤ 192"W 4 ≥ 216"W	–	–
	UXW USW	2 @ 120"W 3 ≥ 144"W		2 @ 120"W 3 ≥ 144"W		2 @ 120"W 3 ≥ 144"W	3	–	–
	UCW	2 ≥ 120"W 3 @ 168"W		2 ≥ 120"W 3 @ 168"W		2 ≥ 120"W 3 @ 168"W	2 @ 144"W 3 ≥ 168"W	2 ≥ 120"W 3 @ 168"W	2 @ 144"W 3 ≥ 168"W
	UVW20	2 @ 120"W 3 @ 144"W 4 @ 168"W		2 @ 120"W 3 @ 144"W 4 @ 168"W		2 @ 120"W 3 @ 144"W 4 @ 168"W	–	–	–
	UPW+(D)	1		1		1	1(D)	1	1(D)
	UPWS+(D)	1		1		1	1(D)	1	1(D)
	UDR18	2 ≥ 120"W 3 ≥ 168"W		2 ≥ 120"W 3 ≥ 168"W		2 ≥ 120"W 3 ≥ 168"W	–	2 ≥ 96"W 3 ≥ 168"W	–
	UDR24	–		–		–	2 @ 144"W 3 ≥ 168"W	–	2 @ 144"W 3 ≥ 168"W



TABLES

METAL LEGS & BASES – ROUND TUBE (trēo® and BOARDWALK™)

2.5" POST LEG

SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Black	**ULP 2BL**	(2P)	2.5	2.5	27.75	4	0.3	**55**
Brushed Nickel	**ULP 2NI**	(2P)	2.5	2.5	27.75	4	0.3	**72**
Mobile Post Leg Black	**ULPC 2BL**	(2P)	2.5	2.5	27.75	4	0.3	**104**
Mobile Post Leg Nickel	**ULPC 2NI**	(2P)	2.5	2.5	27.75	4	0.3	**126**

Remarks

- Suitable for smaller Round, Square and Rectangular tables
- 2½" diameter
- Leveler in base adjusts: 2"
- Top plate of fixed is 6" x 6"; mobile is 4" x 4"
- Mobile legs have locking 60mm casters

4" POST LEG

SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Black	**ULP 4BL**	(4P)	4	4	27.75	10	0.4	**188**
Brushed Nickel	**ULP 4NI**	(4P)	4	4	27.75	10	0.4	**218**
Mobile Post Leg Black	**ULPC 4BL**	(4P)	4	4	27.75	10	0.4	**249**

- Leveler in base adjusts: 2"
- Top plate is 6" x 6"
- Mobile legs have locking 60mm casters

METAL "T" BASE – ROUND TUBE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths 24", 30"	**UTM 20 BL**	(20TM)	*	20	27.75	12	4.3	**215**
	* Vertical tube – 1.75" dia. / Horizontal tube – 1.75" dia.							
36", 42", 48"	**UTM 30 BL**	(30TM)	**	28	27.75	17	6.2	**289**
	** Vertical tube – 2" dia. / Horizontal tube – 2" dia.							

- Black only
- Top plate is 12" x 12"
- Welded steel tube
- Round tube bases can be customized to have casters at same height. Call factory for quote.

SPIDER BASE – ROUND TUBE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths 30", 36", 42"	**UXM 28 BL**	(28XM)	*	28	27.75	17	12.6	**373**
	* Vertical tube – 2.5" dia. / Horizontal tube – 1.75" dia.							
48"	**UXM 42 BL**	(42XM)	**	42	27.75	26	26.5	**483**
	** Vertical tube – 3" dia. / Horizontal tube – 1.75" dia.							

- Black only
- Welded steel tube
- Top plate is 12" x 12"

SPIDER BASE WITH CASTERS – ROUND TUBE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths 30", 36", 42"	**UXMC 28 BL**	(28XMC)	*	28	27.75	18	12.6	**441**
	* Vertical tube – 2.5" dia. / Horizontal tube – 1.75" dia.							

- Black only
- Top plate is 12" x 12"

INCREMENTAL HEIGHT "T" LEG



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths 18"	**UTHIH-16**	(16TM)	*	16		19	3.6	**390**
24", 30"	**UTHIH-20**	(20TM)	*	20		21	4.3	**400**
36", 42", 48"	**UTHIH-30**	(30TM)	*	28		26	6.2	**420**
	* Vertical sleeve – 7.25" x 1.5" / Horizontal tube – 2" x 1"							

- Black only
- Top plate is 12" x 12"
- Height adjustable 24"H to 32"H

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet)

METAL LEGS & BASES – RECTANGULAR TUBE (trēo® and BOARDWALK™)

METAL "T" BASE – RECTANGULAR TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
24", 30"	UTH 20 BL	(20TM)	2	20	27.75	12	4.3	127
36", 42", 48"	UTH 30 BL	(30TM)	2	28	27.75	17	6.2	146

Remarks

- Black is standard, other finishes available with surcharges (call factory).
- Top plate is 12" x 12"
- Welded steel tube
- For "side-mount" T-legs with leg at edge of mounting plate, add "S" to code. e.g. UTH becomes UTHS. Add $10 List per base.

DOUBLE-T BASE – RECTANGULAR TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
24", 30"	UTHD 20 BL	(20TM)	2	20	27.75	17	4.3	161
36", 42", 48"	UTHD 30 BL	(30TM)	2	28	27.75	22	6.2	177

- As above
- Linear spread between uprights is 5.25", to outside of uprights is 9.25"

"T" BASE WITH CASTERS – RECTANGULAR TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
24", 30"	UTHC 20 BL	(20TM)	2	20	27.75	12	4.3	164
36", 42", 48"	UTHC 30 BL	(30TM)	2	28	27.75	17	6.2	183

- As above

SPIDER BASE – RECTANGULAR TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
24"	UXH 24 BL	(24XM)	2	24	27.75	16	10.8	180
30", 36", 42"	UXH 28 BL	(28XM)	2	28	27.75	17	12.6	194
48"	UXH 42 BL	(42XM)	2	42	27.75	26	26.5	240
Bar Height								
24"	UXH 2441 BL	(24XM)	2	24	41	18	16	220
30"	UXH 2841 BL	(28XM)	2	28	41	19	21.4	242

- As above

4 COLUMN SPIDER BASE – RECTANGULAR TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
30", 36", 42"	UXHQ 28 BL	(28XM)	2	28	27.75	32	12.6	253
48", 60"	UXHQ 42 BL	(42XM)	2	42	27.75	41	26.5	312

- As above
- Linear spread between uprights is 5.25", to outside of uprights is 9.25"
- Corner to corner spread is 2.5"

SPIDER BASE W/ CASTERS–RECTANGULAR TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
30", 36", 42"	UXHC 28 BL	(28XM)	2	28	27.75	18	12.6	260
48"	UXHC 42 BL	(42XM)	2	42	27.75	27	26.5	307

- As above

4 COLUMN MOBILE SPIDER BASE – RECT. TUBE



SIN 711-11

Table Depths	Model #	Drilling	W	D	H	Wt	V	$ List
30", 36", 42"	UXHQC 28 BL	(28XM)	2	28	27.75	33	12.6	319
48", 60"	UXHQC 42 BL	(42XM)	2	42	27.75	42	26.5	379

- As above
- Linear spread between uprights is 5.25", to outside of uprights is 9.25"
- Corner to corner spread is 2.5"

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet)

FLIPPING & FOLDING LEGS & BASES (trēo® and BOARDWALK™)

FOLDING T-LEGS



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
Table Depth up to 36"	**UTF 24BL**	(24FO)	1.5	24	27	30	2.8	**370** (pair)	• Legs have 1" levelling capability • Black legs only, silver folding hardware

FOLDING POST LEGS



SIN 711-11



	Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
Table Depth up to 48"	**ULF 24BL**	(FP)	2	2	27.75	4.5	0.5	**420**	• Positive lock in both folded and upright positions • Legs have 1" levelling capability • Legs in folded position add 3.5" to table thickness • Black is standard, other finishes available with surcharges (call factory).

FLIPPING TABLE BASE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
Table Widths									• Locks in both horizontal and vertical positions • Legs have 1" levelling capability • Ships as pair of legs and bolt-on stretcher RTA • Black is standard, other finishes available with surcharges (call factory).
36" to 54"	**UTMF 24BL-N**	(54FP)	34	24	27.75	29	4.3	**894**	
60" to 72"	**UTMF 24BL-W**	(72FP)	58	24	27.75	30	4.5	**894**	

MOBILE FLIPPING TABLE BASE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
Table Widths – 24"D									• Locks in both horizontal and vertical positions • Base has 2 locking casters for wheelbarrow mobility • Also available in fully mobile version (see below). Add "M" to end of model number; add $37 List • Ships as pair of legs and bolt-on stretcher RTA • Black is standard, other finishes available with surcharges (call factory).
36" to 54"	**UTCMF 24BL-N**	(54FP)	34	24	27.75	29	4.3	**931**	
60" to 72"	**UTCMF 24BL-W**	(72FP)	58	24	27.75	30	4.5	**931**	
Table Widths – 30"D									
36" to 54"	**UTCMF 30BL-N**	(54FP)	34	30	27.75	39	6.2	**949**	
60" to 72"	**UTCMF 30BL-W**	(72FP)	58	30	27.75	40	6.4	**949**	



HINGED MODESTY FOR FLIP TOP TABLES



SIN 711-11

Model #	W	D	H	Wt	V	$ List
3 HM 3610	36	.75	10	9	.7	**162**
3 HM 4210	42	.75	10	10	.8	**171**
3 HM 4810	48	.75	10	11	.9	**179**
3 HM 5410	54	.75	10	13	1.0	**192**
3 HM 6010	60	.75	10	14	1.1	**205**
3 HM 6610	66	.75	10	16	1.2	**223**
3 HM 7210	72	.75	10	17	1.3	**245**

- 3/4" TFL construction
- Modesty sized to width of table top
- Hinged to automatically fold flat when table is flipped up
- Rubber sweep at top of modesty for wire access
- Not recommended for tables over 30"D



LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet)

WOOD BASES (trēo®)

INLINE treo

SINGLE PANEL BASE		Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
 SIN 711-11	**Round Table Depths**									• Wood construction wrapped with HPL (specify finish) • Large wood top plate is pre-drilled to attach to table tops • Drum bases require 125 lbs. of sand in each for stability. Sand is not included.
	30", 36", 42"	**UDR 18**	(UD18)	18	18	28	62	6.0	**1201**	
	48"	**UDR 24**	(UD24)	24	24	28	76	8.7	**1359**	
	Rectangular Table Depths									
	30", 36", 42", 48"	**UDR 18**	(UD18)	18	18	28	62	6.0	**1201**	
	60"	**UDR 24**	(UD24)	24	24	28	76	8.7	**1359**	
DRUM BASE WITH ACCESS DOOR										• Size and construction details as above • Access door is 9"W x 12"H, opens with a finger press • Wire access pass-through in top and bottom of base • Add any power/data grommet, see page 7-7 • Drum bases require 125 lbs. of sand in each for stability. Sand is not included.
 SIN 711-11	**Round Table Depths**									
	30", 36", 42"	**UDRW 18**	(UD18)	18	18	28	62	6.0	**1618**	
	48"	**UDRW 24**	(UD24)	24	24	28	76	8.7	**1776**	
	Rectangular Table Depths									
	30", 36", 42", 48"	**UDRW 18**	(UD18)	18	18	28	62	6.0	**1618**	
	60"	**UDRW 24**	(UD24)	24	24	28	76	8.7	**1776**	
CROSS BASE – WOOD										
 SIN 711-11	**Table Depths**									• Match to diameter or depth of table top • 1" thick TFL construction
	30"	**3 UXW 30**	(X30)	20	20	27.75	28	1.7	**212**	
	36"	**3 UXW 36**	(X36)	24	24	27.75	34	1.9	**267**	
	42"	**3 UXW 42**	(X42)	30	30	27.75	43	2.4	**303**	
	48"	**3 UXW 48**	(X48)	33	33	27.75	48	2.6	**334**	
	60"	**3 UXW 60**	(X60)	42	42	27.75	61	3.2	**394**	
SCALLOPED CROSS BASE										
 SIN 711-11	**Table Depths**									• Match to diameter or depth of table top • 1" thick TFL construction
	30"	**3 USW 30**	(X30)	20	20	27.75	25	1.7	**261**	
	36"	**3 USW 36**	(X36)	24	24	27.75	31	1.9	**315**	
	42"	**3 USW 42**	(X42)	30	30	27.75	40	2.4	**358**	
	48"	**3 USW 48**	(X48)	33	33	27.75	45	2.6	**394**	
	60"	**3 USW 60**	(X60)	42	42	27.75	58	3.2	**466**	
"V" BASE										
 SIN 711-11	**Table Depths**									• 1" thick TFL construction
	30", 36"	**3 UVW 1616**	(V16)	16	16	27.75	23	1.4	**207**	
	42", 48"	**3 UVW 2020**	(V20)	20	20	27.75	28	1.7	**255**	
CUBE BASE										• Tables 120" and 144"W with 2 cubes or drums get reinforcing bar • 1" thick TFL construction only • Match base to table depths as shown • Two sides have 1.5"H x 3.25"W wiring cut-outs at top
 SIN 711-11	**Table Depths**									
	36"	**3 UCW 36**	(C36)	16	16	27.75	44	1.7	**358**	
	42"	**3 UCW 42**	(C42)	18	18	27.75	50	1.9	**394**	
	48"	**3 UCW 48**	(C48)	20	20	27.75	55	2.1	**431**	
	60"	**3 UCW 60**	(C60)	26	26	27.75	73	2.6	**480**	
CUBE BASES WITH ACCESS DOOR										• 1" thick TFL construction only • Match base to table depths as shown • Two sides have 1.5"H x 3.25"W wiring cut-outs at top
 SIN 711-11	**Table Depths**									
	36"	**3 UCW 36D**	(C36)	16	16	27.75	48	1.7	**450**	
	42"	**3 UCW 42D**	(C42)	18	18	27.75	54	1.9	**482**	
	48"	**3 UCW 48D**	(C48)	20	20	27.75	59	2.1	**553**	
	60"	**3 UCW 60D**	(C60)	26	26	27.75	77	2.6	**628**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

TABLES

WOOD BASES / CONNECTING HARDWARE (trēo®)

INLINE trēo

SINGLE PANEL BASE	Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
 **Table Lengths**									• End panels are 1" thick TFL • Modesty panel is 3/4" thick TFL and is slightly off center to permit power / data port installation • Use on Rectangular, Race Track, Boat Shaped or Teleconference tops • Middle leg on Double Base has 1.5"H x 5.25"W wire pass-through
72"	**3 UPW 72**	(P72)	37	20	27.75	43	3.2	**339**	
84"	**3 UPW 84**	(P84)	43	20	27.75	44	3.4	**358**	
96"	**3 UPW 96**	(P96)	53	24	27.75	52	4.0	**377**	
108"	**3 UPW 108**	(P108)	62	24	27.75	86	4.2	**419**	
DOUBLE PANEL BASE: 48"D TABLES									
 **Table Lengths**									
120"	**3 UPW 120**	(P120)	80	24	27.75	72	5.4	**533**	
144"	**3 UPW 144**	(P144)	104	24	27.75	78	5.9	**582**	
168"	**3 UPW 168**	(P168)	128	24	27.75	82	6.3	**649**	
SINGLE SANDWICH PANEL BASE									• Use on Rectangular, Race Track, Boat Shaped or Teleconference tops • Double 1" thick TFL panels with spacer • 3/4" thick TFL modesty panels are 5.25" apart • Middle leg on Double Base has 1.5"H x 5.25"W wire pass-through
 **Table Lengths**									
72"	**3 UPWS 72**	(P72)	37	20	27.75	88	8.8	**764**	
84"	**3 UPWS 84**	(P84)	43	20	27.75	91	9.1	**789**	
96"	**3 UPWS 96**	(P96)	53	24	27.75	107	10.7	**824**	
108"	**3 UPWS 108**	(P108)	62	24	27.75	120	11.1	**877**	
DOUBLE SANDWICH PANEL BASE: 48"D TABLES									• Use on Rectangular, Race Track, Boat Shaped or Teleconference tops • Double 1" thick TFL panels with spacer • 3/4" thick TFL modesty panels are 5.25" apart • Middle leg on Double Base has 1.5"H x 5.25"W wire pass-through
 **Table Lengths @ 48"D**									
120"	**3 UPWS 120**	(P120)	80	24	27.75	160	14.5	**1201**	
144"	**3 UPWS 144**	(P144)	104	24	27.75	171	15.6	**1250**	
168"	**3 UPWS 168**	(P168)	128	24	27.75	179	16.7	**1309**	
DOUBLE PANEL BASE: 60"D TABLES									
 **Table Lengths @ 60"D**									• Use on 60"D Rectangular, Race Track, Boat Shaped or Teleconference tops
144"	**3 UPW 144D**	(P144D)	104	30	27.75	96	6.8	**728**	
168"	**3 UPW 168D**	(P168D)	128	30	27.75	100	7.3	**812**	
180"	**3 UPW 180D**	(P180D)	140	30	27.75	112	8.9	**920**	
192"	**3 UPW 192D**	(P192D)	152	30	27.75	115	9.2	**1040**	
DOUBLE SANDWICH PANEL BASE: 60"D TABLES									
 **Table Lengths @ 60"D**									• 3 UPWS 216D and wider bases are in 4 sections
144"	**3 UPWS 144D**	(P144D)	104	30	27.75	228	18.4	**1562**	
168"	**3 UPWS 168D**	(P168D)	128	30	27.75	244	19.5	**1679**	
180"	**3 UPWS 180D**	(P180D)	140	30	27.75	252	20.5	**1740**	
192"	**3 UPWS 192D**	(P192D)	152	30	27.75	260	21.6	**1760**	
216"	**3 UPWS 216D**	(P216D)	168	30	27.75	328	23.9	**2060**	
QUICK RELEASE JOINERS (PAIR)									
	**TG 1000**		6	2.5				**105**	• Pressure fit "tuning forks" fit into docking bracket • Tuning forks pivot under table when not in use • Silver finish only
TABLE GANGING PLATE									
	**TG 1001**		12	4				**84**	• 11 guage steel • 4 knobs / unit • 1 unit on tables up to 42"W • Inserts installed on tables ordered at same time • Black only

All SIN 711-11

LEGEND: **W**=width; **D**=depth; H=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TABLES

Mobile Training Tables

Table Components

Item	Model	Qty	List (TFL)
Table Top 60" x 30"	3 RS 6030	2	582
Mobile Flipping Base	UTCMF 30BL-W	2	1898

Electrical Components

Item	Model	Qty	List
Duplex Block (installed)	ELD22WKTB	2	332
Plug-in Starter Cable	ELDSP72	1	209
Linking Cable	ELDL60	1*	101

Total List: $ 3122

*2 shown to illustrate connectivity



NOTE: MOBILE EXAMPLE SHOWN HAS SPACE FOR 4 STUDENTS

Fixed Training Tables

(See Stages® page 6-16)

Table Components

Item	Model	Qty	List (TFL)
Training Table 72" x 24"	3 RL 7224	1	1045
Training Table 36" x 24"	3 RL 3624	1	694

Electrical Components

Item	Model	Qty	List
Duplex Block	ELD22	3	171
Duplex Block Connector	ELDCN	1	31
Plug-in Starter Cable	ELDSP72	1	209
Linking Cable	ELDL66	1	106

Total List: $ 2256



NOTE: FIXED EXAMPLE SHOWN HAS SPACE FOR 3 STUDENTS

CONFIGURING AND RECONFIGURING "FACET" MEETING TABLES

BOARDWALK™

SINGLE FACET TABLES





Overall Dimensions: 180"W x 60"D

Tops used: 4RS6030(2); 4RSF6030L(2); 4RSF6030R(2)

Sugg. bases: UTH20BL; UTHC20BL; UTMF24BL-W or UTCMF30BL-W













DOUBLE FACET TABLES



Overall Dimensions: 144"W x 48"D

Tops used: 4RS4824(4); 4RDF4824(2)

Sugg. bases: UTH20BL; UTHC20BL; UTMF24BL-N or UTCMF24BL-N









QUICK CONNECT HARDWARE - SEE PAGE 5-12

QUICK RELEASE JOINERS



TG 1000

OR

TABLE GANGING PLATE



TG 10001

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $



Overall Dimensions:
144"W x 125"D

Tops used: 4RZ723636(6)

Seating capacity: 12



Overall Dimensions:
120"W x 104"D

Tops used: 4RZ603030(6)

Seating capacity: 12



Overall Dimensions:
120"W x 104"D

Tops used: 4RZ602424(6)

Seating capacity: 12



Overall Dimensions:
96"W x 83"D

Tops used: 4RZ482424(6)

Seating capacity: 6

Combine with Rectangular Tops







MEETING TABLE TOPS (BOARDWALK™ – 1.5 " thick tops)

HEXAGON TRAPEZOID TOP	Model #	A	B	C	D	Wt	V	TFL $	HPL $
									
48" x 24/24/24"	**4 RZ 482424**	48	24	24	21	32	2.9	**345**	**434**
60" x 24/36/24"	**4 RZ 602436**	60	24	36	21	41	3.6	**384**	**550**
60" x 30/30/30"	**4 RZ 603030**	60	30	30	26	50	4.3	**439**	**603**
72" x 36/36/36"	**4 RZ 723636**	72	35	37	30	68	5.2	**597**	**856**
SINGLE FACET TOP									
									
(Left) 60" x 30"	**4 RSF 602430**	60	24	30	30	68	4.3	**419**	**583**
									
(Right) 60" x 30"	**4 RSF 603024**	60	30	30	24	68	4.3	**419**	**583**
DOUBLE FACET TOP									
									
48" x 24"	**4 RDF 4824**	48	18	24	24	39	2.9	**344**	**432**
60" x 30"	**4 RDF 6030**	60	24	30	30	63	4.3	**436**	**600**

All items SIN 711-11

Remarks

- Hexagon Trapezoid tops sized to form circular groups of six (6) tables. For octagon tables which form circular groups of eight (8), call factory for pricing
- 4 RZ 482424 should use ULP 2 post legs or UTHS 20 side-mount T-legs only (see note on pg. 5-9 for UTHS legs)

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING TABLE TOPS (BOARDWALK™ – 1.5 " thick tops)

BOARDWALK™

		Model #	W	D	Wt	V	TFL $	HPL $	Remarks
HALF ROUND TOP									
SIN 711-11	 **48"**	**4 DDR 4824**	48	24	35	1.9	**357**	**486**	• If stand-alone, use three ULP4BL, 4NI or 2NIT legs • Use with one ULP4BL when attaching to 2 returns as shown
	60"	**4 DDR 6030**	60	30	53	2.4	**476**	**719**	
ROUND TOP									
 SIN 711-11	**24"**	**4 RR 24**	24	24	17	1.1	**220**	**325**	• Use 4 post-legs or matching cross, spider, cube or drum bases on following pages • 60" uses 5 post-legs, 4 column spider base or wood cross base
	30"	**4 RR 30**	30	30	29	1.4	**260**	**380**	
	36"	**4 RR 36**	36	36	42	2.0	**310**	**436**	
	42"	**4 RR 42**	42	42	56	2.6	**431**	**597**	
	48"	**4 RR 48**	48	48	75	3.5	**480**	**679**	
	60"	**4 RR 60**	60	60	116	5.3	**631**	**907**	
SQUARE TOP									
SIN 711-11	**24" x 24"**	**4 RS 2424**	24	24	23	1.1	**190**	**281**	• Use 4 post-legs, 2 t-legs or matching cross, spider, cube or drum bases on following pages
	30" x 30"	**4 RS 3030**	30	30	35	1.4	**205**	**303**	
	36" x 36"	**4 RS 3636**	36	36	51	2.0	**285**	**401**	
	42" x 42"	**4 RS 4242**	42	42	69	2.6	**394**	**558**	
	48" x 48"	**4 RS 4848**	48	48	90	3.5	**458**	**627**	
	60" x 60"	**4 RS 6060**	60	60	141	5.3	**560**	**800**	
RECTANGLE TOP									
	36" x 24"	**4 RS 3624**	36	24	35	2.0	**221**	**318**	• Tops up to 96" use (4) ULP4 Post Legs; (2) Bases suitable to the Top depth; or a panel base suitable to the length
	42" x 24"	**4 RS 4224**	42	24	42	2.5	**270**	**360**	
	48" x 24"	**4 RS 4824**	48	24	45	2.9	**285**	**374**	
	54" x 24"	**4 RS 5424**	54	24	51	3.2	**320**	**438**	
	60" x 24"	**4 RS 6024**	60	24	57	3.6	**356**	**501**	
	72" x 24"	**4 RS 7224**	72	24	68	4.2	**394**	**564**	
	48" x 30"	**4 RS 4830**	48	30	57	3.5	**299**	**458**	
	54" x 30"	**4 RS 5430**	54	30	65	4.0	**320**	**490**	
	60" x 30"	**4 RS 6030**	60	30	71	4.3	**379**	**542**	
	66" x 30"	**4 RS 6630**	66	30	78	4.8	**395**	**650**	
	72" x 30"	**4 RS 7230**	72	30	84	5.2	**402**	**671**	**For longer tops see Conference Table Section on page 5-18**
	84" x 30"	**4 RS 8430**	84	30	99	6.0	**530**	**800**	
	48" x 36"	**4 RS 4836**	48	36	68	4.2	**379**	**566**	
	60" x 36"	**4 RS 6036**	60	36	84	5.2	**474**	**692**	
	72" x 36"	**4 RS 7236**	72	36	102	6.1	**552**	**806**	
	84" x 36"	**4 RS 8436**	84	36	119	7.1	**601**	**877**	
	96" x 36"	**4 RS 9636**	96	36	135	8.0	**649**	**947**	
	72" x 42"	**4 RS 7242**	72	42	119	7.1	**600**	**873**	
	84" x 42"	**4 RS 8442**	84	42	138	8.2	**671**	**938**	• Additional Meeting and Conference room furniture available on pg. 3-37
	96" x 42"	**4 RS 9642**	84	42	158	9.2	**722**	**1005**	
	96" x 48"	**4 RS 9648**	96	48	180	10.6	**742**	**1036**	
	108" x 48"	**4 RS 10848**	108	48	206	11.4	**796**	**–**	
BOAT-SHAPE TOP									
	**1 Pc Top 72" x 36/28"**	**4 RB 7236**	72	36	93	6.1	**595**	**867**	
	84" x 42/32"	**4 RB 8442**	84	42	125	8.2	**752**	**1085**	
	96" x 42/32"	**4 RB 9642**	96	42	143	9.2	**796**	**1088**	
	96" x 48/36"	**4 RB 9648**	96	48	161	10.6	**800**	**1090**	
	108" x 48/36"	**4 RB 10848**	108	48	180	11.4	**860**	**–**	
RACETRACK TOP									
 All items SIN 711-11	**1 Pc Top 72" x 36"**	**4 RT 7236**	72	36	93	6.1	**595**	**867**	
	84" x 36"	**4 RT 8436**	84	36	110	7.1	**690**	**1005**	
	84" x 42"	**4 RT 8442**	84	42	125	8.2	**752**	**1085**	
	96" x 42"	**4 RT 9642**	96	42	143	9.2	**796**	**1088**	
	96" x 48"	**4 RT 9648**	96	48	161	10.6	**800**	**1090**	
	108" x 48"	**4 RT 10848**	108	48	180	11.4	**860**	**–**	

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

MEETING TABLE TOPS AND BASES (for tops up to 108" Wide)

BOARDWALK™

TOPS / BASES	DDR	RR	RS (Square)	RZ	RSF & RDF	RS up to 84"W	RS 96" to 108"W	RT 96" to 108"W	RB 96" to 108"W
ULP2BL ULP2NI	3 (f/s) or 1 (attached)	4	4	4	4	4 ≤ 60"W 5 ≥ 66"W	6	6	6
ULP4BL ULP4NI	3 (f/s) or 1 (attached)	4	4	4	4	4 ≤ 72"W 5 ≥ 78"W	5	4 ≤ 96"W 5 @ 108"W	4 ≤ 96"W 5 @ 108"W
UTM20BL UTH20BL UTHS20BL	2 (f/s) or 1 (attached)	–	2 ≤ 30"W	2	2	2 ≤ 30"D	–	–	–
UTM30BL UTH30BL UTHS30BL	–	–	2 ≥ 36"W	–	–	2 ≥ 36"D	2 ≥ 36"D	2 ≥ 36"D	2 ≥ 36"D
UXH24BL	–	1 ≤ 24" dia.	1 ≤ 24"W	–	–	2 ≤ 30"D	–	–	–
UXM28BL UXH28BL	–	1 ≤ 42" dia.	1 ≤ 42"W	–	–	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D
UXM42BL UXH42BL	–	1 ≤ 48" dia.	1 ≤ 48"W	–	–	2 @ 48"D	2 @ 48"D	2 @ 48"D	2 @ 48"D
UXHQ42BL	–	1 @ 60" dia.	1 @ 60"W	–	–	–	–	–	–
UXW USW	–	1	1	–	–	2	2	2	2
UCW	–	1	1	–	–	2	2	2	2
UVW16	–	–	–	–	–	2 ≤ 36"D	2 ≤ 36"D	2 ≤ 36"D	2 ≤ 36"D
UVW20	–	–	–	–	–	2 ≥ 42"D	2 ≥ 42"D	2 ≥ 42"D	2 ≥ 42"D
UPW	–	–	–	–	–	1	1	1	1
UPWS	–	–	–	–	–	1	1	1	1
UDR18	–	1 ≤ 42" dia.	1 ≤ 42"W	–	–	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D	2 ≤ 42"D
UDR24	–	1 ≥ 48" dia.	1 ≥ 48"W	–	–	2 ≥ 48"D	2 ≥ 48"D	2 ≥ 48"D	2 ≥ 48"D
ULF24BL	–	–	–	4 @ 72"W only	–	4 ≥ 60"W	–	–	–
UTF24BL	–	–	–	–	–	2 ≥ 60"W	2 ≥ 60"W	2 ≥ 60"W	2 ≥ 60"W
UTMF24BL -N / W	–	–	–	1 ≤ 60 x 30	1	1 ≤ 72 x 30	–	–	–
UTCMF24 BL-N / W	–	4	4	1 ≤ 60 x 24	1 @ 48 x 24	1 ≤ 72 x 24	–	–	–
UTCMF30 BL-N / W	–	–	–	1 ≤ 60 x 30	1 @ 60 x 30	1 ≤ 72 x 30	–	–	–

TABLES

CONFERENCE TABLE TOPS (BOARDWALK™)

BOARDWALK™

RECTANGLE TOP



SIN 711-11

	Model #	# Sections	Wt	V	TFL $	HPL $
120" x 48"	4 RS 12048	2	233	13.4	960	1350
144" x 48"	4 RS 14448	2	278	16.0	1060	1530
168" x 48"	4 RS 16848	2	323	18.1	1290	1910
180" x 60"	4 RS 18060	2	434	23.5	1600	2400
192" x 60"	4 RS 19260	2	462	25.1	1700	2500
216" x 60"	4 RS 21660	3	518	28.3	1800	2890
240" x 60"	4 RS 24060	3	575	31.2	2170	3050
288" x 60"	4 RS 28860	3	687	37.4	2340	3400

BOAT-SHAPE TOP



SIN 711-11

	Model #	# Sections	Wt	V	TFL $	HPL $
120"x48/36"	4 RB 12048	2	204	13.4	1110	1525
144"x48/36"	4 RB 14448	2	245	16.0	1234	1730
168"x48/36"	4 RB 16848	2	284	18.1	1490	2135
180"x60/45"	4 RB 18060	2	381	23.5	1825	2625
192"x60/45"	4 RB 19260	2	406	25.1	1950	2750
216"x60/45"	4 RB 21660	3	455	28.3	2100	3190
240"x60/45"	4 RB 24060	3	504	31.2	2545	3425
288"x60/45"	4 RB 28860	3	603	37.4	2790	3850

RACETRACK TOP



SIN 711-11

	Model #	# Sections	Wt	V	TFL $	HPL $
120" x 48"	4 RT 12048	2	188	13.4	1160	1575
144" x 48"	4 RT 14448	2	233	16.0	1284	1780
168" x 48"	4 RT 16848	2	278	18.1	1540	2185
144" x 60"	4 RT 14460	2	279	19.3	1400	1950
168" x 60"	4 RT 16860	2	336	22.6	1700	2490
180" x 60"	4 RT 18060	2	363	23.5	1885	2685
192" x 60"	4 RT 19260	2	392	25.1	2020	2820
216" x 60"	4 RT 21660	3	449	28.3	2180	3270
240" x 60"	4 RT 24060	3	504	31.2	2635	3515
288" x 60"	4 RT 28860	3	617	37.4	2890	3950

VIDEO CONFERENCE TOP

SIN 711-11

	Model #	# Sections	Wt	V	TFL $	HPL $
96"x48/36"	4 RV 9648	1	110	10.6	800	1090
120"x48/36"	4 RV 12048	2	136	13.4	1110	1525
144"x48/36"	4 RV 14448	2	163	16.0	1234	1730
168"x48/36"	4 RV 16848	2	189	18.1	1490	2135
144"x60/45"	4 RV 14460	2	208	19.3	1350	1900
168"x60/45"	4 RV 16860	2	241	22.6	1650	2440
180"x60/45"	4 RV 18060	2	258	23.5	1825	2625
192"x60/45"	4 RV 19260	2	275	25.1	1950	2750
216"x60/45"	4 RV 21660	3	309	28.3	2100	3190
240"x60/45"	4 RV 24060	3	343	31.2	2545	3425
288"x60/45"	4 RV 28860	3	410	37.4	2790	3850

Remarks

- Woodgrains run lengthwise
- 216"W tops are in 2 pcs. in TFL, but 3 pcs. in HPL
- 120"W and 144"W tops in HPL can be made in one piece as a custom order. Add $300 List and include "-1Pc" as suffix to product code.
- Woodgrain laminate finishes will not align exactly where two tops join
- Multiple piece tops use table-tightener clamps at joints
- For longer tables, call factory for quote
- 60"D not available in some HPL finishes (eg: Passion and Shadow Oak). All TFL finishes available.
- Additional Meeting and Conference room furniture available on pg. 3-38

LEGEND: **W**=width; **D**=depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CONFERENCE TABLE TOPS AND BASES (for tops 120+" Wide)

BOARDWALK™

TOPS / BASES		RS 120"W+ (48"D)	RS 144"W+ (60"D)	RB 120"W+ (48"D)	RB 144"W+ (60"D)	RT 120"W+ (48"D)	RT 144"W+ (60"D)	RV 96"W+ (48"D)	RV 144"W+ (60"D)
	ULP4BL ULP4NI	6	6 ≤ 168"W 8 ≥ 180"W 10 ≥ 240"W	6	6 ≤ 168"W 8 ≥ 180"W 10 ≥ 240"W	6	6 ≤ 168"W 8 ≥ 180"W 10 ≥ 240"W	–	–
	UTM30BL UTH30BL	3	–	3	–	3	–	–	–
	UTHD30BL	3	3 ≤ 180"W 4 ≥ 192"W 5 ≥ 288"W	3	3 ≤ 180"W 4 ≥ 192"W 5 ≥ 288"W	3	3 ≤ 180"W 4 ≥ 192"W 5 ≥ 288"W	–	–
	UXM42BL UXH42BL	2 ≤ 144"W 3 @ 168"W	–	2 ≤ 144"W 3 @ 168"W	–	2 ≤ 144"W 3 @ 168"W	–	–	–
	UXHQ42BL	2 ≤ 144"W 3 @ 168"W	3 ≤ 216"W 4 ≥ 240"W	2 ≤ 144"W 3 @ 168"W	3 ≤ 216"W 4 ≥ 240"W	2 ≤ 144"W 3 @ 168"W	3 ≤ 216"W 4 ≥ 240"W	–	–
	UXW USW	2 @ 120"W 3 ≥ 144"W	2 ≤ 216"W 4 ≥ 240"W	2 @ 120"W 3 ≥ 144"W	2 ≤ 216"W 4 ≥ 240"W	2 @ 120"W 3 ≥ 144"W	2 ≤ 216"W 4 ≥ 240"W	–	–
	UCW	2 ≥ 120"W 3 @ 168"W	3 ≤ 216"W 4 ≥ 240"W	2 ≥ 120"W 3 @ 168"W	3 ≤ 216"W 4 ≥ 240"W	2 ≥ 120"W 3 @ 168"W	3 ≤ 216"W 4 ≥ 240"W	2 ≥ 96"W 3 @ 168"W	2 @ 144"W 3 ≥ 168"W 4 ≥ 264"W
	UVW20	2 ≤ 120"W 3 ≥ 144"W	–	2 ≤ 120"W 3 ≥ 144"W	–	2 ≤ 120"W 3 ≥ 144"W	–	–	–
	UPW+(D)	1	1(D)	1	1(D)	1	1(D)	1	1(D)
	UPWS+(D)	1	1(D)	1	1(D)	1	1(D)	1	1(D)
	UDR18	2 ≤ 144"W 3 ≥ 168"W	–	2 ≤ 144"W 3 ≥ 168"W	–	2 ≤ 144"W 3 ≥ 168"W	–	2 ≥ 96"W 3 ≥ 168"W	–
	UDR24	–	2 ≤ 144"W 3 ≥ 168"W 4 ≥ 264"W	–	2 ≤ 144"W 3 ≥ 168"W 4 ≥ 264"W	–	2 ≤ 144"W 3 ≥ 168"W 4 ≥ 264"W	–	2 ≤ 144"W 3 ≥ 168"W 4 ≥ 264"W



WOOD BASES (BOARDWALK™)

BOARDWALK™

SINGLE PANEL BASE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Round Table Depths								
30", 36", 42"	**UDR 18**	(UD18)	18	18	28	62	6.0	**1201**
48"	**UDR 24**	(UD24)	24	24	28	76	8.7	**1359**
Rectangular Table Depths								
30", 36", 42", 48"	**UDR 18**	(UD18)	18	18	28	62	6.0	**1201**
60"	**UDR 24**	(UD24)	24	24	28	76	8.7	**1359**

Remarks

- Wood construction wrapped with HPL (specify finish)
- Large wood top plate is pre-drilled to attach to table tops
- Drum bases require 125 lbs. of sand in each for stability. Sand is not included.

DRUM BASE WITH ACCESS DOOR



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Round Table Depths								
30", 36", 42"	**UDRW 18**	(UD18)	18	18	28	62	6.0	**1618**
48"	**UDRW 24**	(UD24)	24	24	28	76	8.7	**1776**
Rectangular Table Depths								
30", 36", 42", 48"	**UDRW 18**	(UD18)	18	18	28	62	6.0	**1618**
60"	**UDRW 24**	(UD24)	24	24	28	76	8.7	**1776**

- Size and construction details as above
- Access door is 9"W x 12"H, opens with a finger press
- Wire access pass-through in top and bottom of base
- Add any power/data grommet, see page 7-7
- Drum bases require 125 lbs. of sand in each for stability. Sand is not included.

CROSS BASE – WOOD



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths								
30"	**4 UXW 30**	(X30)	20	20	27.75	42	2.0	**297**
36"	**4 UXW 36**	(X36)	24	24	27.75	51	2.3	**334**
42"	**4 UXW 42**	(X42)	30	30	27.75	65	2.9	**382**
48"	**4 UXW 48**	(X48)	33	33	27.75	72	3.1	**418**
60"	**4 UXW 60**	(X60)	42	42	27.75	92	3.8	**455**

- Match to diameter or depth of table top
- 1 1/2" thick TFL construction

SCALLOPED CROSS BASE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths								
30"	**4 USW 30**	(X30)	20	20	27.75	38	2.0	**345**
36"	**4 USW 36**	(X36)	24	24	27.75	47	2.3	**382**
42"	**4 USW 42**	(X42)	30	30	27.75	60	2.9	**437**
48"	**4 USW 48**	(X48)	33	33	27.75	68	3.1	**466**
60"	**4 USW 60**	(X60)	42	42	27.75	87	3.8	**516**

- Match to diameter or depth of table top
- 1 1/2" thick TFL construction

"V" BASE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths								
30", 36"	**4 UVW 1616**	(V16)	16	16	27.75	35	1.7	**231**
42", 48"	**4 UVW 2020**	(V20)	20	20	27.75	42	2.0	**286**

- 1 1/2" thick TFL construction

CUBE BASE



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths								
36"	**3 UCW 36**	(C36)	16	16	27.75	44	1.7	**358**
42"	**3 UCW 42**	(C42)	18	18	27.75	50	1.9	**394**
48"	**3 UCW 48**	(C48)	20	20	27.75	55	2.1	**431**
60"	**3 UCW 60**	(C60)	26	26	27.75	73	2.6	**480**

- Tables 120" and 144"W with 2 cubes or drums get reinforcing bar
- 1" thick TFL construction only
- Match base to table depths as shown
- Two sides have 1.5"H x 3.25"W wiring cut-outs at top

CUBE BASES WITH ACCESS DOOR



SIN 711-11

	Model #	Drilling	W	D	H	Wt	V	$ List
Table Depths								
36"	**3 UCW 36D**	(C36)	16	16	27.75	48	1.7	**450**
42"	**3 UCW 42D**	(C42)	18	18	27.75	54	1.9	**482**
48"	**3 UCW 48D**	(C48)	20	20	27.75	59	2.1	**553**
60"	**3 UCW 60D**	(C60)	26	26	27.75	77	2.6	**628**

- 1" thick TFL construction only
- Match base to table depths as shown
- Two sides have 1.5"H x 3.25"W wiring cut-outs at top

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

WOOD BASES / CONNECTING HARDWARE (BOARDWALK™)

BOARDWALK™

SINGLE PANEL BASE	Model #	Drilling	W	D	H	Wt	V	$ List	Remarks
 **Table Lengths**									• End panels are 1½" thick TFL • Modesty panel is ¾" thick TFL and is slightly off center to permit power / data port installation • Use on Rectangular, Race Track, Boat Shaped or Teleconference tops • Middle leg on Double Base has 1.5"H x 5.25"W wire pass-through
72"	**4 UPW 72**	(P72)	37	20	27.75	65	4.1	**401**	
84"	**4 UPW 84**	(P84)	43	20	27.75	66	4.3	**418**	
96"	**4 UPW 96**	(P96)	53	24	27.75	78	4.9	**449**	
108"	**4 UPW 108**	(P108)	62	24	27.75	129	5.0	**475**	
DOUBLE PANEL BASE: 48"D TABLES									
 **Table Lengths**									
120"	**4 UPW 120**	(P120)	80	24	27.75	108	6.3	**644**	
144"	**4 UPW 144**	(P144)	104	24	27.75	117	6.7	**692**	
168"	**4 UPW 168**	(P168)	128	24	27.75	123	7.2	**773**	
SINGLE SANDWICH PANEL BASE									• Use on Rectangular, Race Track, Boat Shaped or Teleconference tops • Double 1" thick TFL panels with spacer • ¾" thick TFL modesty panels are 5.25" apart • Middle leg on Double Base has 1.5"H x 5.25"W wire pass-through
 **Table Lengths**									
72"	**3 UPWS 72**	(P72)	37	20	27.75	88	8.8	**764**	
84"	**3 UPWS 84**	(P84)	43	20	27.75	91	9.1	**789**	
96"	**3 UPWS 96**	(P96)	53	24	27.75	107	10.7	**824**	
108"	**3 UPWS 108**	(P108)	62	24	27.75	120	11.1	**877**	
DOUBLE SANDWICH PANEL BASE: 48"D TABLES									• Use on Rectangular, Race Track, Boat Shaped or Teleconference tops • Double 1" thick TFL panels with spacer • ¾" thick TFL modesty panels are 5.25" apart • Middle leg on Double Base has 1.5"H x 5.25"W wire pass-through
 **Table Lengths @ 48"D**									
120"	**3 UPWS 120**	(P120)	80	24	27.75	160	14.5	**1201**	
144"	**3 UPWS 144**	(P144)	104	24	27.75	171	15.6	**1250**	
168"	**3 UPWS 168**	(P168)	128	24	27.75	179	16.7	**1309**	
DOUBLE PANEL BASE: 60"D TABLES									• Use on 60"D Rectangular, Race Track, Boat Shaped or Teleconference tops
 **Table Lengths @ 60"D**									
144"	**4 UPW 144D**	(P144D)	104	30	27.75	144	7.9	**865**	
168"	**4 UPW 168D**	(P168D)	128	30	27.75	150	8.4	**966**	
180"	**4 UPW 180D**	(P180D)	140	30	27.75	152	9.3	**1094**	
192"	**4 UPW 192D**	(P192D)	152	30	27.75	154	9.5	**1237**	
DOUBLE SANDWICH PANEL BASE: 60"D TABLES									• 3 UPWS 216D and wider bases are in 4 sections
 **Table Lengths @ 60"D**									
144"	**3 UPWS 144D**	(P144D)	104	30	27.75	228	18.4	**1562**	
168"	**3 UPWS 168D**	(P168D)	128	30	27.75	244	19.5	**1679**	
180"	**3 UPWS 180D**	(P180D)	140	30	27.75	252	20.5	**1740**	
192"	**3 UPWS 192D**	(P192D)	152	30	27.75	260	21.6	**1760**	
216"	**3 UPWS 216D**	(P216D)	168	30	27.75	328	23.9	**2060**	
240"	**3 UPWS 240D**	(P240D)	200	30	27.75	344	25.1	**2200**	
288"	**3 UPWS 288D**	(P288D)	248	30	27.75	375	26.9	**2500**	
QUICK RELEASE JOINERS (PAIR)									• Pressure fit "tuning forks" fit into docking bracket • Tuning forks pivot under table when not in use • Silver finish only
	**TG 1000**		6	2.5				**105**	
TABLE GANGING PLATE									• 11 guage steel • 4 knobs / unit • 1 unit on tables up to 42"W • Inserts installed on tables ordered at same time • Black only
	**TG 1001**		12	4				**84**	
All SIN 711-11									

LEGEND: **W**=width; **D**=depth; H=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TABLES

SMART BOARDROOM TABLES BASES

INLINE treo BOARDWALK™

PRESENTATION / TELECONFERENCING BASE PACKAGES LINK PROJECTOR TO LAPTOP



CUBE BASES



48"D Tops	Model #	Bases	Modules	List $
96"W – 144"W	SUCW2PT2	2	2	2385
168"W	SUCW3PT2	3	2	2938
60"D Tops	**Model #**	**Bases**	**Modules**	**List $**
144"W – 192"W	SUCW3PT2D	3	2	3163

DRUM BASES



48"D Tops	Model #	Bases	Modules	List $
96"W – 144"W	SUDR2PT2	2	2	4515
168"W	SUDR3PT2	3	2	6133
60"D Tops	**Model #**	**Bases**	**Modules**	**List $**
144"W – 192"W	SUDR3PT2D	3	2	6607

SINGLE SANDWICH PANEL BASE



48"D Tops	Model #	Bases	Modules	List $
96"W	SUPWS96PT2	1	2	2103
108"W	SUPWS108PT2	1	2	2156

DOUBLE SANDWICH PANEL BASE



48"D Tops	Model #	Bases	Modules	List $
120"W	SUPWS120PT2	1	2	2480
144"W	SUPWS144PT2	1	2	2529
168"W	SUPWS168PT2	1	2	2588
60"D Tops	**Model #**	**Bases**	**Modules**	**List $**
144"W	SUPWS144PT2D	1	2	2841
168"W	SUPWS168PT2D	1	2	2958
180"W	SUPWS180PT2D	1	2	3019
192"W	SUPWS192PT2D	1	2	3039

Remarks

Presentation / Teleconference base packages include:

- Bases (choose style)
- PD6500 power/data grommet with VGA module and data ports
- PD5500 power/data grommet with VGA module
- VGA cable and electrical extension cord
- Drilling of tops; tops themselves sold separately
- Cable management channels

- Microphone grommets (GC1500) also available. See pg 7-5
- Bases work with any conference top shape, see pgs 5-4, 5-6, 5-16 and 5-18

POWERED MEETING ROOM BASE PACKAGES PLUG AND DATA PORT FOR EVERY SEAT



CUBE BASES



48"D Tops	Model #	Bases	Modules	List $
96"W – 108"W	SUCW2DE2	2	2	2514
120"W – 144"W	SUCW2DE3	2	3	3238
168"W	SUCW3DE3	3	3	3791
60"D Tops	**Model #**	**Bases**	**Modules**	**List $**
144"W – 168"W	SUCW3DE3D	3	3	4016
180"W – 192"W	SUCW3DE4D	3	4	4587

DRUM BASES



48"D Tops	Model #	Bases	Modules	List $
96"W – 108"W	SUDR2DE2	2	2	4644
120"W – 144"W	SUDR2DE3	2	3	5368
168"W	SUDR3DE3	3	3	6986
60"D Tops	**Model #**	**Bases**	**Modules**	**List $**
144"W – 168"W	SUDR3DE3D	3	3	7460
180"W – 192"W	SUDR3DE4D	3	4	8031

SINGLE SANDWICH PANEL BASE



48"D Tops	Model #	Bases	Modules	List $
96"W	SUPWS96DE2	1	2	2232
108"W	SUPWS108DE2	1	2	2285

DOUBLE SANDWICH PANEL BASE



48"D Tops	Model #	Bases	Modules	List $
120"W	SUPWS120DE3	1	3	3333
144"W	SUPWS144DE3	1	3	3382
168"W	SUPWS168DE3	1	3	3441
60"D Tops	**Model #**	**Bases**	**Modules**	**List $**
144"W	SUPWS144DE3D	1	3	3694
168"W	SUPWS168DE3D	1	3	3811
180"W	SUPWS180DE4D	1	4	4443
192"W	SUPWS192DE4D	1	4	4463

Remarks

Powered Meeting Room base packages include:

- Bases (choose style)
- One power outlet and data port for each seat
- Duplex outlets and power cable to plug in to floor monument
- Drilling of tops; tops themselves sold separately
- Cable management channels

- Microphone grommets (GC1500) also available. See pg 7-5
- Bases work with any conference top shape, see pgs 5-4, 5-6, 5-16 and 5-18

Stages®

2013

Contents

The STAGES® System 6-2

Worksurfaces – True Sizes

Standard Worksurfaces: Fixed; Incremental; Top Crank 6-3
Bi-Level Worksurfaces: Top Crank; Electric 6-5
Standard Worksurfaces: Front Crank; Pneumatic; Electric 6-6
Corner Worksurfaces 6-8
Curvilinear Returns Worksurfaces 6-11
"D" Return Tops / "P" Return Tops 6-13
Angled Shell Worksurfaces 6-14
Extended Range Electric Tables 6-15
Training Tables 6-16

Worksurfaces – Panel Wrap Sizes

Standard Worksurfaces: Fixed; Incremental; Top Crank 6-17
Bi-Level Worksurfaces: Top Crank; Electric 6-19
Standard Worksurfaces: Front Crank; Pneumatic; Electric 6-20
Corner Worksurfaces 6-22
Curvilinear Returns Worksurfaces 6-25
"D" Return Tops / "P" Return Tops 6-27
Angled Shell Worksurfaces 6-28
Extended Range Electric Tables 6-29

Accessories, Storage & Metal Bases

Pedestals 6-30
Standard Keyboards & Input Deck Mechanisms 6-31
Accessories – Storage, Cable Management 6-32
Accessories – Modesties, Casters, etc. 6-33
Metal Bases 6-34
Desk Organizers 6-36

THE STAGES® SYSTEM

OVERVIEW

- Extensive range of sizes, including tops from 30" to 90" wide in various depths plus extended corners up to 96" x 60"
- Eight height ranges
- Incremental, Crank, Pneumatic or Electric adjustment options
- Heavy-duty structural and mechanical components

CONSTRUCTION DETAILS

General
- Tops are 1" thick, 45 lb density particleboard
- Tops include threaded metal inserts to attach bases
- All table tops having an unsupported span over 48" have a 1" steel reinforcing bar with an adjustable, mechanical leveller.
- All metal components have environmentally friendly, hybrid epoxy powder-coat finish

Standard High and Low Range Bases
- Legs are heavy-duty 7.25" x 1.625" x 12 GA cold-rolled steel
- Modesty panels are screwed to welded steel cross members
- Crank tables can lift 250 lbs. evenly distributed
- Electric tables can lift 300 lbs. per motor evenly distributed (can add second motor for extra weight capacity)
- Toggle switch gives infinite adjustability for electric tables within their ranges

Tables are available in the following height ranges:

Range by Style	Crank/Incremental	EZ/Pneumatic	Electric – Standard	Electric – Extended
Low	24" – 32"	22" – 42"	24" – 36"	24" – 51"
High	27" – 35"	26" – 46"	27" – 43"	
Wide	27" – 41"			

EZ UP Pneumatic Bases
- Mechanism standard in matte silver finish. Call factory for pricing other colour options.
- 1" thick TFL end panels and modesty panel
- 5" deep boot shelf on 24"D models; 10" deep boot shelf on 30"D models
- 1" gap between top and base to avoid pinch-points
- Meets ANSI/BIFMA X5.5-2008 for Desk/Table products

Extended-range Electric Bases
- Attractive, low-profile steel feet with rounded front edge are bolted to legs
- Legs are triple extension, formed steel with an integrated DC motor
- Modesty panel is 1" x 8" thermally-fused laminate, secured to legs with interlocking brackets
- Lift capacity is 170 lbs per leg, evenly distributed (340 lb/2 legs; 510 lb/3 legs)
- Up to three pre-set heights can be established for any one user, or three different users in a 24/7 operation

WARRANTY

- Electrical components including motors, switches, wiring and cords are C.S.A. and U.L. approved
- Electric motors and keyboard mechanisms are guaranteed for one year from date of shipment
- Extended warranty coverage is available on motors for $25 net per year per motor, for up to 10 years. The following conditions apply:
  - motors will be repaired or replaced at our option
  - warranty does not cover freight to return motors for repair
  - replacement motors will be functionally equivalent though may not be identical
  - warranty is void if motor has been overloaded or abused
- All other components are subject to the conditions outlined in our Limited Lifetime Warranty (pg. iv)

FINISHES

- Tops can be in any of Inline's standard Thermally-Fused Laminates (TFL) or High Pressure Laminates (HPL) - see INLINE SYSTEMS® Finish Card
- INLINE thermally fused laminates meet all the performance requirements of high pressure laminate required for sales as worksurfaces under National Master Standing Offer and Supply Arrangement contracts.
- Edges are either 5mm bull-nose T-mould (standard) or 3mm flat PVC edging (add -3mm after code).
- All solid and woodgrain TFL finishes come with matching edging as standard.
- All solid and woodgrain HPL finishes come with matching edging except for Ginger Root Maple.
- User can choose a non-matching edging from INLINE SYSTEMS® Finish Card.
- Custom HP Laminates can be used for a nominal up-charge. Call factory or sales rep for additional information. (However, standard edging must be selected.)
- Bases are most commonly painted Black, but are also available to match following finishes from INLINE SYSTEMS® Finish Card: Folkstone Grey; Silver Grey; Ingot Grey; Charcoal; Haze, and Calamare (except Extended-range electric bases which are black only).

STANDARD WORKSURFACES – TRUE SIZES

FIXED HEIGHT BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WS 2424 FH**	24	24	24	69	2.0	**623**	**704**
	WS 3024 FH	30	24	24	75	2.5	**633**	**715**
	WS 3624 FH	36	24	24	86	3.0	**663**	**748**
	WS 4224 FH	42	24	24	98	3.5	**693**	**783**
	WS 4824 FH	48	24	24	104	4.0	**724**	**818**
	WS 5424 FH	54	24	24	116	4.5	**767**	**888**
	WS 6024 FH	60	24	24	127	5.0	**809**	**937**
	WS 6624 FH	66	24	24	138	5.5	**832**	**965**
	WS 7224 FH	72	24	24	147	6.0	**892**	**1035**
	WS 7824 FH	78	24	24	151	6.3	**984**	**1140**
	WS 8424 FH	84	24	24	155	6.6	**1030**	**1194**
30" Deep	**WS 2430 FH**	24	30	30	76	2.5	**660**	**746**
	WS 3030 FH	30	30	30	87	3.0	**705**	**796**
	WS 3630 FH	36	30	30	97	3.5	**736**	**832**
	WS 4230 FH	42	30	30	105	4.5	**766**	**866**
	WS 4830 FH	48	30	30	115	5.0	**795**	**901**
	WS 5430 FH	54	30	30	123	5.5	**838**	**972**
	WS 6030 FH	60	30	30	130	6.0	**881**	**1021**
	WS 6630 FH	66	30	30	140	7.0	**924**	**1072**
	WS 7230 FH	72	30	30	155	7.5	**966**	**1120**
	WS 7830 FH	78	30	30	159	7.8	**1066**	**1236**
	WS 8430 FH	84	30	30	165	8.1	**1116**	**1294**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 36", 2 Grommets for surfaces 36" and over.
- Bases are 6" narrower than tops
- Fixed height legs have 2.125" wire pass-through, complete with rubber gasket to protect wires.

For tables that must fit within panel systems, see "Panel Wrap Sizes" starting page 6-17

INCREMENTAL HEIGHT BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WS 2424 IH**	24	24	24	74	2.0	**913**	**994**
	WS 3024 IH	30	24	24	80	2.5	**923**	**1005**
	WS 3624 IH	36	24	24	91	3.0	**953**	**1040**
	WS 4224 IH	42	24	24	103	3.5	**983**	**1074**
	WS 4824 IH	48	24	24	109	4.0	**1014**	**1109**
	WS 5424 IH	54	24	24	120	4.5	**1056**	**1178**
	WS 6024 IH	60	24	24	132	5.0	**1099**	**1228**
	WS 6624 IH	66	24	24	142	5.5	**1141**	**1277**
	WS 7224 IH	72	24	24	152	6.0	**1183**	**1326**
	WS 7824 IH	78	24	24	156	6.3	**1304**	**1512**
	WS 8424 IH	84	24	24	160	6.6	**1350**	**1566**
30" Deep	**WS 2430 IH**	24	30	30	82	2.5	**970**	**1060**
	WS 3030 IH	30	30	30	92	3.0	**997**	**1088**
	WS 3630 IH	36	30	30	102	3.5	**1026**	**1122**
	WS 4230 IH	42	30	30	110	4.5	**1056**	**1156**
	WS 4830 IH	48	30	30	120	5.0	**1086**	**1191**
	WS 5430 IH	54	30	30	127	5.5	**1129**	**1263**
	WS 6030 IH	60	30	30	135	6.0	**1172**	**1311**
	WS 6630 IH	60	30	30	145	7.0	**1214**	**1361**
	WS 7230 IH	72	30	30	156	7.5	**1256**	**1410**
	WS 7830 IH	78	30	30	160	7.8	**1384**	**1604**
	WS 8430 IH	84	30	30	166	8.1	**1434**	**1662**

Incremental Height Base

- For Incremental Adjustable tables, thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

Standard edging is 5mm T-mold



Optional 3mm edging with square corners



Add "-3mm" suffix to model number

(Optional tapered foot shown)

STAGES®

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – TRUE SIZES

TOP CRANK HEIGHT BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WS 2424 TC**	24	24	24	79	2.0	**1215**	**1297**
	WS 3024 TC	30	24	24	85	2.5	**1225**	**1308**
	WS 3624 TC	36	24	24	96	3.0	**1256**	**1342**
	WS 4224 TC	42	24	24	108	3.5	**1287**	**1375**
	WS 4824 TC	48	24	24	114	4.0	**1498**	**1593**
	WS 5424 TC	54	24	24	125	4.5	**1541**	**1667**
	WS 6024 TC	60	24	24	137	5.0	**1583**	**1712**
	WS 6624 TC	66	24	24	148	5.5	**1626**	**1762**
	WS 7224 TC	72	24	24	157	6.0	**1668**	**1810**
	WS 7824 TC	78	24	24	161	6.3	**1840**	**2006**
	WS 8424 TC	84	24	24	165	6.6	**1887**	**2056**
	WS 9024 TC	90	24	24	169	6.9	**1933**	**2108**
30" Deep	**WS 3030 TC**	30	30	30	97	3.0	**1298**	**1390**
	WS 3630 TC	36	30	30	107	3.5	**1328**	**1423**
	WS 4230 TC	42	30	30	115	4.5	**1359**	**1458**
	WS 4830 TC	48	30	30	125	5.0	**1571**	**1675**
	WS 5430 TC	54	30	30	133	5.5	**1614**	**1735**
	WS 6030 TC	60	30	30	140	6.0	**1656**	**1795**
	WS 6630 TC	66	30	30	152	7.0	**1698**	**1845**
	WS 7230 TC	72	30	30	161	7.5	**1740**	**1894**
	WS 7830 TC	78	30	30	165	7.8	**1920**	**2092**
	WS 8430 TC	84	30	30	171	8.1	**1966**	**2142**
	WS 9030 TC	90	30	30	176	8.4	**2012**	**2191**

NO MODESTY TOP CRANK BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WSO 2424 TC**	24	24	24	79	2.0	**1042**	**1119**
	WSO 3024 TC	30	24	24	85	2.5	**1052**	**1130**
	WSO 3624 TC	36	24	24	96	3.0	**1070**	**1150**
	WSO 4224 TC	42	24	24	108	3.5	**1106**	**1196**
	WSO 4824 TC	48	24	24	114	4.0	**1136**	**1232**
	WSO 5424 TC	54	24	24	126	4.5	**1179**	**1306**
	WSO 6024 TC	60	24	24	137	5.0	**1232**	**1352**
	WSO 6624 TC	66	24	24	148	5.5	**1275**	**1402**
	WSO 7224 TC	72	24	24	157	6.0	**1317**	**1450**
	WSO 7824 TC	78	24	24	161	6.3	**1489**	**1646**
	WSO 8424 TC	84	24	24	165	6.6	**1536**	**1696**
30" Deep	**WSO 3030 TC**	30	30	30	97	3.0	**1120**	**1210**
	WSO 3630 TC	36	30	30	107	3.5	**1146**	**1242**
	WSO 4230 TC	42	30	30	115	4.5	**1175**	**1275**
	WSO 4830 TC	48	30	30	125	5.0	**1210**	**1315**
	WSO 5430 TC	54	30	30	133	5.5	**1253**	**1375**
	WSO 6030 TC	60	30	30	140	6.0	**1296**	**1435**
	WSO 6630 TC	66	30	30	152	7.0	**1338**	**1485**
	WSO 7230 TC	72	30	30	161	7.5	**1380**	**1534**
	WSO 7830 TC	78	30	30	165	7.8	**1560**	**1732**
	WSO 8430 TC	84	30	30	171	8.1	**1606**	**1782**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 36", 2 Grommets for surfaces 36" and over.
- Bases are 6" narrower than tops (except 84" and 90" models which have 72"W bases)
- Tops can be cantilevered 6" to rear. Add "-G" to code, add $25 list per table.

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Top Crank Base (No Modesty)

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H) **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.
- Height range can start at 22". Call factory for details and pricing.

Modesty vs. No Modesty

Top crank tables with partial modesty (WS xxxx TC) have a fitted panel screwed to rear metal crossbars. Top crank tables with no modesty (WSO xxxx TC) do not have this panel.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BI-LEVEL WORKSURFACES – TRUE SIZES

TOP CRANK BASE (Monitor Surface)



SIN 711-2

Full width Input Deck is included.

Model #	W	D	C	Wt	V	TFL $	HPL $
TF 3630 TC	36	30	30	128	5.2	**2220**	**2314**
TF 4230 TC	42	30	30	137	6.0	**2250**	**2350**
TF 4830 TC	48	30	30	146	6.7	**2462**	**2565**

TF** series of Bi-Level tables use **Full Flex Keyboards.

ELECTRIC HEIGHT BASE (Monitor Surface)



SIN 711-2

Full width Input Deck is included.

Model #	W	D	C	Wt	V	TFL $	HPL $
TF 3630 EH	36	30	30	128	5.2	**3515**	**3610**
TF 4230 EH	42	30	30	137	6.0	**3544**	**3643**
TF 4830 EH	48	30	30	146	6.7	**3634**	**3739**

TF** series of Bi-Level tables use **Full Flex Keyboards.

Remarks

- Fixed Height bi-level tables available. Change Top Crank model suffix to FH eg. TF 3630 TC becomes TF 3630 FH and take 25% off list price.
- Incremental Height bi-level tables available. Change Top Crank model suffix to IH eg. TF 3630 TC becomes TF 3630 IH and take 15% off list price.

- Bases are 6" narrower than tops.

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35"(H). **Please specify on order.**

- CGSB tested Wide range (27" to 41") Incremental and Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Electric Height Base

- Electric Height tables include a right positioned Rocker Switch.
- Rocker Switch can be easily repositioned left by installers.
- Electric Height tables have a height adjustment range from 24" to 36" (L) or 27" to 43" (H). **Please specify on order.**

- For extra heavy duty applications second motor can be added. To order add "**DUAL**" to end of product code and $900 list to price.

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

STAGES®

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – TRUE SIZES

FRONT CRANK BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WS 2424 FC**	24	24	24	84	2.0	**1542**	**1625**
	WS 3024 FC	30	24	24	91	2.5	**1552**	**1636**
	WS 3624 FC	36	24	24	101	3.0	**1583**	**1669**
	WS 4224 FC	42	24	24	113	3.5	**1613**	**1703**
	WS 4824 FC	48	24	24	119	4.0	**1825**	**1920**
	WS 5424 FC	54	24	24	131	4.5	**1868**	**1993**
	WS 6024 FC	60	24	24	142	5.0	**1910**	**2038**
	WS 6624 FC	66	24	24	153	5.5	**1952**	**2091**
	WS 7224 FC	72	24	24	162	6.0	**1994**	**2136**
	WS 7824 FC	78	24	24	166	6.3	**2192**	**2369**
	WS 8424 FC	84	24	24	170	6.6	**2237**	**2418**
30" Deep	**WS 3630 FC**	36	30	30	112	3.5	**1656**	**1751**
	WS 4230 FC	42	30	30	120	4.5	**1685**	**1785**
	WS 4830 FC	48	30	30	130	5.0	**1898**	**2001**
	WS 5430 FC	54	30	30	138	5.5	**1940**	**2062**
	WS 6030 FC	60	30	30	145	6.0	**1982**	**2123**
	WS 6630 FC	66	30	30	156	7.0	**2025**	**2173**
	WS 7230 FC	72	30	30	166	7.5	**2067**	**2222**
	WS 7830 FC	78	30	30	171	7.8	**2272**	**2453**
	WS 8430 FC	84	30	30	176	8.1	**2317**	**2501**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 36", 2 Grommets for surfaces 36" and over.

Front Crank Base

- Bases are 6" narrower than tops (except 84" models which have 72"W bases).
- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H).
  Please specify on order.

EZ UP PNEUMATIC ADJUSTABLE BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WS 3624 PA**	36	24	24	98	14.0	**1517**	**1687**
	WS 4224 PA	42	24	24	110	16.1	**1534**	**1698**
	WS 4824 PA	48	24	24	120	18.3	**1568**	**1726**
	WS 5424 PA	54	24	24	131	19.2	**1578**	**1741**
	WS 6024 PA	60	24	24	144	20.0	**1848**	**2011**
	WS 6624 PA	66	24	24	155	21.8	**1869**	**2038**
	WS 7224 PA	72	24	24	167	23.6	**1911**	**2093**
30" Deep	**WS 3630 PA**	36	30	30	106	14.0	**1541**	**1704**
	WS 4230 PA	42	30	30	117	16.1	**1571**	**1734**
	WS 4830 PA	48	30	30	128	18.3	**1599**	**1769**
	WS 5430 PA	54	30	30	140	19.2	**1626**	**1808**
	WS 6030 PA	60	30	30	151	20.0	**1908**	**2091**
	WS 6630 PA	66	30	30	161	21.8	**1935**	**2130**
	WS 7230 PA	72	30	30	174	23.6	**1959**	**2159**

Panel system configured pneumatic adjustable worksurfaces also available. Please contact INLINE Customer Service to discuss your project.

EZ UP Pneumatic Adjustable Base

- Paddle-actuated adjustment
- Pneumatic Adjustable tables have adjustment range from 22" to 42" (L) or 26" to 46" (H).
  Please specify on order.
- Tables have 1" thick wood gables and modesty panels, available in any standard TFL.
- 3mm edging is standard.
- Mechanism comes standard in matte silver finish. Other finishes available, please contact customer service for ordering information and pricing.
- Boot shelf is 5"D on 24"D models and 10"D on 30"D models.

MOBILE PEDESTALS FOR PNEUMATIC TABLES





SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Open / File	**3 SMG 18 (-)**	16	18	18	50	4.0	**480**	**562**
Open / File with Cushion Top	**3 SMGS 18 (-)**	16	18	20	50	4.0	**614**	**696**

NOTE: Black seating fabric only. C.O.M. at same price.

Enter Handle Selection to complete code
4 Handles to choose from:
K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

- Can specify up to 3 finishes (Contrast – drawer faces, Base – body, Top – top) – drawer faces or top or both can be HP laminate
- HPL price includes HP on Tops (T) or Faces (C) (specify which). If both wanted in HP, add $78 list.
- File drawer on full extension, ball bearing slides.
- Open area is 2.25" high
- Adjustable depth paper stop in open area
- Pedestals have 3mm trim on tops and faces
- Seating fabric is standard in Black. Panel fabrics from INLINE Fabric Card can be used but they do not meet BIFMA seating wear standards.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – TRUE SIZES

ELECTRIC HEIGHT BASE



	Model #	W	D	C	Wt	V	TFL $	HPL $
24" Deep	**WS 2424 EH**	24	24	24	127	2.0	**2510**	**2593**
	WS 3024 EH	30	24	24	132	2.5	**2520**	**2603**
	WS 3624 EH	36	24	24	138	3.0	**2551**	**2637**
	WS 4224 EH	42	24	24	155	3.5	**2581**	**2671**
	WS 4824 EH	48	24	24	167	4.0	**2672**	**2765**
	WS 5424 EH	54	24	24	184	4.5	**2724**	**2847**
	WS 6024 EH	60	24	24	201	5.0	**2757**	**2886**
	WS 6624 EH	66	24	24	222	5.5	**2799**	**2934**
	WS 7224 EH	72	24	24	242	6.0	**2841**	**2984**
	WS 7824 EH	78	24	24	246	6.3	**3103**	**3269**
	WS 8424 EH	84	24	24	250	6.6	**3148**	**3318**
30" Deep	**WS 3630 EH**	36	30	30	144	3.5	**2624**	**2719**
	WS 4230 EH	42	30	30	161	4.5	**2653**	**2753**
	WS 4830 EH	48	30	30	173	5.0	**2745**	**2849**
	WS 5430 EH	54	30	30	194	5.5	**2787**	**2909**
	WS 6030 EH	60	30	30	213	6.0	**2829**	**2969**
	WS 6630 EH	66	30	30	232	7.0	**2872**	**3019**
	WS 7230 EH	72	30	30	250	7.5	**2914**	**3069**
	WS 7830 EH	78	30	30	255	7.8	**3182**	**3352**
	WS 8430 EH	84	30	30	260	8.1	**3227**	**3399**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 36", 2 Grommets for surfaces 36" and over.
- Bases are 6" narrower than tops (except 84" models which have 72"W bases)

Electric Height Base

- Electric Height tables include a right positioned Rocker Switch.
- Rocker Switch can be easily repositioned left by installers.
- Electric Height tables have a height adjustment range from 24" to 36" (L) or 27" to 43" (H).
  Please specify on order.

- Height range can start at 22". Call factory for details and pricing.
- For extra heavy duty applications second motor can be added. To order add "**DUAL**" to end of product code and $900 list to price.

EXTENDED RANGE TABLES



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Deep	**WSX 3624**	36	24	85	5.4	**2680**	**2870**
	WSX 4224	42	24	88	5.6	**2712**	**2904**
	WSX 4824	48	24	92	5.9	**2734**	**2927**
	WSX 6024	60	24	100	6.3	**2836**	**3037**
	WSX 7224	72	24	107	6.8	**2962**	**3174**
	WSX 8424	84	24	115	7.3	**3095**	**3315**
30" Deep	**WSX 3630**	36	30	90	5.7	**2708**	**2901**
	WSX 4230	42	30	95	6.0	**2725**	**2918**
	WSX 4830	48	30	100	6.3	**2741**	**2936**
	WSX 6030	60	30	109	6.9	**2867**	**3071**
	WSX 7230	72	30	118	7.5	**3004**	**3218**
	WSX 8430	84	30	128	8.1	**3131**	**3352**

- Height adjustment range from 24" to 51" (plus glide adjustment)
- Glides have 1" of additional adjustment
- Infinite height adjustments within range
- 3 user-programmable preset heights
- Ultra-quiet motors adjust at 1.7" per second
- Built-in limit switches stop motors at top and bottom of adjustment range
- Soft stop motor eliminates abrupt starts and stops
- 8"H TFL modesty panel is 16" from floor
- All tables meet or exceed ANSI/BIFMA x5.5-2008 and CGSB 44.227-2000
- 18"D peds fit 24"D Tops
- 20"D peds protrude slightly under 24"D Tops
- 24"D peds fit completely under 30"D Tops
- Includes 2 Cable Grommets
- Lift capacity of 300 lbs. evenly distributed
- Radius corners with 5mm bullnose edging is standard.
- For square corners with 3mm flat edging, simply add "– 3M" after any code.
- To maintain radius corners on 3mm edged tables, add $200 List. Call factory for quote tracking number.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER WORKSURFACES – TRUE SIZES

FIXED HEIGHT V-BASE – STRAIGHT CORNER



SIN 711-2



Model #	A	B	C	Wt	V	TFL $	HPL $
CVSN 3624 F	36	24	17	96	7.0	**833**	**992**
CVSN 4224 F	42	24	25.5	106	9.0	**917**	**1113**

FIXED HEIGHT V-BASE – CURVED WEDGE CORNER



SIN 711-2



Single Arm	**CVKN 3624 BF**	36	24	17	112	7.0	**1371**	**1531**
	CVKN 4224 BF	42	24	25.5	122	9.0	**1455**	**1650**
Full Flex KB	**CVFN 3624 BF**	36	24	17	122	7.0	**1740**	**1900**
	CVFN 4224 BF	42	24	25.5	131	9.0	**1825**	**2021**

INCREMENTAL HEIGHT – STRAIGHT CORNER



SIN 711-2



Model #	A	B	C	Wt	V	TFL $	HPL $
CSN 3624 I	36	24	17	102	7.0	**1008**	**1209**
CSN 4224 I	42	24	25.5	112	9.0	**1111**	**1263**

INCREMENTAL HEIGHT – CURVED WEDGE CORNER



SIN 711-2



Single Arm	**CKN 3624 BI**	36	24	17	118	7.0	**1540**	**1701**
Full Flex KB	**CFN 3624 BI**	36	24	17	127	7.0	**1910**	**2069**
	CFN 4224 BI	42	24	25.5	137	9.0	**2010**	**2164**

Remarks

- Fixed height tables are 29" high
- All "CVK" units have single arm mechanisms
  - Mechanism adjusts 6" below and 6" above worksurface
  - Tilts +15° / -15°
- All "CVF" units have double arm Full Flex mechanisms
  - Mechanism adjusts 6"below and 6" above worksurface
  - Tilts +9° / -15°
- All trays match worksurface finish and thickness
- For Incremental Adjustable tables, thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.

- CGSB tested Wide range (27" to 41") Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER WORKSURFACES – TRUE SIZES

	Model #	A	B	C	Wt	V	TFL $	HPL $
TOP CRANK-V BASE – STRAIGHT CORNER								
	CVSN 3624 T	36	24	17	106	7.0	**1347**	**1547**
	CVSN 4224 T	42	24	25.5	116	9.0	**1420**	**1640**
TOP CRANK-V BASE – STRAIGHT CORNER*								
***No Modesty**	**CVSON 3624 T**	36	24	17	106	7.0	**890**	**1090**
***No Modesty**	**CVSON 4224 T**	42	24	25.5	116	9.0	**980**	**1180**
TOP CRANK-V BASE – CURVED WEDGE CORNER								
Single Arm	**CVKN 3624 BT**	36	24	17	122	7.0	**1885**	**2085**
	CVKN 4224 BT	42	24	25.5	132	9.0	**1958**	**2178**
Full Flex KB	**CVFN 3624 BT**	36	24	17	131	7.0	**2254**	**2454**
	CVFN 4224 BT	42	24	25.5	141	9.0	**2330**	**2550**
TOP CRANK-V BASE – CURVED WEDGE CORNER*								
***No Modesty**	**CVKHON 4224 BT**	42	24	25.5	141	9.0	**1325**	**1525**
TOP CRANK-REG. BASE – STRAIGHT CORNER								
	CSN 4224 T	42	24	25.5	112	9.0	**1575**	**1770**
	CSN 4830 T	48	30	25.5	122	12.0	**1640**	**1820**
TOP CRANK-REG. BASE – CURVED WEDGE CORNER								
Full Flex KB	**CFN 4224 BT**	42	24	25.5	138	9.0	**2504**	**2700**
Full Flex KB	**CFN 4830 BT**	48	30	25.5	170	12.0	**2570**	**2750**


SIN 711-2




SIN 711-2


SIN 711-2




SIN 711-2


SIN 711-2




SIN 711-2



- Top Crank, V-Base tables have center crank positioning.
- Top Crank, regular base tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- All "CVK" units have single arm mechanisms
  - Mechanism adjusts 6" below and 6" above worksurface
  - Tilts +15° / -15°
- All "CVF" units have double arm Full Flex mechanisms
  - Mechanism adjusts 6"below and 6" above worksurface
  - Tilts +9° / -15°
- All trays match worksurface finish and thickness
- Top Crank have a height adjustment range from 24" to 32" (L) or 27" to 35" (H) **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STAGES®

CORNER WORKSURFACES – TRUE SIZES

ELECTRIC HEIGHT-V BASE – STRAIGHT CORNER



SIN 711-2



Model #	A	B	C	Wt	V	TFL $	HPL $
CVSN 3624 E	36	24	17	154	7.0	**2420**	**2622**
CVSN 4224 E	42	24	25.5	164	9.0	**2525**	**2720**

ELECTRIC HEIGHT-V BASE – CURVED WEDGE CORNER



SIN 711-2



		A	B	C	Wt	V	TFL $	HPL $
Single Arm	**CVKN 3624 BE**	36	24	17	170	7.0	**2963**	**3163**
	CVKN 4224 BE	42	24	25.5	180	9.0	**3068**	**3264**
Full Flex KB	**CVFN 3624 BE**	36	24	17	179	7.0	**3332**	**3532**
	CVFN 4224 BE	42	24	25.5	189	9.0	**3436**	**3630**

ELECTRIC HEIGHT-REG. BASE – STRAIGHT CORNER



SIN 711-2



Model #	A	B	C	Wt	V	TFL $	HPL $
CSN 4224 E	42	24	25.5	170	9.0	**2780**	**2940**
CSN 4830 E	48	30	25.5	193	12.0	**2830**	**2972**

ELECTRIC HEIGHT-REG. BASE – CURVED WEDGE CORNER



SIN 711-2



		A	B	C	Wt	V	TFL $	HPL $
Full Flex KB	**CFN 4224 BE**	42	24	25.5	195	9.0	**3736**	**3896**
Full Flex KB	**CFN 4830 BE**	48	30	25.5	218	12.0	**3787**	**3935**

Remarks

- Electric Height tables include right positioned rocker switch.
- Rocker switch can be easily repositioned left by installers.
- All “CVK” units have single arm mechanisms
  - Mechanism adjusts 6” below and 6" above worksurface
  - Tilts +15° / -15°
- All “CVF” units have double arm Full Flex mechanisms
  - Mechanism adjusts 6" below and 6" above worksurface
  - Tilts +9° / -15°
- All trays match worksurface finish and thickness
- Electric Height tables have height adjustment range from 24" to 36" (L) or 27" to 43" (H).
  Please specify on order.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add “-3M” after any code.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVILINEAR RETURNS WORKSURFACES – TRUE SIZES

FIXED HEIGHT BASE





SIN 711-2



	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WS3030R24 FH**	30	30	24	87	3.0	**754**	**870**
	WS3630R24 FH	36	30	24	97	3.5	**784**	**880**
	WS4230R24 FH	42	30	24	105	4.5	**814**	**914**
	WS4830R24 FH	48	30	24	115	5.0	**845**	**950**
	WS5430R24 FH	54	30	24	123	5.5	**887**	**1021**
	WS6030R24 FH	60	30	24	130	6.0	**929**	**1070**
	WS6630R24 FH	66	30	24	140	7.0	**972**	**1119**
	WS7230R24 FH	72	30	24	151	7.5	**1014**	**1169**
Left	**WS3030L24 FH**	30	30	24	87	3.0	**754**	**870**
	WS3630L24 FH	36	30	24	97	3.5	**784**	**880**
	WS4230L24 FH	42	30	24	105	4.5	**814**	**914**
	WS4830L24 FH	48	30	24	115	5.0	**845**	**950**
	WS5430L24 FH	54	30	24	123	5.5	**887**	**1021**
	WS6030L24 FH	60	30	24	130	6.0	**929**	**1070**
	WS6630L24 FH	66	30	24	140	7.0	**972**	**1119**
	WS7230L24 FH	72	30	24	151	7.5	**1014**	**1169**

- Tops include cable grommets
- 1 Grommet for surfaces under 36", 2 Grommets for surfaces 36" and over.
- Bases are 6" narrower than tops

Fixed Height Base
- Fixed Height tables are 29" high
- Fixed height legs have 2.125" wire pass-through, complete with rubber gasket to protect wires.

INCREMENTAL HEIGHT BASE





SIN 711-2



Right	**WS3030R24 IH**	30	30	24	92	3.0	**1045**	**1136**
	WS3630R24 IH	36	30	24	102	3.5	**1075**	**1170**
	WS4230R24 IH	42	30	24	110	4.5	**1104**	**1205**
	WS4830R24 IH	48	30	24	120	5.0	**1134**	**1240**
	WS5430R24 IH	54	30	24	128	5.5	**1177**	**1311**
	WS6030R24 IH	60	30	24	135	6.0	**1220**	**1360**
	WS6630R24 IH	66	30	24	145	7.0	**1262**	**1409**
	WS7230R24 IH	72	30	24	156	7.5	**1305**	**1459**
Left	**WS3030L24 IH**	30	30	24	92	3.0	**1045**	**1136**
	WS3630L24 IH	36	30	24	102	3.5	**1075**	**1170**
	WS4230L24 IH	42	30	24	110	4.5	**1104**	**1205**
	WS4830L24 IH	48	30	24	120	5.0	**1134**	**1240**
	WS5430L24 IH	54	30	24	128	5.5	**1177**	**1311**
	WS6030L24 IH	60	30	24	135	6.0	**1220**	**1360**
	WS6630L24 IH	66	30	24	145	7.0	**1262**	**1409**
	WS7230L24 IH	72	30	24	156	7.5	**1305**	**1459**

Incremental Height Base
- For Incremental Adjustable tables,thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.

TOP CRANK BASE





SIN 711-2



Right	**WS3030R24 TC**	30	30	24	97	3.0	**1346**	**1439**
	WS3630R24 TC	36	30	24	107	3.5	**1376**	**1472**
	WS4230R24 TC	42	30	24	115	4.5	**1407**	**1506**
	WS4830R24 TC	48	30	24	125	5.0	**1619**	**1724**
	WS5430R24 TC	54	30	24	133	5.5	**1661**	**1795**
	WS6030R24 TC	60	30	24	140	6.0	**1704**	**1844**
	WS6630R24 TC	66	30	24	148	7.0	**1746**	**1893**
	WS7230R24 TC	72	30	24	161	7.5	**1789**	**1943**
Left	**WS3030L24 TC**	30	30	24	97	3.0	**1346**	**1439**
	WS3630L24 TC	36	30	24	107	3.5	**1376**	**1472**
	WS4230L24 TC	42	30	24	115	4.5	**1407**	**1506**
	WS4830L24 TC	48	30	24	125	5.0	**1619**	**1724**
	WS5430L24 TC	54	30	24	133	5.5	**1661**	**1795**
	WS6030L24 TC	60	30	24	140	6.0	**1704**	**1844**
	WS6630L24 TC	66	30	24	148	7.0	**1746**	**1893**
	WS7230L24 TC	72	30	24	161	7.5	**1789**	**1943**

Top Crank Base
- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" or 27" to 35" (H).
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental and Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=connection-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVILINEAR RETURNS WORKSURFACES – TRUE SIZES

TOP CRANK BASE – NO MODESTY





SIN 711-2



	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WSO3030R24 TC**	30	30	24	97	3.0	**1168**	**1244**
	WSO3630R24 TC	36	30	24	107	3.5	**1194**	**1273**
	WSO4230R24 TC	42	30	24	115	4.5	**1223**	**1304**
	WSO4830R24 TC	48	30	24	125	5.0	**1258**	**1336**
	WSO6030R24 TC	60	30	24	140	6.0	**1344**	**1449**
Left	**WSO3030L24 TC**	30	30	24	97	3.0	**1168**	**1244**
	WSO3630L24 TC	36	30	24	107	3.5	**1194**	**1273**
	WSO4230L24 TC	42	30	24	115	4.5	**1223**	**1304**
	WSO4830L24 TC	48	30	24	125	5.0	**1258**	**1336**
	WSO6030L24 TC	60	30	24	140	6.0	**1344**	**1449**

FRONT CRANK BASE





SIN 711-2



		W	D	C	Wt	V	TFL $	HPL $
Right	**WS3030R24 FC**	30	30	24	102	3.0	**1674**	**1766**
	WS3630R24 FC	36	30	24	112	3.5	**1704**	**1800**
	WS4230R24 FC	42	30	24	120	4.5	**1734**	**1834**
	WS4830R24 FC	48	30	24	130	5.0	**1946**	**2049**
	WS5430R24 FC	54	30	24	138	5.5	**1988**	**2123**
	WS6030R24 FC	60	30	24	145	6.0	**2031**	**2171**
	WS6630R24 FC	66	30	24	150	7.0	**2072**	**2221**
	WS7230R24 FC	72	30	24	166	7.5	**2115**	**2270**
Left	**WS3030L24 FC**	30	30	24	102	3.0	**1674**	**1766**
	WS3630L24 FC	36	30	24	112	3.5	**1704**	**1800**
	WS4230L24 FC	42	30	24	120	4.5	**1734**	**1834**
	WS4830L24 FC	48	30	24	130	5.0	**1946**	**2049**
	WS5430L24 FC	54	30	24	138	5.5	**1988**	**2123**
	WS6030L24 FC	60	30	24	145	6.0	**2031**	**2171**
	WS6630L24 FC	66	30	24	150	7.0	**2072**	**2221**
	WS7230L24 FC	72	30	24	166	7.5	**2115**	**2270**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 36", 2 Grommets for surfaces 36" and over.
- Bases are 6" narrower than tops

Top Crank Base

- Top Crank tables have a height adjustment range from 24" to 32"(L) or 27" to 35" (H).
- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table. **Please specify on order.**

- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Modesty vs. No Modesty

Top crank tables with partial modesty (WS xxxx TC) have a fitted panel screwed to rear metal crossbars. Top crank tables with no modesty (WSO xxxx TC) do not have this panel.

Front Crank Base

- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=connection-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

"D" RETURN TOPS – "P" RETURN TOPS – TRUE SIZES

INCREMENTAL HEIGHT – "D" TOP



SIN 711-2

Model #	W	D	Wt	V	TFL $	HPL $
WD 6030 IH	60	30	135	6.0	**1220**	**1360**
WD 6630 IH	66	30	146	7.0	**1290**	**1440**
WD 7230 IH	72	30	156	7.5	**1305**	**1459**

Remarks

- Metal base is 18" shorter than overall table length.
- D-tops are cantilevered 6" to the rear.

Incremental Height Base

- For Incremental adjustable tables, thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.

TOP CRANK HEIGHT – "D" TOP



SIN 711-2

Model #	W	D	Wt	V	TFL $	HPL $
WD 6030 TC	60	30	140	6.0	**1704**	**1844**
WD 6630 TC	66	30	150	7.0	**1770**	**1930**
WD 7230 TC	72	30	161	7.5	**1789**	**1943**

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H).
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental and Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

FRONT CRANK HEIGHT – "D" TOP



SIN 711-2

Model #	W	D	Wt	V	TFL $	HPL $
WD 6030 FC	60	30	145	6.0	**2031**	**2171**
WD 6630 FC	66	30	156	7.0	**2095**	**2250**
WD 7230 FC	72	30	166	7.5	**2115**	**2270**

Front Crank Base

- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H).
  Please specify on order.

INCREMENTAL HEIGHT – "P" TOP

Model #	W	D	C	Wt	V	TFL $	HPL $
WP4230R24 IH	42	36	24	110	4.5	**1248**	**1687**
WP4830R24 IH	48	36	24	120	5.0	**1277**	**1726**
WP5430R24 IH	54	36	24	128	5.5	**1299**	**1756**
WP6030R24 IH	60	36	24	135	6.0	**1313**	**1774**
WP6630R24 IH	66	36	24	145	7.0	**1335**	**1804**
WP7230R24 IH	72	36	24	156	7.5	**1349**	**1823**

SIN 711-2

Model #	W	D	C	Wt	V	TFL $	HPL $
WP4230L24 IH	42	36	24	110	4.5	**1248**	**1687**
WP4830L24 IH	48	36	24	120	5.0	**1277**	**1726**
WP5430L24 IH	54	36	24	128	5.5	**1299**	**1756**
WP6030L24 IH	60	36	24	135	6.0	**1313**	**1774**
WP6630L24 IH	66	36	24	145	7.0	**1335**	**1804**
WP7230L24 IH	72	36	24	156	7.5	**1349**	**1823**

- For Incremental adjustable tables, thumb screws allow height adjustment to range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3mm flat PVC edging at no extra cost. For 3mm edge option, simply add "– 3M" after any code.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=depth; **C**=connection-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**=high pressure laminate $

ANGLED SHELL WORKSURFACES – TRUE SIZES

TOP CRANK BASE





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
24" Deep	**SS24604224 TC**	24	60	42	24	185	30	**2191**	**2395**
	SS24724224 TC	24	72	42	24	225	37	**2302**	**2531**
	SS24724824 TC	24	72	48	24	240	37	**2404**	**2701**
	SS24844824 TC	24	84	48	24	260	39	**2432**	**2746**
	SS24904824 TC	24	90	48	24	270	41	**2462**	**2790**
30" Deep	**SS30604230 TC**	30	60	42	30	185	30	**2263**	**2475**
	SS30724230 TC	30	72	42	30	225	37	**2383**	**2630**
	SS30724830 TC	30	72	48	30	240	37	**2470**	**2768**
	SS30844830 TC	30	84	48	30	260	39	**2499**	**2812**
	SS30904830 TC	30	90	48	30	270	41	**2528**	**2857**

FRONT CRANK BASE





SIN 711-2

24" Deep	**SS24604224 FC**	24	60	42	24	185	30	**2518**	**2721**
	SS24724224 FC	24	72	42	24	225	37	**2628**	**2858**
	SS24724824 FC	24	72	48	24	240	37	**2730**	**3028**
	SS24844824 FC	24	84	48	24	260	39	**2759**	**3072**
	SS24904824 FC	24	90	48	24	270	41	**2789**	**3117**
30" Deep	**SS30604230 FC**	30	60	42	30	185	30	**2591**	**2803**
	SS30724230 FC	30	72	42	30	225	37	**2710**	**2957**
	SS30724830 FC	30	72	48	30	240	37	**2796**	**3094**
	SS30844830 FC	30	84	48	30	260	39	**2825**	**3139**
	SS30904830 FC	30	90	48	30	270	41	**2855**	**3183**

ELECTRIC HEIGHT BASE





**

SIN 711-2

24" Deep	**SS24604224 EH**	24	60	42	24	185	30	**4334**	**4536**
	SS24724224 EH	24	72	42	24	225	37	**4442**	**4674**
	SS24724824 EH	24	72	48	24	240	37	**4545**	**4842**
	SS24844824 EH	24	84	48	24	260	39	**4575**	**4887**
	SS24904824 EH	24	90	48	24	270	41	**4602**	**4932**
30" Deep	**SS30604230 EH**	30	60	42	30	185	30	**4404**	**4618**
	SS30724230 EH	30	72	42	30	225	37	**4527**	**4773**
	SS30724830 EH	30	72	48	30	240	37	**4611**	**4909**
	SS30844830 EH	30	84	48	30	260	39	**4641**	**4954**
	SS30904830 EH	30	90	48	30	270	41	**4670**	**4998**

****Note: For opposite orientation change code as per example:**
SS30844830 EH becomes
SS30488430 EH

Remarks

- Tops include 2 cable grommets.
- Fixed Height angled shell worksurfaces available. Change Top Crank model suffix to FH – eg. SS24604224 TC becomes SS24604224 FH and take 25% off list price.
- Incremental Height angled shell worksurfaces available. Change Top Crank model suffix to IH – eg. SS24604224 TC becomes SS24604224 IH and take 15% off list price.

Top Crank Base

- Bases are 6" narrower than tops (except 84" and 90" models which have 72"W bases).
- Crank will be positioned on the return end of table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Front Crank Base

- Bases are 6" narrower than tops (except 84" and 90" models which have 72"W bases).
- Crank will be positioned on the return end of table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**

Electric Height Base

- Bases are 6" narrower than tops (except 84" and 90" models which have 72"W bases).
- Rocker Switch can be easily positioned left, right or center by installers.
- Electric Height tables have a height adjustment range from 24" to 36" (L) or 27" to 43" (H). **Please specify on order.**

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **A**=join; **B**=width; **C**=depth; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

EXTENDED RANGE ELECTRIC TABLES – TRUE SIZES

EXT. RANGE-V BASE – STRAIGHT CORNER



Model #	A	B	C	D	Wt	V	TFL $	HPL $
CVXSN 3624	36	24	17	–	139	7.0	**2794**	**2978**
CVXSN 4224	42	24	25.5	–	149	9.0	**2867**	**3071**

Remarks

- Height adjustment range from 24" to 51" (plus glide adjustment, see below)
- Infinite height adjustments within range
- 3 user-programmable preset heights
- Ultra-quiet motors adjust at 1.7" per second
- Lift capacity of 300 lbs. evenly distributed
- Adjusts on electronically controlled motors built into each leg assembly
- Built-in limit switches stop motors at top and bottom of adjustment range
- Soft stop motor eliminates abrupt starts and stops

EXTENDED RANGE CORNERS



SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
24" Deep	**SSCNX 24484824**	24	48	48	24	135	7.7	**3914**	**4137**
	SSCNX 24486024	24	48	60	24	143	8.6	**4419**	**4672**
	SSCNX 24487224	24	48	72	24	150	9.5	**4590**	**4851**
	SSCNX 24488424	24	48	84	24	158	10.4	**4632**	**4896**
	SSCNX 24489624	24	48	96	24	165	11.3	**4783**	**5055**
	SSCNX 24606024	24	60	60	24	150	9.7	**4527**	**4784**
	SSCNX 24607224	24	60	72	24	158	10.8	**4686**	**4953**
	SSCNX 24608424	24	60	84	24	165	11.9	**4729**	**4997**
	SSCNX 24609624	24	60	96	24	173	13.0	**4877**	**5156**
	SSCNX 24727224	24	72	72	24	165	12.1	**4877**	**5156**
30" Deep	**SSCNX 30484830**	30	48	48	30	142	7.7	**3914**	**4137**
	SSCNX 30486030	30	48	60	30	151	8.6	**4484**	**4739**
	SSCNX 30487230	30	48	72	30	160	9.5	**4653**	**4919**
	SSCNX 30488430	30	48	84	30	170	10.4	**4696**	**4964**
	SSCNX 30489630	30	48	96	30	179	11.3	**4868**	**5144**
	SSCNX 30606030	30	60	60	30	160	9.7	**4484**	**4739**
	SSCNX 30607230	30	60	72	30	170	10.8	**4761**	**5031**
	SSCNX 30608430	30	60	84	30	179	11.9	**4903**	**5077**
	SSCNX 30609630	30	60	96	30	188	13.0	**4973**	**5257**
	SSCNX 30727230	30	72	72	30	179	12.1	**4973**	**5257**

- Height adjustment range from 24" to 51" (plus glide adjustment)
- Glides have 1" of additional adjustment
- Infinite height adjustments within range
- 3 user-programmable preset heights
- Ultra-quiet motors adjust at 1.7" per second
- Lift capacity of 450 lbs. evenly distributed
- Adjusts on electronically controlled motors built into each leg assembly
- Built-in limit switches stop motors at top and bottom of adjustment range
- Soft stop motor eliminates abrupt starts and stops
- Includes 2 Cable Grommets
- 8"H TFL modesty panel is 16" from floor
- All tables meet or exceed ANSI/BIFMA x5.5-2008 and CGSB 44.227-2000
- 18"D peds fit 24"D Tops
- 20"D peds protrude slightly under 24"D Tops
- 24"D peds fit completely under 30"D Tops
- Hanging peds can only be used with models having one side 72" or more
- Bases and modesties for extended range tables available in black only

EXTENDED RANGE CORNERS



SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
24" Deep	**SSCNX 24484824**	24	48	48	24	135	7.7	**3914**	**4137**
	SSCNX 24604824	24	60	48	24	143	8.6	**4419**	**4672**
	SSCNX 24724824	24	72	48	24	150	9.5	**4590**	**4851**
	SSCNX 24844824	24	84	48	24	158	10.4	**4632**	**4896**
	SSCNX 24964824	24	96	48	24	165	11.3	**4783**	**5055**
	SSCNX 24606024	24	60	60	24	150	9.7	**4527**	**4784**
	SSCNX 24726024	24	72	60	24	158	10.8	**4686**	**4953**
	SSCNX 24846024	24	84	60	24	165	11.9	**4729**	**4997**
	SSCNX 24966024	24	96	60	24	173	13.0	**4877**	**5156**
	SSCNX 24727224	24	72	72	24	165	12.1	**4877**	**5156**
30" Deep	**SSCNX 30484830**	30	48	48	30	142	7.7	**3914**	**4137**
	SSCNX 30604830	30	60	48	30	151	8.6	**4484**	**4739**
	SSCNX 30724830	30	72	48	30	160	9.5	**4653**	**4919**
	SSCNX 30844830	30	84	48	30	170	10.4	**4696**	**4964**
	SSCNX 30964830	30	96	48	30	179	11.3	**4868**	**5144**
	SSCNX 30606030	30	60	60	30	160	9.7	**4484**	**4739**
	SSCNX 30726030	30	72	60	30	170	10.8	**4761**	**5031**
	SSCNX 30846030	30	84	60	30	179	11.9	**4903**	**5077**
	SSCNX 30966030	30	96	60	30	188	13.0	**4973**	**5257**
	SSCNX 30727230	30	72	72	30	179	12.1	**4973**	**5257**

- To maintain radius corners on 3mm edged tables, add $200 List. Call factory for quote tracking number.
- Height range can start at 22". Call factory for details and pricing.



Integrated Keyboards

- May be added to extended range corners.
- Add **OE 3600 WF** Keyboard at $656 list. Call factory for quote tracking number.

(Tapered foot standard on these units)

LEGEND: **A**=join; **B**=depth; **C**=width; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

TRAINING TABLES

TRAINING TABLES – FIXED HEIGHT



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
18" Deep	**RL 3018-3M**	30	18	29	45	2.1	**546**	**607**
	RL 3618-3M	36	18	29	49	2.5	**576**	**644**
	RL 4218-3M	42	18	29	53	2.9	**625**	**692**
	RL 4818-3M	48	18	29	57	3.2	**644**	**716**
	RL 5418-3M	54	18	29	61	3.6	**655**	**758**
	RL 6018-3M	60	18	29	65	4.0	**697**	**824**
	RL 6618-3M	66	18	29	70	4.4	**719**	**853**
	RL 7218-3M	72	18	29	74	4.8	**758**	**903**
	RL 8418-3M	84	18	29	82	5.5	**864**	**1040**
24" Deep	**RL 3024-3M**	30	24	29	51	2.7	**612**	**679**
	RL 3624-3M	36	24	29	56	3.2	**644**	**740**
	RL 4224-3M	42	24	29	62	3.6	**692**	**789**
	RL 4824-3M	48	24	29	67	4.1	**716**	**806**
	RL 5424-3M	54	24	29	72	4.6	**789**	**916**
	RL 6024-3M	60	24	29	77	5.1	**870**	**1009**
	RL 6624-3M	66	24	29	82	5.6	**950**	**1109**
	RL 7224-3M	72	24	29	87	6.1	**965**	**1134**
	RL 8424-3M	84	24	29	97	7.0	**1043**	**1237**

Remarks

- Tables include top, partial height TFL modesty and two legs
- Tables have 2 – GC3000 (rectangular) grommets located in corners of table
- Tops are 1" thick with 3mm PVC edge
- Reinforced tops on all 24" deep tables over 60" wide
- Modesty panels are 10"D, 3/4" thick with 3mm PVC edge. Modesties bolt into back of metal legs
- Leg is 7.25" x 1.5", 11 GA. cold rolled steel bolted to shaped steel foot
- Legs have 2.125" wire pass-through hole, complete with rubber gasket to protect wires
- Each foot has long glide at back, short glide at front, plus spare long glide in middle in the event that long glide is required in front position
- Tables ship knockdown
- Larger tables available. Please contact Customer Service for quote.

TRAINING TABLES – FIXED HEIGHT



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
24" Deep	**RLC 3024-3M**	30	24	29	51	2.7	**662**	**729**
	RLC 3624-3M	36	24	29	56	3.2	**694**	**790**
	RLC 4224-3M	42	24	29	62	3.6	**742**	**839**
	RLC 4824-3M	48	24	29	67	4.1	**766**	**856**
	RLC 5424-3M	54	24	29	72	4.6	**834**	**966**
	RLC 6024-3M	60	24	29	77	5.1	**950**	**1089**
	RLC 6624-3M	66	24	29	82	5.6	**1030**	**1189**
	RLC 7224-3M	72	24	29	87	6.1	**1045**	**1214**
	RLC 8424-3M	84	24	29	97	7.0	**1123**	**1317**

- As above except table fronts have curved user areas as follows:
  30"W to 54"W – one curved area
  60"W to 84"W – two curved areas
- Rectangular and curved front tables available as floor attached models (with metal floor attachment plates instead of feet) at same price as freestanding
- To order, add "F" to model number after RL (rectangular) or RLC (curved front)
- No hardware provided for floor attachment



Floor Attached Model

TRAINING TABLES – INCREMENTAL HEIGHT



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
18" Deep	**RL 3018 IH-3M**	30	18	45	2.1	**930**	**1012**
	RL 3618 IH-3M	36	18	49	2.5	**946**	**1033**
	RL 4218 IH-3M	42	18	53	2.9	**984**	**1075**
	RL 4818 IH-3M	48	18	57	3.2	**1000**	**1095**
	RL 5418 IH-3M	54	18	61	3.6	**1028**	**1150**
	RL 6018 IH-3M	60	18	65	4.0	**1078**	**1207**
	RL 6618 IH-3M	60	18	70	4.4	**1126**	**1262**
	RL 7218 IH-3M	60	18	74	4.8	**1160**	**1303**
24" Deep	**RL 3024 IH-3M**	30	24	51	2.7	**960**	**1045**
	RL 3624 IH-3M	36	24	56	3.2	**980**	**1070**
	RL 4224 IH-3M	42	24	62	3.6	**1020**	**1114**
	RL 4824 IH-3M	48	24	67	4.1	**1040**	**1139**
	RL 5424 IH-3M	54	24	72	4.6	**1080**	**1208**
	RL 6024 IH-3M	60	24	77	5.1	**1120**	**1254**
	RL 6624 IH-3M	60	24	82	5.6	**1170**	**1311**
	RL 7224 IH-3M	60	24	87	6.1	**1210**	**1359**

- Tables include top and two incrementally adjustable legs
- Tables have 2 – GC3000 (rectangular) grommets located in corners of table
- Tops are 1" thick with 3mm PVC edge
- No modesty included
- Machine screws allow height adjustment range of 24" to 32" in 1" increments
- 18"D tables have 16", centre-mount foot
- 24"D tables have 20", centre-mount foot
- 12" x 12" top plate is welded to each leg; tops are predrilled to locate leg
- Tables ship knockdown

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – PANEL WRAP SIZES

FIXED HEIGHT BASE

SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
23" Deep	**WS 2223 FH**	22	23	23	69	2.0	**623**	**704**
	WS 2823 FH	28	23	23	75	2.5	**633**	**715**
	WS 3423 FH	34	23	23	86	3.0	**663**	**748**
	WS 4023 FH	40	23	23	98	3.5	**693**	**783**
	WS 4623 FH	46	23	23	104	4.0	**724**	**818**
	WS 5223 FH	52	23	23	116	4.5	**767**	**888**
	WS 5823 FH	58	23	23	127	5.0	**809**	**937**
	WS 6423 FH	64	23	23	138	5.5	**832**	**965**
	WS 7023 FH	70	23	23	147	6.0	**892**	**1035**
	WS 7623 FH	76	23	23	151	6.3	**984**	**1140**
	WS 8223 FH	82	23	23	155	6.6	**1030**	**1194**
29" Deep	**WS 2229 FH**	22	29	29	76	2.5	**660**	**746**
	WS 2829 FH	28	29	29	87	3.0	**705**	**796**
	WS 3429 FH	34	29	29	97	3.5	**736**	**832**
	WS 4029 FH	40	29	29	105	4.5	**766**	**866**
	WS 4629 FH	46	29	29	115	5.0	**795**	**901**
	WS 5229 FH	52	29	29	123	5.5	**838**	**972**
	WS 5829 FH	58	29	29	130	6.0	**881**	**1021**
	WS 6429 FH	64	29	29	140	7.0	**924**	**1072**
	WS 7029 FH	70	29	29	155	7.5	**966**	**1120**
	WS 7629 FH	76	29	29	159	7.8	**1066**	**1236**
	WS 8229 FH	82	29	29	165	8.1	**1116**	**1294**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 34", 2 Grommets for surfaces 34" and over.
- All tables are less than nominal sizes to fit within panel systems.
- Bases are 4" narrower than tops
- Fixed height legs have 2.125" wire pass-through, complete with rubber gasket to protect wires.

For "True Size" tables, see listings starting page 6-3

INCREMENTAL HEIGHT BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
23" Deep	**WS 2223 IH**	22	23	23	74	2.0	**913**	**994**
	WS 2823 IH	28	23	23	80	2.5	**923**	**1005**
	WS 3423 IH	34	23	23	91	3.0	**953**	**1040**
	WS 4023 IH	40	23	23	103	3.5	**983**	**1074**
	WS 4623 IH	46	23	23	109	4.0	**1014**	**1109**
	WS 5223 IH	52	23	23	120	4.5	**1056**	**1178**
	WS 5823 IH	58	23	23	132	5.0	**1099**	**1228**
	WS 6423 IH	64	23	23	142	5.5	**1141**	**1277**
	WS 7023 IH	70	23	23	152	6.0	**1183**	**1326**
	WS 7623 IH	76	23	23	156	6.3	**1304**	**1512**
	WS 8223 IH	82	23	23	160	6.6	**1350**	**1566**
29" Deep	**WS 2229 IH**	22	29	29	82	2.5	**970**	**1060**
	WS 2829 IH	28	29	29	92	3.0	**997**	**1088**
	WS 3429 IH	34	29	29	102	3.5	**1026**	**1122**
	WS 4029 IH	40	29	29	110	4.5	**1056**	**1156**
	WS 4629 IH	46	29	29	120	5.0	**1086**	**1191**
	WS 5229 IH	52	29	29	127	5.5	**1129**	**1263**
	WS 5829 IH	58	29	29	135	6.0	**1172**	**1311**
	WS 6429 IH	64	29	29	145	7.0	**1214**	**1361**
	WS 7029 IH	70	29	29	156	7.5	**1256**	**1410**
	WS 7629 IH	76	29	29	160	7.8	**1384**	**1604**
	WS 8229 IH	82	29	29	166	8.1	**1434**	**1662**

Incremental Height Base

- For Incremental Adjustable tables, thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

STAGES®

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – PANEL WRAP SIZES

TOP CRANK HEIGHT BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
23" Deep	**WS 2223 TC**	22	23	23	79	2.0	**1215**	**1297**
	WS 2823 TC	28	23	23	85	2.5	**1225**	**1308**
	WS 3423 TC	34	23	23	96	3.0	**1256**	**1342**
	WS 4023 TC	40	23	23	108	3.5	**1287**	**1375**
	WS 4623 TC	46	23	23	114	4.0	**1498**	**1593**
	WS 5223 TC	52	23	23	125	4.5	**1541**	**1667**
	WS 5823 TC	58	23	23	137	5.0	**1583**	**1712**
	WS 6423 TC	64	23	23	148	5.5	**1626**	**1762**
	WS 7023 TC	70	23	23	157	6.0	**1668**	**1810**
	WS 7623 TC	76	23	23	161	6.3	**1840**	**2006**
	WS 8223 TC	82	23	23	165	6.6	**1887**	**2056**
	WS 8823 TC	88	23	23	169	6.9	**1933**	**2108**
29" Deep	**WS 2829 TC**	28	29	29	97	3.0	**1298**	**1390**
	WS 3429 TC	34	29	29	107	3.5	**1328**	**1423**
	WS 4029 TC	40	29	29	115	4.5	**1359**	**1458**
	WS 4629 TC	46	29	29	125	5.0	**1571**	**1675**
	WS 5229 TC	52	29	29	133	5.5	**1614**	**1735**
	WS 5829 TC	58	29	29	140	6.0	**1656**	**1795**
	WS 6429 TC	64	29	29	152	7.0	**1698**	**1845**
	WS 7029 TC	70	29	29	161	7.5	**1740**	**1894**
	WS 7629 TC	76	29	29	165	7.8	**1920**	**2092**
	WS 8229 TC	82	29	29	171	8.1	**1966**	**2142**
	WS 8829 TC	88	29	29	176	8.4	**2012**	**2191**

NO MODESTY TOP CRANKBASE



SIN 711-2

		W	D	C	Wt	V	TFL $	HPL $
23" Deep	**WSO 2223 TC**	22	23	23	79	2.0	**1042**	**1119**
	WSO 2823 TC	28	23	23	85	2.5	**1052**	**1130**
	WSO 3423 TC	34	23	23	96	3.0	**1070**	**1150**
	WSO 4023 TC	40	23	23	108	3.5	**1106**	**1196**
	WSO 4623 TC	46	23	23	114	4.0	**1136**	**1232**
	WSO 5223 TC	52	23	23	126	4.5	**1179**	**1306**
	WSO 5823 TC	58	23	23	137	5.0	**1232**	**1352**
	WSO 6423 TC	64	23	23	148	5.5	**1275**	**1402**
	WSO 7023 TC	70	23	23	157	6.0	**1317**	**1450**
	WSO 7623 TC	76	23	23	161	6.3	**1489**	**1646**
	WSO 8223 TC	82	23	23	165	6.6	**1536**	**1696**
29" Deep	**WSO 2829 TC**	28	29	29	97	3.0	**1120**	**1210**
	WSO 3429 TC	34	29	29	107	3.5	**1146**	**1242**
	WSO 4029 TC	40	29	29	115	4.5	**1175**	**1275**
	WSO 4629 TC	46	29	29	125	5.0	**1210**	**1315**
	WSO 5229 TC	52	29	29	133	5.5	**1253**	**1375**
	WSO 5829 TC	58	29	29	140	6.0	**1296**	**1435**
	WSO 6429 TC	64	29	29	152	7.0	**1338**	**1485**
	WSO 7029 TC	70	29	29	161	7.5	**1380**	**1534**
	WSO 7629 TC	76	29	29	165	7.8	**1560**	**1732**
	WSO 8229 TC	82	29	29	171	8.1	**1606**	**1782**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 34", 2 Grommets for surfaces 34" and over.
- Bases are 4" narrower than tops (except 82" and 88" models which have 72"W bases)
- Tops can be cantilevered 6" to rear. Add "G" to code, add $25 List per table.

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Top Crank Base (No Modesty)

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.
- All tables are less than nominal sizes to fit within panel systems.
- Height range can start at 22". Call factory for details and pricing.

Modesty vs. No Modesty

Top crank tables with partial modesty (WS xxxx TC) have a fitted panel screwed to rear metal crossbars. Top crank tables with no modesty (WSO xxxx TC) do not have this panel.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

BI-LEVEL WORKSURFACES – PANEL WRAP SIZES

TOP CRANK BASE (Monitor Surface)



SIN 711-2

Full width Input Deck is included.

Model #	W	D	C	Wt	V	TFL $	HPL $
TF 3429 TC	34	29	29	128	5.2	**2220**	**2314**
TF 4029 TC	40	29	29	137	6.0	**2250**	**2350**
TF 4629 TC	46	29	29	146	6.7	**2462**	**2565**

TF** series of Bi-Level tables use **Full Flex Keyboards.

ELECTRIC HEIGHT BASE (Monitor Surface)



SIN 711-2

Full width Input Deck is included.

TF 3429 EH	34	29	29	128	5.2	**3515**	**3610**
TF 4029 EH	40	29	29	137	6.0	**3544**	**3643**
TF 4629 EH	46	29	29	146	6.7	**3634**	**3739**

TF** series of Bi-Level tables use **Full Flex Keyboards.

Remarks

- Fixed Height bi-level tables available. Change Top Crank model suffix to FH eg. TF3429TC becomes TF3429FH and take 25% off list price.
- Incremental Height bi-level tables available. Change Top Crank model suffix to IH eg. TF3429TC becomes TF3429IH and take 15% off list price.

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24” to 32” (L) or 27” to 35”. **Please specify on order.**

- CGSB tested Wide range (27" to 41") Incremental and Top Crank tables available. To order, specify “W” range at end of product code and add 10% to list price.

Electric Height Base

- Electric Height tables include a right positioned Rocker Switch.
- Rocker Switch can be easily repositioned left by installers.
- Electric Height tables have a height adjustment range from 24" to 36" (L) or 27" to 43" (H). **Please specify on order.**
- For extra heavy duty applications second motor can be added. To order add “**DUAL**” to end of product code and $900 list to price.

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add “-3M” after any code.
- All tables are less than nominal sizes to fit within panel systems.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

STAGES®

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – PANEL WRAP SIZES

FRONT CRANK BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
23" Deep	**WS 2223 FC**	22	23	23	84	2.0	**1542**	**1625**
	WS 2823 FC	28	23	23	91	2.5	**1552**	**1636**
	WS 3423 FC	34	23	23	101	3.0	**1583**	**1669**
	WS 4023 FC	40	23	23	113	3.5	**1613**	**1703**
	WS 4623 FC	46	23	23	119	4.0	**1825**	**1920**
	WS 5223 FC	52	23	23	131	4.5	**1868**	**1993**
	WS 5823 FC	58	23	23	142	5.0	**1910**	**2038**
	WS 6423 FC	64	23	23	153	5.5	**1952**	**2091**
	WS 7023 FC	70	23	23	162	6.0	**1994**	**2136**
	WS 7623 FC	76	23	23	166	6.3	**2192**	**2369**
	WS 8223 FC	82	23	23	170	6.6	**2237**	**2418**
29" Deep	**WS 3429 FC**	34	29	29	112	3.5	**1656**	**1751**
	WS 4029 FC	40	29	29	120	4.5	**1685**	**1785**
	WS 4629 FC	46	29	29	130	5.0	**1898**	**2001**
	WS 5229 FC	52	29	29	138	5.5	**1940**	**2062**
	WS 5829 FC	58	29	29	145	6.0	**1982**	**2123**
	WS 6429 FC	64	29	29	156	7.0	**2025**	**2173**
	WS 7029 FC	70	29	29	166	7.5	**2067**	**2222**
	WS 7629 FC	76	29	29	171	7.8	**2272**	**2453**
	WS 8229 FC	82	29	29	176	8.1	**2317**	**2501**

Panel system configured pneumatic adjustable worksurfaces also available. Please contact INLINE Customer Service to discuss your project.

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 34", 2 Grommets for surfaces 34" and over.
- Bases are 4" narrower than tops (except 82" models which have 72"W bases)

Front Crank Base

- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H).

Please specify on order.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD WORKSURFACES – PANEL WRAP SIZES

ELECTRIC HEIGHT BASE



SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
23" Deep	**WS 2223 EH**	22	23	23	127	2.0	**2510**	**2593**
	WS 2823 EH	28	23	23	132	2.5	**2520**	**2603**
	WS 3423 EH	34	23	23	138	3.0	**2551**	**2637**
	WS 4023 EH	40	23	23	155	3.5	**2581**	**2671**
	WS 4623 EH	46	23	23	167	4.0	**2672**	**2765**
	WS 5223 EH	52	23	23	184	4.5	**2724**	**2847**
	WS 5823 EH	58	23	23	201	5.0	**2757**	**2886**
	WS 6423 EH	64	23	23	222	5.5	**2799**	**2934**
	WS 7023 EH	70	23	23	242	6.0	**2841**	**2984**
	WS 7623 EH	76	23	23	246	6.3	**3103**	**3269**
	WS 8223 EH	82	23	23	250	6.6	**3148**	**3318**
29" Deep	**WS 3429 EH**	34	29	29	144	3.5	**2624**	**2719**
	WS 4029 EH	40	29	29	161	4.5	**2653**	**2753**
	WS 4629 EH	46	29	29	173	5.0	**2745**	**2849**
	WS 5229 EH	52	29	29	194	5.5	**2787**	**2909**
	WS 5829 EH	58	29	29	213	6.0	**2829**	**2969**
	WS 6429 EH	64	29	29	232	7.0	**2872**	**3019**
	WS 7029 EH	70	29	29	250	7.5	**2914**	**3069**
	WS 7629 EH	76	29	29	255	7.8	**3182**	**3352**
	WS 8229 EH	82	29	29	260	8.1	**3227**	**3399**

- Tops include cable grommets
- 1 Grommet for surfaces under 34", 2 Grommets for surfaces 34" and over.
- Bases are 4" narrower than tops (except 82" models which have 72"W bases)

Electric Height Base

- Electric Height tables include a right positioned Rocker Switch.
- Rocker Switch can be easily repositioned left by installers.
- Electric Height tables have a height adjustment range from 24" to 36" (L) or 27" to 43" (H). **Please specify on order.**
- Height range can start at 22". Call factory for details and pricing.
- For extra heavy duty applications second motor can be added. To order add "**DUAL**" to end of product code and $900 list to price.

(Optional tapered foot shown)

EXTENDED RANGE TABLES



SIN 711-2

	Model #	W	D	Wt	V	TFL $	HPL $
24" Deep	**WSX 3423**	34	23	85	5.4	**2680**	**2870**
	WSX 4023	40	23	88	5.6	**2712**	**2904**
	WSX 4623	46	23	92	5.9	**2734**	**2927**
	WSX 5823	58	23	100	6.3	**2836**	**3037**
	WSX 7023	70	23	107	6.8	**2962**	**3174**
	WSX 8223	82	23	115	7.3	**3095**	**3315**
30" Deep	**WSX 3429**	34	29	90	5.7	**2708**	**2901**
	WSX 4029	40	29	95	6.0	**2725**	**2918**
	WSX 4629	46	29	100	6.3	**2741**	**2936**
	WSX 5829	58	29	109	6.9	**2867**	**3071**
	WSX 7029	70	29	118	7.5	**3004**	**3218**
	WSX 8229	82	29	128	8.1	**3131**	**3352**

- Height adjustment range from 24" to 51" (plus glide adjustment)
- Glides have 1" of additional adjustment
- Infinite height adjustments within range
- 3 user-programmable preset heights
- Ultra-quiet motors adjust at 1.7" per second
- Built-in limit switches stop motors at top and bottom of adjustment range
- Soft stop motor eliminates abrupt starts and stops
- 8"H TFL modesty panel is 16" from floor
- All tables meet or exceed ANSI/BIFMA x5.5-2008 and CGSB 44.227-2000
- 18"D peds fit 24"D Tops
- 20"D peds protrude slightly under 24"D Tops
- 24"D peds fit completely under 30"D Tops
- Includes 2 Cable Grommets
- Lift capacity of 300 lbs. evenly distributed
- Radius corners with 5mm bullnose edging is standard.
- For square corners with 3mm flat edging, simply add "– 3M" after any code.
- To maintain radius corners on 3mm edged tables, add $200 List. Call factory for quote tracking number.
- Height range can start at 22". Call factory for details and pricing.

(Tapered foot standard on these units)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER WORKSURFACES – PANEL WRAP SIZES

Model #	A	B	C	Wt	V	TFL $	HPL $
FIXED HEIGHT V-BASE – STRAIGHT CORNER							
CVSN 3523 F	35	23	17	96	7.0	**833**	**992**
CVSN 4123 F	41	24	25.5	106	9.0	**917**	**1113**
FIXED HEIGHT V-BASE – CURVED WEDGE CORNER							
Single Arm							
CVKN 3523 BF	35	23	17	112	7.0	**1371**	**1531**
CVKN 4123 BF	41	23	25.5	122	9.0	**1455**	**1650**
Full Flex KB							
CVFN 3523 BF	35	23	17	122	7.0	**1740**	**1900**
CVFN 4123 BF	41	23	25.5	131	9.0	**1825**	**2021**
INCREMENTAL HEIGHT – STRAIGHT CORNER							
CSN 3523 I	35	23	17	102	7.0	**1008**	**1209**
CSN 4123 I	41	23	25.5	112	9.0	**1111**	**1263**
INCREMENTAL HEIGHT – CURVED WEDGE CORNER							
Single Arm							
CKN 3523 BI	35	23	17	118	7.0	**1540**	**1701**
Full Flex KB							
CFN 3523 BI	35	23	17	127	7.0	**1910**	**2069**
CFN 4123 BI	41	23	25.5	137	9.0	**2010**	**2164**



SIN 711-2





SIN 711-2





SIN 711-2





SIN 711-2



- Fixed height tables are 29" high
- All "CVK" units have single arm mechanisms
  - Mechanism adjusts 6" below and 6" above worksurface
  - Tilts +15° / -15°
- All "CVF" units have double arm Full Flex mechanisms
  - Mechanism adjusts 6"below and 6" above worksurface
  - Tilts +9° / -15°
- All trays match worksurface finish and thickness
- For Incremental Adjustable tables, thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.

- CGSB tested Wide range (27" to 41") Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.
- All tables are less than nominal sizes to fit within panel systems.

(Optional tapered foot shown)

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER WORKSURFACES – PANEL WRAP SIZES

	Model #	A	B	C	Wt	V	TFL $	HPL $
TOP CRANK-V BASE – STRAIGHT CORNER								
 SIN 711-2 	**CVSN 3523 T**	35	23	17	106	7.0	**1347**	**1547**
	CVSN 4123 T	41	23	25.5	116	7.0	**1420**	**1640**
TOP CRANK-V BASE – STRAIGHT CORNER*								
 SIN 711-2	***No Modesty** **CVSON 3523 T**	35	23	17	106	7.0	**890**	**1090**
	***No Modesty** **CVSON 4123 T**	41	23	25.5	116	7.0	**980**	**1180**
TOP CRANK-V BASE – CURVED WEDGE CORNER								
 SIN 711-2	**Single Arm** **CVKN 3523 BT**	35	23	17	122	7.0	**1885**	**2085**
	CVKN 4123 BT	41	23	25.5	132	9.0	**1958**	**2178**
	Full Flex KB **CVFN 3523 BT**	35	23	17	131	7.0	**2254**	**2454**
	CVFN 4123 BT	41	23	25.5	141	9.0	**2330**	**2550**
TOP CRANK-V BASE – CURVED WEDGE CORNER*								
 SIN 711-2	***No Modesty** **CVKHON 4123 BT**	41	23	25.5	141	9.0	**1325**	**1525**
TOP CRANK-REG. BASE – STRAIGHT CORNER								
 SIN 711-2 	**CSN 4123 T**	41	23	25.5	112	9.0	**1575**	**1770**
	CSN 4729 T	47	29	25.5	122	12.0	**1640**	**1820**
TOP CRANK-REG. BASE – CURVED WEDGE CORNER								
 SIN 711-2	**Full Flex KB** **CFN 4123 BT**	41	23	25.5	138	9.0	**2504**	**2700**
	Full Flex KB **CFN 4729 BT**	47	29	25.5	170	12.0	**2570**	**2750**
								

Remarks

- Top Crank, V-Base tables have center crank positioning.
- Top Crank, regular base tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- All "CVK" units have single arm mechanisms
  - Mechanism adjusts 6" below and 6" above worksurface
  - Tilts +15° / -15°
- All "CVF" units have double arm Full Flex mechanisms
  - Mechanism adjusts 6"below and 6" above worksurface
  - Tilts +9° / -15°
- All trays match worksurface finish and thickness
- Top Crank have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.
- Some items on this page are true sizes. Less than nominal sized units are available at the same price if required. Call factory for ordering information.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.
- All tables are less than nominal sizes to fit within panel systems.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CORNER WORKSURFACES – PANEL WRAP SIZES

ELECTRIC HEIGHT-V BASE – STRAIGHT CORNER



SIN 711-2



Model #	A	B	C	Wt	V	TFL $	HPL $
CVSN 3523 E	35	23	17	154	7.0	**2420**	**2622**
CVSN 4123 E	41	23	25.5	164	9.0	**2525**	**2720**

ELECTRIC HEIGHT-V BASE – CURVED WEDGE CORNER



SIN 711-2



Single Arm	**CVKN 3523 BE**	35	23	17	170	7.0	**2963**	**3163**
	CVKN 4123 BE	41	23	25.5	180	9.0	**3068**	**3264**
Full Flex KB	**CVFN 3523 BE**	35	23	17	179	7.0	**3332**	**3532**
	CVFN 4123 BE	41	23	25.5	189	9.0	**3436**	**3630**

ELECTRIC HEIGHT-REG. BASE – STRAIGHT CORNER



SIN 711-2



CSN 4123 E	41	23	25.5	170	9.0	**2780**	**2940**
CSN 4729 E	47	29	25.5	193	12.0	**2830**	**2972**

ELECTRIC HEIGHT-REG. BASE – CURVED WEDGE CORNER



SIN 711-2



Full Flex KB	**CFN 4123 BE**	41	23	25.5	195	9.0	**3736**	**3896**
Full Flex KB	**CFN 4729 BE**	47	29	25.5	218	12.0	**3787**	**3935**

Remarks

- Electric Height tables include right positioned rocker switch.
- Rocker switch can be easily repositioned left by installers.
- All “CVK” units have single arm mechanisms
  - Mechanism adjusts 6” below and 6" above worksurface
  - Tilts +15° / -15°
- All “CVF” units have double arm Full Flex mechanisms
  - Mechanism adjusts 6" below and 6" above worksurface
  - Tilts +9° / -15°
- All trays match worksurface finish and thickness
- Electric Height tables have height adjustment range from 24" to 36" (L) or 27" to 43" (H).
  Please specify on order.
- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add “-3M” after any code.
- All tables are less than nominal sizes to fit within panel systems.
- Height range can start at 22". Call factory for details and pricing.

(Optional tapered foot shown)

LEGEND: **A**=back; **B**=join; **C**=work area (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVILINEAR RETURNS WORKSURFACES – PANEL WRAP SIZES

FIXED HEIGHT BASE







SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WS2829R23 FH**	28	29	23	87	3.0	**754**	**870**
	WS3429R23 FH	34	29	23	97	3.5	**784**	**880**
	WS4029R23 FH	40	29	23	105	4.5	**814**	**914**
	WS4629R23 FH	46	29	23	115	5.0	**845**	**950**
	WS5229R23 FH	52	29	23	123	5.5	**887**	**1021**
	WS5829R23 FH	58	29	23	130	6.0	**929**	**1070**
	WS6429R23 FH	64	29	23	140	7.0	**972**	**1119**
	WS7029R23 FH	70	29	23	151	7.5	**1014**	**1169**
Left	**WS2829L23 FH**	28	29	23	87	3.0	**754**	**870**
	WS3429L23 FH	34	29	23	97	3.5	**784**	**880**
	WS4029L23 FH	40	29	23	105	4.5	**814**	**914**
	WS4629L23 FH	46	29	23	115	5.0	**845**	**950**
	WS5229L23 FH	52	29	23	123	5.5	**887**	**1021**
	WS5829L23 FH	58	29	23	130	6.0	**929**	**1070**
	WS6429L23 FH	64	29	23	140	7.0	**972**	**1119**
	WS7029L23 FH	70	29	23	151	7.5	**1014**	**1169**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 34", 2 Grommets for surfaces 34" and over.
- All tables are less than nominal sizes to fit within panel systems.
- Bases are 4" narrower than tops

Fixed Height Base

- Fixed Height tables are 29" high
- Fixed height legs have 2.125" wire pass-through, complete with rubber gasket to protect wires.

INCREMENTAL HEIGHT BASE







SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WS2829R23 IH**	28	29	23	92	3.0	**1045**	**1136**
	WS3429R23 IH	34	29	23	102	3.5	**1075**	**1170**
	WS4029R23 IH	40	29	23	110	4.5	**1104**	**1205**
	WS4629R23 IH	46	29	23	120	5.0	**1134**	**1240**
	WS5229R23 IH	52	29	23	128	5.5	**1177**	**1311**
	WS5829R23 IH	58	29	23	135	6.0	**1220**	**1360**
	WS6429R23 IH	64	29	23	145	7.0	**1262**	**1409**
	WS7029R23 IH	70	29	23	156	7.5	**1305**	**1459**
Left	**WS2829L23 IH**	28	29	23	92	3.0	**1045**	**1136**
	WS3429L23 IH	34	29	23	102	3.5	**1075**	**1170**
	WS4029L23 IH	40	29	23	110	4.5	**1104**	**1205**
	WS4629L23 IH	46	29	23	120	5.0	**1134**	**1240**
	WS5229L23 IH	52	29	23	128	5.5	**1177**	**1311**
	WS5829L23 IH	58	29	23	135	6.0	**1220**	**1360**
	WS6429L23 IH	64	29	23	145	7.0	**1262**	**1409**
	WS7029L23 IH	70	29	23	156	7.5	**1305**	**1459**

Incremental Height Base

- For Incremental Adjustable tables,thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.

TOP CRANK BASE







SIN 711-2

	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WS2829R23 TC**	28	29	23	97	3.0	**1346**	**1439**
	WS3429R23 TC	34	29	23	107	3.5	**1376**	**1472**
	WS4029R23 TC	40	29	23	115	4.5	**1407**	**1506**
	WS4629R23 TC	46	29	23	125	5.0	**1619**	**1724**
	WS5229R23 TC	52	29	23	133	5.5	**1661**	**1795**
	WS5829R23 TC	58	29	23	140	6.0	**1704**	**1844**
	WS6429R23 TC	64	29	23	148	7.0	**1746**	**1893**
	WS7029R23 TC	70	29	23	161	7.5	**1789**	**1943**
Left	**WS2829L23 TC**	28	29	23	97	3.0	**1346**	**1439**
	WS3429L23 TC	34	29	23	107	3.5	**1376**	**1472**
	WS4029L23 TC	40	29	23	115	4.5	**1407**	**1506**
	WS4629L23 TC	46	29	23	125	5.0	**1619**	**1724**
	WS5229L23 TC	52	29	23	133	5.5	**1661**	**1795**
	WS5829L23 TC	58	29	23	140	6.0	**1704**	**1844**
	WS6429L23 TC	64	29	23	148	7.0	**1746**	**1893**
	WS7029L23 TC	70	29	23	161	7.5	**1789**	**1943**

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" or 27" to 35" (H).
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental and Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=connection-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

CURVILINEAR RETURNS WORKSURFACES – PANEL WRAP SIZES

TOP CRANK BASE – NO MODESTY





SIN 711-2



	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WSO2829R23 TC**	28	29	23	97	3.0	**1168**	**1244**
	WSO3429R23 TC	34	29	23	107	3.5	**1194**	**1273**
	WSO4029R23 TC	40	29	23	115	4.5	**1223**	**1304**
	WSO4629R23 TC	46	29	23	125	5.0	**1258**	**1336**
	WSO5829R23 TC	58	29	23	140	6.0	**1344**	**1449**
Left	**WSO2829L23 TC**	28	29	23	97	3.0	**1168**	**1244**
	WSO3429L23 TC	34	29	23	107	3.5	**1194**	**1273**
	WSO4029L23 TC	40	29	23	115	4.5	**1223**	**1304**
	WSO4629L23 TC	46	29	23	125	5.0	**1258**	**1336**
	WSO5829L23 TC	58	29	23	140	6.0	**1344**	**1449**

FRONT CRANK BASE





SIN 711-2



	Model #	W	D	C	Wt	V	TFL $	HPL $
Right	**WS2829R23 FC**	28	29	23	102	3.0	**1674**	**1766**
	WS3429R23 FC	34	29	23	112	3.5	**1704**	**1800**
	WS4029R23 FC	40	29	23	120	4.5	**1734**	**1834**
	WS4629R23 FC	46	29	23	130	5.0	**1946**	**2049**
	WS5229R23 FC	52	29	23	138	5.5	**1988**	**2123**
	WS5829R23 FC	58	29	23	145	6.0	**2031**	**2171**
	WS6429R23 FC	64	29	23	150	7.0	**2072**	**2221**
	WS7029R23 FC	70	29	23	166	7.5	**2115**	**2270**
Left	**WS2829L23 FC**	28	29	23	102	3.0	**1674**	**1766**
	WS3429L23 FC	34	29	23	112	3.5	**1704**	**1800**
	WS4029L23 FC	40	29	23	120	4.5	**1734**	**1834**
	WS4629L23 FC	46	29	23	130	5.0	**1946**	**2049**
	WS5229L23 FC	52	29	23	138	5.5	**1988**	**2123**
	WS5829L23 FC	58	29	23	145	6.0	**2031**	**2171**
	WS6429L23 FC	64	29	23	150	7.0	**2072**	**2221**
	WS7029L23 FC	70	29	23	166	7.5	**2115**	**2270**

Remarks

- Tops include cable grommets
- 1 Grommet for surfaces under 34", 2 Grommets for surfaces 34" and over.
- All tables are less than nominal sizes to fit within panel systems.
- Bases are 4" narrower than tops

Top Crank Base

- Top Crank tables have a height adjustment range from 24" to 32"(L) or 27" to 35" (H).
- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table. **Please specify on order.**

- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Modesty vs. No Modesty

Top crank tables with partial modesty (WS xxxx TC) have a fitted panel screwed to rear metal crossbars. Top crank tables with no modesty (WSO xxxx TC) do not have this panel.

Front Crank Base

- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=connection-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

"D" RETURN TOPS – "P" RETURN TOPS – PANEL WRAP SIZES

INCREMENTAL HEIGHT – "D" TOP



SIN 711-2

Model #	W	D	Wt	V	TFL $	HPL $
WD 5829 IH	58	29	135	6.0	**1220**	**1360**
WD 6429 IH	64	29	146	7.0	**1290**	**1440**
WD 7029 IH	70	29	156	7.5	**1305**	**1459**

TOP CRANK HEIGHT – "D" TOP



SIN 711-2

Model #	W	D	Wt	V	TFL $	HPL $
WD 5829 TC	58	29	140	6.0	**1704**	**1844**
WD 6429 TC	64	29	150	7.0	**1770**	**1930**
WD 7029 TC	70	29	161	7.5	**1789**	**1943**

FRONT CRANK HEIGHT – "D" TOP



SIN 711-2

Model #	W	D	Wt	V	TFL $	HPL $
WD 5829 FC	58	29	145	6.0	**2031**	**2171**
WD 6429 FC	64	29	156	7.0	**2095**	**2250**
WD 7029 FC	70	29	166	7.5	**2115**	**2270**

Remarks

- Metal base is 16" shorter than overall table length.
- All tables are less than nominal sizes to fit within panel systems.
- D-tops are cantilevered 6" to the rear.

Incremental Height Base

- For Incremental adjustable tables, thumb screws allow height adjustment range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.

Top Crank Base

- Top Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H).
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental and Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Front Crank Base

- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H).
  Please specify on order.

INCREMENTAL HEIGHT – "P" TOP

Model #	W	D	C	Wt	V	TFL $	HPL $
WP4029R23 IH	40	36	23	110	4.5	**1248**	**1687**
WP4629R23 IH	46	36	23	120	5.0	**1277**	**1726**
WP5229R23 IH	52	36	23	128	5.5	**1299**	**1756**
WP5829R23 IH	58	36	23	135	6.0	**1313**	**1774**
WP6429R23 IH	64	36	23	145	7.0	**1335**	**1804**
WP7029R23 IH	70	36	23	156	7.5	**1349**	**1823**



SIN 711-2

Model #	W	D	C	Wt	V	TFL $	HPL $
WP4029L23 IH	40	36	23	110	4.5	**1248**	**1687**
WP4629L23 IH	46	36	23	120	5.0	**1277**	**1726**
WP5229L23 IH	52	36	23	128	5.5	**1299**	**1756**
WP5829L23 IH	58	36	23	135	6.0	**1313**	**1774**
WP6429L23 IH	64	36	23	145	7.0	**1335**	**1804**
WP7029L23 IH	70	36	23	156	7.5	**1349**	**1823**

- For Incremental adjustable tables, thumb screws allow height adjustment to range from 24" to 32" (L) or 27" to 35" (H) in 1 inch increments.
  Please specify on order.
- CGSB tested Wide range (27" to 41") Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.

- All tables come standard with radius corners and 5mm bullnose PVC edging.

- Tables are also available with square corners and 3mm flat PVC edging at no extra cost. For 3mm edge option, simply add "– 3M" after any code.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=depth; **C**=connection-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**=high pressure laminate $

ANGLED SHELL WORKSURFACES – PANEL WRAP SIZES

TOP CRANK BASE





SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
23" Deep	SS23584123 TC	23	58	41	23	185	30	**2191**	**2395**
	SS23704123 TC	23	70	41	23	225	37	**2302**	**2531**
	SS23704723 TC	23	70	47	23	240	37	**2404**	**2701**
	SS23824723 TC	23	82	47	23	260	39	**2432**	**2746**
	SS23884723 TC	23	88	47	23	270	41	**2462**	**2790**
29" Deep	SS29584129 TC	29	58	41	29	185	30	**2263**	**2475**
	SS29704129 TC	29	70	41	29	225	37	**2383**	**2630**
	SS29704729 TC	29	70	47	29	240	37	**2470**	**2768**
	SS29824729 TC	29	82	47	29	260	39	**2499**	**2812**
	SS29884729 TC	29	88	47	29	270	41	**2528**	**2857**

FRONT CRANK BASE





SIN 711-2

23" Deep	SS23584123 FC	23	58	41	23	185	30	**2518**	**2721**
	SS23704123 FC	23	70	41	23	225	37	**2628**	**2858**
	SS23704723 FC	23	70	47	23	240	37	**2730**	**3028**
	SS23824723 FC	23	82	47	23	260	39	**2759**	**3072**
	SS23884723 FC	23	88	47	23	270	41	**2789**	**3117**
29" Deep	SS29584129 FC	29	58	41	29	185	30	**2591**	**2803**
	SS29704129 FC	29	70	41	29	225	37	**2710**	**2957**
	SS29704729 FC	29	70	47	29	240	37	**2796**	**3094**
	SS29824729 FC	29	82	47	29	260	39	**2825**	**3139**
	SS29884729 FC	29	88	47	29	270	41	**2855**	**3183**

ELECTRIC HEIGHT BASE





SIN 711-2

23" Deep	SS23584123 EH	23	58	41	23	185	30	**4334**	**4536**
	SS23704123 EH	23	70	41	23	225	37	**4442**	**4674**
	SS23704723 EH	23	70	47	23	240	37	**4545**	**4842**
	SS23824723 EH	23	82	47	23	260	39	**4575**	**4887**
	SS23884723 EH	23	88	47	23	270	41	**4602**	**4932**
29" Deep	SS29584129 EH	29	58	41	29	185	30	**4404**	**4618**
	SS29704129 EH	29	70	41	29	225	37	**4527**	**4773**
	SS29704729 EH	29	70	47	29	240	37	**4611**	**4909**
	SS29824729 EH	29	82	47	29	260	39	**4641**	**4954**
	SS29884729 EH	29	88	47	29	270	41	**4670**	**4998**

****Note: For opposite orientation change code as per example:**
SS29824729 EH becomes
SS29478229 EH

Remarks

- Tops include 2 cable grommets.
- All tables are less than nominal sizes to fit within panel systems.
- Fixed Height angled shell worksurfaces available. Change Top Crank model suffix to FH eg. – SS23584123 TC becomes SS23584123 FH and take 25% off list price.
- Incremental Height angled shell worksurfaces available. Change Top Crank model suffix to IH eg. – SS23584123 TC becomes SS23584123 IH and take 15% off list price.

Top Crank Base

- Bases are 4" narrower than tops (except 82" and 88" models which have 72"W bases).
- Crank will be positioned on the return end of table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**
- CGSB tested Wide range (27" to 41") Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.

Front Crank Base

- Bases are 4" narrower than tops (except 82" and 88" models which have 72"W bases).
- Crank will be positioned on the return end of table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H). **Please specify on order.**

Electric Height Base

- Bases are 4" narrower than tops (except 82" and 88" models which have 72"W bases).
- Rocker Switch can be easily positioned left, right or center by installers.
- Electric Height tables have a height adjustment range from 24" to 36" (L) or 27" to 43" (H). **Please specify on order.**

- All tables come standard with radius corners and 5mm bullnose PVC edging.
- Tables are also available with square corners and 3 mm flat PVC edging at no extra cost. For 3mm edge option, simply add "-3M" after any code.

(Optional tapered foot shown)

LEGEND: **A**=join; **B**=width; **C**=depth; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**=high pressure laminate $

EXTENDED RANGE ELECTRIC TABLES – PANEL WRAP SIZES

EXT. RANGE-V BASE – STRAIGHT CORNER



Model #	A	B	C	D	Wt	V	TFL $	HPL $
CVXSN 3523	35	23	17	–	139	7.0	**2794**	**2978**
CVXSN 4123	41	23	25.5	–	149	9.0	**2867**	**3071**

- Height adjustment range from 24" to 51" (plus glide adjustment, see below)
- Infinite height adjustments within range
- 3 user-programmable preset heights
- Ultra-quiet motors adjust at 1.7" per second
- Lift capacity of 300 lbs. evenly distributed
- Adjusts on electronically controlled motors built into each leg assembly
- Built-in limit switches stop motors at top and bottom of adjustment range
- Soft stop motor eliminates abrupt starts and stops

EXTENDED RANGE CORNERS



SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
24" Deep	**SSCNX 23464623**	23	46	46	23	135	7.7	**3914**	**4137**
	SSCNX 23465823	23	46	58	23	143	8.6	**4419**	**4672**
	SSCNX 23467023	23	46	70	23	150	9.5	**4590**	**4851**
	SSCNX 23468223	23	46	82	23	158	10.4	**4632**	**4896**
	SSCNX 23469423	23	46	94	23	165	11.3	**4783**	**5055**
	SSCNX 23585823	23	58	58	23	150	9.7	**4527**	**4784**
	SSCNX 23587023	23	58	70	23	158	10.8	**4686**	**4953**
	SSCNX 23588223	23	58	82	23	165	11.9	**4729**	**4997**
	SSCNX 23589423	23	58	94	23	173	13.0	**4877**	**5156**
	SSCNX 23707023	23	70	70	23	165	12.1	**4877**	**5156**
30" Deep	**SSCNX 29464629**	29	46	46	29	142	7.7	**3914**	**4137**
	SSCNX 29465829	29	46	58	29	151	8.6	**4484**	**4739**
	SSCNX 29467029	29	46	70	29	160	9.5	**4653**	**4919**
	SSCNX 29468229	29	46	82	29	170	10.4	**4696**	**4964**
	SSCNX 29469429	29	46	94	29	179	11.3	**4868**	**5144**
	SSCNX 29585829	29	58	58	29	160	9.7	**4484**	**4739**
	SSCNX 29587029	29	58	70	29	170	10.8	**4761**	**5031**
	SSCNX 29588229	29	58	82	29	179	11.9	**4903**	**5077**
	SSCNX 29589429	29	58	94	29	188	13.0	**4973**	**5257**
	SSCNX 29707029	29	70	70	29	179	12.1	**4973**	**5257**

- Height adjustment range from 24" to 51" (plus glide adjustment)
- Glides have 1" of additional adjustment
- Infinite height adjustments within range
- 3 user-programmable preset heights
- Ultra-quiet motors adjust at 1.7" per second
- Lift capacity of 450 lbs. evenly distributed
- Adjusts on electronically controlled motors built into each leg assembly
- Built-in limit switches stop motors at top and bottom of adjustment range
- Soft stop motor eliminates abrupt starts and stops
- Includes 2 Cable Grommets
- 8"H TFL modesty panel is 16" from floor
- All tables meet or exceed ANSI/BIFMA x5.5-2008 and CGSB 44.227-2000
- 18"D peds fit 23"D Tops
- 20"D peds protrude slightly under 23"D Tops
- 24"D peds fit completely under 29"D Tops
- All tables are less than nominal sizes to fit within panel systems.
- Hanging peds can only be used with models having one side 70" or more
- Bases and modesties for extended range tables available in black only
- Height range can start at 22". Call factory for details and pricing.

EXTENDED RANGE CORNERS



SIN 711-2

	Model #	A	B	C	D	Wt	V	TFL $	HPL $
24" Deep	**SSCNX 23464623**	23	46	46	23	135	7.7	**3914**	**4137**
	SSCNX 23584623	23	58	46	23	143	8.6	**4419**	**4672**
	SSCNX 23704623	23	70	46	23	150	9.5	**4590**	**4851**
	SSCNX 23824623	23	82	46	23	158	10.4	**4632**	**4896**
	SSCNX 23944623	23	94	46	23	165	11.3	**4783**	**5055**
	SSCNX 23585823	23	58	58	23	150	9.7	**4527**	**4784**
	SSCNX 23705823	23	70	58	23	158	10.8	**4686**	**4953**
	SSCNX 23825823	23	82	58	23	165	11.9	**4729**	**4997**
	SSCNX 23945823	23	94	58	23	173	13.0	**4877**	**5156**
	SSCNX 23707023	23	70	70	23	165	12.1	**4877**	**5156**
30" Deep	**SSCNX 29464629**	29	46	46	29	142	7.7	**3914**	**4137**
	SSCNX 29584629	29	58	46	29	151	8.6	**4484**	**4739**
	SSCNX 29704629	29	70	46	29	160	9.5	**4653**	**4919**
	SSCNX 29824629	29	82	46	29	170	10.4	**4696**	**4964**
	SSCNX 29944629	29	94	46	29	179	11.3	**4868**	**5144**
	SSCNX 29585829	29	58	58	29	160	9.7	**4484**	**4739**
	SSCNX 29705829	29	70	58	29	170	10.8	**4761**	**5031**
	SSCNX 29825829	29	82	58	29	179	11.9	**4903**	**5077**
	SSCNX 29945829	29	94	58	29	188	13.0	**4973**	**5257**
	SSCNX 29707029	29	70	70	29	179	12.1	**4973**	**5257**



Integrated Keyboards

- May be added to extended range corners.
- Add **OE 3600 WF** Keyboard at $656 list. Call factory for quote tracking number.

(Tapered foot standard on these units)

LEGEND: **A**=join; **B**=depth; **C**=width; **D**=join (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**=high pressure laminate $

PEDESTALS & SOFT CORNER PEDESTALS

MOBILE PEDESTALS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Box / File	**3 SMWT 20 (-)**	16	20	22	56	4.0	**570**	**652**
	3 SMWT 24 (-)	16	24	22	65	5.0	**620**	**722**
Box / Box / File	**3 SMXT 20 (-)**	16	20	27	68	5.0	**673**	**755**
	3 SMXT 24 (-)	16	24	27	81	7.0	**722**	**804**
File / File	**3 SMYT 20 (-)**	16	20	27	67	5.0	**673**	**755**
	3 SMYT 24 (-)	16	24	27	80	7.0	**722**	**804**

SEATED PEDESTALS

SIN 711-2

Box / File	**3 SMWST 20 (-)**	16	20	23	60	4.0	**704**	**785**

Note: Black seating fabric only. C.O.M. at same price.

HANGING PEDESTALS



SIN 711-2

Box / File	**3 SHWT 20 (-)**	16	20	18	54	4.0	**480**	**562**

FREESTANDING PEDESTALS



SIN 711-2

Box / Box / File	**3 SFX 20 (-)**	16	20	28	68	5.0	**673**	**755**
	3 SFX 24 (-)	16	24	28	81	7.0	**722**	**804**
File / File	**3 SFY 20 (-)**	16	20	28	67	5.0	**673**	**755**
	3 SFY 24 (-)	16	24	28	80	7.0	**722**	**804**

Enter Handle Selection to complete code

SOFT CORNER PEDESTAL – 1 BOX & 1 FILE



SIN 711-2

Box / File	**MWT 1718**	17	18	21.5	52	4.0	**573**	**655**
	MWT 1724	17	24	21.5	63	5.0	**624**	**706**
	MWT 1730	17	30	21.5	74	6.0	**642**	**723**

SOFT CORNER PEDESTAL – 2 BOX & 1 FILE



SIN 711-2

Box / Box / File	**MXT 1718**	17	18	27.5	65	5.0	**655**	**737**
	MXT 1724	17	24	27.5	78	7.0	**717**	**799**
	MXT 1730	17	30	27.5	91	9.0	**746**	**827**

SOFT CORNER PEDESTAL – 2 FILE



SIN 711-2

File / File	**MYT 1718**	17	18	27.5	62	5.0	**667**	**749**
	MYT 1724	17	24	27.5	75	7.0	**726**	**807**
	MYT 1730	17	30	27.5	88	9.0	**752**	**834**

Remarks

NOTE: 18"/20"D Mobiles will fit over foot, in front of leg on 29"/30"D tables

- Can specify up to 3 finishes (Contrast – drawer faces, Base-body, Top-top) – drawer faces or top or both can be HP laminate.
- HPL price includes HP on Tops (T) or Faces (C) (specify which). If both wanted in HP, add $78 list
- Can be keyed alike, specify on order
- Need to select handle style and finish
- Gang lock secures all pedestal drawers
- All drawers on full extension, ball bearing slides.
- Includes hanging file suspension bars
- Accepts legal and letter files.
- Includes one pencil tray in top "Box" drawer.
- Seating fabric is standard in Black. Panel fabrics from INLINE Fabric Card can be used but they do not meet BIFMA seating wear standards.
- Mobile peds have hidden 5th wheel behind bottom face to prevent tipping when bottom and top drawers open at the same time.
- Pedestals have 3mm trim on tops and faces except for soft corner pedestals
- Soft corner pedestals have radius corner tops and fronts, with 5mm bullnose PVC edging
- **Explanation of Standard Coding:**
  - S → Storage
  - M → Mobile Pedestal
  - H → Hanging Pedestal
  - F → Freestanding
  - W → Box / File
  - WS → Box / File / Seat
  - X → Box / Box / File
  - Y → File / File
- Floor pedestal glides have over 1" leveling capacity

4 Handles to choose from:

K1 Black, Tear Drop
K2 Black, Wire
N1 Nickel, Tear Drop
N2 Nickel, Wire

Choosing a Pedestal

- 18"/20"D Pedestals fit under 23"/24"D tables except table codes ending in EH
- 24"D Pedestals fit under 29"/30"D tables except Electric table codes ending in EH, which fit 18"/20"D pedestals only

- Soft corner pedestals do not have handles.

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STANDARD KEYBOARDS & INPUT DECK MECHANISMS O.E.M. PRICING

Stages®

	Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
FULL FLEX KEYBOARD (Non-Retractable)									
 SIN 711-2	**KF 3010 WF**	30	10	1	35	3.7	**764**	**813**	• KFxxxxWF requires 10" mounting depth. • Double arm construction keeps keyboard level while adjusting. • Adjusts 6" below and 6" above worksurface. • Tilts +9° / -15° • Keyboard arm is black. • Keyboard tray matches work surface colours. • All keyboards have keyboard / mouse retention strip front and back of tray
	KF 3210 WF	32	10	1	35	4.5	**769**	**818**	
	KF 3410 WF	34	10	1	36	4.5	**776**	**824**	
	KF 3610 WF	36	10	1	37	4.5	**782**	**860**	
	KF 4210 WF	42	10	1	39	5.2	**799**	**879**	
	KF 4810 WF	48	10	1	41	6.0	**816**	**898**	
FULL FLEX KEYBOARD (Non-Retractable)									
 SIN 711-2	**OE 3600 WF**	Mechanism only			25	18	**689**		**Full Flex Deck adjustment:** • 6" above and 6" below worksurface. • Tilts +9° / -15°
	** Durable double arm construction*								
	Keyboard remains level while adjusting height.								
ARTICULATING KEYBOARD (Low)									• Keyboard arm is black. • Keyboard tray is matched to worksurface colours. • Height adjustable: 6" below worksurface, max. flush w/worksurface • Tilt adjustment: +15° / -15° • Swivel adjustment: 360° • Retracts on 17" track • All keyboards have keyboard / mouse retention strip front and back of tray
 SIN 711-2	**KM 2610 L**	26	10	1	18	1.5	**358**	**394**	
	KM 2810 L	28	10	1	18	1.5	**358**	**394**	
ARTICULATING KEYBOARD (High)									• Keyboard arm is black. • Keyboard tray is matched to worksurface colours. • Height adjustable: 6" below and 6" above worksurface. • Tilt adjustment: +15° / -15° • Swivel adjustment: 360° • Retracts on 21" track • All keyboards have keyboard / mouse retention strip front and back of tray
 SIN 711-2	**KM 2610 H**	26	10	1	19	1.5	**502**	**541**	
	KM 2810 H	28	10	1	19	1.5	**502**	**541**	
ARTICULATING KEYBOARD (Low, Non-retractable)									
 SIN 711-2	**OE 1000KF**	Mechanism Only			12	1.5	**316**	**N/A**	• Keyboard arm is black • Height adjustable: 6" below worksurface, max. flush w/ worksurface • Tilt adjustment: +15° / -15° • Swivel adjustment: 360° • Does not retract; track depth 6.5"
ARTICULATING KEYBOARD (Low, Retractable)									
 SIN 711-2	**OE 1000KA**	Mechanism Only			13	1.5	**343**	**N/A**	• Keyboard arm is black • Height adjustable: 6" below worksurface, max. flush w/ worksurface • Tilt adjustment: +15° / -15° • Swivel adjustment: 360° • Retractable on 17" track

LEGEND: **W**=width; **D**=mid-depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STAGES®

ACCESSORIES – STORAGE, CABLE MANAGEMENT

HORIZONTAL TUBS



SIN 711-2

Model #	W	D	H	Wt	V	List $
CP 803 UH	8	12	3	3	0.5	**159**
CP 1603 UH	16	12	3	3	1.0	**180**
CP 2003 UH	20	12	3	4	1.5	**197**
CP 806 UH	8	12	6	3	0.5	**171**
CP 1606 UH	16	12	6	3	1.0	**191**
CP 2006 UH	20	12	6	4	1.5	**209**

Remarks

- Tubs provide space for CPU's, modems, CD ROM's, External Drives and other hardware components.
- Space underneath worksurfaces vary with the worksurface size. To ensure that the selected storage tub is compatible with the worksurface please consult customer service.

VERTICAL TUB



SIN 711-2

CP 818 UV	8	12	18	4	1.0	**197**

STORAGE TUB



SIN 711-2

ST 1012	10	12	12	4	1.0	**204**

- Storage Tubs may be used for personal and/or literature storage of various types.

CABLE TROUGH RETURN LIP



SIN 711-2

CT 1504 TM	15	3	4	1	0.2	**53**
CT 1507 TM	15	3	7	2	0.5	**56**

- Use 4" high Cable Troughs on all height adjustable tables.
- 7" high Cable Troughs may be fitted on all fixed and height adjustable tables with a 27" high starting point.

STANDARD CABLE TROUGH



SIN 711-2

CT 2404 TM	18	3	4	2	0.2	**60**
CT 3004 TM	24	3	4	2	0.3	**70**
CT 3604 TM	30	3	4	3	0.4	**80**
CT 4204 TM	36	3	4	3	0.5	**90**
CT 4804 TM	42	3	4	4	0.5	**101**
CT 5404 TM	48	3	4	4	0.6	**112**
CT 6004 TM	54	3	4	5	0.7	**122**
CT 6604 TM	60	3	4	5	0.7	**126**
CT 7204 TM	66	3	4	6	0.8	**130**
CT 2407 TM	18	3	7	2	0.6	**62**
CT 3007 TM	24	3	7	2	0.7	**72**
CT 3607 TM	30	3	7	3	0.9	**83**
CT 4207 TM	36	3	7	3	1.0	**92**
CT 4807 TM	42	3	7	4	1.2	**103**
CT 5407 TM	48	3	7	5	1.3	**114**
CT 6007 TM	54	3	7	5	1.5	**124**
CT 6607 TM	60	3	7	6	1.7	**130**
CT 7207 TM	66	3	7	6	1.9	**135**

- 4" and 7" high Cable Troughs may be doubled up for split cable spacing.
- Cable troughs are sized to base.

WIRE MANAGEMENT COIL



SIN 711-2

WMVS 50	3	3	50	3	1	**152**

Wire Management Coil

- Ideal for wire running from floor to table top on height adjustable tables
- Heavy weight in bottom plate keeps base on floor
- Includes clip to be screwed to bottom of worksurface for quick connect / disconnect

LEGEND: **W**=width; **D**=mid-depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

ACCESSORIES – MODESTIES, CASTERS, ETC.

FLOATING MODESTY PANEL – METAL



SIN 711-2

Model #	W	D	H	Wt	V	List $
FM 2420	18	.5	20	4	1.1	**119**
FM 3020	24	.5	20	5	1.3	**119**
FM 3620	30	.5	20	7	1.5	**119**
FM 4220	36	.5	20	7	1.8	**150**
FM 4820	42	.5	20	9	2.0	**150**
FM 5420	48	.5	20	10	2.3	**182**
FM 6020	54	.5	20	11	2.5	**182**
FM 6620	60	.5	20	12	2.7	**210**
FM 7220	66	.5	20	12	3.0	**210**

Remarks

- **Metal Floating Modesty Panels** provide privacy in both sitting and standing position of any height adjustable table.
- Panels are sheet metal and easily bolt into the back of the base frame.
- Modesty is sized to base.

FLOATING MODESTY PANEL – LAMINATE



SIN 711-2

FML 2412	24	.75	12	5	0.4	**96**
FML 3012	30	.75	12	7	0.5	**102**
FML 3612	36	.75	12	8	0.6	**110**
FML 4212	42	.75	12	9	0.7	**120**
FML 4812	48	.75	12	11	0.8	**130**
FML 5412	54	.75	12	12	0.9	**142**
FML 6012	60	.75	12	13	1.0	**155**
FML 6612	66	.75	12	15	1.1	**170**
FML 7212	72	.75	12	16	1.2	**190**
FML 7812	78	.75	12	17	1.3	**210**
FML 8412	84	.75	12	19	1.4	**240**
FML 9012	90	.75	12	20	1.5	**260**

- Laminate Floating Modesty Panels provide seated privacy on any height adjustable table
- Modesty sized to width of table top. True Size models listed, for Panel Wrap sizes modify model number to reflect table width eg. for WS 4623 TC, FML 4812 becomes FML 4612. Price same as closest True Size model.
- Modesties are 3/4" thermally-fused laminate mounted on brackets to underside of top

POWER BAR



SIN 711-2

PB 8000	10.25	2	1.5	1	1.0	**69**

- **Power Bars** have 6 outlets, surge protection and come with a standard 15ft. cord.

CABLE GROMMET

Oversized grommet for top access to power bar.



SIN 711-2

GC 6000	3.15 dia. x 1					**84**
GC 7000	3	6	1.0			**84**

- **GC 7000** provides top access to the power bar and Cable Trough for easier cable management.
- Price includes factory installation.
- For additional grommets, power/data modules and wire management options please see Accessories Section (pages 7-5 through 7-8)

CASTERS



SIN 711-2

CA 1000 3" Dia. **191**
2 locking / 2 non-locking / Hard Rubber
Note: Casters add 3" to lowest height of table.

LEGEND: **W**=width; **D**=mid-depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

STAGES®

METAL BASES O.E.M. PRICING

INCREMENTAL HEIGHT BASE



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
OE 2424 IH	24	24	*	49	2.0	**790**	
OE 3024 IH	30	24	*	55	2.5	**802**	
OE 3624 IH	36	24	*	61	3.0	**827**	
OE 4224 IH	42	24	*	68	3.5	**851**	
OE 4824 IH	48	24	*	69	4.0	**875**	
OE 5424 IH	54	24	*	76	4.5	**920**	
OE 6024 IH	60	24	*	82	5.0	**941**	
OE 6624 IH	66	24	*	92	5.5	**980**	
OE 7224 IH	72	24	*	102	6.0	**1008**	
OE 2430 IH	24	30	*	57	2.5	**842**	
OE 3030 IH	30	30	*	62	3.0	**860**	
OE 3630 IH	36	30	*	67	3.5	**884**	
OE 4230 IH	42	30	*	70	4.5	**908**	
OE 4830 IH	48	30	*	75	5.0	**933**	
OE 5430 IH	54	30	*	78	5.5	**976**	
OE 6030 IH	60	30	*	80	6.0	**998**	
OE 6630 IH	66	30	*	90	6.5	**1036**	
OE 7230 IH	72	30	*	99	7.5	**1066**	

Incremental Height Base

- Incremental tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H) once attached to surface.

Please specify on order.

- CGSB tested Wide range (27" to 41") once attached to surface. Incremental tables available. To order, specify "W" range at end of product code and add 10% to list price.

TOP CRANK BASE



Top Crank tables 46"W and over are gas spring assisted.

SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
24" Deep	**OE 2424 TC**	24	24	*	54	2.0	**1040**	
	OE 3024 TC	30	24	*	60	2.5	**1067**	
	OE 3624 TC	36	24	*	66	3.0	**1091**	
	OE 4224 TC	42	24	*	73	3.5	**1113**	
	OE 4824 TC	48	24	*	74	4.0	**1318**	
	OE 5424 TC	54	24	*	81	4.5	**1350**	
	OE 6024 TC	60	24	*	87	5.0	**1382**	
	OE 6624 TC	66	24	*	97	5.5	**1414**	
	OE 7224 TC	72	24	*	107	6.0	**1445**	
30" Deep	**OE 2430 TC**	24	30	*	62	2.5	**1094**	
	OE 3030 TC	30	30	*	67	3.0	**1122**	
	OE 3630 TC	36	30	*	72	3.5	**1145**	
	OE 4230 TC	42	30	*	75	4.5	**1167**	
	OE 4830 TC	48	30	*	80	5.0	**1372**	
	OE 5430 TC	54	30	*	83	5.5	**1404**	
	OE 6030 TC	60	30	*	85	6.0	**1436**	
	OE 6630 TC	66	30	*	95	6.5	**1468**	
	OE 7230 TC	72	30	*	104	7.5	**1499**	
Corner V-Base	**OEV 30 TC**	30	30	*	59	3.0	**984**	

Top Crank Base

- Top Crank tables are normally right-handed. Left handed available by special order. Add $25 per table.
- Top Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H) once attached to surface.

Please specify on order.

- CGSB tested Wide range (27" to 41") once attached to surface. Top Crank tables available. To order, specify "W" range at end of product code and add 10% to list price.
- OEV 30 TC suitable for corners 35" x 35" to 48" x 48".

INLINE supplied tops for mechanically adjustable tables are pre-machined to ensure correct alignment. User supplied tops must be machined according to INLINE specifications to ensure correct operation and maintain warranty coverage.

FRONT CRANK BASE



Front Crank tables 46"W and over are gas spring assisted.

SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
24" Deep	**OE 2424 FC**	24	24	*	59	2.0	**1367**	
	OE 3024 FC	30	24	*	65	2.5	**1394**	
	OE 3624 FC	36	24	*	71	3.0	**1417**	
	OE 4224 FC	42	24	*	78	3.5	**1440**	
	OE 4824 FC	48	24	*	79	4.0	**1645**	
	OE 5424 FC	54	24	*	86	4.5	**1677**	
	OE 6024 FC	60	24	*	92	5.0	**1707**	
	OE 6624 FC	66	24	*	102	5.5	**1739**	
	OE 7224 FC	72	24	*	112	6.0	**1772**	
30" Deep	**OE 2430 FC**	24	30	*	67	2.5	**1422**	
	OE 3030 FC	30	30	*	72	3.0	**1449**	
	OE 3630 FC	36	30	*	77	3.5	**1471**	
	OE 4230 FC	42	30	*	80	4.5	**1495**	
	OE 4830 FC	48	30	*	85	5.0	**1698**	
	OE 5430 FC	54	30	*	87	5.5	**1730**	
	OE 6030 FC	60	30	*	90	6.0	**1761**	
	OE 6630 FC	66	30	*	99	6.5	**1793**	
	OE 7230 FC	72	30	*	109	7.5	**1826**	

Front Crank Base

- Front Crank tables have right hand crank positioning as standard. Left hand available by special order, add $25 list per table.
- Front Crank tables have telescoping handle which can tuck away under table when not in use.
- Front Crank tables have a height adjustment range from 24" to 32" (L) or 27" to 35" (H) once attached to surface.

Please specify on order.

(Optional tapered foot shown)

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

METAL BASES O.E.M. PRICING

ELECTRIC BASE





SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
24" Deep	**OE 2424 EH**	24	24	*	126	2.0	**2308**	
	OE 3024 EH	30	24	*	132	2.5	**2362**	
	OE 3624 EH	36	24	*	138	3.0	**2385**	
	OE 4224 EH	42	24	*	155	3.5	**2408**	
	OE 4824 EH	48	24	*	167	4.0	**2492**	
	OE 5424 EH	54	24	*	184	4.5	**2524**	
	OE 6024 EH	60	24	*	201	5.0	**2554**	
	OE 6624 EH	66	24	*	221	5.5	**2586**	
	OE 7224 EH	72	24	*	242	6.0	**2618**	
30" Deep	**OE 2430 EH**	24	30	*	132	2.5	**2390**	
	OE 3030 EH	30	30	*	138	3.0	**2417**	
	OE 3630 EH	36	30	*	144	3.5	**2439**	
	OE 4230 EH	42	30	*	161	4.5	**2463**	
	OE 4830 EH	48	30	*	173	5.0	**2547**	
	OE 5430 EH	54	30	*	193	5.5	**2579**	
	OE 6030 EH	60	30	*	213	6.0	**2609**	
	OE 6630 EH	66	30	*	232	6.5	**2641**	
	OE 7230 EH	72	30	*	250	7.5	**2673**	
Corner V-Base	**OEV 30 EH**	30	30	*	74	3.0	**2168**	

Remarks

Electric Height Base

- Electric Height tables include a Rocker Switch which can be positioned anywhere under the worksurface cord length will allow.
- Electric Height tables have a height adjustment range from 24” to 36” (L) or 27” to 43” (H) once attached to surface. **Please specify on order.**
- For extra heavy duty applications second motor can be added. To order, add “**DUAL**” to end of product code and $900 list to price.
- OEV 30 EH suitable for corners 35" - 48".
- Extended range electric (see pg. 6-7 and 6-15) bases available on quote basis only. Call factory for details.
- Height range can start at 22". Call factory for details and pricing.

INLINE supplied tops for mechanically adjustable tables are pre-machined to ensure correct alignment. User supplied tops must be machined according to INLINE specifications to ensure correct operation and maintain warranty coverage.

(Optional tapered foot shown)

STAGES®

LEGEND: **W**=width; **D**=mid-depth; **C**=side-depth (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

DESK ORGANIZERS

Model #	L	W	H	List $	Remarks
DESK MOUNT STORAGE SYSTEM					• **The Desk Mount Storage system** has been designed to create added workspace, by taking paper and office sundry management off the desktop.
SLATWALL STACKABLE PLASTIC TOOL BAR					• The Slatwall Plastic Tool Bar can be mounted between system posts or fastened to the back of hutches.
PMF 2024	24	.75	7	**46**	• All accessories mount directly onto the Slatwall.
PMF 2036	36	.75	7	**69**	• Components in black only.
PMF 2048	48	.75	7	**93**	• Desk organizers work with both Stages® and Latitude®.
PMF 2072	72	.75	7	**138**	• Slatwall Tool Bar can be easily field cut to correct size. Order closest "stock" size of your application.
SIN 711-2					
DESK MOUNT END POST					
PMFS 5000P	2.5dia.		15	**95**	
SIN 711-2					
90 CORNER POST					
PMFS 5090P	2.5dia.		15	**98**	
SIN 711-2					
180 CONNECTOR POST					
PMFS 5180P	2.5dia.		15	**98**	
SIN 711-2					
PENCIL HOLDER					
PMFS 1000	3.5	4	4	**16**	
SIN 711-2					
PAPER TRAY (LETTER)					
PMF 1003	14	9.5	2	**48**	
SIN 711-2					
PAPER TRAY (LEGAL)					
PMF 1007	15	10.5	2	**48**	
SIN 711-2					

LEGEND: **L**=length; **W**=width; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**=high pressure laminate $

DESK ORGANIZERS

	Model #	L	W	H	List $	Remarks
CD HOLDER						
 SIN 711-2	**PMFK 1001**	7	5.5	2	**32**	
ACCESSORY TRAY						
 SIN 711-2	**PMF 1004**	10	9.5	2	**35**	
SHELF WITH BRACKETS						
SIN 711-2	**PMF 1018**	18	7	2	**72**	
PHONE HOLDER						
 SIN 711-2	**PMF 1005**	9.5	8.5	2	**38**	
FOLDER SORTER TRAY						
 SIN 711-2	**PMF 1008**	12.5	7	2.5	**52**	
BINDER HOLDER						
 SIN 711-2	**PMF 1009**	10.5	7	2.5	**32**	

- **The Desk Mount Storage system** has been designed to create added workspace, by taking paper and office sundry management off the desktop.
- The Slatwall Plastic Tool Bar can be mounted between system posts or fastened to the back of hutches.
- All accessories mount directly onto the Slatwall.
- Components in black only.
- Desk organizers work with both Stages® and Latitude®.
- Slatwall Tool Bar can be easily field cut to correct size. Order closest “stock” size of your application.

LEGEND: **L**=length; **W**=width; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**=high pressure laminate $

NOTES

Accessories 2013

Contents

Accessories

Keyboards 7-2
Accessories 7-3
Cable Management 7-5
Power Data Management 7-7
Electrical Distribution Modules 7-8
Mobile Tables 7-9

KEYBOARDS (FOR USE WITH trēo® AND BOARDWALK™)

SLIDING KEYBOARD



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
3 KS 2011	20	11	0.75	15	0.5	**122**	**159**
3 KS 2611	26	11	0.75	15	0.8	**140**	**170**
3 KS 2811	28	11	0.75	15	0.9	**151**	**188**
3 KS 3211	32	11	0.75	16	1.0	**164**	**207**

CURVED SLIDING KEYBOARD



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
3 KS 3215	32	15	0.75	15	1.0	**170**	**218**

Sliding Keyboard
- KS 2611 → KS 3215 accommodates a mouse
- Tray surface 2.5" below work surface
- Mounting tabs add 2.5" to width shown
- Tray surface available in matching or contrasting 3/4" thick **TFL** or **HPL**
- **Note:** All keyboards on this page have keyboard / mouse retention strip front and back of tray

ARTICULATING RETRACTABLE KEYBOARDS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $	HPL $
Rectangular (Low)	**3 KM 2410 L**	24	10	0.75	17	1.5	**345**	**382**
	3 KM 2610 L	26	10	0.75	18	1.5	**358**	**394**
	3 KM 2810 L	28	10	0.75	18	1.5	**358**	**394**
Notched (Low)	**3 KM 2710 L**	27	10	0.75	18	1.5	**370**	**410**
Rectangular (High)	**3 KM 2410 H**	24	10	0.75	17	1.5	**492**	**531**
	3 KM 2610 H	26	10	0.75	18	1.5	**502**	**541**
Notched (High)	**3 KM 2710 H**	27	10	0.75	18	1.5	**515**	**555**
Curved	**3 KM 2813 CL**	28	13	0.75	18	1.5	**515**	**555**
Curved with Mouse Area	**3 KMR 2701 GL**	27	14.5	0.75	18	1.5	**528**	**568**
	Note: 3 KMR 2701 GL comes with gel mouse pad and wrist rest as shown							
Angled with Mouse Area	**3 KM 2815 ML**	31	17	0.75	18	1.5	**406**	**455**

Articulating Retractable Keyboard Arm – Low
- Keyboard arm is black; tray matches Top
- Tilts +15° / -15°
- Swivels 360°
- Retracts on 17" track
- Height Adjustable: 6" below worksurface, to flush with worksurface

Articulating Retractable Keyboard Arm – High
- as above except:
- Height adjustable 6.2" above and 6" below worksurface
- Retractable on 21" track

Curved Keyboard Fits
- Curved Corners
- Extended Corners
- K Islands

Angled Keyboard Fits
- Profile of straight corner tops with rectangular tops connected
- Tray surface available in matching or contrasting 3/4" thick **TFL** or **HPL**

42" Corner



FULL FLEX KEYBOARDS



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
3 KF 3010 WF	30	10	1	35	3.7	**764**	**813**
3 KF 3410 WF	34	10	1	36	4.5	**776**	**824**

Full Flex Keyboards
- Keyboard arm is black; tray matches top finish
- Lift and lock mechanism
- Requires 10" mounting depth
- Straight unit mounts on all standard surfaces keyboard width and over
- Adjusts 6" below worksurface and 6" above worksurface
- Tilts +9° / -15°

SUPER GEL WRIST RESTS



SIN 711-2

	Model #	W	D	H	Wt	V	TFL $
Mouse Pad	**EA 113**	8	11	1	2	N/A	**96**
Keyboard	**EA 114**	20	3	1	2	N/A	**107**

- Both are fabric covered, gel-filled wrist supports

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

ACCESSORIES – PENCIL TRAYS, TASK LIGHTS, PAPER ORGANIZERS

ROUND PENCIL TRAY



Model #	W	D	H	Wt	V	TFL $
V 14 PEN	14	8	2	1	0.5	**30**

Round Pencil Tray
- Small compact tray that will rotate on pivot
- Includes tape dispenser, post-it note space, pencil tray and other storage slots
- Black only

PENCIL TRAY



	Model #	W	D	H	Wt	V	TFL $
Plastic	**PD 2316**	23	16	2.5	4	1.0	**129**

Pencil Tray
- Requires 16" clear depth to mount
- Light weight, durable plastic
- Integrated finger pull
- Black only
- Non-locking

PENCIL TRAY (WOOD)



Model #	W	D	H	Wt	V	TFL $	
PDW 2417	24	17	3	9	1.0	**163**	**N/A**

Wood Pencil Tray
- Black vinyl drawer body
- Specify TFL face finish. If not specified default is black, 3mm edging
- Drawer requires 17" clear depth for mounting
- Non-locking

PREMIUM TASK LIGHT

	Model #	W	D	H	Wt	V	TFL $
24" Light	**LT 2406**	24	3.25	1	7	0.4	**231**
36" Light	**LT 3606**	36	3.25	1	10	0.5	**249**
48" Light	**LT 4806**	48	3.25	1	13	0.6	**297**

Premium Task Light
- Silver finish
- Easy install
- 9 ft. cord
- Tilting lens
- Uses T-5 tubes
- Can be daisy-chained

BASIC TASK LIGHT



	Model #	W	D	H	Wt	V	TFL $
24" Light	**LTB 24**	24	8	2	7	0.4	**140**
36" Light	**LTB 36**	36	8	2	10	0.5	**150**
48" Light	**LTB 48**	48	38	2	13	0.6	**170**

Basic Task Light
- 9 ft. cord
- Uses T-5 tubes
- Black only

REPLACEMENT KEYS / LOCKS

	Model #	NET $
Set of 2 Keys	**1 KEY2**	**13 Net**
Set of 2 Keys and Lock Core	**1 LKEY2**	**19 Net**
Change Key	**1 CHKEY1**	**6 Net**
Master Key	**1 MKEY1**	**6 Net**

Replacement Keys / Locks
- Specify key number with order
- Change key required to remove / replace lock core
- Master key will open all **INLINE** locks (black core)

Note: Orders for keys and locks only incur a $10 handling charge per order

PAPER ORGANIZER



Model #	W	D	H	Wt	V	TFL $
PT 1309	13.5	9	13	10	1.0	**70**

- Fits under transaction hutch or inside flipper door hutch
- Includes 6 adjustable hardboard shelves
- Black only
- RTA

DOUBLE PAPER ORGANIZER



Model #	W	D	H	Wt	V	TFL $
FC 045	20	12	12	17	0.5	**107**

- Fits under transaction hutch or inside flipper door hutch
- Includes 6 adjustable hardboard shelves
- Black only
- RTA
- Stackable with pre-drilled holes and pins
- Black only, woodgrain foil laminate

TRIPLE PAPER ORGANIZER



All items SIN 711-2

Model #	W	D	H	Wt	V	TFL $
FC 049	30	12	12	24	0.7	**127**

- Fits under transaction hutch or inside flipper door hutch
- Includes 9 adjustable hardboard shelves
- Black only
- RTA
- Stackable with pre-drilled holes and pins
- Black only, woodgrain foil laminate

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

ACCESSORIES – Computer and Printer Accessories

	Model #	W	D	H	Wt	V	TFL $	Remarks
LAPTOP STORAGE DRAWER  SIN 711-2	**3 LTSD 30**	30	18	3.75			**267**	**LAPTOP STORAGE DRAWER** • Plunge lock provides ultimate security • 1.8" inside depth holds most laptops plus docking stations • Gel wrist rest and mouse rest included • Anti-theft brackets at rear permit wire access • Looks like pencil tray when closed • Can be retrofit on any desk or surface • Requires 18.5" clear depth to mount • Ships assembled
CPU TROLLEY / SKATEBOARD  SIN 711-2	**3 SK 1017**	10	17	7	7	2.3	**100**	**CPU Trolley / Skateboard** • Accommodates upright computer and keeps it out of the way under desk • Casters make it easy to pull CPU Trolley out for computer maintenance • Adjustable width from 5.2" to 8.7" (5 positions)
CPU HOLDER  SIN 711-2	**3 JCRT 24**	12	21	27	50	7.0	**273**	**CPU Pedestal** • Computer sits on sliding tray for easy access to computer • Cut out at back for cable access • Can act as support for top • Shallower depth leaves 2" for cable travel under 24" "D" tops
CORNER MAKER  SIN 711-2	**CM 1000** / **CM 1000**	18	13	1.5	4	.75	**159**	**Corner Maker** • Converts square inside corner into angled corner suitable for keyboard • Fits tops up to 1.5" thick • Wrap-around 3" lip screws to underside of desk • 16 GA. steel; black only
MOBILE PRINTER / FAX CART  SIN 711-2	**3 SPN 2218**	22	18	20	54	1.2	**362**	**Mobile Printer / Fax Cart** • Provides easy seated access to output from tall printers • Front casters lock • Open shelf area 4 1/2" H • Closed interior is 12" H • Open adjustable shelf inside
MOBILE PRINTER STAND SIN 711-2	**3 SMP 2020**	20	20	16.5	42	1.0	**352**	**Mobile Printer Stand** • Provides easy seated access to output from tall printers • Upper openings 8 3/4"W x 5 3/4"H • Lower opening 18 1/4"W x 5 3/4"H

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

CABLE MANAGEMENT (FOR USE WITH trēo®, BOARDWALK™ AND LATITUDE®)

Accessories

	Model #	W	D	H	Wt	V	List $	Remarks
CUSTOM ROUND CABLE GROMMET								
 SIN 711-2								**Custom Round Cable Grommet** • Please specify location of GC 6000 • Black only • When adding a second grommet to a work surface, grommets will be installed in each corner • Deletion of a standard Grommet is an extra charge ($26 List)
GC 6000 (installed)	**GC 6000**	3.15 dia.		1	N/A	N/A	**84**	
GC 6001 (not installed)	**GC 6001**	3.15 dia.		1	N/A	N/A	**19**	
RECTANGULAR CABLE GROMMET								
 SIN 711-2								**Rectangular Cable Grommet** • Rectangular grommets are included in the back panel of Boardwalk™ Hutches • Rectangular grommets fit wire pass through notches on partial end panels for cleaner look when they are exposed • Please specify location of GC 3000 • Black only
GC 3000 (installed)	**GC 3000**	3.5	2	1	N/A	N/A	**84**	
GC 3001 (not installed)	**GC 3001**	3.5	2	1	N/A	N/A	**19**	
A/V CORD GROMMET								
SIN 711-2								**A/V Cord Grommet** • Suitable for microphone, audio / visual and telecommunication cables • Please specify location of GC 1500 or order GC 1501 for field installation • Black only
GC 1500 (installed)	**GC 1500**	1.5 dia.		1	N/A	N/A	**84**	
GC 1501 (not installed)	**GC 1501**	1.5 dia.		1	N/A	N/A	**19**	
CUSTOM OBLONG CABLE GROMMET								
 SIN 711-2								**Custom Oblong Cable Grommet** • Round grommets are included with most worksurfaces • Please specify location of GC 7000 • Black only • Deletion of a standard Grommet is an extra charge ($26 List) • Use as access port for ELV 0904 and ELVP 0904
GC 7000 (installed)	**GC 7000**	3	6	1	N/A	N/A	**84**	
GC 7001 (not installed)	**GC 7001**	3	6	1	N/A	N/A	**27**	
PAPER SLOT GROMMET								
 SIN 711-2								**Paper Slot Grommet** • Please specify location of SG 1200 or order SG 1201 for field installation • Black only
SG 1200 (installed)	**SG 1200**	12	1.75	1	N/A	N/A	**90**	
SG 1201 (not installed)	**SG 1201**	12	1.75	1	N/A	N/A	**35**	
WIRE MANAGEMENT COIL								
 SIN 711-2								**Wire Management Coil** • Ideal for wire running from floor to table top on height adjustable tables • Heavy weight in bottom plate keeps base on floor • Includes clip to be screwed to bottom of worksurface for quick connect / disconnect
	WMVS 50	3	3	50	3	1	**152**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

ACCESSORIES

CABLE MANAGEMENT (FOR USE WITH trēo®, BOARDWALK™ AND LATITUDE®)

Accessories

	Model #	W	D	H	Wt	V	List $	Remarks
OPEN WIRE MANAGEMENT CHANNEL – WIDE								
 SIN 711-2 Channel Profile	**WM 028 W**	24	1.5	0.75	N/A	N/A	**18**	**Open Wire Management Channel** • Includes 2-sided tape • Dark grey only
OPEN WIRE MANAGEMENT CHANNEL – NARROW								
 SIN 711-2 Channel Profile	**WM 028N**	26	.75	0.5	9		**11**	
WIRE MANAGEMENT CHANNEL								
 SIN 711-2	**WM 1015 G**	13	1.5	1	1	1.0	**15**	**Wire Management Channel** • Recommend installation along the top of the modesty panel • Includes 2 sided tape for attaching to panel (can also be screwed on) • Cover slides or snaps on / off • Light grey only • Should not be installed directly behind mobile pedestals
CABLE TROUGH 4"HIGH								
 SIN 711-2	**CT 2404 TM**	18	3	4	2	0.2	**60**	• Troughs are 20 gauge steel painted black
	CT 3004 TM	24	3	4	2	0.3	**70**	
	CT 3604 TM	30	3	4	3	0.4	**80**	
	CT 4204 TM	36	3	4	3	0.5	**90**	
	CT 4804 TM	42	3	4	4	0.5	**101**	
	CT 5404 TM	48	3	4	4	0.6	**112**	
	CT 6004 TM	54	3	4	5	0.7	**122**	
	CT 6604 TM	60	3	4	5	0.7	**126**	
	CT 7204 TM	66	3	4	6	0.8	**130**	
CABLE TROUGH 7" HIGH								
 SIN 711-2	**CT 2407 TM**	18	3	7	2	0.6	**62**	• 4" and 7" high cable troughs may be doubled up for separating electrical and telecommunications cables
	CT 3007 TM	24	3	7	2	0.7	**72**	
	CT 3607 TM	30	3	7	3	0.9	**83**	
	CT 4207 TM	36	3	7	3	1.0	**92**	
	CT 4807 TM	42	3	7	4	1.2	**103**	
	CT 5407 TM	48	3	7	5	1.3	**114**	
	CT 6007 TM	54	3	7	5	1.5	**124**	
	CT 6607 TM	60	3	7	6	1.7	**130**	
	CT 7207 TM	66	3	7	6	1.9	**135**	
POWER BAR								
 SIN 711-2	**PB 8000**	2.5	12	1.5	1	1.0	**69**	• **Power Bars** have 6 outlets, surge protection and come with a standard 15ft. cord.

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

POWER / DATA MANAGEMENT

Accessories

POWER / DATA MODULE	Model #	W	D	H	Wt	V	List $	Remarks
PD 7500 (installed)	**PD 7500**	6.25	3.25	2.5	N/A	N/A	**237**	• Unit has 2 power receptacles, 6 ft. cord and 2 openings for phone and data jacks (not included) • Door cover retracts into unit • Black only • Can install into any 3/4", 1" or 1 1/2" panel • Please specify exact location or order PD 7501 for field installation
PD 7501 (not installed)	**PD 7501**	6.25	3.25	2.5	N/A	N/A	**200**	
POWER / DATA GROMMET								
PD 4500 (installed)	**PD 4500**	4.5 dia.			N/A	1.0	**237**	• Unit has 3 power receptacles, 2 data jacks and 10 ft. cord • Data jacks are pre-wired (1-RJ11, 1-RJ45) and ready to use • Receptacle side rotates to under desk when not in use • Can install into any 1" or 1 1/2" worksurface • Please specify exact location or order PD 4501 for field installation
PD 4501 (not installed)	**PD 4501**	4.5 dia.			N/A	1.0	**200**	
CONFIGURABLE POWER / DATA GROMMET								
PD 5500 (installed)	**PD 5500**	4.25 dia.		9	N/A	N/A	**319**	• Unit has 2 power receptacles and one configurable data port • Order snap-in data modules (below) for data port • Cover is easily removable - fits flush or raised for cord access • Black only • Can install into any 3/4", 1" or 1 1/2" thick panel • 6 ft. cord • Please specify exact location or order PD 5501 for field installation • Brushed silver cover adheres permanently to removable black cover
PD 5501 (not installed)	**PD 5501**	4.25 dia.		9	N/A	N/A	**280**	
PD 5500 CP Brushed Silver Cover Cap	**PD 5500 CP**	4.25 dia.			N/A	N/A	**146**	
LARGE CONFIGURABLE POWER / DATA GROMMET								
PD 6500 (installed)	**PD 6500**	11.5	4.25	9	N/A	N/A	**440**	• Unit has 4 power receptacles and 3 configurable data ports • Order snap-in data modules (below) for data ports • Cover is easily removable - fits flush or raised for cord access • Black only • Can install into any 3/4", 1" or 1 1/2" thick panel • 6 ft. cord • Please specify exact location or order PD 6501 for field installation • Brushed silver cover adheres permanently to removable black cover
PD 6501 (not installed)	**PD 6501**	11.5	4.25	9	N/A	N/A	**398**	
PD 6500 CP Large Brushed Silver Cover Cap	**PD 6500 CP**	11.5	4.25	9	N/A	N/A	**222**	

DATA MODULES

VGA GRAPHICS OUTLET	List $
PD 5500 VGA pass through connection for VGA graphics cable	**103**

DATA OUTLET (DOUBLE)	List $
PD 5500 DT pass through Cat5e/RJ45 connections (2)	**90**

HDMI VIDEO OUTLET	
PD 5500 HDMI pass through connection for HDMI video cable	**241**

PHONE OUTLET (DOUBLE)	
PD 5500 PH pass through Cat3/RJ11 connections (2)	**90**

USB PORT OUTLET	
PD 5500 USB pass through connection for USB data cable	**146**

All items SIN 711-2

Pre-configured table base packages available, see page 5-22

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

ACCESSORIES

ELECTRICAL DISTRIBUTION MODULES

Accessories

DUPLEX BLOCK WORKSURFACE MOUNT	Model #	W	D	H	Wt	V	List $	Remarks
(Installed)	**ELD22WKTB**	6	1	1.5	N/A	N/A	**166**	• Installs under worksurface facing up, accessible through worksurface via GC7000 grommet (included) • 2 power receptacles per block • 4 wires, 2 circuits • 'Plug and Play' cords snap on and off without tools • Capacity of 13 blocks per electrical circuit for plug-in infeed • Capacity of 26 - 15 amp blocks per electrical circuit for hard-wired infeed • Hard-wired power infeed installation by qualified electrician is recommended • Please specify location of ELD22WKTB • Black only
 (Not Installed)	**ELD22LSTB**	6	1	1.5	N/A	N/A	**109**	
+ 								
DUPLEX BLOCK MODESTY MOUNT								• Installs onto modesty panel (to be installed on site), under worksurface. Wire access through standard grommets (additional and/or larger grommets available on page 7-5) • 2 power receptacles per block • 4 wires, 2 circuits • Blocks easily ganged with ELDCN connector • 'Plug and Play' cords snap on and off without tools • Capacity of 13 blocks per electrical circuit for plug-in infeed • Capacity of 26 - 15 amp blocks per electrical circuit for hard-wired infeed • Hard-wired power infeed installation by qualified electrician is recommended • Black only
	**ELD22**	6	1	1.5	N/A	N/A	**57**	
DUPLEX BLOCK CONNECTOR								
	ELDCN	–	–	–	N/A	N/A	**31**	
CONNECTION CABLES FOR DUPLEX BLOCK								
 **LINKING CABLE**	**ELDL24**	24" long			N/A	N/A	**69**	
	ELDL30	30" long			N/A	N/A	**74**	
	ELDL36	36" long			N/A	N/A	**78**	
	ELDL42	42" long			N/A	N/A	**83**	
	ELDL48	48" long			N/A	N/A	**91**	
	ELDL54	54" long			N/A	N/A	**96**	
	ELDL60	60" long			N/A	N/A	**101**	
	ELDL66	66" long			N/A	N/A	**106**	
	ELDL72	72" long			N/A	N/A	**111**	
	ELDL78	78" long			N/A	N/A	**122**	
	ELDL84	84" long			N/A	N/A	**133**	
 **HARDWIRED STARTER CABLE**	**ELDSH72**	72" long			N/A	N/A	**109**	• Hardwired power infeed installation by qualified electrician is recommended
 **PLUG-IN STARTER CABLE**	**ELDSP72**	72" long			N/A	N/A	**209**	
X-LARGE CONFIGURABLE POWER/DATA GROMMET								The PD 8500 is a highly configurable, all metal power/data delivery solution. It has 4 configurable data openings, in addition to 4 power outlets complete with circuit breaker. Please call Inline for a quote on your data configuration. • Black only • Can install into any 3/4", 1" or 1 1/2" thick panel • 9 ft. cord • Please specify exact location or order PD 8501 for field installation
 (Open) **PD 8500 (installed)**	**PD 8500**	14.25 dia.	7	3	N/A	N/A	**1030**	
 (Closed) **PD 8501 (not installed)**	**PD 8501**	14.25 dia.	7	3	N/A	N/A	**989**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $

ACCESSORIES

MOBILE TABLES

Accessories

BUILT LIKE A TANK

MOBILE TABLES FEATURE:

- durable 5mm bullnose t-mould edge
- casters bolted to full length metal U-channel
- metal-to-metal Murakoshi® fasteners
- full depth angle bracket supports at both ends of top panel
- wire access conscious designs
- meets ANSI / BIFMA STANDARDS
- ships RTA

Available in any of our Standard Thermally-Fused Laminates

		Model #	W	D	H	Wt	V	TFL $	HPL $	Remarks
FAX / PRINTER STAND										
SIN 711-2	**LOCKING**	**PN 2119**	21	19	31	70	3.8	**361**	**N/A**	• One roll-out shelf for additional work-surface • 6 adjustable hardboard shelves – hold letter size paper • See trēo®-style, short printer stand in Accessories pg. 7-4 • PS 2119 has locking storage
		PS 2119	21	19	31	70	3.8	**424**	**N/A**	
	CASTER KIT	**CK 2504**	23	15	4	5	1.0	**43**	**N/A**	
	EXTRA SHELF PACK (8)	**SP 0811**	23	15	4	10	1.0	**43**	**N/A**	
TYPING STAND										
 SIN 711-2		**TS 2820**	27	20	27	75	3.8	**290**	**N/A**	• Two lower accessories shelves • Wire access through back, top and bottom • Full length U-channel for caster support • Casters bolted to U-channel • Metal-to-metal Murakoshi fasteners • Full length angle bracket supports top at both ends
PRINTER STAND										
 SIN 711-2		**PS 3224**	32	24	32	71	3.8	**355**	**N/A**	• Ideal for continuous feed printers • Full length U-channel for caster support • Casters bolted to U-channel • Metal-to-metal Murakoshi fasteners • Full length angle bracket supports top at both ends
	ADJUSTABLE SHELF	**PSSH 32**	30	19	.75	10	0.7	**74**	**N/A**	
MINI PC WORKSTATION										
 SIN 711-2		**WS 2824**	27	24	32	80	3.8	**418**	**N/A**	• Roll-out keyboard shelf • Fixed lower shelf • Top, back and bottom panels all reversible and interchangeable • Full length U-channel for caster support • Casters bolted to U-channel • Metal-to-metal Murakoshi fasteners
MINI PC WORKSTATION (WITH EXTRA PULL-OUT SHELF)										
 SIN 711-2		**WP 2824**	27	24	32	90	4.4	**461**	**N/A**	• Roll-out keyboard shelf • Roll-out printer shelf • Fixed lower shelf • Top, back and bottom panels all reversible and interchangeable • Full length U-channel for caster support • Casters bolted to U-channel • Metal-to-metal Murakoshi fasteners
		WP 3624	35	24	32	106	4.8	**501**	**N/A**	

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

ACCESSORIES

MOBILE TABLES

BUILT LIKE A TANK

MOBILE COMPUTER TABLES FEATURE:

- durable 5mm bullnose t-mould edge
- casters bolted to full length metal U-channel
- metal-to-metal Murakoshi® fasteners
- full depth angle bracket supports at both ends of top panel
- wire access conscious designs
- ships RTA

Available in any of our Standard Thermally-Fused Laminates

TOWER CASE STATION (WITH EXTRA PULL-OUT SHELF)



SIN 711-2



Model #	W	D	H	Wt	V	TFL $	HPL $
WT 4024	40	24	32	106	4.8	**532**	**N/A**

- Compartment for vertical storage of CPU
- Roll-out keyboard & printer shelves
- Fixed lower shelf
- Full length U-channel for caster support
- Casters bolted to U-channel
- Metal-to-metal Murakoshi fasteners
- Full length angle bracket supports top at both ends

TOWER CASE STATION (WITH EXTRA PULL-OUT SHELF)



SIN 711-2



Model #	W	D	H	Wt	V	TFL $	HPL $
WD 4024	40	24	32	107	4.8	**657**	**N/A**

- Compartment for vertical storage of CPU
- Locking door on CPU compartment
- Roll-out keyboard & printer shelves
- Fixed lower shelf
- Full length U-channel for caster support
- Casters bolted to U-channel
- Metal-to-metal Murakoshi fasteners
- Full length angle bracket supports top at both ends

WIDE PC STATION



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
WS 4724	47	24	32	120	7.6	**569**	**N/A**
WS 5524	54	24	32	132	7.6	**615**	**N/A**

- Roll-out keyboard shelf
- Roll-out extended surface shelf
- Fixed lower shelf
- Full length U-channel for caster support
- Casters bolted to U-channel
- Metal-to-metal Murakoshi fasteners
- Full length angle bracket supports top at both ends

HUTCHES FOR MOBILES



SIN 711-2

Model #	W	D	H	Wt	V	TFL $	HPL $
HU 2612	26	12	27	24	1.4	**212**	**N/A**
HU 3412	34	12	27	29	1.7	**226**	**N/A**
HU 3812	38	12	27	32	1.8	**239**	**N/A**
HU 4512	45	12	27	44	2.5	**253**	**N/A**
HU 5312	53	12	27	49	2.5	**284**	**N/A**

- Includes one adjustable shelf
- Models 45" & 53" wide include divider
- Extra shelves available for all models
- Fabric insert available

LEGEND: **W**=width; **D**=depth; **H**=height (inches); **Wt**=shipping weight (lbs); **V**=volume (cubic feet); **TFL $**=thermally fused laminate $; **HPL $**= high pressure laminate $

Finishes & Forms 2013

Contents

Project Registration Form 8-2
Literature Request Form 8-3
Standard Finishes 8-4

INLINE®
SYSTEMS

PROJECT REGISTRATION FORM

Date:

Dealer Name:

Sales Rep:

Submitted by (if different from Sales Rep):

PROJECT INFORMATION

Company Name:

Division / Department:

Address / Location:

Customer Name:

Estimated Project Value "List":

Expected Order Date:

Competing Against:

REGISTRATION CONFIRMATION

Registration #: Discount:

Start Date: Exp. Date:

Confirmed by Agent: Date:

Confirmed by INLINE: Date:

Please fax to your local representative for approval

96 Planchet Road, Concord, Ontario L4K 2C7 • Telephone: (905) 660-3516 • Fax: (905) 660-5734 • www.inlinesystems.ca

36" CORNER

INLINE® SYSTEMS

LITERATURE REQUEST FORM

Date:

Name: Company:

Address:

City: State / Province Zip / Postal Code:

Phone: Fax:

Email:

QUANTITY	
	Complete Binder
	Consolidated INLINE SYSTEMS® Price List
	LATITUDE® Brochure
	trēo® Brochure
	STAGES® Brochure
	BOARDWALK™ Brochure
	Education Specialties Book
	Finish Card
	Fabric Card
	Set of TFL Laminate Chips
	Set of High Pressure Laminate Chips
	Set of Edge Samples
	Standing Offer / Supply Arrangement Terms of Business
	GSA Terms of Business
	Other

Kindly fax this request to INLINE Customer Service at (905) 660-5734

STANDARD FINISHES

			TFL			Edging			Paint	HPL		
	FINISH	**Code**	**3/4" and 1"** Chassis Components	**1" Tops** Treo, Stages & Latitude	**1.5" Tops** Boardwalk	**3/4" and 1"** 3mm PVC Treo, Stages	**3/4" and 1"** T-Molding Latitude,Stages	**1.5" Ribbed** 3mm PVC Boardwalk**	**Paint** Stages Bases***	**HPL Code**	**1" Tops** Treo, Stages & Latitude	**1.5" Tops** Boardwalk
WOOD GRAINS	Classic Cherry	CC	X	X	X	X	X	X	-	HPCC	X	X º
	Finnish Oak	FO	X	X	-	X	X	-	-	HPFO	X	X
	Flamenco Cherry	FC	X	X	X	X	X	X	-	HPFC	X	X
	Ginger Root Maple	-	-	-	-	-	-	-	-	HPGI	X	X
	Hard Rock Maple	HM	X	X	X	X	X	X	-	HPHM	X	X
	Heritage Maple	HE	X	X	X	X	X	X	-	-	-	-
	Honduras Mahogany	MH	X	X	X	X	X	X	-	HPMH	X	X
	Passion	PN	X	X	X	X	X	X	-	HPPN	X	X º
	Rustik Cherry	RU	X	X	X	X	X	X	-	HPRU	X	X
	Shadow Oak	SO	X	X	X	X	X	X	-	HPSO	X	X
	Summer Flame	SU	X	X	X	X	X	X	-	HPSU	X	X
	Wild Cherry	WC	X	X	X	X	X	X	-	HPWC	X	X
SOLIDS	Black	BL	X*	X*	-	X	X	X**	X	-	-	-
	Calamare	CA	X	X	-	X	X	-	X	HPCA	X	X
	Charcoal Graphite	CH	X*	X*	-	X	X	-	X	-	-	-
	Classic White	CW	X	X	-	X	X	-	X	-	-	-
	Folkstone Grey	FG	X	X	-	X	X	-	X	HPFG	X	X
	Ingot Grey	IG	X	X	-	X	X	-	X	HPIG	X	X
PATTERNS	Brownstone	BT	-	X	-	-	-	-	-	-	-	-
	Colorado Slate	-	-	-	-	-	-	-	-	HPCO	X	X
	Concrete Stone	-	-	-	-	-	-	-	-	HPCS	X	X
	Coriander Fiber	-	-	-	-	-	-	-	-	HPCF	X	X º
	Cotta Stone	-	-	-	-	-	-	-	-	HPCN	X	X
	Crystal Sandstorm	CS	X	X	-	-	-	-	-	-	-	-
	Folkstone Grafix	-	-	-	-	-	-	-	-	HPFX	X	X
	Graphite Grafix	-	-	-	-	-	-	-	-	HPGX	X	X
	Greystone	GS	-	X	-	-	-	-	-	-	-	-
	Lime Stone	-	-	-	-	-	-	-	-	HPLS	X	X
	Natural Canvas	-	-	-	-	-	-	-	-	HPNC	X	X
	Stone Grafix	-	-	-	-	-	-	-	-	HPSX	X	X
	White Spektrum	WS	-	X	-	-	-	-	-	-	-	-

*Crystal Finish; **also available in smooth (non-ribbed) black; ***extended range bases available in black only; º 60"D not available

THE DIFFERENCE BETWEEN HPL AND TFL

High Pressure Laminate

High Pressure Laminate (HPL) is produced by taking several layers of phenolic resin impregnated kraft paper, overlaid with either a wood grain or solid color paper and a plastic cap sheet, sandwiched together and pressed in a heat-up and cool-down cycle at approximately 300 degrees F and 1200 psi. This thick sheet of decorative, plastic resin is then glued to a core particleboard with an equally thick, non-decorative sheet of HPL glued to the other side. As a result, HPL has very high impact resistance, very good scratch resistance, and very strong edges which remain resistant to chipping.

Thermally Fused Laminate (Melamine)

Thermally Fused Laminate (TFL) is produced by having a single, melamine resin, impregnated sheet thermofused directly to both sides of the core particleboard at approximately 320 degrees F and 350 psi. During the process, the resins liquefy and flow, thermofusing the woodgrain or solid color sheet directly to the core particleboard. Because the resins are fully impregnated into the overlay sheet and into the board beneath, they produce a thin, but hard, durable laminate face. While having good impact resistance and good scratch resistance, TFL is somewhat brittle at its edges, making it important to be well protected with PVC edging. INLINE thermally fused laminates meet all the performance requirements of high pressure laminate required for sales as worksurfaces under National Master Standing Offer and Supply Arrangement contracts.