

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

A02 Fabric Panel & Glazed Stacker
with TAAC™ construction
powered base
Byrne 3 circuit/5 wire electrical
(Frosted)



| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|--|-------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|
| Height | Width | | | | | | | |
| GLAZED PANEL - FROSTED (BYRNE 3 CIRCUIT/5 WIRE) | | | | | | | | |
| 53H 34"+14" | 24W | TFBD153.24 | \$574.00 | | | | | |
| | 30W | TFBD153.30 | 619.00 | | | | | |
| | 36W | TFBD153.36 | 756.00 | -\$37 | -\$24 | +\$46 | +\$107 | +\$213 |
| | 42W | TFBD153.42 | 791.00 | | | | | |
| | 48W | TFBD153.48 | 852.00 | | | | | |
| 67H 48"+14" | 24W | TFBD167.24 | \$637.00 | | | | | |
| | 30W | TFBD167.30 | 671.00 | | | | | |
| | 36W | TFBD167.36 | 832.00 | -\$37 | -\$24 | +\$60 | +\$159 | +\$320 |
| | 42W | TFBD167.42 | 898.00 | | | | | |
| | 48W | TFBD167.48 | 918.00 | | | | | |
| 67H 34"+14"+14" | 24W | TFBD467.24 | \$700.00 | | | | | |
| | 30W | TFBD467.30 | 773.00 | | | | | |
| | 36W | TFBD467.36 | 911.00 | -\$37 | -\$24 | +\$60 | +\$165 | +\$330 |
| | 42W | TFBD467.42 | 993.00 | | | | | |
| | 48W | TFBD467.48 | 1,003.00 | | | | | |
| 85H 62"+18" | 24W | TFBD185.24 | \$825.00 | | | | | |
| | 30W | TFBD185.30 | 893.00 | | | | | |
| | 36W | TFBD185.36 | 1,051.00 | -\$72 | -\$36 | +\$73 | +\$171 | +\$341 |
| | 42W | TFBD185.42 | 1,129.00 | | | | | |
| | 48W | TFBD185.48 | 1,168.00 | | | | | |
| 85H 48"+14"+18" | 24W | TFBD485.24 | \$899.00 | | | | | |
| | 30W | TFBD485.30 | 987.00 | | | | | |
| | 36W | TFBD485.36 | 1,081.00 | -\$72 | -\$36 | +\$73 | +\$171 | +\$341 |
| | 42W | TFBD485.42 | 1,173.00 | | | | | |
| | 48W | TFBD485.48 | 1,214.00 | | | | | |

DESCRIPTION: TAAC™ Structural PolyPanel includes fabric covered base stack and 1 painted metal glazed stack and/or 1 fabric stack. TAAC™ is a new construction offering tackable and acoustical properties. Panel has a painted steel top cap and wire management raceway with side covers and adjustable glides. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. See electrical pages for duplex receptacles.

SPECIFY: Product Number, Trim Finish, Base Trim Finish, Fabric Name, Glazing Trim Color, and Grade of fabric to be applied onto each stacker. **NOTE:** Panel to panel connectors available in DT (Dark Tone) only and must be ordered separately.


Note: Order panel-to-panel electrical jumper separately.

Note: Alternative stacker configurations and materials are available.


Note: For alternative pricing consider lower height panel with taco clip and screen design.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value | Grade 2 | Grade 3 Fabric | Grade 4 Fabric |
|---|-------|----------------|------------|------------|---------------------|---------|----------------|----------------|
| Height | Width | | | | | | | |
| NON-POWERED | | | | | | | | |
| 53H 34"+14" | 24W | TMBB153.24 | \$575.00 | | | | | |
| | 30W | TMBB153.30 | 737.00 | | | | | |
| | 36W | TMBB153.36 | 853.00 | -\$37 | -\$24 | +\$46 | +\$107 | +\$213 |
| | 42W | TMBB153.42 | 936.00 | | | | | |
| | 48W | TMBB153.48 | 992.00 | | | | | |
| 67H 48"+14" | 24W | TMBB167.24 | \$746.00 | | | | | |
| | 30W | TMBB167.30 | 817.00 | | | | | |
| | 36W | TMBB167.36 | 879.00 | -\$37 | -\$24 | +\$60 | +\$159 | +\$320 |
| | 42W | TMBB167.42 | 921.00 | | | | | |
| | 48W | TMBB167.48 | 934.00 | | | | | |
| 67H 34"+14"+14" | 24W | TMBB467.24 | \$711.00 | | | | | |
| | 30W | TMBB467.30 | 910.00 | | | | | |
| | 36W | TMBB467.36 | 1,052.00 | -\$37 | -\$24 | +\$60 | +\$165 | +\$330 |
| | 42W | TMBB467.42 | 1,152.00 | | | | | |
| | 48W | TMBB467.48 | 1,211.00 | | | | | |
| POWERED - BYRNE 4 CIRCUIT/8 WIRE | | | | | | | | |
| 53H 34"+14" | 24W | TMBC153.24 | \$794.00 | | | | | |
| | 30W | TMBC153.30 | 890.00 | | | | | |
| | 36W | TMBC153.36 | 1,021.00 | -\$37 | -\$24 | +\$46 | +\$107 | +\$213 |
| | 42W | TMBC153.42 | 1,107.00 | | | | | |
| | 48W | TMBC153.48 | 1,170.00 | | | | | |
| 67H 48"+14" | 24W | TMBC167.24 | \$868.00 | | | | | |
| | 30W | TMBC167.30 | 967.00 | | | | | |
| | 36W | TMBC167.36 | 1,105.00 | -\$37 | -\$24 | +\$60 | +\$159 | +\$320 |
| | 42W | TMBC167.42 | 1,201.00 | | | | | |
| | 48W | TMBC167.48 | 1,265.00 | | | | | |
| 67H 34"+14"+14" | 24W | TMBC467.24 | \$950.00 | | | | | |
| | 30W | TMBC467.30 | 996.00 | | | | | |
| | 36W | TMBC467.36 | 1,043.00 | -\$37 | -\$24 | +\$60 | +\$165 | +\$330 |
| | 42W | TMBC467.42 | 1,324.00 | | | | | |
| | 48W | TMBC467.48 | 1,392.00 | | | | | |

A02 Fabric Panel & Marker Board
with TAAC™ construction
non-powered base



A02 Fabric Panel & Marker Board
with TAAC™ construction
powered base
Byrne 4 circuit/8 wire electrical



DESCRIPTION: TAAC™ Structural PolyPanel includes fabric covered base stack and 1 marker board stack and/or 1 fabric stack. TAAC™ is a new construction offering tackable and acoustical properties. Panel has a painted steel top cap and wire management raceway with side covers and adjustable glides. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. See electrical section for duplex receptacles.

SPECIFY: Product Number, Trim Finish, Base Trim Finish, Glazing Trim Color, Fabric Name, and Grade of fabric to be applied onto each stacker. **NOTE:** Panel to panel connectors available in DT (Dark Tone) only and must be ordered separately.

Note: Alternative stacker configurations and materials are available.

Note: For alternative pricing consider lower height panel with taco clip and screen design.

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

A02 Fabric Panel & Marker Board
with TAAC™ construction
powered base
Byrne 3 circuit/5 wire electrical



Note: Order panel-to-panel
electrical jumper separately.

Note: Alternative stacker
configurations and materials are
available.

Note: For alternative pricing
consider lower height panel with
taco clip and screen design.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|---|------------|-------------------|---------------|---------------|----------------------------------|----------------------|-------------------|----------------------|
| Height | Width | | | | | | | |
| POWERED - BYRNE 3 CIRCUIT/5 WIRE | | | | | | | | |
| 53H 34"+14" | 24W | TMBD153.24 | \$702.00 | | | | | |
| | 30W | TMBD153.30 | 786.00 | | | | | |
| | 36W | TMBD153.36 | 917.00 | -\$37 | -\$24 | +\$46 | +\$107 | +\$213 |
| | 42W | TMBD153.42 | 997.00 | | | | | |
| 67H 48"+14" | 24W | TMBD167.24 | \$776.00 | | | | | |
| | 30W | TMBD167.30 | 863.00 | | | | | |
| | 36W | TMBD167.36 | 1,001.00 | -\$37 | -\$24 | +\$60 | +\$159 | +\$320 |
| | 42W | TMBD167.42 | 1,091.00 | | | | | |
| 67H 34"+14"+14" | 24W | TMBD467.24 | \$857.00 | | | | | |
| | 30W | TMBD467.30 | 892.00 | | | | | |
| | 36W | TMBD467.36 | 939.00 | -\$37 | -\$24 | +\$60 | +\$165 | +\$330 |
| | 42W | TMBD467.42 | 1,214.00 | | | | | |
| 48W | TMBD467.48 | 1,279.00 | | | | | | |

DESCRIPTION: TAAC™ Structural PolyPanel includes fabric covered base stack and 1 marker board stack and/or 1 fabric stack. TAAC™ is a new construction offering tackable and acoustical properties. Panel has a painted steel top cap and wire management raceway with side covers and adjustable glides. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. See electrical section for duplex receptacles.

SPECIFY: Product Number, Trim Finish, Base Trim Finish, Glazing Trim Color, Fabric Name, and Grade of fabric to be applied onto each stacker. **NOTE:** Panel to panel connectors available in DT (Dark Tone) only and must be ordered separately.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|---|-------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|
| Height | Width | | | | | | | |
| NON - POWERED | | | | | | | | |
| 53H 34"+14" | 24W | TLPB153.24 | \$673.00 | | | | | |
| | 30W | TLPB153.30 | 709.00 | | | | | |
| | 36W | TLPB153.36 | 747.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPB153.42 | 769.00 | | | | | |
| | 48W | TLPB153.48 | 833.00 | | | | | |
| 67H 48"+14" | 24W | TLPB167.24 | \$549.00 | | | | | |
| | 30W | TLPB167.30 | 686.00 | | | | | |
| | 36W | TLPB167.36 | 855.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPB167.42 | 914.00 | | | | | |
| | 48W | TLPB167.48 | 943.00 | | | | | |
| 67H 34"+14"+14" | 24W | TLPB467.24 | \$908.00 | | | | | |
| | 30W | TLPB467.30 | 942.00 | | | | | |
| | 36W | TLPB467.36 | 1,005.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPB467.42 | 1,073.00 | | | | | |
| | 48W | TLPB467.48 | 1,125.00 | | | | | |
| POWERED - BYRNE 4 CIRCUIT/8 WIRE | | | | | | | | |
| 53H 34"+14" | 24W | TLPC153.24 | \$890.00 | | | | | |
| | 30W | TLPC153.30 | 917.00 | | | | | |
| | 36W | TLPC153.36 | 986.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPC153.42 | 1,182.00 | | | | | |
| | 48W | TLPC153.48 | 1,226.00 | | | | | |
| 67H 48"+14" | 24W | TLPC167.24 | \$951.00 | | | | | |
| | 30W | TLPC167.30 | 1,044.00 | | | | | |
| | 36W | TLPC167.36 | 1,104.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPC167.42 | 1,169.00 | | | | | |
| | 48W | TLPC167.48 | 1,214.00 | | | | | |
| 67H 34"+14"+14" | 24W | TLPC467.24 | \$1,075.00 | | | | | |
| | 30W | TLPC467.30 | 1,083.00 | | | | | |
| | 36W | TLPC467.36 | 1,255.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPC467.42 | 1,325.00 | | | | | |
| | 48W | TLPC467.48 | 1,395.00 | | | | | |


DESCRIPTION: TAAC™ Structural PolyPanel includes fabric covered base stack and 1 laminate stack and/or 1 fabric stack. TAAC™ is a new construction offering tackable and acoustical properties. Panel has a painted steel top cap and wire management raceway with side covers and adjustable glides. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. See electrical section for duplex receptacles. **SPECIFY:** Product Number, Trim Finish, Base Trim Finish, Glazing Trim Color, Fabric Name, and Grade of fabric to be applied onto each stacker. **NOTE:** Panel to panel connectors available in DT (Dark Tone) only and must be ordered separately. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical HPL Laminates are available for a reduced price, see Vertical Surface Laminates for available selections. Contact Compatico Project Management for pricing.

Note:
 • Take 10% (5% one side) off list price if using Value "BV" laminates
 • Take 20% (10% one side) off list price if using Value "SV" laminates


Note: Alternative stacker configurations and materials are available.

Note: For alternative pricing consider lower height panel with taco clip and screen design.

A02 Fabric Panel & Laminate with TAAC™ construction non-powered base



A02 Fabric Panel & Laminate with TAAC™ construction powered base Byrne 4 circuit/8 wire electrical



Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

A02 Fabric Panel & Laminate
with TAAC™ construction
powered base
Byrne 3 circuit/5 wire electrical



Note:

- Take 10% (5% one side) off list price if using Value "BV" laminates
- Take 20% (10% one side) off list price if using Value "SV" laminates

Note: Order panel-to-panel electrical jumper separately.

Note: Alternative stacker configurations and materials are available.

Note: For alternative pricing consider lower height panel with taco clip and screen design.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|---|------------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|
| Height | Width | | | | | | | |
| POWERED - BYRNE 3 CIRCUIT/5 WIRE | | | | | | | | |
| 53H 34" + 14" | 24W | TLPD153.24 | \$797.00 | | | | | |
| | 30W | TLPD153.30 | 813.00 | | | | | |
| | 36W | TLPD153.36 | 882.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPD153.42 | 1,072.00 | | | | | |
| 67H 48" + 14" | 24W | TLPD167.24 | \$858.00 | | | | | |
| | 30W | TLPD167.30 | 941.00 | | | | | |
| | 36W | TLPD167.36 | 1,000.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPD167.42 | 1,059.00 | | | | | |
| 67H 34" + 14" + 14" | 24W | TLPD467.24 | \$983.00 | | | | | |
| | 30W | TLPD467.30 | 979.00 | | | | | |
| | 36W | TLPD467.36 | 1,151.00 | -\$37 | -\$24 | +\$73 | +\$171 | +\$341 |
| | 42W | TLPD467.42 | 1,215.00 | | | | | |
| 48W | TLPD467.48 | 1,282.00 | | | | | | |

DESCRIPTION: TAAC™ Structural PolyPanel includes fabric covered base stack and 1 laminate stack and/or 1 fabric stack. TAAC™ is a new construction offering tackable and acoustical properties. Panel has a painted steel top cap and wire management raceway with side covers and adjustable glides. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. See electrical section for duplex receptacles.

SPECIFY: Product Number, Trim Finish, Base Trim Finish, Glazing Trim Color, Fabric Name, and Grade of fabric to be applied onto each stacker. **NOTE:** Panel to panel connectors available in DT (Dark Tone) only and must be ordered separately. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical HPL Laminates are available for a reduced price, see Vertical Surface Laminates for available selections. Contact Compatico Project Management for pricing.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE |
|--------------------------------------|-------|----------------|------------|
| Height | Width | | |
| 36" W DOOR ASSEMBLY | | | |
| 85H | 36W | HMB885.36 | \$2,228.00 |
| 48" W DOOR ASSEMBLY - CLEAR | | | |
| 85H | 48W | HMB885.48 | \$2,588.00 |
| 48" W DOOR ASSEMBLY - SMOKED | | | |
| 85H | 48W | HMB985.48 | \$2,667.00 |
| 48" W DOOR ASSEMBLY - FROSTED | | | |
| 85H | 48W | FMB885.48 | \$2,706.00 |

DESCRIPTION: Includes door and door frame (including threshold), door handle, and painted top cap. Connectors not included. **SPECIFY:** Product Number, Base Cover Finish, Trim Finish and Glazing Color. **NOTE:** Tempered glass may be substituted, upcharge is \$180/sq. ft. list. Framed glass dimension is used to calculate upcharge. Minimum order of 24 pieces required. Call for Part Number. State clearly on purchase order: "tempered glass." **NOTE:** See base finish options. Limited raceway colors. Panel to panel connectors in DT only. **NOTE:** Call for "ADA-Compliant" hardware. **NOTE:** "ADA-Compliant" doorway must be 32"W or greater. See sliding door options. **NOTE:** We do not offer A01 doors. **NOTE:** A02 doors can be hinged on either side-and swing in or out. Field installation required.


| Panel Height | Actual Door Height | Door Opening Width | Actual Door Width | PRODUCT NUMBER | LIST PRICE |
|--------------|--------------------|--------------------|-------------------|----------------|------------|
| 67H | 64.25H | 36W | 44.5W | HSD167.3600 | \$2,556.00 |
| | | 42W | 48.5W | HSD167.4200 | 2,610.00 |
| | | 48W | 56.5W | HSD167.4800 | 2,663.00 |
| 85H | 80.75H | 36W | 44.5W | HSD185.3600 | \$2,769.00 |
| | | 42W | 48.5W | HSD185.4200 | 2,876.00 |
| | | 48W | 56.5W | HSD185.4800 | 2,982.00 |

DESCRIPTION: Sliding door is opaque acrylic. Rollers to make sliding easy. Aluminum Frame. Mounting brackets included. Reversible for both left and right. See www.compatico.com for installation instructions. **SPECIFY:** Finish - (LT, MT, DT, LT, HT, WR, GV1, TV1, W1, BU/BK). Special finishes are available - add \$380 list and one (1) week leadtime.


| DIMENSIONS | | TACK BOARD PRODUCT NUMBER | LIST PRICE | COM Fabric | Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|------------|-------|---------------------------|------------|------------|--------------|----------------|----------------|----------------|
| Height | Width | | | | | | | |
| 11.5H | 24W | HMA140.2400 | \$81.00 | | | | | |
| | 30W | HMA140.3000 | 86.00 | | | | | |
| | 36W | HMA140.3600 | 100.00 | -\$10 | -\$5 | +\$11 | +\$26 | +\$37 |
| | 42W | HMA140.4200 | 108.00 | | | | | |
| | 48W | HMA140.4800 | 108.00 | | | | | |
| | 60W | HMA140.6000 | 116.00 | | | | | |
| 15.5H | 24W | HMA141.2400 | \$83.00 | | | | | |
| | 30W | HMA141.3000 | 88.00 | | | | | |
| | 36W | HMA141.3600 | 115.00 | -\$10 | -\$5 | +\$13 | +\$30 | +\$43 |
| | 42W | HMA141.4200 | 120.00 | | | | | |
| | 48W | HMA141.4800 | 120.00 | | | | | |
| | 60W | HMA141.6000 | 129.00 | | | | | |

DESCRIPTION: Mount to slotted vertical channels on panel to provide tackable surface. Hardware included for field installation. **SPECIFY:** Product Number, Fabric Name and Grade. **NOTE:** For paper template used for hardware installation, go to www.compatico.com or the Accessories Section of this price book.


36" Door or 48" Door with Glazed Sidelight



Sliding Door



Fabric Covered Tackboards and Whiteboards



Note: "Value" A02 Tackboards and A02 Whiteboard options (same size options as tackboards) - but design is squared with 1mm black pvc edging. See Accessories Section.

Compatico Systems Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis & Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

FS Desking & Seating

References

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Aluminum Wall Hanger Strip



| DIMENSIONS | ALUMINUM PRODUCT NUMBER | LIST PRICE | PAINTED PRODUCT NUMBER | LIST PRICE |
|---------------------|-------------------------|------------|------------------------|------------|
| | | | | |
| 60H | HMP067.60AL | \$36.00 | HMP067.60XX | \$41.00 |
| 72H | HMP067.72AL | 42.00 | HMP067.72XX | 49.00 |
| 84H | HMP067.84AL | 51.00 | HMP067.84XX | 64.00 |
| Nylon Toggler | UNP885.0100 | \$2.00/ea. | | |
| Toggler Anchor Bolt | UNP886.0300 | \$.30/ea. | | |

DESCRIPTION: Wall hanger strips are used for mounting work surfaces and overhead storage units to walls. The finish standard is brushed aluminum. **DRYWALL INSTALLATION:** Compatico part number UNP885.0100 Nylon Toggler with part number UNP886.0300 Toggler Anchor Bolt or equivalent are recommended. **Stud Installation:** Use a standard no. 8 screw with flat head. Cement Block, Poured Walls, Brick: Use a minimum no. 8 (1½") sheet metal screw into anchors. **NOTE:** Wall Strips may be field painted without affecting the structural integrity. Walls must be structural and load bearing. For example the composite dry wall must be a minimum of 5/8" thick. Wood or metal studs must be nominal 4" x 2" and no greater than 24" separated and be tied into floor and ceilings. It is recommended to consult a qualified contractor for proper mounting and load limitation to assure all local construction codes/laws are met.


| Wall Strip Size | Number of Toggles (every 6.5") |
|-----------------|--------------------------------|
| 60" | 8 |
| 72" | 10 |
| 84" | 12 |

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE |
|------------|------------------------|----------------|------------|
| Height | USED FOR PANEL HEIGHTS | | |
| 27H | 32H | HMU056.27 | \$49.00 |
| 34H | 39H | HMU056.34 | 49.00 |
| 42H | 47H | HMU056.42 | 51.00 |
| 48H | 53H | HMU056.48 | 51.00 |
| 62H | 67H | HMU056.62 | 56.00 |
| 80H | 85H | HMU056.80 | 66.00 |

DESCRIPTION: Used as wall starter to create 90° condition from wall or along same height panel. Shipped unassembled. **NOTE:** In-line connector kit required to begin attaching first panel. **SPECIFY:** Product Number and Trim Finish.

EXAMPLE: 62" H (HMU156.62) is used for 67" high panels due to 5" panel base height.

T-Connector Wall Start Kit



| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE |
|------------|------------------------|----------------|------------|
| Height | USED FOR PANEL HEIGHTS | | |
| 27H | 32H | HMP213.27BK | \$14.00 |
| 34H | 39H | HMP213.34BK | 14.00 |
| 42H | 47H | HMP213.42BK | 16.00 |
| 48H | 53H | HMP213.48BK | 16.00 |
| 62H | 67H | HMP213.62BK | 17.00 |
| 80H | 85H | HMP213.80BK | 18.00 |

DESCRIPTION: Joins two panels of equal height in a straight run. Used also to join a panel to T-Connector/Wall Start Kit. DT finish only. **SPECIFY:** Product Number.


EXAMPLE: 62" H (HMU156.62) is used for 67" high panels due to 5" panel base height.

In-Line Connector Kit Rod & Block



| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE |
|------------|--|----------------|------------|
| Height | | | |
| 48H | | HMP913.48 | \$19.00 |

DESCRIPTION: Painted acrylic for finishing the exposed end of a connector when joining panels of unequal height. Requires field-cutting for fit; includes double-sided adhesive tape. **SPECIFY:** Product Number and Trim Finish.



Rigid Variable Height Filler

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE |
|--------------|--|----------------|------------|
| Panel Height | | | |
| 32H | | HMB128.27 | \$30.00 |
| 39H | | HMB128.34 | 35.00 |
| 47H | | HMB128.42 | 43.00 |
| 53H | | HMB128.48 | 43.00 |
| 67H | | HMB128.62 | 55.00 |
| 85H | | HMB128.80 | 60.00 |


DESCRIPTION: For finishing the exposed end of a panel at end of panel run. Base end cap included. **SPECIFY:** Product Number, Trim Finish and Base Cover Finish.




End Cap Kit
Metal

| DIMENSIONS | 2-WAY 90° | | 2-WAY 120° | |
|------------|--------------|----------------|------------|----------------|
| | Panel Height | PRODUCT NUMBER | LIST PRICE | PRODUCT NUMBER |
| 32H | HMB130.27 | \$66.00 | HMB126.27 | \$74.00 |
| 39H | HMB130.34 | 87.00 | HMB126.34 | 82.00 |
| 47H | HMB130.42 | 96.00 | HMB126.42 | 90.00 |
| 53H | HMB130.48 | 105.00 | HMB126.48 | 98.00 |
| 67H | HMB130.62 | 125.00 | HMB126.62 | 116.00 |
| 85H | HMB130.80 | 151.00 | HMB126.80 | 144.00 |

DESCRIPTION: Connects two AO2 panels of equal or unequal height at 90°. When connecting panels of unequal height specify connector height same as highest panel. Includes attached raceway cover. **SPECIFY:** Product Number, Trim Finish and Base Cover Finish. **NOTE:** Need rigid variable height filler for unequal height designs. See part number HMP913.48.



Two-way 90° & 120° Connector



Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs





Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



Three-way 90° & 120° Connector



| DIMENSIONS Panel Height | 3-WAY PRODUCT NUMBER | LIST PRICE | 3-WAY 120° PRODUCT NUMBER | LIST PRICE |
|----------------------------|-------------------------|---------------|------------------------------|---------------|
| | | | | |
| 39H | HMB137.34 | 101.00 | HMB133.34 | 100.00 |
| 47H | HMB137.42 | 118.00 | HMB133.42 | 111.00 |
| 53H | HMB137.48 | 123.00 | HMB133.48 | 121.00 |
| 67H | HMB137.62 | 139.00 | HMB133.62 | 143.00 |
| 85H | HMB137.80 | 165.00 | HMB133.80 | 170.00 |

DESCRIPTION: Connects three A02 panels of equal or unequal height at a "T" or 3-way condition at 90° and 120° angles. When connecting panels of unequal height specify connector height same as highest panel. Includes attached raceway cover. **SPECIFY:** Product Number, Trim Finish and Base Cover Finish (Blocks are DT finish only). **NOTE:** Need rigid variable height filler for unequal height designs. See part number HMP913.48.



Four-way Connector



| DIMENSIONS Panel Height | PRODUCT NUMBER | LIST PRICE |
|----------------------------|-------------------|---------------|
| | | |
| 39H | HMA132.34 | 100.00 |
| 47H | HMA132.42 | 116.00 |
| 53H | HMA132.48 | 127.00 |
| 67H | HMA132.62 | 149.00 |
| 85H | HMA132.80 | 182.00 |

DESCRIPTION: Connects four A02 panels of equal or unequal height at an "X". When connecting panels of unequal height specify connector height same as highest panel. No base covers required. **SPECIFY:** Product Number, Trim Finish and Base Cover Finish (Blocks are DT finish only). **NOTE:** Need rigid variable height filler for unequal height designs. See part number HMP913.48.

Two-way 180° Connector



| DIMENSIONS Panel Height | PRODUCT NUMBER | LIST PRICE |
|----------------------------|-------------------|---------------|
| | | |
| 39H | HMB131.34 | 119.00 |
| 47H | HMB131.42 | 131.00 |
| 53H | HMB131.48 | 141.00 |
| 67H | HMB131.62 | 155.00 |
| 85H | HMB131.80 | 177.00 |

DESCRIPTION: Connects two A02 panels of equal or unequal height in a straight line run. When connecting panels of unequal height specify connector height same as highest panel. Includes attached raceway cover. **SPECIFY:** Product Number, Trim Finish (Blocks are DT finish only) and Base Cover Finish. **NOTE:** Need rigid variable height filler for unequal height designs. See part number HMP913.48.

CMW

CMW complete office furniture systems are designed to stand alone, be interchangeable with, or work in tandem with Steelcase® Movable Wall/Avenir® systems. What makes them different is they are produced by Compatico, a company whose commitment to customer service and the price/quality value principle is unsurpassed in the office furniture industry.


CMW



- Compatico Systems Terms & Conditions
- Surface Materials
- AO2
- CMW**
- G2/Genesis & Benching
- Frames
- Hush
- FreshFIT
- Electrical
- Storage
- Worksurfaces
- Conference & Training Tables
- Legs
- Height Adjustable Legs
- Accessories
- FS Desking & Seating
- References

Fabric Value Panel with TAAC™ construction

*Both Sides Fabric
No Raceway, No Power*



Removable steel top cap (medium height) with cutouts for data and communication wiring. Low profile top cap available at an upcharge as a special order item.

slotted vertical accepts panel hung components

plastic end cap (painted metal available with upcharge)

includes TAAC™


| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric | Steel End Caps (pair) |
|------------|------------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|-----------------------|
| Height | Width | | | | | | | | |
| 41H | 18W | TSTA041.18 | 272.00 | -\$38 | -\$20 | +\$52 | +\$115 | +\$167 | +\$32 |
| | 24W | TSTA041.24 | 278.00 | | | | | | |
| | 30W | TSTA041.30 | 298.00 | | | | | | |
| | 36W | TSTA041.36 | 354.00 | | | | | | |
| | 42W | TSTA041.42 | 372.00 | | | | | | |
| | 48W | TSTA041.48 | 384.00 | | | | | | |
| 53H | 18W | TSTA153.18 | \$303.00 | -\$47 | -\$24 | +\$65 | +140 | +\$205 | +\$32 |
| | 24W | TSTA153.24 | 308.00 | | | | | | |
| | 30W | TSTA153.30 | 320.00 | | | | | | |
| | 36W | TSTA153.36 | 432.00 | | | | | | |
| | 42W | TSTA153.42 | 445.00 | | | | | | |
| | 48W | TSTA153.48 | 497.00 | | | | | | |
| 65H | 18W | TSTA165.18 | \$363.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | +\$32 |
| | 24W | TSTA165.24 | 367.00 | | | | | | |
| | 30W | TSTA165.30 | 404.00 | | | | | | |
| | 36W | TSTA165.36 | 474.00 | | | | | | |
| | 42W | TSTA165.42 | 492.00 | | | | | | |
| | 48W | TSTA165.48 | 522.00 | | | | | | |
| 60W | TSTA165.60 | 546.00 | | | | | | | |

DESCRIPTION: Fabric covered TAAC™ surface panel with no bottom raceway. TAAC™ is a new construction offering tackable and acoustical properties. Panel includes (1) pork chop kit. Value panels are the same height as panels with non-powered and powered raceways; there is no provision for the passage of electrical and communication at the bottom of the panel. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Fabric Name and Grade.

| DIMENSIONS | | PRODUCT NUMBER | GRADE 1 LAMINATE LIST PRICE | Steel End Caps (pair) |
|------------|-------|----------------|-----------------------------|-----------------------|
| Height | Width | | | |
| 41H | 18W | SLA241.18 | \$560.00 | +\$32 |
| | 24W | SLA241.24 | 567.00 | |
| | 30W | SLA241.30 | 638.00 | |
| | 36W | SLA241.36 | 709.00 | |
| | 42W | SLA241.42 | 764.00 | |
| | 48W | SLA241.48 | 821.00 | |
| 53H | 18W | SLA253.18 | \$638.00 | +\$32 |
| | 24W | SLA253.24 | 649.00 | |
| | 30W | SLA253.30 | 716.00 | |
| | 36W | SLA253.36 | 792.00 | |
| | 42W | SLA253.42 | 847.00 | |
| | 48W | SLA253.48 | 923.00 | |
| 65H | 18W | SLA265.18 | \$704.00 | +\$32 |
| | 24W | SLA265.24 | 752.00 | |
| | 30W | SLA265.30 | 817.00 | |
| | 36W | SLA265.36 | 918.00 | |
| | 42W | SLA265.42 | 984.00 | |
| | 48W | SLA265.48 | 1,013.00 | |

Laminate Panel

*Both Sides Laminate
No Raceway, No Power*



Removable steel top cap (medium height) with cutouts for data and communication wiring. Low profile top cap available at an upcharge as a special order item.

slotted vertical accepts panel hung components

plastic end cap (painted metal available with upcharge)

Note:


- Take 10% (5% one side) off list price if using Value "BV" laminates
- Take 20% (10% one side) off list price if using Value "SV" laminates

DESCRIPTION: Laminate covered panel with no bottom raceway. Panel includes (1) pork chop kit. Value panels are the same height as panels with non-powered and powered raceways; there is no provision for the passage of electrical and communication at the bottom of the panel. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Laminate Name and Grade.

| DIMENSIONS | | PRODUCT NUMBER | GR 1 FABRIC AND LAMINATE LIST PRICE | Steel End Caps (pair) |
|------------|-------|----------------|-------------------------------------|-----------------------|
| Height | Width | | | |
| 41H | 18W | TSLA141.18 | \$638.00 | +\$32 |
| | 24W | TSLA141.24 | 641.00 | |
| | 30W | TSLA141.30 | 694.00 | |
| | 36W | TSLA141.36 | 754.00 | |
| | 42W | TSLA141.42 | 796.00 | |
| | 48W | TSLA141.48 | 849.00 | |
| 53H | 18W | TSLA153.18 | \$717.00 | +\$32 |
| | 24W | TSLA153.24 | 726.00 | |
| | 30W | TSLA153.30 | 779.00 | |
| | 36W | TSLA153.36 | 851.00 | |
| | 42W | TSLA153.42 | 892.00 | |
| | 48W | TSLA153.48 | 957.00 | |
| 65H | 18W | TSLA165.18 | \$809.00 | +\$32 |
| | 24W | TSLA165.24 | 835.00 | |
| | 30W | TSLA165.30 | 899.00 | |
| | 36W | TSLA165.36 | 978.00 | |
| | 42W | TSLA165.42 | 1,032.00 | |
| | 48W | TSLA165.48 | 1,085.00 | |

DESCRIPTION: Laminate one side, fabric covered TAAC™ surface panel with no bottom raceway. TAAC™ is a new construction offering tackable and acoustical properties. Panel includes (1) pork chop kit. Value panels are the same height as panels with non-powered and powered raceways; there is no provision for the passage of electrical and communication at the bottom of the panel. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product number, trim finish, vertical laminate. If non-standard finish or vertical laminate is specified, minimum quantities, leadtimes and upcharges may apply. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical Laminates are available for a reduced price, see Vertical Surface Laminates for available selections. Contact Compatico Project Management for pricing.

NOTE: Non raceway panels may be used with (connected to) standard raceway panels.



- Note:
- Take 10% (5% one side) off list price if using Value "BV" laminates
 - Take 20% (10% one side) off list price if using Value "SV" laminates

Fabric/Laminate Panel with TAAC™ construction

One Side Laminated Surface
One Side Fabric Surface
No Raceway, No Power

Compatico Systems Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis & Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs


Accessories

FS Desking & Seating

References

- Compatico Systems Terms & Conditions
- Surface Materials
- AO2
- CMW
- G2/Genesis & Benching
- Frames
- Hush
- FreshFIT
- Electrical
- Storage
- Worksurfaces
- Conference & Training Tables
- Legs
- Height Adjustable Legs
- Accessories
- FS Desking & Seating
- References

Fabric Panel with TAAC™ construction
Both Sides Fabric
Non-powered Base



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.


| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric | Steel End Caps (pair) |
|------------|-------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|-----------------------|
| Height | Width | | | | | | | | |
| 41H | 18W | TSTB141.18 | \$283.00 | | | | | | |
| | 24W | TSTB141.24 | 304.00 | | | | | | |
| | 30W | TSTB141.30 | 311.00 | | | | | | |
| | 36W | TSTB141.36 | 406.00 | -\$37 | -\$19 | +\$48 | +\$103 | +\$151 | +\$32 |
| | 42W | TSTB141.42 | 433.00 | | | | | | |
| | 48W | TSTB141.48 | 462.00 | | | | | | |
| 53H | 60W | TSTB141.60 | 492.00 | | | | | | |
| | 18W | TSTB153.18 | \$334.00 | | | | | | |
| | 24W | TSTB153.24 | 354.00 | | | | | | |
| | 30W | TSTB153.30 | 372.00 | | | | | | |
| | 36W | TSTB153.36 | 497.00 | -\$47 | -\$24 | +\$60 | +\$129 | +\$188 | +\$32 |
| | 42W | TSTB153.42 | 518.00 | | | | | | |
| 65H | 48W | TSTB153.48 | 539.00 | | | | | | |
| | 60W | TSTB153.60 | 582.00 | | | | | | |
| | 18W | TSTB165.18 | \$371.00 | | | | | | |
| | 24W | TSTB165.24 | 387.00 | | | | | | |
| | 30W | TSTB165.30 | 414.00 | | | | | | |
| | 36W | TSTB165.36 | 552.00 | -\$60 | -\$30 | +\$73 | +\$159 | +\$234 | +\$32 |
| 80H | 42W | TSTB165.42 | 577.00 | | | | | | |
| | 48W | TSTB165.48 | 606.00 | | | | | | |
| | 60W | TSTB165.60 | 650.00 | | | | | | |
| | 18W | TSTB180.18 | \$432.00 | | | | | | |
| | 24W | TSTB180.24 | 463.00 | | | | | | |
| | 30W | TSTB180.30 | 495.00 | | | | | | |
| 80H | 36W | TSTB180.36 | 641.00 | -\$74 | -\$37 | +\$86 | +\$188 | +\$274 | +\$32 |
| | 42W | TSTB180.42 | 676.00 | | | | | | |
| | 48W | TSTB180.48 | 698.00 | | | | | | |

DESCRIPTION: Fabric covered both sides TAAC™ surface panel with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes non-powered base with side covers and (1) pork chop kit. Raceway provides room for phone and communication cables, as well as, pass-through electrical cables. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Fabric Name and Grade.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric | Steel End Caps (pair) |
|------------|-------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|-----------------------|
| Height | Width | | | | | | | | |
| 41H | 24W | TSTC141.24 | \$419.00 | | | | | | |
| | 30W | TSTC141.30 | 468.00 | | | | | | |
| | 36W | TSTC141.36 | 560.00 | -\$37 | -\$19 | +\$48 | +\$103 | +\$151 | +\$32 |
| | 42W | TSTC141.42 | 615.00 | | | | | | |
| | 48W | TSTC141.48 | 644.00 | | | | | | |
| | 60W | TSTC141.60 | 691.00 | | | | | | |
| 53H | 24W | TSTC153.24 | \$484.00 | | | | | | |
| | 30W | TSTC153.30 | 530.00 | | | | | | |
| | 36W | TSTC153.36 | 669.00 | -\$47 | -\$24 | +\$60 | +\$129 | +\$188 | +\$32 |
| | 42W | TSTC153.42 | 696.00 | | | | | | |
| | 48W | TSTC153.48 | 729.00 | | | | | | |
| | 60W | TSTC153.60 | 782.00 | | | | | | |
| 65H | 24W | TSTC165.24 | \$516.00 | | | | | | |
| | 30W | TSTC165.30 | 574.00 | | | | | | |
| | 36W | TSTC165.36 | 726.00 | -\$60 | -\$30 | +\$73 | +\$159 | +\$234 | +\$32 |
| | 42W | TSTC165.42 | 759.00 | | | | | | |
| | 48W | TSTC165.48 | 794.00 | | | | | | |
| | 60W | TSTC165.60 | 881.00 | | | | | | |
| 80H | 24W | TSTC180.24 | \$593.00 | | | | | | |
| | 30W | TSTC180.30 | 644.00 | | | | | | |
| | 36W | TSTC180.36 | 816.00 | -\$74 | -\$37 | +\$86 | +\$188 | +\$274 | +\$32 |
| | 42W | TSTC180.42 | 855.00 | | | | | | |
| | 48W | TSTC180.48 | 903.00 | | | | | | |

DESCRIPTION: Fabric covered both sides TAAC™ surface panel with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately).

SPECIFY: Product Number, Trim Finish, Fabric Name and Grade.



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

Compatico Systems Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis & Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

FS Desking & Seating

References

Compatico Systems
Terms & Conditions

Fabric Panel
with TAAC™ construction

Surface Materials

*Fabric Both Sides
Powered Base
Byrne 3 Circuit/5 Wire Electrical*

AO2

includes TAAC™

*Removable steel top cap
(medium height) with cutouts
for data and communication
wiring. Low profile top cap
available at an upcharge as
a special order item.*

CMW

*slotted
vertical
accepts
panel hung
components*

G2/Genesis &
Benching

Frames

*plastic
end cap
(painted metal
available with
upcharge)*

Hush

FreshFIT

*fabric
covered
surface*

Electrical

*2 duplex
covers are
shipped with
every powered
panel*

Storage

*power way
accepts duplexes
on both
sides of panel
(order duplexes
separately)*

Worksurfaces

*Note: opposing panel sides may have alternative
materials (e.g. laminate, acoustical tackable). Please
contact Compatico Project Management for details
and pricing.*

Conference &
Training Tables

*Note: Order panel-to-panel electrical
jumper separately.*

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | COM Fabric | Exclusive and Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric | Steel End Caps (pair) |
|------------|-------|----------------|------------|------------|----------------------------|----------------|----------------|----------------|-----------------------|
| Height | Width | | | | | | | | |
| 41H | 24W | TSTD141.24 | \$326.00 | | | | | | |
| | 30W | TSTD141.30 | 364.00 | | | | | | |
| | 36W | TSTD141.36 | 456.00 | -\$37 | -\$19 | +\$48 | +\$103 | +\$151 | +\$32 |
| | 42W | TSTD141.42 | 505.00 | | | | | | |
| 53H | 24W | TSTD153.24 | \$391.00 | | | | | | |
| | 30W | TSTD153.30 | 426.00 | | | | | | |
| | 36W | TSTD153.36 | 565.00 | -\$47 | -\$24 | +\$60 | +\$129 | +\$188 | +\$32 |
| | 42W | TSTD153.42 | 586.00 | | | | | | |
| 65H | 24W | TSTD165.24 | \$423.00 | | | | | | |
| | 30W | TSTD165.30 | 470.00 | | | | | | |
| | 36W | TSTD165.36 | 623.00 | -\$60 | -\$30 | +\$73 | +\$159 | +\$234 | +\$32 |
| | 42W | TSTD165.42 | 649.00 | | | | | | |
| 80H | 24W | TSTD180.24 | \$500.00 | | | | | | |
| | 30W | TSTD180.30 | 540.00 | | | | | | |
| | 36W | TSTD180.36 | 712.00 | -\$74 | -\$37 | +\$86 | +\$188 | +\$274 | +\$32 |
| | 42W | TSTD180.42 | 745.00 | | | | | | |
| 48W | 24W | TSTD180.48 | 790.00 | | | | | | |


DESCRIPTION: Fabric covered TAAC™ surface panel with wire management base attached.

TAAC™ is a new construction offering tackable and acoustical properties. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately).

SPECIFY: Product Number, Trim Finish, Fabric Name and Grade.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | Steel End Caps (pair) |
|------------|-------|----------------|------------|-----------------------|
| Height | Width | | | |
| 41H | 18W | SLB241.18 | \$575.00 | +\$32 |
| | 24W | SLB241.24 | 578.00 | |
| | 30W | SLB241.30 | 642.00 | |
| | 36W | SLB241.36 | 716.00 | |
| | 42W | SLB241.42 | 775.00 | |
| | 48W | SLB241.48 | 847.00 | |
| 53H | 18W | SLB253.18 | \$652.00 | +\$32 |
| | 24W | SLB253.24 | 663.00 | |
| | 30W | SLB253.30 | 794.00 | |
| | 36W | SLB253.36 | 799.00 | |
| | 42W | SLB253.42 | 858.00 | |
| | 48W | SLB253.48 | 948.00 | |
| 65H | 18W | SLB265.18 | \$719.00 | +\$32 |
| | 24W | SLB265.24 | 764.00 | |
| | 30W | SLB265.30 | 821.00 | |
| | 36W | SLB265.36 | 924.00 | |
| | 42W | SLB265.42 | 996.00 | |
| | 48W | SLB265.48 | 1,037.00 | |

DESCRIPTION: Laminate covered hard surface panel with wire management base attached. Includes non-powered base with side covers and (1) pork chop kit. Raceway provides room for phone & communication cables, as well as, pass through electrical cables. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Vertical Laminate. If alternative finish or laminate is specified, minimum quantities, leadtimes and upcharges may apply. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical Laminates are available for a reduced price, see Vertical Surface Laminates for available selections. Contact Compatico Project Management for pricing.



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

- Note:
- Take 10% (5% one side) off list price if using Value "BV" laminates
 - Take 20% (10% one side) off list price if using Value "SV" laminates

Laminated Panel
Laminated Both Sides
Non-powered Base

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Compatico Systems
Terms & Conditions

Laminated Panel

Laminated Both Sides
Powered Base

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Removable steel top cap (medium height) with cutouts for data and communication wiring. Low profile top cap available at an upcharge as a special order item.



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

Note:

- Take 10% (5% one side) off list price if using Value "BV" laminates
- Take 20% (10% one side) off list price if using Value "SV" laminates

| DIMENSIONS | | POWERED 8 WIRE/4 CIRCUIT | | POWERED 5 WIRE/3 CIRCUIT | | Steel End Caps (pair) |
|------------|-------|-----------------------------|------------|-----------------------------|------------|-----------------------|
| Height | Width | PRODUCT NUMBER | LIST PRICE | PRODUCT NUMBER | LIST PRICE | |
| 41H | 24W | SLC241.24 | \$712.00 | SLD241.24 | \$619.00 | +\$32 |
| | 30W | SLC241.30 | 802.00 | SLD241.30 | 698.00 | |
| | 36W | SLC241.36 | 898.00 | SLD241.36 | 794.00 | |
| | 42W | SLC241.42 | 969.00 | SLD241.42 | 859.00 | |
| 53H | 24W | SLC253.24 | \$796.00 | SLD253.24 | \$704.00 | +\$32 |
| | 30W | SLC253.30 | 880.00 | SLD253.30 | 776.00 | |
| | 36W | SLC253.36 | 981.00 | SLD253.36 | 877.00 | |
| | 42W | SLC253.42 | 1,053.00 | SLD253.42 | 943.00 | |
| 65H | 24W | SLC265.24 | \$898.00 | SLD265.24 | \$806.00 | +\$32 |
| | 30W | SLC265.30 | 981.00 | SLD265.30 | 877.00 | |
| | 36W | SLC265.36 | 1,106.00 | SLD265.36 | 1,002.00 | |
| | 42W | SLC265.42 | 1,190.00 | SLD265.42 | 1,079.00 | |
| 80H | 24W | SLC280.24 | \$1,059.00 | SLD280.24 | \$966.00 | +\$32 |
| | 30W | SLC280.30 | 1,201.00 | SLD280.30 | 1,097.00 | |
| | 36W | SLC280.36 | 1,380.00 | SLD280.36 | 1,276.00 | |
| | 42W | SLC280.42 | 1,572.00 | SLD280.42 | 1,462.00 | |
| | 48W | SLC280.48 | 1,617.00 | SLD280.48 | 1,503.00 | |

DESCRIPTION: Laminate covered hard surface panel with wire management base attached. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Vertical Laminate. If alternative finish or laminate is specified, minimum quantities, leadtimes and upcharges may apply. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical Laminates are available for a reduced price, see Vertical Surface Laminates for available selections. Contact Compatico Project Management for pricing.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | Steel End Caps (pair) |
|----------------------------------|-------|----------------|------------|-----------------------|
| Height | Width | | | |
| NON-POWERED CLEAR ACRYLIC | | | | |
| 65H | 24W | STB665.24 | \$804.00 | +\$32 |
| | 36W | STB665.36 | 959.00 | |
| | 48W | STB665.48 | 1,155.00 | |
| 80H | 24W | STB680.24 | \$895.00 | +\$32 |
| | 36W | STB680.36 | 1,107.00 | |
| | 48W | STB680.48 | 1,230.00 | |


| | | | | |
|-----------------------------------|-----|-----------|----------|-------|
| NON-POWERED SMOKED ACRYLIC | | | | |
| 65H | 24W | STB765.24 | \$852.00 | +\$32 |
| | 36W | STB765.36 | 1,062.00 | |
| | 48W | STB765.48 | 1,257.00 | |
| 80H | 24W | STB780.24 | \$995.00 | +\$32 |
| | 36W | STB780.36 | 1,154.00 | |
| | 48W | STB780.48 | 1,390.00 | |

| | | | | |
|------------------------------------|-----|-----------|------------|-------|
| NON-POWERED FROSTED ACRYLIC | | | | |
| 65H | 24W | FTB665.24 | \$1,290.00 | +\$32 |
| | 36W | FTB665.36 | 1,607.00 | |
| | 48W | FTB665.48 | 1,673.00 | |
| 80H | 24W | FTB680.24 | \$1,383.00 | +\$32 |
| | 36W | FTB680.36 | 2,003.00 | |
| | 48W | FTB680.48 | 2,074.00 | |

| DIMENSIONS | | POWERED 8 WIRE/4 CIRCUIT | | POWERED 5 WIRE/3 CIRCUIT | | Steel End Caps (pair) |
|--------------------------------|-------|--------------------------|------------|--------------------------|------------|-----------------------|
| Height | Width | PRODUCT NUMBER | LIST PRICE | PRODUCT NUMBER | LIST PRICE | |
| POWERED CLEAR ACRYLIC | | | | | | |
| 65H | 24W | STC665.24 | \$921.00 | STD665.24 | \$885.00 | +\$32 |
| | 36W | STC665.36 | 1,101.00 | STD665.36 | 1,065.00 | |
| | 48W | STC665.48 | 1,308.00 | STD665.48 | 1,276.00 | |
| 80H | 24W | STC680.24 | \$1,041.00 | STD680.24 | \$1,013.00 | +\$32 |
| | 36W | STC680.36 | 1,280.00 | STD680.36 | 1,255.00 | |
| | 48W | STC680.48 | 1,400.00 | STD680.48 | 1,374.00 | |
| POWERED SMOKED ACRYLIC | | | | | | |
| 65H | 24W | STC765.24 | \$969.00 | STD765.24 | \$936.00 | +\$32 |
| | 36W | STC765.36 | 1,205.00 | STD765.36 | 1,176.00 | |
| | 48W | STC765.48 | 1,413.00 | STD765.48 | 1,388.00 | |
| 80H | 24W | STC780.24 | \$1,111.00 | STD780.24 | \$1,088.00 | +\$32 |
| | 36W | STC780.36 | 1,314.00 | STD780.36 | 1,291.00 | |
| | 48W | STC780.48 | 1,577.00 | STD780.48 | 1,562.00 | |
| POWERED FROSTED ACRYLIC | | | | | | |
| 65H | 24W | FTC665.24 | \$1,427.00 | FTD665.24 | \$1,424.00 | +\$32 |
| | 36W | FTC665.36 | 2,062.00 | FTD665.36 | 2,089.00 | |
| | 48W | FTC665.48 | 2,149.00 | FTD665.48 | 2,171.00 | |
| 80H | 24W | FTC680.24 | \$1,520.00 | FTD680.24 | \$1,523.00 | +\$32 |
| | 36W | FTC680.36 | 2,187.00 | FTD680.36 | 2,222.00 | |
| | 48W | FTC680.48 | 2,271.00 | FTD680.48 | 2,302.00 | |

Full Glazed Panel

Non-powered & Powered Base




DESCRIPTION: Structural painted panel includes Clear, Smoked or Frosted acrylic with wire management base attached. Includes non-powered or powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Glazing Strips and Trim Finish.

Compatico Systems
Terms & Conditions


Half Glazed Panel
with TAAC™ construction

Non-powered Base



Half Glazed Panel
with TAAC™ construction

Powered Base
Byrne 4 Circuit/8 Wire Electrical




| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | Steel End Caps (pair) | COM Fabric | Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|------------------------------------|-------|----------------|------------|-----------------------|------------|--------------|----------------|----------------|----------------|
| Height | Width | | | | | | | | |
| NON-POWERED CLEAR ACRYLIC | | | | | | | | | |
| 65H | 24W | TSTB465.24 | \$825.00 | | | | | | |
| | 36W | TSTB465.36 | 1,016.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTB465.48 | 1,112.00 | | | | | | |
| 80H | 24W | TSTB480.24 | \$952.00 | | | | | | |
| | 36W | TSTB480.36 | 1,163.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTB480.48 | 1,306.00 | | | | | | |
| NON-POWERED SMOKED ACRYLIC | | | | | | | | | |
| 65H | 24W | TSTB565.24 | \$852.00 | | | | | | |
| | 36W | TSTB565.36 | 1,042.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTB565.48 | 1,188.00 | | | | | | |
| 80H | 24W | TSTB580.24 | \$1,193.00 | | | | | | |
| | 36W | TSTB580.36 | 1,231.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTB580.48 | 1,643.00 | | | | | | |
| NON-POWERED FROSTED ACRYLIC | | | | | | | | | |
| 65H | 24W | TFTB465.24 | \$1,045.00 | | | | | | |
| | 36W | TFTB465.36 | 1,135.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TFTB465.48 | 1,422.00 | | | | | | |
| 80H | 24W | TFTB480.24 | \$1,104.00 | | | | | | |
| | 36W | TFTB480.36 | 1,341.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TFTB480.48 | 1,572.00 | | | | | | |
| POWERED CLEAR ACRYLIC | | | | | | | | | |
| 65H | 24W | TSTC465.24 | \$975.00 | | | | | | |
| | 36W | TSTC465.36 | 1,187.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTC465.48 | 1,298.00 | | | | | | |
| 80H | 24W | TSTC480.24 | \$1,247.00 | | | | | | |
| | 36W | TSTC480.36 | 1,542.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTC480.48 | 1,718.00 | | | | | | |
| POWERED SMOKED ACRYLIC | | | | | | | | | |
| 65H | 24W | TSTC565.24 | \$1,130.00 | | | | | | |
| | 36W | TSTC565.36 | 1,214.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTC565.48 | 1,524.00 | | | | | | |
| 80H | 24W | TSTC580.24 | \$1,331.00 | | | | | | |
| | 36W | TSTC580.36 | 1,619.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTC580.48 | 1,840.00 | | | | | | |
| POWERED FROSTED ACRYLIC | | | | | | | | | |
| 65H | 24W | TFTC465.24 | \$1,182.00 | | | | | | |
| | 36W | TFTC465.36 | 1,425.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TFTC465.48 | 1,619.00 | | | | | | |
| 80H | 24W | TFTC480.24 | \$1,425.00 | | | | | | |
| | 36W | TFTC480.36 | 1,747.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TFTC480.48 | 2,031.00 | | | | | | |

DESCRIPTION: TAAC™ Structural Painted Panel includes Clear, Smoked or Frosted acrylic in top section & fabric covered hard surface in bottom section with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes non-powered or powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **NOTE:** Nominal height from floor to top of fabric insert is 39 5/8". **SPECIFY:** Product Number, Glazing Strips, Fabric and Trim Finish. **NOTE:** For laminate or for acoustical option (part # and pricing), contact Compatico Project Management.

| DIMENSIONS | | PRODUCT NUMBER | LIST PRICE | Steel End Caps (pair) | COM Fabric | Value Fabric | Grade 2 Fabric | Grade 3 Fabric | Grade 4 Fabric |
|--------------------------------|-------|----------------|------------|-----------------------|------------|--------------|----------------|----------------|----------------|
| Height | Width | | | | | | | | |
| POWERED CLEAR ACRYLIC | | | | | | | | | |
| 65H | 24W | TSTD465.24 | \$883.00 | | | | | | |
| | 36W | TSTD465.36 | 1,084.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTD465.48 | 1,184.00 | | | | | | |
| 80H | 24W | TSTD480.24 | \$1,155.00 | | | | | | |
| | 36W | TSTD480.36 | 1,439.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTD480.48 | 1,605.00 | | | | | | |
| POWERED SMOKED ACRYLIC | | | | | | | | | |
| 65H | 24W | TSTD565.24 | \$1,037.00 | | | | | | |
| | 36W | TSTD565.36 | 1,110.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTD565.48 | 1,411.00 | | | | | | |
| 80H | 24W | TSTD580.24 | \$1,206.00 | | | | | | |
| | 36W | TSTD580.36 | 1,515.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TSTD580.48 | 1,727.00 | | | | | | |
| POWERED FROSTED ACRYLIC | | | | | | | | | |
| 65H | 24W | TFTD465.24 | \$1,090.00 | | | | | | |
| | 36W | TFTD465.36 | 1,321.00 | +\$32 | -\$32 | -\$16 | +\$46 | +\$99 | +\$145 |
| | 48W | TFTD465.48 | 1,505.00 | | | | | | |
| 80H | 24W | TFTD480.24 | \$1,377.00 | | | | | | |
| | 36W | TFTD480.36 | 1,689.00 | +\$32 | -\$38 | -\$20 | +\$46 | +\$99 | +\$145 |
| | 48W | TFTD480.48 | 1,962.00 | | | | | | |

DESCRIPTION: TAAC™ Structural Painted Panel includes Clear, Smoked or Frosted acrylic in top section & fabric covered hard surface in bottom section with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **NOTE:** Nominal height from floor to top of fabric insert is 39 5/8". **SPECIFY:** Product Number, Glazing Strips, Fabric and Trim Finish. **NOTE:** For laminate or for acoustical option (part # and pricing), contact Compatico Project Management.



Note: Order panel-to-panel electrical jumper separately.

Half Glazed Panel with TAAC™ construction
 Powered Base
 Byrne 3 Circuit/5 Wire Electrical

- Compatico Systems Terms & Conditions
- Surface Materials
- AO2
- CMW
- G2/Genesis & Benching
- Frames
- Hush
- FreshFIT
- Electrical
- Storage
- Worksurfaces
- Conference & Training Tables
- Legs
- Height Adjustable Legs
- Accessories
- FS Desking & Seating
- References

DESCRIPTION:


CMW PolyStax Panel includes: (1) Fully Factory-Assembled CMW PolyStax Panel with slotted standards on both sides with plastic end cap covers. Also includes painted steel reveal channels between stacker designs, and a steel painted top cap. Note: Specify fabric, laminate, finish, and part number with dimensions. Each panel comes with a Pork Chop connector kit and mounting hardware. Fully assembled CMW PolyStax Panel comes with single, full-length end caps (plastic is standard - for painted steel, up-charge applies).

Floor-To-Ceiling Applications – CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

Hanging Components – Hanging components may be used on PolyStax panels. Contact Compatico if more than one worksurface and one overhead are to be hung per panel.

PRODUCT NOTES:

- Additional stacking combination options are available, please contact 1-800-336-1772
- No limit on the total number of stackers (up to 120")
- Floor to ceiling option available contact 1-800-336-1772
- All list prices reflect standard fabric and/or laminate and/or finishes. Contact Compatico Customer Service at 1-800-336-1772, for value deductions or higher grade material pricing.



To maintain OEM standard heights – New panel height desired:

53" = 41" existing panel + 11" stacker

65" = 53" existing panel + 12" stacker

65" = 41" existing panel + 23" stacker

65" = 41" existing panel + 11" stacker + 12" stacker

80" = 53" existing panel + 28" stacker

80" = 65" existing panel + 15" stacker

80" = 41" existing panel + 11" stacker + 28" stacker


80" = 41" existing panel + 15" stacker + 23" stacker

80" = 53" existing panel + 12" stacker + 15" stacker


Note: Any combination of PolyStax heights may be used per your design needs allowing for various alternative overall height options.

BUILD A NEW LOOK WITH MULTIPLE STACKER OPTIONS


PolyStax units are available in eight different surface material options. Introduce different fabrics, marker board, acrylic windows (clear, smoked, frosted) and open pass-thru stackers to your office environment.




Laminate




Fabric Covered Hard Surface




Fabric Covered Tackable



Marker Board



Glass (Clear/Smoked/Frosted)




Open Pass-Through

| DIMENSIONS | | | | | | | | | |
|-----------------------------------|------------|----------------|------------------------|------------|---------------|-----------------------|-----------------------|-----------------------|--|
| Overall Height | Width | PRODUCT NUMBER | GR 1 FABRIC LIST PRICE | COM FABRIC | VALUE FAB-RIC | GR 2 FABRIC UP-CHARGE | GR 3 FABRIC UP-CHARGE | GR 4 FABRIC UP-CHARGE | |
| 53H 41" + 11.125" | 24" | TSHV153.24 | \$437.00 | | | | | | |
| | 30" | TSHV153.30 | 539.00 | | | | | | |
| | 36" | TSHV153.36 | 674.00 | -\$47 | -\$24 | +\$65 | +\$140 | +\$205 | |
| | 42" | TSHV153.42 | 704.00 | | | | | | |
| | 48" | TSHV153.48 | 734.00 | | | | | | |
| 60" | TSHV153.60 | 773.00 | | | | | | | |
| 65H 53" + 12.312" | 24" | TSHV165.24 | \$535.00 | | | | | | |
| | 30" | TSHV165.30 | 545.00 | | | | | | |
| | 36" | TSHV165.36 | 749.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | |
| | 42" | TSHV165.42 | 786.00 | | | | | | |
| | 48" | TSHV165.48 | 814.00 | | | | | | |
| 60" | TSHV165.60 | 863.00 | | | | | | | |
| 65H 41"+23.437" | 24" | TSHV065.24 | \$556.00 | | | | | | |
| | 30" | TSHV065.30 | 632.00 | | | | | | |
| | 36" | TSHV065.36 | 694.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | |
| | 42" | TSHV065.42 | 723.00 | | | | | | |
| | 48" | TSHV065.48 | 754.00 | | | | | | |
| 60" | TSHV065.60 | 792.00 | | | | | | | |
| 65H 41" + 11.125" + 12.312" | 24" | TSHV265.24 | \$690.00 | | | | | | |
| | 30" | TSHV265.30 | 732.00 | | | | | | |
| | 36" | TSHV265.36 | 906.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | |
| | 42" | TSHV265.42 | 948.00 | | | | | | |
| | 48" | TSHV265.48 | 992.00 | | | | | | |
| 60" | TSHV265.60 | 1,042.00 | | | | | | | |
| 80H 53" + 28.125" | 24" | TSHV080.24 | \$608.00 | | | | | | |
| | 30" | TSHV080.30 | 638.00 | | | | | | |
| | 36" | TSHV080.36 | 700.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHV080.42 | 730.00 | | | | | | |
| | 48" | TSHV080.48 | 760.00 | | | | | | |
| 60" | TSHV080.60 | 799.00 | | | | | | | |
| 80H 65" + 15.812" | 24" | TSHV180.24 | \$596.00 | | | | | | |
| | 30" | TSHV180.30 | 626.00 | | | | | | |
| | 36" | TSHV180.36 | 755.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHV180.42 | 792.00 | | | | | | |
| | 48" | TSHV180.48 | 820.00 | | | | | | |
| 60" | TSHV180.60 | 871.00 | | | | | | | |
| 80H 41" + 11.125" + 28.125" | 24" | TSHV280.24 | \$736.00 | | | | | | |
| | 30" | TSHV280.30 | 777.00 | | | | | | |
| | 36" | TSHV280.36 | 924.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHV280.42 | 967.00 | | | | | | |
| | 48" | TSHV280.48 | 1,010.00 | | | | | | |
| 60" | TSHV280.60 | 1,062.00 | | | | | | | |
| 80H 41" + 15.812 + 23.437 | 24" | TSHV380.24 | \$769.00 | | | | | | |
| | 30" | TSHV380.30 | 810.00 | | | | | | |
| | 36" | TSHV380.36 | 931.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHV380.42 | 973.00 | | | | | | |
| | 48" | TSHV380.48 | 1,024.00 | | | | | | |
| 60" | TSHV380.60 | 1,068.00 | | | | | | | |
| 80H 53" + 12.312" + 15.812" | 24" | TSHV480.24 | \$775.00 | | | | | | |
| | 30" | TSHV480.30 | 818.00 | | | | | | |
| | 36" | TSHV480.36 | 986.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHV480.42 | 1,036.00 | | | | | | |
| | 48" | TSHV480.48 | 1,077.00 | | | | | | |
| 60" | TSHV480.60 | 1,140.00 | | | | | | | |

Fully Assembled Stacker Units
with TAAC™ construction

**Fabric Covered
Both Sides
No Raceway, No Power**



NOTE: Steel End Cap is available for upcharge.
NOTE: Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

Other stacking configurations are available.
Contact Compatico Customer Service.

DESCRIPTION: Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length plastic end cap cover, painted steel reveal channels between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. **SPECIFY:** Product Number, Fabric, Finish.

Compatico Systems
Terms & Conditions

Fully Assembled Stacker Units
with TAAC™ construction

Surface Materials

*Fabric Covered
With Raceway, No Power*

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



NOTE: Steel End Cap is available for upcharge.
NOTE: Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

Other stacking configurations are available.
Contact Compatico Customer Service.


DIMENSIONS

| Overall Height | Width | PRODUCT NUMBER | GR 1 FABRIC LIST PRICE | COM FAB-RIC | VALUE FABRIC | GR 2 FABRIC UP-CHARGE | GR 3 FABRIC UP-CHARGE | GR 4 FABRIC UP-CHARGE |
|-----------------------------------|------------|----------------|------------------------|-------------|--------------|-----------------------|-----------------------|-----------------------|
| 53H 41" + 11.125" | 24" | TSHB153.24 | \$536.00 | -\$47 | -\$24 | +\$65 | +\$140 | +\$205 |
| | 30" | TSHB153.30 | 549.00 | | | | | |
| | 36" | TSHB153.36 | 584.00 | | | | | |
| | 42" | TSHB153.42 | 614.00 | | | | | |
| | 48" | TSHB153.48 | 750.00 | | | | | |
| 65H 53" + 12.312" | 24" | TSHB165.24 | \$506.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 |
| | 30" | TSHB165.30 | 603.00 | | | | | |
| | 36" | TSHB165.36 | 748.00 | | | | | |
| | 42" | TSHB165.42 | 783.00 | | | | | |
| | 48" | TSHB165.48 | 830.00 | | | | | |
| 65H 41"+23.437" | 24" | TSHB065.24 | \$560.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 |
| | 30" | TSHB065.30 | 595.00 | | | | | |
| | 36" | TSHB065.36 | 664.00 | | | | | |
| | 42" | TSHB065.42 | 736.00 | | | | | |
| | 48" | TSHB065.48 | 769.00 | | | | | |
| 65H 41" + 11.125" + 12.312" | 24" | TSHB265.24 | \$696.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 |
| | 30" | TSHB265.30 | 742.00 | | | | | |
| | 36" | TSHB265.36 | 783.00 | | | | | |
| | 42" | TSHB265.42 | 961.00 | | | | | |
| | 48" | TSHB265.48 | 1,006.00 | | | | | |
| 80H 53" + 28.125" | 24" | TSHB180.24 | \$611.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 30" | TSHB180.30 | 648.00 | | | | | |
| | 36" | TSHB180.36 | 768.00 | | | | | |
| | 42" | TSHB180.42 | 802.00 | | | | | |
| | 48" | TSHB180.48 | 842.00 | | | | | |
| 80H 65" + 15.812" | 24" | TSHB080.24 | \$636.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 30" | TSHB080.30 | 648.00 | | | | | |
| | 36" | TSHB080.36 | 696.00 | | | | | |
| | 42" | TSHB080.42 | 717.00 | | | | | |
| | 48" | TSHB080.48 | 888.00 | | | | | |
| 80H 41" + 11.125" + 28.125" | 24" | TSHB280.24 | \$741.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 30" | TSHB280.30 | 787.00 | | | | | |
| | 36" | TSHB280.36 | 932.00 | | | | | |
| | 42" | TSHB280.42 | 980.00 | | | | | |
| | 48" | TSHB280.48 | 1,027.00 | | | | | |
| 80H 41" + 15.812 + 23.437 | 24" | TSHB380.24 | \$773.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 30" | TSHB380.30 | 819.00 | | | | | |
| | 36" | TSHB380.36 | 938.00 | | | | | |
| | 42" | TSHB380.42 | 986.00 | | | | | |
| | 48" | TSHB380.48 | 1,033.00 | | | | | |
| 80H 53" + 12.312" + 15.812" | 24" | TSHB480.24 | \$779.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 30" | TSHB480.30 | 828.00 | | | | | |
| | 36" | TSHB480.36 | 986.00 | | | | | |
| | 42" | TSHB480.42 | 1,034.00 | | | | | |
| | 48" | TSHB480.48 | 1,086.00 | | | | | |
| 60" | TSHB480.60 | 1,154.00 | | | | | | |

DESCRIPTION: Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length plastic end cap cover, painted steel reveal channels between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. **SPECIFY:** Product Number, Fabric, Finish.

Fully Assembled Stacker Units
with TAAC™ construction

*Fabric Covered
With Raceway, With Power
Byrne 4 Circuit/8 Wire Electrical*



NOTE: Steel End Cap is available
for upcharge.

NOTE: Opposing panel sides may have alternative
materials applied, tackable, acoustical, please
contact Compatico Project Management for avail-
ability. Upcharges may apply.

Other stacking configurations are available.
Contact Compatico Customer Service.

| DIMENSIONS | | | | | | | | | |
|-----------------------------------|-------|----------------|------------------------|------------|--------------|-----------------------|-----------------------|-----------------------|--|
| Overall Height | Width | PRODUCT NUMBER | GR 1 FABRIC LIST PRICE | COM FABRIC | VALUE FABRIC | GR 2 FABRIC UP-CHARGE | GR 3 FABRIC UP-CHARGE | GR 4 FABRIC UP-CHARGE | |
| 53H 41" + 11.125" | 24" | TSHC153.24 | \$663.00 | | | | | | |
| | 30" | TSHC153.30 | 733.00 | | | | | | |
| | 36" | TSHC153.36 | 879.00 | -\$47 | -\$24 | +\$65 | +\$140 | +\$205 | |
| | 42" | TSHC153.42 | 921.00 | | | | | | |
| | 48" | TSHC153.48 | 962.00 | | | | | | |
| | 60" | TSHC153.60 | 1,028.00 | | | | | | |
| 65H 53" + 12.312" | 24" | TSHC165.24 | \$713.00 | | | | | | |
| | 30" | TSHC165.30 | 787.00 | | | | | | |
| | 36" | TSHC165.36 | 948.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | |
| | 42" | TSHC165.42 | 987.00 | | | | | | |
| | 48" | TSHC165.48 | 1,045.00 | | | | | | |
| | 60" | TSHC165.60 | 1,104.00 | | | | | | |
| 65H 41"+23.437" | 24" | TSHC065.24 | \$707.00 | | | | | | |
| | 30" | TSHC065.30 | 779.00 | | | | | | |
| | 36" | TSHC065.36 | 898.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | |
| | 42" | TSHC065.42 | 941.00 | | | | | | |
| | 48" | TSHC065.48 | 981.00 | | | | | | |
| | 60" | TSHC065.60 | 1,046.00 | | | | | | |
| 65H 41" + 11.125" + 12.312" | 24" | TSHC265.24 | \$843.00 | | | | | | |
| | 30" | TSHC265.30 | 925.00 | | | | | | |
| | 36" | TSHC265.36 | 1,109.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 | |
| | 42" | TSHC265.42 | 1,165.00 | | | | | | |
| | 48" | TSHC265.48 | 1,219.00 | | | | | | |
| | 60" | TSHC265.60 | 1,298.00 | | | | | | |
| 80H 53" + 28.125" | 24" | TSHC080.24 | \$758.00 | | | | | | |
| | 30" | TSHC080.30 | 831.00 | | | | | | |
| | 36" | TSHC080.36 | 967.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHC080.42 | 1,012.00 | | | | | | |
| | 48" | TSHC080.48 | 1,054.00 | | | | | | |
| | 60" | TSHC080.60 | 1,124.00 | | | | | | |
| 80H 65" + 15.812" | 24" | TSHC180.24 | \$768.00 | | | | | | |
| | 30" | TSHC180.30 | 845.00 | | | | | | |
| | 36" | TSHC180.36 | 1,006.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHC180.42 | 1,055.00 | | | | | | |
| | 48" | TSHC180.48 | 1,101.00 | | | | | | |
| | 60" | TSHC180.60 | 1,177.00 | | | | | | |
| 80H 41" + 11.125" + 28.125" | 24" | TSHC280.24 | \$887.00 | | | | | | |
| | 30" | TSHC280.30 | 971.00 | | | | | | |
| | 36" | TSHC280.36 | 1,129.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHC280.42 | 1,184.00 | | | | | | |
| | 48" | TSHC280.48 | 1,239.00 | | | | | | |
| | 60" | TSHC280.60 | 1,316.00 | | | | | | |
| 80H 41" + 15.812 + 23.437 | 24" | TSHC380.24 | \$919.00 | | | | | | |
| | 30" | TSHC380.30 | 1,003.00 | | | | | | |
| | 36" | TSHC380.36 | 1,142.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHC380.42 | 1,191.00 | | | | | | |
| | 48" | TSHC380.48 | 1,245.00 | | | | | | |
| | 60" | TSHC380.60 | 1,324.00 | | | | | | |
| 80H 53" + 12.312" + 15.812" | 24" | TSHC480.24 | \$925.00 | | | | | | |
| | 30" | TSHC480.30 | 1,012.00 | | | | | | |
| | 36" | TSHC480.36 | 1,185.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 | |
| | 42" | TSHC480.42 | 1,251.00 | | | | | | |
| | 48" | TSHC480.48 | 1,298.00 | | | | | | |
| | 60" | TSHC480.60 | 1,381.00 | | | | | | |

DESCRIPTION: Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length plastic end cap cover, painted steel reveal channels between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish.

Compatico Systems
Terms & Conditions

Fully Assembled Stacker Units
with TAAC™ construction

Surface Materials

*Fabric Covered
With Raceway, With Power
Byrne 3 Circuit/5 Wire Electrical*

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



includes TAAC™

Note: Order panel-to-panel
electrical jumper separately.

NOTE: Steel End Cap is available
for upcharge.

NOTE: Opposing panel sides may have alternative
materials applied, tackable, acoustical, please
contact Compatico Project Management for avail-
ability. Upcharges may apply.

Other stacking configurations are available.
Contact Compatico Customer Service.

DIMENSIONS

| Overall Height | Width | PRODUCT NUMBER | GR 1 FABRIC LIST PRICE | COM FABRIC | VALUE FABRIC | GR 2 FABRIC UP-CHARGE | GR 3 FABRIC UP-CHARGE | GR 4 FABRIC UP-CHARGE |
|-----------------------------------|-------|----------------|------------------------|------------|--------------|-----------------------|-----------------------|-----------------------|
| 53H 41" + 11.125" | 24" | TSHD153.24 | \$570.00 | | | | | |
| | 30" | TSHD153.30 | 529.00 | | | | | |
| | 36" | TSHD153.36 | 775.00 | -\$47 | -\$24 | +\$65 | +\$140 | +\$205 |
| | 42" | TSHD153.42 | 811.00 | | | | | |
| 65H 53" + 12.312" | 24" | TSHD165.24 | \$620.00 | | | | | |
| | 30" | TSHD165.30 | 683.00 | | | | | |
| | 36" | TSHD165.36 | 844.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 |
| | 42" | TSHD165.42 | 877.00 | | | | | |
| 65H 41"+23.437" | 24" | TSHD065.24 | \$636.00 | | | | | |
| | 30" | TSHD065.30 | 699.00 | | | | | |
| | 36" | TSHD065.36 | 794.00 | -\$60 | -\$30 | +\$77 | +\$166 | +\$243 |
| | 42" | TSHD065.42 | 830.00 | | | | | |
| 65H 41" + 11.125" + 12.312" | 24" | TSHD265.24 | \$750.00 | | | | | |
| | 30" | TSHD265.30 | 821.00 | | | | | |
| | 36" | TSHD265.36 | 1,072.00 | -\$60 | -\$30 | +\$74 | +\$166 | +\$243 |
| | 42" | TSHD265.42 | 1,126.00 | | | | | |
| 80H 53" + 28.125" | 24" | TSHD080.24 | \$666.00 | | | | | |
| | 30" | TSHD080.30 | 728.00 | | | | | |
| | 36" | TSHD080.36 | 863.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 42" | TSHD080.42 | 901.00 | | | | | |
| 80H 65" + 15.812" | 24" | TSHD180.24 | \$675.00 | | | | | |
| | 30" | TSHD180.30 | 741.00 | | | | | |
| | 36" | TSHD180.36 | 902.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 42" | TSHD180.42 | 945.00 | | | | | |
| 80H 41" + 11.125" + 28.125" | 24" | TSHD280.24 | \$794.00 | | | | | |
| | 30" | TSHD280.30 | 867.00 | | | | | |
| | 36" | TSHD280.36 | 1,025.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 42" | TSHD280.42 | 1,074.00 | | | | | |
| 80H 41" + 15.812 + 23.437 | 24" | TSHD380.24 | \$826.00 | | | | | |
| | 30" | TSHD380.30 | 899.00 | | | | | |
| | 36" | TSHD380.36 | 1,038.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 42" | TSHD380.42 | 1,074.00 | | | | | |
| 80H 53" + 12.312" + 15.812" | 24" | TSHD480.24 | \$832.00 | | | | | |
| | 30" | TSHD480.30 | 908.00 | | | | | |
| | 36" | TSHD480.36 | 1,081.00 | -\$74 | -\$37 | +\$92 | +\$199 | +\$290 |
| | 42" | TSHD480.42 | 1,141.00 | | | | | |
| 80H | 48" | TSHD480.48 | 1,184.00 | | | | | |

DESCRIPTION: Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length plastic end cap cover, painted steel reveal channels between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish.