

FRAMES

Compatico Systems
Terms & Conditions

Four-Trac Electrical
*Male/Female Jumper
3-Way Harness*

Surface Materials

AO2



QBE41956-3-xx

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41956-3-12	Male/Female Jumper, 12"	\$92.00
QBE41956-3-18	Male/Female Jumper, 18"	\$92.00
QBE41956-3-24	Male/Female Jumper, 24"	\$96.00
QBE41956-3-30	Male/Female Jumper, 30"	\$99.00
QBE41956-3-36	Male/Female Jumper, 36"	\$102.00
QBE41956-3-42	Male/Female Jumper, 42"	\$106.00
QBE41956-3-48	Male/Female Jumper, 48"	\$109.00
QBE41956-3-54	Male/Female Jumper, 54"	\$112.00
QBE41956-3-60	Male/Female Jumper, 60"	\$115.00
QBE41956-3-66	Male/Female Jumper, 66"	\$119.00
QBE41956-3-72	Male/Female Jumper, 72"	\$122.00

PRODUCT
NUMBER

DESCRIPTION


LIST
PRICE

Four-Trac Electrical
Power Entries



QBE419223-xx

QBE41922342	Power Entry, 42"	\$94.00
QBE41922354	Power Entry, 54"	\$106.00
QBE41922360	Power Entry, 60"	\$111.00
QBE41922372	Power Entry, 72"	\$120.00
QBE41922384	Power Entry, 84"	\$130.00
QBE41922396	Power Entry, 96"	\$139.00
QBE419223108	Power Entry, 108"	\$148.00
QBE419223114	Power Entry, 114"	\$153.00
QBE419223126	Power Entry, 126"	\$162.00
QBE419223132	Power Entry, 132"	\$166.00
QBE419223144	Power Entry, 144"	\$175.00
QBE419223160	Power Entry, 160"	\$188.00
QBE4213531STRA20A72	72" Power Entry, Circuit 1, 24" 20A Cord, RA Plug	\$206.00



QBE4213531STRA20A72

****NOTE:** Use of the QBE4213531STRA20A72 will limit you to one 20 amp circuit.

FRESHFIT PANEL OVERLAYS


TRANSFORM YOUR WALLS

Extend the life of your existing furniture with the economical FreshFIT™ Panel Overlay.

They offer bursts of color, fashionable design and functionality.

- FreshFit Panel Overlay Tiles—Add color, design, functionality with patented FreshFIT self-adhesive panel overlay tiles.

freshFIT™



Compatico Systems
Terms & Conditions

Before FreshFIT™



Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Old, worn, dirty, but still functional.

Hush

After FreshFIT™



Electrical

Storage

Worksurfaces

Conference &
Training Tables

FreshFIT tiles create an updated monolithic or segmented look.

- Laminated tiles can be installed for extra durability in high traffic areas.
- Whiteboard can be installed for functionality.

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References


DIMENSIONS		ADVANTAGE FABRIC LIST PRICE/SQ.FT.	GRADE 1 FABRIC LIST PRICE/SQ.FT.
SQUARE FEET (SQ. FT.)	DESCRIPTION		
32 to 250	Fabric	\$17.00	\$19.00
	Laminate Whiteboard	\$31.00 \$31.00	NA NA
251 to 500	Fabric	\$16.25	\$18.25
	Laminate Whiteboard	\$30.50 \$30.50	NA NA
501+	Fabric	\$15.75	\$17.50
	Laminate Whiteboard	\$29.50 \$29.50	NA NA

Call for specification assistance. Wall attachment add \$1.00/sq. ft. for additional hook/loop strip. Silk screen - minimum quantities will apply. Contact Compatico 800.336.1772 for additional pricing information.

BENEFITS:

1. Extend and refresh the life of your existing furniture for a small investment.
2. Available for all systems furniture regardless of manufacturer, custom sizes available to fit your requirements.
3. Add functionality and new look with whiteboard, fabric or laminate.
4. Quickly create an updated segmented look on monolithic panels.
5. Easily installed or repositioned by facilities management or users, no staff downtime.
6. Ultra thin tiles are 3/16" proud of existing panel.
7. Exclusive hook design attachment technology by 3M®.
8. Great alternative to create new designs and color options.

PRICING EXAMPLE:



*Six stations updated with 14 ea. (12" x 36")
FreshFIT panel overlay tiles,
\$714 list installed, FOB - Grand Rapids, MI*

HUSH

TRANSFORM YOUR WALLS

Enhance your walls with noise reduction functionality while adding a burst of color and fashionable design. Typical uses for HUSH are large, noisy spaces such as theatres, auditoriums, gymnasiums and call centers. The unique tiles can also be used in smaller, private spaces such as conference rooms, individual offices and podcast/video rooms.

Reduces cross-talk interference by absorbing and scattering sound.

Improves room acoustics by 30-50% with as little as 20% of wall covered with HUSH tiles.

Made from 85% recycled cellulose and covered with your choice of fabrics. 100% recyclable.

Class A fire rating on core material.

Easy to mount using 3M Dual Lock, double-sided tape, or permanently attach with spray contact cement.

Made in USA

Hush™



Compatico Systems
Terms & Conditions

Hush™
Pre-packaged Tile Configurations
Standard Symmetrical Patterns

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories


FS Desking &
Seating

References


Legend



Wall Space: 45" x 30"




Wall Space: 60" x 30"




Wall Space: 75" x 30"




Wall Space: 60" x 45"




Wall Space: 75" x 45"



Wall Space: 90" x 45"



Wall Space: 105" x 45"



Hush™
Pre-packaged Tile Configurations
Irregular Patterns, Vertical Patterns, and Split Patterns

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References


Wall Space: 15" x 90"




Chroma



Spree




Nomo



Tracer

Wall Space:
75" x 75"



Velora

Wall Space:
60" x 75"



Helix

Wall Space: 22.5" x 90"



Easton



Razon



Morgan



Sepal

Wall Space: 150" x 30"




Lavert


Wall Space: 150" x 37.5" - Two Parts



Stoval




Wall Space: 135" x 60"




Vienna


Wall Space: 135" x 60" - Two Parts



Linzer




Wall Space: 135" x 60"




Myria

Wall Space: 135" x 52.5" - Two Parts



Aegis



ONLY AVAILABLE CONTRACT

Compatico Systems
Terms & Conditions

Hush™

Pre-packaged Tile Configurations
Standard Symmetrical Patterns

Surface Materials

Height	Width	PRODUCT NUMBER	TILE COMBINATION DESCRIPTION	Advantage VE List Price	Advantage X List Price	Advantage Plus List Price	Grade 1 List Price
30H	45	AWT4530CINTRA	3-D, 2-E, 1-F	\$128.00	\$150.00	\$171.00	\$209.00
	45	AWT4530MELODY	1-A, 1-B, 1-D, 1-E, 1-I	144.00	168.00	189.00	230.00
	45	AWT4530SPRITE	2-A, 2-B, 1-I	146.00	171.00	194.00	237.00
	45	AWT4530PUEBLO	2-A, 2-E, 1-F	113.00	133.00	151.00	186.00
	60	AWT6030ASPEN	2-C, 3-D, 3-E	185.00	215.00	244.00	298.00
	60	AWT6030DORIAN	2-D, 2-E, 1-L	204.00	231.00	258.00	306.00
	60	AWT6030SPYRA	2-A, 2-E, 2-F, 1-I	207.00	238.00	267.00	320.00
	60	AWT6030XENA	2-A, 2-C, 2-E, 1-F	178.00	206.00	233.00	283.00
	75	AWT7530AVALON	2-B, 2-D, 2-F, 1-L	268.00	305.00	339.00	403.00
	75	AWT7530PARSA	4-A, 2-C, 2-E, 1-I	245.00	285.00	323.00	394.00
75	AWT7530WILLOW	4-A, 2-B, 2-C, 1-F	215.00	253.00	290.00	357.00	
45H	60	AWT6045OLIVIA	2-B, 4-D, 2-E, 1-L	\$285.00	\$329.00	\$370.00	\$447.00
	60	AWT6045MEADOW	2-D, 1-E, 1-F, 1-K, 1-L	303.00	343.00	382.00	453.00
	60	AWT6045AEROS	2-B, 2-C, 3-D, 2-E, 1-F	241.00	280.00	317.00	386.00
	60	AWT6045ACHIRA	2-A, 2-B, 2-D, 2-E, 1-I	226.00	265.00	302.00	371.00
	75	AWT7545ATHENA	5-D, 2-E, 2-H, 2-I	348.00	402.00	453.00	548.00
	75	AWT7545ARTISAN	3-D, 2-H, 2-L	390.00	441.00	490.00	580.00
	75	AWT7545HELIOS	5-F, 2-G, 2-H	316.00	363.00	408.00	490.00
	75	AWT7545IRIS	4-A, 1-D, 2-H, 2-I	305.00	355.00	402.00	489.00
	90	AWT9045COASTAL	2-D, 2-E, 2-F, 2-G, 2-L	457.00	519.00	579.00	687.00
	90	AWT9045OCEANA	2-A, 2-B, 4-C, 2-D, 2-E, 1-L	417.00	479.00	538.00	647.00
105	90	AWT9045SYBONA	4-A, 2-B, 4-C, 3-E, 2-F, 1-I	443.00	512.00	577.00	698.00
	90	AWT9045VORTEX	6-A, 2-B, 2-C, 1-D, 1-E	259.00	310.00	358.00	447.00
	105	AWT10545METRO	4-A, 4-D, 4-E, 1-F, 2-L	510.00	586.00	658.00	792.00
	105	AWT10545EXOTICA	6-A, 2-G, 1-H, 2-L	467.00	540.00	610.00	739.00
	105	AWT10545TRILLIUM	7-E, 4-F, 2-G	390.00	453.00	513.00	623.00

Worksurfaces

Hush™

Pre-packaged Tile Configurations
Irregular Patterns, Vertical Patterns, and Split Patterns

Conference & Training Tables



Height	Width	PRODUCT NUMBER	TILE COMBINATION DESCRIPTION	Advantage VE List Price	Advantage X List Price	Advantage Plus List Price	Grade 1 List Price
90H	15	AWT1590CHROMA	2-A, 2-B, 1-I	\$146.00	\$171.00	\$194.00	\$237.00
	15	AWT1590SPREE	2-E, 1-G, 1-I	143.00	164.00	185.00	222.00
	15	AWT1590NOMO	2-D, 3-E, 1-F	135.00	156.00	177.00	215.00
	15	AWT1590TRACER	2-A, 2-B, 1-F	115.00	136.00	156.00	193.00
75H	75	AWT7575VELORA	2-A, 4-E, 1-F, 2-G	\$226.00	\$268.00	\$307.00	\$379.00
	60	AWT6075HELIX	2-A, 2-B, 3-F, 2-H	270.00	313.00	353.00	428.00
90H	22.5	AWT22590EASTON	2-B, 3-C, 2-G	\$212.00	\$248.00	\$282.00	\$345.00
	22.5	AWT22590RAZON	2-A, 2-B, 2-C, 1-I	211.00	244.00	276.00	334.00
	22.5	AWT22590MORGAN	3-A, 1-E, 1-F, 1-H, 1-I	217.00	251.00	284.00	345.00
	22.5	AWT22590SEPAL	2-A, 1-B, 1-C, 2-D, 2-E, 2-F	235.00	274.00	311.00	380.00
30H	150	AWT15030LAVERT	2-A, 2-C, 2-D, 4-H, 1-L	\$442.00	\$508.00	\$571.00	\$687.00
37.5H	150	AWT150375STOVAL	6-A, 4-B, 2-H, 4-I	\$546.00	\$632.00	\$714.00	\$865.00
60H	135	AWT13560VIENNA	6-A, 6-B, 2-C, 2-E, 3-F, 2-G, 2-L	\$770.00	\$890.00	\$1,003.00	\$1,212.00
	135	AWT13560LINZER	6-A, 6-B, 2-C, 2-F, 2-H, 2-L	718.00	826.00	929.00	1,119.00
	135	AWT13560MYRIA	2-A, 2-B, 2-C, 4-D, 4-E, 1-F, 2-H, 2-I	557.00	645.00	728.00	881.00
	135	AWT13560AEGIS	2-A, 2-C, 2-D, 2-E, 4-H, 2-I	490.00	565.00	636.00	767.00

DIMENSIONS			PRODUCT NUMBER	COM & Advantage VE List Price	Advantage X List Price	Advantage Plus List Price	Grade 1 List Price	COM YDS PER TILE
Height	Width	Thickness						
7.5H	30W	0.25	A AWT07530025	\$18.00	\$22.00	\$26.00	\$34.00	.31
		0.75	B AWT07530075	24.00	28.00	33.00	40.00	.31
		1.25	C AWT07530125	32.00	37.00	41.00	48.00	.31
15H	15W	0.25	D AWT1515025	\$17.00	\$20.00	\$24.00	\$30.00	.26
		0.75	E AWT1515075	23.00	27.00	30.00	37.00	.26
		1.25	F AWT1515125	31.00	35.00	39.00	45.00	.26
	30W	0.25	G AWT1530025	\$33.00	\$41.00	\$47.00	\$60.00	.51
		0.75	H AWT1530075	46.00	53.00	60.00	73.00	.51
		1.25	I AWT1530125	63.00	70.00	77.00	89.00	.51
30H	30W	0.25	J AWT3030025	\$65.00	\$78.00	\$91.00	\$113.00	.93
		0.75	K AWT3030075	91.00	104.00	116.00	139.00	.93
		1.25	L AWT3030125	124.00	137.00	149.00	172.00	.93

DESCRIPTION: Hush Acoustical Tiles are available in four standard sizes and three (3) standard thicknesses: Thickness sizes 1/4", 3/4", 1 1/2". **SPECIFY:** Product Number, fabric code

NOTE: To determine if a com fabric has been pre-approved for use on HUSH tile, Contact Compatico customer service. Minium 1 yard required.

IMPORTANT: All fabric application is manufactured using "RIGHTWAY" approach. If railroaded is required for patterned fabric add "-RR" to part number. A 25% upcharge to the list price applies per tile (If order is over \$5000 list - no upcharge applies).



PRODUCT NUMBER	DESCRIPTION	LIST PRICE	USAGE
AWTSG	Spray Adhesive (Can)	\$49.00	COVERS 200 SQ FT/ CAN
AWTDL	3M Dual Lock (100 pr/pk)	\$163.00	USE 4 TO 6 PER TILE
AWTTAPE	High tack double-sided tape (50 pr/pk)	\$137.00	USE 4 TO 6 PER TILE

Mounting Options

NOTE: Spray adhesive covers approximately 200 square feet.

NOTE: Alternative attachments may be used, consult your local installer for guidance.

NOTE: 3M dual lock may be stapled or nailed to wall for easy future removal.

See instructions.

Logo printing on single or across multiple tiles is available at \$425 list per tile. Contact Compatico customer service for details.


ELECTRICAL

CHOOSE THE RIGHT ELECTRICAL SYSTEM

The Compatico/Byrne systems are UL Listed Manufactured Wiring Systems (UL183). This is important to note because the electrical systems are tested to twice the amperage compared to competitive overseas power systems. Compatico is proud to offer electrical solutions that are safe, affordable and are designed and built in the USA for the American market. Our electrical systems offer:

- Liability Insurance/Coverage
- Ease of Installation
- Ease of Specification
- BIFMA approved
- UL and CSA Listed

Electrical



COMPATICO IS PLEASED TO OFFER 3 CIRCUIT AND
4 CIRCUIT UL LISTED POWER SYSTEMS MADE IN THE USA.



CHOOSE THE RIGHT ELECTRICAL MANUFACTURER

The Compatico/Byrne systems are UL Listed Manufactured Wiring Systems (UL183). This is important to note because the electrical systems are tested to twice the amperage compared to competitive overseas power systems. Compatico is proud to offer electrical solutions that are safe, affordable and are designed and built in the USA for the American market.

1. Liability Insurance/Coverage

Byrne Electrical backs their products with a 10-year warranty and a \$5 million liability.

Specialists, Inc. (for panel electrical products components). Note: **Liability Insurance/Coverage** - One year for electrical accessories.

2. Ease of Installation

Compatico's systems are much easier to install with its unique slide-mount for junction blocks and receptacles. This saves hundreds of labor installation hours.

3. Ease of Specification

Compatico's systems do not require additional parts for corner or other alternative applications. Additionally, you specify your electrical based simply upon the size of your panel(s).

4. Customer First Support

Our systems offer local and direct engineering, customer service, sales and marketing, backed by the manufacturer with over 40 years of experience.

HOW TO CHOOSE THE RIGHT SYSTEM

The following are a few guidelines to follow when selecting which power system is right for your application. The basic items you'll want to think about are:

1. Consider how the system will be used.

What will the end-user be plugging in? This is important because different electronic devices take different amounts of power. Each circuit is engineered to handle up to 20 amps. So doing a little research about what is being plugged in, the number of amps it uses and some basic math, figuring out how many circuits should be a snap. Don't forget to plan for the future too. See the following pages to assist you in selecting your electrical systems.

A few rules we use are:

- No more than 4 desktop computers (CPU + Monitor = Computer) per circuit.
- No more than 10 laptop computers per circuit.

2. Think about how many outlets will be needed.

How many outlets or access points will be needed overall? Each circuit can handle up to approximately 13 duplex receptacles (depending on load), meaning a total of 26 outlets.

3. Are There Any Other Special Considerations?

Do you have any electronics that require 20 amp outlets? Does your specification demand a certain number of circuits? Will you need to have an isolated ground or a dedicated neutral for a special piece of equipment? For more information on system options, consult your local electrical service team. See next page for relevant facts and comparisons.

COMPARISON BETWEEN 4 CIRCUIT AND 3 CIRCUIT ELECTRICAL SYSTEMS

FEATURE	4 CIRCUIT	3 CIRCUIT
Manufactured in USA	Y	Y
Number of circuits	4	3
Maximum number of receptacles per circuit	13	13
Total of receptacles per infeed	52	39
UL 183 listed Manufactured wiring	Y	Y
UL 1286 listed for panel systems	Y	Y
Available with isolated ground for 1 circuit	std	N
Available with dedicated neutral for 1 circuit	std	N
3 plus 1 configuration	std	N
2 plus 2 configuration	std	N
3 circuit separate neutrals	std option	N
3 circuit common ground common neutral	Y	Y
Harnesses and pass throughs to fit all panel sizes	std	Y
Vertical jumpers and reach sizes	Y	N
Double sided power	Y	Y
Pass through	Y	Y
Pass through with single powerblock	Y	N
Can power wings from spine	Y	Y
20 amp receptacles available	Y	N
Can be used at beltline	Y	Y
Base infeed available	Y	Y
Ceiling infeed available	Y	Y
Side power infeed available	Y	N

OFFICE EQUIPMENT TYPICAL LOAD VALUES

ITEM	AMPS
AC Adapter	0.050
APC 280 Backup	2.000
Coffee Pot	8.500
Copier	15.000
CPU (depending on size)	2.0-4.0
Fax Machine	1.000
Laptop	1.500
Monitors	1.5-2.5
Paper Shredder	4.500
Printer (depending on size)	1.5-6.0
Postage Machine	3.400
Radio	0.090
Scanner - Scanjet	0.450
Space Heater	10.500
Task light	0.650

NOTE: The amperage noted is an approximation of equipment. For calculating the actual load, the amperage must be determined for each model of actual equipment. Simple addition avoids circuit overloading.

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

DATA SHIELDING FOR 4 CIRCUIT AND 3 CIRCUIT SYSTEMS

The questions of the ability of communications cables to lay in the panel base with the modular electrical system comes up often with the increased use of Category 5 and Category 6 communication systems. The good news is that Category 5 and Category 6 cables can be safely placed in the base of the panels with the modular electrical system.

There is a standard called the TIA/EIA- 569-A, Commercial Building Standard for Telecommunications Pathways and Spaces. This Standard was developed by the Telecommunications Industry Association and it addresses requirements for installing telecom cabling in buildings. Their most recent revision, dated Feb. 20, 1998, clarifies the requirements for installing telecom cables in furniture. Sec. 6.3.3.6.1 states. "Furniture pathways often run parallel to power raceways; floor and ceiling interfaces are often divided into power and telecommunications. In such cases, separation shall be provided to meet the requirements of clause 10.3." Sec 10.3.1 states, "Co-installation of telecommunications cable and power cable is governed by applicable electrical code for safety. For minimum separations requirements of telecommunications cable from typical branch circuits (120/240V, 20A), Article 800-52 of ANSI/NFPA 70 shall be applied..."

NFPA 70 is National Electrical Code and Sec. 800.133 (A) (2) Other Applications (previously was Sec. 800-52 (a) (1) Open Conductors) states, "Communications wires and cables shall be separated at least 2 inches from conductors of any electric light, power...circuits.

Exception No. 1: Where either (1) all of the conductors of the electric light, power, Class 1, or non-power-limited fire alarm are in a raceway or in metal-sheathed, metal-clad, nonmetallic-sheathed, Type AC or Type UF cables..."


The definition of raceway in the National Electrical Code, Section 100 is: "An enclosed channel of metal or nonmetallic materials designed expressly for holding wires, cables, or busbars, with additional functions as permitted in the Code. Raceways include, but are not limited to, rigid metal conduit, rigid nonmetallic conduit, intermediate metal conduit, liquid-tight flexible conduit, flexible metallic tubing, flexible metal conduit, electrical non-metallic tubing, electrical metallic tubing, under-floor raceways, cellular concrete floor raceways, cellular metal floor raceways, surface raceways, wireways, and busways."

Because the Byrne Electrical Systems used in Compatico Systems are UL listed, the electrical components themselves are raceways as defined by the National Electrical Code, not the panel base. Therefore, there is no separation requirement for the communications cables per Sec.800.133 of the National Electrical Code which the TIA/EIA-569-A states defines the requirement for separation in furniture pathways. In other words, telecommunications cables can be placed in the base of your panel systems along with the UL Listed Modular Wiring System.

NOTE: For some municipalities, end of power harnesses, jumpers, or pass-thrus require "electrical termination caps." If this is required, use part # BE02334-C. Contact Compatico Customer Service for pricing and quantity.


COMPATICO IS PLEASED TO OFFER, IN PARTNERSHIP WITH BYRNE ELECTRICAL 8 WIRE/4 CIRCUIT POWER SYSTEM MADE IN THE USA.

Electrical Circuit System



Electrical Circuit Systems & Panel Configurations

Powered Panel to Powered Panel



1. Dual power block electrical assembly/phase block 2. 3" jumper no longer required, Byrne flexible conduit allow expansion.

Powered Panel to Non-Powered Panel to Powered Panel



1. Dual power block electrical assembly/phase block *Note: Use proper size per panel width.*

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Compatico Systems
Terms & Conditions

Optional Configuration For 3+2.2 System

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References



Optional Configuration For 2+2 System



**ABOVE OPTIONAL CONFIGURATIONS MUST BE REQUESTED IN WRITING.
CALL COMPATICO CUSTOMER SERVICE FOR MORE INFORMATION 1-800-336-1772.**

AO2 OEM VERSION 1 AND VERSION 2 POWER SYSTEM AVAILABLE
UPON REQUEST, CONTACT COMPATICO PROJECT MANAGEMENT
FOR PRICING AND LEADTIMES.

DATA CABLE CAPACITY

AO1/AO2 CABLE CAPACITY

AO1/AO2 panel base raceway accommodates a minimum twenty (20) 25-pair cables in a powered panel and up to forty (40) 25-pair cables in a non-powered base.

CMW CABLE CAPACITY

CMW top cap accommodates up to twenty (20) Category 5 cables. Base raceway holds up to twenty-two (22) Category 5 cables.

GENESIS/G2

Genesis/G2 offers lay-in cabling for 150 Category 5 data cables. Panels have the ability to channel and distribute power and/or voice/data cabling at the top, middle (above or below the worksurface) and bottom with a maximum of six (6) inches of separation between the power and data cables at all times.

NOTE: Capacity estimates assume data cables are .2" diameter.

See www.compatico.com-furniture system specifications for more details.

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Compatico Systems
Terms & Conditions

A02, Genesis and CMW Dual Power Block Electrical Assembly

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



DIMENSIONS	PRODUCT NUMBER	LIST PRICE
24W	HMP551.2400	\$120.00
30W	HMP551.3000	148.00
36W	HMP551.3600	162.00
42W	HMP551.4200	169.00
48W	HMP551.4800	176.00
60W	HMP551.6000	189.00


THE BYRNE 8-TRAC ELECTRICAL SYSTEM IS INSTALLED IN ALL COMPATICO "POWERED" A02 AND CMW PANELS; SPECIFY SEPARATELY FOR GENESIS.

DESCRIPTION: 24" wide panels have a single power block and 30"-60" panels have dual (2) power blocks. Specify to match width of panel. Order duplex receptacles separately, see page 78. Back-to-back duplexes are available for all panel widths (24"-60"). All single and double block power raceways are installed to panel bottom using a patented slide mount. Receptacles (Duplexes) snap into the power blocks with a positive locking tab feature. No tools are required. Self contained jumper harness plugs into end terminals of preceding harness. Expands to span three-way and four-way panel connections.

- Recognized under UL Standard 1286
- Listed as manufactured wiring system under UL Standard 183
- CSA certified
- Los Angeles Testing Laboratories Certification
- Approved for use in New York City

SPECIFY: Product Number, Quantity. **NOTE:** Plan electrical layout so work surface support pedestals do not block receptacle locations. **NOTE:** For single power block alternative, contact Compatico Project Manager.

Power Pass-Thru



DIMENSIONS	PRODUCT NUMBER	LIST PRICE
12W	HMP556.1200	\$73.00
18W	HMP556.1800	79.00
24W	HMP556.2400	84.00
30W	HMP556.3000	90.00
36W	HMP556.3600	95.00
42W	HMP556.4200	101.00
48W	HMP556.4800	111.00
60W	HMP556.6000	123.00
96W	HMP556.9600	162.00
144W	HMP556.1440	212.00

DESCRIPTION: The Pass-Thru provides power continuation in all panels. Expands to span Three-Way and Four-Way panel connectors. The Pass-Thru does not provide a distribution block. Use this harness for power continuation only. UL Listed/CSA Certified and labeled. Shielded conduit provides effective EMF barrier. **SPECIFY:** Product Number, Quantity.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Length			
144L		HMP558.4400	\$145.00

DESCRIPTION: Connects building electrical supply from the ceiling to the base of electrified Compatico A02, Genesis and CMW panels. Use a ceiling entry pole to feed power down from ceiling (see below). Can be trimmed to desired length.

NOTE: Power pole not included.



Ceiling Feed

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

End Feed

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References


DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Length			
72L		HMP557.7200	\$156.00

DESCRIPTION: Connects building electrical supply from wall or column to power box in base of electrified Compatico A02, Genesis and CMW panels.



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Length			
72L		HMP565.7200	\$164.00

DESCRIPTION: Connects building electrical supply from wall or column to duplex location in base of electrified Compatico A02 panel. Male attachment head swivels left or right then lock cover in place.



Side Entry Feed

Compatico Systems
Terms & Conditions

A02 & Genesis Duplex Receptacle

Surface Materials


A02

CMW

G2/Genesis &
Benching

Frames

Hush




CMW Duplex Receptacle

FreshFIT

Electrical

Storage



Worksurfaces

Conference &
Training Tables

Power Block Mounting Clip


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Circuit One	HMP555.01BK(R1)	\$19.00
Circuit Two	HMP555.02BK(R2)	19.00
Circuit Three	HMP555.03BK(R3)	19.00
Circuit Four	HMP555.04BK(R4)	19.00
Circuit Four (surge protected)	R4S	182.00

DESCRIPTION: Duplex receptacles provide two grounded plugs. Side mounting feature prevents accidental dislodgment. Color on all receptacles is Black. Circuit IV receptacles have orange lettering on face. UL Listed/CSA Certified and labeled. **SPECIFY:** Product Number, Quantity. **NOTE:** In the United States, Genesis Power Distribution can be fitted with a maximum of 52 duplex receptacles (13 per circuit), with each receptacle rated at an average of 15 amps. In Canada, Genesis Power Distribution can be fitted with a maximum of 48 duplex receptacles (12 per circuit HMP555.01BK(R1) receptacle rated at an average of 12 amps. **NOTE:** For international (Non-North American) requirements contact Compatico Product Management.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
CIRCUIT 1	STP554.01BK	\$19.00
CIRCUIT 2	STP554.02BK	19.00
CIRCUIT 3	STP554.03BK	19.00
CIRCUIT 4 (isolated dedicated)	STP554.04BK	19.00


DESCRIPTION: Duplex receptacles provide two grounded plugs. Side mounting feature prevents accidental dislodgment. Color on all receptacles is Black. Circuit IV receptacles have orange lettering on face. UL Listed/CSA Certified and labeled. **SPECIFY:** Product Number, Quantity.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
HMP561.0100	Power Block Mounting Clip	\$2.00
UNP858.01Z1	Retainer Screws	\$0.10

DESCRIPTION: The patented slide mount makes attachment of the power block quick and easy when you are using Compatico's System. Versatile and simple, the built-in adjustability of the system satisfies all possible panel configurations without costly additional product. **SPECIFY:** Product Number

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Width			
24W		HMK520.24	\$133.00
30W		HMK520.30	165.00
36W		HMK520.36	181.00
42W		HMK520.42	190.00
48W		HMK520.48	200.00
60W		HMK520.60	219.00

DESCRIPTION: Converts a Compatico A02 non-powered raceway base to a powered base. Includes single power block (24") or dual power block (30" - 60"), 2 raceway covers with receptacle openings, 1 or 2 receptacle covers and 1 or 2 power block mounting clips which attach to top of raceway frame. Order duplex receptacles separately. **SPECIFY:** Product Number and Base Cover Color. Refer to page 5 for Base Cover Color.



Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories


FS Desking &
Seating

References

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Width			
3 1/4W		DPAK	\$33.00

DESCRIPTION: 14 gauge, cold rolled steel. Powder coated paint finish. Field installed in panel frame. Allows attachment of Power Raceway at desk height. **SPECIFY:** Product Number, Quantity. **NOTE:** Kits come in pairs.


Genesis Power Adapter Kit
Desk Height



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Width			
24W		STU552.24	\$150.00
30W		STU552.30	188.00
36W		STU552.36	209.00
42W		STU552.42	220.00
48W		STU552.48	234.00
60W		STU552.60	259.00
RECEPTACLE COVER			
N/A		STP450.01	\$2.00

DESCRIPTION: The CMW electrical Retrofit Kit can be used to convert a non-powered CMW panel to a powered panel using the Byrne 8-Trac Electrical System (CMW System 4). Kit includes: (2) two powered base covers; (1) one single or dual power block assembly with slide mount(s) and screws; and (2) two receptacle covers. Order duplex receptacles separately. **SPECIFY:** Product Number.

CMW Electrical Retrofit Kit



Compatico Systems
Terms & Conditions

A02 Connector - Panel Jumper


Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames



DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Size		
3"	HMP554.0300	\$44.00

DESCRIPTION: A0 Post Panel Jumper. This is a male-female connector for the 8-wire system to extend electrical harness 3" for 2, 3, 4 way stretch. Black Only.

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Chicago Junction Box *for all panel systems*


PRODUCT NUMBER

LIST PRICE

CJB

\$62.00

DESCRIPTION: Order one Chicago Junction Box for each panel electrical receptacle.
SPECIFY: Product Number, Quantity. **NOTE:** Hardware components are to be obtained locally and all wiring to be done in accordance with Chicago city drawing 8912E.



DIMENSIONS

PRODUCT NUMBER

LIST PRICE


Cord Length

72L

PENY

\$182.00

New York Power Entry *for all Panel Systems*




DESCRIPTION: Supplies a dedicated circuit plus 3 common circuits sharing a 10 gauge neutral wire through service entry box in panel raceway. No wire supplied in conduit, electrician must supply and connect wires. Install in panel 30" or wider, to either panel face. Provides power continuation in one direction only, right or left. Includes 72" of Liquid-Tite conduit for hard wired connection to building supply. **SPECIFY:** Product Number, Quantity. **NOTE:** The panel accepting this power input cannot accept a receptacle. Hard wired connections must be made by a licensed electrician.

NOTE: For some municipalities, end of power harnesses, jumpers, or pass-thrus require "electrical termination caps." If this is required, use part # BE02334-C. Contact Compatico Customer Service for pricing and quantity.

COMPATICO IS PLEASED TO OFFER, IN PARTNERSHIP WITH BYRNE ELECTRICAL 5 WIRE/3 CIRCUIT POWER SYSTEM MADE IN THE USA.
8 WIRE/4 CIRCUIT POWER SYSTEM MADE IN THE USA.


WIRE DIAGRAM FOR 3 KEYING




Electrical Circuit System
"Phase 3" System

Electrical Circuit Systems &
Panel Configurations

Powered Panel to Powered Panel



Powered Panel to Non-powered Panel



1. Dual power block electrical assembly/phase block

Note: Use proper size pass-thru per panel width(s).

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References

Compatico Systems
Terms & Conditions

Phase Blocks



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
WSP350.2400	Phase 24" Block	\$28.00
WSP350.3000	Phase 30" Block	44.00
WSP350.3600	Phase 36" Block	58.00
WSP350.4200	Phase 42" Block	59.00
WSP350.4800	Phase 48" Block	63.00

DESCRIPTION: Phase 3 Receptacles Block. 24" wide panels have a single power block and 30"- 48" panels have dual (2) power blocks. Specify to match width of panel. Order duplex receptacles separately. All receptacles blocks are installed to panel using patented slide mount. Receptacles (duplexes) snap into the power receptacle block with a positive locking tab feature. No tools are required. F/F Jumpers (below) are required to make panel to panel connections between receptacle blocks.

- Recognized under UL Standard 1286
- Listed as manufactured wiring system under UL Standard 183

SPECIFY: Product Number.

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Phase 3 Receptacle



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
<i>CMW</i>		
UNP350.01	15A Receptacle CMW 2" thick panel, Circuit 1	\$19.00
UNP350.02	15A Receptacle CMW 2" thick panel, Circuit 2	19.00
UNP350.03	15A Receptacle CMW 2" thick panel, Circuit 3	19.00
<i>AO and Genesis</i>		
UNP351.01	15A Receptacle for AO & Genesis 3.5" thick panel, Circuit 1	\$19.00
UNP351.02	15A Receptacle for AO & Genesis 3.5" thick panel, Circuit 2	19.00
UNP351.03	15A Receptacle for AO & Genesis 3.5" thick panel, Circuit 3	19.00

DESCRIPTION: Duplex Receptacles provide two grounded plugs. Color on all receptacles is black. UL Listed and labeled. **SPECIFY:** Product Number.

Jumper



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE52463-3-19	19"	\$40.00 panel-to-panel (CMW)
UNP356.2150	21.5" F/F Jumper	\$41.00 panel-connector-panel

DESCRIPTION: For straight line panel-to-panel and panel-connector-panel connector panel connections. Solid armor flex jumper (UL listed).

SPECIFY: Product Number. **NOTE:** Jumper is applicable to all Compatico Systems using Byrne Phase 3 electrical.

3-Way Jumper



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE52468-3-19	19"	\$43.00 panel-to-panel (CMW)
UNP366.2150	21.5" 3-Way Jumper	\$48.00 panel-connector-panel

DESCRIPTION: Allows for two branching electrical runs. Solid armor flex jumper (UL listed). **SPECIFY:** Product Number. **NOTE:** Jumper is applicable to all Compatico Systems using Byrne Phase 3 electrical..

* Field Modification required if using 3 way jumper on CMW. Consult Compatico project management for review.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP356.2400	24" Panel F/F Pass Thru, 42" Length	\$62.00
UNP356.3000	30" Panel F/F Pass Thru, 48" Length	66.00
UNP356.3600	36" Panel F/F Pass Thru, 54" Length	71.00
UNP356.4200	42" Panel F/F Pass Thru, 60" Length	75.00
UNP356.4800	48" Panel F/F Pass Thru, 66" Length	81.00
UNP356.6000	60" Panel F/F Pass Thru, 78" Length	90.00

Panel Pass-Thru



DESCRIPTION: The Pass-Thru provides power continuation through non-powered panels. The Pass-Thru does not provide a distribution block; use this for only power continuation. UL Listed and labeled. **SPECIFY:** Product Number. **NOTE:** Continuous run pass thru available up to 144". **NOTE:** Cannot connect pass thru to pass thru.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP366.2400	24" Panel 3-Way Pass Thru, 42" Length	\$66.00
UNP366.3000	30" Panel 3-Way Pass Thru, 48" Length	70.00
UNP366.3600	36" Panel 3-Way Pass Thru, 54" Length	75.00
UNP366.4200	42" Panel 3-Way Pass Thru, 60" Length	81.00
UNP366.4800	48" Panel 3-Way Pass Thru, 66" Length	85.00
UNP366.6000	60" Panel 3-Way Pass Thru, 72" Length	96.00


Panel 3-Way Pass-Thru



DESCRIPTION: The 3 Way Pass-Thru provides power continuation through non-powered panels and offers branching option panel intersections. The 3 Way Pass-Thru does not provide a distribution block; use this for only power continuation. UL Listed and labeled. **SPECIFY:** Product Number. **NOTE:** Continuous run pass thru available up to 144". **NOTE:** Cannot connect pass thru to pass thru.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP365.7200	72" Power Entry (End Feed)	\$96.00
UNP365.4400	144" Power Entry (Ceiling Feed)	191.00


Power Entry (Ceiling or Floor)



DESCRIPTION: End Feed connects building electrical supply from wall or column to electrified panels. **SPECIFY:** Product Number. **NOTE:** Side entry not available. Run end feed thru raceway knockout if needed. **NOTE:** For New York power entry (15") BE53272-3-2A-15.50 or (48") BE53272-3-3A-48.00.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP350.0000	Y Connector	\$25.00

Y Connector



DESCRIPTION: Y Connector allows for the use of two (2) Jumpers, two (2) Pass-Thrus or a combination of a single (1) Pass-Thru and a single (1) Jumper. **SPECIFY:** Product Number.

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References

ELECTRICAL/DATA POLES AND ACCESSORIES


PowerSphere




PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP801.01BK	1/2 Power Sphere 72" Cable	\$154.00
UNP801.02BK	1/2 Power Sphere 120" Cable	171.00
UNP801.03BK	1/2 Data Sphere	87.00

DESCRIPTION: Features a 6', 10', 15' Amp cord, contains two simplexes, will receive power transformers, is UL listed and CSA Certified, and will retrofit into a 3" diameter hole (template provided) that is field cut. Black only. **SPECIFY:** Product Number. **SPECIFY:** Two (2) half (1/2) spheres to make a full sphere. *Example: UNP801.01BK and UNP801.03BK make a full sphere.* **NOTE:** Field cut grommet holes required. **NOTE:** Data sphere comes with Voice Data Adapter Kit, but does not include data jacks/couplers.

1/2 PowerSphere




1/2 DataSphere



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP820.02BK	Miniport Power/Data	\$383.00

Miniport Power/Data



DESCRIPTION: Features a 6', 15 Amp cord, contains two simplexes, two voice data ports, and is UL listed. Plastic housing. Size: 7"W x 3"D x 3"T. **FINISH:** Silver, Black. **SPECIFY:** Product Number, Finish. **NOTE:** Unit comes with voice/data adapter kit. **NOTE:** Workspace field cut required (6"W x 2.5"D) actual hole size. Instructions included.

PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE02520-2-2-XA-Z06-UI-72	Axil X	Gloss Black	\$439.00
BE02520-2-2-XA-Z07-UI-72		Gloss White	339.00

Axil X

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



DESCRIPTION: Axil X is a horizontal-mount power and data desktop accessory. Each unit includes a voice data adapter kit (A/V adapter kits and voice/data jacks sold separately). (2) 15-amp power outlets, (1) USB 2-Port Charging Simplex and (1) data port. Axil X is UL Listed. **COLOR:** Gloss Black and Gloss White. **CORD LENGTH:** 72". **SPECIFY:** Product Number, Finish. **NOTE:** Other mounting styles available upon request.



PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE02520-2-2-Z-Z06-UI-72	Axil Z	Gloss Black	\$439.00
BE02520-2-2-Z-Z07-UI-72		Gloss White	339.00

Axil Z

DESCRIPTION: Axil Z is a flat-mount power and data desktop accessory. Each unit includes a voice data adapter kit (A/V adapter kits and voice/data jacks sold separately). (2) 15-amp power outlets, (1) USB 2-Port Charging Simplex and (1) data port. Axil Z is UL Listed. **COLOR:** Gloss Black and Gloss White. **CORD LENGTH:** 72". **SPECIFY:** Product Number, Finish. **NOTE:** Worksurface field cut required. Instructions included.



Compatico Systems
Terms & Conditions

MHO

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References




PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE01820-M-2-2-EFA-U1-72	(2) power outlets, (1)USB 2-Port Simplex Charger and (1) Open Data Port	Clear Anodized Aluminum Finish	\$587.00
BE01820-M-2-2-EFF-U1-72	(2) power outlets, (1)USB 2-Port Simplex Charger and (1) Open Data Port	Black Anodized Aluminum Finish	728.00

DESCRIPTION: MHO is a desk cut-out surface mount power and data center. Requires desk cut-out 8" x 4".

Each unit includes:

- Fluid one touch accessibility
- Fits tops 3/4" – 1 3/4" thick
- UL listed
- 2 power ports, 1 USB charger, 1 open data port (sold separately)

COLOR: Clear Anodized Aluminum, Black Anodized Aluminum Finish. **SPECIFY:** Product Number, Finish. **NOTE:** Additional power/data/USB configurations available upon request.






PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE03378-GN-2-2-AV-72	2 power outlets,	Gloss White	\$297.00
BE03378-GN-2-2-C-72	2 open data ports	Gloss Black	297.00
BE03378-GN-2-2-C-M2-72	2 power outlets, 2 USB	Gloss White	515.00
BE03378-GN-2-2-Q01-M2-72	port charging simplex	Gloss Black	515.00

DESCRIPTION: Moire is a hole-mounted, above surface power and data center in a high gloss plastic finish. Requires desk cut-out, 3" diameter hole. Includes 72" cord. UL listed.

COLOR: Gloss White and Gloss Black. **SPECIFY:** Product Number.

NOTE: Data ports sold separately.





PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE03378-TT-2-2-AV-MMT-72	2 Power Outlets and 1 USB	Gloss White	\$399.00
BE03378-TT-2-2-C-MMT-72	2-Port Simplex Charger	Gloss Black	399.00
BE03378-TT-4-0-AV-72	4 Power Outlets	Gloss White	360.00
BE03378-TT-4-0-C-72	4 Power Outlets	Gloss Black	360.00

DESCRIPTION: Moire is a table top power/data center in high gloss plastic finish.

Includes 72" cord. UL listed. **COLOR:** Gloss White or Gloss Black.

SPECIFY: Product Number. **NOTE:** Data ports sold separately.



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Moire
Hole Mount

Moire
Table Top Mount

Compatico Systems
Terms & Conditions

Glenbeigh Contemporary

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References







PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE02137-C-20-DZB-72	2 power outlets	Midnight	\$309.00
BE02137-C-11-DZB-72	1 power outlet, 1 open data port		292.00
BE02137-C-11-DZB-MMT-72	1 power outlet, 1 USB, 2-port Charging Simplex		407.00
BE02137-C-20-DZC-72	2 power outlets	Silver	309.00
BE02137-C-11-DZC-72	1 power outlet, 1 open data port		292.00
BE02137-C-11-DZC-MMT-72	1 power outlet, 1 USB, 2-port Charging Simplex		407.00
BE02137-C-20-EPC-72	2 power outlets	Satin Nickel	434.00
BE02137-C-11-EPC-72	1 power outlet, 1 open data port		415.00
BE02137-C-11-EPC-MMT-72	1 power outlet, 1 USB, 2-port Charging Simplex		545.00

DESCRIPTION: Glenbeigh is an in-surface power and data center. Requires desk cut-out 5" x 3 3/4".

Includes:

- Fluid one touch accessibility
- Contemporary styling
- Die-cast zinc
- 3 finishes
- UL listed
- 72" cord

COLOR: Midnight Powercoat, Silver Powdercoat, Satin Nickel Plated. **SPECIFY:** Product Number.



Images show one (1) power, one (1) open data port.

Desk cut-out dimensions

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
SNRC-315	Charging Unit	\$708.00

AirCharge™



DESCRIPTION: AirCharge is a wireless charging solution enabling users to conveniently charge devices or accessories without the need for any messy cords or cables. Compatibility with over 600 Qi smartphones, tablets, and accessories. An included steel mounting plate and screws allowing the grommet to be secured in place for an added level of safety, key for public spaces. AirCharge can be easily installed in table surfaces and fits into a standard 80 mm grommet opening. An optional Wireless Receiver Accessory is available for devices not already equipped with the Qi technology.

SPECIFY: Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE01445-6-72	Cat6 Jack and Network Cable 6'	\$92.00

DESCRIPTION: Siemon Cat6, RJ-45, with 6ft M/F Cord.

Standard features:

- w/8-Pin
- MX series, Keystone style
- Siemon, RJ-45 Cat6
- Pre-terminated

SPECIFY: Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE01445-6-120	Cat6 Jack and Network Cable 10'	\$95.00

DESCRIPTION: Siemon Cat6, RJ-45, with 10ft M/F Cord.

Standard features:

- w/8-Pin
- MX series, Keystone style
- Siemon, RJ-45 Cat6
- Pre-terminated

SPECIFY: Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE02493-120	VGA Connector	\$110.00

DESCRIPTION: Connect VGA enabled electronics (laptops, etc.) to remote displays via Byrne Power/Data Centers.

Standard features:

- 120" M/F Cable included to connect to display
- Device cable not included
- No adapter needed for integration
- This is a female-to-male connector cable

SPECIFY: Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BEZEVC-HD06-45-CM/BK	HDMI Coupler	\$88.00

DESCRIPTION: Connect to HD (high definition) displays that accept HDMI feeds via a power/data center using this HDMI Connector and HDMI cables. Connector snaps into many Byrne Power/Data Centers and routes the connection to your HDMI via a 18" cord.

Standard features:

- HDMI Coupler
- 18" Cord
- No adapter needed for integration
- Female / Female Connection

SPECIFY: Product Number.

Cat6 Jack and Network Cable 6' or 10'



VGA Connector



HDMI Coupler



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Compatico Systems
Terms & Conditions

Voice Data Adapter Kit & Face Plate

Surface Materials

AO2

Voice Data
Adapter Kit


A



CMW

G2/Genesis &
Benching

Face Plate
B



Frames

Hush

PRODUCT NUMBER

DESCRIPTION

LIST
PRICE

Amp Pin
Voice or Data

UNP000.0100

Amp 6 Pin RJ11 Cat 3 Voice Coupler

\$12.00

UNP000.0200

Amp 8 Pin RJ45 Cat 3 Data Coupler

14.00

UNP000.0300

Amp 8 Pin RJ45 Cat 5e Data Jack

29.00


FreshFIT

Amp Jack

C

SPECIFY: Product Number. Requires Voice Data Adapter Kit.

NOTE: For additional data options (e.g. USB, HDMI) contact Compatico Customer Service.



Storage

Worksurfaces

Conference &
Training Tables


Legs

A WIDE VARIETY OF VOICE, DATA AND POWER CONFIGURATIONS ARE AVAILABLE FROM BYRNE ELECTRICAL.

Please contact Compatico Customer Service.

Height Adjustable
Legs

Accessories



FS Desking &
Seating

References

POWER POLES

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories


FS Desking &
Seating

References

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Size			
1.75" x 1.75" x 11'		HMA922.39	\$103.00
		HMA922.47	111.00
		HMA922.53	118.00
		HMA922.67	130.00
		HMA922.85	148.00
TOP PLATE			
6" x 6"		UNP925.00	\$37.00

DESCRIPTION: This ceiling entry pole assembly connects to the end of a panel run or at a 3- or 4-way 90° connector. It conceals voice/data communication cables from the ceiling entry point to the base of the panel. Shippable via UPS (two 3' lengths, two 8' lengths). Does not include Top Cover Plate Kit (order separately - UNP925.00). Top Cover Plate is Off-White or Satin Finish - ready to paint. Beveled edge design. **SPECIFY:** Product Number and Trim Finish. **NOTE:** Limited Finishes (BU, DT, MT, LT, HF, HT, LG, LN). **INSTALLATION NOTE:** Use caps to cover screws protruding inside cable pole after installation. **NOTE:** You may use these poles (without connector hanger frames) on CMW. Pole only number UPN922.00. (Field installation is required - pressure fit and/or double stick tape). Confirm finishes are acceptable.


A02 Ceiling Cable Pole



Note: Can be used for CMW System

DIMENSIONS		PRODUCT NUMBER	RACEWAY	DESCRIPTION	LIST PRICE
Size					
6" x 6" x 108"		HMB130.98	With Raceway	2-Way 90° (A02)	\$371.00
		HMB137.98	With Raceway	3-Way (A02)	\$383.00
		HMA132.98	Without Raceway	4-Way (A02)	\$383.00

A02 108"H Connector Power Pole Kit



DESCRIPTION: A0 style connector power pole. Includes ceiling plates (white only), variable height filler strip, and base trim for A02.

SPECIFY: Product Number, Quantity, Finish, Block Locations: 39", 47", 53", 67", 85".

NOTE: Comes standard with three (3) filler strips. **NOTE:** Ceiling attachments of ceiling plate done with small toggle bolt during installation.

ELECTRICAL

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Genesis Ceiling Cable Pole





DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Height				
PLASTIC TOP CAPS				
120H		CP120	Cable Pole	\$154.00
N/A		CPTK	Cable Pole Trim Kit (Top & Bottom Plates) For Plastic Top Caps	\$64.00
N/A		CPU120	Cable Pole Trim Kit (Complete Unit) For Plastic Top Caps	\$192.00
ALUMINUM TOP CAPS				
120H		CP120	Cable Pole	\$154.00
N/A		CPTKAL	Cable Pole Trim Kit (Top & Bottom Plates) For Aluminum Top Caps	\$64.00
N/A		CPU120AL	Cable Pole Trim Kit (Complete Unit) For Aluminum Top Caps	\$192.00

DESCRIPTION: 20 gauge, cold rolled steel. Powder coated paint finish. Contains a floor-to-top-of-panel raceway for housing electrical and telecommunications cables. Cut pole and top caps to size at installation site for lower ceilings and location along top cap. Order Power Feed separately.

SPECIFY: Product Number, Quantity, Finish. **NOTE:** Order power separately.


CMW Ceiling Cable Pole



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Size			
4.75W x 1.75D x 132H		STU922.11	\$439.00

DESCRIPTION: Includes (2) 66" base covers, (2) 66" side covers, (2) 66" dividers, (1) splice channel, (4) mounting brackets and (2) ceiling cover plates. **Mount Kit outside panels at 3-way panel condition only.** Not for use with 41" height panels. Installation outline included with Kit.

SPECIFY: Product Number and Trim Finish. Refer to Paint Finishes. **NOTE:** This can be used on A0 and Genesis systems if attached (connected) to panel or flat connector. standard CMW trim finishes only. For application over 11' contact Compatico for assistance.



STORAGE

Compatico Furniture Systems provide a full range of storage options. Pedestals come in all Compatico standard paint finishes and can be keyed alike. Select matching lateral files, file centers, bookcases, or two-door storage cabinets. Storage and pedestal towers with combination file storage, bookcase, and closet space are also available. Four standard options are available for pedestal/storage fronts and any can be used in all Compatico work space designs:

Option 1: “HM” style recessed black center pull with radiused drawer front

Option 2R: Satin Arc “S” Pull (replaces droop loop pull)

Option 3: “SC” style recessed black center pull with square drawer front

Option 4: HW style inverted “J” Pull with square drawer front


For Key Alike information, see Terms and Conditions section.

Storage



STORAGE

"Value" Worksurface Support Pedestals



Includes Wesco lock system

Add part # ONP602.12BK for legal file bars

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
14.75W	27H (28.3H with extended leveler)	20D	ONJ621.20	file/file	\$391.00
14.75W	27H (28.3H with extended leveler)	20D	ONJ631.20	box/box/file	391.00

DESCRIPTION: Pedestals have radiused front corners on all drawers and recessed black pulls. Box drawers and file drawers have full-length ball bearing slides. Glides allow for 1" - 3" of adjustment for floor irregularities. Pencil tray in one box drawer. All pedestals have locks. Locks may be keyed alike and lock plugs may be easily removed. Plug removal control key to remove lock plugs and replacement "keyed alike" lock plugs are an additional upcharge. See Accessory Section. **SPECIFY:** Product Number, Finish.

NOTE: Available Colors are BU/BK - Black, MT - Medium Tone, HF - Innertone Light. Additional colors available with extended lead time and possible minimum order quantities may apply.

NOTE: For finished end, see Accessory Section in this Price Book.

"Value" Mobile Pedestals



DIMENSIONS			PRODUCT NUMBER	LIST PRICE
Width	Height	Depth		
15W	22.375H	18D	PMB22H18D-BF-S	\$528.00
15W	22.375H	18D	PMB22H18D-BBB-S	564.00
15W	22.375H	22D	PMB22H22D-BF-S	540.00
15W	22.375H	22D	PMB22H22D-BBB-S	576.00

DESCRIPTION: Mobile pedestal 22" H includes (4) black plastic casters - (2) locking. Solid top and counterweight included. **SPECIFY:** Product Number, Finish.

NOTE: If pull handle required - add \$40 list and add suffix (-LCA arc pull) or (-LCO short rod pull)

"Value" Mobile Pedestal Cushion




DIMENSIONS			PRODUCT NUMBER	OPEN HOUSE GRADE 1 LIST PRICE
Width	Height	Depth		
15W	1.5H	18D	GBCT18D15W	\$152.00
15W	1.5H	22D	GBCT22D15W	160.00

DESCRIPTION: Cushion for value mobile pedestal attached to metal cabinet top with industrial hook and loop fastener. **SPECIFY:** Product Number, Fabric.

NOTE: Fabric selections offered from Guilford of Maine (Open House Seating fabric collection.)

COMPATICO DRAWER FRONT OPTIONS

STANDARD:



ALTERNATIVE: Call Compatico Project Management for assistance. Any of the pedestal options are available in these drawer front designs.



LOCK SYSTEM: Storage units come with key locking system. NOTE: Electric keypad locking available.


DIMENSIONS			PRODUCT NUMBER	GR. 1 LIST PRICE
Width	Height	Depth		
15.25W	23H	19.0D	HMP612.19	\$745.00
15.25W	23H	21.875D	HMP612.22	\$780.00

Mobile Pedestal with Cushion

DESCRIPTION: Mobile pedestal with 1.5" cushion attached. box drawer has full extension steel ball bearing slides. File drawer has full extension. Two locking casters and two non-locking casters included. Available in all four front options. All pedestals include a satin nickel "pull handle" on the top front to pull cabinet.

SPECIFY: Product Number, Fabric, Front Option, Finish.

NOTE: Contact Compatico Customer Service for Grade 2-4 pricing. Upcharge may apply.



Selection of seating fabrics from Guilford "Open House"

Compatico Systems Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis & Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

FS Desking & Seating

References

STORAGE


- Compatico Systems Terms & Conditions
- Surface Materials
- AO2
- CMW
- G2/Genesis & Benching
- Frames
- Hush
- FreshFIT
- Electrical
- Storage

Pedestals Pull: Option 1

Hanging Pedestals



Work Surface Supporting Pedestals - file/file




Work Surface Supporting Pedestals - box/box/file



Mobile Pedestals



Freestanding Pedestals



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25W	19.375H	22D	HMP611.22	b/f Hanging Pedestal	\$469.00	NA
15.25W	27.75H	22D 28D	HMP634.22	b/b/f Supporting Pedestal	\$547.00	\$448.00
			HMP634.28	b/b/f Supporting Pedestal	769.00	NA
15.25W	27.75H	22D 28D	HMP624.22	f/f Supporting Pedestal	\$494.00	\$448.00
			HMP624.28	f/f Supporting Pedestal	720.00	NA
15.25W	26.875H	22D	HMP638.22	b/b/f Mobile Pedestal	\$576.00	NA
			HMP628.22	f/f Mobile Pedestal	523.00	NA
15.25W	27.75H	22D	HMP673.22	b/b/f Freestanding Pedestal	\$720.00	NA
			HMP663.22	f/f Freestanding Pedestal	661.00	NA

DESCRIPTION: Pedestals have radiused drawer fronts and recessed black pulls. Box drawers and file drawers have steel ball-bearing slides (full extension in box, full in file). Can be keyed alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustment.

SPECIFY: Product Number, Finish.

***For orders of 24 Peds or more.**

NOTE: Call for large volume pricing: (>350 pedestals or more)

(>175 2 high laterals or more)



(>100 3 high laterals or storage and wardrobe towers)

- Worksurfaces
- Conference & Training Tables
- Legs
- Height Adjustable Legs
- Accessories
- FS Desking & Seating
- References


Pedestals Pull: Option 2R

Hanging Pedestals


Work Surface Supporting Pedestals - file/file




Work Surface Supporting Pedestals - box/box/file



Mobile Pedestals



Freestanding Pedestals



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25W	19.375H	22D	RLC611.22	b/f Hanging Pedestal	\$469.00	NA
15.25W	27.75H	22D 28D	RLC634.22	b/b/f Supporting Pedestal	\$547.00	\$448.00
			RLC634.28	b/b/f Supporting Pedestal	769.00	NA
15.25W	27.75H	22D 28D	RLC624.22	f/f Supporting Pedestal	\$494.00	\$448.00
			RLC624.28	f/f Supporting Pedestal	720.00	NA
15.25W	26.875H	22D	RLC638.22	b/b/f Mobile Pedestal	\$576.00	NA
			RLP628.22	f/f Mobile Pedestal	523.00	NA
15.25W	27.75H	22D	RLC673.22	b/b/f Freestanding Pedestal	\$720.00	NA
			RLC663.22	f/f Freestanding Pedestal	661.00	NA

DESCRIPTION: Pedestals have squared drawer fronts with satin arc pulls. Box drawers and file drawers have steel ball-bearing slides (3/4 extension in box, full in file). Can be keyed alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish.

***For orders of 24 Peds or more.**

NOTE: Call for large volume pricing: (>350 pedestals or more)

(>175 2 high laterals or more)

(>100 3 high laterals or storage and wardrobe towers)


- Compatico Systems Terms & Conditions
- Surface Materials
- A02
- CMW
- G2/Genesis & Benching
- Frames
- Hush
- FreshFIT
- Electrical
- Storage**
- Worksurfaces
- Conference & Training Tables
- Legs
- Height Adjustable Legs
- Accessories
- FS Desking & Seating
- References

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25W	19.375H	22D	SWP611.22	b/f Hanging Pedestal	\$469.00	NA
15.25W	27.75H	22D 28D	SWP634.22	b/b/f Supporting Pedestal	\$547.00	\$448.00
			SWP634.28	b/b/f Supporting Pedestal	769.00	NA
15.25W	27.75H	22D 28D	SWP624.22	f/f Supporting Pedestal	\$494.00	\$448.00
			SWP624.28	f/f Supporting Pedestal	720.00	NA
15.25W	26.875H	22D	SWP638.22	b/b/f Mobile Pedestal	\$576.00	NA
			SWP628.22	f/f Mobile Pedestal	523.00	NA
15.25W	27.75H	22D	SWP673.22	b/b/f Freestanding Pedestal	\$720.00	NA
			SWP663.22	f/f Freestanding Pedestal	661.00	NA

DESCRIPTION: Pedestals have square drawer fronts and recessed black pulls. Box drawers and file drawers have steel ball-bearing slides (full extension in box, full in file). Can be keyed alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish.

***For orders of 24 Peds or more.**

NOTE: Call for large volume pricing: (>350 pedestals or more)
 (>175 2 high laterals or more)
 (>100 3 high laterals or storage and wardrobe towers)




DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25W	19.375H	22D	HWP671.22	b/f Hanging Pedestal	\$469.00	NA
15.25W	27.75H	22D 28D	HWP634.22	b/b/f Supporting Pedestal	\$547.00	\$448.00
			HWP634.28	b/b/f Supporting Pedestal	769.00	NA
15.25W	27.75H	22D 28D	HWP624.22	f/f Supporting Pedestal	\$494.00	\$448.00
			HWP624.28	f/f Supporting Pedestal	720.00	NA
15.25W	26.875H	22D 22D	HWP638.22	b/b/f Mobile Pedestal	\$576.00	NA
			HWP628.22	f/f Mobile Pedestal	523.00	NA
15.25W	27.75H	22D 22D	HWP673.22	b/b/f Freestanding Pedestal	\$720.00	NA
			HWP663.22	f/f Freestanding Pedestal	661.00	NA

DESCRIPTION: Pedestals have square drawer fronts and full width recessed drawer pulls. Box drawers and file drawers have steel ball bearing drawer slides (full extension in box, full in file). Can be keyed-alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustments.

SPECIFY: Product Number, Finish.

***For orders of 24 Peds or more.**

NOTE: Call for large volume pricing: (>350 pedestals or more)
 (>175 2 high laterals or more)
 (>100 3 high laterals or storage and wardrobe towers)




STORAGE

Compatico Systems
Terms & Conditions

File Center
Worksurface Supporting
Pull: Option 1

Surface Materials




AO2

CMW

G2/Genesis &
Benching

Also available in 36"W and 42"W versions.

Frames



Hush

FreshFIT


Also available in 12/12/30 - not shown

Electrical

Storage

File Center
Worksurface Supporting
Pull: Option 2R

Worksurfaces



Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	18.25D	HMP706.30	2 Drawer Lateral	\$995.00
36W			HMP706.36	2 Drawer Lateral	1,132.00
42W			HMP706.42	2 Drawer Lateral	1,327.00
30.5W			HMP707.30	3 Drawer 12/12/30	1,187.00
30.5W			HMP708.30	4 Drawer 6/6/12/30	1,245.00

DESCRIPTION: File Center has radius edges - drawers have recessed black pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment.

SPECIFY: Product Number, Finish.

NOTE: For cushion or laminate tops, contact Compatico Customer Service.

NOTE: These match "option" pedestal toe kick and horizontal alignment.


DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	18.25D	RLC706.30	2 Drawer 30/30	\$995.00
30.5W			RLC707.30	3 Drawer 12/12/30	1,132.00
30.5W			RLC708.30	4 Drawer 6/6/12/30	1,327.00
36W			RLC706.36	2 Drawer Lateral	1,187.00
42W			RLC706.42	2 Drawer Lateral	1,245.00

DESCRIPTION: File Center has squared edges and all drawers have satin arc pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment.

SPECIFY: Product Number, Finish. **NOTE:** For cushion or laminate tops, contact Compatico Customer Service. **NOTE:** For cushion or laminate tops, contact Compatico Customer Service.

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	18.25D	SWP706.30	2 Drawer Lateral	\$995.00
36W			SWP706.36	2 Drawer Lateral	1,132.00
42W			SWP706.42	2 Drawer Lateral	1,327.00
30.5W			SWP707.30	3 Drawer 12/12/30	1,187.00
30.5W			SWP708.30	4 Drawer 6/6/12/30	1,245.00


DESCRIPTION: File Center has square edges and all drawers have recessed black pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish. **NOTE:** For cushion or laminate tops, contact Compatico Customer Service. **NOTE:** These match "option" pedestal toe kick and horizontal alignment.



Also available in 12/12/30 - not shown

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	18.25D	HWP706.30	2 Drawer Lateral	\$995.00
36W			HWP706.36	2 Drawer Lateral	1,132.00
42W			HWP706.42	2 Drawer Lateral	1,327.00
30.5W			HWP707.30	3 Drawer 12/12/30	1,187.00
30.5W			HWP708.30	4 Drawer 6/6/12/30	1,245.00

DESCRIPTION: File Center has square edges and all drawers have full horizontal pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish. **NOTE:** For cushion or laminate tops, contact Compatico Customer Service. **NOTE:** These match "option" pedestal toe kick and horizontal alignment.



Also available in 12/12/30 - not shown

File Center
Worksurface Supporting
Pull: Option 3

File Center
Worksurface Supporting
Pull: Option 4

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

STORAGE

Compatico Systems
Terms & Conditions

Lateral Files Pull: Option 1

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



Note: 52" and 64.125" does not match to other storage heights.

*30" and 36" W need 2 file bars per drawer
42"W need 4 file bars per drawer

DIMENSIONS

Width	Height	Depth	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
30W	27.75H	17.38D	HMP702.30	2 Drawer	\$1,165.00
36W			HMP702.36		1,256.00
42W			HMP702.42		1,380.00
30W	39.875H	17.38D	HMP703.30	3 Drawer	\$1,480.00
36W			HMP703.36		1,652.00
42W			HMP703.42		1,836.00
30W	52H	17.38D	HMP704.30	4 Drawer	\$1,843.00
36W			HMP704.36		2,059.00
42W			HMP704.42		2,262.00
30W	64.125H	17.38D	HMP705.30	5 Drawer*	\$2,330.00
36W			HMP705.36		2,594.00
42W			HMP705.42		2,897.00

DESCRIPTION: Lateral file case has radius vertical corners - drawers have recessed black pulls. Laterals accommodate letter, A4, and legal files. A safety interlock system allows only one drawer to be open at a time. **CAUTION:** Counterweights are recommended even if laterals are anchored or ganged to another file. Leveling glides allow for 7/8" height adjustment.

SPECIFY: Product Number, Finish.

*On 5 Drawer Files the top drawer is an open frame file drawer with flipper door.

ACCESSORIES FOR ALL LATERAL FILES

PRODUCT NUMBER	DESCRIPTION	WGT	LIST PRICE
UNP701.0200	Counter Weight for 2 High	42	\$281.00
UNP701.0300	Counter Weight for 3 High	31.5	\$202.00
UNP701.0400	Counter Weight for 4 High	21	\$143.00
UNP701.0500	Counter Weight for 5 High	10.5	\$133.00
LMEX.4500.9	Front to Back Conversion Filing Bars*		\$37.00 - 4 bars

DIMENSIONS

Width	Height	Depth	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
30W	27.75H	17.38D	RLC702.30	2 Drawer	\$1,165.00
36W			RLC702.36		1,256.00
42W			RLC702.42		1,380.00
30W	39.387H	17.38D	RLC703.30	3 Drawer	\$1,480.00
36W			RLC703.36		1,652.00
42W			RLC703.42		1,836.00
30W	52H	17.38D	RLC704.30	4 Drawer	\$1,843.00
36W			RLC704.36		2,059.00
42W			RLC704.42		2,262.00
30W	64.125H	17.38D	RLC705.30	5 Drawer*	\$2,330.00
36W			RLC705.36		2,594.00
42W			RLC705.42		2,897.00


DESCRIPTION: Lateral file case has squared vertical corners and all drawers have satin arc pulls. Laterals accommodate letter, A4, and legal files. A safety interlock system allows only one drawer to be open at a time. **CAUTION:** Counterweights are recommended even if laterals are anchored or ganged to another file. Leveling glides allow for 7/8" height adjustment.

SPECIFY: Product Number, Finish.

NOTE: Dome top available on any 36" lateral. Add \$375 to list price.

*On 5 Drawer Files the top drawer is an open frame file drawer with flipper door.

Lateral Files Pull: Option 2R



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	17.38D	SWP702.30	2 Drawer	\$1,165.00
36W			SWP702.36		1,256.00
42W			SWP702.42		1,380.00
30W	39.875H	17.38D	SWP703.30	3 Drawer	\$1,480.00
36W			SWP703.36		1,652.00
42W			SWP703.42		1,836.00
30W	52H	17.38D	SWP704.30	4 Drawer	\$1,843.00
36W			SWP704.36		2,059.00
42W			SWP704.42		2,262.00
30W	64.125H	17.38D	SWP705.30	5 Drawer*	\$2,330.00
36W			SWP705.36		2,594.00
42W			SWP705.42		2,897.00

DESCRIPTION: Lateral file case has square edges and all drawers have recessed black pulls. Laterals accommodate letter, A4, and legal files. A safety interlock system allows only one drawer to be open at a time. **CAUTION:** Counterweights are recommended even if laterals are anchored or ganged to another file. Leveling glides allow for 7/8" height adjustment.

SPECIFY: Product Number, Finish.

***On 5 Drawer Files the top drawer is an open frame file drawer with flipper door.**

ACCESSORIES FOR ALL LATERAL FILES				
PRODUCT NUMBER	DESCRIPTION	WGT	LIST PRICE	
UNP701.0200	Counter Weight for 2 High	42	\$281.00	
UNP701.0300	Counter Weight for 3 High	31.5	\$202.00	
UNP701.0400	Counter Weight for 4 High	21	\$143.00	
UNP701.0500	Counter Weight for 5 High	10.5	\$133.00	
LMEX.4500.9	Front to Back Conversion Filing Bars*		\$37.00 - 4 bars	


DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	17.38D	HWP702.30	2 Drawer	\$1,165.00
36W			HWP702.36		1,256.00
42W			HWP702.42		1,380.00
30W	39.875H	17.38D	HWP703.30	3 Drawer	\$1,480.00
36W			HWP703.36		1,652.00
42W			HWP703.42		1,836.00
30W	52H	17.38D	HWP704.30	4 Drawer	\$1,843.00
36W			HWP704.36		2,059.00
42W			HWP704.42		2,262.00
30W	64.125H	17.38D	HWP705.30	5 Drawer*	\$2,330.00
36W			HWP705.36		2,594.00
42W			HWP705.42		2,897.00

DESCRIPTION: Lateral file case has square edges and all drawers have full horizontal pulls. Laterals accommodate letter, A4, and legal files. A safety interlock system allows only one drawer to be open at a time. **CAUTION:** Counterweights are recommended even if laterals are anchored or ganged to another file. Leveling glides allow for 7/8" height adjustment.

SPECIFY: Product Number, Finish.

***On 5 Drawer Files the top drawer is an open frame file drawer with flipper door.**


Lateral Files
Pull: Option 3



NOTE: 52" and 64.125" do not match other storage/wardrobe heights. If match is needed request "in-line" version (only available in Option 3 and 4). Fronts are proud and square design.

*30" and 36" W need 2 file bars per drawer
42"W need 4 file bars per drawer

Lateral Files
Pull: Option 4



NOTE: 52" and 64.125" do not match other storage/wardrobe heights. If match is needed request "in-line" version (only available in Option 3 and 4). Fronts are proud and square design.

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References

STORAGE

Bookcase



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30W	27.75H	13.375D	SWP728.30	Bookcase w/1 shelf	\$853.00
36W			SWP728.36		893.00
42W			SWP728.42		933.00
30W	39.875H	13.375D	SWP741.30	Bookcase w/2 shelves	\$947.00
36W			SWP741.36		994.00
42W			SWP741.42		1,021.00
30W	51.375H	13.375D	SWP754.30	Bookcase w/3 shelves	\$1,073.00
36W			SWP754.36		1,113.00
42W			SWP754.42		1,154.00
30W	65.875H	13.375D	SWP767.30	Bookcase w/4 shelves	\$1,180.00
36W			SWP767.36		1,227.00
42W			SWP767.42		1,267.00

DESCRIPTION: Square front, metal, double-walled bookcase will accommodate binder-height storage in all but one shelf area compartment. Shelves are adjustable in 1/2" increments.

Leveling glides allow for 5/8" height adjustment. (Exception: Bookcase with 1 shelf accommodates binder-height on both shelves.) **SPECIFY:** Product Number, Finish.

ACCESSORIES FOR ALL BOOKCASE OPTIONS		
PRODUCT NUMBER	USE	LIST PRICE
UNP700.30	Shelf for 30" Bookcase	\$65.00
UNP700.36	Shelf for 36" Bookcase	\$65.00
UNP700.42	Shelf for 42" Bookcase	\$65.00

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
PULL: OPTION 4					
36W	28.375H	18.25D	HWP827.36	Storage Cabinet w/1 Shelf	\$1,267.00
36W	39.875H	18.25D	HWP840.36	Storage Cabinet w/2 Shelves	\$1,581.00
36W	51.375H	18.25D	HWP852.36	Storage Cabinet w/3 Shelves	\$1,893.00
36W	65.875H	18.25D	HWP864.36	Storage Cabinet w/4 Shelves	\$2,207.00

*Option 4
Continuous Inverted
J Pull and square
vertical edges.*



Storage Cabinet

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories


FS Desking &
Seating

References


STORAGE

Pedestal Tower with Side Bookcase


Option 1
Recessed pull and radius vertical edges.




Option 2R
Satin Arc "S" Pull and square vertical edges.



Option 3
Recessed pull and square vertical edges.



Option 4
Full width recessed pull and square vertical edges.



shown bookcase left

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
PULL: OPTION 1					
15.25W	51.375H	23.5D	HML524.23	Bookcase Left & FF	\$1,426.00
			HML534.23	Bookcase Left & BBF	1,470.00
			HMR524.23	Bookcase Right & FF	1,426.00
			HMR534.23	Bookcase Right & BBF	1,470.00
15.25W	65.875H	23.5D	HML624.23	Bookcase Left & FF	\$1,497.00
			HML634.23	Bookcase Left & BBF	1,529.00
			HMR624.23	Bookcase Right & FF	1,497.00
			HMR634.23	Bookcase Right & BBF	1,529.00
PULL: OPTION 2R					
15.25W	51.375H	23.5D	RCL524.23	Bookcase Left & FF	\$1,426.00
			RCL534.23	Bookcase Left & BBF	1,470.00
			RCR524.23	Bookcase Right & FF	1,426.00
			RCR534.23	Bookcase Right & BBF	1,470.00
15.25W	65.875H	23.5D	RCL624.23	Bookcase Left & FF	\$1,497.00
			RCL634.23	Bookcase Left & BBF	1,529.00
			RCR624.23	Bookcase Right & FF	1,497.00
			RCR634.23	Bookcase Right & BBF	1,529.00
PULL: OPTION 3					
15.25W	51.375H	23.5D	SWL524.23	Bookcase Left & FF	\$1,426.00
			SWL534.23	Bookcase Left & BBF	1,470.00
			SWR524.23	Bookcase Right & FF	1,426.00
			SWR534.23	Bookcase Right & BBF	1,470.00
15.25W	65.875H	23.5D	SWL624.23	Bookcase Left & FF	\$1,497.00
			SWL634.23	Bookcase Left & BBF	1,529.00
			SWR624.23	Bookcase Right & FF	1,497.00
			SWR634.23	Bookcase Right & BBF	1,529.00
PULL: OPTION 4					
15.25W	51.375H	23.5D	HWL524.23	Bookcase Left & FF	\$1,426.00
			HWL534.23	Bookcase Left & BBF	1,470.00
			HWR524.23	Bookcase Right & FF	1,426.00
			HWR534.23	Bookcase Right & BBF	1,470.00
15.25W	65.875H	23.5D	HWL624.23	Bookcase Left & FF	\$1,497.00
			HWL634.23	Bookcase Left & BBF	1,529.00
			HWR624.23	Bookcase Right & FF	1,497.00
			HWR634.23	Bookcase Right & BBF	1,529.00

DESCRIPTION: Pedestal on bottom and open bookcase facing left or right on top. Open bookcase has 1 shelf (52"H) or 2 shelves (64"H). Open bookcase has squared vertical edges.

SPECIFY: Product Number, Finish. **NOTE:** Not available in some fronts.

NOTE: Other handle versions include S, Q, Y.

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
PULL: OPTION 1					
23.5W	51.375H	23.5D	HML724.23	Bookcase & FF Left	\$2,371.00
			HML734.23	Bookcase & BBF Left	2,453.00
			HMR724.23	Bookcase & FF Right	2,371.00
			HMR734.23	Bookcase & BBF Right	2,453.00
23.5W	65.875H	23.5D	HML824.23	Bookcase & FF Left	\$2,573.00
			HML834.23	Bookcase & BBF Left	2,658.00
			HMR824.23	Bookcase & FF Right	2,573.00
			HMR834.23	Bookcase & BBF Right	2,658.00
PULL: OPTION 2R					
23.5W	51.375H	23.5D	RCL724.23	Bookcase & FF Left	\$2,371.00
			RCL734.23	Bookcase & BBF Left	2,453.00
			RCR724.23	Bookcase & FF Right	2,371.00
			RCR734.23	Bookcase & BBF Right	2,453.00
23.5W	65.875H	23.5D	RCL824.23	Bookcase & FF Left	\$2,573.00
			RCL834.23	Bookcase & BBF Left	2,658.00
			RCR824.23	Bookcase & FF Right	2,573.00
			RCR834.23	Bookcase & BBF Right	2,658.00
PULL: OPTION 3					
23.5W	51.375H	23.5D	SWL724.23	Bookcase & FF Left	\$2,371.00
			SWL734.23	Bookcase & BBF Left	2,453.00
			SWR724.23	Bookcase & FF Right	2,371.00
			SWR734.23	Bookcase & BBF Right	2,453.00
23.5W	65.875H	23.5D	SWL824.23	Bookcase & FF Left	\$2,573.00
			SWL834.23	Bookcase & BBF Left	2,658.00
			SWR824.23	Bookcase & FF Right	2,573.00
			SWR834.23	Bookcase & BBF Right	2,658.00
PULL: OPTION 4					
23.5W	51.375H	23.5D	HWL724.23	Bookcase & FF Left	\$2,371.00
			HWL734.23	Bookcase & BBF Left	2,453.00
			HWR724.23	Bookcase & FF Right	2,371.00
			HWR734.23	Bookcase & BBF Right	2,453.00
23.5W	65.875H	23.5D	HWL824.23	Bookcase & FF Left	\$2,573.00
			HWL834.23	Bookcase & BBF Left	2,658.00
			HWR824.23	Bookcase & FF Right	2,573.00
			HWR834.23	Bookcase & BBF Right	2,658.00


DESCRIPTION: Includes full height coat closet, side bookcase and pedestal. Coat closet includes coat rod. Side bookcase has 1 shelf (52"H) or 2 shelves (64"H). Coat closet dimensions: 7 1/2" wide x 22 3/4" deep. Side bookcase dimensions: 22 3/4" wide x 15 1/4" deep.

SPECIFY: Product Number, Finish. **NOTE:** Other handle versions include S, Q, Y.


NOTE: No coat rod in bookcase/wardrobe units. It receives a two-prong coat hook.

Pedestal
with Wardrobe


Option 1
Recessed pull
and radius
vertical edges.




Option 2R
Satin Arc "S" Pull
and square
vertical edges.



Option 3
Recessed pull
and square
vertical edges.



Option 4
Full width recessed
pull and square
vertical edges.



shown bookcase left

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

STORAGE

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Pedestal Cupboard with Wardrobe



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
PULL: OPTION 1					
23.5W	51.375H	23.5D	HML525.23	Wardrobe Left/FF Right	\$2,243.00
			HML535.23	Wardrobe Left/BBF Right	2,301.00
			HMR525.23	Wardrobe Right/FF Left	2,243.00
			HMR535.23	Wardrobe Right/BBF Left	2,301.00
23.5W	65.875H	23.5D	HML625.23	Wardrobe Left/FF Right	\$2,573.00
			HML645.23	Wardrobe Left/FFF Right	2,485.00
			HML655.23	Wardrobe Left/BBF Right	2,573.00
			HMR625.23	Wardrobe Right/FF Left	2,573.00
			HMR645.23	Wardrobe Right/FFF Left	2,485.00
			HMR655.23	Wardrobe Right/BBF Left	2,573.00
PULL: OPTION 2R					
23.5W	51.375H	23.5D	RCL525.23	Wardrobe Left/FF Right	\$2,243.00
			RCL535.23	Wardrobe Left/BBF Right	2,301.00
			RCR525.23	Wardrobe Right/FF Left	2,243.00
			RCR535.23	Wardrobe Right/BBF Left	2,301.00
23.5W	65.875H	23.5D	RCL625.23	Wardrobe Left/FF Right	\$2,573.00
			RCL645.23	Wardrobe Left/FFF Right	2,485.00
			RCL655.23	Wardrobe Left/BBF Right	2,573.00
			RCR625.23	Wardrobe Right/FF Left	2,573.00
			RCR645.23	Wardrobe Right/FFF Left	2,485.00
			RCR655.23	Wardrobe Right/BBF Left	2,573.00
PULL: OPTION 3					
23.5W	51.375H	23.5D	SWL525.23	Wardrobe Left/FF Right	\$2,243.00
			SWL535.23	Wardrobe Left/BBF Right	2,301.00
			SWR525.23	Wardrobe Right/FF Left	2,243.00
			SWR535.23	Wardrobe Right/BBF Left	2,301.00
23.5W	65.875H	23.5D	SWL625.23	Wardrobe Left/FF Right	\$2,573.00
			SWL645.23	Wardrobe Left/FFF Right	2,485.00
			SWL655.23	Wardrobe Left/BBF Right	2,573.00
			SWR625.23	Wardrobe Right/FF Left	2,573.00
			SWR645.23	Wardrobe Right/FFF Left	2,485.00
			SWR655.23	Wardrobe Right/BBF Left	2,573.00
PULL: OPTION 4					
23.5W	51.375H	23.5D	HWL525.23	Wardrobe Left/FF Right	\$2,243.00
			HWL535.23	Wardrobe Left/BBF Right	2,301.00
			HWR525.23	Wardrobe Right/FF Left	2,243.00
			HWR535.23	Wardrobe Right/BBF Left	2,301.00
23.5W	65.875H	23.5D	HWL625.23	Wardrobe Left/FF Right	\$2,573.00
			HWL645.23	Wardrobe Left/FFF Right	2,485.00
			HWL655.23	Wardrobe Right/BBF Left	2,573.00
			HWR625.23	Wardrobe Right/FF Left	2,573.00
			HWR645.23	Wardrobe Right/FFF Left	2,485.00
			HWR655.23	Wardrobe Right/BBF Left	2,573.00

DESCRIPTION: Includes full height coat closet and cupboard with adjustable shelves.

Coat closet include coat rod. Coat closet dimensions: 7 1/2" wide x 22 3/4" deep.

Cupboard dimensions: 14" wide x 22 3/4" deep. **SPECIFY:** Product Number, Finish.

NOTE: Dome top available on wardrobe storage units. Contact Compatico Customer Service for further information. **NOTE:** Other handle versions include S, Q, Y.

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
PULL: OPTION 2R					
12	51.375H	18.25D	CLL25118	Hinge Located on Left	\$1418.00
12	51.375H	18.25D	CLR25118	Hinge Located on Right	1418.00
12	51.375H	23.50D	CLL25123	Hinge Located on Left	\$1484.00
12	51.375H	23.50D	CLR25123	Hinge Located on Right	1484.00
12	65.875H	18.25D	CLL26518	Hinge Located on Left	\$1454.00
12	65.875H	18.25D	CLR26518	Hinge Located on Right	1454.00
12	65.875H	23.50D	CLL26523	Hinge Located on Left	\$1520.00
12	65.875H	23.50D	CLR26523	Hinge Located on Right	1520.00
PULL: OPTION 4					
12	51.375H	18.25D	CLL45118	Hinge Located on Left	\$1418.00
12	51.375H	18.25D	CLR45118	Hinge Located on Right	1418.00
12	51.375H	23.50D	CLL45123	Hinge Located on Left	\$1484.00
12	51.375H	23.50D	CLR45123	Hinge Located on Right	1484.00
12	65.875H	18.25D	CLL46518	Hinge Located on Left	\$1454.00
12	65.875H	18.25D	CLR46518	Hinge Located on Right	1454.00
12	65.875H	23.50D	CLL46523	Hinge Located on Left	\$1520.00
12	65.875H	23.50D	CLR46523	Hinge Located on Right	1520.00

DESCRIPTION: Locking door hinges left or right. Includes one fixed shelf on top, with 12" clear height above. Side-to-side coat rod beneath shelf. Leveling glides allow for 7/8" adjustment. Leveling glides are accessible from inside the locker.

In-Line 12" Wide Locker



*Pull: Option 2R
Satin Arc Pull or Pull
option 4 inverted J
full pull*

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

OVERHEAD STORAGE

Compatico Systems
Terms & Conditions

Flipper Door Unit *Over-the-Top Painted Door*

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



DIMENSIONS			AO PRODUCT NUMBER	CMW PRODUCT NUMBER	G2/GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
24W	15H	13.25D	HMP711.24	SWP711.24	GEP711.24	\$480.00
30W			HMP711.30	SWP711.30	GEP711.30	497.00
36W			HMP711.36	SWP711.36	GEP711.36	517.00
42W			HMP711.42	SWP711.42	GEP711.42	546.00
48W			HMP711.48	SWP711.48	GEP711.48	583.00
60W			HMP711.60	SWP711.60	GEP711.60	719.00


DESCRIPTION: Shipped ready to assemble. Unit includes shelf, door, top, shelf ends with anti-dislodgement mechanism and hardware. Painted flipper door front stows on top of the unit. Lock may be keyed to match pedestals (upcharge). Assembly instructions included.

SPECIFY: Product Number, Finish.

NOTES:

1. HMP used with AO panels, SWP used with CMW panels, GEP used with Genesis panels.
2. Fabric covered, laminated or veneered door options are subject to an upcharge, call Compatico Customer Service for more information.
3. Enclosed back available with upcharge and require extended lead time.
4. Bracket for above panel height available upon request (minimum order quantities apply).
5. Off module hanging capability, available upon request (minimum order quantities apply).

Flipper Door Unit *Receding Painted Metal Door*



DIMENSIONS			AO PRODUCT NUMBER	CMW PRODUCT NUMBER	G2/GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
24W	16.5H	14.125D	HMP731.24	SWP731.24	GEP731.24	\$572.00
30W			HMP731.30	SWP731.30	GEP731.30	583.00
36W			HMP731.36	SWP731.36	GEP731.36	614.00
42W			HMP731.42	SWP731.42	GEP731.42	645.00
48W			HMP731.48	SWP731.48	GEP731.48	695.00
60W			HMP731.60	SWP731.60	GEP731.60	854.00

DESCRIPTION: Shipped ready to assemble. Unit includes shelf, door, top, shelf ends with anti-dislodgement mechanism and hardware. Flipper door front recedes into unit. Lock may be keyed to match pedestals (upcharge). Assembly instructions included.


SPECIFY: Product Number, Finish.

NOTES:

1. HMP used with AO panels, SWP used with CMW panels, GEP used with Genesis panels.
2. Fabric covered and laminated door options are not available.
3. Enclosed back available with upcharge and require extended lead time.
4. Bracket for above panel height available upon request (minimum order quantities apply).
5. Off module hanging capability, available upon request (minimum order quantities apply).

DIMENSIONS			PRODUCT NUMBER	LIST PRICE	COM Fabric	Value Fabric	Grade 2 Fabric	Grade 3 Fabric	Grade 4 Fabric	
Width	Height	Depth								
A02										
24W	15.5H	12D	HMA273.24	\$313.00						
30W			HMA273.30	339.00						
36W			HMA273.36	358.00	-\$24	-\$11	+\$36	+\$64	+\$12	
42W			HMA273.42	383.00						
48W			HMA273.48	401.00						
60W			HMA273.60	439.00						
CMW AND GENESIS										
24W	15.5H	12D	CG273.24	\$313.00						
30W			CG273.30	339.00						
36W			CG273.36	358.00	-\$24	-\$11	+\$36	+\$64	+\$12	
42W			CG273.42	383.00						
48W			CG273.48	401.00						
60W			CG273.60	439.00						

Value Flipper Door Unit
Fabric Front
Radius Edge Style



Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories


FS Desking &
Seating

References

DESCRIPTION: Fabric front, when opened, is stored above the unit. Unit includes painted wood radius shelf ends, painted metal shelf, upholstered front, painted top cover, Wesco lock and operating hardware. Locks may be keyed to match pedestals. Shipped unassembled. **SPECIFY:** Product Number, Finish, Fabric Name and Grade.
NOTE: For CMW and Genesis, a common/universal hangar bracket is included.

DIMENSIONS			A02 PRODUCT NUMBER	LIST PRICE	CMW & GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
PAINTED STEEL FRONT						
24W	15.5H	12D	HMA277.24	\$326.00	CG277.24	\$326.00
30W			HMA277.30	332.00	CG277.30	332.00
36W			HMA277.36	353.00	CG277.36	353.00
42W			HMA277.42	354.00	CG277.42	354.00
48W			HMA277.48	377.00	CG277.48	377.00
60W			HMA277.60	467.00	CG277.60	467.00


Value Flipper Door Unit
Painted Steel Front
Radius Edge Style



DESCRIPTION: Painted steel front, when opened, is stored above the unit. Unit includes painted wood radius shelf ends, painted shelf, painted steel door front, painted top cover, Wesco lock and operating hardware. Locks may be keyed to match pedestals. Shipped unassembled. **SPECIFY:** Product Number, Finish (DT, MT, HF, LT, BU). **NOTE:** For CMW and Genesis, a common/universal hangar bracket is included.
NOTE: For fabric (on metal door) use HMA275.XX - Add \$140 list upcharge.

DIMENSIONS			PRODUCT NUMBER	LIST PRICE	COM Fabric	Value Fabric	Grade 2 Fabric	Grade 3 Fabric	Grade 4 Fabric	Laminate Front HPL
Width	Height	Depth								
A01										
24W	15.5H	12D	HMA271.24	\$307.00						
30W			HMA271.30	332.00						
36W			HMA271.36	358.00	-\$24	-\$11	+\$36	+\$64	+\$122	+\$261
42W			HMA271.42	383.00						
48W			HMA271.48	398.00						
60W			HMA271.60	435.00						
CMW AND GENESIS										
24W	15.5H	12D	CG271.24	\$307.00						
30W			CG271.30	332.00						
36W			CG271.36	358.00	-\$24	-\$11	+\$36	+\$64	+\$122	+\$261
42W			CG271.42	383.00						
48W			CG271.48	398.00						
60W			CG271.60	435.00						



Value Flipper Door Unit
Fabric Front
Rounded Corner Style



DESCRIPTION: Fabric front, when opened, is stored above the unit. Unit includes painted wood radius shelf ends, painted shelf, upholstered front, painted top cover, Wesco lock and operating hardware. Locks may be keyed to match pedestals. Shipped unassembled. **SPECIFY:** Product Number, Finish, Fabric Name and Grade.

STORAGE

Metal Shelf Units



Note: Corner shelf units* are available - contact Compatico Customer Service.


DIMENSIONS			PRODUCT NUMBER	LIST PRICE
Width	Height	Depth		
HALF HEIGHT FOR A0				
24W	7H	12.75D	HMP719.24	\$217.00
30W			HMP719.30	223.00
36W			HMP719.36	230.00
42W			HMP719.42	237.00
48W			HMP719.48	243.00
60W			HMP719.60	294.00
FULL HEIGHT FOR A0				
24W	15H	12.75D	HMP718.24	\$237.00
30W			HMP718.30	243.00
36W			HMP718.36	249.00
42W			HMP718.42	269.00
48W			HMP718.48	275.00
60W			HMP718.60	326.00
HALF HEIGHT FOR CMW				
24W	7H	12.75D	SWP719.24	\$217.00
30W			SWP719.30	223.00
36W			SWP719.36	230.00
42W			SWP719.42	237.00
48W			SWP719.48	243.00
60W			SWP719.60	294.00
FULL HEIGHT FOR CMW				
24W	15H	12.75D	SWP718.24	\$237.00
30W			SWP718.30	243.00
36W			SWP718.36	249.00
42W			SWP718.42	269.00
48W			SWP718.48	275.00
60W			SWP718.60	326.00
HALF HEIGHT FOR GENESIS				
24W	8H	12.75D	GEP719.24	\$202.00
30W			GEP719.30	243.00
36W			GEP719.36	236.00
42W			GEP719.42	261.00
48W			GEP719.48	249.00
FULL HEIGHT FOR GENESIS				
24W	15H	12.75D	GEP718.24	\$259.00
30W			GEP718.30	263.00
36W			GEP718.36	271.00
42W			GEP718.42	294.00
48W			GEP718.48	298.00
60W			GEP718.60	357.00

DESCRIPTION: Shipped ready to assemble. Unit includes shelf. Shelf ends with anti-dislodgement mechanism and hardware. Assembly instructions included. **SPECIFY:** Product Number, Finish. **NOTE:** HMP used with A0 panels, SWP used with CMW and OEM panels, and GEP used with Genesis panels. **NOTE:** Corner shelf units available as special order item. Call Compatico Project Manager for details.

DIMENSIONS			A02 PRODUCT NUMBER	LIST PRICE	CMW & GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
HALF HEIGHT						
24W	7.5H	12D	HMA283.24	\$116.00	CG283.24	\$116.00
30W			HMA283.30	123.00	CG283.30	123.00
36W			HMA283.36	129.00	CG283.36	129.00
42W			HMA283.42	136.00	CG283.42	136.00
48W			HMA283.48	144.00	CG283.48	144.00
60W			HMA283.60	157.00	CG283.60	157.00
FULL HEIGHT						
24W	15.5H	12D	HMA284.24	\$138.00	CG284.24	\$138.00
30W			HMA284.30	146.00	CG284.30	146.00
36W			HMA284.36	150.00	CG284.36	150.00
42W			HMA284.42	156.00	CG284.42	156.00
48W			HMA284.48	165.00	CG284.48	165.00
60W			HMA284.60	181.00	CG284.60	181.00

DESCRIPTION: Painted wood radius shelf ends with half radius edge and slight radius corners. Painted metal shelf is ready to receive tasklight. Use flipper conversion kit to convert full height shelf unit into flipper door unit.


SPECIFY: Product Number, Shelf End Color, Shelf Finish Color. **NOTE:** Corner shelf units available as special order item. Call Compatico Project Manager for details.



Value Shelf Units
Radius Edge Style

DIMENSIONS			A01 PRODUCT NUMBER	LIST PRICE	CMW & GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
HALF HEIGHT						
24W	7.5H	12D	HMA281.24	\$116.00	CG281.24	\$116.00
30W			HMA281.30	123.00	CG281.30	123.00
36W			HMA281.36	129.00	CG281.36	129.00
42W			HMA281.42	136.00	CG281.42	136.00
48W			HMA281.48	144.00	CG281.48	144.00
60W			HMA281.60	157.00	CG281.60	157.00
FULL HEIGHT						
24W	15.5H	12D	HMA282.24	\$138.00	CG282.24	\$138.00
30W			HMA282.30	146.00	CG282.30	146.00
36W			HMA282.36	150.00	CG282.36	150.00
42W			HMA282.42	165.00	CG282.42	165.00
48W			HMA282.48	165.00	CG282.48	165.00
60W			HMA282.60	181.00	CG282.60	181.00

DESCRIPTION: Painted wood radius shelf ends with soft radius edge and radius corners. Painted metal shelf is ready to receive tasklight. Use flipper conversion kit to convert full height shelf unit into flipper door unit. **SPECIFY:** Product Number, Shelf End Color, Shelf Finish Color.



Value Shelf Units
Rounded Corner Style

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

WORKSURFACES

Compatico's selection of worksurfaces includes many different colors and wood grain laminates, along with a variety of edge profiles which enables you to create endless combinations that meet site designs. Worksurface shapes include rectilinear, curvilinear, peninsula, round, or racetrack, 180° or 90° spanners and countercaps that can be incorporated into your furniture system. New edge details available are Bullnose, Ripple, Wedge and Waterfall; along with the traditional T-edge and 3MM edge. Please review our laminate and edge finish selections from WilsonArt[®], Nevamar[®], Pionite[®], and Formica[®] to complete your space plan.

Worksurfaces



WORKSURFACES

Standard Compatico Worksurfaces are constructed from 45 lb.. density particleboard and are 1 1/8" thick, and the face of all standard work surfaces is high pressure laminate (see price book "Surface Materials" for complete laminate listing.)

SPECIFICATION EXAMPLE

Model #	+	Edge #	=	PRODUCT NUMBER
WSR108	+	.01	=	WSR108.01

1. Support Hardware is not included with Worksurfaces; support hardware is specified independently. Worksurface support channels are recommended on any unsupported span greater than 48". Order separately, part number UNP000.01BK (field installation required).

2. Worksurface Selections may be made from a variety of standard shapes, sizes and profile edges. Special or higher grade laminates may have an upcharge and longer lead-time. Please provide dimensions and drawing for special sizes.

NOTE: For exact OEM sizes "OEM sizing" must be specified on purchase order.

3. Edge Colors are available in many different colors to match laminates or paint finishes.

4. Cleaning: Use Windex or mineral spirits on laminated surfaces.

5. Miscellaneous Notes









A) Grommets are standard on all corner worksurfaces. Add \$22 list for grommet in any other worksurface.

B) One scallop per worksurface 60" and larger work surfaces have two scallops.

C) Installation gap between worksurfaces and panels varies by product line (3/4" on AO and Frames, 1/4" on CMW and G2/Genesis) due to panel design.

D) Not all worksurfaces are pre-drilled for cantilevers.


E) Corner and extended corner worksurfaces in LPL wood grain - pattern will run lengthwise.

PRODUCT NUMBER		DESCRIPTION	EDGE DETAIL IMAGE
Model #	Edge #		
X X X X X X	.01	T-Edge 1 1/16" thick matches OEM A01 specifications grommet on corner 3mm edging on all sides	 Recommended for A01
X X X X X X	.02	3MM Edge 1 1/8" thick grommet standard on corner worksurface only - must specify for grommets on other worksurfaces (upcharge per grommet will apply) 3mm edging on three (3) sides	 Recommended for A02 and frames
X X X X X X	.03	3MM Edge 1 1/8" thick scallops standard on all (.03) worksurfaces except spanner and peninsula and counter caps units unless specified 3mm edging on three (3) sides	 Recommended for CW and G2/Genesis
X X X X X X	.04	Self Edge 1 1/8" thick laminate self-edge for worksurfaces can be specified - matching laminate will be applied to all sides [use .14 for self edge with scallops]	
X X X X X X	.05	Bullnose Edge 1 1/8" thick 1mm edging on back edge and sides (limited colors available) [use .15 for self edge with scallops]	
X X X X X X	.06	Ripple Edge 1 1/8" thick 1mm edging on back edge and sides (limited colors available) [use .16 for ripple edge with scallops]	
X X X X X X	.07	Wedge Edge 1 1/8" thick 1mm edging on back edge and sides (limited colors available) [use .17 for wedge edge with scallops]	
X X X X X X	.08	Waterfall Edge 1 1/8" thick 1mm edging on back edge and sides (limited colors available) [use .18 for waterfall edge with scallops]	
X X X X X X	.23	LPL Laminate with 3mm edging scallops on rectangular surfaces. Grommets standard on corner. 1mm edging on all back and sides	
X X X X X X	.24	LPL Laminate with 3mm edging grommets standard on corner worksurface only - must specify for grommets on other worksurfaces (upcharge may apply) 1mm edging on all back and sides	
X X X X X X	.30	Worksurfaces 1 1/8" thick with 2mm black edging - grommet on corners W/A Wild Cherry (side 1) - W/A Kensington Maple (side 2) not stocked	
X X X X X X	.35	Stocked Worksurfaces 1 1/8" thick with 2mm black edging - grommet on corners W/A Wild Cherry (side 1) - W/A Kensington Maple (side 2)	
SPECIAL WORKSURFACE			
X X X X X X	.91	Knife Edge 1/2" high 3mm PVC edge profile with 2" deep angle. MDF is bees wax and finished in black.	
X X X X X X	.98	Thermoformed-Soft Slope MDF core with 1.125 omnova surf (X) laminates. See laminate options for standard stocked colors.	
X X X X X X	.99	Thermoformed-Radius MDF core with 1.125 omnova surf (X) laminates. See laminate options for standard stocked colors.	


*Note: 30% up charge and minimum order of 10 units per size applies.

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet	
Depth	Width	Model #					
18D	24W	WSR002	\$165.00				
	30W	WSR003	177.00				
	36W	WSR004	199.00				
	42W	WSR005	220.00				
	48W	WSR006	243.00				
	54W	WSR012	303.00				
	60W	WSR007	309.00		-\$5	-\$10	+\$24
	66W	WSR008	342.00				
	72W	WSR009	342.00				
	78W	WSR010	440.00				
	84W	WSR011	440.00				
	90W	WSR013	440.00				
	96W	WSR014	445.00				
	24D	24W	WSR100	\$155.00			
30W		WSR102	158.00				
36W		WSR104	190.00				
42W		WSR106	206.00				
48W		WSR108	235.00				
54W		WSR110	294.00				
60W		WSR112	294.00		-\$5	-\$10	+\$24
66W		WSR114	325.00				
72W		WSR116	325.00				
78W		WSR118	434.00				
84W		WSR120	435.00				
90W		WSR122	435.00				
96W		WSR124	438.00				
30D		24W	WSR101	\$158.00			
	30W	WSR103	199.00				
	36W	WSR105	238.00				
	42W	WSR107	257.00				
	48W	WSR109	293.00				
	54W	WSR111	368.00				
	60W	WSR113	368.00		-\$5	-\$10	+\$24
	66W	WSR115	406.00				
	72W	WSR117	406.00				
	78W	WSR119	542.00				
	84W	WSR121	542.00				
	90W	WSR123	544.00				
	96W	WSR125	544.00				

Rectilinear Worksurface




Scallop design:



- a) scallop will be centered along back side edge
- b) worksurfaces 48" and larger will have 2 scallops

If grommet (optional):



- grommet hole 3.625" diameter with flange- Part # UNP004.00BK
- Black only - round
- Standard is 3mm front edge

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Worksurfaces with unsupported span greater than 48" should be specified with support channel. Order separately (UNP000.01BK) field install required. List Price \$20.00 and/or UNP050.00BK factory installed, List Price \$22.00.

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating


References

WORKSURFACES


Compatico Systems
Terms & Conditions

Corner Worksurface

C and D Dimension -
36" wide version



C and D Dimensions -
42" and 48" wide version



grommet standard in back
corner (on either design above)

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs



Height Adjustable
Legs

Accessories

FS Desking &
Seating



References

Corner Worksurface Curved



grommet standard in back corner

Corner Worksurface Curved 120°



grommet standard in back corner

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet (if additional requested)
A & B	C & D					
24D	36W	WSC200	\$270.00			
	42W	WSC202	438.00	-\$5	-\$10	+\$24
	48W	WSC204	439.00			
30D	36W	WSC201	\$272.00			
	42W	WSC203	440.00	-\$5	-\$10	+\$24
	48W	WSC205	442.00			

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Not designed for freestanding application. Worksurface supports must be ordered separately. Grain does not run diagonally for LPL. WSC 202-205 may be designed to function as a corner shelf unit. Contact Compatico Project Management for additional details. **OPTION:** Specify Side Supports (SS) or Cantilever Supports (CS/DCS). HPL Laminate in wood grains are laid up diagonally. LPL Laminates in straight (non-diagonal) pattern.


DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet (if additional requested)
A & B	C & D					
24	36	WSC210	\$277.00			
	42	WSC212	438.00	-\$5	-\$10	+\$24
	48	WSC214	439.00			
30	36	WSC211	\$440.00			
	42	WSC213	442.00	-\$5	-\$10	+\$24
	48	WSC215	445.00			

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **OPTION:** Specify Side Supports (SS) or Cantilever Supports (CS/DCS). **NOTE:** Not designed for freestanding application. Grain does not run diagonally. HPL Laminate in wood grains are laid up diagonally. LPL Laminates in straight (non-diagonal) pattern.

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet
A & B	C & D					
FOR USE ON AO FURNITURE SYSTEM						
24	36 5/8	WSC220	\$707.00			
	42 5/8	WSC222	999.00	-\$5	-\$10	+\$24
	48 5/8	WSC224	999.00			
FOR USE ON CMW FURNITURE SYSTEM						
24	36	CSC220	\$677.00			
	42	CSC222	955.00	-\$5	-\$10	+\$24
	48	CSC224	955.00			
FOR USE ON GENESIS/G2 FURNITURE SYSTEM						
24	35 5/8	GSC220	\$677.00			
	41 5/8	GSC222	955.00	-\$5	-\$10	+\$24
	47 5/8	GSC224	955.00			
30	36	WSC221	\$707.00			
	42	WSC223	999.00	-\$5	-\$10	+\$24
	48	WSC225	1,125.00			


DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **OPTION:** Specify Side Supports (SS) or Cantilever Supports (CS/DCS). **NOTE:** Not designed for freestanding application. Grain does not run diagonally.

	DIMENSIONS			PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet
	A	B	C					
Right	24	30	36	WSCP36RH	\$221.00	-\$5	-\$10	+\$24
			42	WSCP42RH	294.00			
			48	WSCP48RH	294.00			
			60	WSCP60RH	368.00			
			66	WSCP66RH	442.00			
			72	WSCP72RH	442.00			
			84	WSCP84RH	588.00			
96	WSCP96RH	588.00						
Left	24	30	36	WSCP36LH	\$221.00	-\$5	-\$10	+\$24
			42	WSCP42LH	294.00			
			48	WSCP48LH	294.00			
			60	WSCP60LH	368.00			
			66	WSCP66LH	442.00			
			72	WSCP72LH	442.00			
			84	WSCP84LH	588.00			
96	WSCP96LH	588.00						



DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick. When used with corner worksurface WSC210, WSC212, WSC214, it creates a corner width for user of 48" (semi-circle arc). Hardware and grommets sold separately.

DIMENSIONS				PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet
A	B	C	D					
24	24			WSE301	\$600.00	-\$5	-\$10	+\$24
30	24	36	60	WSE302	600.00			
24	30			WSE303	600.00			
30	30			WSE304	600.00			
24	24			WSE305	\$600.00	-\$5	-\$10	+\$24
30	24	42	60	WSE306	600.00			
24	30			WSE307	600.00			
30	30			WSE308	600.00			
24	24			WSE309	\$664.00	-\$5	-\$10	+\$24
30	24	48	60	WSE310	664.00			
24	30			WSE311	664.00			
30	30			WSE312	664.00			
24	24			WSE325	\$710.00	-\$5	-\$10	+\$24
30	24	36	72	WSE326	710.00			
24	30			WSE327	710.00			
30	30			WSE328	710.00			
24	24			WSE329	\$710.00	-\$5	-\$10	+\$24
30	24	42	72	WSE330	710.00			
24	30			WSE331	710.00			
30	30			WSE332	710.00			
24	24			WSE333	\$719.00	-\$5	-\$10	+\$24
30	24	48	72	WSE334	719.00			
24	30			WSE335	719.00			
30	30			WSE336	719.00			



NOTE: If straight angle cockpit design, please consult Compatico Project Management.

NOTE: HPL Laminates are laid up straight with "D" measurement.

NOTE: Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" side.

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **OPTION:** Specify Side Supports (SS) or Cantilever Supports (CS/DCS). **NOTE:** Grain does not run diagonally.

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

WORKSURFACES

Compatico Systems
Terms & Conditions

Extended, Corner Worksurface
Right-Hand

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References




NOTE: If straight angle cockpit design, please consult Compatico Project Management.

NOTE: HPL Laminates are laid up straight with "D" measurement.

NOTE: Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.

Extended, Peninsula Worksurface
Left-Hand



NOTE: HPL Laminates are laid up straight with "D" measurement.

NOTE: Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.

DIMENSIONS				PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet
A	B	C	D	Model #				
24	24	36	60	WSE337	\$600.00	-\$5	-\$10	+\$24
30	24			WSE338	600.00			
24	30			WSE339	600.00			
30	30			WSE340	600.00			
24	24	42	60	WSE341	\$600.00	-\$5	-\$10	+\$24
30	24			WSE342	600.00			
24	30			WSE343	600.00			
30	30			WSE344	600.00			
24	24	48	60	WSE345	\$664.00	-\$5	-\$10	+\$24
30	24			WSE346	664.00			
24	30			WSE347	664.00			
30	30			WSE348	664.00			
24	24	36	72	WSE361	\$710.00	-\$5	-\$10	+\$24
30	24			WSE362	710.00			
24	30			WSE363	710.00			
30	30			WSE364	710.00			
24	24	42	72	WSE365	\$710.00	-\$5	-\$10	+\$24
30	24			WSE366	710.00			
24	30			WSE367	710.00			
30	30			WSE368	710.00			
24	24	48	72	WSE369	\$719.00	-\$5	-\$10	+\$24
30	24			WSE370	719.00			
24	30			WSE371	719.00			
30	30			WSE372	719.00			

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **OPTION:** Specify Side Supports (SS) or Cantilever Supports (CS/DCS). **NOTE:** Grain does not run diagonally.

DIMENSIONS				PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet
A	B	C	D	Model #				
24	24	48	60	WSE373	\$746.00	-\$5	-\$10	+\$24
30	30			WSE374	746.00			
24	30			WSE473	746.00			
30	24			WSE474	746.00			
24	24	48	66	WSE375	\$746.00	-\$5	-\$10	+\$24
30	30			WSE376	746.00			
24	30			WSE475	746.00			
30	24			WSE476	746.00			
24	24	48	72	WSE377	\$746.00	-\$5	-\$10	+\$24
30	30			WSE378	746.00			
24	30			WSE477	746.00			
30	24			WSE478	746.00			
24	24	48	84	WSE37784	\$746.00	-\$5	-\$10	+\$24
24	30			WSE37884	746.00			
30	24			WSE47784	746.00			
24	30			WSE47884	746.00			

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **OPTION:** Specify Side Supports (SS) or Cantilever Supports (CS/DCS).

DIMENSIONS				PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	Grommet
A	B	C	D	Model #				
24	24	48	60	WSE379	\$746.00			
30	30	48	60	WSE380	746.00			
30	24	48	60	WSE479	746.00	-\$5	-\$10	+\$24
24	30	48	60	WSE480	746.00			
24	24	48	66	WSE381	\$746.00			
30	30	48	66	WSE382	746.00			
30	24	48	66	WSE481	746.00	-\$5	-\$10	+\$24
24	30	48	66	WSE482	746.00			
24	24	48	72	WSE383	\$746.00			
30	30	48	72	WSE384	746.00			
30	24	48	72	WSE483	746.00	-\$5	-\$10	+\$24
24	30	48	72	WSE484	746.00			
24	24	48	84	WSE38384	\$746.00			
24	30	48	84	WSE38484	746.00			
30	24	48	84	WSE48384	746.00	-\$5	-\$10	+\$24
24	30	48	84	WSE48484	746.00			

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately.

NOTE: Specify Side Supports (SS) or Cantilever Supports (CS/DCS).

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
A	B	Model #			
24	48	WSP400	\$297.00	-\$5	-\$10
30		WSP401	304.00		
24	60	WSP402	\$318.00	-\$5	-\$10
30		WSP403	384.00		
24	66	WSP404	\$347.00	-\$5	-\$10
30		WSP405	424.00		
24	72	WSP406	\$372.00		
30		WSP407	451.00	-\$5	-\$10
36		WSP408	533.00		


DESCRIPTION: Primarily used perpendicular to a panel or another Worksurface. No provision for wire management, however, grommets may be ordered - add for center grommet (see above). Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately.

DIMENSIONS				RIGHT PRODUCT NUMBER	LEFT PRODUCT NUMBER	LIST PRICE
A	B	C	D	Model #		
24	48	72	54	UNP426.02	UNP425.02	\$949.00
24	48	78	54	UNP428.02	UNP427.02	1209.00
30	48	72	60	UNP422.02	UNP420.02	952.00
30	48	78	60	UNP423.02	UNP421.02	1211.00

ALSO AVAILABLE: Tear Drop Design - Call Compatico Project Management for details.

NOTE: Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.


Extended, Peninsula Worksurface
Right-Hand




NOTE: HPL Laminates are laid up straight with "D" measurement.

NOTE: Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.

Peninsula Worksurface



Right-hand Shown



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

WORKSURFACES

Compatico Systems
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating


References

180° Spanner Worksurface

for A0 panels -
space
between
worksurface
and panel
is .75"



for CMW and
G2/Genesis -
space
between
worksurface
and panel
is .0"



SYSTEM	DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
	A	B (Nom)	Model #			
A02	24	51.375	WSP440	\$396.00	-\$5	-\$10
	30	63.375	WSP441	\$421.00	-\$5	-\$10
CMW	24	50	WSP442	\$396.00	-\$5	-\$10
	30	62	WSP443	\$421.00	-\$5	-\$10
G2/Genesis	24	51.25	WSP444	\$406.00	-\$5	-\$10
	30	63.25	WSP445	\$421.00	-\$5	-\$10


DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick.
SPECIFY: Model Number and Edge Number. Order Worksurface support hardware separately.
NOTE: Provides for common worksurface adjacent to two (2) work areas. It is sized to adjoin the two Worksurfaces with each worksurface spaced approximately .75" from back side of worksurface to A0 panel. Cutout in back is to straddle finished end of panel.

- NOTE:** Notch sizes: 1. A0 - 3.375"
 2. CMW - 2.0"
 3. Genesis - 3.25"


SYSTEM	DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
	A	B (Nom.)	Model #			
A02	24"	26.375"	WSP430	\$234.00	-\$5	-\$10
	30"	32.375"	WSP431	\$269.00	-\$5	-\$10
CMW	24"	26.375"	WSP432	\$234.00	-\$5	-\$10
	30"	32.375"	WSP433	\$269.00	-\$5	-\$10
G2/Genesis	24"	26.375"	WSP434	\$234.00	-\$5	-\$10
	30"	32.375"	WSP435	\$269.00	-\$5	-\$10

90° Spanner Worksurface

For A02
panels -
space
between
worksurface
and panel
is .075"




For CMW and
G2/Genesis
panels -
space
between
worksurface
and panel
is .0"




DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).

SPECIFY: Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **NOTE:** Provides for common worksurface adjacent to two (2) work areas. It is sized to adjoin the two worksurfaces.

NOTE: Inside color spanners are available. Contact Compatico Project Management for Part Numbers, Dimensions and Pricing by specific Product Line.




Inside Corner Spanner



	DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	GROMMET
	A	B	Model #				
Left	24	36	WSA101	\$215.00	-\$5	-\$10	+\$24
	24	42	WSA102	286.00			
	24	48	WSA103	286.00			
	24	60	WSA104	358.00			
	30	36	WSA105	268.00			
	30	42	WSA106	358.00			
	30	48	WSA107	358.00			
	30	60	WSA108	447.00			
Right	24	36	WSA111	\$215.00	-\$5	-\$10	+\$24
	24	42	WSA112	278.00			
	24	48	WSA113	278.00			
	24	60	WSA114	358.00			
	30	36	WSA115	268.00			
	30	42	WSA116	358.00			
	30	48	WSA117	358.00			
	30	60	WSA118	447.00			

Arc Worksurface




no scallop or grommet unless requested

right hand worksurface shown

DESCRIPTION: An Arc Worksurface for clear access and conferencing. Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately (panel support, leg support). Scallops or grommets not included unless requested. Wood grain runs straight along "B" dimension.

	DIMENSIONS				PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	GROMMET
	A	B	C	D	Model #				
Right	72	60	24	42	WSA121	\$1,026.00	-\$5	-\$10	+\$24
	72	60	24	48	WSA122	1,026.00			
	84	60	24	42	WSA123	1,545.00			
	84	60	24	48	WSA124	1,545.00			
Left	72	60	24	42	WSA131	1,026.00	-\$5	-\$10	+\$24
	72	60	24	48	WSA132	1,026.00			
	84	60	24	42	WSA133	1,545.00			
	84	60	24	48	WSA134	1,545.00			

Curvilinear Worksurface



right hand worksurface shown

DESCRIPTION: A swish Worksurface for managerial spaces that allows for conferences. Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Refer to laminates and edge selections. Order worksurface support hardware separately (panel support, leg support and worksurface stabilizer bar). Scallop centered along "D" dimension. Wood grain runs straight with "A" dimension.

WORKSURFACES

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating


References

Split Rectilinear Worksurface




Dual Arm (not included)

Split Corner Worksurface



Dual Arm (not included)

Corner Wedge Worksurface with 3MM Edge



DIMENSIONS			PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	GROMMET
A	B	C	Model #				
30	24	12	WSS150	\$193.00			
30	30	12	WSS151	193.00			
30	36	12	WSS152	234.00			
30	42	12	WSS153	246.00	-\$5	-\$10	+\$24
30	48	12	WSS154	280.00			
30	60	12	WSS155	335.00			

DESCRIPTION: Split Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface Hardware separately. Scallop standard on rectilinear and grommet standard on corners (back corner). Grain pattern runs along "B" dimension on rectilinear and along "D" dimension on corner worksurface.

NOTE: Use dual arm mechanism (sold separately - see accessories section).

DIMENSIONS					PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL	GROMMET
A	B	C	D	E	Model #				
24	24	42	42	12	WSC100	\$548.00			
30	30	42	42	12	WSC101	548.00	-\$5	-\$10	+\$24
24	24	48	48	12	WSC102	548.00			
30	30	48	48	12	WSC103	548.00			


DESCRIPTION: Split Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface Hardware separately. Scallop standard on rectilinear and grommet standard on corners (back corner). Grain pattern runs along "B" dimension on rectilinear and along "D" dimension on corner worksurface. **NOTE:** Use dual arm mechanism (sold separately - see accessories section).

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
B	C				
12.728"	18"	WSC300.02	\$132.00	-\$5	-\$10

DESCRIPTION: Provides simple solution for "corner" worksurface at 90°. Wedge is attached to adjacent surfaces using wood screws and four universal plates (sold separately). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Available in 3MM Edge only. Grain does not run diagonally.

DESCRIPTION: Compatico's strength in effective customer first service drives us to create worksurfaces as per customer requests. Submit to Compatico for formal drawing, part number, list price and lead time. **SPECIFY:** Grommet or Scallops as needed. Refer to laminate and edge selections, or select any desired material to meet your space plan. Hardware sold separately.

Design Your Own Worksurface



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Depth	DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
	For Use With These Panel Combinations	Counter Cap Dimensions	Model #			
AO/CMW						
14D	24X24W	31.4X31.4"	WCC620	\$233.00		
	30X30W	37.4X37.4"	WCC621	524.00		
	36X36W	43.4X43.4"	WCC622	524.00	-\$5	-\$10
	42X42W	49.4X49.4"	WCC623	657.00		
	48X48W	55.4X55.4"	WCC624	657.00		
G2/GENESIS						
14D	24X24W	32.5X32.5"	WCC650	\$226.00		
	30X30W	38.5X38.5"	WCC651	500.00		
	36X36W	44.5X44.5"	WCC652	500.00	-\$5	-\$10
	42X42W	50.5X50.5"	WCC653	823.00		
	48X48W	56.5X56.5"	WCC654	823.00		



DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **NOTE:** Use on top of low panels (42"H or 48"H) as transaction counters. Mount to panel tops using counter cap support brackets.

WORKSURFACES

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs


Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

Counter Caps 120° Radius Corner




Depth	DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
	For Use With These Panel Combinations	Counter Cap Dimensions	Model #			
AO/CMW						
14D	24X24L	25 5/8 X 25 5/8"	WCC630	\$324.00	-\$5	-\$10
	30X30L	31 5/8 X 31 5/8"	WCC631	422.00		
	36X36L	37 5/8 X 37 5/8"	WCC632	486.00		
	42X42L	43 5/8 X 43 5/8"	WCC633	779.00		
	48X48L	49 5/8 X 49 5/8"	WCC634	779.00		
G2/GENESIS						
14D	24X24L	26 3/8 X 26 3/8"	WCC660	\$310.00	-\$5	-\$10
	30X30L	32 3/8 X 32 3/8"	WCC661	402.00		
	36X36L	38 3/8 X 38 3/8"	WCC662	465.00		
	42X42L	44 3/8 X 44 3/8"	WCC663	745.00		
	48X48L	50 3/8 X 50 3/8"	WCC664	745.00		

DESCRIPTION: Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Use on top of low panels (42"H or 48"H) as transaction counters. Mount to panel tops using counter cap support brackets.

Depth	DIMENSIONS		PRODUCT NUMBER		GRADE 1 LIST PRICE	Value Laminate	LPL
	Width	Model #	Edge #	Edge #			
14D	24W	WCC600	\$115.00	-\$5	-\$10
	30W	WCC601	126.00		
	36W	WCC602	152.00		
	42W	WCC603	174.00		
	48W	WCC604	188.00		
	54W	WCC605	220.00		
	60W	WCC606	220.00		
	66W	WCC607	260.00		
	72W	WCC608	260.00		
	84W	WCC609	283.00		


Counter Caps Straight



DESCRIPTION: Worksurfaces are constructed of 45lb. density particleboard and are 1 1/8" thick inches thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to Laminates Section for laminate and edge selections. **NOTE:** Use on top of low panels (42"H or 48"H) as transaction counters. Mount to panel tops using counter cap support brackets (sold separately).

Width	DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE	Value Laminate	LPL
	Length	Model #				
16	24	WCO101		\$108.00	-\$5	-\$10
16	30	WCO102		138.00		
16	36	WCO103		161.00		
16	42	WCO104		215.00		
16	48	WCO105		215.00		
16	60	WCO106		269.00		
16	66	WCO107		322.00		
16	72	WCO108		322.00		

Counter Caps Oval



DESCRIPTION: Counter Cap Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Order hardware separately (AO2 and CMW/CV - order (2) STP556.01 parts per Worksurface and (8) UNP858.012i mounting screws per worksurface) (Genesis - order (2) "TS" parts per worksurface and (8) UPN858.012i mounting screws per worksurface). **NOTE:** Mounting screws not included.

NOTE: Select size greater than panel width to insure proper mounting hardware fit.

WORKSURFACES HARDWARE AO, G2/GENESIS & CMW

Worksurface Support
End Panel
Panel-To-Storage Spacers

Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

A02

DIMENSIONS		A02 PRODUCT NUMBER	GRADE 1 LIST PRICE
Depth	Height		
CLEAR ACCESS PANEL			
23.5D	27.75H	HMU465.2400	\$211.00
29.5D		HMU465.3000	224.00
FULL SUPPORT PANEL			
23.5D	27.75H	HMU466.2400	\$246.00
29.5D		HMU466.3000	271.00

EI Brackets included

For AO and CMW
(Part # HMP458.0100)
For Genesis
(Part # LBBK)

Clear Access Panel

Full End Panel

Panel Support Brackets included
Left Hand Shown

For AO (Part # HMP058.10DT)
For CMW (Part # STP814.01LH
and #STP814.02LH)
For Genesis (Part # PS BBK)

Only part number "HMU"
comes with notch out design
on both styles. Part number
"STU" and EPS are non-notch
squared corner.

For 36"D end panels, contact Compatico Customer Service.

CMW G2/GENESIS

DIMENSIONS		CMW PRODUCT NUMBER	G2/GENESIS PRODUCT NUMBER	GRADE 1 LIST PRICE
Depth	Height			
CLEAR ACCESS PANEL				
12D	27.5H	STU465.2400	EPSCWU24	\$211.00
18D		STU465.3000	EPSCWU30	212.00
FULL SUPPORT PANEL				
23.5D	27.5H	STU466.2400	EPSWU24	\$246.00
29.5D		STU466.3000	EPSWU30	271.00

DESCRIPTION: Support panel has laminate face and T-Edge or 3MM visible edge. Attaches under worksurface at end or midpoint to provide support if no full height pedestal or return panel is used. Worksurfaces are fastened to support panel via "L" brackets. Support panel-to-panel hardware brackets are attached to rear of support panel and inserted into panel slotted vertical. Kit includes brackets, hardware and one or two glides.

SPECIFY: Product Number, Laminate and T-Edge or 3MM Color. Refer to laminates and edge color.


WORKSURFACES

UNIVERSAL WORKSURFACES HARDWARE

Compatico Systems
Terms & Conditions

AO, CMW, G2/Genesis
Universal Flat Plate

Surface Materials



AO2

CMW

PRODUCT NUMBER	DIMENSIONS		PRICE
	HEIGHT	WIDTH	
UNP465.02BK	2 1/4"	3"	\$2.00
UNP465.01BK	3"	5"	3.00

DESCRIPTION: Flat brackets available to support worksurface-to-worksurface connection. Screw mounting. Screws not included. **SPECIFY:** Product number. **FINISH:** Black only.

G2/Genesis &
Benching

Frames

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE
Depth	Width		
52D	2.5W	UNP000.01BK	\$54.00


Hush

AO, CMW, G2/Genesis
Stabilizer Channel
for worksurfaces

FreshFIT

DESCRIPTION: Attach to underside of worksurfaces with open spans, unsupported, greater than 48" wide. **SPECIFY:** Product Number, Quantity. Black Only.

Electrical



Storage

Worksurfaces

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LIST PRICE
Depth	Width		
18D	1.375W	LB	\$11.00


Conference &
Training Tables

Legs

AO, CMW, G2/Genesis
EII bracket

DESCRIPTION: EII Bracket joins freestanding Corner Worksurface/Desk to return Worksurface and Teardrop Worksurface to side of Worksurface Supported Pedestal. All support brackets include attaching hardware where necessary. **SPECIFY:** Product Number, Quantity, Black Only.

Height Adjustable
Legs



Accessories

FS Desking &
Seating

References

AO WORKSURFACES HARDWARE

DIMENSIONS	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
16.25D	HMP165.16DTRH	Cantilever - Right	\$15.00
16.25D	HMP165.16DTLH	Cantilever - Left	15.00
22.50D	HMP225.22DTRH	Cantilever - Right	23.00
22.50D	HMP225.22DTLH	Cantilever - Left	23.00
16.25D	HMP166.16DT	Cantilever - Shared	20.00
22.50D	HMP226.22DT	Cantilever - Shared	27.00

DESCRIPTION: Cantilevers support Worksurfaces (24"D & 30"D) by fitting into the slotted verticals on panels, as well as, fitting into wall hanger strips affixed to walls. Cantilevers support the right and left side of Worksurfaces and can also be used as a center support for longer surfaces. Cantilevers are attached to Worksurfaces with screws or with hardware that is included. **Shared Cantilevers** support 2 adjacent Worksurfaces at the seam between the surfaces and are suggested for use as center support for all Worksurfaces 66" and longer. **SPECIFY:** Product Number. DT Color Only. **NOTE:** Can be used on 18"D worksurface but knee space is restricted.


DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Front & Rear Corner support	HMP455.02	\$8.00/pr.

DESCRIPTION: These brackets are used to support corner Worksurfaces at the rear; peninsula worksurfaces when butting to a panel or when mounted directly to wall channels; and, to support the front corner of a hanging Worksurface to provide additional support. Return panel width must be the same as the Worksurface depth. **SPECIFY:** Product Number. DT Color Only.


DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Center Bracket	HMP444.05	\$17.00
End Bracket	HMP444.06	19.00
Mid-End Bracket	HMP444.07	16.00

DESCRIPTION: The Center, End and Mid-End brackets support counter caps. Use the Center Bracket to support 2 adjacent counter caps in a straight-line run. The End supports the end of a counter cap that is the end panel in a run. The Mid-End bracket is used at the end of a counter cap above a 2, 3 or 4-way connector. **SPECIFY:** Product Number. Available colors: DT, MT, LG and LT.


A02 Worksurface Support Cantilevers



A02 Worksurface Support Brackets



A0 Counter Cap Support Brackets



Compatico Systems Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis & Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

FS Desking & Seating

References

Compatico Systems
Terms & Conditions

CMW Worksurface Support Cantilevers

Surface Materials



shared cantilever

AO2

CMW

G2/Genesis &
Benching



left cantilever


Frames

Hush

FreshFIT

CMW Worksurface Support Brackets

Electrical



right shown

Storage

Worksurfaces

Conference &
Training Tables

CMW Counter Cap Support Brackets

Legs

Height Adjustable
Legs



Accessories

FS Desking &
Seating

References

DIMENSIONS	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
			Depth
20D	STP186.20RH	Cantilever - Right	\$19.00
20D	STP186.20LH	Cantilever - Left	19.00
20D	STP167.20	Cantilever - Shared	26.00

DESCRIPTION: Cantilevers support worksurfaces (24"D & 30"D) by fitting into the slotted verticals on panels, as well as, fitting into wall hanger strips affixed to walls. Cantilevers support the right and left side of worksurfaces and can also be used as a center support for longer surfaces. Cantilevers are attached to worksurfaces with screws or with hardware that is included. **Shared Cantilevers** support 2 adjacent worksurfaces at the seam between the surfaces and are suggested for use as center support for all worksurfaces 66" and longer.

SPECIFY: Product Number.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Right & Left Bracket	STU455.01	\$32.00/pr.
Right Bracket Only	STP455.01	10.00/ea.
Left Bracket Only	STP455.02	10.00/ea.

DESCRIPTION: These brackets are used to support corner worksurfaces at the rear and to support peninsula worksurfaces when butting to a panel or when mounted directly to wall channels. **SPECIFY:** Product Number.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Bracket	STP556.01	\$21.00/pr.
Bracket Screw (Zinc)	UNP858.01ZI	.10/ea.

DESCRIPTION: 2 pair of counter support brackets are required for each counter cap. Screws are used through bracket into bottom of counter cap. Use on 41"H panels only. **SPECIFY:** Product Number, Paint Finish.

G2/GENESIS WORKSURFACES HARDWARE

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
3.5D	20W	ESB	\$31.00
3.5D	20W	DESB	48.00

DESCRIPTION: All support brackets include attaching hardware where necessary.

SPECIFY: Product Number, Quantity, Black Only. **NOTE:** (ESB) End Support Bracket supports a Worksurface at the end when enclosed by a panel of greater depth. Must be used with segmented tiles only. (DESB) Double End Support Bracket supports a Worksurface on each side of panel at ends when enclosed by a panel of greater depth. Must be used with panel tiles only.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
21D	7.875W	CSL	\$43.00
21D	7.875W	CSR	43.00

DESCRIPTION: All support brackets include attaching hardware where necessary.

SPECIFY: Product Number, Quantity, and Finish. **NOTE:** Left or Right hand Cantilever Supports are used to panel-mount either end of Worksurface.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
21D	7.875W	DCS	\$58.00

DESCRIPTION: All support brackets include attaching hardware where necessary.


SPECIFY: Product Number, Quantity. **NOTE:** Left or Right hand Cantilever Supports are used to panel-mount either end of Worksurface.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
21D	7.875W	AB	\$40.00


DESCRIPTION: All support brackets include attaching hardware where necessary.

SPECIFY: Product Number, Quantity, Finish. **NOTE:** Left or Right hand Cantilever Supports are used to panel-mount either end of Worksurface. Used for bolts to wall.


Genesis End Support Bracket




Genesis Double Cantilever Supports
(Left or Right)



Genesis Double Cantilever Supports



Genesis Angle Bracket
(for wall mounting)



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References


G2/GENESIS WORKSURFACES HARDWARE

Compatico Systems
Terms & Conditions

Genesis Side Supports
(Pair)

Surface Materials

AO2



CMW

G2/Genesis &
Benching

Frames

Genesis Transaction Surface Supports
(Pair)

Hush



FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
2.75D	3.9375W	SS	\$17.00

DESCRIPTION: All support brackets include attaching hardware where necessary.

SPECIFY: Product Number, Quantity, Finish **NOTE:** Side Supports support a Worksurface at the end when enclosed by a panel of the same depth and to support a corner Worksurface at back corner.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
4.5D	3.25W	TS	\$17.00




DESCRIPTION: All support brackets include attaching hardware where necessary.

SPECIFY: Product Number, Quantity, Finish. **NOTE:** Transaction Surfaces require 2 Pairs.

CONFERENCE & TRAINING TABLES

Meeting, training and collaborative work is an important part of working in business. Compatico's Conference and Training Tables, along with an array of different bases and legs can create unique and inspirational designs for all types of office interiors.

Conference + Training Tables



CONFERENCE & TRAINING TABLES

Compatico Systems
Terms & Conditions

Round Conference Table

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



DIMENSIONS	PRODUCT NUMBER	LIST PRICE	Value Laminate
Diameter	Model #		
24D	WST500	\$ 272.00	-\$5
30D	WST501	353.00	
36D	WST502	429.00	
42D	WST503	515.00	
48D	WST504	581.00	
54D	WST505	648.00	


DESCRIPTION: Surfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).

SPECIFY: Model Number and Edge Number. Refer to laminate and edge selections.

NOTE: Order bases separately.

DIMENSIONS	PRODUCT NUMBER	LIST PRICE	Value Laminate
Width	Model #		
24W	WST510	\$272.00	-\$5
30W	WST511	353.00	
36W	WST512	429.00	
42W	WST513	515.00	
48W	WST514	581.00	
54W	WST515	648.00	

Square Conference Table



DESCRIPTION: Surfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).


SPECIFY: Model Number and Edge Number. Refer to laminate and edge selections.

NOTE: Order bases separately.

CONFERENCE & TRAINING TABLES

DIMENSIONS		PRODUCT NUMBER	LIST PRICE	Value Laminate
Width	Width Length	Model #		
36	48	WST540	\$438.00	-\$5
	60	WST541	590.00	
	72	WST542	627.00	
	84	WST543	767.00	
	96	WST544	767.00	
42	48	WST550	\$480.00	-\$5
	60	WST551	586.00	
	72	WST552	739.00	
	84	WST553	1003.00	
	96	WST554	1003.00	
48	48	WST560	\$480.00	-\$5
	60	WST561	586.00	
	72	WST562	739.00	
	84	WST563	1003.00	
	96	WST564	1003.00	

Oval Conference Table




DESCRIPTION: Surfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).

SPECIFY: Model Number and Edge Number. Refer to laminate and edge selections.

NOTE: Order bases separately. If applicable, grain pattern runs along length (L).

DIMENSIONS		PRODUCT NUMBER	LIST PRICE	Value Laminate
Width	Length	Model #		
36W	48L	WST520	\$511.00	-\$5
	60L	WST521	547.00	
	72L	WST522	610.00	
	84L	WST523	767.00	
	96L	WST524	817.00	
42W	48L	WST525	\$721.00	
	60L	WST526	749.00	
	72L	WST527	749.00	
	84L	WST528	836.00	
	96L	WST529	938.00	
48W	48L	WST530	\$726.00	
	60L	WST531	766.00	
	72L	WST532	829.00	
	84L	WST533	919.00	
	96L	WST534	982.00	

Racetrack



DESCRIPTION: Surfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).

SPECIFY: Model Number and Edge Number. Refer to laminate and edge selections.

NOTE: Order bases separately. If applicable, grain pattern runs along length.

Compatico Systems Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis & Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

FS Desking & Seating

References

CONFERENCE & TRAINING TABLES

Compatico Systems
Terms & Conditions

Rectangular Conference
or Training Table

Surface Materials

A02

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References



*NOTE: Conference tables up to 144" (single piece) are available.
NOTE: Maximum unsupported length is 48" .*

DESCRIPTION: Surfaces are constructed of 45 lb.. density particle-board and are 1 1/8" thick inches thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. **NOTE:** Order bases separately. If applicable, grain pattern runs along length (L). Unless advised differently.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE	Value Laminate
Width	Length	Model #		
24W	24L	WST570	\$146.00	-\$5
	30L	WST571	148.00	
	36L	WST572	180.00	
	42L	WST573	192.00	
	48L	WST574	220.00	
	54L	WST575	276.00	
	60L	WST576	276.00	
	66L	WST577	306.00	
	72L	WST578	306.00	
	84L	WST579	402.00	
96L	WST621	402.00		
30W	24L	WST580	\$148.00	-\$5
	30L	WST581	187.00	
	36L	WST582	224.00	
	42L	WST583	242.00	
	48L	WST584	276.00	
	54L	WST585	321.00	
	60L	WST586	345.00	
	66L	WST587	382.00	
	72L	WST588	382.00	
	84L	WST589	542.00	
96L	WST622	542.00		
36W	24L	WST590	\$180.00	-\$5
	30L	WST591	224.00	
	36L	WST592	285.00	
	42L	WST593	299.00	
	48L	WST594	380.00	
	54L	WST595	534.00	
	60L	WST596	534.00	
	66L	WST597	572.00	
	72L	WST598	572.00	
	84L	WST599	727.00	
96L	WST623	727.00		
42W	24L	WST600	\$192.00	-\$5
	30L	WST601	242.00	
	36L	WST602	299.00	
	42L	WST603	420.00	
	48L	WST604	420.00	
	54L	WST605	529.00	
	60L	WST606	529.00	
	66L	WST607	679.00	
	72L	WST608	679.00	
	84L	WST609	909.00	
96L	WST624	909.00		
48W	24L	WST610	\$220.00	-\$5
	30L	WST611	276.00	
	36L	WST612	379.00	
	42L	WST613	420.00	
	48L	WST614	420.00	
	54L	WST615	529.00	
	60L	WST616	529.00	
	66L	WST617	679.00	
	72L	WST618	679.00	
	84L	WST619	909.00	
96L	WST620	909.00		

Compatico offers a variety of worksurface and conference table leg styles to suit all office interior designs. The designs are functional, high quality and are provided at numerous price points to fit your budget. Base construction is straight, tubular, arched, tapered and cylindrical.

Legs + Supports



LEGS

Compatico Systems
Terms & Conditions

Compatico Support Legs

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables


Legs

Height Adjustable
Legs


Accessories

FS Desking &
Seating

References



Also available in 2" diameter
(see straight legs) in this
section



DIMENSIONS		PRODUCT NUMBER	LEG TYPE	LIST PRICE
Height	Leg Diameter			
27.25H max 28.5 with leveler	4W	UNP470.01	Single Post	\$95.00

DESCRIPTION: Single leg support for peninsular worksurfaces. Use single leg for surfaces up to 30" D. Leg levelers included for uneven floors. Attach to bottom of worksurface with UNP858.01Z retainer screw. Height assumes fully screwed-in leveler. **SPECIFY:** Product Number, Finish.

DIMENSIONS		PRODUCT NUMBER	LEG TYPE	LIST PRICE
Height	Leg Diameter			
27.25H max 29.5 with leveler	20.5W	UNP470.02	Double Post	\$123.00

DESCRIPTION: Double leg support for peninsular worksurfaces. Use double leg for surfaces over 24" D. Leg levelers included for uneven floors. Attach to bottom of worksurface with UNP858.01Z retainer screw. Height assumes fully screwed-in leveler. **SPECIFY:** Product Number, Finish.

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Height	Leg Diameter			
27 3/4"H	2"	2000	Leveler	\$126.00
27 3/4"H	2"	C2000	Locking Caster	\$145.00
27 3/4"H	3"	3000	Leveler	\$176.00
27 3/4"H	3"	C3000	Locking Caster	\$219.00
27 3/4"H	4"	4000	Leveler	\$195.00
27 3/4"H	4"	C4000	Locking Caster	\$242.00

DESCRIPTION: Top quality, economical leg in 2" diameter. **SPECIFY:** Product Number, Finish.

NOTE: Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** Adjustable Height spring clip available. Call Compatico Customer Service for details.

Straight Legs



Value priced options available
"Limited colors"

Height	DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4H	2"	2"	18" - 22"	18"	PC7118	\$236.00	PCC7118	\$271.00
			23" - 26"	22"	PC7122	241.00	PCC7122	276.00
			27" - 32"	26"	PC7126	245.00	PCC7126	280.00

DESCRIPTION: Functional, high quality and economical this offset C type table base offers freedom of movement when used with the specified top size. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** High impact plastic cap inserts to match finish. Adjustable height spring clip mechanism available (24 3/4" to 33 3/4"). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.


Height	DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4H	2"	2"	16" - 18"	16"	PC7016	\$234.00	PC8016	\$269.00
			23" - 30"	22"	PC7022	241.00	PC8022	277.00
			30" - 36"	26"	PC7026	245.00	PC8026	280.00

DESCRIPTION: Functional, high quality and economical, this table base is perfect for many applications. For options, contact Compatico Customer Service. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** High impact plastic cap inserts to match finish. Adjustable height spring clip mechanism available (24 3/4" to 33 3/4"). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.

Height	DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4H	2"	2"	16" - 18"	16"	HPC7716	\$491.00	HPCC7716	\$526.00
			19" - 22"	18"	HPC7718	493.00	HPCC7718	528.00
			23" - 30"	22"	HPC7722	498.00	HPCC7722	534.00
			30" - 36"	26"	HPC7726	504.00	HPCC7726	539.00


DESCRIPTION: Functional, high quality and economical, this table base is perfect for many applications. The handle release mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table up and down. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** High impact plastic cap inserts to match finish. Adjustable height spring clip mechanism available (24 3/4" to 33 3/4"). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.

Tubular C Base Construction




Value priced options available
"Limited colors"

Tubular T Base Welded



Value priced options available
"Limited colors"

Tubular T Flip-Top Base Welded



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories


FS Desking &
Seating

References

LEGS

Compatico Systems
Terms & Conditions

Tubular T Folding Base Welded



Height	Column Diameter	Base Diameter	DIMENSIONS		PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
			Recommended Max. Top Depth	Base Spread				
27 3/4H	2"	2"	16" - 18"	16"	PC7730	\$419.00	PCC7730	\$454.00
			19" - 22"	18"	PC7731	421.00	PCC7731	456.00
			23" - 30"	22"	PC7732	426.00	PCC7732	461.00
			30" - 36"	26"	PC7733	431.00	PCC7733	465.00
			37" - 42"	32"	PC7734	470.00	PCC7734	506.00

DESCRIPTION: Functional, high quality and economical, this table base is perfect for many applications. Folding legs can be mounted on tables as short as 60". For tables between 36" and 59", we offer a riser (sold separately) that raises one mechanism off the table to allow one leg to fold flat (call for details).

SPECIFY: Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** Adjustable Height spring clip available. Call Compatico Customer Service for details. **NOTE:** High impact plastic cap inserts to match finish. **NOTE:** Minimum order - two (2).

Surface Materials

AO2


CMW

G2/Genesis & Benching

Frames

Hush

Tubular TT Base Construction



Value priced options available
"Limited colors"

Height	Column Diameter	Base Diameter	DIMENSIONS		PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
			Recommended Max. Top Depth	Base Spread				
27 3/4"H	2"	2"	37" - 60" rectangle	36"	PC7036	\$400.00	PCC7036	\$451.00
			48" - 60" square					
			60" round					

DESCRIPTION: High functionality, simple, numerous applications, a practical and economical choice.

SPECIFY: Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU).

NOTE: High impact plastic cap inserts to match finish. **NOTE:** Minimum order - two (2).

FreshFIT

Electrical

Storage

Worksurfaces

Conference & Training Tables

Tubular X Base Bolted Construction



Value priced options available
"Limited colors"

Height	Column Diameter	Base Diameter	DIMENSIONS		PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
			Recommended Top Size	Base Spread				
27 3/4"H	3"	2"	24"r / 24"s	22" x 22"	PC7522	\$414.00	PCC7522	\$484.00
			30"r / 30"s / 36"r	26" x 26"	PC7526	428.00	PCC7526	498.00
			36"s / 42"r	32" x 32"	PC7532	496.00	PCC7532	567.00
			42"s / 48"r	36" x 36"	PC7538	541.00	PCC7538	611.00

DESCRIPTION: High functionality, lasting quality, and simple styling make this a practical, economical and multi-purpose Table Base. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** High impact plastic cap inserts to match finish.

Legs

Height Adjustable Legs

Accessories

FS Desking & Seating

References

DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Top Depth	Base Spread				
27 3/4"H	2"	16" - 22"	16"	7216	\$269.00	C7216	\$304.00
		23" - 30"	22"	7222	273.00	C7222	308.00
		30" - 36"	26"	7226	283.00	C7226	318.00

DESCRIPTION: For an elegant, contemporary look that fits a wide array of environments, this Arch Base series offers simple arc lines that give your office new life. Arch bases also complement a designer's newest creation, and add the final touch to great surroundings. **SPECIFY:** Product Number, Finish.

NOTE: Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar).

FINISHES: Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** Minimum order - two (2).

Arch T Base Welded




DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Top Depth	Base Spread				
27 3/4"H	2"	16" - 22"	16"	H7760	\$531.00	HC7760	\$567.00
		23" - 30"	22"	H7764	536.00	HC7764	571.00
		30" - 36"	26"	H7768	541.00	HC7768	576.00

DESCRIPTION: When you need tables that flip, this Arch Base series offers you a new look as well as flexibility. Simple, elegant lines make this a good choice for a variety of environments. A handle release is standard. The handle release mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table up and down. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG).

NOTE: Minimum order - two (2).

Arch T Base Flip-Top Welded




DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4"H	2"	16" - 22"	16"	7790	\$463.00	C7790	\$498.00
		23" - 30"	22"	7794	468.00	C7794	504.00
		30" - 36"	26"	7798	474.00	C7798	508.00

DESCRIPTION: When you need tables that fold, the Arch Base series offers you a new look as well as flexibility. Simple, elegant lines make this a good choice for a variety of environments and provide a designer with options. The legs can be mounted on tables as short as 60". For tables between 36" and 59", we offer a riser bracket (sold separately - call for details) that raises one mechanism off the table to allow legs to fold flat over. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG).

NOTE: Minimum order - two (2).

Arch T Base Folding Welded



Compatico Systems
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis &
Benching

Frames

Hush

FreshFIT

Electrical

Storage

Worksurfaces

Conference &
Training Tables

Legs

Height Adjustable
Legs

Accessories

FS Desking &
Seating

References