

---

# Specifying Lighting

## Lighting

Standard Shelf Lights	694
Utility2 Shelf Lights	696
Underline Shelf Lights	698
Bottomline Shelf Lights	700
LED Shelf Lights	701
LED Personal Task Lights	702

## Related Products



Vertical Wire Manager	703
-----------------------	-----

# Standard Shelf Lights

*Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.*

*Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.*

*Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.*



*Tip: Remember to order a daisy chain starter cord.*  
 ▶ See *Related Products* on next page.

Standard Includes	Required to Specify
▶ Need help? Product details, page 334	1 Style number 2 Paint color number, if other than black (see options below) 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 712.
<ul style="list-style-type: none"> <li>Light housing with centered on-off switch: black paint</li> <li>End cap cord managers: black plastic only</li> <li>Cords:                             <ul style="list-style-type: none"> <li>— 9' cord with three-prong plug at 45° angle: black plastic only</li> <li>— One 30" and one 48" cord with modular connectors for daisy chaining: black plastic only</li> </ul> </li> <li>Contrast sleeve around lamp</li> <li>Faceted reflector: white only</li> <li>T8 3500K lamp</li> <li>Ballast</li> <li>Universal mounting hardware package</li> <li>Daisy chain starter cord, if selected: black plastic only (order separately)</li> </ul>	

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>Painted light housing other than black</li> </ul>	+\$24	Specify paint color number for housing.
<b>Bracket Option</b> <ul style="list-style-type: none"> <li>Competitive mounting package</li> <li>Flush mounting package</li> </ul>	No cost	Specify <i>with competitive mounting package</i> . Specify <i>with flush mounting package</i> and paint color number for end cap covers.

Specification Information				
Dimensions	Lamp	Style	U.S.	
D W H	Wattage	Number	Base Price	

### Electronic High-Power-Factor Ballast

9 1/4"	25"	1 3/4"	17 watts	<b>LSM24K</b>	\$407
9 1/4"	37"	1 3/4"	25 watts	<b>LSM36K</b>	\$432
9 1/4"	49"	1 3/4"	32 watts	<b>LSM48K</b>	\$467

### With Chicago Cord Including Circuit Breaker

9 1/4"	25"	1 3/4"	17 watts	<b>LSM24KC</b>	\$470
9 1/4"	37"	1 3/4"	25 watts	<b>LSM36KC</b>	\$495
9 1/4"	49"	1 3/4"	32 watts	<b>LSM48KC</b>	\$530

### With Daisy Chain Cords

9 1/4"	25"	1 3/4"	17 watts	<b>LSM24KD</b>	\$442
9 1/4"	37"	1 3/4"	25 watts	<b>LSM36KD</b>	\$467
9 1/4"	49"	1 3/4"	32 watts	<b>LSM48KD</b>	\$502

▶ **Specification Information, continued on next page**



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

► Specification Information, continued from previous page

**Related Products**

Quantity in Package	Length	Style Number	U.S. Price
------------------------	--------	-----------------	---------------

**Daisy Chain Starter Cord**

1	78"	<b>LS1FSC</b>	\$ 56
6	78"	<b>LS6FSC</b>	\$336



Tip: Use with Standard shelf light only. Do not order with Utility2.

Lighting



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

# Utility2 Shelf Lights




*Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.*

*Tip: Specification guidelines can be found on the next page.*

*Tip: Cord on stand alone light has right-hand exit. Cord on daisy chain light has off center exit.*

*Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.*

*Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.*



*Tip: Minimum of two fixtures for daisy chaining and maximum of 10.*

*Tip: When ordering starter light do not order a daisy chain starter cord.*



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 334	<ul style="list-style-type: none"> <li>Light housing with right-hand on-off switch: black paint</li> <li>End cap cord managers: black plastic only</li> <li>Cords:                             <ul style="list-style-type: none"> <li>– 9' cord with three-prong plug on stand alone lights and daisy chain starter lights, if selected</li> <li>– 78" jumper cord on daisy chain lights, if selected</li> </ul> </li> <li>Prismatic lens</li> <li>Angled reflector: silver only</li> <li>T8 3500K lamp</li> <li>Ballast</li> <li>Universal and flush mounting hardware package</li> </ul>	1 Style number 2 Paint color number, if other than black (see options below) 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 712.

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> • Painted light housing other than black	+\$24	Specify paint color number for housing.
<b>Lens</b> • Batwing lens	+\$32	Specify with batwing lens.

Specification Information				
Dimensions	Lamp	Style	U.S.	
D W H	Wattage	Number	Base	Price
⋮	⋮	⋮	⋮	⋮
⋮	⋮	⋮	⋮	⋮

Electronic High-Power-Factor Ballast					
6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24K2</b>	\$269
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36K2</b>	\$318
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48K2</b>	\$353
With Chicago Cord Including Circuit Breaker					
6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24KC2</b>	\$332
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36KC2</b>	\$381
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48KC2</b>	\$416
Daisy Chain Light with 78" Jumper Cord					
6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24KD2</b>	\$304
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36KD2</b>	\$353
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48KD2</b>	\$388
Daisy Chain Starter Light with 9' Starter Cord					
6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24KS2</b>	\$304
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36KS2</b>	\$353
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48KS2</b>	\$388

▶ **Specification Information, continued on next page**

► Specification Information, continued from previous page

**Specification Information**

Dimensions			Lamp	Style	U.S.
D	W	H	Wattage	Number	Base Price



**Electronic Normal-Power-Factor Ballast**

6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24M2</b>	\$192
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36M2</b>	\$241
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48M2</b>	\$276

**With Chicago Cord Including Circuit Breaker**



6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24MC2</b>	\$255
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36MC2</b>	\$304
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48MC2</b>	\$339

**Daisy Chain Light with 78" Jumper Cord**

6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24MD2</b>	\$227
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36MD2</b>	\$276
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48MD2</b>	\$311

**Daisy Chain Starter Light with 9' Starter Cord**

6 <sup>7</sup> / <sub>8</sub> "	25"	1 <sup>5</sup> / <sub>8</sub> "	17 watts	<b>LSB24MS2</b>	\$227
6 <sup>7</sup> / <sub>8</sub> "	37"	1 <sup>5</sup> / <sub>8</sub> "	25 watts	<b>LSB36MS2</b>	\$276
6 <sup>7</sup> / <sub>8</sub> "	49"	1 <sup>5</sup> / <sub>8</sub> "	32 watts	<b>LSB48MS2</b>	\$311



Tip: Minimum of two fixtures for daisy chaining and maximum of 10.

Tip: When ordering starter light do not order a daisy chain starter cord.

**Specification Guidelines**


Application	Requirement
2 lights	1 starter light fixture and 1 daisy chain light with jumper cord fixtures
3 lights	1 starter light fixture and 2 daisy chain light with jumper cord fixtures
4 lights	1 starter light fixture and 3 daisy chain light with jumper cord fixtures
5 lights	1 starter light fixture and 4 daisy chain light with jumper cord fixtures
6 lights	1 starter light fixture and 5 daisy chain light with jumper cord fixtures
7 lights	1 starter light fixture and 6 daisy chain light with jumper cord fixtures
8 lights	1 starter light fixture and 7 daisy chain light with jumper cord fixtures
9 lights	1 starter light fixture and 8 daisy chain light with jumper cord fixtures
10 lights	1 starter light fixture and 9 daisy chain light with jumper cord fixtures



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ► See page 1 for details.

Lighting

# Underline Shelf Lights



*Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.*

Standard Includes	Required to Specify
<p>▶ Need help? Product details, page 336</p> <ul style="list-style-type: none"> <li>• Steel light housing: paint</li> <li>• Aluminum reflector</li> <li>• Batwing lens</li> <li>• Polycarbonate end caps: molded to match housing</li> <li>• Cords, 9' cord with three-prong plug at 90°/45° angle: black plastic only</li> <li>• Soft touch switch</li> <li>• Thin profile, energy-efficient T2 fluorescent lamp</li> <li>• Universal spring brackets for recessed mount and screw-in for flush mount</li> <li>• Tool free clips for New York application</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for housing and end caps:                             <ul style="list-style-type: none"> <li>0835 Black</li> <li>7018 Pewter</li> <li>7021 Dark Champagne</li> </ul> </li> </ul>

### Related Products

- Underline daisy chain starter cord ▶ Page 699
- Underline daisy chain jumper cord ▶ Page 699

### Specification Information

Dimensions	Lamp	Style	U.S.
D W H	Wattage	Number	Price
<b>Without Dimming</b>			
4¾" 22" ¾"	13 watts	<b>LT2</b>	\$281
<b>With Dimming</b>			
4¾" 22" ¾"	13 watts	<b>LT2D</b>	\$351
<b>With Chicago Cord Including Circuit Breaker</b>			
4¾" 22" ¾"	13 watts	<b>LT2CHI</b>	\$323
<b>With Chicago Cord Including Circuit Breaker and Dimming</b>			
4¾" 22" ¾"	13 watts	<b>LT2DCHI</b>	\$401
<b>With Daisy Chain Cord</b>			
4¾" 22" ¾"	13 watts	<b>LT2Y</b>	\$281
<b>With Daisy Chain Cord and Dimming</b>			
4¾" 22" ¾"	13 watts	<b>LT2DY</b>	\$351

*Tip: Order one daisy chain jumper cord between fixtures. Must be used with LT2Y or LT2DY daisy chain lights.*

**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Underline Daisy Chain Starter Cord



*Tip: Order one daisy chain starter cord to bring power to the start of the daisy chain. Must be used with LT2Y or LT2DY daisy chain light.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 336</li> <li>• 9' cord: black plastic only</li> <li>• Modular plug for connector to LT2Y or LT2DY daisy chain lights</li> </ul>	Style number

Related Products	
<ul style="list-style-type: none"> <li>• Underline daisy chain jumper cord</li> </ul>	▶ See below.

Specification Information		
Length	Style Number	U.S. Price
108"	<b>LTSTART</b>	\$24

## Underline Daisy Chain Jumper Cord



*Tip: Order one daisy chain jumper cord between fixtures. Must be used with LT2Y or LT2DY daisy chain light.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 336</li> <li>• Cord: black plastic only</li> <li>• Modular plugs for connector to LT2Y or LT2DY daisy chain lights</li> </ul>	Style number

Related Products	
<ul style="list-style-type: none"> <li>• Underline daisy chain starter cord</li> </ul>	▶ See above.


Specification Information		
Length	Style Number	U.S. Price
<b>6' Length</b>		
72"	<b>LTJUMP</b>	\$11
<b>3' Length</b>		
36"	<b>LTJUMP3</b>	\$11



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

Lighting

# Bottomline Shelf Lights



*Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.*

Standard Includes	Required to Specify
<p>▶ Need help? Product details, page 336</p> <ul style="list-style-type: none"> <li>• Steel light housing; paint</li> <li>• Mylar reflector</li> <li>• Batwing lens</li> <li>• Polycarbonate end caps: molded to match housing</li> <li>• 9' cord with three-prong plug at 90°/45° angle: black plastic only</li> <li>• Energy efficient electronic ballast</li> <li>• Energy efficient 3500K T5 fluorescent light</li> <li>• Universal spring brackets for recessed mount and screw-in for flush mount</li> <li>• Tool free clips for New York application</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for housing and end caps:                             <ul style="list-style-type: none"> <li>0835 Black</li> <li>7018 Pewter</li> <li>7021 Dark Champagne</li> </ul> </li> </ul>

Specification Information					
Dimensions			Lamp	Style	U.S.
D	W	H	Wattage	Number	Price
<b>Without Daisy Chain Cord</b>					
4½"	23¼"	1¼"	14 watts	<b>L52FT</b>	\$245
4½"	35"	1¼"	21 watts	<b>L53FT</b>	\$261
4½"	46¾"	1¼"	28 watts	<b>L54FT</b>	\$281
<b>With Chicago Cord Including Circuit Breaker</b>					
4½"	23¼"	1¼"	14 watts	<b>L52FTCHI</b>	\$286
4½"	35"	1¼"	21 watts	<b>L53FTCHI</b>	\$310
4½"	46¾"	1¼"	28 watts	<b>L54FTCHI</b>	\$333
<b>With Daisy Chain Cord</b>					
4½"	23¼"	1¼"	14 watts	<b>L52FTY</b>	\$269
4½"	35"	1¼"	21 watts	<b>L53FTY</b>	\$286
4½"	46¾"	1¼"	28 watts	<b>L54FTY</b>	\$304
<b>With Daisy Chain Starter Cord</b>					
4½"	23¼"	1¼"	14 watts	<b>L52FTS</b>	\$269
4½"	35"	1¼"	21 watts	<b>L53FTS</b>	\$286
4½"	46¾"	1¼"	28 watts	<b>L54FTS</b>	\$304

*Tip: When ordering the Bottomline daisy chain starter you do NOT need to order a starter cord or jumper cord.*

### Specification Guidelines

Application	Requirement
2 lights	1 starter fixture and 1 daisy chain fixture
3 lights	1 starter fixture and 2 daisy chain fixtures
4 lights	1 starter fixture and 3 daisy chain fixtures
5 lights	1 starter fixture and 4 daisy chain fixtures
6 lights	1 starter fixture and 5 daisy chain fixtures

**Note:** Daisy chaining minimum of two fixtures; maximum of six fixtures.



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# LED Shelf Lights

*Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.*

*Tip: Maximum number of lights that can be daisy chained is three lights.*


	Standard Includes	Required to Specify
▶ Need help? Product details, page 338	<ul style="list-style-type: none"> <li>Aluminum extrusion with plastic cover</li> <li>Power supply with cord</li> <li>Soft touch switch</li> <li>Thin profile accommodates recessed and low profile flush mounting</li> <li>Ultra energy efficient LED light source</li> <li>Universal magnetic mounting</li> <li>Polycarbonate matte film diffuser</li> <li>Continuous dimming</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Plastic color number for cover:                             <ul style="list-style-type: none"> <li>6000 Black</li> <li>6009 Arctic White</li> </ul> </li> <li>Options, if selected (see below)</li> </ol>

	Options	U.S. Price	Required to Specify
<b>Mounting</b>	<ul style="list-style-type: none"> <li>Fastener kit for use with wood or aluminum shelf</li> </ul>	+\$8	Specify with fastener kit.

Specification Information					
Dimensions			Lamp	Style	U.S.
D	W	H	Wattage	Number	Base Price

## LED Standard Light


2 1/2"	18"	1/2"	11 watts	<b>LSL18</b>	\$336
--------	-----	------	----------	--------------	-------



*Tip: LED standard light comes with a 9' 15 watt power supply.*

## LED Daisy Chain Starter Light


2 1/2"	18"	1/2"	11 watts	<b>LSL18YA</b>	\$360
--------	-----	------	----------	----------------	-------



*Tip: Daisy chain starter light comes with a 60 watt power supply that will support up to three lights in series (11' cord, 6' from power supply to power outlet, 5' from power supply to fixture). Does not include daisy chain cords.*

## LED Daisy Chain Secondary Light

2 1/2"	18"	1/2"	11 watts	<b>LSL18YB</b>	\$330
--------	-----	------	----------	----------------	-------



*Tip: Daisy chain secondary light does not come with a power supply. Daisy chain cord package (8" and 30") comes standard with each secondary light.*

# LED Personal Task Lights

Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |   |
|--|--|---|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 340</li> </ul> | <ul style="list-style-type: none"> <li>• Housing: 6009 Arctic White plastic only</li> <li>• Fixture and stanchions: paint</li> <li>• Power supply with 12' cordage (6' from power supply to power outlet, 6' from power supply to fixture)</li> <li>• Soft touch switch</li> <li>• Ultra energy efficient LED light source</li> <li>• Polycarbonate matte film diffuser</li> <li>• Continuous dimming</li> </ul> | <ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for fixture and stanchions:                             <ul style="list-style-type: none"> <li>4231 Arctic White</li> <li>4710 Low Gloss Black</li> <li>4799 Platinum Metallic</li> </ul> </li> </ul> |
|--|--|---|

Related Products
------------------

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• c:scape desk</li> <li>• FrameOne bench</li> <li>• Details SOTO rail</li> <li>• Impact</li> <br/> <li>• Technology zone integral rail</li> <br/> <li>• Worksurfaces</li> <li>• Campfire Big Table</li> </ul> | <ul style="list-style-type: none"> <li>▶ See <i>c:scape Specification Guide</i>.</li> <li>▶ See <i>FrameOne Specification Guide</i>.</li> <li>▶ See <i>Details SpecGuide</i>.</li> <li>▶ See <i>Wood Casegoods and Tables Specification Guide</i>.</li> <li>▶ See <i>Elective Elements Specification Guide</i>.</li> <li>▶ Page 493.</li> <li>▶ See <i>Turnstone Specification Guide</i>.</li> </ul> |
|--|--|

Specification Information
---------------------------



• Dimensions			• Lamp	• Style	• U.S.
D	W	H	Wattage	Number	Price

Rail-Mounted LED Personal Task Light					
--------------------------------------	--	--	--	--	--

6"	30"	17"	14 watts	<b>LPTL30</b>	\$590
----	-----	-----	----------	---------------	-------

Non Rail-Mounted LED Personal Task Light					
--	--	--	--	--	--

6"	30"	17"	14 watts	<b>LPTL30NR</b>	\$590
----	-----	-----	----------	-----------------	-------



*Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1 1/4", or with modesty panels or modesty screens closer than 6" from the back edge.*



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Vertical Wire Manager



Tip: Wire manager can be cut in the field to the specific length needed.

Standard Includes	Required to Specify
-------------------	---------------------

<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 344</li> </ul>	<ul style="list-style-type: none"> <li>• Vertical wire manager: plastic</li> </ul>
	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Plastic color number:                             <ul style="list-style-type: none"> <li>6000 Black</li> <li>6009 Arctic White</li> <li>6249 Platinum Solid</li> <li>6652 Titanium</li> <li>6654 Sand</li> <li>6697 Fog</li> </ul> </li> <li>▶ See <i>Surface Materials</i>, page 712.</li> </ul>

Specification Information		
• Height	• Style Number	• U.S. Price

48"	<b>TS7PVWM</b>	\$28
-----	----------------	------



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.