Architectural Solutions Specification Guide

Availability

Electronic price list updated with release 182.C (U.S.) and 147.C (Canada), dated August 17, 2015.

Spec News is available on village.steelcase.com. Search AdStock and download the current release's Spec News.

View or download Steelcase Specification Guides at http://www.steelcase.com/en/resources/design/spec-guides/pages/specguides.aspx.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a T. Products that are scheduled to be culled are indicated with an X, followed by the last order entry date.

▶For a list of all trademarks, refer to the last page of this specification guide.
© 2015 Steelcase Inc.

For Canadian Pricing
Canadian factor can be found at steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:
- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

Working With This Specification Guide
Ten Tips: How to Get the Most Out of This Book 2
Additional Resources 4

Understanding
Privacy Wall 5
Thread 255
Low-Profile Floor 269
Modular Power 287
QtPro Soundmasking 311

Specifying
Privacy Wall 107
Thread 263
Low-Profile Floor 279
Modular Power 295
QtPro Soundmasking 321

Surface Materials 335
Resources 345
Wiring Schematics 346
Locations with Special Requirements 347
How to Calculate Power Needs 348
Style Number Index 350

Glass Selections All-Glass Wall Panels



Tip: Order ceiling track, feature strip, and continuous base trim separately.

	Standard Includes	Required to Specify
▶Need help? Product details, page 24	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments • 2 3/8"-thick panel with clear anodized aluminum frame • 1/4"-thick factory-installed lite: glass • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Glass number for lite 4 Post extension 5 Options, if selected (see below) ▶See *Surface Materials,* page 336.

	Options	U.S. Price	Required to Specify
Surface Materials	**Panels 96"H through 120"H, 6"W to 8"W**		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 98	Specify glass number for lite.
	• Glass price group 3	+$ 119	Specify glass number for lite.
	• Glass price group 4	+$ 190	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 372	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Panels 96"H through 120"H, 18"W to 24"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 296	Specify glass number for lite.
	• Glass price group 3	+$ 353	Specify glass number for lite.
	• Glass price group 4	+$ 566	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$1113	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Panels 96"H through 120"H, 30"W to 36"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 443	Specify glass number for lite.
	• Glass price group 3	+$ 528	Specify glass number for lite.
	• Glass price group 4	+$ 846	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$1668	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Panels 96"H through 120"H, 40"W to 48"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 591	Specify glass number for lite.
	• Glass price group 3	+$ 702	Specify glass number for lite.
	• Glass price group 4	+$1130	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$2225	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Panels 96"H through 120"H, 60"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 739	Specify glass number for lite.
	• Glass price group 3	+$ 878	Specify glass number for lite.
	• Glass price group 4	+$1409	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$2781	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify *with post extensions for recessed ceiling track interface.*
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify *with post extensions for overlapping ceiling track interface.*
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+$ 91	Specify ceiling height in 1" increments.

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Options, continued from previous page**

Tip: Base power block location does not include infeed. Infeed must be ordered separately, if needed.

	Options	U.S. Price	Required to Specify
Electrical Power (For panels 30"W through 60"W)	**Base power block power schematic**		
	• 3+1	+$196	Specify *with 3+1 power.*
	• 2+2	+$196	Specify *with 2+2 power.*
	• 3SN	+$196	Specify *with 3SN power.*
Related Products	• Power options		▶Page 139
	• Ceiling tracks		▶Page 230
	• Continuous base trim		▶Page 236
	• Feature strips		▶Page 240
	• Acoustic packing		▶Page 244
	• Power receptacles		▶Page 247
	• Power and communication cover plates		▶Page 249
	• Infeeds		▶Page 250
	• Modular harnesses		▶Page 252
	• Field-installed powerkits		▶Page 254

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	**Painted Glass Selections frame**		
	• 6"W through 18"W	+$186	Specify paint color number.
	• 19"W through 36"W	+$214	Specify paint color number.
	• 37"W through 48"W	+$255	Specify paint color number.
	• 49"W through 60"W	+$286	Specify paint color number.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11"	Use 8'0" price	Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths	Use U.S. Base Price of next larger width	Specify panel widths in 1" increments.
	• Non standard modular widths	Use U.S. Base Price of next larger width	Specify panel widths in 1" increments.
Base	• 2½"H base	+$ 90	Specify to accept 2½"H base.
	• 4"H base	+$222	Specify to accept 4"H base.

Specification Information

Tip: Ceiling height panels from 10'0"H through 11'0"H are available in widths up to 48" only.

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
All-Glass Wall Panels			**Modular All-Glass Wall Panels**			
6"	**GPGSSG06**	$ 761				
8"	**GPGSSG08**	$ 761	8"	6 11/16"	**GPGSMG08**	$ 761
18"	**GPGSSG18**	$ 844	18"	16 11/16"	**GPGSMG18**	$ 844
20"	**GPGSSG20**	$ 844	20"	18 11/16"	**GPGSMG20**	$ 844
24"	**GPGSSG24**	$ 937	24"	22 11/16"	**GPGSMG24**	$ 937
30"	**GPGSSG30**	$ 990	30"	28 11/16"	**GPGSMG30**	$ 990
36"	**GPGSSG36**	$1101	36"	34 11/16"	**GPGSMG36**	$1101
40"	**GPGSSG40**	$1157	40"	38 11/16"	**GPGSMG40**	$1157
42"	**GPGSSG42**	$1157	42"	40 11/16"	**GPGSMG42**	$1157
48"	**GPGSSG48**	$1300	48"	46 11/16"	**GPGSMG48**	$1300
60"	**GPGSSG60**	$1561	60"	58 11/16"	**GPGSMG60**	$1561

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Glass Selections All-Glass Frame Kits



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: When power option is specified, connector harness is included to join power blocks with frame kit.

Tip: Frame kits include two power blocks per kit.

Tip: Frame kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

	Standard Includes	Required to Specify
▶Need help? Product details, page 24	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments • 2³/₈"-thick panel with clear anodized aluminum frame • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Post extension 4 Options, if selected (see below) ▶See *Surface Materials,* page 336.

	Options	U.S. Price	Required to Specify
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify *with post extensions for recessed ceiling track interface.*
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify *with post extensions for overlapping ceiling track interface.*
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+$ 48	Specify ceiling height in 1" increments.
Electrical Power	**Base power block power schematic**		
	• 3+1	+$478	Specify *with 3+1 power.*
	• 2+2	+$478	Specify *with 2+2 power.*
	• 3SN	+$478	Specify *with 3SN power.*
Related Products	• Power options		▶Page 139
	• Ceiling tracks		▶Page 230
	• Continuous base trim		▶Page 236
	• Feature strips		▶Page 240
	• Acoustic packing		▶Page 244
	• Power receptacles		▶Page 247
	• Power and communication cover plates		▶Page 249
	• Infeeds		▶Page 250
	• Modular harnesses		▶Page 252
	• Field-installed powerkits		▶Page 254

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	**Painted Glass Selections frame**		
	• 61"W through 71"W	+$286	Specify paint color number.
	• 72"W through 80"W	+$326	Specify paint color number.
	• 81"W through 96"W	+$367	Specify paint color number.
	• 97"W through 120"W	+$408	Specify paint color number.
	• 121"W through 144"W	+$449	Specify paint color number.
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11"	Use 8'0" price	Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	• Non standard widths	Use U.S. Base Price of next larger width	Specify panel widths in 1" increments.
	• Non standard modular widths	Use U.S. Base Price of next larger width	Specify panel widths in 1" increments.
Base	• 2½"H base	+$182	Specify to accept 2½"H base.
	• 4"H base	+$335	Specify to accept 4"H base.

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.



Specification Information

Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
All-Glass Frame Kits			**Modular All-Glass Frame Kits**			
72"	**GPGSSGFK72**	$1087	72"	70 11/16"	**GPGSMGFK72**	$1087
80"	**GPGSSGFK80**	$1165	80"	78 11/16"	**GPGSMGFK80**	$1165
84"	**GPGSSGFK84**	$1249	84"	82 11/16"	**GPGSMGFK84**	$1249
96"	**GPGSSGFK96**	$1338	96"	94 11/16"	**GPGSMGFK96**	$1338
108"	**GPGSSGFK108**	$1426	108"	106 11/16"	**GPGSMGFK108**	$1426
120"	**GPGSSGFK120**	$1530	120"	118 11/16"	**GPGSMGFK120**	$1530
144"	**GPGSSGFK144**	$1637	144"	142 11/16"	**GPGSMGFK144**	$1637

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections All-Glass Glass Kits



Tip: Order ceiling track, feature strip, and continuous base trim separately.

Tip: Glass kits are assembled in the field. Butt joints must be sealed with silicone sealant to be code-compliant.

Tip: Glass kits 72"W to 96"W have two pieces of glass. Kits 108"W to 144"W have three pieces of glass.

	Standard Includes	Required to Specify
▶Need help? Product details, page 24	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments • 3/8"-thick clear tempered glass	1 Style number 2 Ceiling height 3 Glass number for lite 4 Options, if selected (see below) ▶See *Surface Materials*, page 336.

	Options	U.S. Price	Required to Specify
Surface Materials	**Glass Panels 8'0" through 10'0" for 72"W and 80"W Kits**		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$1867	Specify glass number for lite.
	• Glass price group 3	+$2263	Specify glass number for lite.
	• Glass price group 4	+$2581	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$5030	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Glass Panels 8'0" through 10'0" for 84"W and 96"W Kits		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$2240	Specify glass number for lite.
	• Glass price group 3	+$2718	Specify glass number for lite.
	• Glass price group 4	+$3097	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$6039	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Glass Panels 8'0" through 10'0" for 108"W, 120"W, and 144"W Kits		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$2801	Specify glass number for lite.
	• Glass price group 3	+$3399	Specify glass number for lite.
	• Glass price group 4	+$3872	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$7550	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
Ceiling Height	• 8'0"H through 9'0"H	No cost	Specify ceiling height in 1" increments.
	• 9'1"H through 10'0"H	+$ 48	Specify ceiling height in 1" increments.
Related Products	• Power options		▶Page 139
	• Ceiling tracks		▶Page 230
	• Continuous base trim		▶Page 236
	• Feature strips		▶Page 240
	• Acoustic packing		▶Page 244
	• Power receptacles		▶Page 247
	• Power and communication cover plates		▶Page 249
	• Infeeds		▶Page 250
	• Modular harnesses		▶Page 252
	• Field-installed powerkits		▶Page 254

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

▶**Options, continued from previous page**

	SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5"H through 7'11"H (for widths less than 96"W)	+$ 71	Specify ceiling height in 1" increments.
	• 7'5"H through 7'11"H (for widths 96"W and greater)	+$112	Specify ceiling height in 1" increments.
Parametric Panel Widths (Available in 1" increments)	**Overall unit widths**		
	• 61"W through 95"W (excludes standard widths)	+$ 71	Specify panel widths in 1" increments.
	• 97"W through 143"W (excludes standard widths)	+$112	Specify panel widths in 1" increments.
Base	**2½"H base**		
	• 61"W through 95"W	+$ 20	Specify to accept 2½"H base.
	• 96"W through 144"W	+$ 30	Specify to accept 2½"H base.
	4"H base		
	• 4"H base	No cost	Specify to accept 4"H base.

Specification Information



All-Glass Glass Kits

Width	Style Number	U.S. Base Price
72"	**GPGSSGGK72**	$1724
80"	**GPGSSGGK80**	$1918
84"	**GPGSSGGK84**	$2014
96"	**GPGSSGGK96**	$2303
108"	**GPGSSGGK108**	$2590
120"	**GPGSSGGK120**	$2878
144"	**GPGSSGGK144**	$3347

Modular All-Glass Glass Kits

Nominal Width	Modular Width	Style Number	U.S. Base Price
72"	70 11/16"	**GPGSMGGK72**	$1724
80"	78 11/16"	**GPGSMGGK80**	$1918
84"	82 11/16"	**GPGSMGGK84**	$2014
96"	94 11/16"	**GPGSMGGK96**	$2303
108"	106 11/16"	**GPGSMGGK108**	$2590
120"	118 11/16"	**GPGSMGGK120**	$2878
144"	142 11/16"	**GPGSMGGK144**	$3347

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Glass Selections Wall Panels with Two Divided Lites

Transom-Aligned Top Lite



Tip: Order ceiling track, feature strip, and continuous base trim separately.

	Standard Includes	Required to Specify
▶Need help? Product details, page 24	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments • 2 3/8"-thick panel with clear anodized aluminum frame • Two, 1/4"-thick factory-installed lites—top lite is transom aligned: glass • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately)	1 Style number 2 Ceiling height 3 Glass number for lite 1 (from top) 4 Glass number for lite 2 5 Post extension 6 Options, if selected (see below) ▶See *Surface Materials,* page 336.

	Options	U.S. Price	Required to Specify
Surface Materials	**Top Lite Glass Panels 8'0" through 10'0", 6"W through 8"W**		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 17	Specify glass number for lite.
	• Glass price group 3	+$ 22	Specify glass number for lite.
	• Glass price group 4	+$ 33	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 67	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 6"W through 8"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 81	Specify glass number for lite.
	• Glass price group 3	+$ 96	Specify glass number for lite.
	• Glass price group 4	+$ 153	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 300	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Top Lite Glass Panels 8'0" through 10'0", 18"W through 24"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 54	Specify glass number for lite.
	• Glass price group 3	+$ 63	Specify glass number for lite.
	• Glass price group 4	+$ 100	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 198	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 18"W through 24"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 240	Specify glass number for lite.
	• Glass price group 3	+$ 284	Specify glass number for lite.
	• Glass price group 4	+$ 457	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 900	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Top Lite Glass Panels 8'0" through 10'0", 30"W through 36"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 79	Specify glass number for lite.
	• Glass price group 3	+$ 93	Specify glass number for lite.
	• Glass price group 4	+$ 151	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 296	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 30"W through 36"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 359	Specify glass number for lite.
	• Glass price group 3	+$ 428	Specify glass number for lite.
	• Glass price group 4	+$ 683	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$1349	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Surface Materials	**Top Lite Glass Panels 8'0" through 10'0", 40"W through 48"W**		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 105	Specify glass number for lite.
	• Glass price group 3	+$ 126	Specify glass number for lite.
	• Glass price group 4	+$ 200	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 394	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 40"W through 48"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 477	Specify glass number for lite.
	• Glass price group 3	+$ 570	Specify glass number for lite.
	• Glass price group 4	+$ 911	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$1798	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Top Lite Glass Panels 8'0" through 10'0", 60"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 133	Specify glass number for lite.
	• Glass price group 3	+$ 157	Specify glass number for lite.
	• Glass price group 4	+$ 248	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 493	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
	Lower Lite Glass Panels 8'0" through 10'0" (per lite), 60"W		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 596	Specify glass number for lite.
	• Glass price group 3	+$ 711	Specify glass number for lite.
	• Glass price group 4	+$1140	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$2249	Specify glass number for lite.
			▶See *Surface Materials Reference Manual.*
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify *with post extensions for recessed ceiling track interface.*
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify *with post extensions for overlapping ceiling track interface.*
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+$ 91	Specify ceiling height in 1" increments.
Electrical Power (For panels 30"W through 60"W)	**Base power block power schematic**		
	• 3+1	+$ 196	Specify *with 3+1 power.*
	• 2+2	+$ 196	Specify *with 2+2 power.*
	• 3SN	+$ 196	Specify *with 3SN power.*
Related Products	• Power options		▶Page 139
	• Ceiling tracks		▶Page 230
	• Continuous base trim		▶Page 236
	• Feature strips		▶Page 240
	• Acoustic packing		▶Page 244
	• Power receptacles		▶Page 247
	• Power and communication cover plates		▶Page 249
	• Infeeds		▶Page 250
	• Modular harnesses		▶Page 252
	• Field-installed powerkits		▶Page 254

Tip: Base power block location does not include infeed. It must be ordered separately, if needed.

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Glass Selections Wall Panels with Two Divided Lites Transom-Aligned Top Lite, continued

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

▶**Options, continued from previous page**

	SmartTools Options	U.S. Price	Required to Specify
Surface Materials	**Painted Glass Selections frame**		
	• 6"W through 18"W	+$186	Specify *with painted frame.*
	• 19"W through 36"W	+$214	Specify *with painted frame.*
	• 37"W through 48"W	+$255	Specify *with painted frame.*
	• 49"W through 60"W	+$286	Specify *with painted frame.*
Parametric Panel Widths (Available in 1" increments)	• Non standard widths	Use U.S. Base Price of next larger standard width	Specify panel widths in 1" increments.
	• Non standard modular widths	Use U.S. Base Price of next larger standard width	Specify panel widths in 1" increments.
Base	• 2½"H base	+$ 90	Specify to accept 2½"H base.
	• 4"H base	+$222	Specify to accept 4"H base.

Specification Information



Width	Style Number	U.S. Base Price	Nominal Width	Modular Width	Style Number	U.S. Base Price
Glass Wall Panels			**Modular Glass Wall Panels**			
6"	**GPGSS2L06**	$ 868				
8"	**GPGSS2L08**	$ 868	8"	6 11/16"	**GPGSM2L08**	$ 868
18"	**GPGSS2L18**	$ 941	18"	18 11/16"	**GPGSM2L18**	$ 941
20"	**GPGSS2L20**	$ 941	20"	18 11/16"	**GPGSM2L20**	$ 941
24"	**GPGSS2L24**	$1002	24"	22 11/16"	**GPGSM2L24**	$1002
30"	**GPGSS2L30**	$1024	30"	28 11/16"	**GPGSM2L30**	$1024
36"	**GPGSS2L36**	$1120	36"	34 11/16"	**GPGSM2L36**	$1120
40"	**GPGSS2L40**	$1124	40"	38 11/16"	**GPGSM2L40**	$1124
42"	**GPGSS2L42**	$1124	42"	40 11/16"	**GPGSM2L42**	$1124
48"	**GPGSS2L48**	$1227	48"	46 11/16"	**GPGSM2L48**	$1227
60"	**GPGSS2L60**	$1544	60"	58 11/16"	**GPGSM2L60**	$1544

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height Polished Edge Slider Doors



	Standard Includes	Required to Specify
▶Need help? Product details, page 54	• Ceiling height from 8'0"H to 10'0"H, in one-inch increments • Slider door: glass with polished edges • Frame: clear anodized aluminum • Side panel • Door base: paint • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately) • Slide hardware • Door pull: satin chrome • Door: 3/8" thick for full-height doors 9'-0" and less	1 Style number 2 Ceiling height 3 Glass thickness for door (if less than 108") 4 Glass number for slider door 5 Glass number for all-glass side panel 6 Paint color number for door base 7 Post extension 8 Slide orientation 9 Options, if selected (see below) ▶See *Surface Materials,* page 336.

Tip: Full-height doors less than 108" ceiling height are standard with 3/8" thick glass. 1/2" thick glass can be selected for enhanced rigidity. Doors that are higher than 108" ceiling height are standard with 1/2" thick glass.

Tip: High-voltage switch is not available on Glass Selections slider door.

Tip: For information regarding Etched and Pattern Glass Planning. ▶Page *96.*

Tip: All locks are random keyed.

Tip: High-voltage switch is not available for Glass Selections slider door.

	Options	U.S. Price	Required to Specify
Surface Materials	**Base**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 15	Specify paint color number.
	• Paint price group 3	+$ 24	Specify paint color number.
	Full-height slider doors		
	• Glass price group 1	No cost	Specify glass number for door.
	• Glass price group 2	N.A.	Specify glass number for door.
	• Glass price group 3	+$1361	Specify glass number for door.
	• Glass price group 4	N.A.	Specify glass number for door.
	• Glass price group 5	N.A.	Specify glass number for door.
	• Glass price group 6	N.A.	Specify glass number for door.
	Full-height slider door panels		
	• Glass price group 1	No cost	Specify glass number for door.
	• Glass price group 2	+$ 574	Specify glass number for door.
	• Glass price group 3	+$ 683	Specify glass number for door.
	• Glass price group 4	+$1096	Specify glass number for door.
	• Glass price group 5	N.A.	Specify glass number for door.
	• Glass price group 6	+$2159	Specify glass number for door.
Glass Thickness	• 3/8"-thick glass	No cost	Specify *with 3/8".*
	• 1/2"-thick glass	+$ 267	Specify *with 1/2".*
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify *with post extensions for recessed ceiling track interface.*
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify *with post extensions for overlapping ceiling track interface.*
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+$ 195	Specify ceiling height in 1" increments.
Slide Orientation ▶Page 55	• Left-hand door frame	No cost	Specify *with left-hand door frame.*
	• Right-hand door frame	No cost	Specify *with right-hand door frame.*
Switch Cutout ▶Page 37	• Without cutout	No cost	Specify *without cutout.*
	• With low-voltage switch cutout	+$ 35	Specify *with low-voltage switch cutout.*
Lock	• Door lock with interior thumb latch	+$1162	Specify *with lock.*
Related Products	• Switches		▶Page 164
	• Ceiling tracks		▶Page 230
	• Continuous base trim		▶Page 236
	• Feature strips		▶Page 240

▶**Options, continued on next page**

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

Tip: For slider with frame kit as side panel, glass kit is ordered separately.

▶ **Options, continued from previous page**

	SmartTools Options	U.S. Price	Required to Specify
Parametric Ceiling Height (Available in 1" increments)	• 7'5" through 7'11"	+$306	Specify ceiling height in 1" increments.
Parametric Width Slider Door Assembly with Equal Width Door and Slide Panel (Available in 1" increments)	• 78"W through 95"W (excludes standard widths)	+$338	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel (Available in 1" increments)	• 81"W through 108"W (excludes standard widths)	+$490	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Variable Width Frame Kit (Available in 1" increments)	**With 40" doors**		
	• 112"W through 136"W	+$136	Specify slider door assembly widths in 1" increments.
	• 137"W through 184"W	+$398	Specify slider door assembly widths in 1" increments.
	With 42" doors		
	• 114"W through 136"W	+$136	Specify slider door assembly widths in 1" increments.
	• 137"W through 186"W	+$398	Specify slider door assembly widths in 1" increments.
	With 48" doors		
	• 120"W through 136"W	+$136	Specify slider door assembly widths in 1" increments.
	• 137"W through 192"W	+$398	Specify slider door assembly widths in 1" increments.
Painted Glass Selections Frame	• Painted glass frame	+$510	Specify paint color number.
Base	• 2½"H base	No cost	Specify to accept 2½"H base.
	• 4"H base	+$222	Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price

Full-Height Slider Doors

80"	**GPGSDFFS80**	$5692
84"	**GPGSDFFS84**	$5804
96"	**GPGSDFFS96**	$6213



Glass Selections Transom-Height Polished Edge Slider Doors



▶Need help? Product details, page 54

Standard Includes	Required to Specify
• Ceiling height from 8'0"H to 10'0"H, in one-inch increments • Slider door: glass with polished edges • Frame: clear anodized aluminum • Side panel • Door base: paint • Floor track with adjustable levelers to accommodate continuous 5"H base trim (ordered separately) • Slide hardware • Door pull: satin chrome • Door: ⅜" thick	1 Style number 2 Ceiling height 3 Glass thickness for door 4 Glass number for door frame top lite (door 1) 5 Glass number for slider door (door 2) 6 Glass number for side panel top lite (glass 1) 7 Glass number for side panel (glass 2) 8 Paint color number for door base 9 Post extension 10 Slide orientation 11 Options, if selected (see below) ▶See *Surface Materials*, page 336.

Tip: Door height is always 7'. Transom height varies depending on ceiling height.

Tip: Transom-height doors are standard with ⅜" thick glass. ½" thick glass can be selected for enhanced rigidity.

Tip: High-voltage switch is not available on Glass Selections slider door.

Tip: All locks are random keyed.

Tip: For information regarding Etched and Pattern Glass Planning.
▶Page *96*.

	Options	U.S. Price	Required to Specify
Surface Materials	**Base**		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+$ 15	Specify paint color number.
	• Paint price group 3	+$ 24	Specify paint color number.
	Transom-height slider door		
	• Glass price group 1	No cost	Specify glass number for door.
	• Glass price group 2	N.A.	Specify glass number for door.
	• Glass price group 3	+$1233	Specify glass number for door.
	• Glass price group 4	N.A.	Specify glass number for door.
	• Glass price group 5	N.A.	Specify glass number for door.
	• Glass price group 6	N.A.	Specify glass number for door.
	Transom-height side panel		
	• Glass price group 1	No cost	Specify glass number for door.
	• Glass price group 2	+$ 479	Specify glass number for door.
	• Glass price group 3	+$ 570	Specify glass number for door.
	• Glass price group 4	+$ 913	Specify glass number for door.
	• Glass price group 5	N.A.	Specify glass number for door.
	• Glass price group 6	+$1800	Specify glass number for door.
	Transom aligned top lites (per lite)		
	• Glass price group 1	No cost	Specify glass number for lite.
	• Glass price group 2	+$ 107	Specify glass number for lite.
	• Glass price group 3	+$ 126	Specify glass number for lite.
	• Glass price group 4	+$ 200	Specify glass number for lite.
	• Glass price group 5	N.A.	Specify glass number for lite.
	• Glass price group 6	+$ 397	Specify glass number for lite.
Glass Thickness	• ⅜"-thick glass	No cost	Specify *with ⅜"*.
	• ½"-thick glass	+$ 226	Specify *with ½"*.
Post Extension	• Post extensions modified to accommodate recessed ceiling track (ordered separately)	No cost	Specify *with post extensions for recessed ceiling track interface.*
	• Post extensions modified to accommodate overlapping ceiling track (ordered separately)	No cost	Specify *with post extensions for overlapping ceiling track interface.*
Ceiling Height	• 8'0" through 9'0"	No cost	Specify ceiling height in 1" increments.
	• 9'1" through 10'0"	+$ 112	Specify ceiling height in 1" increments.
Slide Orientation ▶Page 55	• Left-hand door frame	No cost	Specify *with left-hand door frame.*
	• Right-hand door frame	No cost	Specify *with right-hand door frame.*
Switch Cutout ▶Page 37	• Without cutout	No cost	Specify *without cutout.*
	• With low-voltage switch cutout	+$ 35	Specify *with low-voltage switch cutout.*
Lock	• Door lock with interior thumb latch	+$1162	Specify *with lock.*

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶See page 1 for details.

▶**Options, continued on next page**

▶**Options, continued from previous page**

	Options	U.S. Price	Required to Specify
Related Products	• Switches • Ceiling tracks • Continuous base trim • Feature strips		▶Page 164 ▶Page 230 ▶Page 236 ▶Page 240

Tip: SmartTools options are available and easily ordered when using SmartTools software. If you do not have access to SmartTools software, these options can also be ordered using the normal Specials RFQ (Request For Quote) process.

Tip: Slider door assembly widths are displayed in actual sizes. Relative width of door and side panel may vary.

Tip: For slider with frame kit as side panel, glass kit is ordered separately.

	SmartTools Options	U.S. Price	Required to Specify
Parametric Width Slider Door Assembly with Equal Width Door and Slide Panel (Available in 1" increments)	• 78"W through 95"W (excludes standard widths)	+$340	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Fixed Width Door and Variable Width Side Panel (Available in 1" increments)	• 81"W through 108"W (excludes standard widths)	+$510	Specify slider door assembly widths in 1" increments.
Parametric Width Slider Door Assembly with Variable Width Frame Kit (Available in 1" increments)	**With 40" doors**		
	• 112"W through 136"W	+$272	Specify slider door assembly widths in 1" increments.
	• 137"W through 184"W	+$586	Specify slider door assembly widths in 1" increments.
	With 42" doors		
	• 114"W through 136"W	+$272	Specify slider door assembly widths in 1" increments.
	• 137"W through 186"W	+$586	Specify slider door assembly widths in 1" increments.
	With 48" doors		
	• 120"W through 136"W	+$272	Specify slider door assembly widths in 1" increments.
	• 137"W through 192"W	+$586	Specify slider door assembly widths in 1" increments..
Painted Glass Selections Frame	• Painted glass frame	+$510	Specify paint color number.
Base	• 2½"H base • 4"H base	No cost +$222	Specify to accept 2½"H base. Specify to accept 4"H base.

Specification Information

Width	Style Number	U.S. Base Price

Transom-Height Slider Doors



80"	**GPGSDFTS80**	$5711
84"	**GPGSDFTS84**	$5798
96"	**GPGSDFTS96**	$6244