



## Price List

Pricing effective June 2015

For Canadian pricing, please visit  
[Trendealer.com](http://Trendealer.com) to see the current  
conversion rate being used.

## Trig Desking

Trig Desking is a fully integrated line of laminate freestanding components including desks, credenzas, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Trendway product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on [www.trenddealer.com](http://www.trenddealer.com). For Architects and Designers, a free FSL (Furniture Symbol Library) is available on [www.trendway.com](http://www.trendway.com).

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

## Ordering Information

The most efficient way to enter an order is through Trendway On-Line Order Entry on [www.trenddealer.com](http://www.trenddealer.com), which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGRECD2048 represents a Trig Rectangle Desk that is 20" (508) deep and 48" (1219)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

## Placing an Order

To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.

2. A complete "ship to" address with correct Zip code.
3. A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
4. A signature or name of person authorizing the purchase order.
5. A contact name and phone number at your company.
6. An actual calendar date for the requested delivery date (not ASAP).
7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.  
(Refer to your price list for ordering options.)
8. Special products referenced by their control numbers as well as their descriptions.
9. Line items that include price per unit, as well as extended totals.
10. A total dollar amount for the purchase order.
11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

## Lead-Times

The majority of Trig Desking products are shipped within Trendway's standard lead time. Trendway Express lead-times are available on select products. Products and their options available for specification on Express are indicated with an **E** in front of the catalog number. Note that all chosen options for a product must also be available in the Express program to qualify.

**Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.**

## Product Questions, Quotes & Order Placement On-Line

[www.trenddealer.com](http://www.trenddealer.com)  
Hours: 24 Hours, 7 Days a Week

## Customer Care Representative

Hours: Monday–Friday 7am–6pm EST  
Phone: 1-800-893-8115  
Fax: 1-800-893-8121  
e-mail: [customer-care@trendway.com](mailto:customer-care@trendway.com)

## Trendway Custom Solutions

Phone: 1-800-893-8117

**For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.**

## 1. Trendway Express Orders

- Trendway Express is Trendway's special quick shipment program. The Program was devised to help customers meet immediate office furnishing needs. Complete orders entered electronically will ship within an average of 3 working days.

Express is a selected offering that features more frequently requested Trendway products, options, and finishes — enough to address most commonly encountered work situations in today's office.

Because Express lead times are so short, no COM or special orders can be accepted.

## • The Maximum Order

Trig Express orders are limited to a maximum of \$30,000 retail list price for 3-day shipment. Due to the special nature of this offering, no deviations or substitutions of products will be accepted. Shipments are subject to product availability. Orders containing any non-Express products will be scheduled for normal lead times.

## • Changing or Canceling an Order

Express orders are often processed the day after order entry. Therefore, your Express order may be changed or canceled only on the same day that it is placed.

## 2. Transportation

All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact Trendway Customer Care 1-800-893-8115.

## 3. Prices

Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.


## Sequence Information

The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.

	Catalog Number	Top Color
Sample Part Number:	TRGRECD2048	.XZ3

## Trig | Desks | Work Surfaces | Screens & Modesties | Tables | Filing + Storage | Statement of Line

### Desks




D	W*	D1	W*	D2	D1	W	D2	D1	W*	D2	D3	D1	W*	D2	D3	Right-Hand
20" x 48"		24" x 54" x 20"			30" x 94" x 24"			30" x 54" x 42" x 24"				42" x 54" x 20" x 24"				
20" x 84"		24" x 84" x 20"						30" x 84" x 42" x 24"				42" x 84" x 20" x 24"				
24" x 48"		30" x 54" x 20"						30" x 54" x 48" x 24"				48" x 54" x 20" x 24"				
24" x 84"		30" x 84" x 20"						30" x 84" x 48" x 24"				48" x 84" x 20" x 24"				
30" x 48"		30" x 54" x 24"														
30" x 84"		30" x 84" x 24"														

\*widths in increments of 6"

↔ Denotes direction of wood grain


### Work Surfaces



D	W*	D1	W*	D2	D1	W	D2	D1	W*	D2	D3	D1	W*	D2	D3	Right-Hand
20" x 48"		24" x 54" x 20"			30" x 94" x 24"			30" x 54" x 42" x 24"				42" x 54" x 20" x 24"				
20" x 84"		24" x 84" x 20"						30" x 84" x 42" x 24"				42" x 84" x 20" x 24"				
24" x 48"		30" x 54" x 20"						30" x 54" x 48" x 24"				48" x 54" x 20" x 24"				
24" x 84"		30" x 84" x 20"						30" x 84" x 48" x 24"				48" x 84" x 20" x 24"				
30" x 48"		30" x 54" x 24"														
30" x 84"		30" x 84" x 24"														

\*widths in increments of 6"

### Work Surface Support Legs



Supports surfaces that are next to each other – no need for separate legs on each surface.


### Screens & Modesties

#### Desk Top Screens



W	H
16" x 8"	
20" x 8"	
26" x 8"	
38" x 8"	
44" x 8"	
16" x 13"	
20" x 13"	
26" x 13"	
38" x 13"	
44" x 13"	

#### Surface Mount Screens



W*	H
24" x 13"	
84" x 13"	
24" x 19"	
84" x 19"	

\*widths in increments of 6"

#### Back Edge Mount Screens



W*	H
24" x 13"	
72" x 13"	
24" x 19"	
84" x 19"	

\*widths in increments of 6"

#### Modesty



W*	H
24" x 14"	
72" x 14"	

\*widths in increments of 6"

#### Screen/Modesty Combination




W*	H
24" x 28"	
72" x 28"	

\*widths in increments of 6"

### Filing & Storage

#### Credenzas



D	W	H	D	W	H	D	W	H	D	W	H	D	W	H	D	W	H	D	W	H						
20"	75"	26 <sup>3</sup> / <sub>4</sub> "	20"	60"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	30"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	30"	26 <sup>3</sup> / <sub>4</sub> "	20"	60"	26 <sup>3</sup> / <sub>4</sub> "	20"	60"	26 <sup>3</sup> / <sub>4</sub> "



D	W	H	D	W	H	D	W	H	D	W	H	D	W	H	D	W	H						
20"	30"	26 <sup>3</sup> / <sub>4</sub> "	20"	75"	26 <sup>3</sup> / <sub>4</sub> "	20"	60"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "	20"	45"	26 <sup>3</sup> / <sub>4</sub> "

## Filing & Storage Continued


### Bench-Height Storage



D W H  
20" x 75" x 21"



D W H  
20" x 60" x 21"



D W H  
20" x 45" x 21"



D W H  
20" x 45" x 21"



D W H  
20" x 30" x 21"



D W H  
20" x 30" x 21"  
20" x 36" x 21"

### Freestanding Storage



D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 26<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 26<sup>3</sup>/<sub>4</sub>"

### Under Desk Support Storage



D W H  
20" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
24" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
30" x 30" x 27<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"  
24" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"  
30" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
24" x 30" x 27<sup>3</sup>/<sub>4</sub>"  
30" x 30" x 27<sup>3</sup>/<sub>4</sub>"

### Stack Storage - Open Shelf\*



D W H\*  
14" x 30" x 27<sup>1</sup>/<sub>4</sub>"



D W H\*  
14" x 30" x 39<sup>1</sup>/<sub>4</sub>"

### Stack Storage - Paper Management



D W\* H  
14" x 30" x 5"  
14" x 45" x 5"  
14" x 60" x 5"  
14" x 75" x 5"

### Trig to Panel Bracket




Will allow Trig Work Surface Legs and Storage Units to directly connect to Choices and Contrada Panels.


\*To match 54" & 66" high Storage Towers when placed on top of 26.75" high Credenzas.

\*To match Credenza Storage widths

### Overhead - Single and Dual Sliding Door




D W\* H  
14" x 48" x 15<sup>1</sup>/<sub>2</sub>"  
14" x 72" x 15<sup>1</sup>/<sub>2</sub>"




D W\* H  
14" x 48" x 15<sup>1</sup>/<sub>2</sub>"  
14" x 72" x 15<sup>1</sup>/<sub>2</sub>"

### Overhead - Open Shelf




D W\* H  
14" x 48" x 15<sup>1</sup>/<sub>2</sub>"  
14" x 84" x 15<sup>1</sup>/<sub>2</sub>"

### Overhead - Hinged Doors\*\*



D W\* H  
14" x 60" x 15<sup>1</sup>/<sub>2</sub>"  
14" x 84" x 15<sup>1</sup>/<sub>2</sub>"



\*\*The same door size is used for all units. Overheads 66" and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit.


\*widths in increments of 6"

\*Widths in 6" increments.

### Combination Storage




D W H  
20" x 30" x 53<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 53<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 45" x 53<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 45" x 53<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
24" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
30" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"





D W H  
20" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
24" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"  
30" x 15<sup>1</sup>/<sub>2</sub>" x 47<sup>3</sup>/<sub>4</sub>"


### Tower Storage





D W H  
20" x 30" x 65<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 15" x 65<sup>3</sup>/<sub>4</sub>"



D W H  
20" x 30" x 53<sup>3</sup>/<sub>4</sub>"




D W H  
20" x 15" x 53<sup>3</sup>/<sub>4</sub>"




## Filing & Storage Continued

### Door Style Options




Laminate Door




Framed Door Insert (Plexiglass)

### Wardrobe Storage



D W H  
24" x 24" x 66"




D W H  
24" x 24" x 66"



D W H  
20" x 15" x 53<sup>3</sup>/<sub>4</sub>"  
20" x 15" x 65<sup>3</sup>/<sub>4</sub>"

## Accessories


### Monitor Arms



### Lighting



## Tables



D W H  
36" x 72" x 28<sup>3</sup>/<sub>4</sub>"  
42" x 72" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 72" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 96" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 120" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 144" x 28<sup>3</sup>/<sub>4</sub>"



D/W H  
36" x 28<sup>3</sup>/<sub>4</sub>"  
42" x 28<sup>3</sup>/<sub>4</sub>"  
48" x 28<sup>3</sup>/<sub>4</sub>"

*Note: See the Tables Price Book for the complete Tables offering.*


## Standard Fabrics

All Trendway standard directional fabrics are applied Down-roll on Trig Tackboards less than 60" wide.

### Down-roll (↓)

Down-roll means the height dimension of the tackboard is parallel to the warp of the fabric (Fig. A).

Fig. A



### COM Fabrics

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that tackboard widths 60" and greater cannot be applied Down-roll due to panel fabric being 66" wide (Fig. C).

### Railroad (R)

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B





Fig. C



## Standard Application Direction

Pattern	Trig Tackboards (component) Less than 60"
Anchorage	↓
Auster	↓
Backdrop	↓
Belgrade	↕
Bird's Eye	↓
Block Party	↓
Cameo	↓
Cape Cod	↓
Coastline	↓
Crosstown	↓
Curtain Call	↓
Drift	↓
Encore	↓
Fine Point	↓
Footlights	↓
Framework	↕
Frost	↓
Galleria	↓
Groove	↓
Meander	↓
Metallation	↓
Overture	↓
Pact	↓
Phone Tag	↓
Province	↓
Snapshot	↓
Sprite	↓
Strata	↓
Tabby Weave	↕
Tenor	↓
Tracery	↓
Universe	↓
Verse	↓

↕ = NonDirectional Pattern will be applied for best yield  
↓ = Down-roll

## Surface Material Program

The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

### Standard Program

Trendway's Standard Program of timeless fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. Refer to individual panels for fire rating classifications.

### Surface Trends

Trendway's Surface Trends Program is an evolving collection of fabrics, vinyls, and laminates, and are designated by  symbol. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years. Items no longer available through Trendway may still be available for purchase directly through the supplier. Materials in this program comply with, and in many cases exceed the industry standards for quality and performance.

Surface Trends panel fabrics pass Cal.117 and are listed as part of the UL recognized component program.

### Express

Express fabrics and finishes are available in a three-day lead time. Surface Materials available for specification on Express are indicated with a  in front of the 3-digit code.

### Terratex®

Terratex is a True Textiles brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to [www.terratex.com](http://www.terratex.com).

### COM

Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information, see COM in the Pricing, Procedures and Policies section in the back of the price list.

## Pre-Approved COM

Select from popular COM fabrics pre-approved by Trendway. Customers are able to search the COM library on [www.trenddealer.com](http://www.trenddealer.com) for fabrics and specific applications that have passed manufacturability testing on Trendway product.

## HOW TO ORDER SAMPLES

### Binder Cards

Standard and Surface Trends binder cards are available through Trendway fulfillment. Call 1-800-968-5344, ext. 1.

### Standard Program Samples

Samples of fabrics and finishes are available through Trendway fulfillment. Call 1-800-968-5344, ext. 1.

### Surface Trends Samples

Surface Trends **samples must be ordered directly through the supplier.** Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

#### Guilford Of Maine®

[www.guilfordofmaine.com](http://www.guilfordofmaine.com)  
1-800-544-0200

#### Momentum® Textiles

[www.memosamples.com](http://www.memosamples.com)  
1-800-366-6839

#### Morbern Vinyl (Woodford)

[www.morbern.com](http://www.morbern.com)  
1-888-667-2376

#### Nevamar

[www.nevamar.com](http://www.nevamar.com)  
1-800-638-4380

#### Pionite

[www.pionite.com](http://www.pionite.com)  
1-800-746-6483

#### Wilsonart®

[www.wilsonart.com](http://www.wilsonart.com)  
1-800-433-3222

**Please note:** Colors on printed sample cards are as accurate as offset printing allows. Please refer to the actual sample before ordering.

## Surface Material Legend

 = 100% Recycled Content



Terratex brand is a registered trademark of True Textiles. Refer to your binder card to identify Terratex 100% recycled fabrics, or for a complete list [www.trenddealer.com](http://www.trenddealer.com).



= Surface Trends Program (Samples available through supplier, refer to previous column for a list of supplier contacts)

## Panel Fabrics

### Framework Grade 0

#### Value Fabric

ⓔ B4V	Sandy Pebble
ⓔ B4W	Chamoise
ⓔ B4X	Gray Blue
ⓔ B4Y	Eucalyptus
ⓔ B50	Blue Smooth
ⓔ BJ4	Beige
ⓔ BJ5	Stone
ⓔ BJ6	Elephant
ⓔ BJ7	Dove Gray

### Frost Grade 1

AH2	Whiteout
ⓔ AH3	Dew
ⓔ AH4	Icing
AH5	Flurries
ⓔ AH6	Crystals
ⓔ AH7	Snowcap
ⓔ AH8	Sleet
AH9	Glaze
ⓔ AJ0	Blizzard
ⓔ AJ1	Arctic
AJ2	Wintry
AJ3	Glacier
ⓔ AJ4	Chilled
ⓔ AJ5	Black Ice

### Meander Grade 1

#### Momentum

ⓔ B48	Agate Taupe
ⓔ B49	Nightshadow
ⓔ B4A	Overcast
ⓔ B4B	Sandshell

### Tracey Grade 1

#### Momentum

ⓔ B4C	Brindle
ⓔ B4D	Egret
ⓔ B4E	Sea Spray
ⓔ B4F	Straw

### Universe Grade 1

#### Momentum

ⓔ B4G	Cosmic
ⓔ B4H	Crepe Brulee
ⓔ B4J	Depth
ⓔ B4K	Mica
ⓔ B4M	Milkyway
ⓔ B4N	Seneca
ⓔ B4P	Wheat
ⓔ B4R	Whitecap

### Fine Point Grade 1

#### Victor

BN2	Balique
BN3	Fresco
BN4	Porcelain
BN5	Silvern
BN6	Sterling
BN7	Vintage

### Backdrop Grade 2

#### Momentum

K0G	Barley
K0H	Bone
K0J	Bonsai
K0K	Cement
K0M	Charcoal
K0N	Jute
K0P	Khaki
K0R	Mica
K0T	Mocha
K0U	Rain

### Belgrade Grade 2

025	Liberty
ⓔ 050	Dover Grey
052	Deer Isle
053	Blue Hill
055	Steel Harbor
BP4	Cement Mix
BP5	Light Moss
BP6	Quartz
BP7	Wheat

### Birds Eye Grade 2

AG0	Rock
AG1	Vista
ⓔ AG3	Outlook
AG4	Impression
ⓔ AG5	Flight
AG6	Soar
AG7	Glide
AG8	Altitude
AG9	Panorama
AH1	Storm

### Cameo Grade 2

#### Momentum

K0V	Almond
K0W	Coffee
K0X	Fawn
K0Y	Ivory
K10	Linen
K11	Metal
K12	Mist
K13	Parchment
K14	Smoke
K15	Stone
K16	Twig

### Cape Cod Grade 2

#### Guilford of Maine

BYF	Linen
BYG	Cloud
BYH	Seagull
BYJ	Key Lime
BYK	Buff
BYM	Shale
BYN	Apricot
BYP	Dune
BYR	Surf

### Curtain Call Grade 2

#### Momentum

K04	Chrome
K05	Desert
K06	Dove
K07	Latte
K08	Pebble
K09	Sea
K0A	Tawny

### Encore Grade 2

#### Momentum

K00	Cocoa
K01	Graphite
K02	Honey
K03	Putty

### Footlights Grade 2

#### Momentum

K0C	Ash
K0D	Fog
K0E	Spa
K0F	Wheat

### Metallation Grade 2

SL5	18 Karat
SR4	Polished Pewter
SQ6	Welded Steel
SJ3	Etched Bronze
SP8	Chrome
SM3	Dark Annealed
SS2	Wrought Iron
SN1	Fired Titanium
ST0	Stove Pipe

### Overture Grade 2

#### Momentum

B35	Bisque
B36	Chiffon
B4T	Heatherglen
B4U	Rose Tan
BXU	Red
BXV	Sunshine
BXW	Cobalt
BXX	Chocolate

Overview &  
Order Information

Statement  
of Line

Surface  
Materials

Desks &  
Work Surfaces

Screens &  
Modesties

Storage

Electrical

Accessories

Terms, Policies  
& Index

 Notes Surface Trends Program

Fabric patterns noted with ⓔ are available in Trendway's Express program.

## Panel Fabrics

Pact  Grade 2	
 Momentum	
BM5	Aloe
BM6	Azure
BM7	Calla
BM8	Coastal
BM9	Delft
BMA	Dove
BMC	Dragon
BMD	Eureka
BME	Fern
BMF	Harbor
BMG	Lily
BMH	Lime
BMJ	Midnight
BMK	Nectar
BMM	Patina
BMN	Putty
BMP	Roast
BMR	Roma
BMT	Rubine
BMU	Sketch
BMV	Tanzanite
BMW	Taupe
BMX	Toasty

Tabby Weave  Grade 2	
Ⓢ 150	Wedgewood
Ⓢ 175	Crystal Blue
Ⓢ 380	Quartz
Ⓢ 390	Rose Quartz
Ⓢ 400	Cherry Neutral
Ⓢ 401	Blue Neutral
Ⓢ 404	Apricot Neutral
Ⓢ QL2	Blue Spruce
Ⓢ QM0	Sienna
Ⓢ QN9	Blue Plum
Ⓢ QP5	Bone
Ⓢ QQ3	Cement Mix
Ⓢ QR1	Light Moss
Ⓢ QS0	Lake
Ⓢ QT8	Stream
Ⓢ QV0	Desert Sand
Ⓢ 238	Grey Mix
Ⓢ 423	Pumice
Ⓢ BV2	Silver Papier
Ⓢ K96	Black
Ⓢ K97	Coin
Ⓢ K98	Flannel
Ⓢ K99	Medium Grey

Anchorage  Grade 3	
 Guilford Of Maine	
Ⓢ AQ1	Vanilla
Ⓢ AQ2	Green Olive
Ⓢ AQ3	Eucalyptus
Ⓢ AQ4	Cumin
Ⓢ AQ8	Birch
Ⓢ AQ9	Goose
Ⓢ AR0	Asteroid
Ⓢ AQ5	Slate
Ⓢ AQ6	Quarry Blue
Ⓢ AQ7	Deep Water
Ⓢ AR1	Angora
Ⓢ AR2	Henna
Ⓢ AR3	Fossil
Ⓢ B9P	Straw
Ⓢ BF1	Sunshine
Ⓢ BF2	Pumpkin
Ⓢ BF3	Geranium
Ⓢ BF4	Aubergine
Ⓢ BF5	Mulberry
Ⓢ BF6	Poppy
Ⓢ BF7	Amber
Ⓢ BF8	Goldenrod
Ⓢ BF9	Cobalt
Ⓢ BFA	Lapis
Ⓢ BFC	Thistle
Ⓢ BFD	Midnight
Ⓢ BFE	Sea
Ⓢ BFF	Green Apple
Ⓢ BFG	Willow
Ⓢ BFH	Pine Needle
Ⓢ BFJ	Wolf
Ⓢ BFK	Coffee Bean
Ⓢ BFM	Graphite
Ⓢ BFN	Red Delicious
Ⓢ GEB	Onyx
Ⓢ BXN	Magenta
Ⓢ BXP	Waterfall

Sprite  Grade 2	
 Guilford Of Maine	
BU7	Butter
BU8	Harvest
BU9	Khaki
BUA	Kiwi
BUB	Linen
BUC	Powder
BUD	Sherbet
BUE	Sky
BUF	Snow

Tenor  Grade 2	
 Momentum	
B0R	Bisque
B0T	Champagne
B0U	Chiffon
B0V	Desert View
B0W	Driftwood
B0X	Heatherglen
B0Y	Mysteria
B30	Rose Tan

Strata  Grade 2	
 Guilford Of Maine	
BY6	Linen
BY7	Straw
BY8	Sand
BY9	Latte
BYA	Cloud
BYC	Sky
BYD	Cement
BYE	Sea

Verse  Grade 2	
 Momentum	
B31	Field
B32	Pyrite
B33	Sandhurst
B34	Twilight

 Notes Surface Trends Program

Fabric patterns noted with Ⓢ are available in Trendway's Express program.

## Panel Fabrics

### Coastline Grade 3

Guilford Of Maine	
WA7	Bluff
W26	Sand
W85	Vapor
AR4	Sunset
AR5	Seal
AR6	Beachglass
K18	Dove
K19	Limeade
K1A	Meringue

### Crosstown Grade 3

Guilford Of Maine	
ⓔ AP0	Ray
AP2	Fieldstone
AP3	Sterling
AP4	Stucco
AP5	Waterfront
AP6	Buff
AP8	Chamois
AP9	Cement
K17	Graphite

### Galleria Grade 3

AP1	Mortar
AQ0	Mineral
AR8	Gobi
S96	Lacquer
SD4	Laurel
SE2	Blueberry
SF0	Desert Sand
SG9	Wrought Iron

### Groove Grade 3

Guilford Of Maine	
VS3	Froth
ⓔ VY8	Graphite
VX0	Marigold
VW1	Mocha
ⓔ VR5	Rum
VV3	Spring
VU5	Winter
K1C	Smoke

### Phone Tag Grade 3

Guilford Of Maine	
TK3	Almond
TM0	Clover
TP4	Sky Dive
TF7	Wheat

### Snapshot Grade 3

Guilford Of Maine	
ⓔ TY3	Froth
TT7	Pistachio
ⓔ TZ1	Rum
VB9	Steel

### Province Grade 3

BF0	Horizon
BG9	Vicuna
BH7	Sterling
BJ3	Streamline
BL5	Canyon
BM3	Ice
BN1	Field
BP8	Verbena
BQ6	Napoleon
BR4	Nocturne
BS2	Redwood
BE2	Cleo

### Auster Grade 3

Guilford Of Maine	
B6N	Pebble
B6P	Platinum
B6R	Silverdust
B6U	Storm

### Block Party Grade 3

Guilford Of Maine	
B70	Alabaster
B71	Canyon
B72	Isle
B73	Oasis
B74	Pebble

### Drift Grade 3

Guilford Of Maine	
B89	Alabaster
B8C	Graphite
B8D	Mocha
B8E	Pebble
B8F	Slate
B8G	Sprout
B8H	Storm

## Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our six trim colors.

### Systems Paints and Trim

ⓐ G	Gray
ⓐ TG	Textured Gray
ⓐ J	Stucco
ⓐ TJ	Textured Stucco
ⓐ K	Charcoal
ⓐ TK	Textured Charcoal
ⓐ P	Pebble
ⓐ TP	Textured Pebble
ⓐ Y	Sand
ⓐ TY	Textured Sand
ⓐ L	Light Gray
ⓐ TL	Textured Light Gray
ⓐ DW	Designer White
ⓐ TDW	Textured Designer White

### Framed Door Insert

<b>Plexiglass</b>	
01	Clear
02	Bronze Tinted
E3A*	Frosted

### Ecoresin

The color options are semi-transparent with (or without) patterns.

### \*Standard 3form Color Options

E01	Solo Supermatte Ecoresin
E02	Solo Aqua Supermatte Ecoresin
E03	Spider Ecoresin

\*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

## Premium Systems Finishes

**Premium finishes are offered at a modest upcharge.** Please refer to a specific item in your price list to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

### Textured Metallic Paint

ⓐ FG	Gray Frost
ⓐ FJ	Stucco Frost
ⓐ FK	Charcoal Frost
ⓐ FP	Pebble Frost
ⓐ FY	Sand Frost
ⓐ FL	Light Gray Frost
ⓐ FDW	Designer White Frost

### Smooth Metallic Paint

PA	Platinum
----	----------

## Thermofused Laminates

### Standard Program

Wood Grain	Grade 1	Solid	Grade 1
ⓐ XZ1	Wild Cherry	ⓐ XZ4	Black
ⓐ XZ2	Fusion Maple		
ⓐ XZ3	Empire Mahogany		
ⓐ XZ5	Chocolate Pear		

### \*Extended Program

\*Note: Leadtimes may be extended. Call Customer Care for specific availability.

XZ8	Beigewood	XZH	Designer White
XZ9	New Age Oak	XZM	Light Gray
XZB	Fonthill Pear	AZK	Slate Grey
XZE	Brazilwood		

### Wood Grain

### Grade 2

### Artika Finish

XZO	Cannella Rustik
XZA	Carmelo Mist
XZR	Drift Loud
XZT	White Zebrine

Shaded items require an extended Lead Time.

Fabric patterns noted with ⓐ are available in Trendway's Express program.

## Seating Fabrics

### Basis Grade A

#### # Momentum

B00	Amber
B01	Amethyst
B02	Colonial
B03	Fog
B04	Garnet
B05	Indigo
B06	Mallard
B07	Onyx
B08	River
B09	Ruby
B0A	Stone
B0B	Twig
B0C	Vine

### Highbeam Grade A

#### # Guilford of Maine

ⓔ BC1	Buttercup
ⓔ BC2	Black
ⓔ BC3	Navy
ⓔ BC4	Bayberry
ⓔ BC5	Kiwi
ⓔ BBN	Nude
ⓔ BBP	Gold Rush
ⓔ BBR	Barley
ⓔ BBT	Rust
ⓔ BBU	Espresso
ⓔ BBV	Maroon
ⓔ BBW	Tangerine
ⓔ BBX	Slate
ⓔ BBY	Grape

### Hue Grade A

#### # Momentum

AJ8	Black
AJ9	Dandelion
AK1	Frothe
AK2	Annato
AK3	Pacific
AK4	Eggplant
AK5	Sky
AK6	Night
AK7	Cocoa
AK8	Golden
B54	Aspen
B55	Currant
B56	Fern
B57	Indigo
BB4	Char
BB5	Chipotle
BB6	Laurel
BB7	Paprika
GHK	Latte
BUG	Hibiscus
BUH	Quarry
BUJ	Seaport
BUK	Shade
BUM	Stem
K7E	Grape
K7F	Grass
K7G	Juniper
K7H	Saffron
K7J	Salsa
K7K	Smoke
K7M	Tropic

### Jane Grade A

#### # Guilford of Maine

BR7	Blueberry
BR8	Chive
BR9	Fuchsia
BRA	Gold
BRC	Grape
BRD	Guacamole
BRE	Jet
BRF	Lapis
BRG	Lichen
BRH	Natural
BRJ	Persimmon
BRK	Pomegranate
BRM	Ruby
BRN	Rust
BRP	Steel
BRR	Ultramarine

### Messina Grade A

#### # Guilford of Maine

Note: Not available on Live/ Live II Chairs

BT2	Curry
BT3	Kelly
BT5	Marine
BT6	Paprika
BT8	Raisin
BTA	Sable
BTC	Tide

### Moda Grade A

#### # Momentum

BHT	Agave
BHU	Anthem
BHV	Derby
BHW	Medal
BHX	Onyx
BHY	Shiraz
BJ0	Tobasco

### Woodford Polyurethane Grade A

#### # Morbern

BK0	Black
BK1	Blueberry
BK2	Bone
BK3	Bright White
BK4	Burgundy
BK5	Charcoal
BK6	Chestnut
BK7	Dark Brown
BK8	Doe
BK9	Espresso
BKA	Hopfen
BKC	Hunter Green
BKD	Light Grey
BKE	Parchment
BKF	Saddle
BKG	Tan

### Open House Grade A

#### # Guilford of Maine

ⓔ A63	Red Delicious
ⓔ A64	Onyx
ⓔ A65	Pumpkin
ⓔ A66	Pine Needle
ⓔ A67	Midnight
ⓔ A68	Willow
ⓔ A69	Aubergine
ⓔ A70	Mulberry
ⓔ A71	Cumin
ⓔ A72	Deep Water
ⓔ A74	Thistle
ⓔ A75	Goldenrod
ⓔ A76	Fossil
ⓔ B5A	Coffee Bean
ⓔ B5B	Green Olive
ⓔ B5C	Henna
ⓔ B5D	Poppy
ⓔ B5E	Straw
ⓔ B5F	Amber
ⓔ BE1	Angora
ⓔ BEH	Asteroid
ⓔ BE4	Cobalt
ⓔ BE3	Geranium
ⓔ BEG	Goose
ⓔ BE9	Graphite
ⓔ BE7	Green Apple
ⓔ BE5	Lapis
ⓔ BEE	Quarry Blue
ⓔ BE8	Wolf
ⓔ BXR	Magenta
ⓔ BXT	Waterfall

### Perk Grade A

#### # Momentum

Note: Not available on Live/ Live II Chairs

B22	Auburn
B23	Cabana
B24	Cedar
B25	Crimson
B26	Dijon
B27	Ebony
B28	Flint
B29	Patriot
B2A	Pewter
B2B	Regal
B2C	Sesame
B2D	Walnut

Fabric patterns noted with ⓔ are available in Trendway's Express program.

## Seating Fabrics

### Ace Grade B

# Momentum	
BFT	Bisque
BFU	Cadet
BFV	Calico
BFW	Carbon
BFX	Dark
BFY	Dream
BG0	Engine
BG1	Hot
BG2	Pesto
BG3	Regal
BG4	Scarlet
BG5	Trail
BG6	Tuxedo

### Cinch Grade B

# Momentum	
BGE	Aristocrat
BGF	Black
BGG	Camel
BGH	Cool
BGJ	Eco
BGK	Honest
BGM	Navy
BGN	Par
BGP	Root
BGR	Silver
BGT	Snap
BGU	Totem
BGV	Zeal

### Interval Grade B

# Momentum	
Note: Not available on Live/ Live II Chairs.	
B1E	Aubergine
B1F	Autumn
B1G	Graphite
B1H	River
B1J	Sunset
B1K	Taupe
B1M	Thyme
BUN	Azure
BUP	Mineral

### Axis Grade B

# Momentum	
BGY	Denim
BH0	Grove
BH1	Noir
BH2	Paprika
BH5	Summer
BH3	Truffle
BH4	Willow
K7N	Energy

### Cobble Grade B

# Guilford of Maine	
ⓔ BDP	Citrine
ⓔ BDT	Garnet
ⓔ BDM	Gravel
ⓔ BDU	Jade
ⓔ BDY	Lapis
ⓔ BEO	Onyx
ⓔ BDR	Peridot
ⓔ BDV	Ruby
ⓔ BDN	Slate
ⓔ BDX	Topaz
ⓔ BDW	Turquoise

### Laredo Vinyl Grade B

# CF Stinson	
B62	Mosstone
B63	Berry
B64	Brandy
B65	Taupe
B66	Cinnabar
B67	Niagra
B68	Blue Moon
B69	Antique
B6A	Chocolate
B6B	Meritage
B6C	Hunter
B6D	Copen
B6E	Dill
B6F	Onyx
B6G	Deep Navy
B6H	Grape
BAE	Summer
BAF	Blazer
BAG	Norse
BAH	Aspen
BAJ	Biscotti
BAK	Snow Cap
BAM	Apricot
BAN	Gelato
BAP	Pelican
BAR	Pumice
BAT	Flint
BAU	Camel
BAV	Ceylon
BAW	Quarry
BAX	Mohave
BAY	Brindle
BB0	Honey
BB1	Tan
BB2	Shale

### Canter Polyurethane Grade B

# Momentum	
BVK	Alfalfa
BVM	Ancho
BVN	Ballad
BVP	Baltic
BVR	Basalt
BVT	Bordeaux
BVU	Brazen
BVV	Chestnut
BVW	Cordovan
BVX	Earth
BVY	Ink
BW1	Iron
BW2	Lucid
BW3	Maize
BW4	Mica
BW5	Night
BW6	Nimbus
BW7	Onyx
BW8	Pyrite
BW9	Quarry
BWA	Sable
BWC	Saddle
BWD	Safari
BWE	Sand
BWF	Storm
BWG	Sumac
BWH	Tango
BWJ	Tawny
BWK	Thatch
BWM	Toasty
BWN	Tusk
BWP	Verdite
BWR	Willow

### Fuse Grade B

# Momentum	
BNE	Morel
BNF	Azurean
BNG	Carmine
BNH	Cress
BNJ	Ginger
BNK	Iris
BNM	Lunar
BNN	Malted
BNP	Pepper
BNR	Pimento
BNT	Pristine
BNU	Saffron
BNV	Walnut

### Gauge Grade B

# Momentum	
BHA	Admiral
BHC	Adrift
BHD	Alumina
BHE	Bronze
BHF	Cardinal
BHG	Chinos
BHH	Cocoa
BHJ	Decaf
BHK	Offshore
BHM	Oxide
BHN	Pesto
BHP	Plum
BHR	Sizzle

Visit [www.cfstinson.com](http://www.cfstinson.com) to view colors.

## Seating Fabrics

### Moguls Grade B

☼ Guilford of Maine	
☉ BCF	Coffee Bean
☉ BCE	Flare
☉ BCN	Grape Jelly
☉ BC9	Graphite
☉ BCJ	Honey Comb
☉ BCM	Navy
☉ BCK	Onyx
☉ BCA	Rhododendron
☉ BCC	Sand
☉ BCH	Thistle

### Punchline Grade B

☼ Guilford of Maine	
BDT	Angora
BTE	Azure
BTF	Cherry
BTG	Cobalt
BTH	Copper
BTJ	Eucalyptus
BTK	Graphite
BTM	Linen
BTN	Mist
BTP	Nugget
BTR	Peacock
BTT	Pepper
BTU	Spring
BTV	Straw
BTW	Tangerine
BTX	Vanilla
BTY	Willow

### Sockhop Grade B

☼ Guilford of Maine	
☉ A86	Graphite
☉ A87	Cobalt
☉ A88	Twilight
☉ A89	Pine
☉ A91	Silver Lining
☉ A92	Platinum
☉ A93	Custard
☉ A95	Bronze
☉ A96	Pumpkin
☉ A97	Garnet
☉ BEK	Blue Moon

### Current Grade C

☼ Momentum	
K7P	Birch
K7R	Cadet
K7T	Eclipse
K7U	Espresso
K7V	Moss
K7W	Pecan
K7X	Plum

### Habit Grade C

☼ Momentum	
K7Y	Aspen
K80	Blueprint
K81	Dune
K82	Kindle
K83	Pier
K84	Salt
K85	Tailor

### Impact Grade C

☼ Momentum	
BA1	Brazen
BA2	Chocolate
BA3	Crimson
BA4	Eggplant
BA5	Grotto
BA6	Indigo
BA7	Putty
BA8	Relic
BA9	Serene
BAA	Sesame
BAC	Sprout
BAD	Stark

### Infinity Grade C

☼ Momentum	
K3F	Aluminum
K3G	Aster
K3H	Atoll
K3J	Barley
K3K	Berry
K3M	Beyond
K3N	Capri
K3P	Dove
K3R	Eclipse
K3T	Graphite
K3U	Gull
K3V	Hyacinth
K3W	Java
K3X	Lemongrass
K3Y	Links
K40	Macintosh
K41	Maize
K42	Papaya
K43	Pewter
K44	Pumice
K45	Radiant
K46	Rinse
K47	Russet
K48	Sable
K49	Stucco
K4A	Terrain
K4C	Tyrian
K4D	Umber
K4E	Vanilla
K4F	Vine

### Knack Grade C

☼ Momentum	
Note: Not available on Live/ Live II Chairs.	
BNW	Brisk
BNX	Fresco
BNY	Reed
BP0	Sax
BP1	Teak
BP2	Zest
BP3	Zing
BUR	Berry
BUT	Carbon
BUU	Dark Roast
BUV	Filament
BUW	Glaze
BUX	Wave

### Marathon Grade C

☼ Momentum	
K4G	Alert
K4H	Arbor
K4J	Caravel
K4K	Chili
K4M	Clay
K4N	Clove
K4P	Curry
K4R	Cyan
K4T	Deep
K4U	Flax
K4V	Fluorite
K4W	Foliage
K4X	Herb
K4Y	Lantern
K50	Marigold
K51	Noir
K52	Oats
K53	Oz
K54	Pinot
K55	Pollen
K56	Rain
K57	Ridge
K58	Sprite
K59	Storm
K5A	Sunset
K5C	Tint
K5D	Toile
K5E	Violet
K5F	Vivacious
K5G	Wren

Overview &  
Order Information

Statement  
of Line

Surface  
Materials

Desks &  
Work Surfaces

Screens &  
Modesties

Storage

Electrical

Accessories

Terms, Policies  
& Index

Fabric patterns noted with ☉ are available in Trendway's Express program.

## Seating Fabrics

### Millennium Grade C

#### Momentum

K5H	Aglow
K5J	Amber
K5K	Anchor
K5M	Cascade
K5N	Cavern
K5P	Cerise
K5R	Clean
K5T	Coastal
K5U	Copper
K5V	Crisp
K5W	Electric
K5X	Geode
K5Y	Ush
K60	Mocha
K61	Monument
K62	Nector
K63	Onyx
K64	Orchid
K65	Peridot
K66	Plateau
K67	Pool
K68	Pyrite
K69	Safari
K6A	Sapphire
K6C	Spark
K6D	Steel
K6E	Tanzanite
K6F	Thrill
K6G	Voyage
K6H	Zinc

### Syntax Grade C

#### Momentum

K8N	Asphalt
K8P	Camel
K8R	Carmine
K8T	Cocoa
K8U	Flare
K8V	Hudson
K8W	Mahogany
K8X	Nectar
K8Y	Pewter
K90	Plant
K91	Shale
K92	Steel
K93	Tiger Eye
K94	Turquoise
K95	Violet

### Bravo II Polyurethane Grade D

#### Momentum

BWT	Alfalfa
BWU	Bark
BWV	Barn
BWW	Black
BWX	Brick
BWY	Cinder
BX0	Clay
BX1	Copper
BX2	Driftwood
BX3	Dusk
BX4	Graystone
BX5	Hematite
BX6	Iron
BX7	Marina
BX8	Mica
BXA	Night
BXC	Outback
BXD	Patina
BXE	Ranch
BXF	Saddle
BXG	Slate
BXH	Sunset
BXJ	Tumbleweed
BXK	Twilight
BXM	Willow

### Tradition Grade C

#### Momentum

K2E	Ash
K2F	Branch
K2G	Class
K2H	Distant
K2J	Flirt
K2K	Fronde
K2M	Grain
K2N	Hedge
K2P	Hidden
K2R	Isle
K2T	Jazz
K2U	Kelly
K2V	Latte
K2W	Malbec
K2X	Miller
K2Y	Mist
K30	Peel
K31	Plated
K32	Regal
K33	Sly
K34	Soar
K35	Soy
K36	Spiced
K37	Sprout
K38	Sterling
K39	Sun
K3A	Tango
K3C	Theater
K3D	Wash
K3E	Weld

### Free Grade D

#### Momentum

K8E	Cocoa
K8F	Evening
K8G	Graphite
K8H	Oasis
K8J	Orbit
K8K	Pearl
K8M	Platinum

### Odyssey Grade C

#### Momentum

K1D	Alloy
K1E	Amp
K1F	Breeze
K1G	Captain
K1H	Carbon
K1J	Cedar
K1K	Craft
K1M	Cruise
K1N	Duon
K1P	Eggplant
K1R	Emerald
K1T	Fossil
K1U	Ink
K1V	Inlet
K1W	Iris
K1X	Kiss
K1Y	Linen
K20	Lively
K21	Maritime
K22	Nettle
K23	Oliver
K24	Opaque
K25	Primary
K26	Roast
K27	Rue
K28	Sangria
K29	Skim
K2A	Smith
K2C	Tinge
K2D	Western

### Cosmopolitan Grade D

#### Guilford of Maine

BPD	Amber
BPE	Corn silk
BPF	Crimson
BPG	Earthen
BPH	Everglade
BPJ	Ivory
BPK	Shadow
BPM	Spring
BPN	Stream

## Seating Fabrics

Brisa/Brisa Distressed		Grade G	Via 	Grade G	Leather	Grade Leather
<b>Ultrafabrics</b>			 <b>Momentum</b>			
BWT	Alfalfa		K86	Cayenne	L25	Teal
BWU	Bark		K87	Cornsilk	L42	Black
BWV	Barn		K88	Fieldspar	L45	Charcoal
BWW	Black		K89	Galaxy	L50	Saddle
BWX	Brick		K8A	Khaki	L4A	Blue
BWY	Cinder		K8C	Pristine	L4B	Espresso
BX0	Clay		K8D	Slate	L4E	Bright White
BX1	Copper				L4F	Doe
BX2	Driftwood				L4G	Burgundy
BX3	Dusk				L4H	Parchment
BX4	Graystone				L4J	Light Gray
BX5	Hematite				L4K	Dark Brown
BX6	Iron				L4M	Blueberry
BX7	Marina				L4N	Hunter
BX8	Mica				L4P	Bone
BXA	Night					
BXC	Outback					
BXD	Patina					
BXE	Ranch					
BXF	Saddle					
BXG	Slate					
BXH	Sunset					
BXJ	Tumbleweed					
BXK	Twilight					
BXM	Willow					
K79	Aztec					

- Overview & Order Information
- Statement of Line
- Surface Materials
- Desks & Work Surfaces
- Screens & Modesties
- Storage
- Electrical
- Accessories
- Terms, Policies & Index

### Trig Keying Order Form

This form can be used as a worksheet or an order form to determine what key-alike Trig Core/Key Sets are needed for key-alike Trig filing and storage, Trig locks on Choices and Contrada flipper units and for additional Trig Lock Keys, Core Keys and Master Keys\*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on [trenddealer.com](http://trenddealer.com) using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

### Trig Core/Key Set

Trig Core/Key Set includes a lock core and 2 lock key. Trig Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers\*\* may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

### Trig Core Installation/Removal Key

Trig Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Trig lock cores.

### \*Trig Master Key

Trig Master Key is used to open any Trig style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

## Trendway >

Trendway Corporation  
P.O. Box 9016 Holland MI 49422-9016  
Phone: (800) 893-8115 Fax: (800) 893-8121  
[www.trendway.com](http://www.trendway.com)

## Trig Keying Order Form

Customer P.O. Number 12345 Trendway Order Number \_\_\_\_\_

Ship to address if different from P.O. \_\_\_\_\_

#### Trig Core/Key Set – TLCK

Qty.	List Price \$13	Key Number S101 - S200	Key-Alike Special Tagging Instructions		
			Floor	Office	
2	\$26	S101	3	5	John's Office
6	\$78	S101	2		Offices 201, 252

#### Additional Trig Lock Key(s) – TKEY

Qty.	List Price \$8	Key Number S101 - S200	
1	\$8	S101	

#### Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price \$4	One core removal key is included at no charge for every 50 lock sets ordered.
3	\$12	

#### Trig Master Key(s)

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.



### Trig Core/Key Set


The Trig Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the “disposable” core that ships with Trig filing units in order for these units to lock. This set can also be ordered to replace an existing Trig Core/Key Set. Includes a Trig lock core and 2 lock keys.

### Trig Core Installation/Removal Key

The Trig Core Installation/Removal Key is needed to install or remove Trig Cores in Trig filing units. One Core Key is included at no charge with every 1 to 50 Trig Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.


### Trig Lock Key

Replacement Trig Keys are available for order.




#### Trig Core/Key Set

	List Price	Catalog Number	Key Number
	\$13	TLCK	S101 - S200



#### Trig Core Installation/Removal Key

	List Price	Catalog Number	
	\$4	TCK	



#### Trig Lock Key

	List Price	Catalog Number	Key Number
	\$8	TKEY	S101 - S200

Build your complete Part Number here:

---	---
-----	-----

Sample Part Number:

TKEY	. S112
------	--------

Total Cost \$8 =


\$8	+	N/C
-----	---	-----

**Trig Desking**

<i>Typical Workstations</i>	20
<i>Overview &amp; Ordering Information</i>	21
<i>Desks</i>	23
<i>Work Surfaces</i>	33
<i>Work Surface Support Legs</i>	39
<i>Work Surface Support Accessories</i>	40
<i>Screens</i>	41
<i>Modesty</i>	42
<i>Conference Tables</i>	44
<i>Credenzas</i>	45
<i>Freestanding Units</i>	49
<i>Bench-Height Storage</i>	51
<i>Combination Storage</i>	52
<i>Marker Board &amp; Tackboard</i>	55
<i>Storage Towers</i>	56
<i>Under Desk Storage</i>	60


**Typical – 7'x7' "L" Shape Workstation** **List Price \$5,038**

Quantity	Catalog Number
1	TRGRECS2484
1	TRGULEG24
1	TRGCOS30
1	TRG612LAT20
1	TRGUDPED24
1	TRGTSSDR66




**Typical – Mirrored 17' x 9' (8.5' x 9' per station) Workstation** **List Price \$7,434**

Quantity	Catalog Number
1	TRGANGDL309424
1	TRGANGDR249430
2	TRGRECS2078
2	TRGWSBRKTS
2	TRGUDPED20
1	TRGCS6612OSR20
1	TRGCS6612OSL20




**Typical – 6'x8' "L" Shape Workstation** **List Price \$5,725**

Quantity	Catalog Number
1	TRGWEGDL307224
1	TRGCOS30
1	TRG612LAT20
2	TRGTS66OS66




**Typical – 10' x 10' (5' x 5' per station) Benching Workstation** **List Price \$11,108**

Quantity	Catalog Number
4	TRGRECD2060
2	TRGBMSM4828
2	TRGCLATOSR45
2	TRGCLATOSL45




**Typical – 8' x 7' "U" Shape Workstation** **List Price \$5,498**

Quantity	Catalog Number
1	TRGEPSR487230
1	TRGESSL487220
1	TRGULEG30
1	TRGUDLAT20
1	SICSP
1	TRG612PED20
1	TRGTSSDL66




**Typical – 6.5' x 16' "L" (6.5' x 8' per station) Shape Workstation** **List Price \$10,143**

Quantity	Catalog Number
2	TRGRECS2478
1	TRGULEG48
2	TRGUDPED24
2	TRGBF2LAT60
1	TRGTSSDR54
1	TRGTSSDL54
1	TRGTMS7813




**Typical – Desk Workstation** **List Price \$3,998**

Quantity	Catalog Number
1	TRGRECD2472
1	TRGRECS2072
1	TRGUDPED20
1	TRGUDD20
1	TRGMOD60



**Typical – 8' x 15' (4' x 7.5' per station) 4 Pack Workstation** **List Price \$11,444**

Quantity	Catalog Number
2	TRGEPSSL307248
2	TRGEPSR487230
4	TRGWSBRKTS
2	TRGCS6612OSR30
2	TRGCS6612OSL30
2	TRGTMS7213



## Trig Desking Overview

Trig Desking is a fully integrated line of quality freestanding desks and modular case goods. The collection includes desks, credenzas, conference tables, and bench height, underdesk, combination and tower storage.

## Ordering Information

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGC2DDCS75 is a Trig Credenza unit with 2 Double Doors, Center Shelves, 75" (1905) wide.

By following the Sample Part Number Example below, you create a Part Number for each product. This Part Number will match your acknowledgement and packaging slip.

### When ordering filing and storage units, list the following:


1. Quantity (combine same products)
2. Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
3. For ease of reading, place a period between each option number (TRGCOS30.XZ1.XZ1.XZ4.G)

## Trig Key Option

Trig Desking filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see page 9 for more information). When the randomly keyed option "R" is chosen the Trig Desking filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Trig Desking storage unit will ship with a "disposable" core in place of the core/key and the specified Trig Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing and storage unit to lock. The Core/Key set (TLCK) must be ordered separately or by using the Trig Keying order form.

	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Sample Part Number:	<u>TRGCOS30</u>	<u>.XZ1</u>	<u>.XZ1</u>	<u>.XZ4</u>	<u>.G</u>
Total Cost \$884 =	\$884	+ N/C	+ N/C	+ N/C	+ N/C



## STANDARD FEATURES

### Modesties

Modesties are available as half-height, only. Half-height modesties provide 12" (305) of space under the modesty for accessing wall outlets.

### Edgebanding

Components are finished with PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate unless an option pick is noted. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding.

### Wire Management

Grommets are available in black or silver. (Optional)

### Drawers

All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

### Doors

Storage doors have 95 degree hinges and shock absorbent bumpers.






### Leveling Glides

Desks and Table allow up to 1" height adjustment.

Pedestals, Laterals, Credenza, Storage Cabinets and Towers allow up to 1<sup>5/8</sup>" height adjustment, and are adjustable from inside the storage unit.

## Pull Style Options

Trig filing and storage units have four 128mm center applied pull options (Classic, Streamline, and Designer), and one 256mm center pull (Modern). These are all plated nickel finish.



## Special Products and Finishes

Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

## SPECIFICATIONS

### Load Capacities

All Trig Laminate storage units meet or exceed the following BIFMA load requirements. For a complete listing of load capacities, contact Trendway Customer Care or visit [trenddealer.com](http://trenddealer.com)

### Desks:

5 lbs. (2.3kg) per linear inch, uniformly distributed.

### Pedestal:

6" (152) Pedestal Drawer — 20 lbs. (9kg)  
12" (305) Pedestal Drawer — 40 lbs. (18kg)  
Top — 90 lbs. (41kg)

### Laterals:

Drawer — approx. 2.6 lbs. (1.17kg) per linear inch  
Top — approx. 4.6 lbs. (2.1kg) per linear inch

### Storage Towers:

6" (152) Pedestal Drawer — 20 lbs. (9kg)  
12" (305) Pedestal Drawer — 40 lbs. (18kg)  
Top — 140 lbs. (64kg)  
Unit Shelf — 60 lbs. (27kg)  
Unit Bottom — 90 lbs. (41kg)

### Double-Door Storage Units:

Shelf — 100 lbs. (45kg)  
Top — 160 lbs. (73kg)  
Bottom of Cabinet — 160 lbs. (73kg)

### Tables:

36" (914) - 60" (1524) — 200 lbs. (276kg)  
72" (1829) and longer — 400 lbs. (552kg)

## Dimensions

All dimensions listed are nominal unless otherwise noted.

## Certification

All components of the Trig Desking offering meet or exceed ANSI/BIFMA performance standards unless noted.

## Maximum Load Capacity For Any Storage Unit

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eg: Maximum load capacity for a TRGTSDD66 = load capacity for bottom + 3 shelves + unit top  
 = 160 lbs. + 100 lbs. x 3 + 160 lbs.  
 = 620 lbs. maximum load

Eg: Maximum load capacity for a TRG612LAT20 = load capacity for drawer x 2 drawers + unit top  
 = 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./linear in. x 36"  
 = approx. 352 lbs. maximum load (for actual load capacities for each size Trig Laminate Lateral File contact Trendway Customer Care or visit [trendealer.com](http://trendealer.com)).

**Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.**


### WARNING:

**Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.**

**Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.**

## Laminate Lateral Files Specifications


Trig Laminate Lateral Files are factory configured for side-to-side filing. If front-to-back filing is desired, the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.



## For use with Trig Laminate Lateral Files

### Letter Size Filing


30" - Wide & File Center



1 Pair Trig Laminate Front-to-Back Filing Bars

### Legal Size Filing

30" - Wide & File Center



1 Trig Laminate Front-to-Back Filing Bars

### Lateral Files

**CAUTION: Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.**

**Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.**

**Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-by-side ganging does not improve stability.**


**To avoid tipping, always load bottom drawers before loading top drawer.**

Trig offers pre-configured desks with support legs on both ends. Work surfaces with various support options may also be specified.

### Specifying Work Surfaces with Support Options


Trig work surfaces are ordered by selecting a work surface shape and then ordering supports separately for the left and right. Storage units can be used as support on both ends of the Rectangle & Wedge work surfaces, but only one end of the Blade, Primary and Secondary work surfaces.

#### Work Surface With No Supports



Rectangle

Wedge Left-Hand




Wedge Right-Hand


#### Work Surfaces With One Support




Blade Left-Hand




Primary Left-Hand




Secondary Left-Hand



Blade Right-Hand




Primary Right-Hand




Secondary Right-Hand

#### Work Surface Support Options



Left-Hand Under Desk Support Storage


Work Surface Support Leg



Shared Work Surface Support Leg


- Under desk support storage includes a 1" riser to attach the work surface to the storage unit
- Support leg depth must match the work surface depth

- Shared support legs are utilized when two work surfaces of equal depth are paired together
- Support leg depth must match the work surface depth



Left-Hand Combination Storage

Work Surface Support Leg




Left-Hand Pedestal Shelf Combination Storage

Work Surface Support Leg

- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth


- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth

## Under Desk Storage Depth for Rectangle, Blade & Secondary Work Surfaces



Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	24"
30"	30"	30"

## Under Desk Storage Depth for Wedge Work Surfaces



Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	20"
30"	30"	24"

## Under Desk Storage Depth for Primary Work Surfaces




Surface Depth	Leg Depth	Storage Depth
30"	30"	24"


## Primary & Secondary Work Surfaces

Primary and Secondary work surfaces are available in 42" and 48" depths.

Primary & Secondary 48"-deep work surfaces can be paired together to create a U-shaped work station. This U-shaped configuration is not recommended for 42"-deep work surfaces as it creates a narrow opening. However, they can be paired with rectangular work surfaces to create L-shaped work stations.




## Surface Mount Screen



Surface mount screens are used when two work surfaces are positioned back-to-back and no gap exists between them. The base of each post spans seam between two surfaces and mounts on top with two screws. Screens are available in 13" and 19" heights, and lengths that span from 24" to 84" in 6" increments. Screen lengths of 48" and less are a single screen and two vertical posts. Screen lengths greater than 48" are two screens and three posts (center post is shared) see chart below:

Application	Number of Screens	Number of Posts
24" Span	(1) 24"	2
30" Span	(1) 30"	2
36" Span	(1) 36"	2
42" Span	(1) 42"	2
48" Span	(1) 48"	2
54" Span	(1) 24" + (1) 30"	3
60" Span	(2) 30"	3
66" Span	(1) 30" + (1) 36"	3
72" Span	(2) 36"	3
78" Span	(1) 36" + (1) 42"	3
84" Span	(2) 42"	3


(Total length of each screen is .25" shorter than nominal length)



## Desk Top Screen

Desk Top Screens are used in benching or multiple-workstation configurations, where surfaces

are positioned adjacent to each other end to end. Screens are available in 8" and 13" heights in each of the following widths: 16", 20", 26", 38" & 44". Screen length selected should be 4" shorter than the depth of the adjacent surfaces.



## Screen / Modesty Combination

The Screen / Modesty Combinations are mounted 1" off the back edge of the work surface to

provide clearance for cord pass-through. The size needed will depend on the right and left hand support options selected. For work surfaces with legs on both ends, subtract 12" from the width of the top. For work surfaces where underdesk storage or surface support brackets are used with Combination Storage, the screen/modesty width required can be determined by subtracting 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work surface with 30"-wide underdesk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your screen or screen / modesty combination width.



## Modesty

The Modesty will be mounted 2" from the back edge of the work surface, and will be sized

to limit physical interference with legs or storage support units. The size needed will depend on the right- and left-hand support options selected. For work surfaces with legs on both ends, the modesty width required can be determined by subtracting 12" from the width of the top. For work surfaces where under desk storage or work surface support brackets are used with Combination Storage, subtract 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work surface with 30"- wide under desk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your modesty width.


## Using Support Leg and Storage to Panel Brackets

These brackets are designed to provide stability to panel layouts that otherwise would require return panels. When using these brackets, the panel layout rules for Loaded and Non-loaded panel runs must be followed to ensure a safe installation.

### Non-Loaded Panel Runs

A Non-Loaded panel run is defined as having no panel hung components regardless of size or weight. The maximum length of a Non-Loaded panel run is 192" with a maximum of 66" high panels. Two Panel bracket connections, one on each end of the run, are required when used in place of a return panel (with the exception of Parallel-mounted Trig Desk). The Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of Non-loaded panel run. Storage units can be side-mounted or back-mounted (Fig. 1).


Fig. 1



For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 2):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit.

Fig. 2



For a parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. IF the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig 3).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 4).

Fig. 3






Fig. 4



### Loaded Panel Runs

A Loaded panel run is defined as having panel hung components with two or more panels connected in a straight line. The maximum length of a loaded panel run with one panel connection before a panel bracket is needed is 120", and with 2 panel connections is 96". The maximum panel height depends on whether there is an overhead storage on the adjacent panel. Maximum height with no overhead storage on adjacent panel is 66", and with overhead storage on the adjacent panel is 62". "Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of a loaded panel run. Storage units can be side-mounted or back-mounted (Fig 5).


Fig. 5



For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 6):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit

Fig. 6



For parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. If the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig. 7).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 8).

Fig. 7





Fig. 8




## Grommets

Grommets are optional on all work surfaces.










Grommets are available in black or silver. The following drawings show standard grommet locations.

Contact your Customer Care representative for more information.

## Grommet Dimensions



## Standard Grommet Locations



## Rectangular Desks


Trig Rectangular desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

### Trig Rectangular Desk

Dimensions Depth	Width	List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color	
		1	2							
20" (508)	48" (1219)	\$743	\$756	TRGRECD2048	No Cost GN No Grommet GY Grommet	GB Black  GS Silver	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$32	
	54" (1372)	832	845	TRGRECD2054						
	60" (1524)	836	849	TRGRECD2060						
	66" (1676)	855	868	TRGRECD2066						
	72" (1829)	891	904	TRGRECD2072						
24" (610)	48" (1219)	\$779	\$792	TRGRECD2448						
	54" (1372)	855	868	TRGRECD2454						
	60" (1524)	859	872	TRGRECD2460						
	66" (1676)	867	880	TRGRECD2466						
	72" (1829)	891	904	TRGRECD2472						
30" (762)	48" (1219)	\$855	\$868	TRGRECD3048						
	54" (1372)	901	927	TRGRECD3054						
	60" (1524)	910	936	TRGRECD3060						
	66" (1676)	928	954	TRGRECD3066						
	72" (1829)	951	977	TRGRECD3072						
Build your complete Part Number here:					---	--	--	---	---	-



Sample Part Number:

TRGRECD2048	.GN	N/A	.XZ4	.XZ2	.K
-------------	-----	-----	------	------	----

Total Cost \$743 =

\$743	+	N/C								
-------	---	-----	---	-----	---	-----	---	-----	---	-----

## Wedge Desks


Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

### Trig Wedge Desk – Right-Hand

Depth1	Dimensions		List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color	
	Width	Depth 2	Thermofused	Grade							
			1	2							
20" (508)	54" (1372)	24" (610)	\$873	\$886	TRGWEGDR205424	No Cost GN No Grommet  GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$32	
	60" (1524)		891	904	TRGWEGDR206024						
	66" (1676)		910	923	TRGWEGDR206624						
	72" (1829)		924	937	TRGWEGDR207224						
20" (508)	54" (1372)	30" (762)	\$878	\$904	TRGWEGDR205430						
	60" (1524)		901	927	TRGWEGDR206030						
	66" (1676)		920	946	TRGWEGDR206630						
	72" (1829)		933	959	TRGWEGDR207230						
24" (610)	54" (1372)	30" (762)	\$878	\$904	TRGWEGDR245430						
	60" (1524)		901	927	TRGWEGDR246030						
	66" (1676)		920	946	TRGWEGDR246630						
	72" (1829)		933	959	TRGWEGDR247230						
					Build your complete Part Number here:	---	--	--	---	---	-



Sample Part Number:

TRGWEGDR205424	.GY	.GB	.XZ2	.XZ4	.K
----------------	-----	-----	------	------	----

Total Cost \$873 =

\$873	+	N/C								
-------	---	-----	---	-----	---	-----	---	-----	---	-----

## Wedge Desks


Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

### Trig Wedge Desk – Left-Hand

Depth1	Dimensions		List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	1	2						
24" (610)	54" (1372)	20" (508)	\$873	\$886	TRGWEGDL245420	No Cost GN No Grommet GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$32
	60" (1524)		891	904	TRGWEGDL246020					
	66" (1676)		910	923	TRGWEGDL246620					
	72" (1829)		924	937	TRGWEGDL247220					
30" (762)	54" (1372)	20" (508)	\$878	\$904	TRGWEGDL305420					
	60" (1524)		901	927	TRGWEGDL306020					
	66" (1676)		920	946	TRGWEGDL306620					
	72" (1829)		933	959	TRGWEGDL307220					
30" (762)	54" (1372)	24" (610)	\$878	\$904	TRGWEGDL305424					
	60" (1524)		901	927	TRGWEGDL306024					
	66" (1676)		920	946	TRGWEGDL306624					
	72" (1829)		933	959	TRGWEGDL307224					



Build your complete Part Number here:

Sample Part Number:

TRGWEGDL245420	.GN	N/A	.XZ2	.XZ4	.K
----------------	-----	-----	------	------	----

Total Cost \$873 =



\$873	+	N/C								
-------	---	-----	---	-----	---	-----	---	-----	---	-----

## Blade Desks

Trig Blade desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Blade Desk – Right-Hand											
Depth1	Dimensions		List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color	
	Width	Depth 2	Thermofused	Grade							
24" (610)	94" (2388)	30" (914)	\$1216	\$1278	TRGANGDR249430	No Cost GN No Grommet  GY Grommet	GB Black  GS Silver	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$32	
											
Trig Blade Desk – Left-Hand											
Depth1	Dimensions		List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color	
	Width	Depth 2	Thermofused	Grade							
30" (914)	94" (2388)	24" (610)	\$1216	\$1278	TRGANGDL309424						
											
Build your complete Part Number here:						---	--	--	---	---	-

Sample Part Number:

TRGANGDR249430	.GN	N/A	.XZ2	.XZ4	.K
----------------	-----	-----	------	------	----

Total Cost \$1216 =



\$1216	+	N/C								
--------	---	-----	---	-----	---	-----	---	-----	---	-----

## Primary Desks

Trig Primary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.



### Trig Primary Desk – Right-Hand

Dimensions				List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
Depth 1	Width	Depth 2	Depth 3	1	2						
42" (1067)	54" (1372)	30" (762)	24" (610)	\$1189	\$1233	TRGEPDR425430	No Cost GN No Grommet GY Grommet	GB Black	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$32
	60" (1524)	30" (762)		1189	1233	TRGEPDR426030					
	66" (1676)	30" (762)		1198	1242	TRGEPDR426630					
	72" (1829)	30" (762)		1198	1242	TRGEPDR427230					
48" (1219)	54" (1372)	30" (762)	24" (610)	\$1198	\$1242	TRGEPDR485430					
	60" (1524)	30" (762)		1198	1242	TRGEPDR486030					
	66" (1676)	30" (762)		1208	1252	TRGEPDR486630					
	72" (1829)	30" (762)		1208	1252	TRGEPDR487230					

### Trig Primary Desk – Left-Hand

Dimensions				List Price Thermofused Grade		Catalog Number
Depth 1	Width	Depth 2	Depth 3	1	2	
30" (762)	54" (1372)	42" (1067)	24" (610)	\$1189	\$1233	TRGEPDL305442
	60" (1524)			1189	1233	TRGEPDL306042
	66" (1676)			1198	1242	TRGEPDL306642
	72" (1829)			1198	1242	TRGEPDL307242
30" (762)	54" (1372)	48" (1219)	24" (610)	\$1198	\$1242	TRGEPDL305448
	60" (1524)			1198	1242	TRGEPDL306048
	66" (1676)			1208	1252	TRGEPDL306648
	72" (1829)			1208	1252	TRGEPDL307248

Build your complete Part Number here:

-----	--	--	---	---	-
-------	----	----	-----	-----	---

Sample Part Number:

TRGEPDR425430	.GN	N/A	.XZ2	.XZ4	.K
---------------	-----	-----	------	------	----

Total Cost \$1189 =



\$1189	+	N/C								
--------	---	-----	---	-----	---	-----	---	-----	---	-----

## Secondary Desks

Trig Secondary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.



### Trig Secondary Desk – Right-Hand

Depth 1	Dimensions			List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	Depth 3	1	2						
20" (508)	54" (1372)	42" (1067)	24" (610)	\$1180	\$1224	TRGESDR205442	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$32
	60" (1524)			1180	1224	TRGESDR206042					
	66" (1676)			1189	1233	TRGESDR206642					
	72" (1829)			1189	1233	TRGESDR207242					
20" (508)	54" (1372)	48" (1219)	24" (610)	\$1189	\$1233	TRGESDR205448					
	60" (1524)			1189	1233	TRGESDR206048					
	66" (1676)			1198	1242	TRGESDR206648					
	72" (1829)			1198	1242	TRGESDR207248					

### Trig Secondary Desk – Left-Hand

Depth 1	Dimensions			List Price Thermofused Grade		Catalog Number
	Width	Depth 2	Depth 3	1	2	
42" (1067)	54" (1372)	20" (508)	24" (610)	\$1180	\$1224	TRGESDL425420
	60" (1524)			1180	1224	TRGESDL426020
	66" (1676)			1189	1233	TRGESDL426620
	72" (1829)			1189	1233	TRGESDL427220
48" (1219)	54" (1372)	20" (508)	24" (610)	\$1189	\$1233	TRGESDL485420
	60" (1524)			1189	1233	TRGESDL486020
	66" (1676)			1198	1242	TRGESDL486620
	72" (1829)			1198	1242	TRGESDL487220

Build your complete Part Number here:

Sample Part Number:

Total Cost \$1180 =

-----	--	--	---	---	-					
TRGESDL425420	.GY	.GB	.XZ2	.XZ4	.K					
\$1180	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

**Rectangular Work Surface**  
 Trig Rectangular Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.


Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports.

Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

### Trig Rectangular Work Surface



Dimensions		List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
Depth	Width	Thermofused Grade 1	Thermofused Grade 2					
20" (508)	48" (1219)	\$168	\$181	TRGRECS2048	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	54" (1372)	256	269	TRGRECS2054				
	60" (1524)	260	273	TRGRECS2060				
	66" (1676)	279	292	TRGRECS2066				
	72" (1829)	315	328	TRGRECS2072				
	78" (1981)	335	361	TRGRECS2078				
	84" (2134)	357	383	TRGRECS2084				
24" (610)	48" (1219)	\$204	\$217	TRGRECS2448				
	54" (1372)	279	292	TRGRECS2454				
	60" (1524)	284	297	TRGRECS2460				
	66" (1676)	292	305	TRGRECS2466				
	72" (1829)	315	328	TRGRECS2472				
	78" (1981)	357	383	TRGRECS2478				
	84" (2134)	372	398	TRGRECS2484				
30" (762)	48" (1219)	\$260	\$273	TRGRECS3048				
	54" (1372)	307	333	TRGRECS3054				
	60" (1524)	315	341	TRGRECS3060				
	66" (1676)	335	361	TRGRECS3066				
	72" (1829)	357	383	TRGRECS3072				
	78" (1981)	408	434	TRGRECS3078				
	84" (2134)	433	459	TRGRECS3084				

Build your complete Part Number here:

-----

Sample Part Number:

TRGRECS2048	.GN	N/A	.XZ4	.XZ2
-------------	-----	-----	------	------

Total Cost \$168 =

\$168	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

## Wedge Work Surface

Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.


Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

### Trig Wedge Work Surface – Right-Hand

Depth1	Dimensions		List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
	Width	Depth 2	1	2					
20" (508)	54" (1372)	24" (610)	\$296	\$309	TRGWEGSR205424	No Cost GN No Grommet GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	60" (1524)		315	328	TRGWEGSR206024				
	66" (1676)		335	348	TRGWEGSR206624				
	72" (1829)		349	362	TRGWEGSR207224				
	78" (1981)		395	421	TRGWEGSR207824				
	84" (2134)		427	453	TRGWEGSR208424				
20" (508)	54" (1372)	30" (762)	\$296	\$322	TRGWEGSR205430				
	60" (1524)		315	341	TRGWEGSR206030				
	66" (1676)		335	361	TRGWEGSR206630				
	72" (1829)		349	375	TRGWEGSR207230				
	78" (1981)		395	421	TRGWEGSR207830				
	84" (2134)		427	453	TRGWEGSR208430				
24" (610)	54" (1372)	30" (762)	\$296	\$322	TRGWEGSR245430				
	60" (1524)		315	341	TRGWEGSR246030				
	66" (1676)		335	361	TRGWEGSR246630				
	72" (1829)		349	375	TRGWEGSR247230				
	78" (1981)		395	421	TRGWEGSR247830				
	84" (2134)		427	453	TRGWEGSR248430				
<b>Build your complete Part Number here:</b>					_____	__	__	___	___



Sample Part Number:

TRGWEGSR205424	.GN	N/A	.XZ2	.XZ4
----------------	-----	-----	------	------

Total Cost \$296 =

\$296	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

## Wedge Work Surface

Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.


Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

### Trig Wedge Work Surface – Left-Hand

Depth1	Dimensions Width 1	Depth 2	List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
			1	2					
24" (610)	54" (1372)	20" (508)	\$296	\$309	TRGWEGL245420	No Cost GN No Grommet GY Grommet	GB Black  GS Silver	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)
	60" (1524)		315	328	TRGWEGL246020				
	66" (1676)		335	348	TRGWEGL246620				
	72" (1829)		349	362	TRGWEGL247220				
	78" (1981)		395	421	TRGWEGL247820				
	84" (2134)		427	453	TRGWEGL248420				
30" (762)	54" (1372)	20" (508)	\$296	\$322	TRGWEGL305420				
	60" (1524)		315	341	TRGWEGL306020				
	66" (1676)		335	361	TRGWEGL306620				
	72" (1829)		349	375	TRGWEGL307220				
	78" (1981)		395	421	TRGWEGL307820				
	84" (2134)		427	453	TRGWEGL308420				
30" (762)	54" (1372)	24" (610)	\$296	\$322	TRGWEGL305424				
	60" (1524)		315	341	TRGWEGL306024				
	66" (1676)		335	361	TRGWEGL306624				
	72" (1829)		349	375	TRGWEGL307224				
	78" (1981)		395	421	TRGWEGL307824				
	84" (2134)		427	453	TRGWEGL308424				
<b>Build your complete Part Number here:</b>					---	--	--	---	---



Sample Part Number:

TRGWEGL245420	.GY	.GS	.XZ2	.XZ4
---------------	-----	-----	------	------

Total Cost \$296 =

\$296	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

## Blade Work Surface

Trig Blade Work Surface are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.


Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Blade Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Blade Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.


### Trig Blade Work Surface – Right-Hand

Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
			1	2						
24" (610)	94" (2388)	30" (914)	\$928	\$990	TRGANGSR249430	No Cost GN No Grommet  GY Grommet	GB Black  GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$17



### Trig Blade Work Surface – Left-Hand

Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade		Catalog Number
			1	2	
30" (914)	94" (2388)	24" (610)	\$928	\$990	TRGANGSL309424



Build your complete Part Number here:

-----	--	--	---	---	---
-------	----	----	-----	-----	-----

Sample Part Number:

TRGANGSR249430	.GN	N/A	.XZ2	.XZ4	.K
----------------	-----	-----	------	------	----

Total Cost \$928 =

\$928	+	N/C								
-------	---	-----	---	-----	---	-----	---	-----	---	-----

## Primary Work Surface

Trig Primary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-Handed Primary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Left-handed Primary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Primary Work Surfaces can be used alone or paired with Secondary Work Surfaces to create a U-shape work station. Primary Work Surfaces are available in right- and left-hand versions. Right-hand Primary surfaces are paired with left-hand Secondary surfaces to form a U-shaped work station. Or left-hand Primary surfaces are paired with right-hand Secondary surfaces to form the mirrored affect.

If Primary Work Surfaces are paired with Secondary Work Surfaces to create U-shaped work stations, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.


(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.


## Trig Primary Work Surface – Right-Hand

Depth 1	Dimensions			List Price		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	Depth 3	Thermofused Grade 1	Thermofused Grade 2						
42" (1067)	54" (1372)	30" (762)	24" (610)	\$891	\$935	TRGEPSR425430	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$17
	60" (1524)	30" (762)		891	935	TRGEPSR426030					
	66" (1676)	30" (762)		901	945	TRGEPSR426630					
	72" (1829)	30" (762)		901	945	TRGEPSR427230					
	78" (1981)	30" (762)		1031	1093	TRGEPSR427830					
	84" (2134)	30" (762)		1044	1106	TRGEPSR428430					
48" (1219)	54" (1372)	30" (762)	24" (610)	\$901	\$945	TRGEPSR485430					
	60" (1524)	30" (762)		901	945	TRGEPSR486030					
	66" (1676)	30" (762)		910	954	TRGEPSR486630					
	72" (1829)	30" (762)		910	954	TRGEPSR487230					
	78" (1981)	30" (762)		1040	1102	TRGEPSR487830					
	84" (2134)	30" (762)		1054	1116	TRGEPSR488430					



## Trig Primary Work Surface – Left-Hand

Depth 1	Dimensions			List Price		Catalog Number
	Width	Depth 2	Depth 3	Thermofused Grade 1	Thermofused Grade 2	
30" (762)	54" (1372)	42" (1067)	24" (610)	\$891	\$935	TRGEPSL305442
30" (762)	60" (1524)			891	935	TRGEPSL306042
30" (762)	66" (1676)			901	945	TRGEPSL306642
30" (762)	72" (1829)			901	945	TRGEPSL307242
30" (762)	78" (1981)			1031	1093	TRGEPSL307842
30" (762)	84" (2134)			1044	1106	TRGEPSL308442
30" (762)	54" (1372)	48" (1219)	24" (610)	\$901	\$945	TRGEPSL305448
30" (762)	60" (1524)			901	945	TRGEPSL306048
30" (762)	66" (1676)			910	954	TRGEPSL306648
30" (762)	72" (1829)			910	954	TRGEPSL307248
30" (762)	78" (1981)			1040	1102	TRGEPSL307848
30" (762)	84" (2134)			1054	1116	TRGEPSL308448



Build your complete Part Number here:

Sample Part Number:

Total Cost \$891 =

TRGEPSR425430	.GN	N/A	.XZ2	.XZ4	.K					
\$891	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

## Secondary Work Surface

Trig Secondary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Secondary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Secondary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Secondary Work Surfaces can be used alone or paired with Primary Work Surfaces to create U-shaped workstations. Secondary Work Surfaces are available in right- and left-hand versions. Right-hand Secondary surfaces are paired with left-hand Primary Surfaces to form U-shaped workstations. Or Left-hand Secondary surfaces can be paired with right-hand

Primary Surfaces to form the mirrored affect. If Secondary Work Surfaces are paired with Primary Work Surfaces to create a U-shaped workstation, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.


(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.


## Trig Secondary Work Surface – Right-Hand

Depth 1	Dimensions			List Price Thermofused Grade		Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Depth 2	Depth 3	1	2						
20" (508)	54" (1372)	42" (1067)	24" (610)	\$891	\$935	TRGESSR205442	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$17
	60" (1524)			891	935	TRGESSR206042					
	66" (1676)			901	945	TRGESSR206642					
	72" (1829)			901	945	TRGESSR207242					
	78" (1981)			1031	1093	TRGESSR207842					
	84" (2134)			1044	1106	TRGESSR208442					
20" (508)	54" (1372)	48" (1219)	24" (610)	\$901	\$945	TRGESSR205448					
	60" (1524)			901	945	TRGESSR206048					
	66" (1676)			910	954	TRGESSR206648					
	72" (1829)			910	954	TRGESSR207248					
	78" (1981)			1040	1102	TRGESSR207848					
	84" (2134)			1054	1116	TRGESSR208448					



## Trig Secondary Work Surface – Left-Hand

Depth 1	Dimensions			List Price Thermofused Grade		Catalog Number
	Width	Depth 2	Depth 3	1	2	
42" (1067)	54" (1372)	20" (508)	24" (610)	\$891	\$935	TRGESSL425420
	60" (1524)			891	935	TRGESSL426020
	66" (1676)			901	945	TRGESSL426620
	72" (1829)			901	945	TRGESSL427220
	78" (1981)			1031	1093	TRGESSL427820
	84" (2134)			1044	1106	TRGESSL428420
48" (1219)	54" (1372)	20" (508)	24" (610)	\$901	\$945	TRGESSL485420
	60" (1524)			901	945	TRGESSL486020
	66" (1676)			910	954	TRGESSL486620
	72" (1829)			910	954	TRGESSL487220
	78" (1981)			1040	1102	TRGESSL487820
	84" (2134)			1054	1116	TRGESSL488420



Build your complete Part Number here:

Sample Part Number:

Total Cost \$891 =

TRGESSL425420	.GY	.GS	.XZ2	.XZ4	.K					
\$891	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

## Work Surface Support Legs

Trig Work Surface Support Legs are available in all Trendway Standard and Premium Systems Finishes.


All necessary attachment hardware is included.

## Shared Work Surface Support Legs

Trig Shared Work Surface Support Legs are used when two work surfaces of equal depth are paired together back-to-back and a single support is desired. Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

When the Shared Work surface Support Leg is used, Flush Support Plate (SICSP) must be ordered to connect the two surfaces together in the middle.



### Trig Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$288	TRGULEG20 TRGULEG24 TRGULEG30	Standard Finish No Cost  Premium Finish + \$17  (See Surface Materials Page 10)
	24" (610)		288		
	30" (762)		296		

Build your complete Part Number here: \_\_\_\_\_

### Trig Shared Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	40" (1016)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$362	TRGULEG40 TRGULEG48 TRGULEG60	Standard Finish No Cost  Premium Finish + \$17  (See Surface Materials Page 10)
	48" (1219)		380		
	60" (1524)		391		

Build your complete Part Number here: \_\_\_\_\_

Sample Part Number:

TRGULEG20

.Y

Total Cost \$288 =

\$288

+

N/C

### Trig Work Surface Post Leg

The Work Surface Post Leg can be used for additional mid-span support along wider Trig work surfaces. Price includes post leg, leveling glide and attachment hardware.

**Note:** A pair of Work Surface Post Legs cannot be used to replace Trig Work Surface Support Legs as the main support on the end of a work surface.

### Trig Bench Storage Work Surface Short Support

The Bench Storage Work Surface leg is used with Trig Bench Height Storage units to support the end of a

work surface. 20" and 24" deep work surfaces use TRGBSWSL13 and 30" deep surfaces use TRGBSWSL19. Legs are available in all Trendway Standard and Premium Finishes.

All necessary attachment hardware is included.


### Side to Side Shared Work Surface Support Leg

Side to Side Shared Work Surface Support Legs are used when work surfaces of equal depth are positioned next to each other and a single support is desired. Legs are available for single depth applications (equal depth

surfaces are side to side) and dual depth applications (equal depth surfaces are back to back).


In a layout with (4) equal depth work surfaces that are both front-to-back and side-to-side, a single Side to Side Shared Support Leg can be used centrally to support all (4) surfaces. Legs are available in all Trendway Standard and Premium Systems Trim Finishes.

All necessary attachment hardware is included.



### Trig Work Surface Post Leg


Dimensions Leg Depth	Height	List Price	Catalog Number	Trim Color
2" (51)	27¾" (705)	\$80	TRGSPRTLEG	Standard Finishes No Cost  Premium Finishes +\$17



### Trig Bench Storage Work Surface Short Support

Dimensions Depth	Height	List Price	Catalog Number	Trim Color
13" (330)	6½" (165)	\$179	TRGBSWSL13	Standard Finishes No Cost  Premium Finishes +\$17
19" (483)		191	TRGBSWSL19	

### Side to Side Shared Work Surface Support Leg



Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27¾" (705)	\$424	TRGULEGSS20	Standard Finish No Cost
	24" (610)		431	TRGULEGSS24	
	30" (762)		436	TRGULEGSS30	
	40" (1016)		539	TRGULEGSS40	Premium Finish + \$17
	48" (1219)		550	TRGULEGSS48	
	60" (1524)		573	TRGULEGSS60	

Build your complete Part Number here:

Sample Part Number:

TRGULEGSS20	.Y
-------------	----

Total Cost \$424 =

\$424	+	N/C
-------	---	-----

### Support Riser

Trig Support Riser ships with necessary hardware to mount work surface to top of Under Desk Storage or Credenza.

Available in Black only.


### Work Surface Support Brackets

Trig Work Surface Support Brackets are used with Combination Storage to support work surfaces instead of Work Surface Support Legs. All necessary attachment hardware included.

Available in Black only.

### Flush Support Plates

Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.




### Trig Support Riser

Dimensions	Dimensions Height	List Price	Catalog Number
8" (203) x 13" (330)	1" (25)	\$81	TRGWSRISER
Build your complete Part Number here:			_____



### Trig Work Surface Support Brackets

Dimensions	List Price	Catalog Number
Includes Two Support Brackets	\$51	TRGWSBRKTS
Build your complete Part Number here:		_____



### Flush Support Plates

Dimensions	List Price	Catalog Number
Includes 2 Connecting Plates	\$48	SICSP
Build your complete Part Number here:		_____

Sample Part Number:

TRGWSRISER

Total Cost \$81 =


\$81

## Surface Mount Screens

Trig Surface Mount Screens are used when two work surfaces are positioned back-to-back with no gap between them. Screen widths can span from 24" to 84", in 6" increments. Screen widths 24" - 48" are a single screen and two posts. Screen widths 54" - 84" are 2 screens and three posts (center post is shared). All necessary mounting hardware is included.

All Screens available in either Plexiglass or 3-Form Ecoresin.

### Trig Surface Mount Screens



Dimensions Width	Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	13" (330)	\$659	<b>TRGTMS2413</b>	Plexiglass (01, 02) No Cost	<b>Standard Finish No Cost</b>
30" (762)		739	<b>TRGTMS3013</b>		
36" (914)		752	<b>TRGTMS3613</b>		
42" (1067)		765	<b>TRGTMS4213</b>		
48" (1219)		778	<b>TRGTMS4813</b>		
54" (1372)		1174	<b>TRGTMS5413</b>		
60" (1524)		1239	<b>TRGTMS6013</b>		
66" (1676)		1254	<b>TRGTMS6613</b>		
72" (1829)		1254	<b>TRGTMS7213</b>		
78" (1981)		1265	<b>TRGTMS7813</b>		
84" (2134)	1265	<b>TRGTMS8413</b>			
24" (610)	19" (483)	\$712	<b>TRGTMS2419</b>	Frosted Plexiglass (E3A) 24" + \$40 30" - 48" + \$86 54" - 84" + \$172	<b>Premium Finish + \$12</b>  (See Surface Materials Page 10)
30" (762)		805	<b>TRGTMS3019</b>		
36" (914)		811	<b>TRGTMS3619</b>		
42" (1067)		818	<b>TRGTMS4219</b>		
48" (1219)		832	<b>TRGTMS4819</b>		
54" (1372)		1239	<b>TRGTMS5419</b>		
60" (1524)		1345	<b>TRGTMS6019</b>		
66" (1676)		1371	<b>TRGTMS6619</b>		
72" (1829)		1371	<b>TRGTMS7219</b>		
78" (1981)		1385	<b>TRGTMS7819</b>		
84" (2134)	1385	<b>TRGTMS8419</b>			

Build your complete  
Part Number here:

-----	---	-
-------	-----	---

Sample  
Part Number:

TRGTMS2413	.E3A	.G
------------	------	----

Total Cost \$699 =

\$659	+	\$40	+	N/C
-------	---	------	---	-----


## Desk Top Screens

Trig Desk Top Screens are intended to provide privacy between adjacent desks. Mostly used in benching applications. All Screens available in either plexiglass or 3-Form Ecoresin.

## Back Edge Mount Screens

Trig Back Edge Mount Screens assemble to the back of a work surface with a 1" gap between it and another work surface. The gap allows for power cords to pass between them.

**Note: See planning guide for proper size selection. All necessary mounting hardware is included.**



### Trig Desk Top Screen

Dimensions Width      Height	List Price	Catalog Number	Insert Material	Trim Color
16" (406)      8" (203)	\$206	<b>TRGLDS168</b>	Plexiglass (01, 02) <b>No Cost</b>	<b>Standard Finish No Cost</b>
20" (508)	218	<b>TRGLDS208</b>		
26" (660)	229	<b>TRGLDS268</b>		
38" (965)	240	<b>TRGLDS388</b>		
44" (1118)	252	<b>TRGLDS448</b>	Frosted Plexiglass (E3A) 16" - 20" <b>+ \$35</b> 26" - 44" <b>+ \$68</b>	<b>Premium Finish + \$12</b>  (See Surface Materials Page 10)
16" (406)      13" (330)	\$264	<b>TRGLDS1613</b>		
20" (508)	276	<b>TRGLDS2013</b>		
26" (660)	287	<b>TRGLDS2613</b>		
38" (965)	298	<b>TRGLDS3813</b>		
44" (1118)	310	<b>TRGLDS4413</b>	3-Form (E01-E03) 16" - 20" <b>+ \$104</b> 26" - 44" <b>+ \$206</b>	



### Trig Back Edge Mount Screens

Dimensions Width      Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)      13" (330)	\$505	<b>TRGBMS2413</b>	Plexiglass (01, 02) <b>No Cost</b>	
30" (762)	550	<b>TRGBMS3013</b>		
36" (914)	608	<b>TRGBMS3613</b>	Frosted Plexiglass (E3A) 24" <b>+ \$35</b> 30" - 48" <b>+ \$91</b> 54" - 72" <b>+ \$114</b>	
42" (1067)	648	<b>TRGBMS4213</b>		
48" (1219)	683	<b>TRGBMS4813</b>		
54" (1372)	722	<b>TRGBMS5413</b>		
60" (1524)	756	<b>TRGBMS6013</b>		
66" (1676)	797	<b>TRGBMS6613</b>		
72" (1829)	842	<b>TRGBMS7213</b>		
24" (610)      19" (483)	\$545	<b>TRGBMS2419</b>		
30" (762)	608	<b>TRGBMS3019</b>		
36" (914)	659	<b>TRGBMS3619</b>		
42" (1067)	706	<b>TRGBMS4219</b>		
48" (1219)	740	<b>TRGBMS4819</b>		
54" (1372)	792	<b>TRGBMS5419</b>		
60" (1524)	849	<b>TRGBMS6019</b>		
66" (1676)	911	<b>TRGBMS6619</b>		
72" (1829)	964	<b>TRGBMS7219</b>		

Build your complete Part Number here:

Sample Part Number:

Total Cost \$241 =

-----	---	-
<b>TRGLDS168</b>	<b>.E3A</b>	<b>.G</b>
\$206	<b>+</b> \$35	<b>+</b> N/C

## Modesty

The Trig Modesty mounts 2" from the back edge of the work surface.

**Note: See planning guide to proper size selection. All necessary mounting hardware is included.**


## Note: Modesty Only

If electrical components are to be used with a Modesty-Only configuration on a Rectangle, Wedge or Blade work surface, the optional grommet should be selected for cord pass-through.

## Screen/Modesty Combination


The Trig Screen/Modesty Combination mounts to the underside back edge of a work surface. There is a 1" gap between the Screen/Modesty and the work surface, allowing power cords to pass between them.

See planning guide for proper size selection. All necessary mounting hardware is included. All Modesty and Screen Modesty Combinations available in either plexiglass or 3-Form Ecoresin.



### Trig Modesty

Dimensions Width      Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)      14" (356)	\$447	<b>TRGMOD24</b>	Plexiglass (01, 02) <b>No Cost</b>	<b>Standard Finish</b> <b>No Cost</b>
30" (762)	482	<b>TRGMOD30</b>	Frosted Plexiglass (E3A) 24" + \$35 30" - 60" + \$68 66" - 72" + \$91 3-Form (E01-E03) 24" + \$138 30" - 60" + \$276 66" - 72" + \$368	<b>Premium Finish</b> <b>+ \$12</b>  (See Surface Materials Page 10)
36" (914)	516	<b>TRGMOD36</b>		
42" (1067)	563	<b>TRGMOD42</b>		
48" (1219)	620	<b>TRGMOD48</b>		
54" (1372)	665	<b>TRGMOD54</b>		
60" (1524)	722	<b>TRGMOD60</b>		
66" (1676)	769	<b>TRGMOD66</b>		
72" (1829)	814	<b>TRGMOD72</b>		
<b>Build your complete Part Number here:</b>		-----	--	-



### Trig Screen/Modesty Combination

Dimensions Width      Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)      28" (711)	\$596	<b>TRGBMSM2428</b>	Plexiglass (01, 02) <b>No Cost</b>	<b>Standard Finish</b> <b>No Cost</b>
30" (762)	677	<b>TRGBMSM3028</b>	Frosted Plexiglass (E3A) 24" + \$68 30" - 60" + \$172 66" - 72" + \$229 3-Form (E01-E03) 24" + \$276 30" - 60" + \$688 66" - 72" + \$802	<b>Premium Finish</b> <b>+ \$12</b>  (See Surface Materials Page 10)
36" (914)	763	<b>TRGBMSM3628</b>		
42" (1067)	814	<b>TRGBMSM4228</b>		
48" (1219)	878	<b>TRGBMSM4828</b>		
54" (1372)	900	<b>TRGBMSM5428</b>		
60" (1524)	951	<b>TRGBMSM6028</b>		
66" (1676)	1027	<b>TRGBMSM6628</b>		
72" (1829)	1100	<b>TRGBMSM7228</b>		
<b>Build your complete Part Number here:</b>		-----	--	-

Sample Part Number:

TRGMOD24	.E01	.G
----------	------	----

Total Cost \$585 =

\$447	+	\$138	+	N/C
-------	---	-------	---	-----

### Credenzas


Trig Credenza come with a 1" Thermofused laminate top and 2" support legs with leveling glides. Credenzas are 20" deep and 26.75" high, Units are intended for freestanding applications. Units ship fully assembled except for 2" support legs.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

### Credenzas with Doors

Features include hinged doors with optional locking. (Locking not available on aluminum door option) Credenzas 60", 72" and 75" wide have (1) adjustable shelf in each double door. The 45" wide Credenza has one adjustable shelf in the double door and one in the single door. Shelves adjust vertically in 2 1/2" increments.

## Trig Credenzas with Doors

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
<b>Double Door and Single Door RH</b>															
20" (508)	45" (1143)	26 3/4" (680)	\$1433	\$1495	TRGCDDSDR45	LD No Cost	Plexi-glass No Cost	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
<b>Double Door and Single Door LH</b>															
20" (508)	45" (1143)	26 3/4" (680)	1433	1495	TRGCDDSDL45	Laminate Door	Frosted Plexi-glass (E3A)	L Classic Stream-line AZ Designer MM Mod2 MD Modern	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color	Pre-mium Finish + \$12	TRG (Two Locks) + \$41 Trig Lock	T -\$26 Trig Key Alike
 Right-Hand Shown															
<b>2 Double Door</b>															
20" (508)	60" (1524)	26 3/4" (680)	\$1806	\$1889	TRGC2DD60	FD Framed Door	3-Form (E01-E03)	3 Doors + \$344 4 Doors + \$459	Not available with framed door (FD) option						Note: Be sure to order core/ key sets (TLCK) separately (2 per unit)
															
<b>2 Double Door w/ 2 Center Shelves</b>															
20" (508)	72" (1829)	26 3/4" (680)	\$2021	\$2131	TRGC2DDCS72										
20" (508)	75" (1905)	26 3/4" (680)	\$2075	\$2185	TRGC2DDCS75										
															
<b>Build your complete Part Number here:</b>															
-----															

Sample Part Number:


TRGC2DDCS75	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
-------------	-----	------	-----	------	------	------	-----	----	------	----

Total Cost \$3695 =

\$2075	+	\$1376	+	\$229	+	N/C	+	\$41	+	\$26								
--------	---	--------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	------

## Trig Credenzas with Doors and Shelves

Depth	Dimensions		List Price		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
20" (508)	60" (1524)	26 3/4" (680)	\$1640	\$1723	TRGCDDOSR60	LD No Cost Lami- nate Door	Plexi- glass No Cost	No Cost Applied	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Thermo- fused Laminate	Stand- ard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
20" (508)	60" (1524)	26 3/4" (680)	1640	1723	TRGCDDOSL60	FD Framed Door + \$688	Frosted Plexi- glass (E3A) + \$114	L Classic E Stream- line AZ Designer MM Mod2 MD Modern not available with Framed Door (FD) option	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color  Specify only if LD selected	Pre- mium Finish + \$12  (See Surface Materials Page 10)	TRG (One Lock) + \$28 Trig Lock	T - \$13 Trig Key Alike  Note: Be sure to order core/key sets TLCK) sepa- rately (1 per unit)
Build your complete Part Number here:															



Right-Hand Shown

Sample Part Number:

TRGCDDOSR60	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
-------------	-----	------	-----	------	------	------	-----	----	------	----

Total Cost \$2572 =


\$1640	+	\$688	+	\$229	+	N/C	+	\$28	+	\$13								
--------	---	-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	------

## Credenzas with Laterals

Lateral units include full extension ball bearing slides, and interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front to back filing bars, and adjustable leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. Shelves adjust vertically in 2 1/2" increments.

For 45" wide Lateral Single Door units, the single door includes hinged door with optional locking and (1) adjustable shelf. Shelf adjusts vertically in 2 1/2" increments.

## Trig Credenzas with Laterals

Depth	Dimensions		Locks	List Price Thermofused Grade		Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Color	Trim Color	Lock Type	Lock Option
	Width	Height		1	2									
<b>12 Lat with Open Shelves</b>														
20" (508)	30" (762)	26 3/4" (680)	1 Lock	\$1204	\$1248	<b>TRGCLATOS30</b>	<b>No Cost Applied</b>	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	<b>Standard Finish No Cost</b>	<b>NL No Cost No Lock</b>	<b>R No Cost Trig Random</b>
														
<b>(612) Lateral and 2 Open Shelves RH</b>														
20" (508)	45" (1143)	26 3/4" (680)	1 Lock	\$1502	\$1564	<b>TRGCLATOSR45</b>	<b>L Classic</b> <b>E Streamline</b> <b>AZ Designer</b>	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	<b>Premium Finish + \$12</b>  (See Surface Materials Page 10)	<b>TRG (One Lock) + \$28 Trig Lock</b>  <b>(Two Locks) + \$41 Trig Lock</b>	<b>T (One Lock) - \$13</b>  <b>(Two Locks) - \$26 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.</b>
20" (508)	48" (1219)	26 3/4" (680)	1 Lock	1539	1601	<b>TRGCLATOSR48</b>								
20" (508)	60" (1524)	26 3/4" (680)	2 Locks	1692	1775	<b>TRGCLATOSR60</b>								
<b>(612) Lateral and 2 Open Shelves LH</b>														
20" (508)	45" (1143)	26 3/4" (680)	1 Lock	\$1502	\$1564	<b>TRGCLATOSL45</b>	<b>MM Mod2</b> <b>MD Modern</b>	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	<b>Premium Finish + \$12</b>  (See Surface Materials Page 10)	<b>TRG (One Lock) + \$28 Trig Lock</b>  <b>(Two Locks) + \$41 Trig Lock</b>	<b>T (One Lock) - \$13</b>  <b>(Two Locks) - \$26 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.</b>
20" (508)	48" (1219)	26 3/4" (680)	1 Lock	1539	1601	<b>TRGCLATOSL48</b>								
20" (508)	60" (1524)	26 3/4" (680)	2 Locks	1692	1775	<b>TRGCLATOSL60</b>								
 <p>Right-Hand Shown</p>														
<b>2 (612) Lateral</b>														
20" (508)	60" (1524)	26 3/4" (680)	2 Locks	\$1978	\$2061	<b>TRGC2LAT60</b>								
														
<b>2 (612) Lateral w/ 2 Center Shelves</b>														
20" (508)	72" (1829)	26 3/4" (508)	2 Locks	\$2226	\$2336	<b>TRGC2LATCS72</b>								
20" (508)	75" (1905)	26 3/4" (508)	2 Locks	\$2288	\$2398	<b>TRGC2LATCS75</b>								
														
<b>Build your complete Part Number here:</b>						_____	__	---	---	---	---	-	---	-

Sample Part Number:

TRGCLATOSR45	.MD	.ZX2	.XZ2	.XZ2	.XZ2	.K	.TRG	.R
--------------	-----	------	------	------	------	----	------	----

Total Cost \$1530 =

\$1502	+	N/C	+	\$28	+	N/C								
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

## Credenzas Continued

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

Single lock can be specified for laterals.

### Trig Credenzas with Doors and Laterals

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer/ Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
(612) Lateral and Single Door RH 20" (508)	45" (1143)	26 3/4" (680)	\$1571	\$1633	TRGCLATSDR45	LD No Cost	Plexi-glass (01, 02) No Cost	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost	R No Cost
(612) Lateral and Single Door LH 20" (508)	45" (1143)	26 3/4" (680)	1571	1633	TRGCLATSDL45	Laminate Door FD + \$344 Framed Door	Frosted Plexi-glass (E3A) +\$58 3-Form (E01-E03) +\$114	L Classic E Stream-line AZ Designer MD Modern MM Mod2 When specifying a Modern Pull, the Framed Door (FD) will include coordinating Mod2 pull.	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10) Specify for Lateral/ Laminate Door only	Premium Finish + \$12 (See Surface Materials Page 10)	TRG (One Lock) + \$28 Trig Lock (Two Locks) + \$41 Trig Lock	T (One Lock) - \$13 (Two Locks) - \$26 Trig Key Alike  Note: Be sure to order core/ key sets (TLCK) separately.
Build your complete Part Number here:			-----												




Sample Part Number:	TRGCLATSDR45	.LD	N/A	.MD	.ZX2	.ZX4	.ZX4	.ZX2	.K	.TRG	.R
Total Cost \$1612 =	\$1571	+ N/C	+ \$41	+ N/C							

## Open Storage Credenza

All Shelves are fixed.

The upper storage units are 10 1/2" high and the bottom storage units are 11 3/4" high.

## Trig Credenzas – Open Storage

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
	Width	Height	1	2					
<b>Open Storage 612</b>									
20" (508)	30" (762)	26 3/4" (680)	\$ 928	\$972	<b>TRGCOS30</b> <b>TRGCOS36</b>	Thermo-fused Laminate  (See Surface Materials Page 10)	Thermo-fused Laminate  (See Surface Materials Page 10)	Thermo-fused Laminate  (See Surface Materials Page 10)	<b>Standard Finish</b> <b>No Cost</b>  <b>Premium Finish</b> <b>+ \$12</b>  (See Surface Materials Page 10)
20" (508)	36" (914)	26 3/4" (680)	\$1003	\$1047					
									
<b>Open Storage 612</b>									
20" (508)	45" (1143)	26 3/4" (680)	\$1115	\$1177	<b>TRGCOS45</b>				
									
			<b>Build your complete Part Number here:</b>		-----	-	-	-	-

Sample Part Number:

TRGCOS45	.ZX2	.XZ4	.XZ4	.Y
----------	------	------	------	----

Total Cost \$1115 =

\$1115	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----

## Freestanding Lateral

The Trig Freestanding Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side, letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

## Freestanding Pedestal

The Trig Freestanding Pedestal includes full extension ball bearing slides, side-to-side filing bars, front-to-back filing bars, and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

### Trig Freestanding Lateral

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
	Width	Height	1	2									
20" (508)	30" (762)	26 <sup>3/4</sup> " (680)	\$1162	\$1206	TRG612LAT20	No Cost Applied	Thermo-Fused Laminate	Thermo-Fused Laminate	Thermo-Fused Laminate	Thermo-Fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
20" (508)	36" (914)	26 <sup>3/4</sup> " (680)	\$1337	\$1381	TRG612LAT2036								
													
Trig Freestanding Pedestal													
Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
	Width	Height	1	2									
20" (508)	15 <sup>1/2</sup> " (394)	26 <sup>3/4</sup> " (680)	\$ 920	\$ 946	TRG612PED20	MM Mod2							Note: Be sure to order core/key sets (TLCK) separately.
					MD Modern								
													
Build your complete Part Number here:						---	-	-	-	-	-	-	-

Sample Part Number:

TRG612LAT20	.MD	.ZX2	.XZ2	.XZ2	.XZ4	.K	.TRG	.R
-------------	-----	------	------	------	------	----	------	----

Total Cost \$1190 =

\$1162	+	N/C	+	\$28	+	N/C								
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

## Freestanding Double Door Storage

The Trig Freestanding Double Door Storage include hinged doors with optional locking. (Locking not available with aluminum door option) Unit comes with (1) shelf that adjusts vertically in 2 1/2" increments. Unit also includes leveling glides in each 2" support leg.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

## Trig Bookcase

The bookcase unit includes one adjustable shelf. The shelf is 5/8" thick and adjust vertically in 2 1/2" (64) increments.

Shipped ready to assemble.


## Trig Freestanding Double Door Storage

Depth	Dimensions		List Price		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
20" (508)	30" (762)	26 3/4" (680)		\$1075	TRGDD20	LD	Plexi-glass (01, 02)	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
20" (508)	36" (914)	26 3/4" (680)	1163	1225	TRGDD2036	No Cost Laminate Door	Frosted Plexi-glass (E3A) + \$114	L Classic E Stream-line AZ Designer MM Mod2 MD Modern	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color	Premium Finish + \$12  (See Surface Materials Page 10)	TRG + \$28 Trig Lock	T - \$13 Trig Key Alike  Note: Be sure to order core/key sets (TLCK) separately.
Build your complete Part Number here:															



## Trig Bookcases

Depth	Dimensions	Height	List Price	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762) 36" (914)	26 3/4" (680)	\$697 772	TRGCBC30 TRGCBC36	Thermofused Laminate  (See Surface Materials Page 10)	Thermofused Laminate  (See Surface Materials Page 10)	Thermofused Laminate  (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$12  (See Surface Materials Page 10)
Build your complete Part Number here:								
Sample Part Number:			TRGCBC30    N/A    N/A    N/A    .K					
Total Cost \$697 =			\$697    +    N/C    +    N/C    +    N/C    +    N/C					



## Bench-Height Storage

The Trig Bench-Height Storage is available in five different widths. Lateral units include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars, and leveling glides.


Optional locking available on drawers.

45" wide Lateral Open Shelf unit comes with (1) shelf that adjusts vertically in 2 1/2" increments.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

## Trig Bench-Height Storage

Dimensions Depth Width Height	Lock	List Price Thermofused Grade		Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option		
		1	2											
<b>(12) Lateral</b>														
20" (508)	30" (762)	21" (533)	1 Lock	\$1129	\$1173	TRGBFLAT30 TRGBFLAT36	No Cost Applied	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Stand- ard Finish No Cost	NL No Cost No Lock	R No Cost Trig Ran- dom
20" (508)	36" (914)	21" (533)	1 Lock	1261	1305									
														
<b>(12) Lateral w/ Open Shelf RH</b>														
20" (508)	45" (1143)	21" (533)	1 Lock	\$1370	\$1432	TRGBFLATOSR45 TRGBFLATOSR48 TRGBFLATOSR60	AZ De- signer	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	Pre- mium Finish + \$12	TRG (One Lock) + \$28 Trig Lock	T (One Lock) - \$13
20" (508)	48" (1219)	21" (533)	1 Lock	1406	1468									
20" (508)	60" (1524)	21" (533)	2 Locks	1548	1610									
<b>(12) Lateral w/ Open Shelf LH</b>														
20" (508)	45" (1143)	21" (533)	1 Lock	\$1370	\$1432	TRGBFLATOSL45 TRGBFLATOSL48 TRGBFLATOSL60	MM Mod2	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	Pre- mium Finish + \$12	TRG (One Lock) + \$28 Trig Lock	T (Two Locks) - \$26 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	48" (1219)	21" (533)	1 Lock	1406	1468									
20" (508)	60" (1524)	21" (533)	2 Locks	1548	1610									
														
Right-Hand Shown														
<b>Build your complete Part Number here:</b>														

Sample Part Number:

TRGBFLATOSL60	.MD	.XZ3	.XZ3	.XZ3	.XZ4	.K	.TRG	.T
---------------	-----	------	------	------	------	----	------	----

Total Cost \$1563 =



\$1548	+	N/C	+	\$41	-	\$26										
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	------

## Bench-Height Storage (continued)

### Bench-Height Cushion

Trig Bench-Height Cushion includes upholstered cushion and four attached velcro tabs to affix cushion to top of Bench-Height Storage Units.

## Trig Bench-Height Storage (continued)

Depth	Dimensions		Lock	List Price Thermofused Grade		Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
	Width	Height		1	2									
<b>2 (12) Lateral</b>														
20" (508)	60" (1524)	21" (533)	2 Locks	\$1748	\$1831	TRGBF2LAT60	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
														
<b>2 (12) Lateral w/ Center Shelf</b>														
20" (508)	72" (1829)	21" (533)	2 Locks	\$1886	\$1996	TRGBF2LATCS72	L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	Premium Finish + \$12	TRG (Two Locks) + \$41	T (Two Locks) - \$26
20" (508)	75" (1905)	21" (533)	2 Locks	1920	2030	TRGBF2LATCS75	E Stream-line					(See Surface Materials Page 10)	Trig Lock	Trig Key Alike
														
<b>Build your complete Part Number here:</b>				-----		---	--	---	---	---	---	-	---	-

## Trig Bench-Height Cushion



Width	Dimensions		Height	List Price Fabric Grade											Catalog Number
	Depth			A	B	C	D	E	F	G	H	I	J	K	
15" (381)	20" (508)	1" (25)	\$252	\$264	\$280	\$298	\$315	\$333	\$356	\$379	\$397	\$414	\$252	TRGBC2015	
30" (762)			305	310	333	356	386	425	477	529	552	575	305	TRGBC2030	
<b>Build your complete Part Number here:</b>													-----		

Sample Part Number:

TRGBF2LATCS75	.MD	.XZ3	.XZ3	.XZ3	.XZ4	.K	.TRG	.T
---------------	-----	------	------	------	------	----	------	----

Total Cost \$1935 =


\$1920	+	N/C	+	\$41	-	\$26										
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	------

## Trig Bench-Height Bookcase

The book case unit includes one adjustable shelf. The shelf is 5/8" thick and adjusts vertically in 2 1/2" (64) increments. The bookcase unit is designed to accommodate standard binders on one of the shelves.

Shipped ready to assemble.

### Trig Bench-Height Bookcase

Depth	Dimensions Width	Height	List Price Thermofused Grade		Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
			1	2					
20" (508)	30" (762) 36" (1219)	21" (533)	\$642 717	\$686 761	<b>TRGBFBC30</b> <b>TRGBFBC36</b>	Thermofused Laminate  (See Surface Materials Page 10)	Thermofused Laminate  (See Surface Materials Page 10)	Thermofused Laminate  (See Surface Materials Page 10)	<b>Standard Finish No Cost</b>  <b>Premium Finish + \$12</b>  (See Surface Materials Page 10)
			<b>Build your complete Part Number here:</b>		-----	-	-	-	--

Sample  
Part Number:

<b>TRGCBC30</b> -----	<b>N/A</b> -	<b>N/A</b> -	<b>N/A</b> -	<b>.K</b> --
--------------------------	-----------------	-----------------	-----------------	-----------------

Total Cost \$642 =

\$642	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

## Combination Storage

The Trig Combination Storage unit combines the functionality of a lateral and pedestal with added storage of shelves. Units are intended to be placed at the aisle side of a workstation to provide storage and privacy.







The Laterals include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Available accessories include Marker Board or Tackboard for addition to the aisle side of the units.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

## Trig Combination Storage

Depth	Dimensions		Lock	List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Lock Type	Lock Option	Work Surface Bracket
	Width	Height		1	2									
<b>Aisle Side 6612 Lateral - User Side Open Shelves</b>														
20" (508)	30" (762)	53 3/4" (1365)	1 Lock	\$1579	\$1662	TRGCSLATOS30	No Cost Applied	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	NL No Cost No Lock	R No Cost Trig Random	BN No Cost No Bracket
 Aisle Side		 User Side												
<b>Aisle Side 6612 Lateral - User side 6612 ped, and open hutch storage RH</b>														
20" (508)	45" (1143)	53 3/4" (1365)	2 Locks	\$2638	\$2748	TRGCSOSR45	L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	TRG (One Lock) + \$28 Trig Lock	T (One Lock) - \$13 (Two Locks) - \$26 Trig Key Alike	BY + \$51 Two Brackets
 Aisle Side		 User Side												
<b>Aisle Side 6612 Lateral - User side 6612 ped, and open hutch storage LH</b>														
20" (508)	45" (1143)	53 3/4" (1365)	2 Locks	2638	2748	TRGCSOSL45	E Streamline							
 Aisle Side Left-Hand Shown		 User Side												
<b>Build your complete Part Number here:</b>														

Sample Part Number:

TRGCSOSR45	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	.R	.BN
------------	-----	------	------	------	------	------	----	-----

Total Cost \$2679 =


\$2638	+	N/C	+	\$41	+	N/C	+	N/C								
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----	---	-----

## Combination Storage Continued

The Double Doors include hinged doors with optional locking. (Locking not available with aluminum doors)  
Unit comes with 2 shelves that adjust vertically in 2 1/2" increments.

### Trig Combination Storage

Dimensions Depth Width Height	List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option	Work Surface Bracket
	1	2												
<b>Aisle Side Double Door - User Side Open Shelves</b> 20" (508) 30" (762) 53 3/4" (1365)	\$1458	\$1568	TRGCSDDOS30	<b>LD</b> <b>No Cost</b> Lami- nate Door  <b>FD</b> <b>+ \$688</b> Framed Door	Plexi- glass (01, 02)  <b>No Cost</b>  Frost- ed Plexi- glass (E3A) <b>+ \$114</b>  3-Form (E01- E03) <b>+ \$229</b>	<b>No Cost Applied</b>  <b>L</b> Classic  <b>E</b> Stream- line  <b>AZ</b> De- signer  <b>MM</b> Mod2  <b>MD</b> Modern  Not available with Frame Door (FD) option	Thermo- fused Lami- nate  (See Surface Materi- als Page 10)	Thermo- fused Lami- nate  (See Surface Materi- als Page 10)	Thermo- fused Lami- nate  (See Surface Materi- als Page 10)	Ther- mo- fused Lami- nate  Door Edge will match door color  Specify only if LD selected	<b>No Cost</b>  (See Surface Materials Page 10)  Specify only if FD selected	<b>NL</b> <b>No Cost</b> No Lock  <b>TRG</b> <b>+ \$28</b> Trig Lock	<b>R</b> <b>No Cost</b> Trig Ran- dom  <b>T</b> <b>- \$13</b> Trig Key Alike	<b>BN</b> <b>No Cost</b> No Brac- ket  <b>BY</b> <b>+ \$51</b> Two Brac- kets  Note: Be sure to order core/key sets (TLCK) sepa- rately.
<b>Build your complete Part Number here:</b>	-----													



Sample Part Number:

TRGCSDDOS30	.FD	.E3A	N/A	.XZ2	.XZ2	.XZ2	N/A	N/A	.NL	N/A	.BN
-------------	-----	------	-----	------	------	------	-----	-----	-----	-----	-----

Total Cost \$2375 =

\$1458	+	\$688	+	\$229	+	N/C														
--------	---	-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

## Pedestal Shelf Combination Storage

The Trig Pedestal Shelf Combination Storage combines the functionality of a pedestal with the added storage of shelves. The storage unit is available in Right- and Left- Hand versions. The Right Hand version is intended for placement on the right-hand of a workstation with the shelves facing inward. The Left-Hand version is intended for placement on the left-hand of a workstation with the shelves facing inward. The 6612 Pedestal includes full extension ball bearing slides, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate


side-to-side letter, A4, legal and EDP filing. The shelf storage includes one adjustable shelf that adjusts vertically in 2 1/2" increments.

Available accessories include a Marker Board or Tackboard that can be added to the aisle side of the unit. Option locking available on pedestal drawers.


Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

## Trig Pedestal Shelf Combination Storage – Right-Hand

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option	Work Surface Bracket	
	Width	Height	1	2										
<b>6612 Ped and Open Shelves on Side</b>														
20" (508)	15 1/2" (394)	47 3/4" (1213)	\$ 1141	\$ 1203	TRGCS6612OSR20	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	NL No Cost No Lock	R No Cost Trig Random	BN No Cost No Bracket	
24" (610)	15 1/2" (394)	47 3/4" (1213)	1215	1277	TRGCS6612OSR24	L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	TRG + \$28 Trig Lock	T -\$13 Trig Key Alike	BY + \$51 Two Brackets	
30" (762)	15 1/2" (394)	47 3/4" (1213)	1273	1335	TRGCS6612OSR30									
						E Stream-line								
														AZ Designer
						MM Mod2	Note: Be sure to order core/key sets (TLCK) separately							
						MD Modern								

## Trig Pedestal Shelf Combination Storage – Left-Hand

Depth	Dimensions		List Price Thermofused Grade		Catalog Number
	Width	Height	1	2	
<b>6612 Ped and Open Shelves on Side</b>					
20" (508)	15 1/2" (394)	47 3/4" (1213)	\$1141	\$1203	TRGCS6612OSL20
24" (610)	15 1/2" (394)	47 3/4" (1213)	1215	1277	TRGCS6612OSL24
30" (762)	15 1/2" (394)	47 3/4" (1213)	1273	1335	TRGCS6612OSL30
					
<b>Build your complete Part Number here:</b>					

Sample Part Number:

TRGCS6612OSR20	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	.R	.BN
----------------	-----	------	------	------	------	------	----	-----

Total Cost \$1169 =

\$1141	+ N/C	+ \$28	+ N/C	+ N/C				
--------	-------	-------	-------	-------	-------	--------	-------	-------


## Marker Boards

The Trig Marker Board provides a white, writing surface for use with dry erase markers. Marker Boards can be mounted to the aisle side of Combination Storage units.

## Tackboards

The Trig Tackboard can be mounted to the aisle side of Combination Storage units. The Tackboard has a tackable panel fabric front and velcro attachment tabs.

Width	Usage
12	Front of Pedestal Shelf Combination Storage
16	Aisle Side 20" Deep Ped Shelf Combination Storage
20	Aisle Side 24" Deep Ped Shelf Combination Storage
24	Aisle Side 30" Deep Ped Shelf or 30" Wide Combination Storage
36	Aisle Side 45" Wide Combination Storage



### Trig Marker Boards

Dimensions		List Price	Catalog Number
Width	Height		
12" (305)	17" (432)	\$172	TRGMB1217
16" (406)	17" (432)	206	TRGMB1617
20" (508)	17" (432)	258	TRGMB2017
24" (610)	17" (432)	298	TRGMB2417
36" (914)	17" (432)	378	TRGMB3617

Build your complete Part Number here: \_\_\_\_\_



### Trig Tackboards

Dimensions		List Price Fabric Grade						Catalog Number	Fabric Color
Width	Height	0/1	2	3	4	5	6		
12" (305)	17" (432)	\$ 81	\$ 104	\$ 116	\$ 127	\$ 140	\$ 153	TRGTB1217	(See Surface Materials Page 7)
16" (406)	17" (432)	86	109	121	132	146	160	TRGTB1617	
20" (508)	17" (432)	91	114	126	137	151	167	TRGTB2017	
24" (610)	17" (432)	104	127	139	150	165	182	TRGTB2417	
36" (914)	17" (432)	114	137	149	160	175	199	TRGTB3617	

Build your complete Part Number here: \_\_\_\_\_

Sample Part Number: 

TRGMB1217	.Y
-----------	----

Total Cost \$172 = 

\$172	+	N/C
-------	---	-----

## Storage Tower with Double-Door

The Trig Storage Tower with Double-Doors include hinged double doors, with three shelves that adjust vertically in 2 1/2" increments, and leveling glides.

Optional locking and aluminum doors available (Locking not available in combination with aluminum doors)

Units are intended for freestanding applications.

Units ship fully assembled.

## Trig Storage Tower with Double-Door

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
20" (508)	30" (762)	53 <sup>3/4</sup> " (1365)	\$1548	\$1658	TRGTSDD54	LD	Plexi-glass (01, 02)	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	No Cost	NL	R
20" (508)	30" (762)	65 <sup>3/4</sup> " (1670)	1715	1825	TRGTSDD66	No Cost Laminate Door	No Cost	L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color	(See Surface Materials Page 10) Specify only if FD selected	No Cost No Lock	Trig Random
						FD + \$918 Framed Door	Frosted Plexi-glass (E3A) \$229	E Stream-line				Specify only if LD selected		TRG + \$28 Trig Lock	T - \$13 Trig Key Alike
							3-Form (E01-E03) + \$459	AZ Designer							Note: Be sure to order core/key sets (TLCK) separately.
								MM Mod2							
								MD Modern							
								Not available with Framed Door (FD) option							
Build your complete Part Number here:															

Sample Part Number:

TRGTSDD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	N/C	.R
-----------	-----	-----	-----	------	------	------	------	------	-----	----

Total Cost \$1576 =

\$1548	+	N/C	+	\$28	+	N/C	+	N/C												
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----	---	-----

**Lateral, Double Door Storage Tower**  
 The Storage Towers are available with two lateral drawer configurations: 12/12 with 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.



Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars. Pre-installed counterbalance weights included.

Double-Door storage includes hinged double doors, with two shelves that adjust vertically in 2 1/2" increments.  
 Optional locking available for both double door and lateral portion. (Lock option not available with framed doors)  
 Units include leveling glides.  
 Units ship fully assembled.

Single lock can be specified for laterals.

## Trig Lateral, Double-Door Storage Tower

Depth	Dimensions		List Price		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer/Door Color	Framed Door Trim Color	Lock Type	Lock Option		
	Width	Height	1	2													
<b>6612 Lateral and double-door storage (2 adjustable shelves)</b>																	
20" (508)	30" (762)	53 3/4" (1365)	\$1991	\$2074	TRGTS6612DD54 TRGTS6612DD66	LD No Cost Laminate Door  FD + \$688 Framed Door	Plexi-glass (01, 02) No Cost  Frosted Plexi-glass (E3A) + \$114  3-Form (E01-E03) + \$229	L Classic E Streamline AZ Designer MM Mod2 MD Modern	(See Surface Materials Page 6)	(See Surface Materials Page 6)	(See Surface Materials Page 6)	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	No Cost Standard or Premium Finish  (See Surface Materials Page 10)  Specify only if FD selected	NL No Cost No Lock  TRG (One Locks) + \$28 Trig Lock  (Two Locks) + \$41 Trig Lock  Note: Be sure to order core/key sets (TLCK) separately.	R No Cost Trig Random  T (One Lock) - \$13  (Two Locks) - \$26 Trig Key Alike
20" (508)	30" (762)	65 3/4" (1670)	2064	2174													
<b>1212 Lateral and double-door storage(2 adjustable shelves)</b>																	
20" (508)	30" (762)	53 3/4" (1365)	\$1910	\$2020	TRGTS1212DD54 TRGTS1212DD66												
20" (508)	30" (762)	65 3/4" (1670)	1949	2032													
<b>Build your complete Part Number here:</b>																	



Sample Part Number:

TRGTS6612DD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	N/C	.TRG	.R
---------------	-----	-----	-----	------	------	------	------	-----	------	----

Total Cost \$2032 =

\$1991	+	N/C	+	\$41	+	N/C														
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

### Lateral, Open Shelf Storage Tower

Trig Lateral, Open Shelf Storage Tower are available in two lateral drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars.



### Display Towers

*Display Tower with Drawers and Open Shelves* The 6" Drawers have full extension ball bearing slides. Locking not available on 6" Drawers.

*Display Tower with Open Shelves*

Features includes three or four shelves that adjust vertically in 2 1/2" increments.

All units are intended for freestanding applications. All units ship fully assembled.



### Trig Lateral, Open Shelf Storage Tower

Dimensions Depth Width Height	List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
	1	2								
<b>6612 Lateral and 2 Open Shelves</b>										
20" (508) 30" (762) 53 3/4" (1365)	\$1834	\$1917	TRGTS6612OS54	<b>No Cost Applied</b>	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	<b>NL No Cost No Lock</b>	<b>R No Cost Pack Random</b>
20" (508) 30" (762) 65 3/4" (1670)	1920	2003	TRGTS6612OS66							
<b>1212 Lateral and 2 Open Shelves</b>										
20" (508) 30" (762) 53 3/4" (1365)	\$1748	\$1831	TRGTS1212OS54	<b>L Classic</b>	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Drawer Edge will match Drawer Color	<b>TRG (One Lock) + \$28</b>	<b>T -\$13 Trig Key Alike</b>
20" (508) 30" (762) 65 3/4" (1670)	1806	1889	TRGTS1212OS66							
<b>Trig Display Towers</b>										
Dimensions Depth Width Height	List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
1	2									
<b>Display Tower w/ (2) 6" Drawers and Open Shelves</b>										
20" (508) 15" (381) 53 3/4" (1365)	\$1187	\$1249	TRGTS66OS54	<b>MM Mod2</b>						
20" (508) 15" (381) 65 3/4" (1670)	1351	1413	TRGTS66OS66							
<b>Display Tower with Open Shelves</b>										
20" (508) 15" (381) 53 3/4" (1365)	\$1001	\$1063	TRGTSOS54	<b>MD Modern</b>						
20" (508) 15" (381) 65 3/4" (1670)	1136	1198	TRGTSOS66							
<b>Build your complete Part Number here:</b>				---	---	---	---	---	---	---

Sample Part Number:

TRGTS6612OS54	.MD	.XZ2	.XZ2	.XZ2	.XZ2	N/A	N/A
---------------	-----	------	------	------	------	-----	-----

Total Cost \$1834 =

\$1834	+	N/C												
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

## Trig Wardrobe Storage Tower and Wardrobe Storage Tower with Bookcase



The Wardrobe Storage Tower provides, wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Wardrobe Storage Towers are available in either Right-Hand version with the wardrobe on the right side or a Left-Hand version with the wardrobe on the left side.

Wardrobe Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable shelf. The cupboard unit includes two adjustable shelves. The bookcase unit and cupboard unit includes two adjustable shelves. Shelves adjust vertically in 2 1/2" (64) increments. The pedestals have full extension ball bearing slides on both the 6" and 12" drawers.



Unit ships fully assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing unit to lock. The Core/Key set (CLCK) must be order separately or by using the keying order form. Check Customer Care for availability.

### Trig Wardrobe Storage Tower

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
	Width	Height	1	2								
<b>Right Handed Units</b>												
24" (610)	24" (610)	66" (1676)	\$1913 1957	\$2023 2067	TRGWSTR661212 TRGWSTR666612	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	NL No Cost No Lock	R NoCost Trig Random
<b>Left Handed Units</b>												
24" (610)	24" (610)	66" (1676)	\$1913 1957	\$2023 2067	TRGWSTL661212 TRGWSTL666612	L Classic	(See Surface Materials Page 10)	TRG (three Lock) + \$59 Trig Lock	T (three Lock) - \$39 Trig Key Alike			
 												
<p>Right-Hand                      Left-Hand</p>												

### Trig Wardrobe Storage Tower with Bookcase

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
	Width	Height	1	2								
<b>Right Handed Units</b>												
24" (610)	24" (610)	66" (1676)	\$2001 2045	\$2111 2155	TRGBCSTR661212 TRGBCSTR666612	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	NL No Cost No Lock	R NoCost Trig Random
<b>Left Handed Units</b>												
24" (610)	24" (610)	66" (1676)	\$2001 2045	\$2111 2155	TRGBCSTL661212 TRGBCSTL666612	L Classic	(See Surface Materials Page 10)	TRG (two Lock) + \$41 Trig Lock	T (two Lock) - \$26 Trig Key Alike			
 												
<p>Right-Hand                      Left-Hand</p>												

Build your complete Part Number here:

Sample Part Number:


Total Cost \$1972 =

TRGWSTR661212	.MD	.XZ3	.XZ3	.XZ3	.XZ3	.XZ3	.TRG	.R				
\$1913	+	N/C	+	N/C	+	N/C	+	N/C	+	\$59	+	N/C

## Display Towers Continue

Display Tower with Door features include a hinged door, with three or four shelves that adjust vertically in 2 1/2" increments. Optional laminate or framed aluminum doors available. (Lock option not available with aluminum doors)

## Trig Display Tower with Door

Dimensions			List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Depth	Width	Height	1	2											
<b>Display Tower with Door RH</b>															
20" (508)	15" (381)	53 3/4" (1365)	\$1094	\$1156	TRGTSSDR54	LD	Plexi-glass (01, 02)	No Cost Applied	Ther-mo-fused Laminate	Ther-mo-fused Laminate	Ther-mo-fused Laminate	Ther-mo-fused Laminate	No Cost Standard or Premium Finish	NL No Cost No Lock	R No Cost Trig Random
20" (508)	15" (381)	65 3/4" (1670)	1238	1321	TRGTSSDR66	No Cost Laminate Door		L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color	(See Surface Materials Page 10)		
<b>Display Tower with Door LH</b>															
20" (508)	15" (381)	53 3/4" (1365)	\$ 1094	\$ 1156	TRGTSSDL54	FD	Frost-ed Plexi-glass (E3A) + \$114	E Stream-line	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color	(See Surface Materials Page 10)	TRG + \$28 Trig Lock	T - \$13 Trig Key Alike
20" (508)	15" (381)	65 3/4" (1670)	1238	1321	TRGTSSDL66	+ \$459 Framed Door	3-Form (E01-E03) + \$229	AZ Designer				Specified only if LD selected	Specify only if FD selected		Note: Be sure to order core/key sets (TLCK) separately.
 <p>Right-Hand Shown</p>															
<b>Build your complete Part Number here:</b>					-----	--	---	--	---	---	---	--	--	--	--

Sample Part Number:

TRGTSSDR54	.FD	.E3A	MM	.XZ2	.XZ2	.XZ2	N/A	N/A	.NL	N/A
------------	-----	------	----	------	------	------	-----	-----	-----	-----

Total Cost \$1667 =

\$1094	+	\$459	+	\$114	+	N/C														
--------	---	-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----


## Trig Wardrobe Display Tower

The Wardrobe Display Tower features include a hinged locking door, one shelf, full width wardrobe bar and leveling glides. Optional laminate or framed aluminum door available. (Lock option not available with framed aluminum door). Wardrobe Display Towers are available in either Right-Hand version with the wardrobe opening to the right side or a Left-Hand version with the wardrobe opening to the left side.

Wardrobe Display Tower has adjustable leveling glides.

Units ship fully assembled.

## Trig Wardrobe Display Tower

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
	Width	Height	1	2											
<b>Right Handed</b>															
20" (508)	15" (381)	53 <sup>3</sup> / <sub>4</sub> " (1365)	\$ 989	\$1051	TRGTSWRR54 TRGTSWRR66	LD No Cost Laminate Door	Plexi-glass (01, 02) No Cost	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	No Cost Standard or Premium Finish	NL No Cost No Lock	R No-Cost Trig Random
		65 <sup>3</sup> / <sub>4</sub> " (1670)	1128	1211											
<b>Left Handed</b>															
20" (508)	15" (381)	53 <sup>3</sup> / <sub>4</sub> " (1365)	\$ 989	\$1051	TRGTSWRL54 TRGTSWRL66	FD + \$459 Framed Door	Frosted Plexi-glass (E3A) + \$114	L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match Door Color	(See Surface Materials Page 10)	TRG (one Lock) + \$28 Trig Lock	T (one Lock) - \$13 Trig Key Alike
		65 <sup>3</sup> / <sub>4</sub> " (1670)	1128	1211											
 <p>Right-Hand Shown</p>															
<b>Build your complete Part Number here:</b>						---	---	---	---	---	---	---	---	---	---

Sample Part Number:

TRGTSWRR54	.FD	.E3A	.MM	.XZ2	.XZ2	.XZ2	N/A	N/A	.NL	N/A
------------	-----	------	-----	------	------	------	-----	-----	-----	-----

Total Cost \$1562 =

\$989	+	\$459	+	\$114	+	N/C												
-------	---	-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

## Under Desk Lateral Support Storage

Trig Under Desk Lateral Support Storage is available in three depths. The Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front to back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Trig Under Desk Lateral Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Optional locking available for drawers.

Units are intended for work surface support applications.

Ships fully assembled except 2" support leg.

## Under Desk Pedestal Support Storage

Trig Under Desk Pedestals include a 1" riser for mounting under the desk. Pedestals have full extension ball bearing slides, side-to-side and front to back filing bars and leveling glides.

Optional locking available for drawers.

Ships fully assembled except 2" support leg.

### Trig Under Desk Lateral Support Storage

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
	Width	Height	1	2									
20" (508)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$1176	\$1220	TRGUDLAT20	No Cost Applied	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
24" (610)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	1256	1318	TRGUDLAT24								
30" (762)	30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705)	1309	1353	TRGUDLAT30								



### Trig Under Desk Pedestal Support Storage

Depth	Dimension		List Price Thermofused Grade		Catalog Number	Pull Style
	Width	Height	1	2		
20" (508)	15 <sup>1</sup> / <sub>2</sub> " (394)	27 <sup>3</sup> / <sub>4</sub> " (705)	\$ 974	\$1000	TRGUDPED20	MM Mod2 MD Modern
24" (610)	15 <sup>1</sup> / <sub>2</sub> " (394)	27 <sup>3</sup> / <sub>4</sub> " (705)	1050	1076	TRGUDPED24	
30" (762)	15 <sup>1</sup> / <sub>2</sub> " (394)	27 <sup>3</sup> / <sub>4</sub> " (705)	1100	1144	TRGUDPED30	



Build your complete Part Number here:

Sample Part Number:

TRGUDLAT20	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.K	.TRG	.R
------------	-----	------	------	------	------	----	------	----

Total Cost \$1204 =

\$1176	+	N/C	+	\$28	+	N/C								
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

## Under Desk Double-Door Support Storage

Trig Under Desk Double-Door Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).


Features included hinged doors with optional locking. (Locking not available with aluminum doors) Units come with one shelf that adjusts vertically in 2 1/2" increments. Leveling glides are included in 2" support legs. Units are intended for under work surface support applications.

Ships fully assembled except 2" support leg.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

## Trig Under Desk Double-Door Support Storage

Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
	Width	Height	1	2											
20" (508)	30" (762)	27 <sup>3/4</sup> " (705)	\$ 1096	\$ 1140	TRGUDDD20	LD	Plexi-glass (01-02)	No Cost	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Thermo-fused Laminate	Standard Finish No Cost	NL No Cost No Lock	R No Cost Trig Random
24" (610)	30" (762)	27 <sup>3/4</sup> " (705)	1162	1224	TRGUDDD24	Cost Laminate Door	No Cost	L Classic	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Door Edge will match door color	Premium Finish + \$12	TRG + \$28 Trig Lock	T - \$13 Trig Key Alike
30" (762)	30" (762)	27 <sup>3/4</sup> " (705)	1210	1272	TRGUDDD30	FD + \$688 Framed Door	Frosted Plexi-glass (E3A) + \$114	E Stream-line	(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Specify only if LD selected	(See Surface Materials Page 10)	TRG + \$28 Trig Lock	Note: Be sure to order core/key sets (TLCK) separately.
<b>Build your complete Part Number here:</b>						---	---	---	---	---	---	---	---	---	---



Sample Part Number:

TRGUDDD20	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ2	.K	.TRG	.R
-----------	-----	-----	-----	------	------	------	------	----	------	----

Total Cost \$1124 =

\$1096	+	N/C	+	\$28	+	N/C										
--------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	------	---	-----

### Trig Stack Storage - Open Shelf

Open Shelves can be used where open shelf storage is desired above any Trig credenza or freestanding storage 30" or wider. The stackers are available in two different heights to align with 53 3/4" and 65 3/4" high combination storage and storage towers. Standard features include a 3/8" (10) cord pass-through gap behind the shelves and a 1" full length cord management gap at the base of the back panel. An optional gap guard is available. The 27" high stacker has one adjustable shelf and the 39" has two adjustable shelves. Shelves are 5/8" thick and adjust in 2 1/2" increments.

Stackers ship ready to assemble with all necessary mounting hardware.

### Trig Stack Storage - Paper Management Shelf


The Paper Management Shelf can be used above any Trig Credenza, Bench Height or Freestanding storage unit 30" or wider.

The Paper Management Shelf width does not need to match the width of the storage unit it stacks on. A narrower shelf can be placed anywhere along the width of the storage unit where paper management or open cubby storage is desired.

The 30" (762) & 45" (1143) wide shelf has a single opening and 60" (1524) & 75" (1905) have two openings with a center divider.


The Shelf ships ready to assemble.

### Stack Storage – Open Shelf



Depth	Dimensions		List Price Thermofused Grade		Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Gap Guard				
	Width	Height	1	2									
14" (356)	30" (914)	27" (686)	\$459	\$485	TRGSOS3027	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	XN No Cost No Gap Guard				
		39" (991)	573	617	TRGSOS3039								
<p><b>XG + \$48 Gap Guard</b></p>													
<p>Build your complete Part Number here: -----</p>													

### Stack Storage – Paper Management Shelf



Depth	Dimensions		List Price Thermofused Grade		Catalog Number
	Width	Height	1	2	
14" (356)	30" (914)	5" (127)	\$201	\$214	TRGSPMS30
		45" (1143)	247	260	TRGSPMS45
		60" (1524)	344	357	TRGSPMS60
		75" (1905)	447	473	TRGSPMS75

Build your complete Part Number here: -----

Sample Part Number:

TRGSOS3027	.XZ1	.XZ2	.XZ4	.XN
------------	------	------	------	-----

Total Cost \$459 =

\$459	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

## Trig Overhead - Single Sliding Door

The Single Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

The thermofused laminate door travels in an aluminum track by means of a pull. Each unit has a center divider, so there is always one cubby open and one closed. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead - Open Shelf or Hinged Door units.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 3/4" (1365) or 65 3/4" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

## Trig Overhead - Dual Sliding Doors

The Dual Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

The two frosted plexiglass doors have pulls and run back to back in an aluminum track. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference


the Overhead - Open Shelf or Hinged Door units.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available to align the Overhead with either the 53 3/4" (1365) or 65 3/4" (1670) Trig Storage Towers when mounted on top of a Trig work surface.


## Trig Overhead - Single Sliding Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade		Catalog Number	Pull Style	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Door Grain Direction	Trim Color
			1	2									
14" (356)	48" (1219)	15 1/2" (394)	\$ 918	\$ 962	TRGOSS48	No Cost Applied L Classic E Stream-line AZ Designer MM Mod2	54L + \$373 Legs to align with 54" high towers 66L + \$401 Legs to align with 66" high towers	Thermo-Fused Laminate  (See Surface Materials Page 10)	NA No Grain Direction DGH Horizontal Grain DGV Vertical Grain	Standard Finish No Cost Premium Finish + \$17  (See Surface Materials Page 10)			
	54" (1372)	1004	1048	TRGOSS54									
	60" (1524)	1044	1088	TRGOSS60									
	66" (1676)	1136	1180	TRGOSS66									
			1170	1214	TRGOSS72								



## Trig Overhead - Dual Sliding Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade		Catalog Number
			1	2	
14" (356)	48" (1219)	15 1/2" (394)	\$1170	\$1196	TRGODS48
	54" (1372)	1261	1305	TRGODS54	
	60" (1524)	1342	1386	TRGODS60	
	66" (1676)	1446	1490	TRGODS66	
	72" (1829)	1503	1547	TRGODS72	



**Build your complete Part Number here:** \_\_\_\_\_

Sample Part Number:

TRGOSS48	.MM	.54L	.ZX2	.XZ2	.XZ2	.XZ4	.DGV	.PA
----------	-----	------	------	------	------	------	------	-----

Total Cost \$1291 =

\$918	+	N/C	+	\$373	+	N/C												
-------	---	-----	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

## Trig Overhead - Hinged Doors

The Hinged Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Each unit includes 2 pairs of locking hinged doors. The same door size is used for all units. Overheads that are 66" (1676) and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

If a wood grain laminate is selected the grain will run vertically on the door front.


Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available that will align the Overhead with either the 53 3/4" (1365) or 65 3/4" (1670) Trig Storage Towers when mounted on top of Trig work surfaces.

### Center Cubby Size Per Overhead

Unit Width	Center Cubby Width
66" (1676)	6" (152)
72" (1829)	12" (305)
78" (1981)	18" (457)
84" (2134)	24" (610)

## Trig Overhead - Hinged Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade		Catalog Number	Support Option	Unit/Shelf Color	Top Color	Top Edge Color	Door Color	Leg Trim Color	Lock Type	Lock Option
			1	2									
14" (356)	60" (1524)	15 1/2" (394)	\$821	\$865	<b>TRGOHD60</b>	<b>54L</b> + \$373 Legs to align with 54" high towers	Thermo-Fused Laminate  (See Surface Materials Page 10)	Standard Finish  <b>No Cost</b>  Premium Finish <b>+\$17</b>	<b>NL</b> <b>No Cost</b> No Lock	<b>R</b> <b>No Cost</b> Trig Random  <b>T</b> <b>-\$26</b> Trig Key-Alike			
	66" (1676)	883	945	<b>TRGOHD66</b>									
	72" (1829)	906	968	<b>TRGOHD72</b>									
	78" (1981)	986	1048	<b>TRGOHD78</b>									
	84" (2134)	1009	1071	<b>TRGOHD84</b>									
													
Build your complete Part Number here:			_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

Sample Part Number:

TRGOHD60	.54L	.ZX2	.XZ2	.XZ2	.XZ4	.DW	.NL	N/A
----------	------	------	------	------	------	-----	-----	-----

Total Cost \$1194 =

\$821	+	\$373	+	N/C										
-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

## Trig Overhead - Open Shelf


The Open Shelf Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

Open Shelf Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 3/4" (1365) or 65 3/4" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

### Trig Overhead – Open Shelf

Depth	Width	Height (without Legs)	List Price Thermofused Grade		Catalog Number	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
			1	2						
14" (356)	48" (1219)	15 1/2" (394)	\$355	\$381	TRGOOS48	54L + \$373 Legs to align with 54" high towers	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$17  (See Surface Materials Page 10)
	54" (1372)		431	475	TRGOOS54					
	60" (1524)		550	594	TRGOOS60					
	66" (1676)		665	709	TRGOOS66					
	72" (1829)		711	755	TRGOOS72					
	78" (1981)		779	841	TRGOOS78					
84" (2134)	802	864	TRGOOS84	66L + \$401 Legs to align with 66" high towers						
Build your complete Part Number here:						---	---	---	---	---



Sample Part Number:

TRGOOS48	.54L	.XZ2	.XZ4	.XZ4	.DW
----------	------	------	------	------	-----

Total Cost \$728 =

\$355	+	\$373	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-------	---	-----	---	-----	---	-----	---	-----

## Trig Storage to Panel Brackets

Storage to Panel Brackets are used to connect Trig Storage units to Capture, Choices or Contrada system panels for additional workstation rigidity. Brackets are designed to provide stability to layouts that would otherwise require return panels.

For detailed application information regarding use of the Storage to Panel Bracket, refer to the *Trig Desking Planning Guide*.

Storage to Panel Brackets are available in Charcoal only.

All necessary hardware for assembling brackets to Trig storage is included.

## Trig Support Leg to Panel Brackets

The Leg to Panel Bracket is used to connect Trig Support Legs to Capture, Choices or Contrada system panels for additional workstation rigidity. Brackets are designed to provide stability to configurations that would otherwise require return panels.

Two different brackets are available for use with either Capture, Choices or Contrada. Their specific use depends on the orientation of the work surface relative to the panel.

### Capture

TRGLCPTPB1 – Used when a work surface is parallel to a Capture panel

TRGLCPTPB2 – Used when a work surface is perpendicular to a Capture panel

TRGLCPTPB3 – Used when two work surface are parallel to a Capture panel, with a side to side shared leg between them

### Choices

TRGLCSPB1 – Used when a work surface is parallel to a Choices panel

TRGLCSPB2 – Used when a work surface is perpendicular to a Choices panel

TRGLCSPB3 – Used when two work surface are parallel to a Choices panel,

with a side to side shared leg between them

### Contrada

TRGLCNPB1 – Used when a work surface is parallel to a Contrada panel

TRGLCNPB2 – Used when a work surface is perpendicular to a Contrada panel

TRGLCNPB3 – Used when two work surface are parallel to a Contrada panel, with a side to side shared leg between them

For detailed application information regarding use of the Support Leg to Panel Bracket, refer to the *Trig Desking Planning Guide*.

Support Leg to Panel Brackets are available in all Standard and Premium Systems Trim Finishes.

All necessary hardware for assembling brackets to Trig Support Legs is included.



## Trig Storage to Panel Brackets

Description	List Price	Catalog Number
Storage to Capture Panel	\$131	TRGSCPTPB
Storage to Choices Panel	120	TRGSCSPB
Storage to Contrada Panel	144	TRGSCNPB

**Build your complete Part Number here:** \_\_\_\_\_



## Trig Support Leg to Panel Brackets

Description	Usage	List Price	Catalog Number	Trim Color
Support Leg to Capture Panel	Parallel	\$134	TRGLCPTPB1	Standard Finish No Cost
	Perpendicular	134	TRGLCPTPB2	
Support Leg to Choices Panel	Parallel	122	TRGLCSPB1	Premium Finish + \$5
	Perpendicular	122	TRGLCSPB2	
Support Leg to Contrada Panel	Parallel	146	TRGLCNPB1	(See Surface Materials Page 10)
	Perpendicular	146	TRGLCNPB2	
Side to Side Support Leg to Capture Panel	Parallel	\$134	TRGLCPTPB3	(See Surface Materials Page 10)
Side to Side Support Leg to Choices Panel	Parallel	\$122	TRGLCSPB3	
Side to Side Support Leg to Contrada Panel	Parallel	\$146	TRGLCNPB3	

**Build your complete Part Number here:** \_\_\_\_\_

Sample Part Number:

TRGLCSPB1	.Y
-----------	----

Total Cost \$122 =

\$122	+	N/C
-------	---	-----

**Trig Electrical**

*Electrical Specification Guide* 74

*Electrical Components* 75

*Electrical Accessories* 77

## Trig Electrical Planning Guide

Trig Workstations can be powered by the optional 4-wire, 2-circuit, 20 Amps each (circuit 1 and 2 only) electrical system. The systems supports up to 10 receptacles per circuit, 20 receptacles per Base Feed. Allowing for a total of 10 Power Sets per Base Feed.

The main system components are Power Sets, Electrical Harnesses, H-Connectors and Power Base Feeds. All components are UL listed.


All work surfaces are predrilled to accept Power Sets. These are attached to the underside of the surface by a metal spring clip. The overall height of the system is just over an inch. This provides a very low profile which will not interfere with the user's legs under the table.

There is currently no capacity in this system for data management.

### Electrical Harness Selection

Trig Electrical Harnesses are used to connect Power Sets mounted on different work surfaces. The length of the harness needed will depend on the layout and size of work surfaces used. The following diagrams and tables will help identify the specific length harness needed for a particular layout.

#### Side By Side



For this layout, the harness length is calculated by the following equation:


$$(\text{Half of Surface 1 width}) + (\text{Half of Surface 2 width}) - 6" = \text{Harness Length}$$

If calculated harness length does not match an exact size, select next longer length.

Example: Surface (1) is 60" wide  
Surface (2) is 66" wide

$$(30") + (33") - 6" = 57" \text{ (57" is not a standard size so a 60" length is selected)}$$

#### Back to Back (Surfaces of Equal Width)




In this layout, the power Base Feed connects to the H-Connector. From there, the power is split to the Electrical Harness to bring power to each surface.

The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	48"	54"	60"	66"	72"	78"	84"
Harness Length	18"	24"	24"	30"	30"	36"	36"


#### COMBINING LAYOUTS Side by Side and Back to Back



In this layout, both side-by-side and back-to-back planning information is needed to specify the correct electrical components. The harness length required to connect the work surfaces side-by-side is determined by using this equation:

$$(\text{Half of Surface 1 width}) + (\text{Half of Surface 2 width}) - 6" = \text{Harness Length}$$


To connect these work surfaces back-to-back, refer to the corresponding chart above.



In this U-Shape layout where only 48" deep ends can be used, the power Base Feed will connect to the H-Connector and the power is split to go to each surface. The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

<b>Work Surface Width</b>	54"	60"	66"	72"	78"	84"
<b>Harness Length</b>	60"	60"	66"	66"	66"	66"

## L-Shape (Except Blade)



For this layout, the needed harness length will vary as the width and depth of the work surfaces change. The Trig Base Feed will end mount to Power Sets on one of the tables, but the harness length that connects the two work surfaces is determined from the following tables:

### Layout 1

Main Surface (1) = 20" deep  
Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

	48"	54"	60"	66"	66"	72"
Main Surface (1) width	48"	48"	48"	54"	54"	60"
	54"	48"	48"	54"	54"	60"
	60"	48"	48"	54"	54"	60"
	66"	48"	54"	54"	54"	60"
	72"	48"	54"	54"	60"	60"
	78"	54"	54"	54"	60"	60"
	84"	54"	54"	60"	60"	66"

### Layout 2

Main Surface (1) = 24" deep  
Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

	48"	54"	60"	66"	72"
Main Surface (1) width	48"	48"	48"	54"	60"
	54"	48"	48"	54"	60"
	60"	48"	48"	54"	60"
	66"	54"	54"	54"	60"
	72"	54"	54"	54"	66"
	78"	54"	60"	60"	66"
	84"	54"	60"	60"	66"

### Layout 3

Main Surface (1) = 30" deep  
Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

	48"	54"	60"	66"	72"
Work Surface (1) width	48"	54"	60"	66"	66"
	54"	54"	60"	66"	66"
	60"	54"	60"	66"	66"
	66"	60"	60"	66"	66"
	72"	60"	60"	66"	72"
	78"	60"	66"	66"	72"
	84"	60"	66"	66"	72"

## Power Set

The Trig Power Sets allow power to be connected between work surfaces without the need for a system panel. Each Power Set includes two receptacles for a total of 4 outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2.

Power Sets are centrally located on the work surfaces. Spring clips for mounting are included. Power Sets are connected between work surfaces with Trig Electrical Harnesses. Trig Base Feed brings power to the Power Sets.

Note: Work surfaces are predrilled for Trig Power Set mounting to assure a standard location that is centrally located.

UL and CUL Listed/CSA Certified


## Trig Base Feed

The Trig Base Feed conducts power from the building to the Trig Power Set. It includes 6' (1829) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.


## Electrical Harnesses

Trig Electrical Harnesses connect Trig Power Sets between two surfaces. Harnesses are also used with Trig H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Trig Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Trendway Customer Care for assistance.)



### Trig Power Set


Width	List Price	Catalog Number
12" (305)	\$144	TRGDR12



Male

### Trig Base Feed

Width	List Price	Catalog Number
6' (1829)	\$113	TRGPF
12' (3658)	\$171	TRGPF12



Male

Male

### Trig Electrical Harness

Width	List Price	Catalog Number
18" (457)	\$63	TRGEH18
24" (610)	65	TRGEH24
30" (762)	68	TRGEH30
36" (914)	72	TRGEH36
42" (1067)	78	TRGEH42
48" (1219)	85	TRGEH48
54" (1372)	89	TRGEH54
60" (1524)	93	TRGEH60
66" (1676)	98	TRGEH66
72" (1829)	104	TRGEH72
78" (1981)	109	TRGEH78

Build your complete Part Number here:

Sample Part Number:

Total Cost \$144 =

## New York Base Feed

The Trig New York Base Feed conducts power from the building to the Trig Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig New York Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

## H-Connector


The Trig H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces.

(See Planning Guide for Specific Uses.)



### Trig Base Feed New York

Width	List Price	Catalog Number
18" (457)	\$108	TRGPFNY



### Trig H-Connector

Width	List Price	Catalog Number
2" (51)	\$23	TRGHC

Build your complete Part Number here:

Sample Part Number:

Total Cost \$108 =

## Horizontal Electrical Accessory

Horizontal Electrical Accessories provide power and data access, mounting to the back edge of a desk or work surface without a modesty panel.

Includes a 6' power cord in a choice of black or white.


UL and CUL Listed.

## Vertical Electrical Accessory


Vertical Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty panel.

Includes a 6' power cord in a choice of black or white.

UL and CUL Listed.



HEA2P2DB



HEA3P3DB

### Horizontal Electrical Accessory

Description	List Price	Catalog Number
<b>Black Power Cord</b>		
two power outlets, one USB	\$436	HEA2P1UB
two power outlets, one Ipod Dock	579	HEA2P1PB
two power outlets, two data openings	276	HEA2P2DB
three power outlets, one Extron Bracket	368	HEA3P1EB
three power outlets, three data openings	350	HEA3P3DB
<b>White Power Cord</b>		
two power outlets, one USB	\$436	HEA2P1UW
two power outlets, one Ipod Dock	579	HEA2P1PW
two power outlets, two data openings	276	HEA2P2DW
three power outlets, one Extron Bracket	368	HEA3P1EW
three power outlets, three data openings	350	HEA3P3DW



VEA2P2DB



VEA3P3DB

### Vertical Electrical Accessory

Description	List Price	Catalog Number
<b>Black Power Cord</b>		
two power outlets, one USB	\$ 436	VEA2P1UB
two power outlets, two data openings	276	VEA2P2DB
three power outlets, one Extron Bracket	368	VEA3P1EB
three power outlets, three data openings	350	VEA3P3DB
<b>White Power Cord</b>		
two power outlets, one USB	\$ 436	VEA2P1UW
two power outlets, two data openings	276	VEA2P2DW
three power outlets, one Extron Bracket	368	VEA3P1EW
three power outlets, three data openings	350	VEA3P3DW

Build your complete Part Number here:

Sample Part Number:

Total Cost \$436 =



***Trig Desking Accessories***

<u><i>Accessories</i></u>	<u>82</u>
<u><i>Monitor Arms</i></u>	<u>84</u>
<u><i>Task Light</i></u>	<u>86</u>

## Pedestal Pencil Tray

The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Trig Pedestal drawers.

Available in black only.

## Laminate Pedestal Side-to-Side Filing Bars


Side-to-Side Filing Bars convert Trig 12" Pedestal and storage tower drawers to side-to-side or legal-size filing.

Available in black only.

## Vertical Wire Manager


The Vertical Wire Manager is designed to economically route wires from the floor to the work surface in a freestanding application. It can extend up to 30". The wire manager includes 15 vertibra rings, 1 base mount, 1 work surface mount, an edge clip and mounting screws.

Constructed of durable plastic, available in aluminum-toned finish only.




### Pedestal Pencil Tray

Dimensions				List Price	Catalog Number
Depth	Width	Height	Description		
5 1/2" (140)	13 3/8" (340)	1" (25)	Includes 1 pencil tray.	\$16	ⓈHPPT



### Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number
Includes 6 hanging bars. Requires 1 per drawer.	\$57	ⓈZFPSSB



### Vertical Wire Manager

	List Price	Catalog Number
	\$160	TRGVWMAL

Build your complete Part Number here:

\_\_\_\_\_

Sample Part Number:

\_\_\_\_\_ **HPPT** \_\_\_\_\_


Total Cost \$16 =

\_\_\_\_\_ **\$16** \_\_\_\_\_

Ⓢ notes the item is available on Express

## Vertical Wire Channel


The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.



## Horizontal Wire Manager

The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.


Available in Black only.



## Grommet for Work Surface

The Work Surface Grommet is available for situations that require grommets in addition to standard locations or as replacements.

Available in black or silver.



### Vertical Wire Channel

Length	Dimensions Width	Depth	List Price	Catalog Number	Trim Color
24" (610)	1/2" (13)	1/2" (13)	\$24	ⓈVWC3	Ⓢ Standard Smooth Finish Only See Surface Materials Page 5
Package Contains 3 Wire Channels					

### Horizontal Wire Manager

Depth	Dimensions Length	Height	List Price	Catalog Number
3" (76)	30" (762)	2" (51)	\$34	ⓈHWM30

### Grommet for Work Surface

Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number
15/16" (24)	2.8" (71)	2 3/8" (60)	\$56	ⓈSIZGWS (Black)
15/16" (24)	2.8" (71)	2 3/8" (60)	\$56	ⓈSIGSGWS (Silver)
Includes 6 grommets.				

Build your complete  
Part Number here:

----	..
------	----

Sample  
Part Number:

VWC3	.Y
------	----

Total Cost \$24 =

\$24	+	N/C
------	---	-----

Ⓢ notes the item is available on Express

## Monitor Arm

The monitor arms can be affixed to the back edge of the work surfaces between the panel and work surface or can also be bolted through the surface, with a drilled hole or grommet. The height can be adjusted 13" vertically and has 26" of reach. The arm can be adjusted to accurately counterbalance the weight of the monitor. Finally the arm can swivel 360 degrees. All this leads to an ergonomically correct viewing angle.


Available in silver only.

## Single Monitor Arm

The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 14 lbs.


## Dual Monitor Arm

The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 20 lbs total. Measured diagonally, the maximum screen width for each monitor is 22".



### Single Monitor Arm


	List Price	Catalog Number
	\$378	MARMSNGL



### Dual Monitor Arm – Desk Mount

	List Price	Catalog Number
	\$499	MARMDUAL

Build your complete Part Number here: \_\_\_\_\_



Sample Part Number:

**MARMSNGL**

Total Cost \$378 =

**\$378**

## Freestanding Touch Up Markers

The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.

### Freestanding Touch Up Markers

Description	List Price	Catalog Number
Wild Cherry	\$ 62	ZFTUPXZ1
Fusion Maple	62	ZFTUPXZ2
Empire Mahogany	62	ZFTUPXZ3
Black	62	ZFTUPXZ4
Chocolate Pear	62	ZFTUPXZ5
Kit (all 5 colors)	170	ZFTUPKIT
Build your complete Part Number here:		-----

Sample Part Number:

ZFTUPXZ3

Total Cost \$62 =

\$62

## Luma Touch™ LED Desk Lamp


The Luma Touch LED personal task light is specified with either a Round or an Elongated lamp style. The Lamp can be selected with a Freestanding Base, Clamp Mount, or Slatwall Mount. The Slatwall Mount is compatible with Choices, Contrada and Capture. Its double-arm articulated design allows the user to position the light effortlessly for optimum illumination. The single control responds to the lightest touch to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same

lighting level if turned off and on. The optional Occupancy Sensor turns the lamp on when a user approaches and shuts it off after 30 minutes of inactivity, conserving energy use. Available in three colors. ETL, TAA and BAA certified.

## ORI LED Desk Lamp


The ORI LED Personal Task Light provides 390 Lumens of clear white light right where you need it. It offers a wide range of vertical and rotational adjustment so the user can direct the light where it's needed. The

clean, simple and attractive design complements any interior. The single control responds to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting level if turned off and on. The Lamp is available as a freestanding model or with a clamp mount. UL Listed. Available in a Brushed Nickel finish




### LumaTouch LED Desk Lamp - Circle

Description	List Price	Catalog Number	Occupancy Sensor	Color
Freestanding	\$ 550	LEDLTCRFS	OSN No Cost No Sensor  OSY + \$185 Sensor	BK Black
Clamp Mount	550	LEDLTCRCP		DW White
Slatwall Mount	550	LEDLTCRSW		PA Platinum



### LumaTouch LED Desk Lamp - Elongated

Description	List Price	Catalog Number	Occupancy Sensor	Color
Freestanding	\$ 550	LEDLTEGFS	OSN No Cost No Sensor  OSY + \$185 Sensor	BK Black
Clamp Mount	550	LEDLTEGCP		DW White
Slatwall Mount	550	LEDLTEGSW		PA Platinum



### ORI LED Desk Lamp

Description	List Price	Catalog Number	Occupancy Sensor	Color
Freestanding Base	\$ 315	LEDORIFS		
Clamp Mount	315	LEDORICP		
<b>Build your complete Part Number here:</b>				
			---	---

Sample Part Number:

LEDLTCRFS	.OSN	.BK
-----------	------	-----

Total Cost \$550 =

\$550	+	N/C	+	N/C
-------	---	-----	---	-----

***Terms, Policies & Index***

<i>Terms &amp; Policies</i>	<i>88</i>
<i>Warranty</i>	<i>91</i>
<i>Index</i>	<i>92</i>

## 1. Prices

Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

## 2. Order Placement

Trendway Corporation requires all orders to be submitted electronically via on-line order entry at [www.trenddealer.com](http://www.trenddealer.com), or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

## 3. Confirmation

Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at [www.trenddealer.com](http://www.trenddealer.com). Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

## 4. Lead-Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 8 business days for Express orders, 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

## 5. Buyer's Credit

If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time

by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

## 6. Order Changes

To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

## 7. Cancellation

All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or full purchase price.** Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

## 8. Terms of Sale

Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

## 9. Taxes

Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

## 10. Past-Due Accounts

Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

## 11. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the

steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with [www.trenddealer.com](http://www.trenddealer.com)/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Guideline Form* (available on [www.trenddealer.com](http://www.trenddealer.com) or from Trendway Customer Care Representative).
4. If the material requested is not in the COM Library, customer must submit a *COM Request Form* on-line at [www.trenddealer.com](http://www.trenddealer.com), send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form response.
5. Ship COM samples to:
  - U.S. Mail Shipment:  
Customer Care  
Trendway Corporation  
P.O. Box 9016  
Holland, MI 49422-9016
  - UPS, FedEx Shipment:  
Customer Care  
Trendway Corporation  
13467 Quincy Street  
Holland, MI 49424
6. You will be notified within five working days by Trendway, whether your COM has been approved or disapproved for application.

### TEST YARDAGE REQUIREMENTS

Choices panels	1 1/2 yd.
Flipper doors	2/3 yd.
Contrada tiles	1 yd.
Intrinsic Freestanding	1 yd.

NOTE: Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or

damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

## 11a. Custom Color

Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See [www.trenddealer.com](http://www.trenddealer.com) for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on [www.trenddealer.com](http://www.trenddealer.com)).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- Customer Color program is not available within Express lead-time.
- If applicable, dealer will be sent an invoice for \$200 color matching fee per customer, per color. See Custom Color Request form for details.

## 12. Special Product

When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

## 13. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause

beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

## 14. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

## 15. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

## 16. Transportation

All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 3:00 pm on Friday's will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 4 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be

requested for an additional charge of \$150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.

- Lift gate service will have an additional charge of \$85.
- Inside delivery service starts at \$50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at \$50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

## Shipping Note:

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

## 17. Product Ownership

Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

## 18. Damaged Materials

Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damage.

## 19. Shortage on Order

Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

## 20. Product Usage and Compliance

Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

## 21. Post-Delivery Assistance

Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

## 22. Returned Goods

As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. **To receive authorization to return goods, please contact Trendway's Customer Care Department.**

**All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.**

Electrical components, nonstandard items, Express products, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original

Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. **As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.**

## 23. Special Marking or Tagging

Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.**

## 24. Trendway Field Technical and Installation Support:

On-site field measurement and installation support is available as a service. The fees are listed below:

Field Measurement Assistance: 1 Day On-Site, \$1,800.00

Field Installation Assistance: 3 Days On-Site, \$3,000.00

These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on [www.Trendway.com](http://www.Trendway.com), in the Price list section.

## Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	<b>Systems</b>	<b>Architectural Products</b>	<b>Seating</b>
<b>10 Year</b>	<ul style="list-style-type: none"> <li>•Electrical Components</li> <li>•Height-Adjustable Table Frame</li> </ul>		<ul style="list-style-type: none"> <li>•Pneumatic Cylinders</li> <li>•Mechanisms</li> </ul>
<b>5 Year</b>	<ul style="list-style-type: none"> <li>•Drawer Slides</li> <li>•Systems Textiles</li> <li>•Finishes</li> <li>•Electronic Ballasts</li> <li>•Height-Adjustable Table Mechanical Components</li> </ul>	<ul style="list-style-type: none"> <li>•System Textiles</li> <li>•Finishes</li> </ul>	
<b>3 Year</b>	<ul style="list-style-type: none"> <li>•Veneer</li> <li>•Magnetic Ballasts</li> </ul>		<ul style="list-style-type: none"> <li>•Trim</li> <li>•Foam</li> <li>•Upholstery</li> <li>•Arm Pads</li> </ul>
<b>2 Year</b>	<ul style="list-style-type: none"> <li>•Surface Trend Fabrics</li> <li>•Height-Adjustable Table Electrical Components</li> </ul>	<ul style="list-style-type: none"> <li>•Surface Trend Fabrics</li> </ul>	
<b>1 Year</b>	<ul style="list-style-type: none"> <li>•Non-Standard Product</li> <li>•Personal Task Lighting</li> </ul>	<ul style="list-style-type: none"> <li>•Non-Standard Product</li> <li>•Trend-Wall® Flooring Solutions</li> </ul>	<ul style="list-style-type: none"> <li>•Non-Standard Product</li> <li>•Rexxi™ Chair</li> </ul>
<b>Not Covered</b>	<ul style="list-style-type: none"> <li>•Light Bulbs</li> <li>•Customer's Own Material</li> </ul>	<ul style="list-style-type: none"> <li>•Customer's Own Material</li> </ul>	<ul style="list-style-type: none"> <li>•Customer's Own Material</li> </ul>

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway Corporation  
13467 Quincy St., Holland MI 49422-9016  
www.trendway.com 09.12

Overview & Order Information  
Statement of Line  
Surface Materials  
Desks & Work Surfaces  
Screens & Modesties  
Storage  
Electrical  
Accessories  
Terms, Policies & Index

Catalog Number	Description	Page	Catalog Number	Description	Page
HEA2P1PB	Horizontal Electrical Accessory.....	79	TRGBMS6619	Trig Back Edge Mount Screens.....	44
HEA2P1PW	Horizontal Electrical Accessory.....	79	TRGBMS7213	Trig Back Edge Mount Screens.....	44
HEA2P1UB	Horizontal Electrical Accessory.....	79	TRGBMS7219	Trig Back Edge Mount Screens.....	44
HEA2P1UW	Horizontal Electrical Accessory.....	79	TRGBMSM2428	Trig Screen/Modesty Combination.....	45
HEA2P2DB	Horizontal Electrical Accessory.....	79	TRGBMSM3028	Trig Screen/Modesty Combination.....	45
HEA2P2DW	Horizontal Electrical Accessory.....	79	TRGBMSM3628	Trig Screen/Modesty Combination.....	45
HEA3P1EB	Horizontal Electrical Accessory.....	79	TRGBMSM4228	Trig Screen/Modesty Combination.....	45
HEA3P1EW	Horizontal Electrical Accessory.....	79	TRGBMSM4828	Trig Screen/Modesty Combination.....	45
HEA3P3DB	Horizontal Electrical Accessory.....	79	TRGBMSM5428	Trig Screen/Modesty Combination.....	45
HEA3PEDW	Horizontal Electrical Accessory.....	79	TRGBMSM6028	Trig Screen/Modesty Combination.....	45
HPPT	Pedestal Pencil Tray.....	82	TRGBMSM6628	Trig Screen/Modesty Combination.....	45
HSEA1P1D	Horizontal Sliding Electrical Accessory.....	80	TRGBMSM7228	Trig Screen/Modesty Combination.....	45
HSEA2P2D	Horizontal Sliding Electrical Accessory.....	80	TRGBSWSL13	Bench Storage W/S Short Support.....	41
HWM30	Horizontal Wire Manager.....	83	TRGBSWSL19	Bench Storage W/S Short Support.....	41
LEDLTCRFS	Luma Touch LED Desk Lamp.....	86	TRGC2DD60	Trig Credenzas with Doors.....	46
LEDLTCRCP	Luma Touch LED Desk Lamp.....	86	TRGC2DDCS72	Trig Credenzas with Doors.....	46
LEDLTCRSW	Luma Touch LED Desk Lamp.....	86	TRGC2DDCS75	Trig Credenzas with Doors.....	46
LEDLTEGFS	Luma Touch LED Desk Lamp.....	86	TRGC2LAT60	Trig Credenzas with Laterals.....	48
LEDLTEGCP	Luma Touch LED Desk Lamp.....	86	TRGC2LATCS72	Trig Credenza with Laterals.....	48
LEDLTEGSW	Luma Touch LED Desk Lamp.....	86	TRGC2LATCS75	Trig Credenzas with Laterals.....	48
LEDORIFS	ORI LED Desk Lamp.....	86	TRGCBC30	Trig Bookcase.....	52
LEDORICP	ORI LED Desk Lamp.....	86	TRGCBC36	Trig Bookcase.....	52
MARMSNGL	Monitor Arm - Desk Mount.....	84	TRGCDDOSR60	Trig Credenza w/ Doors & Shelves.....	47
MARMJUAL	Dual Monitor Arm.....	84	TRGCDDOSL60	Trig Credenza w/ Doors & Shelves.....	47
RHEA1P1D	Ribbed Horizontal Electrical Accessory.....	80	TRGCDDSDL45	Trig Credenzas with Doors.....	46
RHEA1P1E	Ribbed Horizontal Electrical Accessory.....	80	TRGCDDSDR45	Trig Credenzas with Doors.....	46
RHEA2P	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOS30	Trig Credenzas with Laterals.....	48
RHEA2P1D1U	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOSL45	Trig Credenzas with Laterals.....	48
RHEA2P1E	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOSL48	Trig Credenza with Laterals.....	48
RHEA2P1P	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOSL60	Trig Credenza with Laterals.....	48
RHEA2P1U	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOSR48	Trig Credenza with Laterals.....	48
RHEA2P2D	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOSR60	Trig Credenza with Laterals.....	48
RHEA3P2D	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATOSR45	Trig Credenzas with Laterals.....	48
RHEA4P	Ribbed Horizontal Electrical Accessory.....	80	TRGCLATSDL45	Trig Credenzas with Doors and Laterals.....	49
SICSP	Flush Support Plates.....	42	TRGCLATSDR45	Trig Credenzas with Doors and Laterals.....	49
SIGSGWS	Grommet for Work Surface.....	83	TRGCOS30	Trig Credenzas - Open Storage.....	50
SIZGWS	Grommet for Work Surface.....	83	TRGCOS36	Trig Credenzas - Open Storage.....	50
TRG612LAT20	Trig Freestanding Lateral.....	51	TRGCOS45	Trig Credenzas - Open Storage.....	50
TRG612LAT2036	Trig Freestanding Lateral.....	51	TRGCS6612OSL20	Trig Pedestal Shelf Comb Storage - L-Hand.....	58
TRG612PED20	Trig Freestanding Pedestal.....	51	TRGCS6612OSL24	Trig Pedestal Shelf Comb Storage - L-Hand.....	58
TRGANGDL309424	Trig Blade Desk - Left-Hand.....	31	TRGCS6612OSL30	Trig Pedestal Shelf Comb Storage - L-Hand.....	58
TRGANGDR249430	Trig Blade Desk - Right-Hand.....	31	TRGCS6612OSR20	Trig Pedestal Shelf Comb Storage - R-Hand.....	58
TRGANGSL309424	Trig Blade Work Surface - Left-Hand.....	37	TRGCS6612OSR24	Trig Pedestal Shelf Comb Storage - R-Hand.....	58
TRGANGSR249430	Trig Blade Work Surface - Right-Hand.....	37	TRGCS6612OSR30	Trig Pedestal Shelf Comb Storage - R-Hand.....	58
TRGBCSTR661212	Trig Wardrobe Storage Tower w/ Bookcase.....	63	TRGCSDDOS30	Trig Combination Storage.....	57
TRGBCSTR666612	Trig Wardrobe Storage Tower w/ Bookcase.....	63	TRGCSLATOS30	Trig Combination Storage.....	56
TRGBCSTL661212	Trig Wardrobe Storage Tower w/ Bookcase.....	63	TRGCSOSL45	Trig Combination Storage.....	56
TRGBCSTL666612	Trig Wardrobe Storage Tower w/ Bookcase.....	63	TRGCSOSR45	Trig Combination Storage.....	56
TRGBF2LAT60	Trig Bench-Height Storage.....	54	TRGDD20	Trig Freestanding Double Door Storage.....	52
TRGBF2LATCS72	Trig Bench-Height Storage.....	54	TRGDD2036	Trig Freestanding Double Door Storage.....	52
TRGBF2LATCS75	Trig Bench-Height Storage.....	54	TRGDRI12	Trig Power Set.....	77
TRGBFBFC30	Trig Bench-Height Bookcase.....	55	TRGEH18	Trig Electrical Harness.....	77
TRGBFBFC36	Trig Bench-Height Bookcase.....	55	TRGEH24	Trig Electrical Harness.....	77
TRGBFLAT30	Trig Bench-Height Storage.....	53	TRGEH30	Trig Electrical Harness.....	77
TRGBFLAT36	Trig Bench-Height Storage.....	53	TRGEH36	Trig Electrical Harness.....	77
TRGBFLATOSL45	Trig Bench-Height Storage.....	53	TRGEH42	Trig Electrical Harness.....	77
TRGBFLATOSL48	Trig Bench-Height Storage.....	53	TRGEH48	Trig Electrical Harness.....	77
TRGBFLATOSL60	Trig Bench-Height Storage.....	53	TRGEH54	Trig Electrical Harness.....	77
TRGBFLATOSR45	Trig Bench-Height Storage.....	53	TRGEH60	Trig Electrical Harness.....	77
TRGBFLATOSR48	Trig Bench-Height Storage.....	35	TRGEH66	Trig Electrical Harness.....	77
TRGBFLATOSR60	Trig Bench-Height Storage.....	53	TRGEH72	Trig Electrical Harness.....	77
TRGBMS2413	Trig Back Edge Mount Screens.....	44	TRGEPDL305442	Trig Primary Desk - Left-Hand.....	32
TRGBMS2419	Trig Back Edge Mount Screens.....	44	TRGEPDL305448	Trig Primary Desk - Left-Hand.....	32
TRGBMS3013	Trig Back Edge Mount Screens.....	44	TRGEPDL306042	Trig Primary Desk - Left-Hand.....	32
TRGBMS3019	Trig Back Edge Mount Screens.....	44	TRGEPDL306048	Trig Primary Desk - Left-Hand.....	32
TRGBMS3613	Trig Back Edge Mount Screens.....	44	TRGEPDL306642	Trig Primary Desk - Left-Hand.....	32
TRGBMS3619	Trig Back Edge Mount Screens.....	44	TRGEPDL306648	Trig Primary Desk - Left-Hand.....	32
TRGBMS4213	Trig Back Edge Mount Screens.....	44	TRGEPDL307242	Trig Primary Desk - Left-Hand.....	32
TRGBMS4219	Trig Back Edge Mount Screens.....	44	TRGEPDL307248	Trig Primary Desk - Left-Hand.....	32
TRGBMS4813	Trig Back Edge Mount Screens.....	44	TRGEPDL307842	Trig Primary Desk - Left-Hand.....	32
TRGBMS4819	Trig Back Edge Mount Screens.....	44	TRGEPDL307848	Trig Primary Desk - Left-Hand.....	32
TRGBMS5413	Trig Back Edge Mount Screens.....	44	TRGEPDL308442	Trig Primary Desk - Left-Hand.....	32
TRGBMS5419	Trig Back Edge Mount Screens.....	44	TRGEPDL308448	Trig Primary Desk - Left-Hand.....	32
TRGBMS6013	Trig Back Edge Mount Screens.....	44	TRGEPDR425430	Trig Primary Desk - Right-Hand.....	32
TRGBMS6019	Trig Back Edge Mount Screens.....	44	TRGEPDR426030	Trig Primary Desk - Right-Hand.....	32
TRGBMS6613	Trig Back Edge Mount Screens.....	44	TRGEPDR426630	Trig Primary Desk - Right-Hand.....	32

Catalog Number	Description	Page	Catalog Number	Description	Page
TRGEPDR427230	Trig Primary Desk - Right-Hand .....	32	TRGESSR207248	Trig Secondary Work Surface - Right-Hand .....	39
TRGEPDR427830	Trig Primary Desk - Right-Hand .....	32	TRGESSR207842	Trig Secondary Work Surface - Right-Hand .....	39
TRGEPDR428430	Trig Primary Desk - Right-Hand .....	32	TRGESSR207848	Trig Secondary Work Surface - Right-Hand .....	39
TRGEPDR485430	Trig Primary Desk - Right-Hand .....	32	TRGESSR208442	Trig Secondary Work Surface - Right-Hand .....	39
TRGEPDR486030	Trig Primary Desk - Right-Hand .....	32	TRGESSR208448	Trig Secondary Work Surface - Right-Hand .....	39
TRGEPDR486630	Trig Primary Desk - Right-Hand .....	32	TRGHC	Trig H-Connector .....	78
TRGEPDR487230	Trig Primary Desk - Right-Hand .....	32	TRGLCSPB1	Trig Support Leg to Panel Bracket.....	72
TRGEPDR487830	Trig Primary Desk - Right-Hand .....	32	TRGLCSPB2	Trig Support Leg to Panel Bracket.....	72
TRGEPDR488430	Trig Primary Desk - Right-Hand .....	32	TRGLCSPB3	Trig Support Leg to Panel Bracket.....	72
TRGEPDL305442	Trig Primary Work Surface - Left-Hand .....	38	TRGLCNPB1	Trig Support Leg to Panel Bracket.....	72
TRGEPDL305448	Trig Primary Work Surface - Left-Hand .....	38	TRGLCNPB2	Trig Support Leg to Panel Bracket.....	72
TRGEPDL306042	Trig Primary Work Surface - Left-Hand .....	38	TRGLCNPB3	Trig Support Leg to Panel Bracket.....	72
TRGEPDL306048	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS1613	Trig Desk Top Screen.....	44
TRGEPDL306642	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS168	Trig Desk Top Screen.....	44
TRGEPDL306648	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS2013	Trig Desk Top Screen.....	44
TRGEPDL307242	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS208	Trig Desk Top Screen.....	44
TRGEPDL307248	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS2613	Trig Desk Top Screen.....	44
TRGEPDL307842	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS268	Trig Desk Top Screen.....	44
TRGEPDL307848	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS3813	Trig Desk Top Screen.....	44
TRGEPDL308442	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS388	Trig Desk Top Screen.....	44
TRGEPDL308448	Trig Primary Work Surface - Left-Hand .....	38	TRGLDS4413	Trig Desk Top Screen.....	44
TRGEPDR425430	Trig Primary Work Surface - Right-Hand.....	38	TRGLDS448	Trig Desk Top Screen.....	44
TRGEPDR426030	Trig Primary Work Surface - Right-Hand.....	38	TRGMB1217	Trig Marker Boards.....	59
TRGEPDR426630	Trig Primary Work Surface - Right-Hand.....	38	TRGMB1617	Trig Marker Boards.....	59
TRGEPDR427230	Trig Primary Work Surface - Right-Hand.....	38	TRGMB2017	Trig Marker Boards.....	59
TRGEPDR427830	Trig Primary Work Surface - Right-Hand.....	38	TRGMB2417	Trig Marker Boards.....	59
TRGEPDR428430	Trig Primary Work Surface - Right-Hand.....	38	TRGMB3617	Trig Marker Boards.....	59
TRGEPDR485430	Trig Primary Work Surface - Right-Hand.....	38	TRGMOD24	Trig Modesty .....	45
TRGEPDR486030	Trig Primary Work Surface - Right-Hand.....	38	TRGMOD30	Trig Modesty .....	45
TRGEPDR486630	Trig Primary Work Surface - Right-Hand.....	38	TRGMOD36	Trig Modesty .....	45
TRGEPDR487230	Trig Primary Work Surface - Right-Hand.....	38	TRGMOD42	Trig Modesty .....	45
TRGEPDR487830	Trig Primary Work Surface - Right-Hand.....	38	TRGMOD48	Trig Modesty .....	45
TRGEPDR488430	Trig Primary Work Surface - Right-Hand.....	38	TRGMOD54	Trig Modesty .....	45
TRGESDL425420	Trig Secondary Desk - Left-Hand .....	33	TRGMOD60	Trig Modesty .....	45
TRGESDL426020	Trig Secondary Desk - Left-Hand .....	33	TRGMOD66	Trig Modesty .....	45
TRGESDL426620	Trig Secondary Desk - Left-Hand .....	33	TRGMOD72	Trig Modesty .....	45
TRGESDL427220	Trig Secondary Desk - Left-Hand .....	33	TRGODS48	Trig Overhead – Dual Sliding Door .....	69
TRGESDL427820	Trig Secondary Desk - Left-Hand .....	33	TRGODS54	Trig Overhead – Dual Sliding Door .....	69
TRGESDL428420	Trig Secondary Desk - Left-Hand .....	33	TRGODS60	Trig Overhead – Dual Sliding Door .....	69
TRGESDL485420	Trig Secondary Desk - Left-Hand .....	33	TRGODS66	Trig Overhead – Dual Sliding Door .....	69
TRGESDL486020	Trig Secondary Desk - Left-Hand .....	33	TRGODS72	Trig Overhead – Dual Sliding Door .....	69
TRGESDL486620	Trig Secondary Desk - Left-Hand .....	33	TRGOHD60	Trig Overhead – Hinged Door.....	70
TRGESDL487220	Trig Secondary Desk - Left-Hand .....	33	TRGOHD66	Trig Overhead – Hinged Door.....	70
TRGESDL487820	Trig Secondary Desk - Left-Hand .....	33	TRGOHD72	Trig Overhead – Hinged Door.....	70
TRGESDL488420	Trig Secondary Desk - Left-Hand .....	33	TRGOHD78	Trig Overhead – Hinged Door.....	70
TRGESDR205442	Trig Secondary Desk - Right-Hand.....	33	TRGOHD84	Trig Overhead – Hinged Door.....	70
TRGESDR205448	Trig Secondary Desk - Right-Hand.....	33	TRGOOS48	Trig Overhead – Open Shelf .....	71
TRGESDR206042	Trig Secondary Desk - Right-Hand.....	33	TRGOOS54	Trig Overhead – Open Shelf .....	71
TRGESDR206048	Trig Secondary Desk - Right-Hand.....	33	TRGOOS60	Trig Overhead – Open Shelf .....	71
TRGESDR206642	Trig Secondary Desk - Right-Hand.....	33	TRGOOS66	Trig Overhead – Open Shelf .....	71
TRGESDR206648	Trig Secondary Desk - Right-Hand.....	33	TRGOOS72	Trig Overhead – Open Shelf .....	71
TRGESDR207242	Trig Secondary Desk - Right-Hand.....	33	TRGOOS84	Trig Overhead – Open Shelf .....	71
TRGESDR207248	Trig Secondary Desk - Right-Hand.....	33	TRGOSS48	Trig Overhead – Single Sliding Door .....	69
TRGESDR207842	Trig Secondary Desk - Right-Hand.....	33	TRGOSS54	Trig Overhead – Single Sliding Door .....	69
TRGESDR207848	Trig Secondary Desk - Right-Hand.....	33	TRGOSS60	Trig Overhead – Single Sliding Door .....	69
TRGESDR208442	Trig Secondary Desk - Right-Hand.....	33	TRGOSS66	Trig Overhead – Single Sliding Door .....	69
TRGESDR208448	Trig Secondary Desk - Right-Hand.....	33	TRGOSS72	Trig Overhead – Single Sliding Door .....	69
TRGESDL425420	Trig Secondary Work Surface - Left-Hand.....	39	TRGPF	Trig Base Feed .....	77
TRGESDL426020	Trig Secondary Work Surface - Left-Hand.....	39	TRGPFNY	Trig Base Feed New York.....	78
TRGESDL426620	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2048	Trig Rectangular Desk.....	28
TRGESDL427220	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2054	Trig Rectangular Desk.....	28
TRGESDL427820	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2060	Trig Rectangular Desk.....	28
TRGESDL428420	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2066	Trig Rectangular Desk.....	28
TRGESDL485420	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2072	Trig Rectangular Desk.....	28
TRGESDL486020	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2078	Trig Rectangular Desk.....	28
TRGESDL486620	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2084	Trig Rectangular Desk.....	28
TRGESDL487220	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2448	Trig Rectangular Desk.....	28
TRGESDL487820	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2454	Trig Rectangular Desk.....	28
TRGESDL488420	Trig Secondary Work Surface - Left-Hand.....	39	TRGRECD2460	Trig Rectangular Desk.....	28
TRGESSR205442	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD2466	Trig Rectangular Desk.....	28
TRGESSR205448	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD2472	Trig Rectangular Desk.....	28
TRGESSR206042	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD2478	Trig Rectangular Desk.....	28
TRGESSR206048	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD2484	Trig Rectangular Desk.....	28
TRGESSR206642	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD3048	Trig Rectangular Desk.....	28
TRGESSR206648	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD3054	Trig Rectangular Desk.....	28
TRGESSR207242	Trig Secondary Work Surface - Right-Hand .....	39	TRGRECD3060	Trig Rectangular Desk.....	28

Catalog Number	Description	Page	Catalog Number	Description	Page
TRGRECD3066	Trig Rectangular Desk.....	28	TRGTSSDL66	Trig Display Towers with Door.....	64
TRGRECD3072	Trig Rectangular Desk.....	28	TRGTSSDR54	Trig Display Towers with Door.....	64
TRGRECD3078	Trig Rectangular Desk.....	28	TRGTSSDR66	Trig Display Towers with Door.....	64
TRGRECD3084	Trig Rectangular Desk.....	28	TRGTSWRR54	Trig Wardrobe Display Tower.....	65
TRGRECS2048	Trig Rectangular Work Surface.....	34	TRGTSWRR66	Trig Wardrobe Display Tower.....	65
TRGRECS2054	Trig Rectangular Work Surface.....	34	TRGTSWRL54	Trig Wardrobe Display Tower.....	65
TRGRECS2060	Trig Rectangular Work Surface.....	34	TRGTSWRL66	Trig Wardrobe Display Tower.....	65
TRGRECS2066	Trig Rectangular Work Surface.....	34	TRGUDD20	Trig Under Desk Dbl-Door Support Storage.....	67
TRGRECS2072	Trig Rectangular Work Surface.....	34	TRGUDD24	Trig Under Desk Dbl-Door Support Storage.....	67
TRGRECS2078	Trig Rectangular Work Surface.....	34	TRGUDD30	Trig Under Desk Dbe-Door Support Storage.....	67
TRGRECS2084	Trig Rectangular Work Surface.....	34	TRGUDLAT20	Trig Under Desk Lateral Support Storage.....	66
TRGRECS2448	Trig Rectangular Work Surface.....	34	TRGUDLAT24	Trig Under Desk Lateral Support Storage.....	66
TRGRECS2454	Trig Rectangular Work Surface.....	34	TRGUDLAT30	Trig Under Desk Lateral Support Storage.....	66
TRGRECS2460	Trig Rectangular Work Surface.....	34	TRGUDPED20	Trig Under Desk Pedestal Support Storage.....	66
TRGRECS2466	Trig Rectangular Work Surface.....	34	TRGUDPED24	Trig Under Desk Pedestal Support Storage.....	66
TRGRECS2472	Trig Rectangular Work Surface.....	34	TRGUDPED30	Trig Under Desk Pedestal Support Storage.....	66
TRGRECS2478	Trig Rectangular Work Surface.....	34	TRGULEG20	Trig Work Surface Support Legs.....	40
TRGRECS2484	Trig Rectangular Work Surface.....	34	TRGULEG24	Trig Work Surface Support Legs.....	40
TRGRECS3048	Trig Rectangular Work Surface.....	34	TRGULEG30	Trig Work Surface Support Legs.....	40
TRGRECS3054	Trig Rectangular Work Surface.....	34	TRGULEG40	Trig Shared Work Surface Support Legs.....	40
TRGRECS3060	Trig Rectangular Work Surface.....	34	TRGULEG48	Trig Shared Work Surface Support Legs.....	40
TRGRECS3066	Trig Rectangular Work Surface.....	34	TRGULEG60	Trig Shared Work Surface Support Legs.....	40
TRGRECS3072	Trig Rectangular Work Surface.....	34	TRGULEGSS20	Side to Side Shared Work Surface Support Leg.....	41
TRGRECS3078	Trig Rectangular Work Surface.....	34	TRGULEGSS24	Side to Side Shared Work Surface Support Leg.....	41
TRGRECS3084	Trig Rectangular Work Surface.....	34	TRGULEGSS30	Side to Side Shared Work Surface Support Leg.....	41
TRGSCSPB	Trig Storage to Panel Bracket.....	72	TRGULEGSS40	Side to Side Shared Work Surface Support Leg.....	41
TRGSCNPB	Trig Storage to Panel Bracket.....	72	TRGULEGSS48	Side to Side Shared Work Surface Support Leg.....	41
TRGSOS3027	Stack Storage – Open Shelf.....	68	TRGULEGSS60	Side to Side Shared Work Surface Support Leg.....	41
TRGSOS3039	Stack Storage – Open Shelf.....	68	TRGVWMAL	Vertical Wire Manager.....	82
TRGSPMS30	Stack Storage – Paper Management Shelf.....	68	TRGWEGDL245420	Trig Wedge Desk - Left-Hand.....	30
TRGSPMS45	Stack Storage – Paper Management Shelf.....	68	TRGWEGDL246020	Trig Wedge Desk - Left-Hand.....	30
TRGSPMS60	Stack Storage – Paper Management Shelf.....	68	TRGWEGDL246620	Trig Wedge Desk - Left-Hand.....	30
TRGSPMS75	Stack Storage – Paper Management Shelf.....	68	TRGWEGDL247220	Trig Wedge Desk - Left-Hand.....	30
TRGTB1217	Trig Tackboards.....	59	TRGWEGDL247820	Trig Wedge Desk - Left-Hand.....	30
TRGTB1617	Trig Tackboards.....	59	TRGWEGDL248420	Trig Wedge Desk - Left-Hand.....	30
TRGTB2017	Trig Tackboards.....	59	TRGWEGDL305420	Trig Wedge Desk - Left-Hand.....	30
TRGTB2417	Trig Tackboards.....	59	TRGWEGDL305424	Trig Wedge Desk - Left-Hand.....	30
TRGTB3617	Trig Tackboards.....	59	TRGWEGDL306020	Trig Wedge Desk - Left-Hand.....	30
TRGTMS2413	Trig Surface Mount Screens.....	43	TRGWEGDL306024	Trig Wedge Desk - Left-Hand.....	30
TRGTMS2419	Trig Surface Mount Screens.....	43	TRGWEGDL306620	Trig Wedge Desk - Left-Hand.....	30
TRGTMS3013	Trig Surface Mount Screens.....	43	TRGWEGDL306624	Trig Wedge Desk - Left-Hand.....	30
TRGTMS3019	Trig Surface Mount Screens.....	43	TRGWEGDL307220	Trig Wedge Desk - Left-Hand.....	30
TRGTMS3613	Trig Surface Mount Screens.....	43	TRGWEGDL307224	Trig Wedge Desk - Left-Hand.....	30
TRGTMS3619	Trig Surface Mount Screens.....	43	TRGWEGDL307820	Trig Wedge Desk - Left-Hand.....	30
TRGTMS4213	Trig Surface Mount Screens.....	43	TRGWEGDL307824	Trig Wedge Desk - Left-Hand.....	30
TRGTMS4219	Trig Surface Mount Screens.....	43	TRGWEGDL308420	Trig Wedge Desk - Left-Hand.....	30
TRGTMS4813	Trig Surface Mount Screens.....	43	TRGWEGDL308424	Trig Wedge Desk - Left-Hand.....	30
TRGTMS4819	Trig Surface Mount Screens.....	43	TRGWEGDR205424	Trig Wedge Desk - Right-Hand.....	29
TRGTMS5413	Trig Surface Mount Screens.....	43	TRGWEGDR205430	Trig Wedge Desk - Right-Hand.....	29
TRGTMS5419	Trig Surface Mount Screens.....	43	TRGWEGDR206024	Trig Wedge Desk - Right-Hand.....	29
TRGTMS6013	Trig Surface Mount Screens.....	43	TRGWEGDR206030	Trig Wedge Desk - Right-Hand.....	29
TRGTMS6019	Trig Surface Mount Screens.....	43	TRGWEGDR206624	Trig Wedge Desk - Right-Hand.....	29
TRGTMS6613	Trig Surface Mount Screens.....	43	TRGWEGDR206630	Trig Wedge Desk - Right-Hand.....	29
TRGTMS6619	Trig Surface Mount Screens.....	43	TRGWEGDR207224	Trig Wedge Desk - Right-Hand.....	29
TRGTMS7213	Trig Surface Mount Screens.....	43	TRGWEGDR207230	Trig Wedge Desk - Right-Hand.....	29
TRGTMS7219	Trig Surface Mount Screens.....	43	TRGWEGDR207824	Trig Wedge Desk - Right-Hand.....	29
TRGTMS7813	Trig Surface Mount Screens.....	43	TRGWEGDR207830	Trig Wedge Desk - Right-Hand.....	29
TRGTMS7819	Trig Surface Mount Screens.....	43	TRGWEGDR208424	Trig Wedge Desk - Right-Hand.....	29
TRGTMS8413	Trig Surface Mount Screens.....	43	TRGWEGDR208430	Trig Wedge Desk - Right-Hand.....	29
TRGTMS8419	Trig Surface Mount Screens.....	43	TRGWEGDR245430	Trig Wedge Desk - Right-Hand.....	29
TRGTS1212DD54	Trig Lateral, Double-Door Storage Tower.....	61	TRGWEGDR246030	Trig Wedge Desk - Right-Hand.....	29
TRGTS1212DD66	Trig Lateral, Double-Door Storage Tower.....	61	TRGWEGDR246630	Trig Wedge Desk - Right-Hand.....	29
TRGTS1212OS54	Trig Lateral, Open Shelf Storage Tower.....	62	TRGWEGDR247230	Trig Wedge Desk - Right-Hand.....	29
TRGTS1212OS66	Trig Lateral, Open Shelf Storage Tower.....	62	TRGWEGDR247830	Trig Wedge Desk - Right-Hand.....	29
TRGTS6612DD54	Trig Lateral, Double-Door Storage Tower.....	61	TRGWEGDR248430	Trig Wedge Desk - Right-Hand.....	29
TRGTS6612DD66	Trig Lateral, Double-Door Storage Tower.....	61	TRGWEGSL205424	Trig Wedge Work Surface - Left-Hand.....	36
TRGTS6612OS54	Trig Lateral, Open Shelf Storage Tower.....	62	TRGWEGSL205430	Trig Wedge Work Surface - Left-Hand.....	36
TRGTS6612OS66	Trig Lateral, Open Shelf Storage Tower.....	62	TRGWEGSL206024	Trig Wedge Work Surface - Left-Hand.....	36
TRGTS66OS54	Trig Display Towers.....	62	TRGWEGSL206030	Trig Wedge Work Surface - Left-Hand.....	36
TRGTS66OS66	Trig Display Towers.....	62	TRGWEGSL206624	Trig Wedge Work Surface - Left-Hand.....	36
TRGTSDD54	Trig Storage Tower with Double-Door.....	60	TRGWEGSL206630	Trig Wedge Work Surface - Left-Hand.....	36
TRGTSDD66	Trig Storage Tower with Double-Door.....	60	TRGWEGSL207224	Trig Wedge Work Surface - Left-Hand.....	36
TRGTSOS54	Trig Display Towers.....	62	TRGWEGSL207230	Trig Wedge Work Surface - Left-Hand.....	36
TRGTSOS66	Trig Display Towers.....	62	TRGWEGSL207824	Trig Wedge Work Surface - Left-Hand.....	36
TRGTSDDL54	Trig Display Towers with Door.....	64			

<b>Catalog Number</b>	<b>Description</b>	<b>Page</b>
TRGWEGSL207830	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL208424	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL208430	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL245430	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL246030	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL246630	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL247230	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL247830	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSL248430	Trig Wedge Work Surface - Left-Hand.....	36
TRGWEGSR205424	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR205430	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR206024	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR206030	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR206624	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR206630	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR207224	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR207230	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR207824	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR207830	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR208424	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR208430	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR245430	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR246030	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR246630	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR247230	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR247830	Trig Wedge Work Surface - Right-Hand .....	35
TRGWEGSR248430	Trig Wedge Work Surface - Right-Hand .....	35
TRGWSBRKTS	Trig Work Surface Support Brackets .....	42
TRGWSRISER	Trig Support Riser.....	42
TRGWSTR661212	Trig Wardrobe Storage Tower.....	63
TRGWSTR666612	Trig Wardrobe Storage Tower.....	63
TRGWSTL661212	Trig Wardrobe Storage Tower.....	63
TRGWSTL666612	Trig Wardrobe Storage Tower.....	63
VEA2P1UB	Vertical Electrical Accessory.....	79
VEA2P1UW	Vertical Electrical Accessory.....	79
VEA2P2DB	Vertical Electrical Accessory.....	79
VEA2P2DW	Vertical Electrical Accessory.....	79
VEA3P1EB	Vertical Electrical Accessory.....	79
VEA3P1EW	Vertical Electrical Accessory.....	79
VEA3P3DB	Vertical Electrical Accessory.....	79
VEA3P3DW	Vertical Electrical Accessory.....	79
VWC3	Vertical Wire Channel.....	83
ZFPSSB	Laminate Pedestal Side-to-Side Filing Bars.....	82
ZFTUPKIT	Freestanding Touch Up Markers .....	85
ZFTUPXZ1	Freestanding Touch Up Markers .....	85
ZFTUPXZ2	Freestanding Touch Up Markers .....	85
ZFTUPXZ3	Freestanding Touch Up Markers .....	85
ZFTUPXZ4	Freestanding Touch Up Markers .....	85
ZFTUPXZ5	Freestanding Touch Up Markers .....	85

Overview &  
Order Information

Statement  
of Line

Surface  
Materials

Desks &  
Work Surfaces

Screens &  
Modesties

Storage

Electrical

Accessories

Terms, Policies  
& Index

Trendway >

HEADQUARTERS | Holland, Michigan | 800.968.5344

---

ATLANTA | CHICAGO | DALLAS | INDIANAPOLIS | LOS ANGELES | WASHINGTON, DC

Trendway.com

June 2015 | PL.308 | Proudly Printed in the USA

Trendway Products are tested for conformance to SCS Indoor Advantage™ or Indoor Advantage Gold™ requirements. Visit [Trendway.com/scs](http://Trendway.com/scs) to view SCS Indoor Advantage certificates for specific Trendway products.

Trendway is a Veteran-Owned and a Federal Government Contractor.

