

# Logilife

HEALTHCARE FURNITURE



## PRICE LIST

USA

Revision on January 5, 2015

## Update Summary

The January 5, 2015 web revision of the Logilife price list presents these principal modifications:

DATE	SECTION	MODIFICATION	PAGES
January 5, 2015	Tables	High pressure laminated products prices have been increased by 5% (LFL, LFWL)	(Section G)

Previous updates:

DATE	SECTION	MODIFICATION	PAGES
November 19, 2014	Tables	Prices for Flex tables are now upon request	G-6
October 20, 2014	Lounge seating	Dean and Taylor products have been increased by 5%	J-2; J-3

# Table of Contents

## A INTRODUCTION

Terms and Conditions of Sale	A-2
Limited Lifetime Warranty	A-3
Upholstery Specification	A-4
Patient Room Furniture   Series Presentation	A-6

## PATIENT ROOM FURNITURE

### B CLASSIC SERIES

Manufacturing Standard	B-2
Bedside Cabinets	B-4
Dressers	B-5
Hutches	B-6
Wardrobes	B-7
Headboards and Footboards	B-12

### C MODERN SERIES

Manufacturing Standard	C-2
Bedside Cabinets	C-4
Dressers	C-5
Hutches	C-6
Wardrobes	C-7
Headboards and Footboards	C-12

### D TRADITIONAL SERIES

Manufacturing Standard	D-2
Bedside Cabinets	D-4
Dressers	D-5
Hutches	D-6
Wardrobes	D-7
Headboards and Footboards	D-12

### E SHAKER SERIES

Manufacturing Standard	E-2
Bedside Cabinets	E-4
Dressers	E-5
Hutches	E-6
Wardrobes	E-7
Headboards and Footboards	E-12

### F ARTISAN SERIES

Manufacturing Standard	F-2
Bedside Cabinets	F-4
Dressers	F-5
Hutches	F-6
Wardrobes	F-7
Headboards and Footboards	F-12

## TABLES

### G TABLES

Manufacturing Standard	G-2
All-Purpose Tables	G-3
Flex Tables	G-6
Occasional Tables	G-7

## SEATING

### H HOSTA WOODEN SEATS

Manufacturing Standard	H-2
Patient Armchairs	H-4
Guest and Bariatric Armchairs	H-5
Multiple Guest Seating	H-6
Activity Chairs	H-7

### I MIKA METAL SEATS

Manufacturing Standard	I-2
Patient Armchairs	I-4
Guest and Bariatric Armchairs	I-5
Tandem Seating	I-6
General Purpose Chairs	I-7

## COMPLEMENTARY FURNITURE

### J LOUNGE SEATING

Taylor	J-2
Dean	J-3

## APPENDICES

### K APPENDICES

Accessories	K-2
Customized Products	K-3

## **INTRODUCTION**

### **Terms and Conditions of Sale**

#### **PRICES**

The prices are "suggested retail" and are subject to changes without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. Advanced payment for your order may be requested if the opening of your account has not been completed or if your account has become inactive.

#### **TERMS OF PAYMENT**

Net 30 days / F.O.B. Sherbrooke (Quebec), Montreal (Quebec) or Quebec City (Quebec). The invoice will be dated the same ship date and payable 30 days from that date including applicable freight charges. Logiflex remains the owner of the merchandise until the invoice is paid in full.

#### **REGULAR SHIPMENTS**

Please inquire about our lead time to customer service.

#### **ORDERS**

An official purchase order must be issued for all purchases. Your purchase order must contain the following information: your company letterhead, your reference number, the delivery address with contact name and phone number, the complete product codes, furniture color(s), quantities, descriptions, retail prices and net prices, project registration number if applicable, and your approved quotation and technical drawing for customized products. Please note that a quotation cannot serve as a purchase order.

#### **RETURNS**

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

#### **MODIFICATIONS AND/OR CANCELLATIONS**

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may modify or cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

#### **LIABILITY**

Logiflex's responsibility ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

#### **CLAIMS**

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the "Online services" section of our Web site, at [www.logiflex.ca](http://www.logiflex.ca). Our after-sales service department will examine your request and help you correct the situation as rapidly as possible.

#### **CHANGES**

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

#### **STORAGE AND/OR SHIPPING FEES**

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also incur additional charges. Please contact your Logiflex account manager for more details about storage and shipping fees.

## INTRODUCTION

### Limited Lifetime Warranty

#### LIMITED LIFETIME WARRANTY

Logiflex warrants its products to the original purchaser for as long as the original purchaser owns the products. Logiflex guarantees that Logilife products bought new from an authorized Logiflex distributor are free from defects in materials and workmanship for the lifetime of their use. This warranty applies to Logilife products. Only if properly used, repair or replacement of any defect covered by the warranty will be at the discretion of Logiflex. Transportation and labor are not covered by this warranty. By accepting the product to its delivery, the buyer accepts its conditions. The warranty period shall be reduced proportionately if the products are used over a period exceeding the equivalent of a shift 40 hours/week. All replacement parts will be shipped to the original shipping address.

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification or use of components or materials that have not been authorized by Logiflex;
- Delivery by a freight carrier or handling/installation by a contractor other than Logiflex;
- Natural properties of materials;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Products used for rental purposes;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:

- Electrical components are guaranteed for 1 year from the date of delivery;
- Seat mechanisms, drawer slides and locks are guaranteed for 5 years from the date of delivery.

## INTRODUCTION

### Upholstery Specification

Logiflex offers two methods for obtaining upholstery from various suppliers depending of customer preferences:

1. Customers may specify an upholstery from any supplier. Logiflex will then confirm upholstery grade and seat cost.
2. Customers may select and purchase upholstery of their choices directly from the supplier (COM). Please consult the following page for more information about COM terms.

#### UPHOLSTERY SPECIFICATION

Customers may consult websites of our principal suppliers to visualize their complete product range. It is then possible to consult the graded-in list available on [logiflex.ca](http://logiflex.ca) to be informed of the appropriate Logiflex grade.

Website of the upholstery supplier also gives essential informations as maintenance, availability, quality and performance of the selected upholstery. In all cases, the upholstery supplier's warranty will apply:

Principal suppliers:	Momentum Textiles	<a href="http://themomgroup.com">themomgroup.com</a>
	J.Ennis Fabrics	<a href="http://jennisfabrics.com">jennisfabrics.com</a>
	Maharam	<a href="http://maharam.com">maharam.com</a>
	Designtex	<a href="http://designtex.com">designtex.com</a>

#### GRADED-IN LIST

Seat cost depends of selected upholstery. Grade is not established according to upholstery quality or performance, but to its purchase cost. In order to help customers researches, a graded-in list presenting the entire collections of Logiflex's principal suppliers has been prepared. It is possible to consult Logiflex graded-in list by visiting [logiflex.ca](http://logiflex.ca)

Note: The graded-in list is based on information received at its publication moment. As upholstery suppliers can discontinue products or increase their prices at their discretion, this list communicated for information purposes only and can not be considered as a sale commitment by Logiflex.

#### APPLICATION OF UPHOLSTERY


Application of upholstery will follow the directional orientation of its pattern. Explicit instructions must be given to the customer's account manager if a specific direction is desired. Logiflex will not be responsible of problems related to upholstery direction or positioning unless formal instructions has been given along with the purchase order.

Instruction references:

Up the roll



Across the roll



#### FLAMMABILITY STANDARDS TO TECHNICAL BULLETIN 117 (STATE OF CALIFORNIA)

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

#### FLAMMABILITY STANDARDS TO TECHNICAL BULLETIN 133 (STATE OF CALIFORNIA)

Technical Bulletin CAL133 is a flammability test conducted on a complete chair. The compliance of the entire product, including covering, is acknowledged when a certificate is issued by a licensed testing facility. Any change to the finished product will required a retest.

When a product must pass CAL133 test, Logilife seats must receive a non-flammable lining that, in combination with convenient foam and upholstery, may enable products to meet certification requirements. However, the use of the compliance method does not ensure that a specific combination of product and upholstery is certified as being CAL133 compliant.

Cost and procedure:

The product assembly, test and certification cost is as follow:

- Non-flammable lining at \$45 net per yard;
- Certification at a cost of \$721 net per item;
- Cost of the product to be tested and freight to the licensed testing facility.

Please take note these costs apply whether the product passes or fails the test. 4 to 8 weeks is typically needed for the certification testing lead time. Logiflex cannot ensure CAL133 certification of a combination of product and upholstery that never passed the test. Please contact your account manager to know configurations of products and upholstery that have been tested and certified.

## INTRODUCTION

### Upholstery Specification

#### CUSTOMER'S OWN MATERIAL (COM)

COM must be received three weeks prior to the acknowledged ship date. Delay in COM reception may cause deadline to be postponed. Prices of seats are then based on the grade 1 price of each model.

The following information must be included with the COM upholstery delivery and be communicated to the account manager along with the purchase order: purchase order number, customer name, upholstery supplier, upholstery name/number of the pattern and color as well as the number of yards delivered.

Customers have the option to provide Logiflex with a sample for approval prior the order. If no sample is sent for approval in advance, Logiflex is not responsible of any cost caused by an upholstery unsuitable for the product or the production process. Furthermore, Logiflex reserve the right to refuse any upholstery that does not meet Logiflex selection criteria.

Logiflex does not assume responsibility for upholstery availability, quality, performance or appearance, and Logiflex warranty exclude customer's own materials.

#### COM SHIPPING PROCEDURE

COM must be delivered at Logiflex factory with freight and duties paid. All charges to COM acquisition on the customer's behalf will be passed onto the customer.

Shipping address: Logiflex  
 Attn: Receiver  
 1235 St-Roch North Road  
 Sherbrooke (Quebec)  
 Canada J1N 0H2

#### UPHOLSTERY YARDAGE CALCULATION















Yardage is calculate in yards assuming that upholstery is 54" wide with no pattern.

Additional yardage may be needed is the upholstery is less than 54" wide, if there is a pattern repeat or if it is shipped in separate pieces. Please consult the following table in order to know the percentage of extra yardage required. The repeat of the pattern is calculate by adding up the horizontal and vertical repeat measurements.

Table: Percentage of extra COM yardage

Upholstery Width	Plain	Repeat 2" - 14"	Repeat 15" - 19"	Repeat 20" - 27"	Repeat 28" - 36"
54"	0%	10%	15%	20%	25%
53" - 50"	16%	20%	25%	30%	35%
48"	16%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

**INTRODUCTION**  
Patient Room Furniture | Series Presentation

SERIES	TOP	DOORS	LEG/BASE	HANDLE
 CLASSIC - LFC	 Thermally fused laminate	 Thermally fused laminate	 Thermally fused laminate kick plate	 H161
 MODERN - LFM	 Thermally fused laminate	 Thermally fused laminate	 6" H tubular metal leg	 H162
 TRADITIONAL - LFT	 Thermofoil panel with rounded edge	 Thermofoil panel with raised centre	 Arched thermofoil kick plate	 H160
 SHAKER - LFS	 Thermofoil panel with bevelled edge	 Thermofoil panel with flat centre	 Bevelled thermofoil kick plate	 H160
 ARTISAN - LFA	 Thermofoil panel with bevelled edge	 Thermofoil panel with flat centre	 6" H wooden leg	 H161

**CLASSIC SERIES**  
PATIENT ROOM FURNITURE

## CLASSIC SERIES - LFC Manufacturing Standard



### FEATURES

#### CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented.


Please see page K-3 for more information and suggestions about custom manufacturing.

#### CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.


Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.



#### TOPS


Tops of the Classic series are featureless, in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



#### DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unobstructed tracks allow partial extension and easy cleaning.

Drawer and cabinet fronts in the Classic series are made of 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



#### BASE

The sides of furniture items in the Classic series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.


#### DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

# CLASSIC SERIES - LFC


## Manufacturing Standard

### FEATURES – CONT'D



#### WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



#### HANDLE

The standard handle for the Classic series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

### 6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC	Brown Cherry
CC	Classic Chocolate
DR	Driftwood
EC	Classic Maple
TO	Tobacco
W	Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges. *Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units. Edges can be of different colors to make it easier for visually impaired individuals to identify the units.*


### WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

### SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

### OPTIONS




#### PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




#### ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



#### ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.







#### LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


# CLASSIC SERIES - LFC

## Beside Cabinets

MODEL	DESCRIPTION	CODE	LFC
TC1 	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C	
		201832TC1	517
		241832TC1	535
TC2 	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		201832TC2R	590
		201832TC2L	590
		241832TC2R	608
		241832TC2L	608
TC3 	Bedside cabinet: - 3 drawers with handle; - 1 air vent.  <i>Height of the first drawer different from the bottom drawers</i>	A B C	
		201832TC3	722
		241832TC3	743
TC4 	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C	
		201832TC4	903
		241832TC4	929

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS

#### Locking casters



Locking, swivel polyurethane casters  
 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height.

WF 55 / set of 4

#### Plastic Drawer Liner







White plastic drawer liner / For top drawer only

BP 85

Handle For handle other than the H161 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**CLASSIC SERIES - LFC**  
Dressers

MODEL	DESCRIPTION	CODE	LFC
COM2 	Dresser: - 2 drawers with handle; - 1 air vent.	A B C	
		203032COM2	734
		203632COM2	765
		243032COM2	756
		243632COM2	790
COM3 	Dresser: - 3 drawers with handle; - 1 air vent.	A B C	
		203032COM3	828
		203632COM3	862
		243032COM3	856
		243632COM3	893
COM4 	Dresser: - 4 drawers with handle; - 1 air vent.	A B C	
		203044COM4	1070
		203644COM4	1115
		243044COM4	1107
		243644COM4	1156
COM6 	Dresser: - 6 drawers with handle; - 2 air vents.	A B C	
		204832COM6	1502
		244832COM6	1545


See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

**Anti-Tipping Kit**






Anti-tipping kit made from steel and galvanized steel cable

DECR 45

**Handle** For handle other than the H161 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3

**CLASSIC SERIES - LFC**  
Hutches

MODEL	DESCRIPTION	CODE	LFC
HL28 	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HL28	613
		1636HL28	636
HLA40 	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA40	692
		1636HLA40	718
HLA52 	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA52	767
		1636HLA52	799


See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


**Additional Shelf**



Additional adjustable shelf with supports included

30" W	SH1428	45
36" W	SH1434	55

**Anti-Tipping Kit**



Anti-tipping kit made from steel and galvanized steel cable.  
*Two kits are required for hutches.*



DECR	45 ea.
------	--------

**Handle** For handle other than the H161 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3

# CLASSIC SERIES - LFC

## Wardrobes

MODEL	DESCRIPTION	CODE	LFC
<b>PEN1</b> 	Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		242072PEN1R	959
		242072PEN1L	959
<b>PEN2</b> 	Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		242084PEN2R	1229
		242084PEN2L	1229


See pages B-2 and B-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

SH2218 45

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECOR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

**CLASSIC SERIES - LFC**  
Wardrobes

MODEL	DESCRIPTION	CODE	LFC
<b>PEN3</b> 	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 air vents.	A B C	
		243072PEN3	1162
		243672PEN3	1223
		244272PEN3	1279
<b>PEN4</b> 	Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	A B C	
		243072PEN4	1460
		243672PEN4	1529
		244272PEN4	1594


See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


**Additional Shelf**



Additional adjustable shelf with supports included

PEN3	SH2228	70
	SH2234	85
	SH2240	101
PEN4	SH2213	33
	SH2217	43
	SH2220	50

**Anti-Tipping Kit**





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

**Handle** For handle other than the H161 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3

**CLASSIC SERIES - LFC**  
Wardrobes

MODEL	DESCRIPTION	CODE	LFC
<b>PEN5</b> 	Wardrobe with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN5	1505
		243684PEN5	1581
		244284PEN5	1654
<b>PEN6</b> 	Wardrobe cabinet with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN6	1823
		243684PEN6	1912
		244284PEN6	1997


See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


**Additional Shelf**



Additional adjustable shelf with supports included

PEN5	SH2228	70
	SH2234	85
	SH2240	101
PEN6	SH2213	33
	SH2217	43
	SH2220	50

**Anti-Tipping Kit**





Anti-tipping kit made from steel and galvanized steel cable

DECR	45
------	----

**Handle** For handle other than the H161 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3

**CLASSIC SERIES - LFC**  
Wardrobes

MODEL	DESCRIPTION	CODE	LFC
<b>PEN7</b> 	Wardrobe with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN7	1662
		243684PEN7	1744
		244284PEN7	1821
<b>PEN8</b> 	Wardrobe cabinet with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN8	1934
		243684PEN8	2024
		244284PEN8	2112


See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


Additional Shelf



Additional adjustable shelf with supports included

PEN7	SH2228	70
	SH2234	85
	SH2240	101
PEN8	SH2213	33
	SH2217	43
	SH2220	50

Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**CLASSIC SERIES - LFC**  
**Wardrobes**


MODEL	DESCRIPTION	CODE	LFC
<b>PEN9</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 open space with 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN9R	1924
		244272PEN9L	1924
		244872PEN9R	1995
		244872PEN9L	1995
<b>PEN10</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 cabinet with 2 doors, handle and 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN10R	2148
		244272PEN10L	2148
		244872PEN10R	2219
		244872PEN10L	2219

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


<b>Anti-Tipping Kit</b>			
	Anti-tipping kit made from steel and galvanized steel cable	DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

**CLASSIC SERIES - LFC**  
**Headboards and Footboards**

MODEL	DESCRIPTION	CODE	LFC
TLRT	Rectangular headboard	A B 3442TLRT	164
PLRT	Rectangular footboard	A B 2742PLRT	130
TLCX	Curved headboard	A B C 343742TLCX	178
PLCX	Curved footboard	A B C 273042PLCX	144

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

Customized Products For further information about customized products, see page K-3

**MODERN SERIES**  
PATIENT ROOM FURNITURE

## MODERN SERIES - LFM

### Manufacturing Standard



#### FEATURES

##### CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

##### CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.


Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.



##### TOPS


Tops of the Modern series are featureless, in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



##### DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unobstructed tracks allow partial extension and easy cleaning.

Drawer and cabinet fronts in the Classic series are made of 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



##### LEGS

For an easier room maintenance, Modern series is offered with 6" H tubular metal legs, satin nickel finish, with height adjustable, non-marking glides.

6" H oval metal legs, with satin nickel finish, are available as an option. This must be specified in the order.


##### DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

## MODERN SERIES - LFM


### Manufacturing Standard

#### FEATURES – CONT'D



#### WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



#### HANDLE

The standard handle for the Modern series is the H162, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

#### 6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC	Brown Cherry
CC	Classic Chocolate
DR	Driftwood
EC	Classic Maple
TO	Tobacco
W	Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges. *Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units. Edges can be of different colors to make it easier for visually impaired individuals to identify the units.*


#### WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

#### SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

#### OPTIONS




#### PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




#### ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



#### ADDITIONAL ADJUSTABLE SHELF





An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



#### LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the legs and adjust the unit to the desired height.

**MODERN SERIES - LFM**  
Beside Cabinets

MODEL	DESCRIPTION	CODE	LFM
TC1 	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C	
		201832TC1	575
TC2 	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		201832TC2R	648
		201832TC2L	648
		241832TC2R	665
TC3 	Bedside cabinet: - 3 drawers with handle; - 1 air vent.  Height of the first drawer different from the bottom drawers	A B C	
		201832TC3	780
TC4 	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C	
		201832TC4	967
		241832TC4	993

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

**Legs and Casters**



6" H metal oval legs, satin nickel finish

OVAM6SN N/C



Locking, swivel polyurethane casters  
4 casters per unit. Logiflex will then remove the legs and adjust the unit to the desired height.

WF N/C

**Plastic Drawer Liner**



White plastic drawer liner / For top drawer only





BP 85

Handle For handle other than the H162 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3


## MODERN SERIES - LFM

### Dressers

MODEL	DESCRIPTION	CODE	LFM
COM2 	Dresser: - 2 drawers with handle; - 1 air vent.	A B C	
		203032COM2	796
		203632COM2	827
		243032COM2	819
		243632COM2	853
COM3 	Dresser: - 3 drawers with handle; - 1 air vent.	A B C	
		203032COM3	889
		203632COM3	922
		243032COM3	917
		243632COM3	954
COM4 	Dresser: - 4 drawers with handle; - 1 air vent.	A B C	
		203044COM4	1135
		203644COM4	1179
		243044COM4	1173
		243644COM4	1221
COM6 	Dresser: - 6 drawers with handle; - 2 air vents.	A B C	
		204832COM6	1570
		244832COM6	1613

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Oval Legs



6" H metal oval legs, satin nickel finish

OVAM6SN N/C

#### Anti-Tipping Kit






Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H162 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

**MODERN SERIES - LFM**  
Hutches

MODEL	DESCRIPTION	CODE	LFM
HL28 	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HL28	613
		1636HL28	636
HLA40 	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA40	692
		1636HLA40	718
HLA52 	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA52	767
		1636HLA52	799


See pages C-2 and C-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


**Additional Shelf**



Additional adjustable shelf with supports included

30" W	SH1428	45
36" W	SH1434	55

**Anti-Tipping Kit**



Anti-tipping kit made from steel and galvanized steel cable.  
*Two kits are required for hutches.*



DEC R	45 ea.
-------	--------

**Handle** For handle other than the H162 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3


## MODERN SERIES - LFM

### Wardrobes

MODEL	DESCRIPTION	CODE	LFM
<b>PEN1</b> 	Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		242072PEN1R	1038
		242072PEN1L	1038
<b>PEN2</b> 	Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		242084PEN2R	1307
		242084PEN2L	1307

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

#### HOW TO ORDER?



#### OPTIONS


##### Oval Legs



6" H metal oval legs, satin nickel finish

OVAM6SN N/C


##### Additional Shelf



Additional adjustable shelf with supports included

SH2218 45

##### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H162 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3


## MODERN SERIES - LFM

### Wardrobes

MODEL	DESCRIPTION	CODE	LFM
<b>PEN3</b> 	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 air vents.	A B C	
		243072PEN3	1240
		243672PEN3	1300
		244272PEN3	1357
<b>PEN4</b> 	Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	A B C	
		243072PEN4	1538
		243672PEN4	1607
		244272PEN4	1673

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

#### HOW TO ORDER?



#### OPTIONS


##### Oval Legs



6" H metal oval legs, satin nickel finish

OVAM6SN N/C


##### Additional Shelf



Additional adjustable shelf with supports included

PEN3	SH2228	70
	SH2234	85
	SH2240	101
PEN4	SH2213	33
	SH2217	43
	SH2220	50

##### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H162 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

## MODERN SERIES - LFM

### Wardrobes

MODEL	DESCRIPTION	CODE	LFM
<b>PEN5</b> 	Wardrobe with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN5	1583
		243684PEN5	1659
		244284PEN5	1732
<b>PEN6</b> 	Wardrobe cabinet with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN6	1901
		243684PEN6	1990
		244284PEN6	2074

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Oval Legs



6" H metal oval legs, satin nickel finish

OVAM6SN N/C


#### Additional Shelf



Additional adjustable shelf with supports included

PEN5	SH2228	70
	SH2234	85
	SH2240	101
PEN6	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H162 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3


## MODERN SERIES - LFM

### Wardrobes

MODEL	DESCRIPTION	CODE	LFM
<b>PEN7</b> 	Wardrobe with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN7	1741
		243684PEN7	1821
		244284PEN7	1898
<b>PEN8</b> 	Wardrobe cabinet with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN8	2013
		243684PEN8	2102
		244284PEN8	2189

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Oval Legs



6" H metal oval legs, satin nickel finish

OVAM6SN N/C


#### Additional Shelf



Additional adjustable shelf with supports included

Model	Shelf Code	LFM
PEN7	SH2228	70
	SH2234	85
	SH2240	101
PEN8	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

**Handle** For handle other than the H162 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3


## MODERN SERIES - LFM

### Wardrobes

MODEL	DESCRIPTION	CODE	LFM
 <p>PEN9</p>	<p>Wardrobe cabinet:</p> <ul style="list-style-type: none"> <li>- 1 door with handle;</li> <li>- 1 safety garment rail under adjustable shelf;</li> <li>- 1 open space with 2 adjustable shelves;</li> <li>- 3 drawers with handle;</li> <li>- 2 air vents.</li> </ul> <p>"R" right side wardrobe "L" left side wardrobe</p>	A B C	
		244272PEN9R	2001
		244272PEN9L	2001
		244872PEN9R	2072
		244872PEN9L	2072
 <p>PEN10</p>	<p>Wardrobe cabinet:</p> <ul style="list-style-type: none"> <li>- 1 door with handle;</li> <li>- 1 safety garment rail under adjustable shelf;</li> <li>- 1 cabinet with 2 doors, handle and 2 adjustable shelves;</li> <li>- 3 drawers with handle;</li> <li>- 2 air vents.</li> </ul> <p>"R" right side wardrobe "L" left side wardrobe</p>	A B C	
		244272PEN10R	2225
		244272PEN10L	2225
		244872PEN10R	2296
		244872PEN10L	2296

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Oval Legs



6" H metal oval legs, satin nickel finish

OVAM6SN N/C

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H162 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**MODERN SERIES - LFM**  
**Headboards and Footboards**

MODEL	DESCRIPTION	CODE	LFM
TLRT	Rectangular headboard	A B 3442TLRT	164
PLRT	Rectangular footboard	A B 2742PLRT	130
TLCX	Curved headboard	A B C 343742TLCX	178
PLCX	Curved footboard	A B C 273042PLCX	144

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

Customized Products For further information about customized products, see page K-3

**TRADITIONAL SERIES**  
PATIENT ROOM FURNITURE

## TRADITIONAL SERIES - LFT Manufacturing Standard



### FEATURES

#### CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented.


Please see page K-3 for more information and suggestions about custom manufacturing.

#### CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




#### TOPS

Tops of Traditional series have rounded edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


*To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.*



#### DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unobstructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Traditional series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



#### BASE


The sides of furniture items in the Traditional series go right to the ground and are equipped with height adjustable, non-marking glides. The front features an arched kick plate in seamless thermofoil 3/4" MDF panel.

#### DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.


## TRADITIONAL SERIES - LFT Manufacturing Standard

### FEATURES – CONT'D



#### WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



#### HANDLE

The standard handle for the Traditional series is the H160, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. Handles have been selected for their ergonomic characteristics.

### 6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC	Brown Cherry
CC	Classic Chocolate
DR	Driftwood
EC	Classic Maple
TO	Tobacco
W	Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates and PVC edges.

*Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.*


### WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

### SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

### OPTIONS




#### SPILL-GUARD EDGE

Tops of Traditional bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




#### PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




#### ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



#### ADDITIONAL ADJUSTABLE SHELF





An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



#### LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.

## TRADITIONAL SERIES - LFT Beside Cabinets

MODEL	DESCRIPTION	CODE	LFT
TC1 	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C	
		201832TC1	582
		241832TC1	609
TC2 	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		201832TC2R	703
		201832TC2L	703
		241832TC2R	730
		241832TC2L	730
TC3 	Bedside cabinet: - 3 drawers with handle; - 1 air vent.  <i>Height of the first drawer different            from the bottom drawers</i>	A B C	
		201832TC3	835
		241832TC3	865
TC4 	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C	
		201832TC4	1027
		241832TC4	1062

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS

#### Locking casters



Locking, swivel polyurethane casters  
 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height.

WF 55 / set of 4

#### Spill-Guard Edge



Spill-guard edge surface on bedside cabinet tops

SG 21

#### Plastic Drawer Liner







White plastic drawer liner / For top drawer only

BP 85

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

## TRADITIONAL SERIES - LFT Dressers

MODEL	DESCRIPTION	CODE	LFT
COM2 	Dresser: - 2 drawers with handle; - 1 air vent.	A B C	
		203032COM2	932
		203632COM2	1004
		243032COM2	970
		243632COM2	1049
COM3 	Dresser: - 3 drawers with handle; - 1 air vent.	A B C	
		203032COM3	1032
		203632COM3	1107
		243032COM3	1075
		243632COM3	1158
COM4 	Dresser: - 4 drawers with handle; - 1 air vent.	A B C	
		203044COM4	1351
		203644COM4	1454
		243044COM4	1406
		243644COM4	1515
COM6 	Dresser: - 6 drawers with handle; - 2 air vents.	A B C	
		204832COM6	1876
		244832COM6	1947


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS

#### Anti-Tipping Kit






Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

## TRADITIONAL SERIES - LFT Hutches

MODEL	DESCRIPTION	CODE	LFT
HL28 	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HL28	748
		1636HL28	798
HLA40 	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA40	828
		1636HLA40	882
HLA52 	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA52	903
		1636HLA52	963


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

30" W	SH1428	45
36" W	SH1434	55

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable.  
*Two kits are required for hutches.*

DECR 45 ea.

Handle For handle other than the H160 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

# TRADITIONAL SERIES - LFT Wardrobes

MODEL	DESCRIPTION	CODE	LFT
<b>PEN1</b> 	Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		242072PEN1R	1302
		242072PEN1L	1302
<b>PEN2</b> 	Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		242084PEN2R	1615
		242084PEN2L	1615


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS


### Additional Shelf



Additional adjustable shelf with supports included

SH2218 45

### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

**Handle** For handle other than the H160 standard, please see page K-2 / No charge


**Customized Products** For further information about customized products, see page K-3

# TRADITIONAL SERIES - LFT Wardrobes

MODEL	DESCRIPTION	CODE	LFT
<b>PEN3</b> 	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 air vents.	A B C	
		243072PEN3	1673
		243672PEN3	1841
		244272PEN3	2004
<b>PEN4</b> 	Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	A B C	
		243072PEN4	1970
		243672PEN4	2147
		244272PEN4	2320


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS


### Additional Shelf



Additional adjustable shelf with supports included

PEN3	SH2228	70
	SH2234	85
	SH2240	101
PEN4	SH2213	33
	SH2217	43
	SH2220	50

### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

## TRADITIONAL SERIES - LFT Wardrobes

MODEL	DESCRIPTION	CODE	LFT
<b>PEN5</b> 	Wardrobe with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN5	2071
		243684PEN5	2266
		244284PEN5	2458
<b>PEN6</b> 	Wardrobe cabinet with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN6	2390
		243684PEN6	2597
		244284PEN6	2801


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN5	SH2228	70
	SH2234	85
	SH2240	101
PEN6	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

## TRADITIONAL SERIES - LFT Wardrobes

MODEL	DESCRIPTION	CODE	LFT
<b>PEN7</b> 	Wardrobe with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN7	2229
		243684PEN7	2428
		244284PEN7	2623
<b>PEN8</b> 	Wardrobe cabinet with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN8	2501
		243684PEN8	2709
		244284PEN8	2914


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN7	SH2228	70
	SH2234	85
	SH2240	101
PEN8	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

# TRADITIONAL SERIES - LFT Wardrobes

MODEL	DESCRIPTION	CODE	LFT
<b>PEN9</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 open space with 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN9R	2410
		244272PEN9L	2410
		244872PEN9R	2539
		244872PEN9L	2539
<b>PEN10</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 cabinet with 2 doors, handle and 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN10R	2853
		244272PEN10L	2853
		244872PEN10R	2982
		244872PEN10L	2982


See pages D-2 and D-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS

### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**TRADITIONAL SERIES - LFT**  
**Headboards and Footboards**

MODEL	DESCRIPTION	CODE	LFT
TLRT	Rectangular headboard	A B 3442TLRT	164
PLRT	Rectangular footboard	A B 2742PLRT	130
TLCX	Curved headboard	A B C 343742TLCX	178
PLCX	Curved footboard	A B C 273042PLCX	144

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

Customized Products For further information about customized products, see page K-3

**SHAKER SERIES**  
PATIENT ROOM FURNITURE

## SHAKER SERIES - LFS Manufacturing Standard



### FEATURES

#### CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

#### CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




#### TOPS

Tops of Shaker series have bevelled edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


*To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.*



#### DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unobstructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Shaker series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



#### BASE

The sides of furniture items in the Classic series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a bevelled kick plate in seamless thermofoil 3/4" MDF panel.


#### DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

# SHAKER SERIES - LFS


## Manufacturing Standard

### FEATURES – CONT'D



#### WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



#### HANDLE

The standard handle for the Shaker series is the H160, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

### 6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC	Brown Cherry
CC	Classic Chocolate
DR	Driftwood
EC	Classic Maple
TO	Tobacco
W	Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates and PVC edges.

*Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.*


### WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

### SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

### OPTIONS




#### SPILL-GUARD EDGE

Tops of Shaker bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




#### PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




#### ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



#### ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.







#### LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


# SHAKER SERIES - LFS

## Beside Cabinets

MODEL	DESCRIPTION	CODE	LFS
TC1 	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C	
		201832TC1	587
		241832TC1	614
TC2 	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		201832TC2R	722
		201832TC2L	722
		241832TC2R	749
		241832TC2L	749
TC3 	Bedside cabinet: - 3 drawers with handle; - 1 air vent.  <i>Height of the first drawer different from the bottom drawers</i>	A B C	
		201832TC3	855
		241832TC3	885
TC4 	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C	
		201832TC4	1049
		241832TC4	1084

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Locking casters



Locking, swivel polyurethane casters  
 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height.

WF 55 / set of 4

#### Spill-Guard Edge



Spill-guard edge surface on bedside cabinet tops

SG 21

#### Plastic Drawer Liner







White plastic drawer liner / For top drawer only

BP 85

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**SHAKER SERIES - LFS**  
Dressers

MODEL	DESCRIPTION	CODE	LFS
COM2 	Dresser: - 2 drawers with handle; - 1 air vent.	A B C	
		203032COM2	963
		203632COM2	1041
		243032COM2	1001
		243632COM2	1086
COM3 	Dresser: - 3 drawers with handle; - 1 air vent.	A B C	
		203032COM3	1066
		203632COM3	1148
		243032COM3	1109
		243632COM3	1198
COM4 	Dresser: - 4 drawers with handle; - 1 air vent.	A B C	
		203044COM4	1406
		203644COM4	1519
		243044COM4	1461
		243644COM4	1581
COM6 	Dresser: - 6 drawers with handle; - 2 air vents.	A B C	
		204832COM6	1937
		244832COM6	2010


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

**Anti-Tipping Kit**






Anti-tipping kit made from steel and galvanized steel cable

DECRI 45

**Handle** For handle other than the H160 standard, please see page K-2 / No charge


**Customized Products** For further information about customized products, see page K-3

# SHAKER SERIES - LFS Hutches

MODEL	DESCRIPTION	CODE	LFS
HL28 	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HL28	767
		1636HL28	822
HLA40 	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA40	848
		1636HLA40	905
HLA52 	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA52	923
		1636HLA52	987


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS


### Additional Shelf



Additional adjustable shelf with supports included

30" W	SH1428	45
36" W	SH1434	55

### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable.  
*Two kits are required for hutches.*



DECR 45 ea.

Handle For handle other than the H160 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

# SHAKER SERIES - LFS

## Wardrobes

MODEL	DESCRIPTION	CODE	LFS
<b>PEN1</b> 	Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		242072PEN1R	1373
		242072PEN1L	1373
<b>PEN2</b> 	Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent.  "R" right side hinges "L" left side hinges	A B C	
		242084PEN2R	1700
		242084PEN2L	1700


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

SH2218 45

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

# SHAKER SERIES - LFS

## Wardrobes

MODEL	DESCRIPTION	CODE	LFS
<b>PEN3</b> 	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 air vents.	A B C	
		243072PEN3	1781
		243672PEN3	1969
		244272PEN3	2156
<b>PEN4</b> 	Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	A B C	
		243072PEN4	2078
		243672PEN4	2276
		244272PEN4	2471


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN3	SH2228	70
	SH2234	85
	SH2240	101
PEN4	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**SHAKER SERIES - LFS**  
Wardrobes

MODEL	DESCRIPTION	CODE	LFS
<b>PEN5</b> 	Wardrobe with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN5	2196
		243684PEN5	2415
		244284PEN5	2632
<b>PEN6</b> 	Wardrobe cabinet with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN6	2513
		243684PEN6	2746
		244284PEN6	2975


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


**Additional Shelf**



Additional adjustable shelf with supports included

PEN5	SH2228	70
	SH2234	85
	SH2240	101
PEN6	SH2213	33
	SH2217	43
	SH2220	50

**Anti-Tipping Kit**



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

**Handle** For handle other than the H160 standard, please see page K-2 / No charge

**Customized Products** For further information about customized products, see page K-3

# SHAKER SERIES - LFS

## Wardrobes

MODEL	DESCRIPTION	CODE	LFS
<b>PEN7</b> 	Wardrobe with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN7	2354
		243684PEN7	2578
		244284PEN7	2799
<b>PEN8</b> 	Wardrobe cabinet with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN8	2625
		243684PEN8	2858
		244284PEN8	3089


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN7	SH2228	70
	SH2234	85
	SH2240	101
PEN8	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H160 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**SHAKER SERIES - LFS**  
Wardrobes

MODEL	DESCRIPTION	CODE	LFS
<b>PEN9</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 open space with 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN9R	2497
		244272PEN9L	2497
		244872PEN9R	2635
		244872PEN9L	2635
<b>PEN10</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 cabinet with 2 doors, handle and 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN10R	3003
		244272PEN10L	3003
		244872PEN10R	3140
		244872PEN10L	3140


See pages E-2 and E-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

**Anti-Tipping Kit**



Anti-tipping kit made from steel and galvanized steel cable

DECR 45

**Handle** For handle other than the H160 standard, please see page K-2 / No charge


**Customized Products** For further information about customized products, see page K-3

**SHAKER SERIES - LFS**  
**Headboards and Footboards**

MODEL	DESCRIPTION	CODE	LFS
TLRT	Rectangular headboard	A B 3442TLRT	164
PLRT	Rectangular footboard	A B 2742PLRT	130
TLCX	Curved headboard	A B C 343742TLCX	178
PLCX	Curved footboard	A B C 273042PLCX	144

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

Customized Products For further information about customized products, see page K-3

**ARTISAN SERIES**  
PATIENT ROOM FURNITURE

## ARTISAN SERIES - LFA Manufacturing Standard



### FEATURES

#### CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented.


Please see page K-3 for more information and suggestions about custom manufacturing.

#### CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




#### TOPS

Tops of Artisan series have bevelled edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


*To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.*



#### DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unobstructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Artisan series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



#### LEGS

For an easier room maintenance, Artisan series is offered with 6" H wooden legs with height adjustable, non-marking glides.


#### DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

# ARTISAN SERIES - LFA


## Manufacturing Standard

### FEATURES – CONT'D



#### WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



#### HANDLE

The standard handle for the Classic series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

### 6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC	Brown Cherry
CC	Classic Chocolate
DR	Driftwood
EC	Classic Maple
TO	Tobacco
W	Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates, wooden legs and PVC edges.

*Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.*


### WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

### SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

### OPTIONS




#### SPILL-GUARD EDGE

Tops of Artisan bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




#### PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




#### ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



#### ADDITIONAL ADJUSTABLE SHELF





An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



#### LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the legs and adjust the unit to the desired height.

## ARTISAN SERIES - LFA Beside Cabinets

MODEL	DESCRIPTION	CODE	LFA
TC1 	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C	
		201832TC1	696
		241832TC1	723
TC2 	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		201832TC2R	831
		201832TC2L	831
		241832TC2R	858
241832TC2L	858		
TC3 	Bedside cabinet: - 3 drawers with handle; - 1 air vent.  <i>Height of the first drawer different              from the bottom drawers</i>	A B C	
		201832TC3	964
		241832TC3	994
TC4 	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C	
		201832TC4	1167
		241832TC4	1202

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Locking casters



Locking, swivel polyurethane casters  
 4 casters per unit. Logiflex will then remove the legs and adjust the unit to the desired height.

WF N/C

#### Spill-Guard Edge



Spill-guard edge surface on bedside cabinet tops

SG 21

#### Plastic Drawer Liner







White plastic drawer liner / For top drawer only

BP 85

Handle For handle other than the H161 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**ARTISAN SERIES - LFA**  
Dressers

MODEL	DESCRIPTION	CODE	LFA
COM2 	Dresser: - 2 drawers with handle; - 1 air vent.	A B C	
		203032COM2	1075
		203632COM2	1149
		243032COM2	1114
		243632COM2	1195
COM3 	Dresser: - 3 drawers with handle; - 1 air vent.	A B C	
		203032COM3	1175
		203632COM3	1254
		243032COM3	1218
		243632COM3	1304
COM4 	Dresser: - 4 drawers with handle; - 1 air vent.	A B C	
		203044COM4	1523
		203644COM4	1633
		243044COM4	1577
		243644COM4	1694
COM6 	Dresser: - 6 drawers with handle; - 2 air vents.	A B C	
		204832COM6	2051
		244832COM6	2123


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

**Anti-Tipping Kit**






Anti-tipping kit made from steel and galvanized steel cable

DECRI 45

**Handle** For handle other than the H161 standard, please see page K-2 / No charge


**Customized Products** For further information about customized products, see page K-3

# ARTISAN SERIES - LFA Hutches

MODEL	DESCRIPTION	CODE	LFA
HL28 	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HL28	767
		1636HL28	822
HLA40 	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA40	848
		1636HLA40	905
HLA52 	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. <i>13" H inside space</i>	A B C	
		1630HLA52	923
		1636HLA52	987


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS


### Additional Shelf



Additional adjustable shelf with supports included

30" W	SH1428	45
36" W	SH1434	55

### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable.  
*Two kits are required for hutches.*



DECR 45 ea.

Handle For handle other than the H161 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

# ARTISAN SERIES - LFA

## Wardrobes

MODEL	DESCRIPTION	CODE	LFA
PEN1 	Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		242072PEN1R	1521
		242072PEN1L	1521
PEN2 	Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent.  <i>"R" right side hinges</i> <i>"L" left side hinges</i>	A B C	
		242084PEN2R	1848
		242084PEN2L	1848


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

SH2218 45

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

# ARTISAN SERIES - LFA

## Wardrobes

MODEL	DESCRIPTION	CODE	LFA
PEN3 	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 air vents.	A B C	
		243072PEN3	1921
		243672PEN3	2106
		244272PEN3	2288
PEN4 	Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	A B C	
		243072PEN4	2219
		243672PEN4	2412
		244272PEN4	2603


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN3	SH2228	70
	SH2234	85
	SH2240	101
PEN4	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

# ARTISAN SERIES - LFA

## Wardrobes

MODEL	DESCRIPTION	CODE	LFA
<b>PEN5</b> 	Wardrobe with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN5	2336
		243684PEN5	2551
		244284PEN5	2763
<b>PEN6</b> 	Wardrobe cabinet with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents.	A B C	
		243084PEN6	2654
		243684PEN6	2882
		244284PEN6	3106


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN5	SH2228	70
	SH2234	85
	SH2240	101
PEN6	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit



Anti-tipping kit made from steel and galvanized steel cable



DECR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3


# ARTISAN SERIES - LFA

## Wardrobes

MODEL	DESCRIPTION	CODE	LFA
<b>PEN7</b> 	Wardrobe with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN7	2495
		243684PEN7	2714
		244284PEN7	2930
<b>PEN8</b> 	Wardrobe cabinet with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents.	A B C	
		243084PEN8	2767
		243684PEN8	2995
		244284PEN8	3221


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS


#### Additional Shelf



Additional adjustable shelf with supports included

PEN7	SH2228	70
	SH2234	85
	SH2240	101
PEN8	SH2213	33
	SH2217	43
	SH2220	50

#### Anti-Tipping Kit





Anti-tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge


Customized Products For further information about customized products, see page K-3

**ARTISAN SERIES - LFA**  
Wardrobes


MODEL	DESCRIPTION	CODE	LFA
<b>PEN9</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 open space with 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN9R	2629
		244272PEN9L	2629
		244872PEN9R	2762
		244872PEN9L	2762
<b>PEN10</b> 	Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 cabinet with 2 doors, handle and 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.  <i>"R" right side wardrobe</i> <i>"L" left side wardrobe</i>	A B C	
		244272PEN10R	3135
		244272PEN10L	3135
		244872PEN10R	3268
		244872PEN10L	3268

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**


<b>Anti-Tipping Kit</b>			
	Anti-tipping kit made from steel and galvanized steel cable	DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

**ARTISAN SERIES - LFA**  
**Headboards and Footboards**

MODEL	DESCRIPTION	CODE	LFA
TLRT	Rectangular headboard	A B 3442TLRT	164
PLRT	Rectangular footboard	A B 2742PLRT	130
TLCX	Curved headboard	A B C 343742TLCX	178
PLCX	Curved footboard	A B C 273042PLCX	144

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



**OPTIONS**

Customized Products For further information about customized products, see page K-3

# TABLE SERIES

FLEX, ALL-PURPOSE & OCCASIONAL TABLES

**TABLES SERIES - LF**  
**Manufacturing Standard**



**FEATURES**

**TOPS**

All Logilife Tables are made of 3/4" thermally fused laminate or high pressure laminate tops with 2mm heat-sealed PVC edges.



**FLEX TABLES**

Flex tables offer independent height adjustment of each surface. Surfaces are adjustable from 27" to 33". Bases are designed to allow maximum clearance to facilitate medical assistant duties. Tables are equipped with height adjustable glides.

**TABLES WITH HEIGHT ADJUSTABLE MECHANISM**

Tables provided with a pneumatic mechanism base can be adjust in height from 28" to 36".

**LIMITED LIFETIME WARRANTY**

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

**WOODGRAINS AND COLORS**

5 wood grain colors and 1 solid color are offered in the Logilife series:

BC	Brown Cherry	DR	Driftwood	TO	Tobacco
CC	Classic Chocolate	EC	Classic Maple	W	Polar White

**CUSTOMIZED PRODUCTS**

The models presented here are suggestions: they can all be modified according to your needs. Please see page K-3 for more information and suggestions about custom manufacturing.

**OPTIONS**



**FLIP-TOP MECHANISM | TABLES WITH BPX BASES**

Tables with pneumatic mechanism can be ordered with a flip-top mechanism to reduce the storage footprint.



**LAZY SUSAN | FLEX TABLES**

Flex tables can receive a central swivel circular tray.



**CURVED FRONTS | FLEX TABLES**







Flex table surfaces may have a concave shape for the user comfort.



**SLIDING ACTION | FLEX TABLES**


Each top of Flex tables can be provided with independent mechanism for adjustability in depth in order to move tops forward. 1 mechanism per top is needed.

## TABLES SERIES - LF All-purpose Tables

MODEL	DESCRIPTION	CODE	LF	LFL
<b>TCAIFNSN</b> 	All-purpose table: - square surface with rounded corners; - 2-1/2" metal tubular legs, satin nickel finish.	A	<i>tfl</i>	<i>hpl</i>
		36TCAIFNSN	475	629
		42TCAIFNSN	505	693
<b>TAIFNSN</b> 	All-purpose table: - rectangular surface with rounded corners; - 2-1/2" metal tubular legs, satin nickel finish.	A B	<i>tfl</i>	<i>hpl</i>
		2430TAIFNSN	442	583
		3036TAIFNSN	465	607
		3648TAIFNSN	505	649
<b>TRIFNSN</b> 	All-purpose table: - circular surface; - 2-1/2" metal tubular legs, satin nickel finish.	A		
		36TRIFNSN	475	629
		42TRIFNSN	505	693
<b>TCAOVASN</b> 	All-purpose table: - square surface with rounded corners; - metal oval legs, satin nickel finish.	A		
		36TCAOVASN	703	893
		42TCAOVASN	733	957
<b>TAOVASN</b> 	All-purpose table: - rectangular surface with rounded corners; - metal oval legs, satin nickel finish.	A B	<i>tfl</i>	<i>hpl</i>
		2430TAOVASN	680	833
		3036TAOVASN	757	914
		3648TAOVASN	773	930
<b>TROVASN</b> 	All-purpose table: - circular surface; - metal oval legs, satin nickel finish.	A		
		36TROVASN	703	893
		42TROVASN	733	957




See pages G-2 and G-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?




# TABLES SERIES - LF

## All-purpose Tables




MODEL	DESCRIPTION	CODE	LF	LFL
<b>TCASTA4</b> 	All-purpose table: - Square surface with rounded corners; - 1-1/2" metal tubular base.	A	<i>tfl</i>	<i>hpl</i>
		24TCASTA424SN29	633	730
<b>TRSTA4</b> 	All-purpose table: - Circular surface; - 1-1/2" metal tubular base.	A	<i>tfl</i>	<i>hpl</i>
		24TRSTA424SN29	619	715
<b>TASTA2</b> 	All-purpose table: - Rectangular surface with rounded corners; - 1-1/2" metal tubular legs. <i>Black support bar (BST) included for tables 60" long</i>	A B	<i>tfl</i>	<i>hpl</i>
		2436TASTA224SN	835	974
		2442TASTA224SN	843	999
		2448TASTA224SN	849	1021
		2454TASTA224SN	855	1044
		2460TASTA224SN	926	1134

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?




## TABLES SERIES - LF All-purpose Tables

MODEL	DESCRIPTION	CODE	LF	LFL
<b>TCABPXSN</b> 	All-purpose tables: - Square surface with rounded corners; - metal tubular base with pneumatic mechanism.  <i>Adjustable height from 28" to 36"</i>	A	<i>tfl</i>	<i>hpl</i>
		38TCABPXSN	1327	1512
		42TCABPXSN	1361	1577
<b>TRBPXSN</b> 	All-purpose tables: - Circular surface; - metal tubular base with pneumatic mechanism.  <i>Adjustable height from 28" to 36"</i>	A		
		38TRBPXSN	1332	1517
		42TRBPXSN	1366	1582
<b>ARCBPXSN</b> 	All-purpose tables: - Square surface with concave corners; - metal tubular base with pneumatic mechanism.  <i>Adjustable height from 28" to 36"</i>	A		
		42ARCBPXSN	1422	1642

See pages G-2 and G-3 for series materials, finishes and manufacturing standard




### HOW TO ORDER?



### OPTIONS

Flip-top mechanism	Addition of a flip-top mechanism	FT	102
--------------------	----------------------------------	----	-----

**TABLES SERIES - LF**  
Flex Tables


MODEL	DESCRIPTION	CODE	LFL
FLEX2 	2-top adjustable table: - 2 tops with rounded corners; - independent mechanisms adjustables in height.	FLEX2	<i>hpl</i> * Price on demand
FLEX3 	3-top adjustable cross table: - 3 tops with rounded corners; - independent mechanisms adjustables in height.	FLEX3	* Price on demand
FLEX4T 	4-top adjustable table: - 4 tops with rounded corners; - independent mechanisms adjustables in height.	FLEX4T	* Price on demand
FLEX4X 	4-top adjustable cross table: - 4 tops with rounded corners; - independent mechanisms adjustables in height.	FLEX4X	* Price on demand

**DIMENSIONS**

	Overall Width	Overall Depth	Height Min.	Height Max.	Surfaces Width	Surfaces Depth
FLEX2	30	45	27	33	30	22
FLEX3	46,5	46,5	27	33	24	24
FLEX4T	52,5	45	27	33	26	22
FLEX4X	51	51	27	33	24	24

See pages G-2 and G-3 for series materials, finishes and manufacturing standard








**HOW TO ORDER?**



**OPTIONS**


Lazy susan	Central swivel circular tray	PC	* Price on demand
Curved fronts	A concave curve on the front can be apply on all table surfaces	CV	N/C
Sliding action	Each top can be provided with independent mechanism for adjustability in depth <i>1 mechanism per top is needed</i>	AP	* Price on demand

**TABLES SERIES - LF**  
Occasional Tables








MODEL	DESCRIPTION	CODE	LFW	LFWL
<b>TCWL</b> 	Side table: - square surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B	<i>tfl</i>	<i>hpl</i>
		20TCWL22	491	581
		24TCWL22	507	623
<b>TWL</b> 	Side table: - rectangular surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B C		
		1620TWL22	483	553
		2024TWL22	499	592
<b>TRWL</b> 	Side table: - circular surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B		
		24TRWL22	597	711
<b>TRWL</b> 	Coffee table: - circular surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B		
		24TRWL16	573	685
		30TRWL16	614	774
		36TRWL16	644	864
<b>TWL</b> 	Coffee table: - rectangular surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B C		
		2436TWL16	528	688
		2448TWL16	562	764
<b>ELWL</b> 	Coffee table: - elliptical surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B C		
		2436ELWL16	612	768
		2448ELWL16	646	844
<b>TWL</b> 	Sofa table: - rectangular surface; - wooden apron and 2-1/4" x 2-1/4" taper legs.	A B C		
		1436TWL30	544	645
		1448TWL30	573	698
		1460TWL30	592	744

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**




**TABLES SERIES - LF**  
Occasional Tables

MODEL	DESCRIPTION	CODE	LFW	LFWL
<b>TCWLG</b> 	Side table: - square surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B	<i>tfl</i>	<i>hpl</i>
		20TCWLG22	564	651
		24TCWLG22	581	693
<b>TWLG</b> 	Side table: - rectangular surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B C		
		1620TWLG22	557	630
		2024TWLG22	573	671
<b>TRWLG</b> 	Side table: - circular surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B		
		24TRWLG22	664	781
<b>TRWLG</b> 	Coffee table: - circular surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B		
		24TRWLG16	615	729
		30TRWLG16	656	819
		36TRWLG16	686	908
<b>TWLG</b> 	Coffee table: - rectangular surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B C		
		2436TWLG16	571	725
		2448TWLG16	605	801
<b>ELWLG</b> 	Coffee table: - elliptical surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B C		
		2436ELWLG16	654	813
		2448ELWLG16	688	889
<b>TWLG</b> 	Sofa table: - rectangular surface; - wooden apron and 2-1/4" x 2-1/4" curved legs.	A B C		
		1436TWLG30	647	752
		1448TWLG30	675	805
		1460TWLG30	695	852

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

**HOW TO ORDER?**



# HOSTA SERIES

WOODEN SEATS

## HOSTA SERIES - LFH Manufacturing Standard



### FEATURES



#### CONSTRUCTION | ARMCHAIRS\*

The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.



#### EASY CLEANING

All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.



#### WALL SAVER

Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.



#### SAFE AND EASY INGRESS AND EGRESS

The extended and rounded wooden armrests of Hosta seats give the user optimal support for safe and easy ingress and egress.

#### FRAME | ARMCHAIRS\*

The wooden frame is assembled with mortise and tenon construction for optimal strength. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

\*Feature not available for the general purpose chair

# HOSTA SERIES - LFH

## Manufacturing Standard

### FEATURES – CONT'D

#### WEIGHT CAPACITY | BARIATRIC ARMCHAIRS

Bariatric armchairs have a weight capacity of 750lbs.

#### CALIFORNIA TECHNICAL BULLETIN 117

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

#### LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

#### WOODGRAINS

5 wood grain colors are offered in the Logilife series:

BC	Brown Cherry
CC	Classic Chocolate
DR	Driftwood
EC	Classic Maple
TO	Tobacco

#### UPHOLSTERY SPECIFICATION

Please see section A-4 for upholstery specification.

#### CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

### OPTIONS

#### CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult page A-4 for more information.



#### POLYURETHANE ARM CAP

The optional arm cap increases durability for the armrests. It is replaceable if it becomes damaged.



#### REMOVABLE HEAD COVER

A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate cleaning.

# HOSTA SERIES - LFH

## Patient Armchairs

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
RES	 Patient armchair: - fixed molded high back; - seat with springs; - wooden frame and armrests.	LFH RES	837	895	967	1039	1111	1183
<i>For two-tone upholstery, please use the higher grade pricing</i>								
RESR	 Patient armchair: - reclining molded high back; - seat with springs; - wooden frame and armrests. <i>Angle of inclination ± 23°</i>	LFH RESR	959	1017	1089	1161	1233	1305
<i>For two-tone upholstery, please use the higher grade pricing</i>								


### DIMENSIONS & COM YARDAGE

	Width							COM yardage Seat & back	COM yardage Seat	COM yardage Back
	Overall Width	Overall Depth	Overall Height	Between Arms	Seat Height	Seat Depth	Armrest Height			
LFH RES	25	25	45,5	20,5	18	17	26	2	1	1,5
LFH RESR	25	25	45,5	20,5	18	17	26	2	1	1,5

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS

Removable head cover	Removable slipcover for head area	COM	GR1	GR2	GR3	GR4	GR5	GR6
		HT	52	66	84	102	121	138
Polyurethane arm cap	Armrests top can be covered with a polyurethane cap						UR	87
Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>							

**HOSTA SERIES - LFH**  
**Guest and Bariatric Armchairs**

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
VIS1 	Guest armchair: - molded middle back; - seat with springs; - wooden frame and armrests.	LFH VIS1	790	840	903	966	1030	1093
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
BAR 	Bariatric armchair: - molded middle back; - seat with springs; - wooden frame and armrests.  <i>Weight capacity: 750lbs</i>	LFH BAR	929	1023	1140	1258	1374	1491
		<i>For two-tone upholstery, please use the higher grade pricing</i>						


**DIMENSIONS & COM YARDAGE**

	Overall Width	Overall Depth	Overall Height	Width				COM yardage Seat & back	COM yardage Seat	COM yardage Back
				Between Arms	Seat Height	Seat Depth	Armrest Height			
LFH VIS1	25	25	36,5	20,5	18	17	26	2	1	1
LFH BAR	34	25	36,5	29,5	18	17	26	3	1,5	2

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard





**HOW TO ORDER?**



**OPTIONS**

Polyurethane arm cap	Armrests top can be covered with a polyurethane cap	UR	87
Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>		

# HOSTA SERIES - LFH Tandem Seating

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
VIS2 	2-seater: - molded middle back; - seat with springs; - wooden frame and armrests. <i>No center armrest</i>	LFH VIS2	1270	1371	1498	1623	1750	1876
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
VIS2A 	2-seater: - center armrests; - molded middle back; - seat with springs; - wooden frame and armrests.	LFH VIS2A	1436	1537	1663	1789	1916	2041
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
VIS3 	3-seater: - molded middle back; - seat with springs; - wooden frame and armrests. <i>No center armrests</i>	LFH VIS3	1731	1883	2072	2261	2450	2640
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
VIS3A 	3-seater: - center armrests; - molded middle back; - seat with springs; - wooden frame and armrests.	LFH VIS3A	2076	2228	2417	2606	2795	2985
		<i>For two-tone upholstery, please use the higher grade pricing</i>						


## DIMENSIONS & COM YARDAGE

	Overall		Overall Height	Width		Seat Height	Seat Depth	Armrest Height	COM yardage Seat & back	COM yardage Seat	COM yardage Back
	Width	Depth		Between Arms	Seat Height						
LFH VIS2	47	25	36,5	42,5	18	17	26	4	2	2	
LFH VIS2A	48	25	36,5	20,5	18	17	26	4	2	2	
LFH VIS3	68,5	25	36,5	64	18	17	26	6	3	3	
LFH VIS3A	70,5	25	36,5	20,5	18	17	26	6	3	3	

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS

Polyurethane arm cap	Armrests top can be covered with a polyurethane cap	UR	VIS2 87	VIS2A 130,5	VIS3 87	VIS3A 174
Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>					

# HOSTA SERIES - LFH

## General Purpose Chairs

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
SAM	 <p>General purpose chair:                      - molded low back;                      - molded seat;                      - wooden frame and armrests.</p>	LFH SAM	494	530	576	620	665	711
<i>For two-tone upholstery, please use the higher grade pricing</i>								


### DIMENSIONS & COM YARDAGE

	Overall	Overall	Overall	Width		Seat	Armrest	COM yardage	COM yardage	COM yardage
	Width	Depth	Height	Between	Seat					
LFH SAM	22,75	24	34	19,5	18	17	26	1,5	1	1

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS

Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>
---------	--




**MIKA SERIES**  
METAL SEATS

## MIKA SERIES - LFK Manufacturing Standard



### FEATURES



#### CONSTRUCTION | ARMCHAIRS\*

The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.



#### EASY CLEANING

All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.



#### WALL SAVER

Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.



#### SAFE AND EASY INGRESS AND EGRESS

The extended and rounded polyurethane armrests of Mika seats give the user optimal support for safe and easy ingress and egress.

#### FRAME | ARMCHAIRS\*

The metal frame is in Satin Nickel welded steel. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

\*Feature not available for the general purpose chair

# Manufacturing Standard

## FEATURES – CONT'D

### WEIGHT CAPACITIES | BARIATRIC ARMCHAIRS

Bariatric armchairs have a weight capacity of 750lbs.

### CALIFORNIA TECHNICAL BULLETIN 117

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

### LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

### METAL FINISH

Metal finish for all Mika seats is Satin Nickel (SN)

### UPHOLSTERY SPECIFICATION

Please see section A-4 for upholstery specification.

### CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

## OPTIONS

### CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult page A-4 for more information.



### REMOVABLE HEAD COVER

A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate the cleaning.

# MIKA SERIES - LFK

## Patient Armchairs

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
RES	 Patient armchair: - fixed molded high back; - seat with springs; - metal frame and polyurethane armrests.	LFK RES	1074	1132	1204	1276	1348	1420
<i>For two-tone upholstery, please use the higher grade pricing</i>								
RESR	 Patient armchair: - reclining molded high back; - seat with springs; - metal frame and polyurethane armrests.  <i>Angle of inclinasion ± 23°</i>	LFK RESR	1196	1254	1326	1398	1470	1542
<i>For two-tone upholstery, please use the higher grade pricing</i>								


### DIMENSIONS & COM YARDAGE

	Overall Width	Overall Depth	Overall Height	Width			Armrest Height	COM yardage Seat & back	COM yardage Seat	COM yardage Back
				Between Arms	Seat Height	Seat Depth				
LFK RES	25	25	45,5	20,5	18	17	26	2	1	1,5
LFK RESR	25	25	45,5	20,5	18	17	26	2	1	1,5

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS

Removable head cover	Removable slipcover for head area	HT	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>	52	66	84	102	121	138	

**MIKA SERIES - LFK**  
**Guest and Bariatric Armchairs**

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
VIS1 	Guest armchair: - molded middle back; - seat with springs; - metal frame and polyurethane armrests.	LFK VIS1	1027	1077	1140	1203	1267	1330
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
BAR 	Bariatric armchair: - molded middle back; - Seat with springs; - metal frame and polyurethane armrests.  <i>Weight capacity: 750lbs</i>	LFK BAR	1166	1260	1377	1495	1611	1728
		<i>For two-tone upholstery, please use the higher grade pricing</i>						


**DIMENSIONS & COM YARDAGE**

	Overall Width	Overall Depth	Overall Height	Width			Armrest Height	COM yardage Seat & back	COM yardage Seat	COM yardage Back
				Between Arms	Seat Height	Seat Depth				
LFK VIS1	25	25	36,5	20,5	18	17	26	2	1	1
LFK BAR	34	25	36,5	29,5	18	17	26	3	1,5	2

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard




**HOW TO ORDER?**



**OPTIONS**

Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>
---------	--

# MIKA SERIES - LFK Tandem Seating

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
	<b>2-seater:</b> - molded middle back; - Seat with springs; - metal frame and polyurethane armrests. <i>No center armrest</i>	LFK VIS2	1507	1608	1735	1860	1987	2113
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
	<b>2-seater:</b> - center armrests; - molded middle back; - Seat with springs; - metal frame and polyurethane armrests.	LFK VIS2A	1740	1841	1967	2093	2220	2345
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
	<b>3-seater:</b> - molded middle back; - Seat with springs; - metal frame and polyurethane armrests. <i>No center armrests</i>	LFK VIS3	1968	2120	2308	2498	2687	2877
		<i>For two-tone upholstery, please use the higher grade pricing</i>						
	<b>3-seater:</b> - center armrests; - molded middle back; - Seat with springs; - metal frame and polyurethane armrests.	LFK VIS3A	2447	2599	2788	2978	3166	3356
		<i>For two-tone upholstery, please use the higher grade pricing</i>						


## DIMENSIONS & COM YARDAGE

	Overall Width	Overall Depth	Overall Height	Width		Seat Depth	Armrest Height	COM yardage Seat & back	COM yardage Seat	COM yardage Back
				Between Arms	Seat Height					
LFK VIS2	47	25	36,5	42,5	18	17	26	4	2	2
LFK VIS2A	48	25	36,5	20,5	18	17	26	4	2	2
LFK VIS3	68,5	25	36,5	64	18	17	26	6	3	3
LFK VIS3A	70,5	25	36,5	20,5	18	17	26	6	3	3

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

## HOW TO ORDER?



## OPTIONS

**Cal 133** Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4  
*(The non-flammable lining does not alone ensure the product certification)*

# MIKA SERIES - LFK

## General Purpose Chairs

MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
SAM	 General purpose chair: - molded low back; - molded seat; - metal frame and polyurethane armrests.	LFK SAM	452	481	517	553	589	625
<i>For two-tone upholstery, please use the higher grade pricing</i>								


### DIMENSIONS & COM YARDAGE

	Overall	Overall	Overall	Width		Seat	Armrest	COM yardage	COM yardage	COM yardage
	Width	Depth	Height	Between	Seat					
LFK SAM	23,5	24	32,5	19	18	17	26	1,5	1	1

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

### HOW TO ORDER?



### OPTIONS




Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133   See page A-4 <i>(The non-flammable lining does not alone ensure the product certification)</i>
---------	--



**LOUNGE SEATING**

# LOUNGE SEATING

## Taylor


MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
TAY1	 <p>Armchair:                      - elastic straps on seat;                      - medium density Celcor foam;                      - frame made out of recycled and recyclable particles;                      - oval metal legs 6" H, satin nickel finish.</p>	SS TAY1	835	927	1039	1256	1420	1592
<i>For two-tone upholstery, please use the higher grade pricing</i>								
TAY2	 <p>Love seat:                      - elastic straps on seat;                      - medium density Celcor foam;                      - frame made out of recycled and recyclable particles;                      - oval metal legs 6" H, satin nickel finish.</p>	SS TAY2	1083	1218	1388	1755	1985	2223
<i>For two-tone upholstery, please use the higher grade pricing</i>								
TAY3	 <p>Sofa:                      - elastic straps on seat;                      - medium density Celcor foam;                      - frame made out of recycled and recyclable particles;                      - oval metal legs 6" H, satin nickel finish.</p>	SS TAY3	1360	1427	1926	2332	2655	2989
<i>For two-tone upholstery, please use the higher grade pricing</i>								

### DIMENSIONS & COM YARDAGE

	Overall Width	Overall Depth	Overall Height	Width			Armrest Height	COM yardage Total
				Between Arms	Seat Height	Seat Depth		
SS TAY1	32	32	34	24	17	19	28	6
SS TAY2	55	32	34	48	17	19	28	9
SS TAY3	79	32	34	72	17	19	28	12

See page A-5 for orders that involve COM upholstery




### HOW TO ORDER?



Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4  
 (The non-flammable lining does not alone ensure the product certification)

# LOUNGE SEATING

## Dean


MODEL	DESCRIPTION	CODE	COM					
			GR1	GR2	GR3	GR4	GR5	GR6
DEA1	 <p>Armchair:                      - springs for the seat and back;                      - medium density Celcor foam;                      - frame made out of recycled and recyclable particles.</p>	SS DEA1	1005	1157	1362	1565	1769	1972
<i>For two-tone upholstery, please use the higher grade pricing</i>								
DEA2	 <p>Love seat:                      - springs for the seat and back;                      - medium density Celcor foam;                      - frame made out of recycled and recyclable particles.</p>	SS DEA2	1324	1541	1817	2085	2357	2629
<i>For two-tone upholstery, please use the higher grade pricing</i>								
DEA3	 <p>Sofa:                      - springs for the seat and back;                      - medium density Celcor foam;                      - frame made out of recycled and recyclable particles.</p>	SS DEA3	1763	2049	2415	2774	3136	3503
<i>For two-tone upholstery, please use the higher grade pricing</i>								

### DIMENSIONS & COM YARDAGE

	Overall Width	Overall Depth	Overall Height	Width			Armrest Height	COM yardage Total
				Between Arms	Seat Height	Seat Depth		
SS DEA1	31	31	33	25	17	19	24 - 28	7
SS DEA2	56	31	33	50	17	19	24 - 28	10
SS DEA3	81	31	33	75	17	19	24 - 28	13

See page A-5 for orders that involve COM upholstery

### HOW TO ORDER?



4" H metal oval legs, satin nickel finish

OVAMSN N/C

Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4  
 (The non-flammable lining does not alone ensure the product certification)






## APPENDICES



## APPENDICES

### Accessories



#### HANDLES

	H160 handle, satin nickel finish Drilling distance between holes: 160 mm c/c	H160	18
	H161 handle, satin nickel finish Drilling distance between holes: 160 mm c/c	H161	18
	H162 handle, satin nickel finish Drilling distance between holes: 160 mm c/c	H162	18

#### LEGS

	6" H wooden leg for bedside cabinets with height adjustable, non-marking glides <i>Wood finishes: select a color from the Logilife laminate finishes</i>	WLS6	Price on request
	6" H wooden leg for dressers and wardrobes with height adjustable, non-marking glides <i>Wood finishes: select a color from the Logilife laminate finishes</i>	WL6	Price on request
	6" H tubular metal leg 1 3/4" diameter, satin nickel finish, with height adjustable, non-marking glides	TU6SN	Price on request
	6" H metal oval leg, satin nickel finish, with height adjustable, non-marking glides	OVAM6SN	Price on request

#### MISCELLANEOUS

	White plastic liner / For top drawer of bedside cabinets only	BP	85
	Anti-tipping kit made from steel and galvanized steel cable <i>The anti-tipping kit prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.</i>	DECR	45

## APPENDICES

### Customized Products

The models presented here are suggestions: they can all be modified according to your needs.

In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. A sketch of the desired unit and all pertinent details must be submitted to our quotations department, which will study your request and send you a quotation and a drawing for approval as soon as possible.

#### CUSTOM MANUFACTURING SUGGESTIONS AVAILABLE THROUGH QUOTATION

##### HIGH-PRESSURE LAMINATE TOPS

Unit tops can be finished with high-pressure laminate, a material recognized for its resilient properties. This option must be specified when ordering. The laminate sheet is glued to the surface and then heat-sealed with a 2 mm PVC edge.

*Unless otherwise specified in the order, the laminate finish will be coordinated to match the unit's thermally fused laminate color.*

##### MARMOLEUM TOPS


Unit and shelf tops can be finished in Marmoleum linoleum, a material recognized for its antibacterial properties. This option must be specified when ordering. The Marmoleum sheet is glued to the surface and then heat-sealed with a 2 mm PVC edge.

*To select the Marmoleum finish, please consult the Forbo catalogue at [www.forboflooringna.com](http://www.forboflooringna.com). Unless otherwise specified in the order, the PVC edge will be coordinated to match the unit's thermally fused laminate colour.*

##### QUARTZ TOPS

Some unit tops can be in quartz, a material recognized for its resilient and antibacterial properties. This option must be specified when ordering. In this case, the unit's construction is adapted for quartz installation.


*To select the quartz finish, please consult the Silestone catalogue at [www.silestone.com](http://www.silestone.com).*



##### LOCKS


Satin nickel locks can be installed on all Logilife units. This option must be specified in the order. They are randomly keyed, and two keys are provided per lock. To specify keyed alike locks, a list of the units that have identical keys must be provided with the order.

*Some lock numbers may be repeated in orders of 50 units or more.*




##### HINGED BACK ON HUTCHES

To provide easy access to wiring, the backs of hutches can be cut out and concealed by a hinged panel. This option must be specified when ordering.



##### CUT-OUT DRESSER TOP

Dressers intended to accommodate televisions can have a cut-out top to provide easy access to wiring. This option must be specified when ordering.



##### ARTISAN, SHAKER AND TRADITIONAL: OPTION OF TOP WITH FLUSH SIDES

To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.

##### 180° OR 270° HINGES

Wardrobe doors can be installed on hinges that open 180° or up to 270°, to be specified when ordering.

##### MASTER KEY

A master key can be provided for units that have locks. This option must be specified when ordering.

