

---

# RECEPTION

---

Price List  
USA

Revision on January 5, 2015

## Update Summary

The January 5, 2015 web revision of the Reception price list presents these principal modifications:

DATE	SECTION	MODIFICATION	PAGES
January 5, 2015	All the price list	High pressure laminated products prices have been increased by 5% (MAL, MLL, REL, RECL)	-

Previous updates:

DATE	SECTION	MODIFICATION	PAGES
August 1, 2014	All the price list, exception of Inbox and M-Brace	All products have been increased by 3%	A-1 to A-18; D-1 to K-4
	Terms and conditions of sale	Limited lifetime warranty application	A-4
	Work desk	Price adjustments	I-1 to I-6


# Table of Contents

<b>A</b>	<b>INTRODUCTION</b>	
	Product Map	A-2
	Conditions of Sale & Warranty	A-3
	Examples of Typical	A-5
<b>B</b>	<b>M-BRACE</b>	
	Manufacturing Standard	B-2
	Straight Reception Counters	B-4
	Corner Reception Counters	B-6
<b>C</b>	<b>INBOX</b>	
	Manufacturing Standard	C-2
	L-Shape Reception Desk	C-4
	U-Shape Reception Desk	C-5
	Transaction Shelf	C-6
<b>D</b>	<b>SPHERIC</b>	
	Manufacturing Standard	D-2
	Quarter-Moon Reception Desk	D-3
	Inverted Quarter-Moon Reception Desk	D-6
	Straight Reception Desk	D-8
<b>E</b>	<b>MANHATTAN</b>	
	Manufacturing Standard	E-2
	Reception Desks	E-3
	Acrylic Panel	E-4
<b>F</b>	<b>3K</b>	
	Manufacturing Standard	F-2
	Reception Desks	F-3
	Returns	F-4
<b>G</b>	<b>C SERIES</b>	
	Manufacturing Standard	G-2
	Reception Desks	G-3
	Returns	G-5
<b>H</b>	<b>GALLERY</b>	
	Manufacturing Standard	H-2
	Reception Desks	H-3
	Returns	H-4
<b>I</b>	<b>WORK DESK</b>	
	Lateral Tables	I-2
	Returns	I-3
	Extended Corner Tables	I-4
<b>J</b>	<b>STORAGE FURNITURE</b>	
	Installed Pedestals	J-2
	Mobile Pedestals	J-3
	Lateral File Cabinets	J-4
	Multiple Units	J-5
	Cabinets	J-6
	Pigeonhole Units	J-7
<b>K</b>	<b>ACCESSORIES</b>	
	Lighting	K-2
	Trays, Drawers and Holders	K-3
	Hardware	K-4


# INTRODUCTION

## Product Map


### M-Brace




### Inbox




### Spheric



### Manhattan




### C




### Gallery



### Work desks




### Installed pedestals



### Mobile pedestals


### Lateral • le cabinets




### Multiple units



### Cabinets



### Pigeonhole units



### Searching for more?

Reception collection integrates with all Logiflex 's collections! For more choices, visit our website to view other collections such as:

- Millenium, Manhattan and Level desks and storage furniture
- chairs, benches and lounge seating
- tables and wall units

# INTRODUCTION

## Conditions of Sale & Warranty

### Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

### Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

### Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the "Online Services" section of our website, at [www.logiflex.ca](http://www.logiflex.ca). Our quotation department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

### Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information: your company letterhead, your reference number, the delivery address (with contact name and phone number), the complete product codes, furniture color(s), quantities, descriptions, retail prices and net prices, project registration number (if applicable) and your approved quotation and technical drawing (for special items). Please note that a quotation cannot serve as a purchase order.

### Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

### Modifications and/or Cancellations

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

### Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

### Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the "Online Services" section of our website, at [www.Logiflex.ca](http://www.Logiflex.ca). Our after-sales service department will examine your request and help you correct the situation.

### Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications, design and to discontinue collections and/or models at any time and without prior notice.

## INTRODUCTION

### Conditions of Sale & Warranty

#### Storage and/or Shipping Fees

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. The suggested retail prices in this list may include delivery; however, some conditions may apply. If your order is a minimum of \$10,000 net, the order can be shipped directly to your customer. In this case, a 53-foot unloading dock must be available at the time of delivery. This information must first be validated with your Logiflex customer service representative. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also result in additional charges.

#### Limited Lifetime Warranty

Logiflex warrants its products to the original purchaser for as long as the original purchaser owns the products. Logiflex guarantees that Reception products bought new from an authorized Logiflex distributor are free from defects in materials and workmanship for the lifetime of their use. This warranty applies to Reception products. Only if properly used, repair or replacement of any defect covered by the warranty will be at the discretion of Logiflex. Transportation and labor are not covered by this warranty. By accepting the product to its delivery, the buyer accepts its conditions. The warranty period shall be reduced proportionately if the products are used over a period exceeding the equivalent of a shift 40 hours/week. All replacement parts will be shipped to the original shipping address.

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification or use of components or materials that have not been authorized by Logiflex;
- Delivery by a freight carrier or handling/installation by a contractor other than Logiflex;
- Natural properties of materials;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/installation contractors.

This warranty does not include:



- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Products used for rental purposes;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:


- Electrical components are guaranteed for 1 year from the date of delivery;
- Seat mechanisms, drawer slides and locks are guaranteed for 5 years from the date of delivery.

# M-Brace | Examples of Typicals

## Linear Typical MB-TYP-A




### Items to Order



**Reception Counter**  
REC 18 76 41 MS-M

1 x 1012 P. B-4



**Lateral Table with Installed Pedestal**  
RE [ E ] 24 72 TL LR  
Installed Pedestal "E"

1 x 595 P. I-2  
1 x 645 P. J-2

**Keyboard Tray**  
KBMOD 28

1 x 176 P. K-3






**Multiple Unit**  
RE 24 36 UC2

2 x 1235 P. J-5


**Total 4898**

# M-Brace | Examples of Typical

## L-Shape Typical MB-TYP-B




### Items to Order



**Reception Counter**  
REC 18 86 86 18 41 MC-M R

1 x 1883 P. B-6




**Lateral Table**  
RE 24 72 TL LR

1 x 595 P. I-2



**Keyboard Tray**  
KBMOD 28

1 x 176 P. K-3






**Return with Installed Pedestal**  
RE 24 48 [ E ] R29  
Installed Pedestal "E"

1 x 462 P. I-3  
1 x 645 P. J-2


**Total 3761**

# M-Brace | Examples of Typical

## L-Shape Typical MB-TYP-C




### Items to Order



**Reception Counter**

REC 18 86 86 18 41 MC-M L

1 x 1883 P. B-6



**Extended Corner Table**

RE 24 42 72 24 R HR

1 x 1064 P. I-4



**Lateral File Pedestal**

RE 24 30 CL2

1 x 837 P. J-4



**Pigeonhole Unit with Drawers**

RE 16 PG30 [ DR ]

1 x 552 P. J-7




Drawer Option

1 x 437


**Total 4773**

# M-Brace | Examples of Typical

## L-Shape Typical MB-TYP-D




### Items to Order



**Reception Counter**

REC 18 86 86 18 41 MC-M L

1 x 1883 P. B-6



**Extended Corner Table with Installed Pedestal**

RE 24 42 72 24 [ E ] R HR

1 x 1064 P. I-4

Installed Pedestal "E"

1 x 645 P. J-2



**Keyboard Tray**

KBMOD 28

1 x 176 P. K-3



**Lateral Table with Installed Pedestal**

RE [ F ] 24 30 TL LH

1 x 433 P. I-3




1 x 628 P. J-2

**Total**


**4829**

# M-Brace | Examples of Typicals

## 2 Levels Typical MB-TYP-E




### Items to Order



**Reception Counter**

REC 18 76 41 MS-M

1 x 1012 P. B-4



**Lateral Table with Installed Pedestal**

RE 24 72 [ E ] TL LR FM GRL

1 x 595 P. I-2

Installed Pedestal "E"


1 x 645 P. J-2



**Keyboard Tray**

KBMOD 28

1 x 176 P. K-3



**Return**

RE 24 48 L29 FM GRC




1 x 462 P. I-3

**Total**


**2890**

# Inbox | Examples of Typicals

## U-Shape Typical INB-TYP-A



### Items to Order



#### **U-Shape Counter with Installed Pedestal**

RE 84 106 78 [ E ] INBU L

1 x 5445

P. C-3

Installed Pedestal "E"

1 x 645

P. J-2



#### **Transaction Shelf**

RE 30 INBS M

1 x 636

P. C-6



#### **Keyboard Tray**

KBMOD 28

1 x 176

P. K-3



#### **Pigeonhole Unit**

RE 16 PG36

1 x 578



P. J-7

**Total**


**7480**

# Inbox | Examples of Typicals

## L-Shape Typical INB-TYP-B



### Items to Order



**L-Shape Counter with Installed Pedestal**

RE [ E ] 84 100 INBL R


1 x 3477

P. C-3

Installed Pedestal "E"

1 x 645

P. J-2



**Keyboard Tray**

KBMOD 28

1 x 176

P. K-3




**Transaction Shelf**

RE 30 INBS M

1 x 636

P. C-6



**Cabinet**

RE 24 36 41 AR


2 x 935

P. J-6

**Total**

**6804**

C-Shape Typical SP-TYPA







Items to Order


	<p>(A) <b>Reception Desk   Pigeonhole Unit</b> RE 30 54 SPH P L NGR</p>	<p>x 2</p>	<p>5113</p>	<p>P. D-3</p>
	<p>(B) <b>Reception Desk   Finishing Shelf</b> RE 30 54 SPH F R GRC</p>	<p>x 2</p>	<p>3239</p>	<p>P. D-3</p>
<p><b>Total</b></p>		<p><b>16704</b></p>		

# Spheric | Examples of Typicals

## S-Shape Typical SP-TYPB



### Items to Order




***Inverted Reception Desk | Pigeonhole Unit***

RE 30 42 SPH IP L GRC

x 1

3971

P. D-6




***Reception Desk | Pigeonhole Unit***

RE 30 54 SPH P C

x 1

5113

P. D-3



***Consulting Desk***

RE 33 54 SPH C R GRC

x 1

2776

P. D-4



***Lateral File Pedestal***

RE 24 30 CL3

x 2

1319


P. J-5

**Total**


**14498**

# Spheric | Examples of Typical

## Accessible Typical SP-TYPC



### Items to Order




**Accessible Reception Desk**  
RE 30 54 SPH A L GRC

x 1      4131      P. D-5



**Accessible Reception Desk**  
RE 30 36 SPH SA C GRC

x 1      1190      P. D-10



**Reception Consulting Desk**  
RE 33 54 SPH C R GRC




x 1      2776      P. D-4

**Total**


**8097**

# Manhattan | Examples of Typicals

## L-Shape Typical MAN-TYPA



### Items to Order



**Manhattan Reception**

REC 72 72 MAN R

x 1 5127

P. E-3

Acrylic Panel Option [PL]

x 1 1641

P. E-4



**Keyboard Tray**

KBMOD 28

x 1 176

P. K-3



**Installed Pedestal**

Installed Pedestal "E"

x 1 645

P. J-2



**Installed Pedestal**

Installed Pedestal "F"

x 1 628


P. J-2

**Total**


**8217**

# 3K | Examples of Typical

## L-Shape Typical 3K-TYPA



### Items to Order



**3K1 Reception Desk**

RE 2478 3K1 GLR

1 x 2292 P. F-3



**3K Return**

RE 24 42 [ E ] RET 3K R GRC

Installed Pedestal "E"

1 x 530 P. F-4


1 x 645 P. J-2



**Keyboard Tray**

KBMOD 28


1 x 176 P. K-3



**Vertical Pigeonhole Unit**

RE 24 08 41 PGV

x 2 548 P. J-8



**Cabinet**

RE 24 30 41 AR




x 2 889 P. J-6

**Total**


**6517**

# Gallery | Examples of Typicals

## Typical GAL-TYPA




### Items to Order



**Reception Desk**

RE ML [ E ] 3072 TRECCX GLR CAPF  
 Installed Pedestal "E"

x 1      1214      **P. G-3**  
 x 1      645      **P. J-2**



**Return**

RE ML 2436 RREC GRC CAPF

x 1      561      **P. G-4**



**Mobile Pedestal**

RE 23 MOBE




x 1      713      **P. J-3**

**Total**


**3133**

# C Series | Examples of Typical

## Typical C-TYPA



### Items to Order




**Return**

RE ML 24 48 TRECBLH GLR CAPF

x 1

781

P. H-4



**Corner Desk**

RE ML 24 48 24 RECXASY HH GRC CAPF

x 1

2752

P. H-3



**Return**

RE ML 24 48 [BCCL30] TRECBLH GLR CAPF

x 1

781

P. H-4

Installed Pedestal BCCL30

x 1

1039

P. J-2



**Mobile Pedestal**

RE 23 MOBF

x 1

696

P. J-3

**Total**

**6049**

B. M-BRACE

---

# INTRODUCTION

## Manufacturing Standard

---


### 1. Top



Reception Counter tops and legs are 1-5/8" thick laminate and work desk tops and legs are 1" thick laminate.

---

### 2. Handle



Handles are included with all storage furniture. The standard handle is H052CHR.

---

### 3. Grommet



Grommet is included with all work desks. The standard grommet is CAPF.

---

### 4. Lock



Locks are included with all storage furniture, except for the ones with aluminium doors. The lock included come in a satin nickel finish.

---

### 5. Wood Grain



The wood grain runs vertically all storage furniture fronts and is horizontal for all reception counter fronts.

---

### 6. Leveler



All furniture items sit on black plastic levelers.

---

### 7. Colors & Finishes



Colors have to be specify for all furniture items ordered. Consult the «How to Order» section of the product page for further details about the procedure. Consult the Logiflex Color Chart for the colors and finishes offered. The edge will match with the color and finish specified.

# INTRODUCTION


## How to Build your M-Brace Reception Station?

With these simple and illustrated steps, design a Reception Station following your needs and your image!

### 1. Reception Counter (p.14 to 17)


Choose the form and the front finish of your reception counter.

Straight



Standard finish laminate  
High gloss finish laminate  
White translucent acrylic with LED backlighting


Corner Unit




Standard finish laminate  
High gloss finish laminate  
White translucent acrylic with LED backlighting

### 2. Work Desk (p.18 to 21)


Choose your work desks and the dimensions.




Lateral Table




Return & Lateral Table




Lateral Table & Extended Corner



Lateral Table & Return



Extended Corner & Lateral Table





Extended Corner & Storage

### 3. Storage & Accessories (p.22 to 30)

Choose the storage and accessories that meet your needs in order to complete your M-Brace Reception Station.

Examples:




! Don't forget to consult the product page of each item for further details about the options, prices and product specification.

# Reception Counter | M-Brace Straight

**Manufacturing Standard:** 1-5/8" thick laminate top and legs, 5-3/8" recessed laminate front (exterior) and 6" recessed modesty panel (interior).


## MS-M




Dimensions			Front Finish		Interior width for work desk
A	B*	C	Std	HG	
18	64	41	937	1041	60"
18	76	41	1012	1126	72"
18	82	41	1045	1238	78"

\*For specification reasons, the desk is 3/8" less than the dimension listed.


### Combination of colors? Specify:



Top & Legs



Base



Front\*

Notes:

Color available for 1-5/8" only.

1" structure and panel on user side.

Choice of 5/8" Std or HG color.

### How to Order?

\*Fronts and front panels shown

	A	B	C		Top & Legs	Base	Front
REC	---	---	---	MS-M	---	---	---
Series	Dimensions		Product		Colors		

See the Logiflex Color Chart.


### Example

REC 18 82 41 MS-M / SW W W-H

# Reception Counter | M-Brace Straight

**Manufacturing Standard:** 1-5/8" thick laminate top and legs, 6" recessed translucent white acrylic front with laminate frame (interior and exterior), LED backlighting with 4-step tape dimmer fixed under the top on the right of the user side and removable front for access to the lighting.

## MS-AD




Dimensions					Interior width for work desk
A	B*	C	MS-AD1	MS-AD2	
18	64	41	1827	1958	60"
18	76	41	1911	2041	72"
18	82	41	1933	2084	78"

\*For specification reasons, the desk is 3/8" less than the dimension listed.

### MS-AD1

LED on top only.




### MS-AD2


LED on top and bottom.




### Combination of colors? Specify:



Top & Legs



Base



Front\*

Notes:

Color available for 1-5/8" only.

1" panel on user side.

1" Laminate frame around acrylic panel.

### How to Order?

\*Fronts and front panels shown

REC	A B C	MS-AD1	MS-AD2	Top & Legs	Base	Front
Series	Dimensions	Product		Colors	Colors	Colors

See the Logiflex Color Chart.


### Example

REC 18 82 41 MS-AD2 / SW W SW


# Reception Counter | M-Brace Corner

**Manufacturing Standard:** 1-5/8" thick laminate top and legs, 5-3/8" recessed laminate front (exterior) and 6" recessed modesty panel (interior)

## MC-M



L




R


Dimensions					Front Finish		Interior dimensions for work desk
A	B*	C*	D	E	Std	HG	
18	74	74	18	41	1767	2179	60" x 60"
18	80	80	18	41	1825	2274	66" x 66"
18	86	86	18	41	1883	2369	72" x 72"

\*For specification reasons, the desk is 1/8" less than the dimension listed.


### Direction




### Combination of colors? Specify:



Top & Legs



Base



Front\*

Notes:

Color available for 1-5/8" only.

1" structure and panels on user side.

Choice of 5/8" Std or HG color.

### How to Order?

\*Fronts and front panels shown

REC	A B C D E	MC-M	R
Series	Dimensions	Product	Direction

Top & Legs	Base	Front
Colors		

See the Logiflex Color Chart.



### Example

REC 18 86 86 18 41 MC-M R / SW SW W-H

# Reception Counter | M-Brace Corner

**Manufacturing Standard:** 1-5/8" thick laminate top and legs, 6" recessed translucent white acrylic front with laminate frame (interior and exterior), LED backlighting with two 4-step tape dimmers fixed under the top on the user side on both left and right sides of the reception and removable fronts for access to the lighting.

## MC-AD





R

### Dimensions

A	B*	C*	D	E	MC-AD1	MC-AD2	Interior dimensions for work desk
18	74	74	18	41	3311	3647	60" x 60"
18	80	80	18	41	3367	3723	66" x 66"
18	86	86	18	41	3424	3800	72" x 72"

\*For specification reasons, the desk is 1/8" less than the dimension listed.

### Direction



### MC-AD1

LED on top only.




### MC-AD2


LED on top and bottom.




### Combination of colors? Specify:



Top & Legs



Base



Front\*

Notes:

Color available for 1-5/8" only.

1" panels on user side.

1" Laminate frame around acrylic panels.

### How to Order?

\*Fronts and front panels shown

REC	A	B	C	D	E	MC-AD1	R
Series	Dimensions	Product	Direction				
---	---	---	---	---	---	---	---

Top & Legs	Base	Front
Colors		
---	---	---

See the Logiflex Color Chart.

### Example

REC 18 86 86 18 41 MC-AD2 R / SW W SW



C. INBOX

---




# Inbox | How to Build your Reception Station


With these simple steps, design a reception station following your needs and your image!

## 1. What form would you like your station to have? (p. C-4 to C-5)

Choose the form (either L-shape or U-shape) and dimensions of your reception counter.



L-Shape Reception





U-Shape Reception

## 2. Accent your reception station! (p. C-6)

The transaction shelf personalizes your reception station while also hiding your computer screen.


Example:



## 3. Would you like storage with that? (Section J)

Choose the storage and accessories that meet your needs in order to complete your Inbox reception station.

Example:




! Don't forget to consult the product page of each item for further details about the manufacturing standard, codes, options and prices.


# Inbox | L-Shape Counter

**Manufacturing Standard:** 1" tops, metallic high pressure laminate kick plate, 2 CAPF grommets on the main work surface.

## INBL




R




L

Dimensions		Front	
(A B) L	(A B) R	STD	HG
72 82	82 72	3325	3821
72 88	88 72	3356	3867
72 94	94 72	3386	3913
72,100	100 72	3417	3959
<hr/>			
78 82	82 78	3356	3860
78 88	88 78	3386	3906
78 94	94 78	3417	3952
78,100	100 78	3447	3998
<hr/>			
84 82	82 84	3386	3899
84 88	88 84	3416	3945
84 94	94 84	3447	3991
84,100	100 84	3477	4037


### Direction



### Grommet



### LED Option (\$)




**\$449**

Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

### Combination of colors? Specify:

*Manufacturing Standard: Metallic high pressure laminate kick plate*



Notes:

Choice of Std or HG color.

## How to Order?

\*Front and front panels shown

RE	on left	A B	on right	INBL	L	GLR (std)						
Series	[ _ ]	--	[ _ ]	Product	--	---	/	[ LED ]	Top	Base	Front	Shelf
	[Pedestal Option (\$)]	Dimensions	[Pedestal Option (\$)]		Direction	Grommet		[ _ ]	--	--	--	--
												Colors
												See the Logiflex Color Chart.


## Example

RE 84 100 INBL L / LL W W W


# Inbox | U-Shape Counter

**Manufacturing Standard:** 1" tops, metallic high pressure laminate kick plate, 3 CAPF grommets.

## INBU




R




L

Dimensions						Front			
(A	B	C)	L	(A	B	C)	R	STD	HG
72	106	66	66	106	72			4550	5275
84	106	78	78	106	84			4672	5445

### Direction



### Grommet




GR3 (std)

GLC

GCR

### LED Option (\$)


**\$629**



Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

### Combination of colors? Specify:

*Manufacturing Standard: Metallic high pressure laminate kick plate*



Top

Base

Front\*

Shelf

Notes:

*Choice of Std or HG color.*

### How to Order?

*\*Front and front panels shown*

RE	on left	A B C	on right	INBU	R	GCR				
Series	[Pedestal]	Dimensions	[Pedestal]	Product	Direction	GR3 (std)				
	[Option (\$)]		[Option (\$)]		L	NGR				
								<b>\$629</b>	[LED]	Top Base Front Shelf
									[Option (\$)]	Colors
										<i>See the Logiflex Color Chart.</i>



### Example

RE 84 106 78 INBU L GR3 / LL W W W

# Inbox | Transaction Shelf


**Manufacturing Standard:** Made of laminate, to be attached to an Inbox reception counter, 1" transaction shelf comes in 2 pieces and is available in laminate, stained wood or white opaque lacquered MDF.

## INBS



A	Code		
30	INBS M	636	1" laminate
30	INBS L	879	1" lacquered MDF
30	INBS W	1020	1" stained wood

Combination of colors? Specify:



Top



Base

Notes:

## How to Order?

RE	A	INBS M INBS L INBS W	Top	Base
30	--	--	--	--
Series	Width	Product	Colors	

See the Logiflex Color Chart.

## Example

RE 30 INBS M / W LL

D. SPHERIC

---

# Spheric | Manufacturing Standard

---

## 1. Top



All tops are 1" laminate.

---

## 2. Front Panels

All front panels are high pressure laminate (HPL).

---

## 3. Grommet



Grommets are included with all Spheric reception desks. The standard grommet is CAPF. Consult the "Accessories" section for more details on the grommet.

---

## 4. Wood Grain



The wood grain runs horizontally on all fronts and front panels of Spheric furniture.

---

## 5. Leveler



All Spheric reception desks sit on black plastic levelers.

---


## 6. Colors



Colors have to be specified for all furniture items ordered. Consult the "How to Order" section of the product page for further details about the procedure. Consult the Logiflex Color Chart for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match with the color and finish specified.

---

## 7. Shelves




# Spheric | Quarter-Moon Reception Desk

**Manufacturing Standard:** 1" tops, curved front panels made of high pressure laminate, centered CAPF grommet.

## SPH F


Finishing Shelf



Dimensions			HPL front panels
A	B	CODE	Hpl
24	46	SPHF	2940
24	46	SPHT	3755
24	46	SPHP	4775
30	54	SPHF	3239
30	54	SPHT	4333
30	54	SPHP	5113

## SPH T

Transaction Shelf



### Direction



L  
Finished on left


R  
Finished on right\*  
\*As shown

C  
No finish  
(If between 2 desks)


### Grommet



CAPF  
\$20 if GLR




### Combination of colors? Specify:



## SPH P

Transaction Shelf with Pigeonhole Unit



Notes:

### How to Order?

\*Front and front panels shown

RE	A B	SPH F	SPH T	SPH P	Direction	Grommet
Series	Dimensions	Product	Product	Product	Direction	Grommet

/

Top	Base	Front	Shelf
---	---	---	---

Colors  
See the Logiflex Color Chart.


### Example

RE 24 46 SPH F L GRC / LL W W LL

# Spheric | Quarter-Moon Consulting Desk


**Manufacturing Standard:** 1" tops, curved front panels made of high pressure laminate, centered CAPF grommet.

## SPH C Consulting desk




Dimensions		HPL front panels	Fits with Spheric desks having a depth of
A	B	Hpl	
27	46	SPH C	24"
33	54	SPH C	30"


### Direction



### Grommet



### Combination of colors? Specify:



Notes:

### How to Order?

RE	A B	SPH C	Direction	Grommet	Top	Base
Series	Dimensions	Product			Colors	Colors

See the Logiflex Color Chart.


**Example**      RE 27 46 SPH C L GRC / LL W

# Spheric | Quarter-Moon Accessible Reception Desk

**Manufacturing Standard:** 1" tops, curved front panels made of high pressure laminate, centered CAPF grommet.


## SPH A

Accessible Shelf




Dimensions		HPL front panels
A	B	Hpl
24	46	SPH A 3971
30	54	SPH A 4131


### Direction



### Grommet



### Combination of colors? Specify:



Notes:

### How to Order?

\*Front and front panels shown

				GRC (std)
				GRL
			L	GRR
			R	GLR
			C	NGR
<b>RE</b>	--	<b>SPH A</b>	--	--
Series	Dimensions	Product	Direction	Grommet

Top	Base	Front	Shelf
--	--	--	--
Colors			

See the Logiflex Color Chart.

### Example


RE 3054 SPH A L GRC / LL W W LL

# Spheric | Inverted Quarter-Moon Reception Desk

**Manufacturing Standard:** 1" tops, curved front panels made of high pressure laminate, centered CAPF grommet.

## SPH IF


Finishing Shelf



Dimensions			HPL front panels
A	B	CODE	Hpl
24	36	SPHIF	3063
24	36	SPHIT	3127
24	36	SPHIP	3857
30	42	SPHIF	3125
30	42	SPHIT	3238
30	42	SPHIP	3971

## SPH IT

Transaction Shelf



### Direction



L  
Finished on left



R  
Finished on right\*  
\*As shown



C  
No finish  
(if between 2 desks)

### Grommet



CAPF




GRC (std)

No grommet


NGR

## SPH IP


Transaction Shelf with Pigeonhole Unit




### Combination of colors? Specify:




Top



Base



Front\*



Shelf

Notes:

## How to Order?

\*Front and front panels shown

RE	A B	SPH IF	SPH IT	SPH IP	L	R	C	GRC (std)	NGR
Series	Dimensions	Product	Product	Product	Direction	Direction	Direction	Grommet	Grommet
--	--	--	--	--	--	--	--	--	--

/

Top	Base	Front	Shelf
--	--	--	--

Colors

See the Logiflex Color Chart.

## Example


RE 2436 SPH IF L GRC / LL W W LL

# Spheric | Inverted Quarter-Moon Consulting Desk

**Manufacturing Standard:** 1" tops, curved front panels made of high pressure laminate, centered CAPF grommet.

## SPH IC

Consulting



Dimensions		HPL front panels	Fits with Spheric desks having a depth of
A	B	Hpl	
27	36	SPHIC	2504
33	42	SPHIC	2617

### Direction



L  
Finished on left



R  
Finished on right\*  
\*As shown



C  
No finish  
(If between 2 desks)

### Grommet



CAPF



No grommet


GRC (std)

NGR

### Combination of colors? Specify:



Top



Base

Notes:

### How to Order?

RE	A B	SPH IC	L	R	GRC (std)	C	NGR	Top	Base
Series	Dimensions	Product	Direction	Grommet	Colors				

See the Logiflex Color Chart.

### Example


RE 27 36 SPH IC L GRC / LL W

# Spheric | Straight Reception Desk

**Manufacturing Standard:** 1" tops, front panels made of high pressure laminate, centered CAPF grommet.


## SPH SF

Finishing Shelf




## SPH ST

Transaction Shelf



## SPH SP

Transaction Shelf with Pigeonhole Unit



Dimensions HPL front panels

A	B	CODE	Hpl
24	36	SPH SF	1031
24	36	SPH ST	1156
24	36	SPH SP	1360
30	36	SPH SF	1065
30	36	SPH ST	1190
30	36	SPH SP	1416

### Direction



L  
Finished on left



R  
Finished on right\*  
\*As shown



C  
No finish  
(If between 2 desks)

### Grommet



CAPF  
\$20 if GLR



No grommet

GRC (std)

GRR

GRL

GLR

NGR


### Installed Pedestal Option (\$)

See section J for installed pedestals available. Attention: The total width of the installed pedestal has to be less than the total width of the desk.


### Combination of colors? Specify:




Top



Base



Front\*



Shelf

Notes:

## How to Order?

\*Front and front panels shown

RE	on left [ _ ]	A B _ _	on right [ _ ]	SPH SF _ _	L _ _	GRC (std) GRR GRL GLR NGR	/	Top _ _	Base _ _	Front _ _	Shelf _ _
Series	[Pedestal Option (\$)]	Dimensions	[Pedestal Option (\$)]	Product	Direction	Grommet		Colors			
								See the Logiflex Color Chart.			

## Example


RE [ E ] 24 36 SPH SF L GRC / LL W W LL

# Spheric | Straight Consulting Desk

**Manufacturing Standard:** 1" tops, front panels made of high pressure laminate, centered CAPF grommet.

## SPH SC

Consulting



Dimensions		HPL front panels	Fits with Spheric desks having a depth of	
A	B	Hpl		
27	36	SPH SC	646	24"
33	36	SPH SC	759	30"

### Direction



L  
Finished on left



R  
Finished on right\*  
\*As shown



C  
No finish  
(If between 2 desks)

### Grommet



CAPF  
\$20 if GLR



GRC (std)



GRR



GRL



GLR

No  
grommet

NGR

### Combination of colors? Specify:



Top



Base



Front\*

Notes:

\*If applicable

### How to Order?

RE	[ _ _ ]	--	[ _ _ ]	SPH SC	--	--	/	--	--	--
Series	[Pedestal] Option (\$)	Dimensions	[Pedestal] Option (\$)	Product	Direction	Grommet		Top	Base	Front

See the Logiflex Color Chart.  
\*If applicable


### Example

RE 27 36 SPH SC L GRC / LL W LL

# Spheric | Straight Accessible Reception Desk


**Manufacturing Standard:** 1" tops, front panels made of high pressure laminate, centered CAPF grommet.

## SPH SA Accessible Shelf




Dimensions		HPL front panels
A	B	Hpl
24	36	SPH SA 1156
30	36	SPH SA 1190


### Direction



### Grommet



### Combination of colors? Specify:



Notes: \*If applicable

### How to Order?

RE	[ _ _ ]	--	[ _ _ ]	SPH SA	--	--	/	--	--	--	--
Series	[Pedestal] Option (\$)	Dimensions	[Pedestal] Option (\$)	Product	Direction	Grommet		Top	Base	Front	Shelf

\*Front and front panels shown

Colors  
See the Logiflex Color Chart.  
\*If applicable

**Example** RE 24 36 SPH SA L GRC / LL W W LL

E. MANHATTAN

---

# Manhattan | Manufacturing Standard

---

## 1. Top



All tops are 1-5/8" thick.

---

## 2. Fronts and Front Panels

Fronts and front panels are 1" laminate with the exception of rounded corners, which are high pressure laminate.

---

## 3. Grommet



Grommets are included with all desks. The standard grommet is CAPF, in a satin nickel finish.

---

## 4. Shelf Bracket

Shelf brackets are 2.5" in diameter and have a satin nickel finish.

---

## 5. Wood Grain



The wood grain runs vertically on fronts and front panels.

---

## 6. Leveler



All furniture items sit on black plastic levelers.

---

## 7. Colors



Colors have to be specified for all furniture items ordered. Consult the "How to Order" section of the product page for further details about the procedure. Consult the Logiflex Color Chart for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match with the color and finish specified.

---

## 8. Pedestal

66" x 66" desk: Pedestals cannot be installed on reception stations that are 66" X 66" because of the curves close to the user space. We suggest mobile pedestals instead.




72" x 72" desk: Pedestals larger than 30" cannot be installed on reception stations that are 72" X 72" because of the curves close to the user space.

See section J for further information about pedestals.

# Manhattan | Reception Desk


**Manufacturing Standard:** 1-5/8" desk and shelf tops, rounded corner front panel made of high pressure laminate (HPL), satin nickel finish shelf brackets, centred CAPF grommet.

## MAN







Dimensions	Tops	
	Tfl (REC)	Hpl (RECL)
66 66	4985	5979
72 72	5127	6128
78 78	5269	6276
84 84	5413	6456
96 96	5694	6745

### Direction



### Grommet

\$20 for each additional grommet.




NGR  
No grommet

### Acrylic Panel Option (\$)

See the following page for further details about the acrylic panel option.

### Combination of colors? Specify:



Notes: Color available for 1-5/8"

Color available for 1-5/8"

\*Front and front panels shown

### How to Order?

RE	on left	A B	on right	MAN	R	L	GRC (std)	GCR	GLC	GR3	NGR	PL	Top	Base	Front	Shelf
Series	[Pedestal]	Dimensions	[Pedestal]	Product	Direction	Grommet						Acrylic Option (\$)				
	Option (\$)		Option (\$)													

\*Pedestals are not available for desks that are 66" x 66"

### Example




RE 78 78 MAN R / W SW SW W

# Manhattan | Acrylic Panels

**Manufacturing Standard:** 1/8" frosted acrylic panels polished on the visible sides, satin nickel finish brackets.



## Option

Option	Option (\$)
PL	1641



**Elevation B**

## Details



**Elevation A**

## How to Order?

Add the acrylic panel code to the code of the Manhattan desk on which it has to be installed, following the "How to Order" instructions on the desk page.


F. 3K

---

# 3K | Manufacturing Standard

---

## 1. Tops



All tops and shelves are 1" thick.

---

## 2. Front and Front Panels

Fronts and front panels are 5/8" laminate. A strip of brushed aluminum high pressure laminate is applied to the kick plate and between the front panels.

---


## 3. Grommet



Grommets are included with all desks. The standard grommet is CAPF, in a satin nickel finish.

---

## 4. Shelf Bracket



Shelf brackets are 1.75" in diameter, 4-3/8" high and have a satin nickel finish.

---

## 5. Wood Grain



The wood grain runs horizontally on fronts.

---

## 6. Leveler



All furniture items sit on black plastic levelers.

---

## 7. Colors



Colors have to be specified for all furniture items ordered. Consult the "How to Order" section of the product page for further details about the procedure. Consult the Logiflex Color Chart for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match with the color and finish specified.


---

# 3K | Reception Desk

**Manufacturing Standard:** 1" tops, 2 CAPF grommets, full modesty panel, 2 front panels 5/8" thick, strip of brushed aluminum high pressure laminate on the kick plate and between the front panels.

## 3K1


1 Full-Length Transaction Shelf




Dimensions A B	Front	
	STD	HG
24 66	2130	2365
24 72	2323	2579
24 78	2521	2799
24 84	2714	3013
24 96	3099	3441
<hr/>		
30 66	2170	2421
30 72	2368	2630
30 78	2572	2857
30 84	2771	3075
30 96	3161	3509

## 3K2


2 Transaction Shelves



### Grommet



### Combination of colors? Specify:



Notes:

### How to Order?

\*Front and front panels shown

RE	on left [ _ _ ] [Pedestal] Option (\$)	A B _ _ Dimensions	on right [ _ _ ] [Pedestal] Option (\$)	3K1 3K2 _ _ Product	GRC GRR GRL (std) GLR NGR _ _ Grommet	/	Top _ _	Base _ _	Front* _ _	Shelf _ _	Colors See the Logiflex Color Chart.
----	---	--------------------------	--	------------------------------	---	---	------------	-------------	---------------	--------------	---


### Example

RE 24 66 3K1 GRC / SW SW W

# 3K | Return

Manufacturing Standard: 1" tops, centred CAPF grommet, full modesty panel.

## RET 3K



Dimensions		Front
A	B	STD
24	30	533
24	36	555
24	42	584
24	48	612

### Grommet



CAPF  
\$20 if GLR



GRC  
(std)



GLR



GRL




GRR


No grommet

NGR

### Direction




L




R

### Combination of colors? Specify:



Top



Base



Front\*

Notes:

\*If applicable

### How to Order?

RE	A B	[Pedestal] Option (\$)	RET 3K	L R	GRC (std) GRR GRL GLR NGR	/	Top	Base	Front*
Series	Dimensions		Product	Direction	Grommet				Colors

See the Logiflex Color Chart.

### Example

RE 24 42 [ E ] RET 3K R GRC / SW SW W

G. C SERIES

---

# C Series | Manufacturing Standard

---

## 1. Top



RE	REL	REC	RECL
1"	1-1/16"	1-5/8"	1-9/16"

---

## 2. Grommet



Grommet is included with all work desks. The standard grommet is CAPF.

---

## 3. Wood Grain



The wood grain runs vertically on fronts and front panels.

---

## 4. Leveler



All furniture items sit on black plastic levelers.

---


## 5. Colors



Colors have to be specified for all furniture items ordered. Consult the "How to Order" section of the product page for further details about the procedure. Consult the Logiflex Color Chart for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match with the color and finish specified.

---

## 6. Vertical Panel Option (PV)




It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).


# C Series | Corner Counter

**Manufacturing Standard :** Corner reception desk, straight keyboard space (CXT) or curved keyboard space (CXX), 42"H transaction shelf, centered (GRC) CAPF grommet.

## CXT



## CXX




Dimensions			RE	REL	REC	RECL
A	B	C	1"	1-1/16"	1-5/8"	1-9/16"
18	36	18	2597	2927	2788	3068
18	42	18	2640	3029	2885	3212
24	42	24	2640	3029	2885	3212
24	48	24	2752	3214	3061	3448
30	48	30	2752	3214	3061	3448

Dimensions			RE	REL	REC	RECL
A	B	C	1"	1-1/16"	1-5/8"	1-9/16"
18	42	18	2717	3113	2965	3296
24	42	24	2717	3113	2965	3296
24	48	24	2830	3300	3143	3533
30	48	30	2830	3300	3143	3533


### Grommet



### Direction



### Combination of colors? Specify:



Top      Base      Front\*      Shelf

Notes:

## How to Order?

\*Front and front panels shown

Series	Dimensions	Product	Direction	Grommet	Option \$	Vertical Panel	Colors
RE			LR	GRC (std)	\$688	[ PV ]	Top Base Front* Shelf
REL			LH	GRL		[ ... ]	
REC		CXT	HR	GRR			See the Logiflex Color Chart.
RECL	ABC	CXX	HH	GLR			
				NGR			
				CAPF (std)			


## Example

RE 184218 CXT LR GRC CAPF / NW NW W

# C Series | Desk

**Manufacturing Standard :** Rectangular reception desk, 42"H transaction shelf, centered (GRC) CAPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

## CTB




Dimensions		RE	REL	REC	RECL
A	B	1"	1-1/16"	1-5/8"	1-9/16"
18	36	652	806	768	910
18	42	682	852	811	960
18	48	711	893	850	1019
18	54	782	968	922	1145
18	60	830	1044	994	1168
<hr/>					
24	36	688	861	820	967
24	42	724	915	871	1034
24	48	781	992	945	1128
24	54	838	1066	1015	1237
24	60	872	1126	1072	1279
<hr/>					
30	36	724	916	872	1024
30	42	766	977	930	1109
30	48	851	1092	1040	1237
30	54	895	1162	1107	1330
30	60	915	1210	1152	1390

### Grommet


See the manufacturing standard for further details.



### Direction



### Combination of colors? Specify:



Top Base Front\* Shelf

Notes:

## How to Order?

\*Front and front panels shown

RE	REL	REC	RECL	on left	A	B	on right	CTB	LR	LH	HR	HH	GRC	GRL	GRR	GLR	NGR	CAPF	/	\$155	[ PV ]	Top	Base	Front*	Shelf
Series	Pedestal Option \$	Dimensions	Pedestal Option \$	Product	Direction	Grommet														Vertical Panel Option \$	Colors	See the Logiflex Color Chart.			
[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]	[ -- ]


## Example

RE [ E ] 24 60 CTB LH GRC CAPF / [ PV ] NW NW W W

# C Series | Return

**Manufacturing Standard:** Left reception return with corner cut (CT) on right, 42"H transaction shelf, centered (GRC) CAPF grommet for desks less than 48", left and right grommets for desks of 48" and up.


## L CTTB




Dimensions			RE	REL	REC	RECL
A	B	C	1"	1-1/16"	1-5/8"	1-9/16"
24	36	18	732	907	864	1013
24	42	18	768	962	916	1080
24	48	18	825	1038	989	1175
24	54	18	883	1111	1058	1284
24	60	18	917	1173	1117	1325
<hr/>						
30	36	24	768	963	917	1071
30	42	24	809	1015	967	1155
30	48	24	895	1139	1085	1284
30	54	24	939	1210	1152	1377
30	60	24	959	1256	1196	1436
<hr/>						
36	36	30	852	1067	1016	1155
36	42	30	902	1147	1092	1275
36	48	30	952	1227	1169	1394
36	54	30	1001	1307	1245	1495
36	60	30	1032	1361	1296	1565

### Grommet


See the manufacturing standard for further details.



### Direction



### Combination of colors? Specify:



Top Base Front\* Shelf

Notes:

### How to Order?

\*Front and front panels shown

RE					GRC				
REL					GRL				
REC					GRR				
RECL	on left	A B C		LH	GLR				\$155
				HH	NGR	CAPF (std)			[ PV ]
Series	[ Pedestal ]	Product	LCTTB	Direction		Grommet			Vertical Panel
	Option (\$)								Colors
									See the Logiflex Color Chart.
									Option \$


### Example

RE [ E ] 24 60 18 LCTTB LH GRC CAPF / [ PV ] NW NW W W

# C Series | Return

**Manufacturing Standard:** Right reception return with corner cut (CT) on left, 42" high transaction shelf, centered (GRC) CAPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

## R CTTB



Dimensions			RE	REL	REC	RECL
A	B	C	1"	1-1/16"	1-5/8"	1-9/16"
18	36	24	732	907	864	1013
18	42	24	768	962	916	1080
18	48	24	825	1038	989	1175
18	54	24	883	1111	1058	1284
18	60	24	917	1173	1117	1325
<hr/>						
24	36	30	768	963	917	1071
24	42	30	809	1015	967	1155
24	48	30	895	1139	1085	1284
24	54	30	939	1210	1152	1377
24	60	30	959	1256	1196	1436
<hr/>						
30	36	36	852	1067	1016	1155
30	42	36	902	1147	1092	1275
30	48	36	952	1227	1169	1394
30	54	36	1001	1307	1245	1495
30	60	36	1032	1361	1296	1565

### Grommet


See the manufacturing standard for further details.



### Direction



### Combination of colors? Specify:



Top Base Front\* Shelf

Notes:

### How to Order?

\*Front and front panels shown

RE					GRC				
REL					GRL				
REC				HR	GRR				
RECL	A B C	on right		HH	GLR			\$155	
		[ _ _ ]	<b>RCTTB</b>		NGR	CAPF (std)		[ PV ]	Top Base Front* Shelf
Series	--	[ _ _ ]	Product	Direction	--	Grommet	/	[ _ _ ]	-- -- -- --
		[Pedestal Option (\$)]						Vertical Panel	Colors
									See the Logiflex Color Chart.
								Option \$	


### Example

RE 18 60 24 [ E ] RCTTB HR GRC CAPF / [ PV ] NW NW W W

# C Series | Return

**Manufacturing Standard:** Right reception return with curved cut (CV) on left, 42" high transaction shelf, centered (GRC) CAPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

## L CVTB




Dimensions			RE	REL	REC	RECL
A	B	C	1"	1-1/16"	1-5/8"	1-9/16"
24	36	18	732	907	864	1013
24	42	18	768	962	916	1080
24	48	18	825	1038	989	1175
24	54	18	883	1111	1058	1284
24	60	18	917	1173	1117	1325
<hr/>						
30	36	24	768	963	917	1071
30	42	24	809	1015	967	1155
30	48	24	895	1139	1085	1284
30	54	24	939	1210	1152	1377
30	60	24	959	1256	1196	1436
<hr/>						
36	36	30	852	1067	1016	1155
36	42	30	902	1147	1092	1275
36	48	30	952	1227	1169	1394
36	54	30	1001	1307	1245	1495
36	60	30	1032	1361	1296	1565

### Grommet


See the manufacturing standard for further details.



### Direction



### Combination of colors? Specify:



Top Base Front\* Shelf

Notes:

### How to Order?

\*Front and front panels shown

RE					GRC				
REL					GRL				
REC					GRR				
RECL	A B C	on right		HR	GLR			\$155	
				HH	NGR	CAPF (std)		[ PV ]	Top Base Front* Shelf
----	--	[ _ _ ]	<b>LCVTB</b>	--	--	--	/	[ _ _ ]	-- -- -- --
Series		[Pedestal] Option (\$)	Product	Direction		Grommet		Vertical Panel Option \$	Colors See the Logiflex Color Chart.

### Example

RE 18 36 24 [F] LCVTB HR GRC CAPF / [ PV ] NW NW W W




H. GALLERY

---

# Gallery | Manufacturing Standard

---

## 1. Top



RE	REL	REC	RECL
1"	1-1/16"	1-5/8"	1-9/16"

---

## 2. Front

If pedestals are installed, drawer fronts are 5/8" laminate. The front panel on the desk is 1" laminate.

---

## 3. Grommet



Grommet is included with all work desks. The standard grommet is CAPF.

---

## 4. Wood Grain



The wood grain runs vertically on fronts and front panels.

---

## 5. Leveler



All furniture items sit on black plastic levelers.

---

## 6. Colors




Colors have to be specified for all furniture items ordered. Consult the "How to Order" section of the product page for further details about the procedure. Consult the Logiflex Color Chart for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match with the color and finish specified.

# Gallery | Reception Desk


**Manufacturing Standard:** Rectangular reception desk, CAPF grommets on left and right (GLR), 42"H transaction shelf, 3 front panels applied on desk front.

## GA




Dimensions		RE	REL	REC	RECL
A	B	1"	1-1/16"	1-5/8"	1-9/16"
30	60	958	1259	1199	1442
30	66	1001	1327	1264	1524
30	72	1053	1408	1341	1626
30	78	1103	1490	1419	1729
30	84	1146	1558	1484	1810
<hr/>					
36	60	972	1324	1261	1524
36	66	1027	1412	1345	1645
36	72	1099	1491	1420	1745
36	78	1121	1572	1497	1845
36	84	1175	1658	1579	1967

## GACX




Dimensions		RE	REL	REC	RECL
A	B	1"	1-1/16"	1-5/8"	1-9/16"
30	60	1119	1428	1360	1613
30	66	1164	1500	1429	1697
30	72	1214	1579	1504	1796
30	78	1266	1658	1579	1906
30	84	1310	1729	1647	1978
<hr/>					
36	60	1133	1493	1422	1697
36	66	1189	1582	1507	1814
36	72	1236	1662	1583	1915
36	78	1282	1741	1658	2017
36	84	1339	1831	1744	2134

### Grommet



### Combination of colors? Specify:



Notes:

### How to Order?

\*Front and front panels shown


RE	REL	REC	RECL	GA	GACX	GRC	GRL	GRR	GLR (std)	NGR	CAPF (std)	Top	Base	Front*	Shelf
Series	[Pedestal Option (\$)]	Dimensions	[Pedestal Option (\$)]	Product	Grommet						Colors				
											See the Logiflex Color Chart.				

**Example** RE 3660 [ E ] GA GRC CAPF / Z Z Z W

# Gallery | Return


**Manufacturing Standard:** Reception return, CAPF centered grommet (GRC).

## GAR




Dimensions		RE	REL	REC	RECL
A	B	1"	1-1/16"	1-5/8"	1-9/16"
20	36	547	681	649	728
20	42	593	742	707	796
20	48	636	805	767	866
20	54	683	869	828	960
20	60	728	937	892	1017
<hr/>					
24	36	561	718	684	780
24	42	608	780	743	863
24	48	653	846	806	924
24	54	698	915	871	1001
24	60	744	983	936	1078


## GAL



### Grommet



### Combination of colors? Specify:



Notes:

\*If applicable

## How to Order?

RE				GRC		
REL				GRL		
REC				GRR		
RECL	AB			GLR		
			GAR			
			GAL	NGR	CAPF (std)	
<b>REC</b>	--	[ -- ]	--	--	--	
Series	Dimensions	[Pedestal Option (\$)]	Product	Grommet		
					Top	Base
					--	--
					Colors	
					See the Logiflex Color Chart.	

## Example

RE2460 [ E ] GAR GRC CAPF / Z Z W


## I. WORK DESK

---

# Work Desk | Lateral Table

**Manufacturing Standard:** 1" thick laminate top and legs, centered CAPF grommet and full modesty panel.


TL




Dimensions		RE	REL	REC	RECL
A	B	1"	1-1/16"	1-5/8"	1-9/16"
24	30	433	513	489	579
24	36	469	564	537	642
24	42	489	597	569	688
24	48	518	639	609	743
24	54	529	663	631	780
24	60	552	698	665	828
24	66	574	733	698	876
24	72	595	768	731	924
24	78	615	800	762	969

## Modesty Panel

Not recessed



PM (10")



FM

## Installed Pedestal Option (\$)

See p.22 for installed pedestals offered. Attention: The total width of the installed pedestal has to be less than the total width of the desk.

## Legs



LR



LH



HR



HH

## Grommet



CAPF

\$20 if GLR



GRC



GRL




GRR




GLR

No grommet  
NGR


## Combination of colors? Specify:



Top



Base



Front\*

Notes:

\*If installed pedestal:  
choice of Std or HG color.

## How to Order?

RE	REL	REC	RECL	on left	A	B	on right	TL	LR (std)	FM (std)	PM	GRC (std)	GRR	GRL	GLR	NGR	Top	Base	Front
--	[ -- ]	--	[ -- ]	Series	[Pedestal Option (\$)]	Dimensions	[Pedestal Option (\$)]	Product	Legs	Modesty	Grommet	/	--	--	--	--	Colors	See the Logiflex Color Chart.	


## Example

RE [ E ] 24 72 TL LR / SW W SW

# Work Desk | Return

**Manufacturing Standard:** 1" thick laminate top and legs, centered CAPF grommet and full modesty panel.

## R29




Dimensions		RE	REL	REC	RECL
A	B	1"	1-1/16"	1-5/8"	1-9/16"
24	30	408	488	465	552
24	36	424	517	492	595
24	42	440	545	519	636
24	48	462	581	553	685
24	54	489	621	591	737
24	60	518	663	631	793

### Installed Pedestal Option (\$)


See p.22 for installed pedestals offered.  
The pedestal will be installed on the leg side of the desk.

### Modesty Panel

Not recessed




PM (10")



FM

## L29



### Grommet



CAPF

\$20 if GLR



GRC



GRL




GRR




GLR

No grommet  
NGR


### Combination of colors? Specify:



Top



Base



Front\*

Notes:

\*If installed pedestal:  
choice of Std or HG color.

### How to Order?

RE					GRC (std)			
REL					GRR			
REC			R29	FM (std)	GRL			
RECL	A B		L29	PM	GLR			
					NGR			
--	--	[ -- ]	--	--	--	/	Top	Base
Series	Dimensions	[Pedestal]	Product	Modesty	Grommet			Front
		Option (\$)					--	--
								--
							Colors	
							See the Logiflex Color Chart.	

### Example


RE 24 48 [ E ] R29 / SW W SW

# Work Desk | Right Extended Corner

**Manufacturing Standard:** 1" thick laminate top and legs, CAPF grommet on the corner and full modesty panel.


**S**

*Straight cut*



**A**

*Curved cut*




Dimensions				RE	REL	REC	RECL
A	B	C	D	1"	1-1/16"	1-5/8"	1-9/16"
24	42	60	24	971	1229	1170	1455
24	42	66	24	1008	1288	1227	1538
24	42	72	24	1064	1367	1302	1639
24	42	78	24	1120	1446	1377	1741

## Installed Pedestal Option (\$)


See p.22 for installed pedestals offered.  
The pedestal will be installed on the extended side of the desks (right).

## Legs



## Modesty Panel


Not recessed




## Grommet



CAPF  
\$20 if GLR



## Combination of colors? Specify:



Notes:

\*If installed pedestal:  
choice of Std or HG color.

## How to Order?

RE							GRC (std)		
REL							GRR		
REC			S				GRL		
RECL	A B C D		A				GLR		
				R			NGR		
--	----	[ -- ]	--	--	--	--	--	/	Top Base Front
Series	Dimensions	[Pedestal] Option (\$)	Product	Orientation	Legs	Modesty	Grommet		Colors

See the Logiflex Color Chart.

## Example

RE 24 42 72 24 [ E ] A R HR / SW W SW





## J. STORAGE FURNITURE

---

# Storage | Installed Pedestal Option

**Manufacturing Standard:** H052CHR handle and satin nickel lock.

**E**

Width: Letter size (15-3/4")



**EX**

Width: Legal size (18-3/4")



Front Finish		
Code	Std	HG
E	645	677
EX	722	754

**F**

Width: Letter size (15-3/4")



**FX**


Width: Legal size (18-3/4")



Front Finish		
Code	Std	HG
F	628	660
FX	706	737


**D**

Width: Letter size (15-3/4")




**DX**

Width: Legal size (18-3/4")




Front Finish		
Code	Std	HG
D	472	496
DX	549	574

**CBCL30**




**BCCL30**



Front Finish		
Code	Std	HG
CBCL30	1039	1101
BCCL30	1039	1101

**CL30**



Front Finish		
Code	Std	HG
CL30	715	780

## How to Order?

Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.


The specified pedestal depth will be adjusted accordingly to the dimensions of the desk.

# Storage | Mobile Pedestal

**Manufacturing Standard:** 27-3/8" high, H052CHR handle and satin nickel lock.

## MOBE

Width: Letter size (15-3/8")




Casters included  
Not visible



## MOBXE

Width: Legal size (18-3/8")




Casters included  
Not visible



A Code	Front Finish	
	Std	HG
18 MOBE	713	745
18 MOBXE	796	834
23 MOBE	713	745
23 MOBXE	796	834

## MOBF

Width: Letter size (15-3/8")




Casters included  
Not visible



## MOBXF

Width: Legal size (18-3/8")



Casters included  
Not visible




A Code	Front Finish	
	Std	HG
18 MOBF	696	728
18 MOBXF	780	818
23 MOBF	696	728
23 MOBXF	780	818

### Combination of colors? Specify:



Top



Base



Front

Notes:

Choice of  
Std or HG color.

### How to Order?

RE	A	MOBE MOBXE MOBF MOBXF	Top	Base	Front
Series	Dimensions	Product	Colors	Colors	Colors

See the Logiflex Color Chart.

### Example


RE 18 MOBE / W W SW

# Storage | Lateral File Cabinet

**Manufacturing Standard:** H052CHR handle and satin nickel lock.

## CL2


Legal size



Dimensions		Front Finish	
A	B	Std	HG
24	30	837	905
24	36	904	987

## CL3


Legal size



Dimensions		Front Finish	
A	B	Std	HG
24	30	1319	1418
24	36	1379	1499

## CL4

Legal size



Dimensions		Front Finish	
A	B	Std	HG
24	30	1721	1851
24	36	1795	1952

**Combination of colors? Specify:**



Top



Base



Front

Notes:

Choice of Std or HG color.

## How to Order?

		CL2		
		CL3		
	A B	CL4		
RE	--	--	/	--
Series	Dimensions	Product		Colors
				Top Base Front

See the Logiflex Color Chart.

## Example


RE 24 36 CL2 / W W SW

# Storage | Multiple Unit

**Manufacturing Standard:** Open storage with 11" interior height, H052CHR handle and satin nickel lock.

## UC1


Legal size



Dimensions		Front Finish	
A	B	Std	HG
24	30	784	816
24	36	818	853

## UC2


Legal size



Dimensions		Front Finish	
A	B	Std	HG
24	30	1173	1245
24	36	1235	1321

## UC3

Legal size



Dimensions		Front Finish	
A	B	Std	HG
24	30	1563	1675
24	36	1652	1790

**Combination of colors? Specify:**



Top



Base



Front

Notes:

Choice of Std or HG color.

## How to Order?

		UC1		
		UC2		
	A B	UC3		
RE	--	--	/	--
Series	Dimensions	Product		Colors

See the Logiflex Color Chart.

## Example


RE 24 36 UC2 / W W SW

# Storage | Cabinet

**Manufacturing Standard:** H052CHR handle and satin nickel lock for laminate doors. Aluminium handle built into the frame for aluminium doors.

## AR

Laminate doors




Dimensions			Front Finish	
A	B	C	Std	HG
24	30	29	746	812
24	36	29	794	873
24	30	41	889	986
24	36	41	935	1052
24	30	53	1029	1157
24	36	53	1078	1232

## AR

Aluminum doors

\*Lock not available on glass doors




Dimensions			Door Insert			
A	B	C	PV	PL	PW	V4
24	30	29	1077	1091	1115	1288
24	36	29	1133	1149	1179	1385
24	30	41	1261	1280	1315	1558
24	36	41	1333	1355	1397	1689
24	30	53	1540	1565	1610	1924
24	36	53	1627	1657	1711	2088

\*See Logiflex color chart


Number of shelf for each height

- 29" = 1 adjustable shelf
- 41" = 2 adjustable shelves
- 53" = 3 adjustable shelves


### Combination of colors? Specify:




Top



Base



Front\*



Shelf

Notes:

\*If laminate front: choice of Std or HG color.

### How to Order?

RE	A B C	AR	PV	PL	PW	V4	Top	Base	Front	Shelf
---	---	---	---	---	---	---	---	---	---	---
Series	Dimensions	Product	Insert*				Colors			

\*If aluminum doors

See the Logiflex Color Chart.

### Example


RE 24 36 41 AR / W W SW W

# Storage | Pigeonhole Unit

**Manufacturing Standard:** 3" interior height in each pigeonhole.


## PG

Width: Letter size (15-3/8")



## PGX


Width: Legal size (18-3/8")



### Dimensions

A	Code	
16	PG	320
16	PGX	333


### Drawer Option



DR	218
----	-----


## PG30

Width: 30"



## PG36


Width: 36"



### Dimensions


A	Code	
16	PG30	552
16	PG36	578

### Drawers Option



DR	437
----	-----

### Combination of colors? Specify:



\*If drawer option

Notes:

### How to Order?

		PG						
		PGX						
		PG30						
	A	PG36	DR		Top	Base	Front	Shelf
<b>RE</b>	-	--	[ _ ]	/	--	--	--	--
Series	Dimensions	Product	Drawer Option (\$)		Colors			


See the Logiflex Color Chart.

**Example** RE 16 PG36 [DR] / SW SW W-H SW

# Storage | Vertical Pigeonhole Unit

**Manufacturing Standard:** on levellers, 2 fixed shelves.


PGV




Dimensions

A	B	C
24	08	41
		548

**Combination of colors? Specify:**



Top



Base



Shelf

Notes:

## How to Order?

RE	A B C	PGV	/	Top	Base	Front
---	---	---		--	--	--
Series	Dimensions	Product		Colors		

See the Logiflex Color Chart.

## Example


RE 24 08 41 PGV / SW SW W

## K. ACCESSORIES

---

# Accessories | Lighting

## 2.4 W LED Starting Kit




DELALI 66

1 x power supply to connect up to 20' of 2.4 W LED lights;  
60 W, 24V dc power supply, 100-240 V, 50/60 Hz, Includes a 39" primary power cord and 38" secondary cord for connection to the LED light.



DELFIL 8


1 x 79" power cord.



DELGR 19

1 x 4-step touch dimmer.

## 2.4 W Flexible LED Tape



DEL12 15

2.4 W flexible LED tape;  
Cool white, self-adhesive, 12" long;  
Allow 72 hours once the tape is applied before turning the light on;  
Can be directly linked one to the other.

## Accessories for 2.4 W Flexible LED Tape



DELT 14

T-joint to link three directions;  
Three quick connectors are included.



DELL 11

90° L-joint to use at a corner;  
Three quick connectors are included.



DELX 16

X-joint to connect four directions;  
Three quick connectors are included.

20" extension

DELRAL20 4

40" extension

DELRAL40 6


79" extension

DELRAL79 8



To connect 12" strips of 2.4W LED tape together;  
Three lengths available: 20", 40" or 79".

## 7.5 W LED Task Light




DEL20 167

7.5W LED task light;  
Cool white;  
20" length;  
Satin nickel finish;  
180° swivel feature.


## Accessories | Trays, Drawers and Holders

Ergonomic Keyboard Tray	KB360M	467
-------------------------	--------	-----




Black plastic articulating ergonomic keyboard tray;  
 "Lift-N-Lock" spring system (no lever) to adjust height;  
 Handle for easy tilt adjustment from 10° to 15°;  
 Retractable and adjustable mouse tray on left or right;  
 Black gel wrist rest;  
 360° rotation;  
 Needs a minimum of 21-1/2" deep clearance under the top.

Keyboard Tray	KBMOD	176
---------------	-------	-----




24" to 30" wide;  
 Specify the width wanted after the code;  
 Specify the color wanted after the code;  
 Adjustable height from 1-3/4" to 2-3/4";  
 Additional 3-1/2" for slides;  
 Needs a minimum of 16" deep clearance under the top.

Pencil Drawer	TCPM	147
---------------	------	-----



Black plastic sliding drawer with steel ball bearings;  
 Needs a minimum of 16-1/4" deep clearance under the top.


Sliding CPU Holder	MCPU93	295
--------------------	--------	-----



Ratchet style locking storage adjustment;  
 12" storage;  
 Adjustable height from 13" to 25";  
 Adjustable width from 3" to 9";  
 Maximum capacity of 38 kg (85 lbs);  
 360° rotation;  
 Needs a minimum of 17" deep clearance under the top.

# Accessories | Hardware


## Grommet



CAPF 20



Square metal grommet with engraved Logiflex logo;  
Satin nickel finish;  
2-1/2" hole in the top.

HAPF 14




Oval plastic grommet;  
Satin nickel finish;  
3-1/2" hole in the top.

ELPF 6



Elliptic grommet with Logiflex logo;  
Black plastic finish;  
2-1/2" hole in the top.

## Handle



H052CHR 16

7" metal handle;  
6-9/32" (159.544 mm) center-to-center drill holes;  
Chrome finish;  
Consult the Logiflex Color Chart to see the complete list of handles offered.

## Lock



LKSNF 22 *Drawer lock, sold separately*

LKSNP 22 *Door lock, sold separately*

Satin nickel finish;  
To order a lock separately, specify whether it's a drawer lock (LKSNF) or a door lock (LKSNP).

---

## MAKE A STATEMENT

A client's first impression when they visit your company may affirm their decision to choose your product or service.

This makes it important to personalize your reception desk to make it distinctly you. From minimalist geometry to curves and curls, Logiflex's reception units will highlight the individuality of your company, projecting a modern esthetic without sacrificing functionality.

# LOGICAL AND FLEXIBLE

As our product line is constantly evolving and expanding, we recommend that you visit [logiflex.ca](http://logiflex.ca) for updates

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada  
T : 1.877.864.9323 | F : 1.800.474.7830 | [logiflex.ca](http://logiflex.ca)

