

---

# FrameOne

## Specification Guide

### Availability

**Electronic price list updated** with release 182.A (U.S.) and 147.A (Canada), dated April 20, 2015.

Spec News is available on [village.steelcase.com](http://village.steelcase.com). Search AdStock and download the current release's Spec News.

View or download Steelcase Specification Guides at <http://www.steelcase.com/en/resources/design/spec-guides/pages/specguides.aspx>.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an , followed by the last order entry date.

### Working with This Specification Guide

Eleven Tips: How to Get the Most Out of This Book	2
Additional Resources	4
Overview	6
Stability Guidelines	8
Thought Starters	11

### FrameOne

Understanding FrameOne	19
Understanding Power and Data	57
Specifying FrameOne	71

### Surface Materials 133

### Resources 143

► For a list of all trademarks, refer to the last page of this specification guide.  
© 2015 Steelcase Inc.



#### For Canadian Pricing


Canadian factor can be found at [steelcase.com/CADpricing](http://steelcase.com/CADpricing).

Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.

# Eleven Tips: How to Get the Most Out of This Book

## Tip 1




**Watch** the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

## Tip 2

**Review the overview pages** for an introduction to FrameOne product solutions. This section highlights different considerations that should be taken into account as you plan your workspaces. ▶ Page 6

## Tip 3



**Use the Statement of Line pages** for an overview of the available components, their sizes, and page references for additional information.

## Tip 4



**Find cross reference** by looking for page numbers flagged with an arrow.

## Tip 5

**Study the product detail pages** in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

**Product Drawing** shows you what the product looks like and points out important features.

**Product Details** gives specific information on the product and how it is used.

**Surface Materials** lists what material is used for each part of the product.

**Rectangular and Transition Panel-Supported Workspaces**

**Product Drawing** shows you what the product looks like and points out important features.

**Product Details** gives specific information on the product and how it is used.

**Surface Materials** lists what material is used for each part of the product.

**Actual Dimensions** table lists the dimensions of the product.

**Connections** describes how the product is assembled or how it attaches to another product.

**Wiring and Cabling** details the cable-management and cable routing capabilities of the product.

**Application Topics** provides useful advice on how to apply the product.

**Find cross reference** by looking for page numbers flagged with an arrow.

### Tip 6

**Refer to the specifying pages** for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
- Dimensions
- Style Number
- Price

**Standard Includes** (under the dark grey band) provides a list of what comes standard with the product.

**Required to Specify** (under the dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

**Specification Information** (under the light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

**Product Drawing** shows you what the product looks like.

**Options** (under the black band) lists all the options that apply to the product, their price, and what is required to specify.

**Related Products** provide specification information for products that are directly related.

### Tip 7

**Italic typeface** on specifying pages usually identifies wording that you should use in your order.


i>

### Tip 8

**Wiring & Cabling Cable-management choices** to allow wires and cables to pass through work-surfaces include three-piece grommets, 4" square grommets, continuous channel grommet, and cord catcher. *Tip: You can specify only one type of cable-management option on a single worksurface.*

**Watch for tips** throughout the text that give you explanations and helpful instructions.

### Tip 9



**Learn what you cannot do** by looking for drawings crossed out with an "X."

### Tip 10

**Use the surface materials listings** in the Surface Materials section of this book to find surface material color numbers. **▶ Page 133**

### Tip 11

Style Number	Page
<b>2256-P</b>	308
<b>32WCP</b>	265
<b>4942</b>	308
<b>87-7102002</b>	331
<b>87-7102003</b>	331
<b>88-PS</b>	194

**Refer to the style number index** when you know a style number and you need to find the page that has more details about the product. **▶ Page 148**

# Additional Resources

**FrameOne products** are supported with informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

For additional information on four benching profiles—Nomads, Project Teams, Residents, and Functional Groups, please go to [www.steelcase.com/FrameOne](http://www.steelcase.com/FrameOne).

## Printed Materials

### Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the [www.steelcase.com](http://www.steelcase.com) web site or at [village.steelcase.com](http://village.steelcase.com).

## Computer Tools

### Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools—Steelcase's design and specification software (for more information on SmartTools, please email [SmartTools@steelcase.com](mailto:SmartTools@steelcase.com)), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

### Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.



### Digital Publications

If your device has a bar code reader App, scan this QR code for a direct link to the online digital publications. Utilizing this QR code allows you to search across multiple specification guides, share across social media, or print out pages. You can also access these digital publications at [www.steelcase.com](http://www.steelcase.com) or [village.steelcase.com](http://village.steelcase.com).

## Support

### Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

**For assistance**, please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to [lineone@steelcase.com](mailto:lineone@steelcase.com).

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality or warranty concerns or service parts questions.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.


For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: [www.steelcase.com](http://www.steelcase.com).



# Overview


## Dual-sided base units

include an integrated rail and legs. Overall depths are 48"D or 60"D. Widths range from 48"W to 96"W. Dual-sided base units can be used independently or combined with dual-sided extensions to lengthen the bench.





## Dual-sided extension units

include an integrated rail and an intermediate leg, and connect to dual-sided base units. Dual-sided extensions can be added to each other to lengthen the bench. Dual-sided extensions are offered in the same dimensions as the dual-sided base units.




**End counters** can be placed at either end of a dual-sided base or extension unit, and allow a place for printers, additional touch-down space for users, etc. End counters are available 18"D or 24"D and 48"W or 60"W.






**Single-sided base units**

include an integrated rail and legs, and are available in two depths – 25½"D or 31½"D. Widths range from 48"W to 96"W. Single-sided base units can be used independently or combined with single-sided extensions to lengthen the bench. Single-sided base units can also be used between dual-sided units to get around a column.



**Single-sided extension units**


include an integrated rail and an intermediate leg, and connect to a single-sided base unit. Single-sided extensions can be added to each other to lengthen the bench. Dimensions are the same as single-sided base units.




**Centered screens**

are mounted to the rail on both dual- and single-sided base and extension units. 12"H and 19½"H screens have widths of 48"W to 84"W. 24"H screens have widths of 48"W to 72"W.


# Stability Guidelines




Maximum run of dual-sided base and extensions is 32'.




If dual-sided run is longer than 32', a base is required mid run. One connection kit (base leg to base leg) must be ordered to connect the two post (or loop) legs together.




Maximum run of single-sided base and extensions is 32'.



If single-sided run is longer than 32', a base is required mid run. One connection kit (base leg to base leg) must be ordered to connect the two post (or loop) legs together.




A single-sided base allows efficient planning, providing the ability to work around architectural obstructions. Two connection kits (base leg to base leg) must be ordered to connect the dual-sided post (or loop) legs to the single-sided post (or loop) legs.



## Thought Starter 1A—Resident

### Recommended Components


	Quantity	Style Number	Description	Option
①	1	<b>FMBDS3072</b>	30"D x 72"W Dual-Sided Base	Power and Data Access Door, Lower Tray
②	2	<b>FMEDS3072</b>	30"D x 72"W Dual-Sided Extension	Power and Data Access Door, Lower Tray
③	1	<b>FMCS2460</b>	24"D x 60"W End Counter	
④	3	<b>FMSC7219</b>	19"H x 72"W Centered Screen	
	1	<b>FMAS</b>	Screen Aligners, Package of 10	
⑤	6	<b>FPAC2FO</b>	Eyesite Flat Panel Dual Monitor Arm	
⑥	2	<b>RLF24301BP</b>	22"H x 30"W Universal 1.5 H Lateral File, Proud Front, Drawer/Drawer	
⑦	6	<b>RPM2421CP</b>	21"H x 15"W Universal Mobile Pedestal, Proud Front, Box/File	
	3	<b>FMVPBH</b>	Modular Power Block—High Capacity	
	2	<b>FMVH54</b>	54"L Modular Harness	
	24	<b>FMVRD</b>	Duplex Receptacle	
	1	<b>FMVM</b>	Modular Junction Box Faceplate	
	1	<b>FMVH72</b>	72"L Modular Harness	



### Thought Starter 1B—Resident

#### Recommended Components


	Quantity	Style Number	Description	Option
①	1	<b>FMBDS3078</b>	30"D x 78"W Dual-Sided Base	Lower Tray
②	1	<b>FMEDS3078</b>	30"D x 78"W Dual-Sided Extension	Lower Tray
③	1	<b>FMSC6012</b>	12"H x 60"W Centered Screen	
	1	<b>FMVH69</b>	69"L Modular Harness	
	1	<b>FMV112H</b>	12' Hardwire-to-Modular Power Infeed	
	2	<b>FMVPBS</b>	Modular Power Block – Standard Capacity	
	8	<b>FMVRD</b>	Duplex Receptacle	
④	2	<b>FMFP60</b>	Dual-Sided Post Infill	
⑤	1	<b>FMMAM</b>	Mid Storage Mirrored Application Kit	
⑥	2	<b>CQMT177215S</b>	17"D x 72"W c:scape Tall Mid Storage, Shared	
	1	<b>FMMAL</b>	Parallel Application Kit	
⑦	1	<b>CQMT176015S</b>	17"D x 60"W c:scape Tall Mid Storage, Shared	
	4	<b>DSLEDR6</b>	SOTO LED Task Light, Rail Mount	
	2	<b>DSS2410</b>	10"D x 24"W SOTO Shelf	
	2	<b>DSTB</b>	SOTO Tool Box	
	2	<b>DSUB</b>	SOTO Utility Box	



## Thought Starter 2A—Functional Group

### Recommended Components


	Quantity	Style Number	Description	Option
①	1	<b>FMBDS3078</b>	30"D x 78"W Dual-Sided Base	Lower Tray
②	2	<b>FMEDS3078</b>	30"D x 78"W Dual-Sided Extension	Lower Tray
③	6	<b>DSS246</b>	6"D x 24"W SOTO Shelf	
	6	<b>DSLEDR</b>	SOTO LED Task Light, Rail Mount	
④	6	<b>FPAC1FO</b>	Eyesite Flat Panel Single Monitor Arm	
⑤	6	<b>RLF18301BP</b>	22"H x 30"W Universal 1.5 H Lateral File, Proud Front, Drawer/Drawer	
⑥	6	<b>RLF18301AP</b>	22"H x 30"W Universal 1.5 H Lateral File, Proud Front, Open/Open	
⑦	6	<b>FMVPDS</b>	Power and Data Strip with Cord and Rail Attachment Bracket	
	3	<b>FMVPBH</b>	Modular Power Block—High Capacity	
	24	<b>FMVRD</b>	Duplex Receptacle	
	2	<b>FMVH60</b>	60"L Modular Harness	
⑧	1	<b>FMVC</b>	Vertebral Riser	
	1	<b>FMVI12H</b>	Hardwire-to-Modular Power Infeed	



## Thought Starter 2B—Functional Group

### Recommended Components


	Quantity	Style Number	Description	Option
1	1	<b>FMBDS3078</b>	30"D x 78"W Dual-Sided Base	Loop Leg, Lower Tray
2	2	<b>FMEDS3078</b>	30"D x 78"W Dual-Sided Extension	
3	3	<b>FMSC7212</b>	12"H x 72"W Centered Screen	
4	6	<b>FMVPDS</b>	Power and Data Strip with Cord and Rail Attachment Bracket	
5	2	<b>FMLCD</b>	Intermediate Leg Cover	
	1	<b>FMVM</b>	Modular Junction Box Faceplate	
	1	<b>FMVH72</b>	72"L Modular Harness	
	3	<b>FMVPBS</b>	Modular Power Block—Standard Capacity	
	2	<b>FMVH69</b>	69"L Modular Harness	
	12	<b>FMVRD</b>	Duplex Receptacle	
6	2	<b>FMRT1836</b>	Return, 18"D x 36"W	
7	2	<b>FMRT3636</b>	Return, 36"D x 36"W	



### Thought Starter 3—Nomad

#### Recommended Components


	Quantity	Style Number	Description	Option
①	1	<b>FMBDS3078</b>	30"D x 78"W Dual-Sided Base	Loop Leg
②	2	<b>FMEDS3078</b>	30"D x 78"W Dual-Sided Extension	
③	3	<b>FMSC7212</b>	12"H x 72"W Centered Screen	
④	6	<b>FMVPDS</b>	Power and Data Strip with Cord and Rail Attachment Bracket	
⑤	2	<b>FMLCD</b>	Intermediate Leg Cover	
	1	<b>FMVM</b>	Modular Junction Box Faceplate	
	1	<b>FMVH72</b>	72"L Modular Harness	
	3	<b>FMVPBS</b>	Modular Power Block—Standard Capacity	
	2	<b>FMVH69</b>	69"L Modular Harness	
	12	<b>FMVRD</b>	Duplex Receptacle	



### Thought Starter 4A—Project Team

#### Recommended Components

	Quantity	Style Number	Description	Option
①	1	<b>FMBDS3060</b>	30"D x 60"W Dual-Sided Base	Power and Data Access Door, Lower Tray
②	1	<b>FMEDS3060</b>	30"D x 60"W Dual-Sided Extension	Power and Data Access Door, Lower Tray
③	2	<b>FMCS1860</b>	18"D x 60"W End Counter	
④	4	<b>DSS246</b>	6"D x 24"W SOTO Shelf	
	4	<b>DSTB</b>	SOTO Tool Box	
	4	<b>DSUB</b>	SOTO Utility Box	
	2	<b>DSLEDR</b>	SOTO LED Task Light, Rail Mount	
	2	<b>FMVPBH</b>	Modular Power Block—High Capacity	
	16	<b>FMVRD</b>	Duplex Receptacle	
	1	<b>FMVH42</b>	42"L Modular Harness	
	1	<b>FMVI12H</b>	Hardwire-to-Modular Power Infeed	



## Thought Starter 4B—Project Team

### Recommended Components

Quantity	Style Number	Description	Option
1	<b>FM6PK2460</b>	6-Pack Bench with media:scape	Loop Leg, 42" Shroud
2	<b>FMVH42</b>	42"L Modular Harness	
1	<b>FMV112H</b>	12' Hardwire-to-Modular Power Infeed	
3	<b>FMVPBH</b>	Modular Power Block – High Capacity	
24	<b>FMVRD</b>	Duplex Receptacle	
4	<b>DSS363</b>	31/4"D x 36"W SOTO Shelf	
2	<b>DSTB</b>	SOTO Tool Box	
4	<b>DSUB</b>	SOTO Utility Box	



---

# Understanding FrameOne


---

<b>Statement of Line</b>	<b>20</b>
--------------------------	-----------

## **Understanding**

Dual-Sided Bases, Dual-Sided Extensions, and End Counters	<b>30</b>
Single-Sided Bases and Single-Sided Extensions	<b>34</b>
Infills	<b>36</b>
Returns	<b>38</b>
Mid Storage	<b>40</b>
Overhead Cabinets and Organizer Shelves	<b>44</b>
Benches with media:scape	<b>48</b>
media:scape Features Comparison	<b>50</b>
Centered Screens	<b>51</b>
Divisio Side Screen	<b>52</b>
LED Personal Task Lights	<b>54</b>

# Statement of Line




48"W to 84"W      96"W

Understanding  
▶ Page 30  
Specifying  
▶ Page 72

## Dual-Sided Bases

	48"W	60"W	66"W	72"W	78"W	84"W	96"W
24"D	●	●	●	●	●	●	●
30"D	●	●	●	●	●	●	●

Note: Depth dimension is for each side to centerline of 3" integrated rail.



48"W to 84"W      96"W

Understanding  
▶ Page 30  
Specifying  
▶ Page 74

## Dual-Sided Extensions

	48"W	60"W	66"W	72"W	78"W	84"W	96"W
24"D	●	●	●	●	●	●	●
30"D	●	●	●	●	●	●	●


Note: Depth dimension is for each side to centerline of 3" integrated rail.



Understanding  
▶ Page 30  
Specifying  
▶ Page 76

## End Counters

	48"W	60"W
18"D	●	●
24"D	●	●




48"W to 84"W      96"W

Understanding  
▶ Page 34  
Specifying  
▶ Page 78

## Single-Sided Bases

	48"W	60"W	66"W	72"W	78"W	84"W	96"W
25 1/2"D	●	●	●	●	●	●	●
31 1/2"D	●	●	●	●	●	●	●

Note: Depth dimension includes 3" integrated rail.



48"W to 84"W      96"W

Understanding  
▶ Page 34  
Specifying  
▶ Page 80

## Single-Sided Extensions

	48"W	60"W	66"W	72"W	78"W	84"W	96"W
25 1/2"D	●	●	●	●	●	●	●
31 1/2"D	●	●	●	●	●	●	●

Note: Depth dimension includes 3" integrated rail.




Understanding  
▶ Page 31  
Specifying  
▶ Page 82

## Intermediate Leg Covers

	Single-Sided	Dual-Sided
24"H	●	●



## Accessories



### Connection Kit - Base Leg to Base Leg

Understanding  
 ▶ Page 31  
 Specifying  
 ▶ Page 83




### Floor Anchor Brackets

Understanding  
 ▶ Page 31  
 Specifying  
 ▶ Page 83



### Dampener for 72" W to 84" W Stand-Alone Dual-Sided Bases

Understanding  
 ▶ Page 31  
 Specifying  
 ▶ Page 83



Understanding  
 ▶ Page 36  
 Specifying  
 ▶ Page 84

## Infills

24"W	30"W	48"W	60"W
●	●	●	●




Understanding  
 ▶ Page 38  
 Specifying  
 ▶ Page 85

## Returns

	36"W	48"W	60"W
18"D	●	●	●
24"D	●	●	●
30"D	●	●	●
36"D	●	●	●


**Mid Storage**



Understanding  
 ▶ Page 40  
 Specifying  
 ▶ Page 86

**Tall Storage, Personal**


	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W
17"D	●	●	●	●	●	●	●	●



Understanding  
 ▶ Page 40  
 Specifying  
 ▶ Page 86

**Tall Storage, Shared**


	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W
17"D	●	●	●	●	●	●	●	●



Understanding  
 ▶ Page 40  
 Specifying  
 ▶ Page 86

**Slim Storage, Personal**

	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W
17"D	●	●	●	●	●	●	●	●



Understanding  
 ▶ Page 40  
 Specifying  
 ▶ Page 86

### Slim Storage, Shared

	30"W	36"W	42"W	48"W	60"W	66"W	72"W	78"W
17"D	●	●	●	●	●	●	●	●
24"D					●	●	●	●

### Mid Storage Supports

Understanding  
 ▶ Page 40  
 Specifying  
 ▶ Page 89

**Perpendicular with column**


**Perpendicular with High Ped**

**Mirrored Perpendicular with column**

**Mirrored Perpendicular with High Ped**

**Parallel Application Kit**


Statement of Line, continued



Understanding  
▶ Page 44  
Specifying  
▶ Page 92

**Single-High Overhead Cabinets for FrameOne End Counter Below Application**


	48"W	60"W
15"D Open Unit	●	●
15 <sup>7</sup> / <sub>8</sub> "D Hinged Door	●	●



Understanding  
▶ Page 44  
Specifying  
▶ Page 94

**Single-High Overhead Cabinets for FrameOne Above Worksurface Application**

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W
15"D Personal/Open	●	●	●	●	●	●	●	●	●
15 <sup>7</sup> / <sub>8</sub> "D Personal/Sliding Door		●	●	●	●	●	●	●	●
15"D Shared/Open Door	●	●	●	●	●	●	●	●	●
16 <sup>3</sup> / <sub>4</sub> "D Shared/Sliding Door		●	●	●	●	●	●	●	●



Understanding  
▶ Page 44  
Specifying  
▶ Page 98


**Organizer Shelves for FrameOne Application**

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W
15"D Personal	●	●	●	●	●	●	●	●	●
15"D Shared	●	●	●	●	●	●	●	●	●




### Benches with media:scape


Understanding  
 ▶ Page 48  
 Specifying  
 ▶ Page 100



**4-Pack**



**6-Pack**




**8-Pack**




Understanding  
 ▶ Page 48  
 Specifying  
 ▶ Page 103

### Shrouds


	For 40" Monitor	For 42" Monitor
34"H	●	
37"H		●



12"H



19 1/2"H



24"H

Understanding  
 ▶ Page 51  
 Specifying  
 ▶ Page 104

### Centered Screens

	48"W	60"W	66"W	72"W	78"W	84"W
12"H	●	●	●	●	●	●
19 1/2"H	●	●	●	●	●	●
24"H	●	●	●	●		



Understanding  
 ▶ Page 52  
 Specifying  
 ▶ Page 106

### Divisio Side Screen


29 1/2"D	
11 5/8"H	●

**Personal task lights** offer end users added control and adjustability to place the proper amount of personal lighting to create a holistic worksetting. Ideally suited for rail-mount, desk, or freestanding applications.

**LED Lights**

Rail-Mounted and Non Rail-Mounted

**LED Personal Task Lights**



**Mounting**

- Rail-mounted attaches directly to rail systems in c:scape, FrameOne, Elective Elements, Impact, Turnstone Campfire Big Table, and Details SOTO Rail. The non rail-mounted version attaches to most freestanding desks and tables.
- Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1 1/4", or with modesty panels or modesty screens closer than 6" from the back edge.*

- Understanding
- ▶ Page 54
- Specifying
- ▶ Page 132

**Depth**

6"

**Width**

30"

**Description**

Intended to be a primary light source, LED personal task light covers the user's active work zone with a smartly-designed array of light. The light is specifically designed to direct light where it is needed. Energy efficient at only 14 watts, LED personal task light is engineered to have a useful life of over 50,000 hours. It attaches directly to the rail systems of c:scape, FrameOne, Impact, Elective Elements, Turnstone Big Table, and Details SOTO Rail. A non-rail-mounted version attaches to freestanding desks and tables.

**Finish Options**

- Fixture and stanchions, paint: 4231 Arctic White, 4710 Low Gloss Black, 4799 Platinum Metallic. Plastic cover Arctic White (6009) only.

**Ballasts**

- Energy saving low-voltage power supply

**Electronic Dimmer**

- Standard on all lights

**Lens Options**

- Polycarbonate matte film


**Average Rated Lamp Life**

- 50,000 hrs.


**Warranty**

- Power supply - 5 years
- Fixture - 12 years


## Worktools




**3\"/>**



**6\"/>**




**10\"/>**




**LED Task Lights**  
▶ Page 121




**Tool Box**  
▶ Page 121




**Pile Box**  
▶ Page 122



**Diagonal File Box**  
▶ Page 122



**Personal Box**  
▶ Page 122



**Landscape Letter Box**  
▶ Page 123



**Utility Box**  
▶ Page 123




**Storage Box, Set of 3**  
▶ Page 123




**Cable Clip**  
▶ Page 124



**Personal Hook**  
▶ Page 124



**Mobile Caddy**  
▶ Page 124



**Functional Screen**  
▶ Page 125

**Most products on this page are the SOTO collection by Details.**

They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).


## Worktools, continued



**Personal Pocket**  
▶ Page 125




**Eyesite Single Display Supports with FrameOne Mounting Brackets**  
▶ Page 126




**Eyesite Dual Display Supports with FrameOne Mounting Brackets**  
▶ Page 127



**Eyesite Static One-Over-One Display Support with FrameOne Mounting Brackets**  
▶ Page 128




**Eyesite Static Two-Over-Two Display Support with FrameOne Mounting Brackets**  
▶ Page 128




**Eyesite Static Three-Over-Three Display Support with FrameOne Mounting Brackets**  
▶ Page 129




**Eyesite FrameOne Bracket**  
▶ Page 129



**FYI Flat Panel Monitor Arm with FrameOne Bracket**  
▶ Page 130



**Vertical Processor Sling with FrameOne Bracket**  
▶ Page 130




**Keyboard Assemblies**  
▶ Page 131

**Products on this page are by Details.** They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).




# Dual-Sided Bases, Dual-Sided Extensions, and End Counters

**Dual-sided bases and extensions** connect together to create benching applications. Overall depths are 48"D or 60"D. Surfaces are 3/4"-thick with a wood core and are supported by a frame and legs. Widths range from 48"W to 96"W.  
 ▶ Specifying, page 72



**Post or loop legs** are included with dual-sided base units. Legs are fixed-height with top of surface at 28 1/2"H.



**Integrated rail** is located in center of dual-sided base and extension units and allows for the mounting of centered screens, monitor arms, lights, power strips, and other worktools.



**Intermediate leg** is included with dual-sided extension units. Leg is fixed-height with the top of surface at 28 1/2"H. Leg supports adjacent surface.

**Power and data access door** is optional on dual-sided base and extension units.

**1/2" gap between rail and surface** accommodates worktools and cords.

**End counters** are available in 18"D or 24"D, and widths of 48"W and 60"W. They can be added to the end of a dual-sided bench to provide additional surface space for printers, additional touchdown space for users, etc.

**Leg glides** have 1 3/8" of adjustment for uneven floors.




## Actual Dimensions



<b>A</b>	24" or 30" (to centerline of integrated rail)
<b>B</b>	48", 60", 66", 72", 78", 84", or 96"
<b>C</b>	48" or 60"
<b>Thickness</b>	3/4"

Note: Actual worksurface depths are 22" and 28".


**Product Details**




**Two leg types** are available on dual-sided base units. Post is the standard, and loop leg is optional. A pair of legs is included with each unit.




**Intermediate leg** is included and used on dual-sided extension units. A leg cover is available to provide a different visual and to conceal power/data infeeds at this location. Lower trays are recommended when leg covers are used.



**24\"/>**




**Dual-sided base units** include two legs. The second leg is used at the end of the bench or when 32' has been reached.  
▶ See *Stability Guidelines*, page 8, for more information.




**Power and data access door** is optional on all dual-sided base and dual-sided extension surfaces. One door is centered on the surface and allows user access to power and data outlets as well as cord management. When optioned on 96\"/>

**Trays** are available on dual-sided base and extension units. There are two tray options.




**Upper tray** is standard and provides under the surface cord management, data termination, and conceals the power blocks and conduit.




**The lower tray** is optional and always used in conjunction with an upper tray. It is intended for use when voice/data cables are being routed. It conceals data cables creating a clean visual.


**Omit trays** is an option if trays are not needed. However, if power and data access door is selected, an upper tray is required.



**Dual-sided extension units** include an extension tray when lower tray is optioned.




Dual-sided base




Dual-sided extension


**96\"/>**



**Storage** must be at least 6\"/>




**Storage** can nest under the bench. The clearance is 25 1/2\"/>




**Storage** can nest under end counters. There is 25\"/>

**Connections**



**Floor anchor brackets** are available to secure a dual-sided base to the floor to prevent movement for power infeed applications as dictated by local codes. Brackets are typically only used when the dual-sided unit is not connected to an extension.

**Dampener** is recommended for use with stand alone dual-sided base units (72\"/>



**Base leg to base leg connection kit** is required when two dual-sided base legs are adjacent to each other or when transitioning from a dual-sided base unit to a single-sided base unit. Connection occurs at the top of the legs, under the surface, and at the glide location.

**Wiring and Cabling**

**Modular power**, in a dual-sided base or extension unit without trays, must be secured with a strain relief bracket. Order style number FMVBK for each unit.

**Power components** are ordered separately.

**Data** can be terminated and accessed in the upper tray.

**Surface Materials**

**Surfaces**

- Laminate
- Veneer

**Edge**

- Plastic

**Legs**

- Paint

**Power and data access door**

- Paint
- Anodized aluminum




# Single-Sided Bases and Single-Sided Extensions


**Single-sided bases and extensions** connect

together to create benching applications. Two depths are available—25½"D or 31½"D. Surfaces are ¾"-thick with a wood core and are supported by a frame and legs. Widths range from 48"W to 96"W.


► Specifying, page 78



**Post or loop legs** are included with single-sided base units. Legs are fixed-height with top of surface at 28½"H.



**Intermediate leg** is included with single-sided extension units. Leg is fixed-height with the top of surface at 28½"H.




**Integrated rail** is located at the back of single-sided base and extension units and allows for the mounting of centered screens, monitor arms, lights, power strips, and other worktools.

**½" gap between rail and surface** accommodates worktools and cords.

**Power and data access door** is optional on single-sided base and extension units.

**Leg glides** have 1⅜" adjustment for uneven floors.




**Actual Dimensions**



<b>A</b>	25½" or 31½" (to back edge of integrated rail)
<b>B</b>	48", 60", 66", 72", 78", 84", or 96"
<b>Thickness</b>	¾"

Note: Actual worksurface depths are 22" and 28".


**Product Details**



**Two leg types** are available on single-sided base units. Post is the standard, and loop leg is optional. A pair of legs is included with each unit.




**Intermediate leg** is included and used on single-sided extension units. A leg cover is available to provide a different visual and to conceal a power/data infeed at this location.




**24\"D desks** have 5 1/4\" clearance to intermediate leg. 30\"D desks have 11 1/4\" clearance.


*Tip: 96\"W single-sided bases and extensions include an intermediate leg. The 96\"W single-sided base or extension is recommended to be used as a two person workstation. It should not be used as a single person work, as the intermediate leg may cause interference with the user. This is only applicable on the single-sided application.*




**Single-sided base units** include two legs. The second leg is used at the end of the bench or when 28' has been reached.  
▶ See *Stability Guidelines*, page 8, for more information.




**Power and data access door** is optional on all single-sided base and single-sided extension surfaces. One door is centered on the surface and allows user access to power and data outlets as well as cord management. When optioned on 96\"W surfaces, two doors are provided.



**Single-sided bases and extensions** are standard with both an upper and lower tray to provide a clean visual.




Single-sided base




Single-sided extension

**96\"W single-sided base and extension units** include two 48\"W frames and one 96\"W surface. If power and data access door is selected, 96\"W surface will have two doors.




**Trays** are included on single-sided units. When nesting storage, note that trays occupy 6\" of space.




**Storage** can nest under the bench. The clearance is 25 1/2\". Except when within 3\" of an intermediate leg, the clearance is 25\".


**Connections**



**Floor anchor brackets** are available to secure a single-sided base to the floor to prevent movement for power infeed applications as dictated by local codes. They are typically only used when the single-sided base unit is not ganged to an extension.



**Base leg to base leg connection kit** is required when two single-sided base legs are adjacent to each other or when transitioning from a single-sided base unit to a dual-sided base unit. Connection occurs at the top of the legs, under the surface, and at the glide location.



**Mid storage** cannot mount parallel to a single-sided base or extension.

**Wiring and Cabling**

**Power components** are ordered separately.

**48\"W and 96\"W single-sided base and extension units** accommodate standard-capacity power only.

**Data** can be terminated and accessed in the upper tray.

**Surface Materials**

**Surfaces**

- Laminate
- Veneer

**Edge**

- Plastic

**Leg**

- Paint


**Power and data access door**

- Paint
- Anodized aluminum

# Infills

**Infills** are available in laminate and veneer and are positioned at the ends of the bench.

► Specifying, page 84



**Infills** are available for use with post or loop legs, and also where an end counter is positioned over the leg at the ends of a bench.

## Product Details

**Infills** can be used on both dual- and single-sided benches.

## Wiring and Cabling

**When building infeed is positioned outside the footprint of the bench and at the end**, an infill should not be used.

**When using a utility pole or a shroud on a media:scape bench**, an infill cannot be used at that end.

## Surface Materials

### Surfaces

- Laminate
- Veneer


## Actual Dimensions

Width 24", 30", 48", or 60"



# Returns

**Returns** attach to both dual- and single-sided benches for additional surface space. Four depths are available – 18", 24", 30", and 36". Surfaces are 3/4" thick with a wood core. Widths are 36", 48", and 60".  
▶ Specifying, page 85



**Returns** attach to the bench with a hat channel and two brackets allowing users clear knee swing space.


**Post or loops legs** are included with returns. Legs are fixed height with top of surface at 28 1/2".

**Leg glides on returns** have 2 3/8" of adjustment for uneven floors.


## Actual Dimensions

Depth	18", 24", 30", or 36"
Width	36", 48", or 60"

**Product Details**




Post




Loop

**Two leg types** are available on returns. Post is the standard and loop is optional.




26 3/4"H

**Storage** can nest under the return. The clearance is 26 3/4".



**Returns** can be placed flush to the end of the bench or anywhere along the bench.



**Returns** can not attach to end counters.

**Wiring and Cabling**

**Powerstrips** can be mounted on the return using a SOTO rail. Power strip has 8' cord, so confirm length requirements.

**Surface Materials**

**Surfaces**

- Laminate
- Veneer

**Edge**

- Plastic

**Legs**

- Paint

# Mid Storage


**Mid storage** accommodates standard binders and Details worktools. It is available in tall and slim versions. The storage allows for easy visual management and access to information. Mid storage can be mounted parallel or perpendicular to the dual-sided bench and perpendicular to the single-sided bench.

► Specifying, page 86

**Stanchions, columns, and peds** are kitted and ordered separately.

**Inline sliders**, optional, provide closure to tall mid storage. Inline sliders are standard non-locking. Locking is available as an option.

**Tall storage** provides a place for binders or other objects.




**Integral pull** is recessed and made of plastic. Pull is available in three finishes.

**Parallel storage** provides privacy and personal storage.

**Top** is standard with 1/2" H steel. Veneer is available as an option.

**Slim storage** provides storage of piles and other flat objects including Details trays. Personal and shared slim storage is available.




**High ped** is available as an option on mid storage supports, and can be used with both tall and slim storage. High ped depth must match depth of mid storage.

**Leveling glides** have 2" of adjustment for uneven floors.


## Actual Dimensions

	Mid Storage	High Ped
Depth	17" or 24"	17" or 24"
Width	30", 36", 42", 48", 60", 66", 72", or 78"	18"
Height	7 <sup>7</sup> / <sub>8</sub> " or 15 <sup>3</sup> / <sub>8</sub> "	33"


**Product Details**




**Two configurations of tall mid storage** are available. Personal storage provides storage on one side only. Shared storage is divided down the center, with half storage on one side and half storage on the opposite side. Personal storage has a center divider.




**Shared slim storage divider** is centered, providing access to half the depth on each side.



**Slim storage interior height** can accommodate two stacked Details landscape boxes.




**High ped** is available 17"D or 24"D and must match depth of mid storage. 17"D high peds are open on one side. 24"D high peds have openings on both sides.




2 3/4" increments up or down

**High ped shelf** can be located in center of high ped with two additional locations, both up and down in 2 3/4" increments, for a total of five possible shelf locations.




**A hinged door** (left or right) is available as an option on 17"D high peds. Integral pull is recessed and made of plastic. All doors are locking. Pull is available in four finishes.




**Locks** are available factory or field installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.


▶ Lock and Keying, page 144




**Height from floor to top of tall storage mounted perpendicular to bench** is approximately 48".



**Height from floor to top of slim storage mounted perpendicular to bench** is approximately 40 1/2".



**Column height at shortest level** is 33". Column will adjust upward 2" for leveling.




**Veneer tops with square edge profiles** are available.





**Mid storage** is always centered on the dual-sided bench.

**Connections**



**Mid storage** attaches to the top of the integrated rail in infinite locations. Storage can span over a dual-sided base and extension. Stanchions are inset 8" from edge of storage unit.



**Mid storage ganging bracket** is recommended to increase rigidity and maintain alignment of joining adjacent units when parallel to the dual-sided bench.

**Surface Materials**

**Case**

- Paint

**Inline sliders**

- Paint

**Stanchions**

- 4799 Platinum

**Column**

- 4799 Platinum

**Pulls**

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum

**Top**



- Paint
- Wood veneer
- Customiz stain

**Multi-color paint option on storage**


provides a unique design by allowing several color combinations to be chosen. Paint for case, drawer, slider, and interior can be specified separately if multi-color paint option is selected.

▶ See *c:scape Specification Guide*.

**Application Topics**



**Mirrored mid storage** share a pair of stanchions. Supports for mirrored application include one pair of stanchions and two columns or two high peds.



**Application Rules:**

- **30"W and 36"W mid storage** cannot be mounted perpendicular to a bench.
- **42"W mid storage** can be mounted perpendicular to a 48"D bench using a column.
- **48"W mid storage** can be mounted perpendicular to a 48"D bench using a column or high ped. A column must be used in a 60"D bench.




# Overhead Cabinets and Organizer Shelves

For FrameOne Applications

## Elective Elements storage for FrameOne

creates benching applications that support a range of storage and privacy needs. Single-high overhead cabinets and organizer shelves are available in several configurations.

► Specifying, pages 92-98



## Actual Dimensions

### Single-High Overhead Cabinet with Sliding Door

Depth 15<sup>3</sup>/<sub>4</sub>"

Width 36", 42", 48", 60", 66", 72", or 78"

Height 15"

### Single-High Overhead Cabinet with Open Storage Area

Depth 15"

Width 30", 36", 42", 48", 60", 66", 72", or 78"

Height 15"

### Organizer Shelf


Depth 15"

Width 30", 36", 42", 48", 60", 66", 72", or 78"




Height 7<sup>1</sup>/<sub>2</sub>"

## Product Details


**Elective Elements storage for FrameOne** is available for several applications.



**Overhead cabinets for end counter below applications** are used at the end of a FrameOne bench.




**Overhead cabinets and organizer shelves for above applications** may be used in end counter above, parallel, and perpendicular applications by selecting optional brackets.




**Storage for above mount applications** is available in personal and shared configurations.

**Shared storage** is divided down the center with half storage on one side and half storage on the opposite side.




**Open shared overheads and organizers** come standard with a tackboard for the back of each opening.

**Shared storage** is available with non-locking sliding doors on each side of the unit.



**Shared storage with sliding doors** will not include tackboards. The rear of each opening will be finished to match the case.




**Shared storage with sliding door** cannot be used in end counter above applications.


**Sliding door** is available on single-high overhead cabinets. It does not have a pull. Safety stops are positioned on both ends of the cabinet. The door covers half of the cabinet width.

*Tip: Dry erase markers can be used on glass doors.*

**One fixed divider on sliding door and open units** is standard on 36"W, 42"W, 48"W, 54"W, 60"W, and 66"W overhead cabinets. The 84"W, 90"W, and 96"W overhead cabinets have three fixed dividers. The 72"W and 78"W sliding door units have one fixed divider and the open units have three fixed dividers. Exception: The 30"W overhead cabinet does not have a divider.



**End counter below storage** has an overlay top with 3 mm edge band on the sides that is flush with the bench worksurface.




**Personal overheads and organizer shelves** come standard with a tackboard on the back of the unit.

**Wood veneer grain direction** runs vertically on overhead cabinets. Door faces have coordinating veneer grain.

► See *Elective Elements Specification Guide*


## Connections



**End counter below storage** attaches to the end of a dual-sided FrameOne bench with included brackets.


**End counter below or above storage** may be used on any dual-sided base that is 60"W or greater or any combination of base and extension units.

**End counter below storage** cannot attach to a leg if an infill is used.




**The storage width** must match the width of the FrameOne bench in end counter below applications.

**If perpendicular application is desired**, specify the no bracket option. The FrameOne perpendicular application kit must be specified separately.




**Storage for above mount applications** specified with optional end counter above brackets attaches to end of a dual-sided FrameOne bench using included brackets.





**Open storage** may face inward or outward. Personal storage with sliding doors must face outward.

**Storage** is always centered on the dual-sided bench when used in parallel application.




**The storage unit width** must match the depth of a dual-sided FrameOne bench in end counter above applications.

**When used in parallel application kit**, shared storage less than 60"W includes two stanchions. Shared storage 60"W and greater includes three stanchions. Personal storage in all sizes includes two stanchions.



**When used in parallel applications**, storage attaches to the top of the integrated rail in infinite locations. Storage can span over a dual-sided base and extension.



**Storage** is always centered on the dual-sided bench when used in parallel application.

**Surface Materials**

**Overhead Cabinet**

- Wood case with wood front
- Laminate case with same or contrasting laminate front
- Laminate case with wood front
- Customiz stain (option on wood)

*Tip: When specifying all wood storage units, the case and front must be the same wood finish. When specifying all laminate storage units, the case and the front can be the same or contrasting finishes.*

**Door option on select models**

- Glass

**End counter below brackets**

- 6730 Slate

**End counter above brackets**

- Paint finishes to match the FrameOne leg

**Parallel stanchions**

- 4799 Platinum Metallic Paint

**Organizer shelf**

- Wood case
- Laminate case
- Customiz stain (option on wood)

**Environmental**

**Elective Elements products** are produced in a LEED certified manufacturing facility. Many Steelcase wood products are Cradle to Cradle™ and/or Indoor Advantage™ certified. Please refer to [Steelcase.com](http://Steelcase.com) for the latest information.

**Application Topics**

**Mirrored perpendicular storage**

share a pair of stanchions. Supports for mirrored applications include one pair of stanchions and two columns.

*Tip: Elective Elements storage cannot be used with c:scape high pedestal.*

**30"W and 36"W overhead storage** cannot be mounted perpendicular to a bench.

**42"W overhead storage** can be mounted perpendicular to a 48"D bench using a column.

**48"W overhead storage** can be mounted perpendicular to a 48"D bench using a column. A column must be used in a 60"D bench.

**Elective Elements storage for FrameOne** cannot be used in Elective Elements hutch mounted storage, suspended, panel-mounted, or wall-mount applications.




# Benches with media:scape

**Benches with media:scape** are available in 4-, 6-, or 8-packs. Benches are dual-sided in overall depths of 48"D or 60"D. Surfaces are 3/4"-thick with a wood core. Benches include a base with legs, and the appropriate number of extensions and intermediate legs.

► Specifying, page 100

Note: 4-pack bench includes a 4x2 media:scape switcher. 6- and 8-pack benches include an 8x4 media:scape switcher.




**One shroud** is standard with each media:scape bench. Select shroud to accommodate a 40" or 42" monitor. Maximum weight is 55 lbs. Bottom of monitor is positioned 12" above 28 1/2"H worksurface. Additional shroud can be placed at opposite end. Each shroud will add 4" to the overall dimension of the bench. Omit shrouds is an option, assuming wall-mounting of monitors.

► See *Integrated Technologies Specification Guide* for wall-mount options.

**Power and data access doors** are standard. A media:scape PUCK and holder are included in each door location.

**End counters** are ordered separately. When using end counters, neither a shroud nor a utility pole can be used at this end.




## Actual Dimensions



A	24" or 30" (to centerline of integrated rail)
B	128", 144", 180", 192", or 216"
C	48" or 60"

Worksurface Thickness 3/4"


## Product Details




**Two leg types** are available on benches. Post is the standard, and loop leg is optional. A pair of legs is included with each unit.




**Intermediate leg(s)** is included and used on benches. A leg cover is available, ordered separately, to provide a different visual and to conceal power/data infeeds at this location.




**24\"/>**




**Power and data access doors** are standard on each worksurface within the bench.




**Upper tray** is standard and provides under the surface cord management, data termination, conceals the power blocks and conduit, and houses the media:scape PUCKs.




**Lower tray** is standard on FrameOne benches with media:scape and always used in conjunction with an upper tray. It provides a clean visual when voice/data cables are being routed. It houses the media:scape switcher and routing of PUCKs.



**Storage** must be at least 6" from centerline when trays are used.



**Storage** can nest under the bench. The clearance is 25 1/2". Except when within 3" of an intermediate leg, the clearance is 25".



**Storage** can nest under end counters. There is 25" of clearance under the cantilever.

**Benches with media:scape** include all the FrameOne and media:scape components to create a 4-, 6-, or 8-pack bench with attached shroud(s). *Note: 4-pack bench includes a 4x2 media:scape switcher. 6- and 8-pack benches include an 8x4 media:scape switcher.*

**Each bench, depending on size**, will include a switcher box (which is housed in the lower tray) and the appropriate number of PUCKs (Personal User Control Key) and extension cables. PUCK placement will be at each power and data access door.

**PUCK** plugs into the user's laptop and allows them to send their content to the display by touching an illuminated display number. The switcher connects to the PUCKs and controls which user's laptop content is shown on the display.

**When wall mounting monitors**, up to four displays, either monitors or projectors can be accommodated.

▶ See *Integrated Technologies Specification Guide* for further details.

**PUCKs** are available in VGA, HDMI, DisplayPort, or mini DisplayPort. Number of PUCKs depends on size of unit. 4-pack has four PUCKs. 6-pack has six PUCKs. 8-pack has eight PUCKs. All PUCKs connect back into the media:scape switcher. Two audio cables are included with each bench.

- VGA has been the standard analog output on most devices for the past decade. Many of today's enterprise laptops have both a VGA and a digital output.

- HDMI is the common digital output on consumer devices. Most consumer laptops have HDMI outputs today.

- DisplayPort is the common digital output on enterprise devices. Most enterprise laptops have DisplayPort outputs today.

- mini DisplayPort is the common digital output on Apple™ devices. All MacBooks™ have mini DisplayPort outputs today.

**Virtual PUCK** allows easy and efficient wireless content sharing from laptops and tablets on multiple media:scape displays. ▶ See *Integrated Technologies Specification Guide* for further details.

**PUCKs** can be specified all the same or mixed.

**To determine PUCK selection**, contact the customer's IT department.

## Steelcase Maintenance Agreement

**Benches with media:scape** include a one year Steelcase maintenance agreement to provide an enhanced support system for media:scape settings with digital components. The maintenance agreement covers:

- software/firmware enhancements
- expedited shipping for hardware replacements
- prioritized technical support

**Maintenance agreement renewal** options are available for one, two, and three year periods.

▶ Specifying, page 146

## Wiring & Cabling

**Power components** are ordered separately. High capacity power is recommended at the location where switcher and monitors are plugged in. Data can be terminated and accessed in the upper tray.

▶ See *Understanding Power and Data*, page 57.

## Surface Materials

### Surfaces

- Laminate
- Veneer

### Edge

- Plastic

### Legs

- Paint

### Power and data access door


- Paint
- Anodized aluminum

# media:scape Features Comparison

Features	media:scape tables	media:scape mobile	media:scape mini	FrameOne with media:scape	FrameOne 4-Pack with media:scape	FrameOne 6- and 8-Pack with media:scape
Number of PUCKs	4-8	4	4	4-8	4	4-8
Number of monitors	1-4	1	1	1-2	1-2	1-4
Detached display option (wall-mounted)	yes	no	no	yes	yes	yes
HDVC integration	yes	yes	no	no	no	no
User-moveable	no	yes	no	no	no	no
Size of display supported	any size	40"/42" LED	40"/42" LED	40"/42" LED	40"/42" LED	40"/42" LED
Customer-installed	no	no	yes (30 minutes or less)	no	no	no
Supported monitor types	LCD, LED, or projectors	optimized for LED monitors	optimized for LED monitors			
Table shape designed for optimized sightlines	yes	—	—	no	no	no
Maximum monitor weight	150 lbs	55 lbs	55 lbs	55 lbs	55 lbs	55 lbs

**Centered screens** provide a boundary element along the bench. They are available in three heights to accommodate varying levels of privacy.

► Specifying, page 104




## Actual Dimensions

<b>Height</b>	11", 18½", or 23"
<b>Overall Height</b>	12", 19½", or 24"
<b>Width</b>	48", 60", 66", 72", 78", or 84"

*Tip: Overall height is measured from top of mounting surface to the top of the screen.*

*Tip: Custom insert kit can accommodate inserts that are ¼", ⅜", or ½" thick.*

## Product Details




**Centered screens with fabric infill** are tackable and available in 12"H, 19"H, and 24"H. 12"H and 19"H screens have widths from 48"W to 84"W. 24"H screens have widths ranging from 48"W to 72"W. Frosted glass is also available in heights of 12"H and 19"H and widths from 48"W to 84"W.




**Brackets** are included with screens. Two brackets are used on 48"W screens. All other widths require three brackets.

### Centered screen custom insert kit

allows for use of other infill materials. 48"W screens require the two bracket kit. Screens 60"W to 84"W require the three bracket kit. Infill should not exceed 18½" in height.



**Gap** is 1" between centered screen and mounting surface.



**When fabric screens are placed directly adjacent to each other**, a small aligner can be placed in between the screens at the top to connect them for planar alignment. Aligners are ordered separately in packages of 10.

## Surface Materials

### Screen

- Fabric
- Frosted glass

### Fusion

Contact your Designtex representative or go to [www.dtex.com](http://www.dtex.com).

Front



Back




**Fabric without a pattern** is recommended when using a COM fabric to provide a consistent visual. Fabric with patterns could result in the above visual.


# Divisio Side Screen

**Divisio side screen** is magnetic and provides a territorial boundary between users. The user-movable functionality allows users to decide when and where they need additional privacy. The screens may be used on any 3/4"- to 1 1/2"-thick worksurface.

► Specifying, page 106



## Product Details



**Divisio side screen** can be made more permanent by adding two screws through the clamp. For 3/4" thick worksurfaces, c:scape, and FrameOne, a #10 x 3/4" countersunk screw is recommended. For worksurfaces over 3/4" thick, a #10 x 7/8" countersunk wood screw is recommended.


## Actual Dimensions

<b>Depth</b>	29 1/2" (total), 21 1/2" (sits on worksurface)
<b>Width</b>	1 1/4"
<b>Height</b>	14 1/4" (total), 11 5/8" (above worksurface)



# LED Personal Task Lights

► Specifying, page 132



**Plastic cover finish** in Arctic White only.


**Soft on and soft off light activation.**

**Illuminated soft touch switch** has continuous dimming.

**Cord** exists from under the stanchion.

## Product Details


**Personal task light** includes the lamp and power supply with cord set. Rail-mounted version includes rail brackets. Non rail-mounted version includes Universal Mounting brackets.





**Power supply** uses a modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

*Tip: Energy saving mini-LEDs greatly reduce power use.*

## Connections



**LED personal task light** mounts directly to the rail systems of c:scape, Frame-One, Elective Elements, Impact, Turnstone Campfire Big Table, and Details SOTO rail.



**Non rail-mounted LED personal task lights** will not work on worksurfaces with knife edge that is longer than 1 1/4", or with modesty panels or modesty screens closer than 6" from the back edge.

**Base or extension units 48"W through 78"W** can have one light mounted on the rail. 84"W can have up to two lights—one centered or two side-by-side. 96"W units also can have up to two lights although they must be placed left and right.

## Wiring & Cabling

**Personal task light** includes the lamp and power supply with cord set.

**Power supply** uses a modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

## Surface Materials

### Housing

- 6009 Arctic White plastic only

### Fixture and Stanchions

- 4231 Arctic White
- 4710 Low Gloss Black
- 4799 Platinum Metallic

### Cord

- Black plastic only

## Actual Dimensions

**Depth** 6"

**Width** 30"

**Height** 17"

Power Supply Cord Set (12')

-Line voltage cord: 6'

-Low voltage cord: 6'

**Photometric Data**

**LED Personal Task Lights**

Initial horizontal footcandles for LPTL30 and LPTL30NR  
 Worksurface rear

0"	15	14	13	12	11	9	6	6	5	4	3	2	2
3"	21	20	18	17	15	13	11	8	6	5	3	3	2
6"	31	31	29	26	23	19	15	12	9	7	5	3	2
9"	51	50	46	42	36	29	23	18	13	9	6	4	3
12"	82	79	73	64	53	43	32	23	16	11	7	5	3
15"	109	105	96	83	68	53	39	27	19	12	8	6	4
18"	105	102	93	81	66	51	37	27	18	12	9	6	4
21"	76	75	69	59	50	39	30	22	16	11	7	5	4
24"	48	47	44	39	33	27	21	16	12	9	6	5	3
27"	29	28	27	24	21	17	14	11	9	7	5	4	3
30"	18	18	17	16	14	12	10	8	7	5	4	3	2
CL	3"	6"	9"	12"	15"	18"	21"	24"	27"	30"	33"	36"	

Worksurface front



---

# Understanding Power and Data

---

	
<b>Statement of Line</b>	<b>58</b>


---

## **Understanding**


Wiring Schematics	<b>60</b>
How To Calculate Power Needs	<b>61</b>
Cable Capacities	<b>62</b>
Distribution and Access	<b>64</b>
Power Routing Harness Chart	<b>66</b>
Building Interface	<b>68</b>

# Statement of Line


## Power




**Power Strips**  
Understanding  
▶ Page 64  
Specifying  
▶ Page 107



**Modular Power Block  
-Standard-Capacity**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 108




**Modular Power Block  
-High-Capacity**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 108



**Chicago Hardware  
Box**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 109



**Duplex Receptacle**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 110




**Flexible Receptacle**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 111




**USB Receptacle**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 112



**Filler Package  
-Power/Data**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 112




**Modular Harnesses**  
Understanding  
▶ Page 65  
Specifying  
▶ Page 113



**Utility Poles**  
Understanding  
▶ Page 68  
Specifying  
▶ Page 116




**Hardwire-to-Modular  
Power Infeed**  
Understanding  
▶ Page 69  
Specifying  
▶ Page 114




**Modular-to-Modular  
Power Infeed**  
Understanding  
▶ Page 69  
Specifying  
▶ Page 114

## Power, continued




### New York Power Infeed

Understanding  
 ▶ Page 69  
 Specifying  
 ▶ Page 115



### San Francisco Power Infeed

Understanding  
 ▶ Page 69  
 Specifying  
 ▶ Page 115




### Junction Box Faceplate - Modular

Understanding  
 ▶ Page 69  
 Specifying  
 ▶ Page 116



### Vertebral Riser

Understanding  
 ▶ Page 68  
 Specifying  
 ▶ Page 117



### Bracket Kit for Desk with Power, without Trays

Understanding  
 ▶ Page 65  
 Specifying  
 ▶ Page 118



### Block-to-Block Connector

Understanding  
 ▶ Page 65  
 Specifying  
 ▶ Page 118

# Wiring Schematics

## Details for the Electrician

**FrameOne** offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan.

*Tip: All the components in an electrical system must use the same wiring schematic. The components are keyed and color coded to make it impossible to connect mismatched parts.*

Black = Four-circuit, 3+1

Brown = Four-circuit, 2+2



Rust = Three-circuit, separate neutral (3SN)

Shared neutral = 10 gauge

Non-shared neutral = 12 gauge


Hot wires = 12 gauge

### Four-Circuit, 3+1





**In the four-circuit 3+1 schematic,** circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

### Single 3-Phase Circuit Panel




**On a single 3-phase circuit panel,** all four circuits are distributed as shown.

### Four-Circuit, 2+2




**In the four-circuit 2+2 schematic,** circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and supported by their own shared neutral and ground.

### Single 3-Phase Circuit Panel





**On a single 3-phase circuit panel,** all four circuits are distributed as shown.

### Split-Phase Circuit Panel




**On a split-phase circuit panel,** all four circuits are distributed as shown.

### Three-Circuit, Separate neutral




**In the three-circuit, separate neutral schematic,** circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.

### Single 3-Phase Circuit Panel



**On a single 3-phase circuit panel,** three circuits are distributed as shown.

### Split-Phase Circuit Panel



**On a split-phase circuit panel,** three circuits are distributed as shown.

# How to Calculate Power Needs

Use This to Determine How Many Power-Ins You Will Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

**If your usage is not known in advance:**

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

Most electrical engineers write their specifications more conservatively than the NEC. Consult the project electrical engineer.

These numbers refer to receptacles, not outlets. All receptacles are duplex and include two outlets.

**If your usage is known in advance:**

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60-amperage (20-amperage times 3 circuits) or 80-amperage (20-amperage times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16-amperage instead of the regular 20-amperage.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

▶ See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

**Requirements of Office Equipment in Amps**

**General Equipment (Typical Amperage)**

A.C. adapter	0.05
Adding machine	0.05
Answering machine	0.08
Calculator	0.025
Clock	0.03
Coffee pot	10.00
Copy machine	15.00
Desk-top copiers	7.00 to 10.00
Electric eraser	0.25
Fan	0.50
Manuscript holder	0.75
Microwave	8.00 to 12.00
Pencil sharpener	0.25
Radio	0.05
Space heater, 1000 watts	8.50
Space heater, 1500 watts	12.50
Stand-alone copiers	15.00

**Electronic Equipment (Typical Amperage)**


Desk-top memory storage devices	0.08 to 0.15
Desk-top printers	1.20 to 2.00
DVD players	0.13 to 0.20
Flat-panel screens	3.50
Laptops	3.50 to 5.00
Modems	0.15
Stand-alone printers	1.50 to 2.50
VDTs and PCs	0.08 to 4.80

**Steelcase Lighting (Actual Amperage)**

<i>Shelf lights</i>	
24" wide, 17 watts	0.20
36" wide, 25 watts	0.30
48" wide, 32 watts	0.30

# Cable Capacities

## Single-Sided



	Outside Diameter of Cable = .223 (5E)		Outside Diameter of Cable = .310 (6A)	
	Maximum Capacity	Maximum Capacity with Power	Maximum Capacity	Maximum Capacity with Power
<b>A Cable hanger, single-sided unit</b>	96	96	48	48
<b>B Infeed at intermediate leg, single-sided unit</b>	72	64	36	32
<b>C Infeed opening at ends of lower tray, single-sided unit</b>	72	64	36	32
<b>D Infeed with end cap removed from lower tray, single-sided unit</b>	96	N.A.	48	N.A.
<b>I Vertebral riser</b>	48	40	24	20
<b>K Single-sided unit utility pole</b>	72	64	28	24


Note: Cable hangers have a separate routing area for power. Capacity is not affected.

Note: The TIA recommends a maximum fill rate of 40%.

Note: When routing cables through any combination mentioned above, the capacity is equal to the smallest number.

Note: On 48"W and 96"W desks, data opening is positioned to the right.

**Dual-Sided**



Power and Data

	Outside Diameter of Cable = .223 (5E)		Outside Diameter of Cable = .310 (6A)	
	Maximum Capacity	Maximum Capacity with Power	Maximum Capacity	Maximum Capacity with Power
<b>E Cable hanger, dual-sided unit</b>	96	N.A.	48	N.A.
<b>F Infeed at intermediate leg, dual-sided unit</b>	96	88	48	44
<b>G Infeed opening at ends of lower tray, dual-sided unit</b>	96	88	48	44
<b>H Infeed with end cap removed from lower tray, dual-sided unit</b>	96	N.A.	48	N.A.
<b>I Vertebral riser</b>	48	40	24	20
<b>J Dual-sided unit utility pole</b>	96	88	48	44

Note: Cable hangers have a separate routing area for power. Capacity is not affected.  
 Note: The TIA recommends a maximum fill rate of 40%.  
 Note: When routing cables through any combination mentioned above, the capacity is equal to the smallest number.  
 Note: On 48"W and 96"W desks, data opening is positioned to the right.


# Distribution and Access

**Power blocks** can be placed on the underside of the integrated rail. Modular harnesses are used to distribute power through the bench.

**Power strips** can be placed above the work surface by connecting to the integrated rail. Power and data or power only are available.

**Standard-capacity power** includes one power block, provides back-to-back power, and accepts two receptacles per side.


**High-capacity power block** includes two power blocks and a block-to-block connector, provides back-to-back power, and accepts four receptacles per side.




**Voice/data access** occurs in the upper tray and can be positioned left or right of the power blocks. Both modular furniture and NEMA faceplates can be used. On 48"W and 96"W desks, data opening is positioned to the right.

**Modular harness** is used to connect power blocks and distribute power through the bench.


## Wiring and Cabling



**Standard-capacity power** includes one power block, provides back-to-back power, and accepts two receptacles per side.




**High-capacity power** includes two power blocks and a block-to-block connector. It provides back-to-back power, and accepts four receptacles per side.



**Chicago hardwire box** is available. It accommodates two receptacles per side.




**Duplex receptacles** are available in 15- and 20-amps, isolated or system ground, with multiple line options. Receptacles have two outlets and are ordered separately.



**Modular flexible receptacles** are available in 15-amp, isolated or system ground, with multiple line options. Flexible receptacles offer easy access to three outlets. Receptacles are ordered separately.




**USB receptacles** are available in three wiring schematics with multiple line options. USB receptacles offer easy access to two charging ports. Each port provides 1 ampere of output. USB receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible.





**Modular harnesses** are used to connect power blocks.


▶ See *Power Routing Harness Chart*, page 66, to determine lengths needed.



**Two power strips** are available—power only and power and data. Power strips can be mounted on the integrated rail. Cord length is 8'. Available PVC only.




**Power and data access door** is optioned on base and extension units. It is centered on the surface and provides user access to power and data as well as cord management. When optioned on 96"W units, two doors are provided in each surface. If door is not optioned, power and data is maintenance accessible by sliding the surface open. Devices are then plugged in and the surface is closed and locked. This application is intended for those devices that will remain plugged in.




**Data** can be terminated and accessed in the upper tray—either left or right of the power. Exception: On 48"W and 96"W desks, data opening is positioned to the right. Both modular furniture and NEMA faceplates can be used.

**Cable hangers** attach to the underside of the integrated rail to manage the routing of voice/data cables. They are included with all dual- and single-sided base and extension units.



**Trays** are available on dual-sided base and extension units. There are two tray options. The standard includes an upper tray which provides under the surface cord management, data termination, and conceals the power blocks and conduit.



**The lower tray** is optional and is always used in conjunction with an upper tray. It is intended for use when voice/data cables are being routed. It conceals data cables, creating a clean visual.

**Omit trays** is an option if trays are not needed. However, if power and data access door is selected, an upper tray is required.

**Single-sided bases and extensions** are standard with both an upper and lower tray to provide a clean visual.



**Block-to-block connector** is included with high-capacity power. It can also be ordered separately, along with another power block, to convert standard-capacity power to high-capacity.

**Modular power in a dual-sided base or extension unit**, without trays, must be secured with a strain relief bracket. Order style number FMVBK for each unit.

**48"W and 96"W single-sided bases and extensions** accommodate standard-capacity power only.

**Filler packages** are available to fill unused power or data options. Order separately in packages of 20.

**Three wiring schematics** are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.


**All electrical components** are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

**Local electrical codes vary**, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

# Power Routing Harness Chart

From Unit to Unit

## 48"W – Dual-Sided Units




\* 15"

## Harness Length

A to A	39"
B to A	30"

## 48"W – Single-Sided Units




\* 20"

## Harness Length

A to A	39"
--------	-----

## 60"W – Dual- and Single-Sided Units




\* 21"

## Harness Length

A to A	51"
B to A	42"

## 66"W – Dual- and Single-Sided Units




\* 24"

## Harness Length

A to A	57"
B to A	48"

## 72"W – Dual- and Single-Sided Units




\* 27"

## Harness Length

A to A	63"
B to A	54"

## 78"W – Dual- and Single-Sided Units



\* 30"

## Harness Length

A to A	69"
B to A	60"

Note: A = Standard-capacity power

AB = High-capacity power

When using high-capacity power (AB), harness connection to the next unit can occur only from the B position.

\* = Dimension from edge of desk to first power position (A). Add 10" for dimension of second power position (B), when determining length of infeed.


B to B harness length is same as A to A.

Note: 48"W and 96"W single-sided units allow standard-capacity power only.

► See *Distribution and Access*, page 64.

**84"W – Dual- and Single-Sided Units**


**Harness Length**



A to A	75"
B to A	66"

**96"W – Dual-Sided Units**

**Harness Length**




A to A	39"
B to A	30"

Note: 96"W includes two 48"W frames.

**96"W – Single-Sided Units**

**Harness Length**



A to A	39"
--------	-----

Note: 96"W includes two 48"W frames.

Note: A = Standard-capacity power  
AB = High-capacity power

When using high-capacity power (AB), harness connection to the next unit can occur only from the B position.

\* = Dimension from edge of desk to first power position (A). Add 10" for dimension of second power position (B), when determining length of infeed.  
B to B harness length is same as A to A.


Note: 48"W and 96"W single-sided units allow standard-capacity power only.

► See *Distribution and Access*, page 64.

# Building Interface

**Building power and data** can interface with the bench from the floor, wall, column, or ceiling. Both modular and hard-wire infeeds are available.

**Utility poles** are available on both dual- and single-sided benches. Pole attaches to the integrated rail on the bench. Pole reaches a maximum ceiling height of 10'. Pole is 3"D x 6"W.




**When infeed enters at an intermediate leg**, a leg cover is available to conceal conduit and cables.


**Infeeds** can enter the bench at either end or at an intermediate leg. If lower trays are not being used, the infeed can enter anywhere along the bench.

**A vertebral riser** is available to conceal the power and data.

**Wiring and Cabling**



**Hardwire-to-modular power infeed** is available in 6, 12, and 24 foot lengths. If a shorter harness is needed, it can be cut by the electrician. The hardwired end is connected by an electrician to a junction box wherever it is located in the building. The harness is routed into the bench and connected to a power block. Non-PVC is standard. PVC version can be optioned.



**Modular-to-modular power infeed** is available in 6, 12, and 24 foot lengths. A straight/flush modular junction box faceplate cover is standard and is wired to a 4<sup>11/16</sup>" square junction box located in the building. The harness is then routed into the bench and connected to a power block. A 90° junction box faceplate can be optioned and is recommended for use at a wall or column. The straight/flush is generally used in the floor. Non-PVC is standard. PVC version can be optioned.




Straight/Flush



90°

**Modular junction box faceplate** can be ordered separately and used with any modular harness length when 12 and 24 foot lengths are not appropriate. Straight/flush and 90° faceplates are available. A 90° junction box faceplate is recommended for use at a wall or column. Non-PVC is standard. PVC version can be optioned.




**New York power infeeds** are available. The junction box is mounted to the underside of the desk. A 50" harness is included to reach the first power block in the bench. If a shorter harness is needed, it can be cut by the electrician. Non-PVC is standard. PVC version can be optioned. Hardwire-to-modular infeeds can also be used.

**Hardwired/Chicago power infeeds** are supplied by the electrician.

**San Francisco** can use hardwire or modular infeeds. When infeed is coming from floor or wall, liquid tight metallic conduit may be required. In this case, order infeed specific to San Francisco.


**Base power infeeds** are not available.



**Vertebral riser** can attach to the lower tray. Its position is approximately 18" from either end of the desk unit. Length is 30".



**Extension vertebral riser** can be used to conceal conduit and cables along the floor. Length is 15". Risers can be linked to each other for longer length requirements.



**Power and data** can enter the bench through the end of the lower tray. The opening is approximately 14" from the end of the desk.

▶ See *Cable Capacities*, page 62.

**Three wiring schematics** are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.




---


# Specifying FrameOne

<b>Dual-Sided Bases</b>	<b>72</b>
<b>Dual-Sided Extensions</b>	<b>74</b>
<b>End Counters</b>	<b>76</b>
<b>Single-Sided Bases</b>	<b>78</b>
<b>Single-Sided Extensions</b>	<b>80</b>
<b>Intermediate Leg Covers</b>	<b>82</b>
<b>Bench Accessories</b>	<b>83</b>
<b>Infills</b>	<b>84</b>
<b>Returns</b>	<b>85</b>
<b>Mid Storage – Tall and Slim</b>	<b>86</b>
<b>Mid Storage Supports</b>	<b>89</b>
<b>Single-High Overhead Cabinets for FrameOne End Counter Below Application</b>	<b>92</b>
<b>Single-High Overhead Cabinets for FrameOne Above Worksurface Application</b>	<b>94</b>
<b>Organizer Shelves for FrameOne Application</b>	<b>98</b>
<b>Benches with media:scape</b>	<b>100</b>
<b>Shrouds</b>	<b>103</b>
<b>Centered Screens</b>	<b>104</b>
<b>Centered Screen Custom Insert Kits and Aligners</b>	<b>105</b>
<b>Divisio Side Screen</b>	<b>106</b>
<b>Power Strips</b>	<b>107</b>
<b>Modular Power Blocks and Chicago Hardwire Box</b>	<b>108</b>
<b>Receptacles and Filler Package</b>	<b>110</b>
<b>Modular Harnesses</b>	<b>113</b>
<b>Power Infeeds</b>	<b>114</b>
<b>Bracket Kit and Block-to-Block Connector</b>	<b>118</b>
<b>Controlled Receptacle Stickers</b>	<b>119</b>
<b>Worktools</b>	<b>120</b>
<b>LED Personal Task Lights</b>	<b>132</b>

# Dual-Sided Bases



48"W to 84"W



96"W



*Tip: Two cable hangers are included with 48"W to 66"W units, three cable hangers are included with 72"W units, and four cable hangers are included with 78"W to 96"W units.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 30</li> <li>• Desk frame: slate</li> <li>• Integrated rail: anodized aluminum</li> <li>• High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front, 1 mm on sides and back</li> <li>• Two post legs: paint</li> <li>• Two post legs and intermediate leg on 96"W units: paint</li> <li>• Upper tray and end caps: slate</li> <li>• Cable hangers: slate</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Paint color number for legs</li> <li>5 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>


Surface Materials	Options	U.S. Price	Required to Specify
	<b>Laminate</b> <ul style="list-style-type: none"> <li>• Open Line laminate on High-Pressure Laminate surfaces</li> </ul>	+\$133	▶ See <i>Surface Materials Reference Manual</i> .
	<b>Wood veneer surfaces</b> <ul style="list-style-type: none"> <li>• Wood veneer surface with wood veneer edges                             <ul style="list-style-type: none"> <li>- 3 mm edge profile on front edge, .6 mm on sides and back</li> </ul> </li> <li>• Premium wood 2 veneer</li> <li>• Premium wood 3 veneer</li> <li>• Customiz stain</li> <li>• Full-fill finish</li> </ul>	Prices at right  +\$133  +\$472  No cost  +\$133	Specify <i>with wood veneer</i> and indicate wood color number.  Specify <i>with wood veneer surface</i> and indicate Premium wood 2 finish number. Specify <i>with wood veneer surface</i> and indicate Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	<b>Legs</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul>	No cost +\$ 49 +\$104	Specify paint color number. Specify paint color number. Specify paint color number.
	<b>Power and Data Access Door</b> <ul style="list-style-type: none"> <li>• Door in worksurface for 48"W to 84"W                             <ul style="list-style-type: none"> <li>- Paint</li> <li>- Anodized aluminum for 48"W to 84"W worksurfaces</li> </ul> </li> <li>• Door in worksurface for 96"W                             <ul style="list-style-type: none"> <li>- Paint</li> <li>- Anodized aluminum for 96"W worksurfaces</li> </ul> </li> </ul>	+\$402  No cost +\$ 22  +\$804 No cost +\$ 44	Specify <i>with door in worksurface</i> .  Specify paint color number. Specify <i>with 8043 Clear Anodized Aluminum</i> . Specify <i>with door in worksurface</i> . Specify paint color number. Specify <i>with 8043 Clear Anodized Aluminum</i> .
	<b>Loop Legs</b> <ul style="list-style-type: none"> <li>• Loop legs</li> </ul>	+\$217	Specify <i>with loop legs</i> .
<b>Trays</b> <ul style="list-style-type: none"> <li>• Lower tray and end caps for 48"W to 84"W</li> <li>• Omit upper tray for 48"W to 84"W</li> <li>• Lower tray and end caps for 96"W</li> <li>• Omit upper tray for 96"W</li> </ul>	+\$ 82 -\$163 +\$164 -\$326	Specify <i>with lower tray</i> . Specify <i>omit upper tray</i> . Specify <i>with lower tray</i> . Specify <i>omit upper tray</i> .	



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



48"W to 84"W



96"W

*Tip: The (A) dimension is to centerline of integrated rail. Actual worksurface depths are 22" and 28".*


**Specification Information**

Dimensions			Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C			
24"	48"	48"	<b>FMBDS2448</b>	\$2103	High-Pressure Laminate +\$434
24"	60"	48"	<b>FMBDS2460</b>	\$2202	Wood Veneer +\$480
24"	66"	48"	<b>FMBDS2466</b>	\$2273	Wood Veneer +\$500
24"	72"	48"	<b>FMBDS2472</b>	\$2349	Wood Veneer +\$524
24"	78"	48"	<b>FMBDS2478</b>	\$2436	Wood Veneer +\$544
24"	84"	48"	<b>FMBDS2484</b>	\$2533	Wood Veneer +\$564
24"	96"	48"	<b>FMBDS2496</b>	\$3867	Wood Veneer +\$696
30"	48"	60"	<b>FMBDS3048</b>	\$2246	Wood Veneer +\$480
30"	60"	60"	<b>FMBDS3060</b>	\$2344	Wood Veneer +\$524
30"	66"	60"	<b>FMBDS3066</b>	\$2414	Wood Veneer +\$544
30"	72"	60"	<b>FMBDS3072</b>	\$2491	Wood Veneer +\$564
30"	78"	60"	<b>FMBDS3078</b>	\$2577	Wood Veneer +\$588
30"	84"	60"	<b>FMBDS3084</b>	\$2675	Wood Veneer +\$608
30"	96"	60"	<b>FMBDS3096</b>	\$4078	Wood Veneer +\$826




 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Dual-Sided Extensions



48"W to 84"W



96"W

*Tip: Two cable hangers are included with 48"W to 66"W units, three cable hangers are included with 72"W units, and four cable hangers are included with 78"W to 96"W units.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 30</li> <li>• Desk frame: slate</li> <li>• Integrated rail: anodized aluminum</li> <li>• High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front, 1 mm on sides and back</li> <li>• Intermediate leg: paint</li> <li>• Two intermediate legs on 96"W units: paint</li> <li>• Upper tray: slate</li> <li>• Cable hangers: slate</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Paint color number for legs</li> <li>5 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>



Surface Materials	Options	U.S. Price	Required to Specify
	<b>Laminate</b>		
	• Open Line laminate on High-Pressure Laminate surfaces	+\$133	▶ See <i>Surface Materials Reference Manual</i> .
	<b>Wood veneer surfaces</b>	Prices at right	Specify with <i>wood veneer</i> and indicate wood color number.
	• Wood veneer surface with wood veneer edges - 3 mm edge profile on front edge, .6 mm on sides and back		
	• Premium wood 2 veneer	+\$133	Specify with <i>wood veneer surface</i> and indicate Premium wood 2 finish number.
	• Premium wood 3 veneer	+\$472	Specify with <i>wood veneer surface</i> and indicate Premium wood 3 finish number.
	• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
	• Full-fill finish	+\$133	▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	<b>Legs</b>		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 28	Specify paint color number.
	• Paint price group 3	+\$ 49	Specify paint color number.
<b>Power and Data Access Door</b>	• Door in worksurface for 48"W to 84"W	+\$402	Specify with <i>door in worksurface</i> .
	- Paint	No cost	Specify paint color number.
	- Anodized aluminum for 48"W to 84"W worksurfaces	+\$ 22	Specify with <i>8043 Clear Anodized Aluminum</i> .
	• Door in worksurface for 96"W	+\$804	Specify with <i>door in worksurface</i> .
	- Paint	No cost	Specify paint color number.
	- Anodized aluminum for 96"W worksurfaces	+\$ 44	Specify with <i>8043 Clear Anodized Aluminum</i> .
<b>Trays</b>	• Lower tray for 48"W to 84"W	+\$157	Specify with <i>lower tray</i> .
	• Omit upper tray for 48"W to 84"W	-\$153	Specify <i>omit upper tray</i> .
	• Lower tray for 96"W	+\$314	Specify with <i>lower tray</i> .
	• Omit upper tray for 96"W	-\$306	Specify <i>omit upper tray</i> .




## For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.



48"W to 84"W



96"W

*Tip: The (A) dimension is to centerline of integrated rail. Actual worksurface depths are 22" and 28".*

**Specification Information**

• Dimensions			• Style Number	• U.S. Base Price	• Option (Add \$ to Base Price)
A	B	C			
24"	48"	48"	<b>FMEDS2448</b>	\$1730	High-Pressure Laminate +\$434
24"	60"	48"	<b>FMEDS2460</b>	\$1829	Wood Veneer +\$480
24"	66"	48"	<b>FMEDS2466</b>	\$1898	+\$500
24"	72"	48"	<b>FMEDS2472</b>	\$1975	+\$524
24"	78"	48"	<b>FMEDS2478</b>	\$2062	+\$544
24"	84"	48"	<b>FMEDS2484</b>	\$2159	+\$564
24"	96"	48"	<b>FMEDS2496</b>	\$3303	+\$696
30"	48"	60"	<b>FMEDS3048</b>	\$1844	+\$480
30"	60"	60"	<b>FMEDS3060</b>	\$1942	+\$524
30"	66"	60"	<b>FMEDS3066</b>	\$2012	+\$544
30"	72"	60"	<b>FMEDS3072</b>	\$2088	+\$564
30"	78"	60"	<b>FMEDS3078</b>	\$2176	+\$588
30"	84"	60"	<b>FMEDS3084</b>	\$2274	+\$608
30"	96"	60"	<b>FMEDS3096</b>	\$3472	+\$826



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

# End Counters



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 30</li> <li>• High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front and sides, 1 mm on back</li> <li>• Cantilevers: slate</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>

Surface Materials	Options	U.S. Price	Required to Specify
	<b>Laminate</b> <ul style="list-style-type: none"> <li>• Open Line laminate on High-Pressure Laminate surfaces</li> </ul>	+\$ 67	▶ See <i>Surface Materials Reference Manual</i> .
	<b>Wood veneer surfaces</b> <ul style="list-style-type: none"> <li>• Wood veneer surface with wood veneer edges                             <ul style="list-style-type: none"> <li>- 3 mm edge profile on front and side edges,</li> <li>.6 mm on back edge</li> </ul> </li> <li>• Premium wood 2 veneer</li> <li>• Premium wood 3 veneer</li> <li>• Customiz stain</li> <li>• Full-fill finish</li> </ul>	Prices below  +\$ 67  +\$236  No cost  +\$ 67	Specify <i>with wood veneer</i> and indicate wood color number.  Specify <i>with wood veneer surface</i> and indicate Premium wood 2 finish number. Specify <i>with wood veneer surface</i> and indicate Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.

Specification Information				
• Dimensions		• Style	• U.S. Base Price	• Option
D	W	Number		(Add \$ to Base Price)
18"	48"	<b>FMCS1848</b>	\$707	+\$217
18"	60"	<b>FMCS1860</b>	\$734	+\$240
24"	48"	<b>FMCS2448</b>	\$734	+\$240
24"	60"	<b>FMCS2460</b>	\$762	+\$262
:	:	:	:	:


**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



# Single-Sided Bases



48"W to 84"W



96"W

*Tip: Two cable hangers are included with 48"W to 66"W units, three cable hangers are included with 72"W units, and four cable hangers are included with 78"W to 96"W units.*


*Tip: 96"W single-sided bases and extensions include an intermediate leg. The 96"W single-sided base or extension is recommended to be used as a two person workstation. It should not be used as a single person work, as the intermediate leg may cause interference with the user. This is only applicable on the single-sided application.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 34</li> <li>• Desk frame: slate</li> <li>• Integrated rail: anodized aluminum</li> <li>• High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front, 1 mm on sides and back</li> <li>• Two post legs: paint</li> <li>• Two post legs and intermediate leg on 96"W units: paint</li> <li>• Upper and lower trays, and end caps: slate</li> <li>• Cable hangers: slate</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Paint color number for legs</li> <li>5 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>


Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• <b>Laminate</b> <ul style="list-style-type: none"> <li>• Open Line laminate on High-Pressure Laminate surfaces</li> </ul> </li> <li>• <b>Wood veneer surfaces</b> <ul style="list-style-type: none"> <li>• Wood veneer surface with wood veneer edges                             <ul style="list-style-type: none"> <li>- 3 mm edge profile on front edge, .6 mm on sides and back</li> </ul> </li> <li>• Premium wood 2 veneer</li> <li>• Premium wood 3 veneer</li> <li>• Customiz stain</li> <li>• Full-fill finish</li> </ul> </li> <li>• <b>Legs</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• +\$ 67</li> <li>• Prices at right</li> <li>• +\$ 67</li> <li>• +\$236</li> <li>• No cost</li> <li>• +\$ 67</li> <li>• No cost</li> <li>• +\$ 49</li> <li>• +\$104</li> <li>• +\$201</li> <li>• No cost</li> <li>• +\$ 10</li> <li>• +\$402</li> <li>• No cost</li> <li>• +\$ 22</li> <li>• +\$163</li> </ul>	<ul style="list-style-type: none"> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> <li>Specify <i>with wood veneer</i> and indicate wood color number.</li> <li>Specify <i>with wood veneer surface</i> and indicate Premium wood 2 finish number.</li> <li>Specify <i>with wood veneer surface</i> and indicate Premium wood 3 finish number.</li> <li>Specify <i>with Customiz stain</i>.</li> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> <li>Specify full-fill finish number.</li> <li>Specify paint color number.</li> <li>Specify paint color number.</li> <li>Specify paint color number.</li> <li>Specify <i>with door in worksurface</i>.</li> <li>Specify paint color number.</li> <li>Specify <i>with 8043 Clear Anodized Aluminum</i>.</li> <li>Specify <i>with door in worksurface</i>.</li> <li>Specify paint color number.</li> <li>Specify <i>with 8043 Clear Anodized Aluminum</i>.</li> <li>Specify <i>with loop legs</i>.</li> </ul>
<b>Power and Data Access Door</b> <ul style="list-style-type: none"> <li>• Door in worksurface for 48"W to 84"W                             <ul style="list-style-type: none"> <li>- Paint</li> <li>- Anodized aluminum for 48"W to 84"W worksurfaces</li> </ul> </li> <li>• Door in worksurface for 96"W                             <ul style="list-style-type: none"> <li>- Paint</li> <li>- Anodized aluminum for 96"W worksurfaces</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• +\$201</li> <li>• No cost</li> <li>• +\$ 10</li> <li>• +\$402</li> <li>• No cost</li> <li>• +\$ 22</li> </ul>	<ul style="list-style-type: none"> <li>Specify <i>with door in worksurface</i>.</li> <li>Specify paint color number.</li> <li>Specify <i>with 8043 Clear Anodized Aluminum</i>.</li> <li>Specify <i>with door in worksurface</i>.</li> <li>Specify paint color number.</li> <li>Specify <i>with 8043 Clear Anodized Aluminum</i>.</li> </ul>
<b>Loop Legs</b> <ul style="list-style-type: none"> <li>• Loop legs</li> </ul>	<ul style="list-style-type: none"> <li>• +\$163</li> </ul>	<ul style="list-style-type: none"> <li>Specify <i>with loop legs</i>.</li> </ul>



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



48"W to 84"W



96"W


Tip: The (A) dimension is to back edge of integrated rail. Actual worksurface depths are 22" and 28".

**Specification Information**


• Dimensions		• Style Number	• U.S. Base Price	• Option (Add \$ to Base Price)
A	B			
25 1/2"	48"	<b>FMBSS2448</b>	\$1739	High-Pressure Laminate +\$217
25 1/2"	60"	<b>FMBSS2460</b>	\$1812	Wood Veneer +\$240
25 1/2"	66"	<b>FMBSS2466</b>	\$1865	+\$250
25 1/2"	72"	<b>FMBSS2472</b>	\$1925	+\$262
25 1/2"	78"	<b>FMBSS2478</b>	\$1990	+\$272
25 1/2"	84"	<b>FMBSS2484</b>	\$2060	+\$282
25 1/2"	96"	<b>FMBSS2496</b>	\$2974	+\$348
31 1/2"	48"	<b>FMBSS3048</b>	\$1843	+\$240
31 1/2"	60"	<b>FMBSS3060</b>	\$1920	+\$262
31 1/2"	66"	<b>FMBSS3066</b>	\$1975	+\$272
31 1/2"	72"	<b>FMBSS3072</b>	\$2029	+\$282
31 1/2"	78"	<b>FMBSS3078</b>	\$2094	+\$294
31 1/2"	84"	<b>FMBSS3084</b>	\$2170	+\$304
31 1/2"	96"	<b>FMBSS3096</b>	\$3124	+\$413

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Single-Sided Extensions



48"W to 84"W



96"W

*Tip: Two cable hangers are included with 48"W to 66"W units, three cable hangers are included with 72"W units, and four cable hangers are included with 78"W to 96"W units.*

*Tip: 96"W single-sided bases and extensions include an intermediate leg. The 96"W single-sided base or extension is recommended to be used as a two person workstation. It should not be used as a single person work, as the intermediate leg may cause interference with the user. This is only applicable on the single-sided application.*

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 34</li> </ul>	<ul style="list-style-type: none"> <li>• Desk frame: slate</li> <li>• Integrated rail: anodized aluminum</li> <li>• High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front, 1 mm on sides and back</li> <li>• Intermediate leg: paint</li> <li>• Two intermediate legs on 96"W units: paint</li> <li>• Upper and lower trays: slate</li> <li>• Cable hangers: slate</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Paint color number for legs</li> <li>5 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>



Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• <b>Laminate</b> <ul style="list-style-type: none"> <li>• Open Line laminate on High-Pressure Laminate surfaces</li> </ul> </li> <li>• <b>Wood veneer surfaces</b> <ul style="list-style-type: none"> <li>• Wood veneer surface with wood veneer edges                             <ul style="list-style-type: none"> <li>- 3 mm edge profile on front edge, .6 mm on sides and back</li> </ul> </li> <li>• Premium wood 2 veneer</li> <li>• Premium wood 3 veneer</li> <li>• Customiz stain</li> <li>• Full-fill finish</li> </ul> </li> <li>• <b>Leg</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>+\$ 67</li> <li>Prices at right</li> <li>+\$ 67</li> <li>+\$236</li> <li>No cost</li> <li>+\$ 67</li> <li>No cost</li> <li>+\$ 28</li> <li>+\$ 49</li> <li>+\$201</li> <li>No cost</li> <li>+\$ 10</li> <li>+\$402</li> <li>No cost</li> <li>+\$ 22</li> </ul>	<ul style="list-style-type: none"> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> <li>Specify with <i>wood veneer</i> and indicate wood color number.</li> <li>Specify with <i>wood veneer surface</i> and indicate Premium wood 2 finish number. Specify with <i>wood veneer surface</i> and indicate Premium wood 3 finish number. Specify with <i>Customiz stain</i>.</li> <li>▶ See <i>Surface Materials Reference Manual</i>. Specify full-fill finish number.</li> <li>Specify paint color number.</li> <li>Specify paint color number.</li> <li>Specify paint color number.</li> <li>Specify with <i>door in worksurface</i>.</li> <li>Specify paint color number. Specify with <i>8043 Clear Anodized Aluminum</i>.</li> <li>Specify with <i>door in worksurface</i>. Specify paint color number. Specify with <i>8043 Clear Anodized Aluminum</i>.</li> </ul>
<b>Power and Data Access Door</b> <ul style="list-style-type: none"> <li>• Door in worksurface for 48"W to 84"W                             <ul style="list-style-type: none"> <li>- Paint</li> <li>- Anodized aluminum for 48"W to 84"W worksurfaces</li> </ul> </li> <li>• Door in worksurface for 96"W                             <ul style="list-style-type: none"> <li>- Paint</li> <li>- Anodized aluminum for 96"W worksurfaces</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>+\$201</li> <li>No cost</li> <li>+\$ 10</li> <li>+\$402</li> <li>No cost</li> <li>+\$ 22</li> </ul>	<ul style="list-style-type: none"> <li>Specify with <i>door in worksurface</i>.</li> <li>Specify paint color number. Specify with <i>8043 Clear Anodized Aluminum</i>.</li> <li>Specify with <i>door in worksurface</i>. Specify paint color number. Specify with <i>8043 Clear Anodized Aluminum</i>.</li> </ul>




## For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.



48"W to 84"W



96"W

**Specification Information**

• Dimensions		• Style Number	• U.S. Base Price	• Option (Add \$ to Base Price)
A	B			
25 1/2"	48"	<b>FMESS2448</b>	\$1517	High-Pressure Laminate +\$217
25 1/2"	60"	<b>FMESS2460</b>	\$1593	Wood Veneer +\$240
25 1/2"	66"	<b>FMESS2466</b>	\$1648	Wood Veneer +\$250
25 1/2"	72"	<b>FMESS2472</b>	\$1703	Wood Veneer +\$262
25 1/2"	78"	<b>FMESS2478</b>	\$1768	Wood Veneer +\$272
25 1/2"	84"	<b>FMESS2484</b>	\$1838	Wood Veneer +\$282
25 1/2"	96"	<b>FMESS2496</b>	\$2647	Wood Veneer +\$348
31 1/2"	48"	<b>FMESS3048</b>	\$1604	Wood Veneer +\$240
31 1/2"	60"	<b>FMESS3060</b>	\$1676	Wood Veneer +\$262
31 1/2"	66"	<b>FMESS3066</b>	\$1729	Wood Veneer +\$272
31 1/2"	72"	<b>FMESS3072</b>	\$1784	Wood Veneer +\$282
31 1/2"	78"	<b>FMESS3078</b>	\$1848	Wood Veneer +\$294
31 1/2"	84"	<b>FMESS3084</b>	\$1925	Wood Veneer +\$304
31 1/2"	96"	<b>FMESS3096</b>	\$2780	Wood Veneer +\$413

FrameOne

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Intermediate Leg Covers



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 31</li> <li>• Leg cover (for both sides of the leg): paint</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for leg cover</li> <li>3 Options, if selected (see below)</li> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <b>Paint</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul>	No cost +\$28 +\$49	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information	
• <b>Style Number</b>	• <b>U.S. Base Price</b>
•	•
•	•
•	•

## For Dual-Sided Extension Units

**FMLCD**     \$153


## For Single-Sided Extension Units

**FMLCS**     \$153



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Connection Kit – Base Leg to Base Leg



Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 31</li> </ul>	<ul style="list-style-type: none"> <li>• Connection kit</li> </ul>	Style number
Specification Information		
• Style Number	• U.S. Price	
FMCKDS	\$32	

## Floor Anchor Brackets



Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 31</li> </ul>	<ul style="list-style-type: none"> <li>• Brackets</li> </ul>	Style number
Specification Information		
• Style Number	• U.S. Price	
FMFA	\$42	

## Dampener for 72"W to 84"W Stand-Alone Dual-Sided Bases



*Tip: Four dampeners are used on each desk.*

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 31</li> </ul>	<ul style="list-style-type: none"> <li>• Dampener: package of 4</li> </ul>	Style number
Specification Information		
• Style Number	• U.S. Price	
FMSB	\$87	

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Infills

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 36</li> </ul>	<ul style="list-style-type: none"> <li>• High-Pressure Laminate surface</li> <li>• Brackets and caps</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Options, if selected (see below)</li> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>

Surface Materials	Options	U.S. Price	Required to Specify
	<b>Laminate</b>		▶ See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on High-Pressure Laminate surfaces	+\$ 67 plus cost of laminate	
	<b>Wood veneer surfaces</b>		
	• Wood veneer surface with wood veneer edges	Prices below	
	• Premium wood 2 veneer	+\$ 67	Specify <i>with wood veneer</i> and indicate wood color number. Specify <i>with wood veneer surface</i> and indicate Premium wood 2 finish number. Specify <i>with wood veneer surface</i> and indicate Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .
	• Premium wood 3 veneer	+\$236	
	• Customiz stain	No cost	

Specification Information			
Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
48"	FMFP48	\$456	Wood Veneer
60"	FMFP60	\$497	

### For Dual-Sided Bench with Post Leg

48"	<b>FMFP48</b>	\$456	+\$241
60"	<b>FMFP60</b>	\$497	+\$262

### For Dual-Sided Bench with Loop Leg

48"	<b>FMFL48</b>	\$456	+\$241
60"	<b>FMFL60</b>	\$497	+\$262

### For Dual-Sided Bench with End Counter and Post Leg

48"	<b>FMFPE48</b>	\$456	+\$241
60"	<b>FMFPE60</b>	\$497	+\$262

### For Dual-Sided Bench with End Counter and Loop Leg

48"	<b>FMFLE48</b>	\$456	+\$241
60"	<b>FMFLE60</b>	\$497	+\$262

### For Single-Sided Bench with Post Leg

24"	<b>FMFP24</b>	\$366	+\$120
30"	<b>FMFP30</b>	\$408	+\$131

### For Single-Sided Bench with Loop Leg

24"	<b>FMFL24</b>	\$366	+\$120
30"	<b>FMFL30</b>	\$408	+\$131



Tip: Single-sided infills are to be used on single-sided benches, not on returns.




**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 38</li> </ul>	<ul style="list-style-type: none"> <li>• High-Pressure Laminate surface with plastic edges: 3 mm plastic edge on front and sides, 1 mm on back</li> <li>• One post leg: paint</li> <li>• Hat channel and brackets</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Paint color number for leg</li> <li>5 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>


Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <b>Laminate</b> <ul style="list-style-type: none"> <li>• Open Line laminate on High-Pressure Laminate surfaces</li> </ul>	+\$ 67 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
<b>Wood veneer surfaces</b> <ul style="list-style-type: none"> <li>• Wood veneer surface with wood veneer edges                             <ul style="list-style-type: none"> <li>- 3 mm edge profile on front sides, 1 mm on back</li> </ul> </li> <li>• Premium wood 2 veneer</li> <li>• Premium wood 3 veneer</li> <li>• Customiz stain</li> <li>• Full-fill finish</li> </ul>	Prices below +\$ 67 +\$236 No cost +\$ 67	Specify <i>with wood veneer</i> and indicate wood color number.  Specify <i>with wood veneer surface</i> and indicate Premium wood 2 finish number. Specify <i>with wood veneer surface</i> and indicate Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
<b>Leg</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul>	No cost +\$ 27 +\$ 52	Specify paint color number. Specify paint color number. Specify paint color number.
<b>Loop Leg</b> <ul style="list-style-type: none"> <li>• Loop leg</li> </ul>	+\$105	Specify <i>with loop leg</i> .

Specification Information				
Dimensions		Style Number	U.S. Base Price	Option (Add \$ to Base Price)
D	W			
18"	36"	<b>FMRT1836</b>	\$670	Wood Veneer +\$199
18"	48"	<b>FMRT1848</b>	\$700	Wood Veneer +\$219
18"	60"	<b>FMRT1860</b>	\$732	Wood Veneer +\$241
24"	36"	<b>FMRT2436</b>	\$685	Wood Veneer +\$219
24"	48"	<b>FMRT2448</b>	\$716	Wood Veneer +\$241
24"	60"	<b>FMRT2460</b>	\$747	Wood Veneer +\$262
30"	36"	<b>FMRT3036</b>	\$737	Wood Veneer +\$241
30"	48"	<b>FMRT3048</b>	\$769	Wood Veneer +\$262
30"	60"	<b>FMRT3060</b>	\$800	Wood Veneer +\$282
36"	36"	<b>FMRT3636</b>	\$752	Wood Veneer +\$262
36"	48"	<b>FMRT3648</b>	\$784	Wood Veneer +\$282
36"	60"	<b>FMRT3660</b>	\$816	Wood Veneer +\$303



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Mid Storage — Tall and Slim



	Standard Includes	Required to Specify
<p>► Need help? Product details, page 40</p>	<ul style="list-style-type: none"> <li>Tall or slim storage case: paint price group 1</li> <li>1/2" top: paint to match case</li> <li>Integral pull on inline slider, if selected</li> <li>Lock, keyed random, if selected: finish to default based on pull finish</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Paint color number for storage case</li> <li>Color number for pulls, if inline slider selected:               <ul style="list-style-type: none"> <li>4140 Arctic White Gloss</li> <li>4144 Black Gloss</li> <li>4799 Platinum</li> </ul> </li> <li>Mounting brackets, if wall-mounted storage selected</li> <li>Options, if selected (see below)               <ul style="list-style-type: none"> <li>► See <i>Surface Materials</i>, page 134.</li> </ul> </li> </ol>

	Options	U.S. Price	Required to Specify
<b>Surface Materials</b>	<b>Paint</b>		
	<ul style="list-style-type: none"> <li>Paint price group 1</li> <li>Paint price group 2</li> <li>Paint price group 3</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>+\$ 58</li> <li>+\$148</li> </ul>	<ul style="list-style-type: none"> <li>Specify paint color number.</li> <li>Specify paint color number.</li> <li>Specify paint color number.</li> </ul>
	<b>Multi-color paint finishes</b>		
	<ul style="list-style-type: none"> <li>Multiple paint colors on case, interior, or inline slider</li> </ul>	+\$148	<ul style="list-style-type: none"> <li>Specify paint color number.</li> <li>► See <i>c:scape specification guide</i>.</li> </ul>
<b>Tops</b>	<b>Wood veneer top</b>		
	<ul style="list-style-type: none"> <li>Wood veneer top</li> </ul>	+\$609	<ul style="list-style-type: none"> <li>Specify <i>with wood veneer top</i> and indicate wood color number.</li> <li>Specify Premium wood 2 finish number.</li> </ul>
	<ul style="list-style-type: none"> <li>Premium wood 2 on wood veneer top</li> </ul>	+\$655	
	<ul style="list-style-type: none"> <li>Premium wood 3 on wood veneer top</li> </ul>	+\$769	<ul style="list-style-type: none"> <li>Specify Premium wood 3 finish number.</li> </ul>
	<ul style="list-style-type: none"> <li>Customiz stain on wood veneer top</li> </ul>	No cost	<ul style="list-style-type: none"> <li>Specify <i>with Customiz stain</i>.</li> <li>► See <i>Surface Materials Reference Manual</i>.</li> </ul>
<b>Inline Slider</b>	<ul style="list-style-type: none"> <li>Inline slider on tall mid storage</li> </ul>	+\$685	<ul style="list-style-type: none"> <li>Specify <i>with inline slider</i>.</li> </ul>
<b>Lock and Keying</b>	<ul style="list-style-type: none"> <li>Locking inline slider</li> <li>Factory- and field-installed keying</li> </ul>	+\$122	<ul style="list-style-type: none"> <li>Specify <i>with lock</i>.</li> <li>► Page 144</li> </ul>
<b>Related Products</b>	<ul style="list-style-type: none"> <li>Mid storage supports</li> </ul>		► Page 89

Tip: Specify multi-color paint finish option to get the interior or inline slider a different paint finish than the case.

Tip: Inline slider is available on 60"W—78"W tall mid storage.


Tip: Supports, ordered separately, must be specified for perpendicular and mirrored applications.



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
► See page 1 for details.


**Specification Information**

Dimensions			Style Number	U.S. Base Price
D	W	H		




**Personal Tall Storage**

17"	30"	15"	<b>CQMT173015P</b>	\$ 410
17"	36"	15"	<b>CQMT173615P</b>	\$ 501
17"	42"	15"	<b>CQMT174215P</b>	\$ 592
17"	48"	15"	<b>CQMT174815P</b>	\$ 683
17"	60"	15"	<b>CQMT176015P</b>	\$ 865
17"	66"	15"	<b>CQMT176615P</b>	\$ 956
17"	72"	15"	<b>CQMT177215P</b>	\$1047
17"	78"	15"	<b>CQMT177815P</b>	\$1139



**Shared Tall Storage**

17"	30"	15"	<b>CQMT173015S</b>	\$ 410
17"	36"	15"	<b>CQMT173615S</b>	\$ 501
17"	42"	15"	<b>CQMT174215S</b>	\$ 592
17"	48"	15"	<b>CQMT174815S</b>	\$ 683
17"	60"	15"	<b>CQMT176015S</b>	\$ 865
17"	66"	15"	<b>CQMT176615S</b>	\$ 956
17"	72"	15"	<b>CQMT177215S</b>	\$1047
17"	78"	15"	<b>CQMT177815S</b>	\$1139



**Personal Slim Storage**

17"	30"	7½"	<b>CQMS173007P</b>	\$ 410
17"	36"	7½"	<b>CQMS173607P</b>	\$ 501
17"	42"	7½"	<b>CQMS174207P</b>	\$ 592
17"	48"	7½"	<b>CQMS174807P</b>	\$ 683
17"	60"	7½"	<b>CQMS176007P</b>	\$ 865
17"	66"	7½"	<b>CQMS176607P</b>	\$ 956
17"	72"	7½"	<b>CQMS177207P</b>	\$1047
17"	78"	7½"	<b>CQMS177807P</b>	\$1139

► **Specification Information, continued on next page**




**For Canadian Pricing**  
 Multiply U.S. Price by the  
 Canadian price factor.  
 ► See page 1 for details.

► **Specification Information, continued from previous page**

**Specification Information**

Dimensions			Style	U.S.
D	W	H	Number	Base Price



**Shared Slim Storage**

17"	30"	7½"	<b>CQMS173007S</b>	\$ 410
17"	36"	7½"	<b>CQMS173607S</b>	\$ 501
17"	42"	7½"	<b>CQMS174207S</b>	\$ 592
17"	48"	7½"	<b>CQMS174807S</b>	\$ 683
17"	60"	7½"	<b>CQMS176007S</b>	\$ 865
17"	66"	7½"	<b>CQMS176607S</b>	\$ 956
17"	72"	7½"	<b>CQMS177207S</b>	\$1047
17"	78"	7½"	<b>CQMS177807S</b>	\$1139
24"	60"	7½"	<b>CQMS246007S</b>	\$ 865
24"	66"	7½"	<b>CQMS246607S</b>	\$ 956
24"	72"	7½"	<b>CQMS247207S</b>	\$1047
24"	78"	7½"	<b>CQMS247807S</b>	\$1139
:	:	:	:	:




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## Perpendicular Application Kit



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 41</li> <li>• Pair of L-stanchions and one column, if selected: 4799 Platinum</li> <li>• Pair of 4"H L-stanchions and one high ped, if selected: paint price group 1</li> <li>• Leveling glides, if high ped selected</li> <li>• Integral pull on units with hinged door</li> <li>• Lock, keyed random: finish to default based on pull finish</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Column or high ped</li> <li>3 Paint color number for high ped, if selected</li> <li>4 Color number for pulls, if door on high ped selected:                         <ul style="list-style-type: none"> <li>4140 Arctic White Gloss</li> <li>4144 Black Gloss</li> <li>4799 Platinum</li> </ul> </li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>



Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <b>Paint for high ped</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul>	No cost +\$ 58 +\$148	Specify paint color number. Specify paint color number. Specify paint color number.
<b>Multi-color paint finishes</b> <ul style="list-style-type: none"> <li>• Multiple paint colors on case, interior, or fronts</li> </ul>	+\$148	Specify paint color number. ▶ See <i>Surface Materials</i> , page 134.
<b>Configurations for 17"D High Ped</b> <b>Case configuration:</b> <b>Open</b> <ul style="list-style-type: none"> <li>• Open case</li> </ul> <b>Closed</b> <ul style="list-style-type: none"> <li>• Hinged door left</li> <li>• Hinged door right</li> </ul>	+\$531 +\$791 +\$791	Specify <i>with open case</i> .  Specify <i>with door left</i> and select finish color number. Specify <i>with door right</i> and select finish color number.
<b>Configurations for 24"D High Ped</b> <b>Case configuration:</b> <b>Open</b> <ul style="list-style-type: none"> <li>• Open case</li> </ul>	+\$576	Specify <i>with open case</i> .
<b>Wood Veneer Door Front</b> <ul style="list-style-type: none"> <li>• Standard veneer</li> <li>• Customiz stain on wood veneer door</li> <li>• Premium wood group 2</li> <li>• Premium wood group 3</li> </ul>	+\$254 No cost  +\$281 +\$346	Specify <i>with wood veneer door front</i> . Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify <i>with Premium wood 2 door front</i> and indicate wood color number. Specify <i>with Premium wood 3 door front</i> and indicate wood color number.

Specification Information	
• <b>Style Number</b>	• <b>U.S. Base Price</b>
.....	.....
<b>FMMAP</b>	\$507
.....	.....

FrameOne

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Mirrored Application Kit



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 41</li> <li>• Pair of 4"H T-stanchions and two columns, if selected: 4799 Platinum</li> <li>• Pair of T-stanchions and two high peds, if selected: paint price group 1</li> <li>• Leveling glides, if high ped selected</li> <li>• Integral pull on units with hinged door</li> <li>• Lock, keyed random: finish to default based on pull finish</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Column or high ped</li> <li>3 Paint color number for high ped, if selected</li> <li>4 Color number for pulls, if door on high ped selected:                             <ul style="list-style-type: none"> <li>4140 Arctic White Gloss</li> <li>4144 Black Gloss</li> <li>4799 Platinum</li> </ul> </li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>

Surface Materials	Options	U.S. Price	Required to Specify
	<b>Paint for high ped</b> <ul style="list-style-type: none"> <li>• Paint price group 1</li> <li>• Paint price group 2</li> <li>• Paint price group 3</li> </ul>	No cost +\$ 58 +\$ 148	Specify paint color number. Specify paint color number. Specify paint color number.
	<b>Multi-color paint finishes</b> <ul style="list-style-type: none"> <li>• Multiple paint colors on case, interior, or fronts</li> </ul>	+\$ 148	Specify paint color number. ▶ See <i>Surface Materials</i> , page 134.
	<b>Column</b> <ul style="list-style-type: none"> <li>• Column</li> </ul>	No cost	Specify <i>with column</i> .
	<b>Configurations for 17"D High Ped</b> <ul style="list-style-type: none"> <li>• <b>Case configuration:</b> <ul style="list-style-type: none"> <li>• Open case</li> <li>• <b>Closed</b> <ul style="list-style-type: none"> <li>• Hinged door left</li> <li>• Hinged door right</li> </ul> </li> <li>• One hinged door left and one hinged door right</li> </ul> </li> </ul>	+\$1062 +\$1582 +\$1582 +\$1582	Specify <i>with open case</i> . Specify <i>with door left</i> and select finish color number. Specify <i>with door right</i> and select finish color number. Specify <i>with one door left and one door right</i> and select finish color number.
	<b>Configurations for 24"D High Ped</b> <ul style="list-style-type: none"> <li>• <b>Case configuration:</b> <ul style="list-style-type: none"> <li>• Open case</li> </ul> </li> </ul>	+\$1152	Specify <i>with open case</i> .
	<b>Wood Veneer Door Front</b> <ul style="list-style-type: none"> <li>• Standard veneer</li> <li>• Customiz stain on wood veneer door</li> <li>• Premium wood group 2</li> <li>• Premium wood group 3</li> </ul>	+\$ 254 No cost +\$ 281 +\$ 346	Specify <i>with wood veneer door front</i> . Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify <i>with Premium wood 2 door front</i> and indicate wood color number. Specify <i>with Premium wood 3 door front</i> and indicate wood color number.

Specification Information	
•Style Number	•U.S. Base Price
FMMAM	\$742

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Parallel Application Kit



Standard Includes	Required to Specify
<ul style="list-style-type: none"><li>▶ Need help? Product details, page 41</li><li>• Pair of T-stanchions: 4799 Platinum</li></ul>	Style number

Specification Information	
Style Number	U.S. Price
FMMAL	\$278

FrameOne



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

# Single-High Overhead Cabinets for FrameOne End Counter Below Application


Standard Includes		Required to Specify	
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 44</li> </ul>	<ul style="list-style-type: none"> <li>Overhead cabinet:               <ul style="list-style-type: none"> <li>–Wood case with wood front</li> <li>–Laminate case with same or contrasting laminate front</li> <li>–Laminate case with wood front</li> </ul> </li> <li>3 mm plastic edge on the sides of the laminate top only to align with FrameOne worksurfaces</li> <li>Unfinished back</li> <li>Sliding doors have safety stops</li> </ul>	<ol style="list-style-type: none"> <li>Style number</li> <li>Wood or laminate color number for overhead cabinet</li> <li>Laminate color number for laminate fronts on laminate case, if selected</li> <li>Plastic color number for edges on laminate surface, if selected</li> <li>Wood color number for wood fronts on laminate cases, if selected</li> <li>Bracket selection (see below)</li> <li>Options, if selected (see below)</li> </ol>	<ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li><b>Wood overhead cabinet</b> <ul style="list-style-type: none"> <li>Premium wood 2</li> <li>Premium wood 3</li> <li>Customiz stain</li> <li>Full-fill finish</li> </ul> </li> <li><b>Laminate overhead cabinet</b> <ul style="list-style-type: none"> <li>Open Line laminate</li> <li>Premium wood 2 on wood fronts</li> <li>Premium wood 3 on wood fronts</li> <li>Customiz stain</li> </ul> </li> </ul>	Prices below and at right Prices below and at right No cost +\$ 46  +\$ 67 plus cost of laminate Prices below and at right Prices below and at right No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> . Specify wood veneer color number.  ▶ See <i>Surface Materials Reference Manual</i> . Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> .
<b>Painted Glass Door(s) for Overhead Cabinets</b> <ul style="list-style-type: none"> <li>Non-locking glass door for sliding doors</li> <li>Painted metal frame for glass doors select paint color number</li> </ul>	+\$306 No cost	Specify <i>with glass door</i> and select finish. Specify <i>with frame</i> and select paint color numbers.
<b>Mirrored Glass Door(s) for Overhead Cabinets</b> <ul style="list-style-type: none"> <li>Non-locking glass door for sliding doors</li> <li>Painted metal frame for glass doors</li> </ul>	+\$429 No cost	Specify <i>with mirrored glass door</i> and select finish. Specify <i>with frame</i> and select paint color number.
<b>Brackets</b> <ul style="list-style-type: none"> <li>End counter below bracket</li> </ul>	+\$309	Specify <i>with end counter below bracket</i> .

Tip: The width of the overhead cabinets must match the depth of the dual-sided FrameOne bench.

Specification Information								
Dimensions			Style Number	Number of Dividers	U.S. Base Prices		Options	
D	W	H			Wood Case	Laminate Case	(Add \$ to Base Price)	
					Open Front	Open Front	Premium Wood	
							Wood Case with Open Front	
							Wood 2	Wood 3




## Open

15"	48"	15"	<b>E60B154815P</b>	1	\$1372	\$ 902	+\$58	+\$206
15"	60"	15"	<b>E60B156015P</b>	1	\$1523	\$1053	+\$58	+\$206

▶ Specification Information, continued on next page

► Specification Information, continued from previous page

Specification Information														
Dimensions			Style Number	Number of Dividers	U.S. Base Prices			Options						
D	W	H			Wood Case	Laminate Case	Wood Front	Laminate Front	Wood Front	Premium Wood				
									Wood Case with Wood Front	Laminate Case with Wood Front				
									Wood 2	Wood 3	Wood 2	Wood 3		



**With Sliding Door**


15 <sup>7</sup> / <sub>8</sub> "	48"	15"	<b>E6OB154815S</b>	1	\$1683	\$1094	\$1418	+\$94	+\$328	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	60"	15"	<b>E6OB156015S</b>	1	\$1906	\$1317	\$1641	+\$94	+\$328	+\$27	+\$92

FrameOne



**For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
► See page 1 for details.

# Single-High Overhead Cabinets for FrameOne Above Worksurface Application



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 44</li> <li>• Overhead cabinet:               <ul style="list-style-type: none"> <li>–Wood case with wood front</li> <li>–Laminate case with same or contrasting laminate front</li> <li>–Laminate case with wood front</li> </ul> </li> <li>• Unfinished back</li> <li>• Sliding doors have safety stops</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Wood or laminate color number for overhead cabinet</li> <li>3 Laminate color number for laminate fronts on laminate case, if selected</li> <li>4 Wood color number for wood fronts on laminate cases, if selected</li> <li>5 Fabric color number for tackboard, if selected</li> <li>6 Bracket selection (see below)</li> <li>7 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b>		
<b>Wood overhead cabinet</b>		
<ul style="list-style-type: none"> <li>• Premium wood 2</li> <li>• Premium wood 3</li> <li>• Customiz stain</li> </ul>	Prices at right Prices at right No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> .
<b>Laminate overhead cabinet</b>		
<ul style="list-style-type: none"> <li>• Open Line laminate</li> <li>• Premium wood 2 on wood fronts</li> <li>• Premium wood 3 on wood fronts</li> <li>• Customiz stain</li> </ul>	+\$ 67 plus cost of laminate Prices at right Prices at right No cost	▶ See <i>Surface Materials Reference Manual</i> .  Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> .
<b>Tackboard (not available on Shared with sliding door)</b>		
<ul style="list-style-type: none"> <li>• Fabric price group 1</li> <li>• Fabric price group 2</li> <li>• Fabric price group 3</li> <li>• Fabric price group 4</li> <li>• Fabric price group 5</li> <li>• Fabric price group COM</li> </ul>	No cost +\$ 12 +\$ 54 +\$ 73 +\$117 +\$ 16	Specify color number. Specify color number. Specify color number. Specify color number. Specify color number. ▶ See <i>Surface Materials Reference Manual</i> .
<b>Painted Glass Door(s) for Overhead Cabinets</b>		
<b>Non-locking glass door for sliding doors</b>		
<ul style="list-style-type: none"> <li>• On 36"W, 42"W, 48"W, and 60"W</li> <li>• On 66"W, 72"W, and 78"W</li> <li>• Painted metal frame for glass doors</li> </ul>	+\$306 per door +\$341 per door No cost	Specify <i>with glass door</i> and select finish. Specify <i>with glass door</i> and select finish. Specify <i>with frame</i> and select paint color number.
<b>Mirrored Glass Door(s) for Overhead Cabinets</b>		
<b>Non-locking glass door for sliding doors</b>		
<ul style="list-style-type: none"> <li>• On 36"W, 42"W, 48"W, and 60"W</li> <li>• On 66"W, 72"W, and 78"W</li> <li>• Painted metal frame for glass doors</li> </ul>	+\$429 per door +\$476 per door No cost	Specify <i>with mirrored glass door</i> and select finish. Specify <i>with mirrored glass door</i> and select finish. Specify <i>with frame</i> and select paint color number.
<b>Brackets</b>		
<b>Available on all widths</b>		
<ul style="list-style-type: none"> <li>• No brackets</li> <li>• Parallel stanchion on 30"W to 78"W personal units</li> <li>• Parallel stanchion on 30"W to 48"W shared units</li> <li>• Parallel stanchion on 60"W to 78"W shared units</li> </ul>	No cost +\$338 +\$338 +\$441	Specify <i>with no brackets</i> . Specify <i>with parallel stanchion</i> .  Specify <i>with parallel stanchion</i> . Specify <i>with parallel stanchion</i> .
<b>Available on 48"W and 60"W units (Not available on shared with sliding door)</b>		
<ul style="list-style-type: none"> <li>• End counter above bracket</li> </ul>	+\$338	Specify <i>with end counter above bracket</i> and select finish.

*Tip: Personal overhead with sliding door in end counter applications must have sliding door facing outward.*

*Tip: In end counter application the width of the overhead must match the depth of a dual-sided FrameOne bench.*


*Tip: Shared overhead with sliding door cannot be used in end counter above applications.*



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

### Specification Information


Dimensions			Style Number	Number of Dividers	U.S. Base Prices		Options (Add \$ to Base Price)		
D	W	H			Wood Case	Laminate Case	Premium Wood		
					Open Front	Open Front	Wood Case with Open Front	Wood 2	Wood 3



### Personal – Open

15"	30"	15"	<b>E60A153015P</b>	0	\$1264	\$ 794	+\$ 58	+\$206
15"	36"	15"	<b>E60A153615P</b>	1	\$1362	\$ 892	+\$ 58	+\$206
15"	42"	15"	<b>E60A154215P</b>	1	\$1459	\$ 989	+\$ 58	+\$206
15"	48"	15"	<b>E60A154815P</b>	1	\$1624	\$1154	+\$ 58	+\$206
15"	60"	15"	<b>E60A156015P</b>	1	\$1809	\$1339	+\$ 58	+\$206
15"	66"	15"	<b>E60A156615P</b>	1	\$1917	\$1447	+\$ 58	+\$206
15"	72"	15"	<b>E60A157215P</b>	3	\$2026	\$1556	+\$113	+\$397
15"	78"	15"	<b>E60A157815P</b>	3	\$2096	\$1626	+\$113	+\$397

### Shared – Open



15"	30"	15"	<b>E60F153015P</b>	0	\$1264	\$ 794	+\$ 58	+\$206
15"	36"	15"	<b>E60F153615P</b>	1	\$1362	\$ 892	+\$ 58	+\$206
15"	42"	15"	<b>E60F154215P</b>	1	\$1459	\$ 989	+\$ 58	+\$206
15"	48"	15"	<b>E60F154815P</b>	1	\$1624	\$1154	+\$ 58	+\$206
15"	60"	15"	<b>E60F156015P</b>	1	\$1809	\$1339	+\$ 58	+\$206
15"	66"	15"	<b>E60F156615P</b>	1	\$1917	\$1447	+\$ 58	+\$206
15"	72"	15"	<b>E60F157215P</b>	3	\$2026	\$1556	+\$113	+\$397
15"	78"	15"	<b>E60F157815P</b>	3	\$2096	\$1626	+\$113	+\$397

► Specification Information, continued on next page



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

## Single-High Overhead Cabinets for FrameOne Above Worksurface Application, continued

### ► Specification Information, continued from previous page


Specification Information														
Dimensions			Style Number	Number of Doors	U.S. Base Prices			Options (Add \$ to Base Price)						
D	W	H			Wood Case	Laminate Case	Wood Front	Laminate Front	Wood Front	Premium Wood				
									Wood Case with Wood Front	Laminate Case with Wood Front	Wood 2	Wood 3	Wood 2	Wood 3

### Personal – Sliding Door



15 <sup>7</sup> / <sub>8</sub> "	36"	15"	<b>E60A153615S</b>	1	\$1745	\$1156	\$1480	+\$ 94	+\$328	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	42"	15"	<b>E60A154215S</b>	1	\$1842	\$1253	\$1577	+\$ 94	+\$328	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	48"	15"	<b>E60A154815S</b>	1	\$1935	\$1346	\$1670	+\$ 94	+\$328	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	60"	15"	<b>E60A156015S</b>	1	\$2192	\$1603	\$1927	+\$ 94	+\$328	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	66"	15"	<b>E60A156615S</b>	1	\$2321	\$1669	\$1993	+\$ 94	+\$328	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	72"	15"	<b>E60A157215S</b>	1	\$2446	\$1732	\$2056	+\$114	+\$396	+\$27	+\$92
15 <sup>7</sup> / <sub>8</sub> "	78"	15"	<b>E60A157815S</b>	1	\$2528	\$1767	\$2091	+\$114	+\$396	+\$27	+\$92

### Shared – Sliding Door



16 <sup>3</sup> / <sub>4</sub> "	36"	15"	<b>E60F163615S</b>	2	\$1527	\$ 938	\$1262	+\$ 94	+\$328	+\$27	+\$92
16 <sup>3</sup> / <sub>4</sub> "	42"	15"	<b>E60F164215S</b>	2	\$1606	\$1017	\$1341	+\$ 94	+\$328	+\$27	+\$92
16 <sup>3</sup> / <sub>4</sub> "	48"	15"	<b>E60F164815S</b>	2	\$1683	\$1094	\$1418	+\$ 94	+\$328	+\$27	+\$92
16 <sup>3</sup> / <sub>4</sub> "	60"	15"	<b>E60F166015S</b>	2	\$1906	\$1317	\$1641	+\$ 94	+\$328	+\$27	+\$92
16 <sup>3</sup> / <sub>4</sub> "	66"	15"	<b>E60F166615S</b>	2	\$2003	\$1351	\$1675	+\$ 94	+\$328	+\$27	+\$92
16 <sup>3</sup> / <sub>4</sub> "	72"	15"	<b>E60F167215S</b>	2	\$2097	\$1383	\$1707	+\$114	+\$396	+\$27	+\$92
16 <sup>3</sup> / <sub>4</sub> "	78"	15"	<b>E60F167815S</b>	2	\$2164	\$1403	\$1727	+\$114	+\$396	+\$27	+\$92



#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



# Organizer Shelves for FrameOne Application

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 44</li> </ul>	<ul style="list-style-type: none"> <li>• Shelf: wood veneer or laminate</li> <li>• Unfinished back</li> <li>• Tackboard: vertical surface fabric price group 1</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Wood or laminate color number for shelf</li> <li>3 Fabric color number for tackboard</li> <li>4 Options, if selected (see below)</li> </ol> <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>


Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <b>Wood organizer shelf</b> <ul style="list-style-type: none"> <li>• Premium wood 2</li> <li>• Premium wood 3</li> <li>• Customiz stain</li> </ul>	Prices below and at right Prices below and at right No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> .
<b>Laminate organizer shelf</b> <ul style="list-style-type: none"> <li>• Open Line laminate</li> </ul>	+\$ 67 plus cost of laminate	<ul style="list-style-type: none"> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> </ul>
<b>Tackboard</b> <ul style="list-style-type: none"> <li>• Fabric price group 1</li> <li>• Fabric price group 2</li> <li>• Fabric price group 3</li> <li>• Fabric price group 4</li> <li>• Fabric price group 5</li> <li>• Fabric price group COM</li> </ul>	No cost +\$ 12 +\$ 54 +\$ 73 +\$117 +\$ 16	Specify color number. Specify color number. Specify color number. Specify color number. Specify color number. <ul style="list-style-type: none"> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> </ul>
<b>Brackets</b> <ul style="list-style-type: none"> <li>• No brackets</li> <li>• End counter above brackets – available on 48"W and 60"W</li> <li>• Parallel stanchion</li> </ul>	No cost +\$338 +\$338	Specify <i>with no brackets</i> . Specify <i>with end counter above bracket</i> . Specify <i>with parallel stanchion</i> .

Specification Information				
Dimensions	Style Number	Number of Dividers	U.S. Base Prices	Options
D W H			Wood Case	(Add \$ Base Price) Premium Wood
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....
.....	.....	.....	.....	.....

## FrameOne Above Mount

Personal – Open								
Length	Width	Depth	Style Number	Dividers	Wood Case	Laminate Case	Options	Price
15"	30"	7½"	<b>E6SA15307</b>	0	\$1248	\$ 983	+\$ 58	+\$206
15"	36"	7½"	<b>E6SA15367</b>	1	\$1289	\$1024	+\$ 58	+\$206
15"	42"	7½"	<b>E6SA15427</b>	1	\$1355	\$1095	+\$ 58	+\$206
15"	48"	7½"	<b>E6SA15487</b>	1	\$1422	\$1158	+\$ 58	+\$206
15"	60"	7½"	<b>E6SA15607</b>	1	\$1484	\$1220	+\$ 58	+\$206
15"	66"	7½"	<b>E6SA15667</b>	1	\$1540	\$1276	+\$ 58	+\$206
15"	72"	7½"	<b>E6SA15727</b>	1	\$1593	\$1328	+\$113	+\$397
15"	78"	7½"	<b>E6SA15787</b>	1	\$1658	\$1394	+\$113	+\$397

▶ Specification Information, continued on next page



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.


► **Specification Information, continued from previous page**

Specification Information									
Dimensions			Style Number	Number of Dividers	U.S. Base Prices		Options		
D	W	H			Wood Case	Laminate Case	Premium Wood		
								Wood 2	Wood 3

**FrameOne Above Mount**


**Shared - Open**

15"	30"	7½"	<b>E6SF15307</b>	0	\$1248	\$ 983	+\$ 58	+\$206
15"	36"	7½"	<b>E6SF15367</b>	1	\$1289	\$1024	+\$ 58	+\$206
15"	42"	7½"	<b>E6SF15427</b>	1	\$1355	\$1095	+\$ 58	+\$206
15"	48"	7½"	<b>E6SF15487</b>	1	\$1422	\$1158	+\$ 58	+\$206
15"	60"	7½"	<b>E6SF15607</b>	1	\$1484	\$1220	+\$ 58	+\$206
15"	66"	7½"	<b>E6SF15667</b>	1	\$1540	\$1276	+\$ 58	+\$206
15"	72"	7½"	<b>E6SF15727</b>	1	\$1593	\$1328	+\$113	+\$397
15"	78"	7½"	<b>E6SF15787</b>	1	\$1658	\$1394	+\$113	+\$397



**For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
► See page 1 for details.

# Benches with media:scape



Tip: Steelcase maintenance agreement (1 year) is reflected in the base price of the product.

Note: 4-pack bench includes a 4x2 media:scape switcher. 6- and 8-pack benches include an 8x4 media:scape switcher.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 48</li> <li>• Desk frame: slate</li> <li>• Integrated rail: anodized aluminum</li> <li>• High-Pressure Laminate surfaces with plastic edges: 3 mm plastic edge on front, 1 mm on sides and back</li> <li>• No post legs: paint</li> <li>• Intermediate leg(s): paint</li> <li>• Upper and lower trays, and endcaps: slate</li> <li>• Power and data access doors: paint</li> <li>• One shroud: paint</li> <li>• Electronics package with PUCKs and two audio cables</li> <li>• Steelcase maintenance agreement (1 year)</li> </ul>	<ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Laminate color number for surface</li> <li>3 Plastic color number for edges on laminate surface</li> <li>4 Paint color number for legs</li> <li>5 Paint color number, size, and quantity (one or two) for shroud, if selected</li> <li>6 Paint color number for power and data access doors</li> <li>7 Maintenance agreement (see below under Required Selections)</li> <li>8 Options, if selected (see below)</li> </ol> <p>▶ See <i>Surface Materials</i>, page 134.</p>

Required Selections	U.S. Price	Required to Specify
<b>Maintenance Agreement</b> <ul style="list-style-type: none"> <li>• Steelcase maintenance agreement (1 year)</li> </ul>	\$1980 Included in U.S. Base Price	Specify with <i>Steelcase maintenance agreement (1 year)</i> .

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• Open Line laminate on High-Pressure Laminate surfaces               <ul style="list-style-type: none"> <li>- 4-pack +\$ 268</li> <li>- 6-pack +\$ 402</li> <li>- 8-pack +\$ 535</li> </ul> </li> </ul>		▶ See <i>Surface Materials Reference Manual</i> .
<ul style="list-style-type: none"> <li>• <b>Wood veneer surfaces</b> <ul style="list-style-type: none"> <li>• Wood veneer surface with wood veneer edges               <ul style="list-style-type: none"> <li>- 3 mm edge profile on front edge, .6 mm on sides and back</li> </ul> </li> <li>• Premium wood 2 veneer               <ul style="list-style-type: none"> <li>- 4-pack +\$ 270</li> <li>- 6-pack +\$ 404</li> <li>- 8-pack +\$ 538</li> </ul> </li> <li>• Premium wood 3 veneer               <ul style="list-style-type: none"> <li>- 4-pack +\$ 944</li> <li>- 6-pack +\$1417</li> <li>- 8-pack +\$1888</li> </ul> </li> <li>• Customiz stain               <ul style="list-style-type: none"> <li>- 4-pack No cost</li> <li>- 6-pack No cost</li> <li>- 8-pack No cost</li> </ul> </li> <li>• Full-fill finish               <ul style="list-style-type: none"> <li>- 4-pack +\$ 270</li> <li>- 6-pack +\$ 405</li> <li>- 8-pack +\$ 539</li> </ul> </li> </ul> </li> </ul>	Prices at right	Specify with <i>wood veneer</i> and indicate wood color number.  Specify with <i>wood veneer</i> surface and indicate Premium wood 2 finish number.  Specify with <i>wood veneer</i> surface and indicate Premium wood 3 finish number.  Specify with <i>Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .  Specify full-fill finish number.
<ul style="list-style-type: none"> <li>• <b>Legs</b> <ul style="list-style-type: none"> <li>• Paint price group 1               <ul style="list-style-type: none"> <li>- 4-pack No cost</li> </ul> </li> <li>• Paint price group 2               <ul style="list-style-type: none"> <li>- 4-pack +\$ 76</li> <li>- 6-pack +\$ 104</li> <li>- 8-pack +\$ 131</li> </ul> </li> <li>• Paint price group 3               <ul style="list-style-type: none"> <li>- 4-pack +\$ 153</li> <li>- 6-pack +\$ 202</li> <li>- 8-pack +\$ 251</li> </ul> </li> </ul> </li> </ul>		Specify paint color number. Specify paint color number.  Specify paint color number.


▶ Options, continued on next page



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## ► Options, continued from previous page

Tip: One shroud (40" or 42") is included in base price. Shroud selection must be specified. Maximum weight of monitor is 55 lbs.



Options	U.S. Price	Required to Specify	
<b>Surface Materials, continued</b>	<b>Power and data access door</b>		
• Anodized aluminum		Specify with 8043 Clear Anodized Aluminum.	
– 4-pack	+\$ 88		
– 6-pack	+\$ 132		
– 8-pack	+\$ 175		
<b>Loop Legs</b>	• Loop legs	+\$ 217	Specify with loop legs.
<b>Shrouds</b>	• 1 shroud for 40" monitor	No cost	Specify with 1 shroud for 40" monitor and specify paint color number.
	• 2 shrouds for 40" monitor	+\$3921	Specify with 2 shrouds for 40" monitor and specify paint color number.
	• 1 shroud for 42" monitor	No cost	Specify with 1 shroud for 42" monitor and specify paint color number.
	• 2 shrouds for 42" monitor	+\$3921	Specify with 2 shroud for 42" monitor and specify paint color number.
	• Omit shroud	–\$3921	Specify with no shroud.
<b>SPUCKs</b>	<b>ALL PUCKs same type – 4 PUCKs, 6 PUCKs, or 8 PUCKs</b>		
• VGA	No cost	Specify with VGA PUCK.	
• HDMI	No cost	Specify with HDMI PUCK.	
• DisplayPort	No cost	Specify with DisplayPort PUCK.	
• Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
	<b>Mixed PUCK types</b>		
• PUCK 1			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 2			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 3			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 4			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 5			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 6			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 7			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	
• PUCK 8			
– VGA	No cost	Specify with VGA PUCK.	
– HDMI	No cost	Specify with HDMI PUCK.	
– DisplayPort	No cost	Specify with DisplayPort PUCK.	
– Mini DisplayPort	No cost	Specify with Mini DisplayPort PUCK.	

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

## ► Specification Information, on next page


► Options, on previous page

**Specification Information**

• Dimensions			• Style Number	• U.S. Base Price (with Maintenance Agreement)	• Option (Add \$ to Base Price)
A	B	C			
:	:	:	:	: High-Pressure : Laminate	: Wood : Veneer


**4-Pack**

24"	120"	48"	<b>FM4PK022460</b>	\$25,124	+\$ 957
24"	144"	48"	<b>FM4PK022472</b>	\$25,421	+\$1045
30"	120"	60"	<b>FM4PK023060</b>	\$25,382	+\$1045
30"	144"	60"	<b>FM4PK023072</b>	\$25,680	+\$1130
:	:	:	:	:	:




**6-Pack**

24"	180"	48"	<b>FM6PK022460</b>	\$28,606	+\$1436
24"	216"	48"	<b>FM6PK022472</b>	\$29,052	+\$1569
30"	180"	60"	<b>FM6PK023060</b>	\$28,981	+\$1569
30"	216"	60"	<b>FM6PK023072</b>	\$29,426	+\$1694
:	:	:	:	:	:




**8-Pack**

24"	192"	48"	<b>FM8PK022448</b>	\$31,689	+\$1739
30"	192"	60"	<b>FM8PK023048</b>	\$32,181	+\$1916
:	:	:	:	:	:



 **For Canadian Pricing**  
 Multiply U.S. Price by the  
 Canadian price factor.  
 ► See page 1 for details.



Tip: Maximum weight of monitor is 55 lbs.

Standard Includes		Required to Specify
▶ Need help? Product details, page 48	<ul style="list-style-type: none"> <li>• Shroud: paint</li> <li>• Brackets</li> <li>• Extension cord break-out cables</li> </ul>	1 Style number 2 Paint color number for shroud ▶ See <i>Surface Materials</i> , page 134.

### Specification Information

• Dimensions			• Style	• U.S. Price
D	W	H	Number	
<b>Shroud for 40" Monitor</b>				
4"	40"	34"	<b>FMSAD40</b>	\$4121
<b>Shroud for 42" Monitor</b>				
4"	43"	37"	<b>FMSAD42</b>	\$4121



**For Canadian Pricing**  
 Multiply U.S. Price by the  
 Canadian price factor.  
 ▶ See page 1 for details.

# Centered Screens

Standard Includes	Required to Specify
-------------------	---------------------

- |   |   |  |
|---|---|--|
| ▶ Need help?<br>Product details,<br>page 51 | <ul style="list-style-type: none"> <li>• Screen: fabric price group 1</li> <li>• Brackets: 4799 Platinum</li> </ul> | 1 Style number<br>2 Fabric color number for screen<br>3 Options, if selected (see below)<br>▶ See <i>Surface Materials</i> , page 134. |
|---|---|--|

Surface Materials	Options	U.S. Price			Required to Specify
	Fabric	12"H	19½"H	24"H	

Surface Materials	• Fabric price group 1	No cost	No cost	No cost	Specify fabric color number.
	• Fabric price group 2	+\$24	+\$ 33	+\$ 39	Specify fabric color number.
	• Fabric price group 3	+\$64	+\$ 87	+\$111	Specify fabric color number.
	• Fabric price group 4	+\$83	+\$111	+\$136	Specify fabric color number.
	• Customer's Own Material (COM)	+\$16	+\$ 16	+\$ 16	▶ See <i>Surface Materials Reference Manual</i> to specify.

**Glass**

- |                      |              |                                  |
|----------------------|--------------|----------------------------------|
| • Frosted glass 3/8" | Prices below | Specify with 6530 Frosted glass. |
|----------------------|--------------|----------------------------------|

Tip: When using COM fabric, it is recommended that non-patterned fabric be used.

Tip: 48"W screens come with two brackets. 60"W to 84"W screens come with three brackets.

Specification Information			
Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price)

:	:	:	:
:	:	:	Frosted Glass

## 12"H Screens




48"	<b>FMSC4812</b>	\$335	+\$193
60"	<b>FMSC6012</b>	\$372	+\$270
66"	<b>FMSC6612</b>	\$388	+\$343
72"	<b>FMSC7212</b>	\$407	+\$346
78"	<b>FMSC7812</b>	\$423	+\$407
84"	<b>FMSC8412</b>	\$441	+\$448
:	:	:	:

## 19½"H Screens

48"	<b>FMSC4819</b>	\$460	+\$407
60"	<b>FMSC6019</b>	\$494	+\$463
66"	<b>FMSC6619</b>	\$512	+\$502
72"	<b>FMSC7219</b>	\$529	+\$540
78"	<b>FMSC7819</b>	\$546	+\$610
84"	<b>FMSC8419</b>	\$566	+\$651
:	:	:	:

## 24"H Screens

48"	<b>FMSC4824</b>	\$582	N.A.
60"	<b>FMSC6024</b>	\$617	N.A.
66"	<b>FMSC6624</b>	\$634	N.A.
72"	<b>FMSC7224</b>	\$652	N.A.
:	:	:	:



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Centered Screen Custom Insert Kits



*Tip: FMSK2 is for use with screens up to 48"W.*

*Tip: FMSK3 is for use with screens wider than 48"W.*

*Tip: These kits are available to accommodate additional materials for centered screens. Infills can be 18 1/2"H or less. For actual dimensions of centered screens, see page 51.*

*Tip: Custom insert kit can accommodate inserts that are 1/4", 3/8", or 1/2" thick.*

*Tip: To order a fusion screen, contact your Designtex representative.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 51</li> <li>• Brackets: 4799 Platinum</li> <li>• Plastic adapter for 1/4" screen</li> <li>• Plastic adapter for 3/8" screen</li> <li>• Plastic adapter for 1/2" screen</li> <li>• Plastic adapter for fabric infill screen</li> <li>• Attachment hardware</li> </ul>	Style number

### Specification Information

Style Number	U.S. Price

### Two Brackets

<b>FMSK2</b>	\$114

### Three Brackets

<b>FMSK3</b>	\$132

FrameOne

## Aligners



*Tip: Aligners are for use with fabric screens only.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 51</li> <li>• Aligner, package of 10: translucent plastic</li> </ul>	Style number

### Specification Information

Style Number	U.S. Price

<b>FMAS</b>	\$22

**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

# Divisio Side Screen



*Tip: The Divisio side screen can be used on any 3/4"- to 1 1/2"-thick worksurface.*

*Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.*

*Tip: The Divisio side screen weighs approximately 14 1/2 pounds. Take this into consideration when planning for use on Height-Adjustable worksurfaces.*

*Tip: The Divisio side screen is intended for use on the front of a worksurface.*

*Tip: The Divisio side screen does not work on knife edge profiles.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 52</li> <li>• Screen: fabric price group A</li> <li>• Top cap and clamp: 4799 Platinum paint</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Fabric color number</li> <li>▶ See <i>Surface Materials</i>, page 134.</li> </ul>

Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• Fabric price group A</li> <li>• Fabric price group 1</li> <li>• Fabric price group 2</li> <li>• Customer's Own Material (COM)</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>+\$14</li> <li>+\$16</li> </ul>	<ul style="list-style-type: none"> <li>Specify fabric color number.</li> <li>Specify fabric color number.</li> <li>Specify fabric color number.</li> <li>▶ See <i>Surface Materials Reference Manual</i>.</li> </ul>

Specification Information			
Dimensions		Style	U.S.
D	H	Number	Base Price
29 1/2"	11 5/8"	<b>DVSS2912</b>	\$325

**Note: Divisio side screen** is included here to simplify your planning. It may have different pricing terms than other products in this specification guide.





**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 64</li> <li>• Power strip with 8' PVC cord</li> <li>• Attachment bracket: 4799 Platinum</li> </ul>	<p>Style number</p>

Specification Information	
• Style Number	• U.S. Price

Power and Data Strip with Cord and Rail Attachment Bracket	
<b>FMVPDS</b>	\$230


Power Strip with Cord and Rail Attachment Bracket	
<b>FMVPS</b>	\$210



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.


# Modular Power Blocks and Chicago Hardwire Box

## Modular Power Block – Standard-Capacity



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> </ul>	<ul style="list-style-type: none"> <li>• Non-PVC power block</li> </ul>	1 Style number	2 Power schematic (see below)
Options		U.S. Price	Required to Specify
<b>Power</b>	• 3+1	No cost	Specify with 3+1.
<b>Schematics</b>	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
Specification Information			
• Style Number	• U.S. Price		
FMVPBS	\$169		

## Modular Power Block – High-Capacity




Standard Includes		Required to Specify	
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> </ul>	<ul style="list-style-type: none"> <li>• Two non-PVC power blocks</li> <li>• Block-to-block connector</li> </ul>	1 Style number	2 Power schematic (see below)
Options		U.S. Price	Required to Specify
<b>Power</b>	• 3+1	No cost	Specify with 3+1.
<b>Schematics</b>	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
Specification Information			
• Style Number	• U.S. Price		
FMVPBH	\$360		



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Chicago Hardwire Box



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> <li>• Hardwire box: black</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

Specification Information	
• Style Number	• U.S. Price
<b>FMVCP</b>	\$249
.	.

 **For Canadian Pricing**  
Multiply U.S. Price by the  
Canadian price factor.  
▶ See page 1 for details.

# Receptacles and Filler Package

## Duplex Receptacle



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> <li>• 15-amp, system ground duplex receptacle: black</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic</li> <li>3 Options, if selected (see below)</li> </ul>


Options	U.S. Price	Required to Specify	
<b>Power Schematics and Line Options</b> <b>3+1</b> <ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> <li>• Line 4</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 3+1, line 1.</li> <li>Specify with 3+1, line 2.</li> <li>Specify with 3+1, line 3.</li> <li>Specify with 3+1, line 4.</li> </ul>	
<b>2+2</b> <ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> <li>• Line 4</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 2+2, line 1.</li> <li>Specify with 2+2, line 2.</li> <li>Specify with 2+2, line 3.</li> <li>Specify with 2+2, line 4.</li> </ul>	
<b>3SN</b> <ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 3SN, line 1.</li> <li>Specify with 3SN, line 2.</li> <li>Specify with 3SN, line 3.</li> </ul>	
<b>Amperage</b>	• 20-amp	+\$22	Specify with 20-amp.
<b>Ground Type</b>	• Isolated	+\$12	Specify with isolated ground.

Specification Information	
Style Number	U.S. Base Price
<b>FMVRD</b>	\$32



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Flexible Receptacle



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> <li>• Non-PVC, 15-amp, system ground duplex receptacle: black</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic</li> <li>3 Options, if selected (see below)</li> </ul>

Power Schematics and Line Options	Options	U.S. Price	Required to Specify
	<b>3+1</b>		
	• Line 1	No cost	Specify with 3+1, line 1.
	• Line 2	No cost	Specify with 3+1, line 2.
	• Line 3	No cost	Specify with 3+1, line 3.
	• Line 4	No cost	Specify with 3+1, line 4.
	<b>2+2</b>		
	• Line 1	No cost	Specify with 2+2, line 1.
	• Line 2	No cost	Specify with 2+2, line 2.
	• Line 3	No cost	Specify with 2+2, line 3.
	• Line 4	No cost	Specify with 2+2, line 4.
	<b>3SN</b>		
	• Line 1	No cost	Specify with 3SN, line 1.
• Line 2	No cost	Specify with 3SN, line 2.	
• Line 3	No cost	Specify with 3SN, line 3.	
<b>Ground Type</b>	• Isolated	+\$12	Specify with isolated ground.

Specification Information	
Style Number	U.S. Base Price
FMVRF	\$89
.	.

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

## USB Receptacle



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> </ul>	<ul style="list-style-type: none"> <li>• USB receptacle: black</li> </ul>	1 Style number	2 Power schematic and line type 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify	
<b>Power Schematics and Line Options</b> <b>3+1</b> <ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> <li>• Line 4</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	Specify with 3+1, line 1.	Specify with 3+1, line 2.
<b>2+2</b> <ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> <li>• Line 4</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	Specify with 2+2, line 1.	Specify with 2+2, line 2.
<b>3SN</b> <ul style="list-style-type: none"> <li>• Line 1</li> <li>• Line 2</li> <li>• Line 3</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	Specify with 3SN, line 1.	Specify with 3SN, line 2.

Specification Information	
Style Number	U.S. Price
FMVRUSB	\$77

## Filler Package – Power/Data




Standard Includes		Required to Specify	
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 65</li> </ul>	<ul style="list-style-type: none"> <li>• Package of 20 fillers: black</li> </ul>	Style number	

Specification Information	
Style Number	U.S. Price
FMVF	\$34



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



Standard Includes		Required to Specify	
▶ Need help? Product details, page 65	• Non-PVC modular harness	1 Style number 2 Power schematic 3 Options, if selected (see below)	

Options	U.S. Price	Required to Specify	
<b>Power Schematics</b>	• 3+1 • 2+2 • 3SN	No cost No cost No cost	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .
<b>PVC</b>	• PVC modular harness	-\$10	Specify <i>with PVC modular harness</i> .

Specification Information		
Length	Style Number	U.S. Base Price
30"	<b>FMVH30</b>	\$112
36"	<b>FMVH36</b>	\$112
39"	<b>FMVH39</b>	\$112
42"	<b>FMVH42</b>	\$112
45"	<b>FMVH45</b>	\$124
48"	<b>FMVH48</b>	\$124
51"	<b>FMVH51</b>	\$124
54"	<b>FMVH54</b>	\$124
57"	<b>FMVH57</b>	\$124
60"	<b>FMVH60</b>	\$142
63"	<b>FMVH63</b>	\$142
66"	<b>FMVH66</b>	\$142
69"	<b>FMVH69</b>	\$142
72"	<b>FMVH72</b>	\$155
75"	<b>FMVH75</b>	\$155
:	:	:

FrameOne

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

# Power Infeeds

## Hardwire-to-Modular Power Infeed



Standard Includes	Required to Specify
-------------------	---------------------

- |   |  |   |
|---|--|---|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 69</li> </ul> | <ul style="list-style-type: none"> <li>• Non-PVC infeed harness</li> </ul> | <ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic</li> <li>3 Options, if selected (see below)</li> </ol> |
|---|--|---|


Options	U.S. Price	Required to Specify
---------	------------	---------------------

<b>Power Schematics</b> <ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	No cost No cost No cost	Specify with 3+1. Specify with 2+2. Specify with 3SN.
<b>PVC</b> <ul style="list-style-type: none"> <li>• PVC modular harness</li> </ul>	-\$10	Specify with PVC.

### Specification Information

Length	Style Number	U.S. Base Price
6'	<b>FMVI6H</b>	\$181
12'	<b>FMVI12H</b>	\$231
24'	<b>FMVI24H</b>	\$332
⋮	⋮	⋮

## Modular-to-Modular Power Infeed



Standard Includes	Required to Specify
-------------------	---------------------

- |   |   |   |
|---|---|---|
| <ul style="list-style-type: none"> <li>▶ Need help? Product details, page 69</li> </ul> | <ul style="list-style-type: none"> <li>• Non-PVC infeed harness</li> <li>• Straight/flush junction box faceplate</li> </ul> | <ol style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic</li> <li>3 Options, if selected (see below)</li> </ol> |
|---|---|---|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

<b>Power Schematics</b> <ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	No cost No cost No cost	Specify with 3+1. Specify with 2+2. Specify with 3SN.
<b>Faceplate</b> <ul style="list-style-type: none"> <li>• 90° junction box faceplate</li> </ul>	+\$37	Specify with 90° faceplate.
<b>PVC</b> <ul style="list-style-type: none"> <li>• PVC modular harness</li> </ul>	-\$10	Specify with PVC.

### Specification Information

Length	Style Number	U.S. Base Price
6'	<b>FMVI6M</b>	\$253
12'	<b>FMVI12M</b>	\$313
24'	<b>FMVI24M</b>	\$420
⋮	⋮	⋮




#### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

## New York Power Infeed




Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 69</li> </ul>	<ul style="list-style-type: none"> <li>• 50" non-PVC infeed harness</li> <li>• Junction box</li> <li>• Strain relief brackets</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic</li> <li>3 Options, if selected (see below)</li> </ul>

	Options	U.S. Price	Required to Specify
<b>Power Schematics</b>	<ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 3+1.</li> <li>Specify with 2+2.</li> <li>Specify with 3SN.</li> </ul>
<b>PVC</b>	<ul style="list-style-type: none"> <li>• PVC modular harness</li> </ul>	<ul style="list-style-type: none"> <li>-\$10</li> </ul>	<ul style="list-style-type: none"> <li>Specify with PVC.</li> </ul>

Specification Information	
Style Number	U.S. Base Price
FMVINN	\$189

## San Francisco Power Infeed




Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 69</li> </ul>	<ul style="list-style-type: none"> <li>• 12' PVC infeed harness with liquid tight metallic conduit</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic (see below)</li> </ul>

	Options	U.S. Price	Required to Specify
<b>Power Schematics</b>	<ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 3+1.</li> <li>Specify with 2+2.</li> <li>Specify with 3SN.</li> </ul>

Specification Information	
Style Number	U.S. Price
FMVISS	\$299

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Junction Box Faceplate – Modular



Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 69</li> </ul>	<ul style="list-style-type: none"> <li>• Non-PVC straight/flush junction box faceplate</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Power schematic</li> <li>3 Options, if selected (see below)</li> </ul>

	Options	U.S. Price	Required to Specify
<b>Power Schematics</b>	<ul style="list-style-type: none"> <li>• 3+1</li> <li>• 2+2</li> <li>• 3SN</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with 3+1.</li> <li>Specify with 2+2.</li> <li>Specify with 3SN.</li> </ul>
<b>Faceplate</b>	<ul style="list-style-type: none"> <li>• 90° junction box faceplate</li> </ul>	+\$37	Specify with 90° faceplate.
<b>PVC</b>	<ul style="list-style-type: none"> <li>• PVC modular harness</li> </ul>	-\$10	Specify with PVC.

Specification Information	
Style Number	U.S. Base Price
FMVM	\$67

## Utility Poles

Tip: Infeed is ordered separately.


Tip: Utility pole reaches a maximum ceiling height of 10'. Pole is 3"D x 6"W.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 68</li> </ul>	<ul style="list-style-type: none"> <li>• Pole: anodized aluminum</li> <li>• Ceiling kit</li> <li>• Mounting brackets</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

Specification Information	
Style Number	U.S. Price

For Use with Dual-Sided Bench	
FMVUD	\$665

For Use with Single-Sided Bench	
FMVUS	\$665



# Vertebral Riser

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>Need help? Product details, page 68</li> <li>Riser: black plastic</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

Specification Information		
Height	Style Number	U.S. Price

Vertebral Riser		
30"	FMVC	\$155
:	:	:


Extension Vertebral Riser		
15"	FMVCE	\$ 45
:	:	:



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Bracket Kit and Block-to-Block Connector

## Bracket Kit for Desk with Power, without Trays



Standard Includes		Required to Specify
▶ Need help? Product details, page 65	• Brackets and dust covers	Style number

Specification Information	
Style Number	U.S. Price
FMVBK	\$21
.	.

## Block-to-Block Connector



Standard Includes		Required to Specify
▶ Need help? Product details, page 65	• Connector	1 Style number 2 Power schematic (see below)

Options	U.S. Price	Required to Specify
<b>Power</b>	• 3+1 No cost	Specify with 3+1, line 1.
<b>Schematics</b>	• 2+2 No cost	Specify with 2+2, line 1.
	• 3SN No cost	Specify with 3SN, line 1.


*Tip: Block-to-block connector is only needed when converting standard-capacity power to high-capacity.*

Specification Information	
Style Number	U.S. Price
FMVB	\$19
.	.



**For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

# Controlled Receptacle Stickers



*Tip: In areas where plug load control is required, it is recommended to tie into the building management system. Use the controlled receptacle sticker to indicate the receptacle as controlled.*

Standard Includes	Required to Specify
• Stickers, quantity 40	Style number

Specification Information	
• Style Number	• U.S. Price
<b>TS7CNTSTKR</b>	\$39
.	.
.	.

FrameOne

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

# Worktools

## SOTO Shelves

Tip: All SOTO shelves allow for 2<sup>7</sup>/<sub>8</sub>" or 6" between work-surface and bottom of shelf.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>Need help? See <i>Details Specification Guide</i> for product details.</li> </ul>	<ul style="list-style-type: none"> <li>Shelf: paint</li> <li>Stanchions: 4799 Platinum</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for shelf: 4231 Arctic White, 4799 Platinum</li> </ul>

### Specification Information

Dimensions			Weight	Style Number	U.S. Price
D	W	H			

#### 36"W Standard Shelf

3 <sup>1</sup> / <sub>2</sub> "	36"	6 <sup>9</sup> / <sub>10</sub> "	3.9 lb	<b>DSSA363</b>	\$144
---------------------------------	-----	----------------------------------	--------	----------------	-------

#### 36"W High Shelf

3 <sup>1</sup> / <sub>2</sub> "	36"	10"	4.2 lb	<b>DSSA363H</b>	\$149
---------------------------------	-----	-----	--------	-----------------	-------

#### 24"W Standard Shelves

6 <sup>3</sup> / <sub>4</sub> "	24"	6 <sup>9</sup> / <sub>10</sub> "	4.9 lb	<b>DSSA246</b>	\$149
---------------------------------	-----	----------------------------------	--------	----------------	-------

10 <sup>1</sup> / <sub>4</sub> "	24"	6 <sup>9</sup> / <sub>10</sub> "	6.4 lb	<b>DSSA2410</b>	\$159
----------------------------------	-----	----------------------------------	--------	-----------------	-------

#### 24"W High Shelves

6 <sup>3</sup> / <sub>4</sub> "	24"	10"	5.3 lb	<b>DSSA246H</b>	\$154
---------------------------------	-----	-----	--------	-----------------	-------

10 <sup>1</sup> / <sub>4</sub> "	24"	10"	6.7 lb	<b>DSSA2410H</b>	\$164
----------------------------------	-----	-----	--------	------------------	-------

#### 14"W Standard Shelves

3 <sup>1</sup> / <sub>2</sub> "	14"	6 <sup>9</sup> / <sub>10</sub> "	2.2 lb	<b>DSSA143</b>	\$138
---------------------------------	-----	----------------------------------	--------	----------------	-------

6 <sup>3</sup> / <sub>4</sub> "	14"	6 <sup>9</sup> / <sub>10</sub> "	3.6 lb	<b>DSSA146</b>	\$144
---------------------------------	-----	----------------------------------	--------	----------------	-------


10 <sup>1</sup> / <sub>4</sub> "	14"	6 <sup>9</sup> / <sub>10</sub> "	4.4 lb	<b>DSSA1410</b>	\$154
----------------------------------	-----	----------------------------------	--------	-----------------	-------

#### 14"W High Shelves

3 <sup>1</sup> / <sub>2</sub> "	14"	10"	2.5 lb	<b>DSSA143H</b>	\$144
---------------------------------	-----	-----	--------	-----------------	-------

6 <sup>3</sup> / <sub>4</sub> "	14"	10"	3.9 lb	<b>DSSA146H</b>	\$149
---------------------------------	-----	-----	--------	-----------------	-------

10 <sup>1</sup> / <sub>4</sub> "	14"	10"	4.7 lb	<b>DSSA1410H</b>	\$159
----------------------------------	-----	-----	--------	------------------	-------




 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## LED Task Lights

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Light: paint</li> <li>• Power cord</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for light:                             <ul style="list-style-type: none"> <li>4231 Arctic White</li> <li>4710 Low Gloss Black</li> <li>4799 Platinum</li> </ul> </li> </ul>


Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		

Rail-Mounted				
13 1/8"	1 1/2"	13 1/8"	<b>DSLEDR</b>	\$295
·	·	·	·	·



*Tip: Rail mounted SOTO LEDs will fit in front of c:scape privacy screens.*

Freestanding				
13 1/8"	4 1/4"	15 3/8"	<b>DSLEDF</b>	\$321
·	·	·	·	·



## Tool Box

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Tool box: 6009 Arctic White plastic</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		

3 1/2"	3 1/4"	3 1/2"	<b>DSTB</b>	\$33
·	·	·	·	·



*Tip: Tool box contains removable semi-opaque insert to separate pens from sticky notes.*

**Products on this page are the SOTO Collection by Details.**

They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.


## Pile Box



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Pile box: 6009 Arctic White plastic</li> </ul>	Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
97/8"	121/4"	2"	<b>DSSPB</b>	\$38

## Diagonal File Box



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Diagonal file box: 6009 Arctic White plastic</li> </ul>	Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
121/4"	4"	97/8"	<b>DSDFB</b>	\$38

## Personal Box



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Personal box: 6009 Arctic White plastic</li> </ul>	Style number


Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
9"	9"	2"	<b>DSPB</b>	\$33

**Products on this page are the SOTO Collection by Details.** They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Landscape Letter Box



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Landscape letter box: 6009 Arctic White plastic</li> </ul>	Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
97/8"	133/4"	2"	<b>DSLLB</b>	\$38


## Utility Box



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Utility box: 6009 Arctic White plastic</li> </ul>	Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
31/8"	9"	11/4"	<b>DSUB</b>	\$33

## Storage Box, Set of 3



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Set of three storage boxes: semi-opaque boxes with white cover</li> </ul>	Style number

Specification Information	
• Style Number	• U.S. Price
<b>DSSB</b>	\$38

*Tip: The storage box set fits inside the personal box.*

*Tip: The box dimensions are:*

- Large: 21/8" x 89/8" x 23/8"
- Small with divider: 21/8" x 41/4" x 23/8"
- Small without divider: 21/8" x 41/4" x 23/8"



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Cable Clip



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Cable clip</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Plastic color number: 6009 Arctic White 6059 Sterling Dark Solid</li> </ul>

Specification Information	
• Style Number	• U.S. Price
DCCLIP	\$23


## Personal Hook



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Personal hook</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Plastic color number: 6009 Arctic White 6059 Sterling Dark Solid</li> </ul>

Specification Information	
• Style Number	• U.S. Price
DPHOOK	\$23

## Mobile Caddy



Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Mobile caddy: 6009 Arctic White</li> <li>• Fabric covered pad: Dark Grey felt</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.</li> </ul>


Options	U.S. Price	Required to Specify
<b>Surface Materials</b> <ul style="list-style-type: none"> <li>• Fabric covered pad</li> <li>• Dark Grey felt</li> <li>• Fabric finish set 1</li> <li>• Fabric finish set 2</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>+\$37</li> <li>+\$79</li> </ul>	<ul style="list-style-type: none"> <li>Specify with <i>Dark Grey felt</i>.</li> <li>Specify fabric color number.</li> <li>Specify fabric color number.</li> </ul>

Specification Information				
• Dimensions			• Style Number	• U.S. Base Price
D	W	H		
21 1/4"	9 1/2"	23 3/4"	DSMC	\$425



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Functional Screen



Standard Includes	Required to Specify
-------------------	---------------------

- |   |  |
|---|--|
| ▶ Need help?<br>See <i>Details Specification Guide</i> for product details. | • Functional screen: 6009 Arctic White<br>Style number |
|---|--|

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price

28½"	1¾"	14"	DSFS	\$257
------	-----	-----	------	-------

## Personal Pocket



Standard Includes	Required to Specify
-------------------	---------------------

- |   |   |
|---|---|
| ▶ Need help?<br>See <i>Details Specification Guide</i> for product details. | • Personal pocket: 6000 Black<br>Style number |
|---|---|

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price

11¾"	2"	5½"	DSPP	\$38
------	----	-----	------	------

*Tip: Personal pocket fits on mobile caddy and functional screen, or can be ganged together while freestanding.*

**Products on this page are by Details.** They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).

 **For Canadian Pricing**  
Multiply U.S. Price by the Canadian price factor.  
▶ See page 1 for details.

## Eyesite Single Display Supports with FrameOne Mounting Brackets

*Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Monitor arm: 4799 Platinum</li> <li>• Standard crank adjustment column with 7<sup>1</sup>/<sub>2</sub>" vertical height adjustment, if selected</li> <li>• Extended crank adjustment column with 12<sup>1</sup>/<sub>2</sub>" vertical height adjustment, if selected</li> <li>• Laptop support, if selected</li> </ul>	<p>Style number</p>

### Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Price

#### 12"H Standard Crank Adjustment Column

6 <sup>5</sup> / <sub>8</sub> "	11 <sup>5</sup> / <sub>8</sub> "	15 <sup>1</sup> / <sub>2</sub> "	<b>FPAC1FO</b>	\$410
---------------------------------	----------------------------------	----------------------------------	----------------	-------

#### 18"H Extended Crank Adjustment Column




6 <sup>5</sup> / <sub>8</sub> "	11 <sup>5</sup> / <sub>8</sub> "	19 <sup>7</sup> / <sub>8</sub> "	<b>FPAEC1FO</b>	\$463
---------------------------------	----------------------------------	----------------------------------	-----------------	-------

#### 12"H Standard Crank Adjustment Column and Laptop Support

12 <sup>5</sup> / <sub>8</sub> "	11 <sup>5</sup> / <sub>8</sub> "	15 <sup>1</sup> / <sub>2</sub> "	<b>FPALC1FO</b>	\$501
----------------------------------	----------------------------------	----------------------------------	-----------------	-------

#### 18"H Extended Crank Adjustment Column and Laptop Support

12 <sup>5</sup> / <sub>8</sub> "	11 <sup>5</sup> / <sub>8</sub> "	19 <sup>7</sup> / <sub>8</sub> "	<b>FPAELC1FO</b>	\$555
----------------------------------	----------------------------------	----------------------------------	------------------	-------



**Products on this page are the SOTO II Collection by Details.**

They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).



**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

## Eyesite Dual Display Supports with FrameOne Mounting Brackets

*Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.*

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> </ul>	<ul style="list-style-type: none"> <li>• Monitor arm: 4799 Platinum</li> <li>• Standard crank adjustment column with 7<sup>1</sup>/<sub>2</sub>" vertical height adjustment, if selected</li> <li>• Extended crank adjustment column with 12<sup>1</sup>/<sub>2</sub>" vertical height adjustment, if selected</li> </ul>

### Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Price

#### 12"H Standard Crank Adjustment Column

8 <sup>1</sup> / <sub>2</sub> "	35"	15 <sup>1</sup> / <sub>2</sub> "	<b>FPAC2FO</b>	\$693
---------------------------------	-----	----------------------------------	----------------	-------

#### 18"H Extended Crank Adjustment Column





8 <sup>1</sup> / <sub>2</sub> "	35"	19 <sup>7</sup> / <sub>8</sub> "	<b>FPAEC2FO</b>	\$746
---------------------------------	-----	----------------------------------	-----------------	-------

#### 12"H Standard Crank Adjustment Column and Laptop Support

14 <sup>1</sup> / <sub>2</sub> "	35"	15 <sup>1</sup> / <sub>2</sub> "	<b>FPALC2FO</b>	\$741
----------------------------------	-----	----------------------------------	-----------------	-------

#### 18"H Extended Crank Adjustment Column and Laptop Support

14 <sup>1</sup> / <sub>2</sub> "	35"	19 <sup>7</sup> / <sub>8</sub> "	<b>FPAELC2FO</b>	\$796
----------------------------------	-----	----------------------------------	------------------	-------




**Products on this page are by Details.** They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).

**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.



## Eyesite Static One-Over-One Display Support with FrameOne Mounting Brackets




Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Monitor arm: 4799 Platinum</li> <li>• 26"H Extended static column</li> </ul>	Style number

Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
5 <sup>3</sup> / <sub>4</sub> "	4 <sup>1</sup> / <sub>8</sub> "	31 <sup>3</sup> / <sub>4</sub> "	<b>FPAS101FO</b>	\$458

## Eyesite Two-Over-Two Display Supports with FrameOne Mounting Brackets



Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> <li>• Monitor arm: 4799 Platinum</li> <li>• Mounting bracket: 4799 Platinum</li> </ul>	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
<b>Bracket</b>		
• Without pivot	No cost	Specify <i>without pivot</i> .
• With pivot	+\$36	Specify <i>with pivot</i> .

Specification Information					
Dimensions			Weight	Style Number	U.S. Base Price
D	W	H			

### 26"H Extended Static Column without Focal Adjustment


D	W	H	Weight	Style Number	U.S. Price
8 <sup>1</sup> / <sub>2</sub> "	31"	26"	18 lb	<b>FPAC2BBSFO</b>	\$1138

**Products on this page are by Details.** They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Eyesite Three-Over-Three Display Supports with FrameOne Mounting Brackets



*Tip: When mounting dual or triple Eyesite on stand-alone, single-sided FrameOne base units, the worksurface must be 66"W or greater and must be used with Eyesite standard crank adjustable column only.*

Standard Includes		Required to Specify	
-------------------	--	---------------------	--

- |  |   |                |                                    |
|--|---|----------------|------------------------------------|
| <ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> </ul> | <ul style="list-style-type: none"> <li>• Monitor arm: 4799 Platinum</li> <li>• Mounting bracket: 4799 Platinum</li> </ul> | 1 Style number | 2 Options, if selected (see below) |
|--|---|----------------|------------------------------------|

Bracket	Options	U.S. Price	Required to Specify
---------	---------	------------	---------------------

- |         |   |                  |   |
|---------|---|------------------|---|
| Bracket | <ul style="list-style-type: none"> <li>• Without pivot</li> <li>• With pivot</li> </ul> | No cost<br>+\$54 | Specify <i>without pivot</i> .<br>Specify <i>with pivot</i> . |
|---------|---|------------------|---|

### Specification Information

Dimensions			Weight	Style Number	U.S. Base Price
D	W	H			

### 26"H Extended Static Column without Focal Adjustment

77/8"	54 1/2"	15 1/2"	16 lb	<b>FPAC3BBSFO</b>	\$1343
-------	---------	---------	-------	-------------------	--------

## Eyesite FrameOne Bracket



Standard Includes		Required to Specify	
-------------------	--	---------------------	--

- |  |  |              |  |
|--|--|--------------|--|
| <ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> </ul> | <ul style="list-style-type: none"> <li>• Bracket: 4799 Platinum</li> </ul> | Style number |  |
|--|--|--------------|--|

### Specification Information

Style Number	U.S. Price
--------------	------------

<b>FPCFO</b>	\$88
--------------	------

**Products on this page are by Details.**

They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

## FYI Flat Panel Monitor Arm with FrameOne Bracket




*Tip: When planning with (stand-alone) single-sided base units, the worksurface must be 66"W or greater and utilize no more than one FYI monitor arm.*

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> </ul>	<ul style="list-style-type: none"> <li>• Flat panel monitor arm: paint</li> <li>• FrameOne bracket</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number:                             <ul style="list-style-type: none"> <li>4231 Arctic White</li> <li>4710 Low Gloss Black</li> <li>4799 Platinum Metallic</li> </ul> </li> </ul>

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
4"	13"	25"	<b>FPASINGLEFO</b>	\$384

## Vertical Processor Sling with FrameOne Bracket



Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> </ul>	<ul style="list-style-type: none"> <li>• Vertical processor sling: 7207 Textured Black</li> </ul>	<ul style="list-style-type: none"> <li>Style number</li> </ul>

Related Products	
<ul style="list-style-type: none"> <li>• FrameOne Keyboard Assembly by <i>Details</i></li> </ul>	▶ See below

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
10 <sup>3</sup> / <sub>4</sub> "	3 <sup>3</sup> / <sub>4</sub> "	6"	<b>CPRSLFO</b>	\$122

**Products on this page are by Details.** They are included here to simplify your planning. Remember that Details has different pricing terms. They are ordered through Details electronic catalog (DET).



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

## Stella Standard Keyboard Assemblies with FrameOne/c:scape Platform

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? See <i>Details Specification Guide</i> for product details.</li> </ul>	<ul style="list-style-type: none"> <li>• Mechanism and track: 0835 Black</li> <li>• Keyboard platform: 7207 Charcoal only</li> <li>• Mouse surface: 9" diameter same-plane, swivel mouse surface</li> <li>• Palm rest</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Palm rest type (see below under Required Selections)</li> </ul>


Required Selections	U.S. Price	Required to Specify
<b>Palm Rest Type</b> <ul style="list-style-type: none"> <li>• Non-antimicrobial</li> <li>• Antimicrobial</li> </ul>	<ul style="list-style-type: none"> <li>No cost</li> <li>No cost</li> </ul>	<ul style="list-style-type: none"> <li>Specify with <i>non-antimicrobial</i>.</li> <li>Specify with <i>antimicrobial</i>.</li> </ul>

### Specification Information

Dimensions	Style Number	U.S. Price
D W H		

#### Left-Hand with Green Gel Palm Rest and 11"L Track For Use With 24"D Worksurface


9"	19"	3"	<b>SS11FCMLGG</b>	\$440
----	-----	----	-------------------	-------



Tip: FrameOne/c:scape platform with 11"L track will protrude 4" from front edge of worksurface when stored.


#### Right-Hand with Green Gel Palm Rest and 11"L Track For Use With 24"D Worksurface

9"	19"	3"	<b>SS11FCMRGG</b>	\$440
----	-----	----	-------------------	-------



#### Left-Hand with Green Gel Palm Rest and 17"L Track For Use With 30"D Worksurface


9"	19"	3"	<b>SS17FCMLGG</b>	\$440
----	-----	----	-------------------	-------



Tip: FrameOne/c:scape platform with 17"L track stores completely under worksurface.

#### Right-Hand with Green Gel Palm Rest and 17"L Track For Use With 30"D Worksurface

9"	19"	3"	<b>SS17FCMRGG</b>	\$440
----	-----	----	-------------------	-------



 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# LED Personal Task Lights

Standard Includes		Required to Specify
<ul style="list-style-type: none"> <li>▶ Need help? Product details, page 54</li> </ul>	<ul style="list-style-type: none"> <li>• Housing: 6009 Arctic White plastic only</li> <li>• Fixture and stanchions: paint</li> <li>• Power supply with 12' cordage (6' from power supply to power outlet, 6' from power supply to fixture)</li> <li>• Soft touch switch</li> <li>• Ultra energy efficient LED light source</li> <li>• Polycarbonate matte film diffuser</li> <li>• Continuous dimming</li> </ul>	<ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Paint color number for fixture and stanchions:               <ul style="list-style-type: none"> <li>4231 Arctic White</li> <li>4710 Low Gloss Black</li> <li>4799 Platinum Metallic</li> </ul> </li> </ul>

Related Products	
<ul style="list-style-type: none"> <li>• c:scape desk</li> <li>• FrameOne bench</li> <li>• Details SOTO rail</li> <li>• Impact</li> <li>• Technology zone integral rail</li> <li>• Worksurfaces and freestanding desks</li> <li>• Campfire Big Table</li> </ul>	<ul style="list-style-type: none"> <li>▶ See <i>c:scape Specification Guide</i>.</li> <li>▶ See <i>page 71</i>.</li> <li>▶ See <i>Details Specification Guide</i>.</li> <li>▶ See <i>Wood Casegoods and Tables Specification Guide</i>.</li> <li>▶ See <i>Elective Elements Specification Guide</i>.</li> <li>▶ See <i>Answer Specification Guide</i>.</li> <li>▶ See <i>Turnstone Specification Guide</i>.</li> </ul>



Specification Information					
Dimensions			Lamp	Style	U.S.
D	W	H	Wattage	Number	Price

## Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	<b>LPTL30</b>	\$590
----	-----	-----	----------	---------------	-------

## Non Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	<b>LPTL30NR</b>	\$590
----	-----	-----	----------	-----------------	-------



*Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1 1/4", or with modesty panels or modesty screens closer than 6" from the back edge.*



**For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

---

# Surface Materials

<b>Surface Materials</b>	<b>134</b>
<b>Paint Color Availability Matrix</b>	<b>138</b>
<b>Panel Fabric and Seating Upholstery Matrix</b>	<b>139</b>
<b>Recommended Surface Edge Finishes</b>	<b>140</b>
<b>Wood Veneer Grain and Directional Laminate Application</b>	<b>141</b>

# Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

## Resources

For more information about surface materials, refer to the following resources:

**Additional surface materials specification tools** are available to assist you in the specification process—the Surface Materials Binders.

**The global surface materials palette** is a core collection of finishes that is available across multiple geographies (Americas/EMEA – Europe, Middle East, and Africa/APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the *Surface Materials Reference Manual*. Additional details, like product approvals by geography and finish number conversions, can also be found in the *Surface Materials Reference Manual* or see [steelcase.com/surfacematerials](http://steelcase.com/surfacematerials).

## Surface Materials Binders

- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

## Paint

### Steelcase Surfaces

*Tip: All products may not be available in all colors listed below.*

▶ See page 138 for an overview of the paint colors available on each component.

Applies to:  
• media:scape shroud

4140 Arctic White Gloss  
4242 Milk  
4744 Pearl Metallic  
4799 Platinum Metallic  
4803 Near Black Metallic  
7207 Black  
7246 Midnight Metallic

Applies to:  
• Dual- and single-sided base and extensions  
• Intermediate leg covers

*Tip: Also see Metal/Accessory Paint below.*

### Price Group 1

#### Smooth Paint

4242 Milk

#### Textured Paint

7207 Black  
7225 Sand  
7230 Basalt  
7236 Fog **E**  
7237 Slate **E**  
7238 Fieldstone  
7239 Midnight  
7241 Arctic White  
7243 Seagull  
7278 Dark Bronze  
7360 Merle

### Price Group 2

#### Smooth Paint

0835 Black **E**

#### Smooth Metallic Paint

4728 Nickel Metallic  
4743 Mineral Metallic  
4744 Pearl Metallic  
4750 Champagne Metallic  
4752 Steel Metallic **E**  
4788 Gold Dust Metallic **E**  
4798 Sterling Metallic  
4799 Platinum Metallic  
4803 Near Black Metallic

## Textured Metallic Paint

7245 Carbon Metallic  
7246 Midnight Metallic

Applies to:  
• Power and data access door

*Tip: Also see Metal/Accessory Paint below.*

4242 Milk  
4744 Pearl Metallic  
4799 Platinum Metallic  
7207 Black  
7225 Sand  
7238 Fieldstone  
7241 Arctic White  
7243 Seagull  
7246 Midnight Metallic

## Select Surfaces

### Price Group 3

#### Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors that are available without the PerfectMatch registration fee. Refer to the *Surface Materials Reference Manual* for more information about this program.

## Custom Surfaces

### Price Group 3

#### PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

## Metal/Accessory Paint

### Steelcase Surfaces

Applies to:  
• Dual- and single-sided base and extensions  
4140 Arctic White Gloss  
4144 Black Gloss

Applies to:  
• Power and data access door  
8043 Clear Anodized Aluminum

## Glass

### Steelcase Surfaces

Applies to:  
• Overhead cabinet doors  
6509 Mirrored Bronze  
6521 Truffle  
6580 Ice White  
6581 Blue Jay  
6582 Wasabi  
6583 Rose  
6584 Tangerine  
6585 Fuchsia  
6586 Citrus Green  
6587 Gold  
6588 Purple Berry  
6589 Mercury  
6590 Black  
6591 Merle  
6592 Asphalt  
6593 Greyscale  
6594 Tan  
6595 Winter

## Laminate

Applies to:  
• Dual- and single-sided base and extensions  
• End counters  
• Infills  
• Single-high overhead cabinets  
• Organizer shelves  
• media:scape

## High-Pressure Laminate

### Fiber Laminate

2850 Vanadium Fiber  
2851 Rhyme Fiber **E**  
2852 Tungsten Fiber  
2854 Vellum Fiber  
2859 Novell Fiber  
2860 Granite Fiber  
2861 Coconut Fiber  
2862 Stucco Fiber

### Micro Laminate

2920 Marl Micro  
2921 Gypsum Micro  
2922 Clay Micro  
2923 Shadow Micro **E**

### Patina Laminate

2870 Blonde Bronze Patina  
2871 Blackened Bronze Patina  
2873 Instant Iron Patina

### Solid Laminate

2722 Cream **E**  
2730 Arctic White  
2746 Black  
2759 Warm White **E**  
2811 Mist **E**  
2883 Seagull  
2884 Milk  
2885 Dune

**E** = Established

**Speckle Laminate**

- 2820 Coffee Speckle
- 2822 Woodrose Speckle **E**
- 2823 Driftwood Speckle
- 2824 Smoke Speckle
- 2825 Vanadium Speckle

Note: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

**Woodgrain**

- 2406 Clear Cherry
- 2409 Clear Maple
- 2410 Graphite Walnut
- 2412 Natural Cherry
- 2422 Medium Cherry
- 2511 Winter on Maple
- 2538 Clear Walnut
- 2539 Warm Oak **E**
- 2592 Blonde on Maple
- 2714 Natural Walnut
- 2772 Medium Mahogany on Walnut **E**
- 2HAK Clear Oak
- 2HAT Acacia

**Turnstone Laminate Collection**

A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy. Please see the Turnstone section of [village.steelcase.com](http://village.steelcase.com) for swatching information.

- 2535 Virginia Walnut
- 2536 Blackwood\*
- 2612 Marbled Maple\*
- 2614 Chocolate Walnut
- 2615 Marbled Cherry\*

\*Not available on single-high overheads or organizer shelves.

**E** = Established

**Custom Surfaces****Open Line Laminate (OLL)**

This service allows you to order non-standard laminate at an additional processing fee of \$67 U.S. per worksurface or top, plus the cost of the laminate. When processing orders for Open Line laminate on FrameOne, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate. Laminate Approval and Material Requirements to confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

- Visit [www.steelcase.com](http://www.steelcase.com)

For additional information, refer to the *Surface Materials Reference Manual*.

**Wood**

Applies to:

- Dual- and single-sided base and extensions
- End counters
- Infills and mid storage tops (exception — no full-fill finish)
- Single-high overhead cabinets
- Organizer shelves
- media:scape

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

**Steelcase Surfaces****Veneer**

Veneers are matched for proper balance and consistency. Veneers are available quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

**Open-pore finish** is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

**Flat-cut open-pore finish choices**

- 3062 FC/OP Graphite Walnut
- 3402 FC/OP Clear Cherry (Aged)
- 3412 FC/OP Natural Cherry **E**
- 3422 FC/OP Medium Cherry
- 3522 FC/OP Clear Maple\*
- 3572 FC/OP Amber on Maple **E**
- 3592 FC/OP Blonde on Maple
- 3702 FC/OP Clear Walnut
- 3712 FC/OP Natural Walnut
- 3722 FC/OP Dark Mahogany on Walnut
- 3752 FC/OP Medium Walnut
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany on Walnut

**Quarter-cut open-pore finish choices**

- 3042 QC/OP Ash\*
- 3222 QC/OP Clear Maple\*
- 3272 QC/OP Amber on Maple **E**
- 3292 QC/OP Blonde on Maple
- 3302 QC/OP Clear Walnut
- 3312 QC/OP Natural Walnut
- 3322 QC/OP Dark Mahogany on Walnut
- 3352 QC/OP Medium Walnut
- 3362 QC/OP Dark Walnut
- 3372 QC/OP Medium Mahogany on Walnut
- 3382 QC/OP Graphite Walnut

**Rift-cut open-pore finish choices**

- 3602 RC/OP Desert Oak
- 3612 RC/OP Warm Oak **E**
- 3692 RC/OP Espresso Oak

**Full-fill finish** is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on worksurfaces only.

**Flat-cut full-fill finish choices**

- 3064 FC/FF Graphite Walnut
- 3404 FC/FF Clear Cherry (Aged)
- 3414 FC/FF Natural Cherry **E**
- 3424 FC/FF Medium Cherry
- 3524 FC/FF Clear Maple\*
- 3544 FC/FF Blonde on Maple
- 3574 FC/FF Amber on Maple **E**
- 3704 FC/FF Clear Walnut
- 3714 FC/FF Natural Walnut
- 3724 FC/FF Dark Mahogany on Walnut
- 3754 FC/FF Medium Walnut
- 3764 FC/FF Dark Walnut
- 3774 FC/FF Medium Mahogany on Walnut

**Quarter-cut full-fill finish choices**

- 3224 QC/FF Clear Maple\*
- 3274 QC/FF Amber on Maple **E**
- 3294 QC/FF Blonde on Maple
- 3304 QC/FF Clear Walnut
- 3314 QC/FF Natural Walnut
- 3324 QC/FF Dark Mahogany on Walnut
- 3354 QC/FF Medium Walnut
- 3364 QC/FF Dark Walnut
- 3374 QC/FF Medium Mahogany on Walnut
- 3384 QC/FF Graphite Walnut

**Rift-cut full-fill finish choices**

- 3604 RC/FF Desert Oak
- 3614 RC/FF Warm Oak **E**
- 3694 RC/FF Espresso Oak

*\*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042, form number 05-0001370 for 3222 and 3224.*

**Steelcase Surfaces**

**Composite Veneer**

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

**Flat-cut open-pore finish choices**

- 3JDX FC/OP Oak Composite
- 3JFX FC/OP Maple Composite
- 3JHX FC/OP Cherry Composite
- 3JXX FC/OP Walnut Composite

**Quarter-cut open-pore finish choices**

- 3HJX QC/OP Oak Composite
- 3JEX QC/OP Maple Composite
- 3JGX QC/OP Cherry Composite

*Note: To understand more about composite ordering, lead-times, and pricing, please consult the composite sign-off sheet available through Steelcase advertising stock, form number 14-0000141. A sign-off sheet is required prior to orders being accepted for composite projects.*

**Steelcase Surfaces**

**Premium Veneers**

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on [village.steelcase.com](http://village.steelcase.com) for sample information and product line availability. All premium veneers are in clear-coat.

**Quarter-cut open-pore finish choices**

**Wood Group 2**

- 3032 QC/OP Dark Thin Line Bamboo
- 3052 QC/OP Ribbon Sapele

**Wood Group 3**

- 3832 QC/OP Figured Anegre
- 3842 QC/OP Figured Makore

*Note: Full-fill finish is not available on Premium veneers as a standard. To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000757 for 3052, form number 09-0000758 for 3832, and form number 09-0000759 for 3842.*

**Custom Surfaces**

**Customiz stain** is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

**Plastic**

**Steelcase Surfaces**

Applies to:

- Dual- and single-sided base and extensions
- End counters
- 6000 Black\*
- 6001 Coffee\*
- 6009 Arctic White\*
- 6034 Natural Cherry
- 6036 Medium Cherry
- 6037 Winter on Maple
- 6038 Blonde on Maple
- 6041 Natural Walnut
- 6045 Medium Mahogany on Walnut **E**

- 6052 Milk
- 6053 Seagull\*
- 6213 Acacia
- 6219 Clear Oak
- 6231 Graphite Walnut\*
- 6234 Clear Cherry\*
- 6237 Clear Maple\*
- 6242 Virginia Walnut\*
- 6243 Blackwood\*
- 6245 Clear Walnut\*
- 6246 Warm Oak\* **E**
- 6249 Platinum Solid\*
- 6615 Grey V5\*
- 6619 Ice\* **E**
- 6631 Cream\*
- 6635 Dawn\* **E**
- 6636 Mist\*
- 6654 Sand\*
- 6655 Warm White\*
- 6676 Marbled Maple
- 6677 Chocolate Walnut
- 6678 Marbled Cherry
- 6694 Slate\*
- 6695 Midnight\*
- 6697 Fog\*
- 6698 Fieldstone\*

*\*These solid color and woodgrain edge colors are a polyolefin blend, PVC-free material for 3 mm and 1 mm edge banding.*

*Note: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.*

**E** = Established

**Glass****Steelcase Surfaces**

Applies to:

- Centered screens
- 6530 Frosted Glass

**Panel Fabric**

▶ See *Surface Materials Reference Manual* for a listing of available fabrics for Divisio side screen.

Applies to:

- Centered screens

**Steelcase Surfaces****Price Group 1****Abacus** **E**

- P122 Entasis
- P123 Portico
- P124 Opus
- P125 Cusp
- P126 Artifact
- P129 Atlas

**Acadia** **E**

- G031 Tin
- G033 Iron
- G039 Silica

**Alloy**

- P527 Bubbly
- P528 Tern
- P529 Shore
- P530 Asti
- P531 Silver
- P532 Oxide
- P533 Element
- P534 Construct
- P535 Currency
- P536 Iron

**Price Group 2****Regatta** **E**

- D011 Licorice
- 5335 Warm Brown V1
- 5338 Tan V1

**Select Surfaces**

**For information on products within Select Surfaces,**

including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit [Steelcase.com/selectsurface](http://Steelcase.com/selectsurface)

**E** = Established

**Seating Upholstery**

▶ See *Surface Materials Reference Manual* for a listing of available fabrics for Divisio side screen.

Applies to:

- Centered screens

**Steelcase Surfaces****Price Group 1****Buzz2**

- 5F01 Camel **E**
- 5F03 Tomato
- 5F04 Red **E**
- 5F05 Burgundy
- 5F06 Sky **E**
- 5F07 Blue
- 5F08 Navy
- 5F10 Grape **E**
- 5F11 Eggplant **E**
- 5F15 Stone
- 5F16 Grey
- 5F17 Black
- 5G50 Dunegrass
- 5G51 Sable
- 5G52 Barley
- 5G53 Sunrise
- 5G54 Carrot
- 5G55 Pumpkin
- 5G56 Timber
- 5G57 Rouge
- 5G58 Chocolate
- 5G59 Meadow
- 5G60 Ivy
- 5G61 Cyan
- 5G62 Atlantic
- 5G63 Crocus
- 5G64 Alpine
- 5G65 Tornado

**Price Group 2****Chainmail**

- 5550 Cotton
- 5551 Space
- 5552 Silver Dollar
- 5553 Volcano
- 5554 Orange Crush
- 5555 Tricycle
- 5556 Geranium
- 5557 Banana
- 5558 Margarita
- 5559 Lagoon

**Cogent: Connect**

- 5S15 Coconut
- 5S16 Turmeric
- 5S17 Tangerine
- 5S18 Scarlet
- 5S19 Concord
- 5S20 Maya Blue
- 5S21 Blue Jay
- 5S23 Wasabi
- 5S24 Nickel
- 5S25 Graphite
- 5S26 Licorice
- 5S27 Malt
- 5S28 Root Beer
- 5S93 Blueprint
- 5S94 Lizard
- 5S95 Sailor
- 5S96 Quicksilver
- 5S97 Nugget
- 5S98 Canary
- 5S99 Lipstick
- 5SD0 Royal Blue

**Select Surfaces**

**For information on products within Select Surfaces,**

including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit [Steelcase.com/selectsurface](http://Steelcase.com/selectsurface)

**Custom Surfaces****Price Group COM (Customer's Own Material)****Fabric Approval and Yardage**

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

- Visit [www.steelcase.com](http://www.steelcase.com)

**For additional information regarding Customer's Own Material,**

call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to [lineone@steelcase.com](mailto:lineone@steelcase.com).

Applies to:

- Details mobile caddy

**Fabric Finish Set 1**

- 5S17 Tangerine
- 5S18 Scarlet
- 5S21 Blue Jay
- 5S23 Wasabi
- 5S25 Graphite
- 5S27 Malt

**Fabric Finish Set 2**

- 5S20 Maya Blue
- 5S16 Turmeric
- 5S98 Canary
- 5S93 Blue Print
- 5S19 Concord
- 5S99 Lipstick
- 5S95 Sailor
- 5S24 Nickel
- 5S15 Coconut
- 5S97 Nugget
- 5S94 Lizard
- 5S26 Licorice
- 5S28 Root Beer
- 5S96 Quicksilver

# Paint Color Availability Matrix

## Legend

- = Not available
- = Available
- = Available with exceptions
- ⓔ = Established

	Dual-Sided Base	Dual-Sided Extension	Single-Sided Base	Single-Sided Extension	Intermediate Leg Covers	Power and Data Access Door	media:scape Shroud
<b>Smooth Paint Price Group 1</b>							
4242 Milk	■	■	■	■	■	■	■
<b>Textured Paint Price Group 1</b>							
7207 Black	■	■	■	■	■	■	■
7225 Sand	■	■	■	■	■	■	•
7230 Basalt	■	■	■	■	■	•	•
7236 Fog ⓔ	■	■	■	■	■	•	•
7237 Slate ⓔ	■	■	■	■	■	•	•
7238 Fieldstone	■	■	■	■	■	■	•
7239 Midnight	■	■	■	■	■	•	•
7241 Arctic White	■	■	■	■	■	■	•
7243 Seagull	■	■	■	■	■	■	•
7278 Dark Bronze	■	■	■	■	■	•	•
7360 Merle	■	■	■	■	■	•	•
<b>Smooth Paint Price Group 2</b>							
0835 Black ⓔ	■	■	■	■	■	•	•
<b>Smooth Metallic Paint Price Group 2</b>							
4728 Nickel Metallic	■	■	■	■	■	•	•
4743 Mineral Metallic	■	■	■	■	■	•	•
4744 Pearl Metallic	■	■	■	■	■	■	■
4750 Champagne Metallic	■	■	■	■	■	•	•
4752 Steel Metallic ⓔ	■	■	■	■	■	•	•
4788 Gold Dust Metallic ⓔ	■	■	■	■	■	•	•
4798 Sterling Metallic	■	■	■	■	■	•	•
4799 Platinum Metallic	■	■	■	■	■	■	■
4803 Near Black Metallic	■	■	■	■	■	•	■
<b>Textured Metallic Paint Price Group 2</b>							
7245 Carbon Metallic	■	■	■	■	■	•	•
7246 Midnight Metallic	■	■	■	■	■	■	■
<b>Metal and Accessory Paint</b>							
4140 Arctic White Gloss	■	■	■	■	■	•	■
4144 Black Gloss	■	■	■	■	■	•	•
8043 Clear Anodized Aluminum	•	•	•	•	•	■	•

# Panel Fabric and Seating Upholstery Matrix

## Legend

- = Not available
- = Available
- E = Established

FrameOne Screens

Panel Fabric	
Abacus Price Group 1 E	■
Acadia Price Group 1 E	■
Alloy Price Group 1	■
Bariolage Price Group 1	•
Boccie Price Group 1	•
Brunswick Price Group 2	•
Charm Price Group 1	•
Cogent:Geode Seating Price Group 2 E	•
Flip:Plain Jane Price Group 2	•
Flip:TexHex Price Group 2	•
Lapel Price Group 1	•
Milano Price Group 2 E	•
Optic Price Group 1	•
Pianista Price Group 1	•
Regatta Price Group 2 E	■
Rhythm Price Group 1	•
Tinsel Price Group 1	•
Seating Upholstery	
Bo Peep Price Group 5	•
Brisa Price Group 6	•
Brooch Price Group 5	•
Buzz2 Price Group 1	■
Chainmail Price Group 2	■
Cogent:Connect Price Group 2	■
Jacks Price Group 1 E	•
Leather Leather Price Group	•
Link Price Group 1	•
Nitelights Price Group 2	•
Playground Price Group 1 E	•
Seating Vinyl Price Group 2 E	•
Spyder Price Group 2 E	•
Stand In Price Group 2	•

*Tip: Alloy P525 Polar and P526 Skim are light in color. As a result, some lighting conditions can reveal a "picture framing" effect around the edge of the screen. Steelcase recommends ordering a test screen in these two finishes, for approval by the customer, before purchasing large quantities.*

Surface Materials

# Recommended Surface Edge Finishes

## Recommended Edge Colors for FrameOne—High-Pressure Laminate

### Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Laminate Color	Recommended Edge Color
----------------	------------------------

#### Fiber Laminate

2850 Vanadium Fiber	6654 Sand
2851 Rhyme Fiber <b>E</b>	6631 Cream
2852 Tungsten Fiber	6636 Mist
2854 Vellum Fiber	6655 Warm White
2859 Novell Fiber	6001 Coffee
2860 Granite Fiber	6000 Black
2861 Coconut Fiber	6654 Sand
2862 Stucco Fiber	6053 Seagull

#### Micro Laminate

2920 Marl Micro	6053 Seagull
2921 Gypsum Micro	6654 Sand
2922 Clay Micro	6654 Sand
2923 Shadow Micro <b>E</b>	6249 Platinum Solid

#### Patina Laminate

2870 Blonde Bronze Patina	6654 Sand
2871 Blackened Bronze Patina	6615 Grey V5
2873 Instant Iron Patina	6615 Grey V5

#### Solid Laminate

2722 Cream <b>E</b>	6631 Cream
2730 Arctic White	6009 Arctic White
2746 Black	6000 Black
2759 Warm White <b>E</b>	6655 Warm White
2811 Mist <b>E</b>	6636 Mist
2883 Seagull	6053 Seagull
2884 Milk	6052 Milk
2885 Dune	6654 Sand

#### Speckle Laminate

2820 Coffee Speckle	6631 Cream
2822 Woodrose Speckle <b>E</b>	6635 Dawn <b>E</b>
2823 Driftwood Speckle	6631 Cream
2824 Smoke Speckle	6636 Mist
2825 Vanadium Speckle	6619 Ice <b>E</b>

Laminate Color	Recommended Edge Color
----------------	------------------------

#### Woodgrain Laminate

2406 Clear Cherry	6234 Clear Cherry
2409 Clear Maple	6237 Clear Maple
2410 Graphite Walnut	6231 Graphite Walnut
2412 Natural Cherry	6034 Natural Cherry
2422 Medium Cherry	6036 Medium Cherry
2511 Winter on Maple	6037 Winter on Maple
2538 Clear Walnut	6245 Clear Walnut
2539 Warm Oak <b>E</b>	6246 Warm Oak <b>E</b>
2592 Blonde on Maple	6038 Blonde on Maple
2714 Natural Walnut on Walnut <b>E</b>	6041 Natural Walnut on Walnut <b>E</b>
2HAK Clear Oak	6219 Clear Oak
2HAT Acacia	6213 Acacia

#### Turnstone Laminate Collection\*

2535 Virginia Walnut	6242 Virginia Walnut
2536 Blackwood	6243 Blackwood
2612 Marbled Maple	6676 Marbled Maple
2614 Chocolate Walnut	6677 Chocolate Walnut
2615 Marbled Cherry	6678 Marbled Cherry

\* A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy.

**E** = Established

# Wood Veneer Grain and Directional Laminate Application



**Wood veneer and directional laminates** are standard with the grain directions shown.

**Wood** is a natural, unique, and always changing material. No two pieces are the same. The appearance of each surface will vary based on a piece's individual grain pattern, underlying color, and characteristics (like gum pockets and pin knots). While the finishing process is identical for all pieces, each finished piece celebrates wood's individual beauty.


**Some wood veneer finishes and woodgrain laminates** share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

**Veneer on end counters, returns, and infills** are applied short grain to eliminate polarization.

**Laminate patterns on end counters, returns, and infills** are not available with the short grain option.



Wood Veneer



Laminate




---

# Resources

<b>Lock and Keying</b>	<b>144</b>
<b>Maintenance Agreement Renewals</b>	<b>146</b>
<b>Style Number Index</b>	<b>148</b>

# Lock and Keying

**All locking products** are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options.  
*Exceptions: Individual locking drawers are available only with field-installed locks.*



**Locks** consist of a factory- or field-installed lock cylinder and a factory-installed lock face ring.

**Two types of locks** are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

## Factory-Installed Keying

**Factory-installed locks** are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.  
*Tip: Random keying can mean that different furniture*

*units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.*  
 ▶ See below.

### Key Random

-  FR305
-  FR421
-  FR305

or

-  XF1011
  -  XF1042
  -  XF1011
- } XF Master Key

### Required to Specify

<b>Master key random</b>	+\$23	Specify with master key random.
--------------------------	-------	---------------------------------

## Field-Installed Keying

**Field-installed locks** are only available on products that include factory-installed lock mechanisms.

**Specify “plug”** when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.  
*Tip: For products with optional lock colors, make sure to specify the color for both the lock and lock face ring.*

**Front-removable lock cylinders** must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.  
*Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.*

shipped separately so that you can install the locks when you are ready.

**Lock cylinders** will be

**Three keying choices** are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

**Key random** means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).  
*Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.*

**Key specific** means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.  
*Tip: Designate the quantity per key number in your specification.*  
 ▶ See example at right.

**Key consecutive** means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

**Example** of a typical lock cylinder specification is shown below:

10	LOCK9201FR FR320
5	LOCK9201FR FR350
15	LOCK9201XF XF1100
<hr/>	
30	Total
1	877102003SR standard lock tool
1	877102002SR master lock tool

### Key Random

-  FR305
-  FR421
-  FR305

or

-  XF1011
  -  XF1042
  -  XF1011
- } XF Master Key

### Key Specific

-  FR350
-  FR350
-  FR350

or

-  XF1020
  -  XF1020
  -  XF1020
- } XF Master Key

### Key Consecutive

-  FR350
-  FR351
-  FR352

or

-  XF1020
  -  XF1021
  -  XF1022
- } XF Master Key

## Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Standard Includes	Required to Specify
-------------------	---------------------

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>Lock cylinder, keyed random: 9201 Polished Chrome or 9250 Ember Chrome</li> <li>Two keys</li> </ul> | <ul style="list-style-type: none"> <li>1 Style number</li> <li>2 Options, if selected (see below)</li> </ul> |
|--|--|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

<b>Key specific</b>	No cost	Select key number from FR305–FR454.
<b>Key consecutive</b>	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.
<b>Master key random</b>	+\$23 each	Specify <i>master key random</i> .
<b>Master key specific</b>	+\$23 each	Specify key number from XF1001–XF1150.
<b>Master key consecutive</b>	+\$23 each	Specify <i>master key consecutive</i> and select beginning key number from XF1001–XF1150.

Specification Information		
Color	Style Number	U.S. Base Price


### FR Series (Standard Keying System) – Lock Cylinder

Polished Chrome	<b>LOCK9201FR</b>	No cost
Ember Chrome	<b>LOCK9250FR</b>	No cost

Tip: You can change lock cylinders in the field by using the appropriate lock tool.

### Standard Lock Tool

	<b>877102003SR</b>	\$23

### XF Series (Master Keying System) – Lock Cylinder

Polished Chrome	<b>LOCK9201XF</b>	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	<b>LOCK9250XF</b>	No additional cost. Price included in price of furniture with master-keyed locks.

### Master Lock Tool

	<b>877102002SR</b>	\$23

Resources

 **For Canadian Pricing**  
 Multiply U.S. Price by the Canadian price factor.  
 ▶ See page 1 for details.

# Maintenance Agreement Renewals

## About Maintenance Agreement Renewals

Steelcase maintenance agreement renewals provide an extension of our enhanced support system that features software/firmware enhancements, expedited shipping for hardware replacements, and prioritized technical support.

## Renewal Lengths and Bundling Option

Maintenance agreement renewals are available for 1, 2, and 3 year terms.

Customers with multiple maintenance agreements will be able to bundle some or all of their applicable Steelcase technology products into a single maintenance agreement.

## How to Order

Maintenance agreement renewals follow a special ordering process that requires a customer specific quote generated by Steelcase. Please contact [MAAs@steelcase.com](mailto:MAAs@steelcase.com) for complete renewal process information or with any questions.

*Tip: When selecting the 2 year renewal option, the list price is 15% less per year compared to the base price. When selecting the 3 year renewal option, the list price is 30% less per year compared to the base price.*

		1 year Renewal	2 year Renewal	3 year Renewal
<b>Pricing</b>				
<b>media:scape tables Maintenance Agreement Renewal</b>	<b>MTMTNC</b>	\$1650	\$2805	\$3465
<b>media:scape mini and mobile Maintenance Agreement Renewal</b>	<b>MMMTNC</b>	\$ 825	\$1403	\$1733
<b>media:scape Virtual PUCK Maintenance Agreement Renewal</b>	<b>MSVPKMTNC</b>	\$ 450	\$ 765	\$ 945
<b>FlexFrame with media:scape Maintenance Agreement Renewal</b>	<b>FFDDMTNC</b>	\$ 825	\$1403	\$1733
<b>FrameOne with media:scape Maintenance Agreement Renewal</b>	<b>FMMTNC</b>	\$1650	\$2805	\$3465
<b>Coalesse Exponents media board with media:scape Maintenance Agreement Renewal</b>	<b>COC1MBWMSMTNC</b>	\$ 825	\$1403	\$1733



### For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.



# Style Number Index

Style Number	Page	Description
<b>877102002SR</b>	145	Master Lock Tool
<b>877102003SR</b>	145	Standard Lock Tool
<b>COC1MBWMSMTNC</b>	146	Maintenance Agreement Renewal
<b>CPRSLFO</b>	130	Vert Processor Sling, Fixed
<b>CQMS173007P</b>	87	Personal Slim Storage
<b>CQMS173007S</b>	88	Shared Slim Storage
<b>CQMS173607P</b>	87	Personal Slim Storage
<b>CQMS173607S</b>	88	Shared Slim Storage
<b>CQMS174207P</b>	87	Personal Slim Storage
<b>CQMS174207S</b>	88	Shared Slim Storage
<b>CQMS174807P</b>	87	Personal Slim Storage
<b>CQMS174807S</b>	88	Shared Slim Storage
<b>CQMS176007P</b>	87	Personal Slim Storage
<b>CQMS176007S</b>	88	Shared Slim Storage
<b>CQMS176607P</b>	87	Personal Slim Storage
<b>CQMS176607S</b>	88	Shared Slim Storage
<b>CQMS177207P</b>	87	Personal Slim Storage
<b>CQMS177207S</b>	88	Shared Slim Storage
<b>CQMS177807P</b>	87	Personal Slim Storage
<b>CQMS177807S</b>	88	Shared Slim Storage
<b>CQMS246007S</b>	88	Shared Slim Storage
<b>CQMS246607S</b>	88	Shared Slim Storage
<b>CQMS247207S</b>	88	Shared Slim Storage
<b>CQMS247807S</b>	88	Shared Slim Storage
<b>CQMT173015P</b>	87	Personal Tall Storage
<b>CQMT173015S</b>	87	Shared Tall Storage
<b>CQMT173615P</b>	87	Personal Tall Storage
<b>CQMT173615S</b>	87	Shared Tall Storage
<b>CQMT174215P</b>	87	Personal Tall Storage
<b>CQMT174215S</b>	87	Shared Tall Storage
<b>CQMT174815P</b>	87	Personal Tall Storage
<b>CQMT174815S</b>	87	Shared Tall Storage
<b>CQMT176015P</b>	87	Personal Tall Storage
<b>CQMT176015S</b>	87	Shared Tall Storage
<b>CQMT176615P</b>	87	Personal Tall Storage
<b>CQMT176615S</b>	87	Shared Tall Storage
<b>CQMT177215P</b>	87	Personal Tall Storage
<b>CQMT177215S</b>	87	Shared Tall Storage
<b>CQMT177815P</b>	87	Personal Tall Storage
<b>CQMT177815S</b>	87	Shared Tall Storage
<b>DCCLIP</b>	124	SOTO II Cable Clip
<b>DPHOOK</b>	124	SOTO II Personal Hook
<b>DSDFB</b>	122	SOTO Diagonal File Box
<b>DSFS</b>	125	SOTO II Functional Screen
<b>DSLEDF</b>	121	SOTO LED Task Light, Freestanding
<b>DSLEDR</b>	121	SOTO LED Task Light, Rail-Mount
<b>DSLLB</b>	123	SOTO Landscape Letter Box
<b>DSMC</b>	124	SOTO II Mobile Caddy
<b>DSPB</b>	122	SOTO Personal Box
<b>DSPP</b>	125	SOTO II Personal Pocket
<b>DSSA1410</b>	120	SOTO Shelf
<b>DSSA1410H</b>	120	SOTO Shelf
<b>DSSA143</b>	120	SOTO Shelf
<b>DSSA143H</b>	120	SOTO Shelf
<b>DSSA146</b>	120	SOTO Shelf

Style Number	Page	Description
<b>DSSA146H</b>	120	SOTO Shelf
<b>DSSA2410</b>	120	SOTO Shelf
<b>DSSA2410H</b>	120	SOTO Shelf
<b>DSSA246</b>	120	SOTO Shelf
<b>DSSA246H</b>	120	SOTO Shelf
<b>DSSA363</b>	120	SOTO Shelf
<b>DSSA363H</b>	120	SOTO Shelf
<b>DSSB</b>	123	SOTO Storage Box Shelf Set of 3
<b>DSSPB</b>	122	SOTO Pile Box
<b>DSTB</b>	121	SOTO Tool Box
<b>DSUB</b>	123	SOTO Utility Box
<b>DVSS2912</b>	106	Divisio Side Screen
<b>E60A153015P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A153615P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A153615S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A154215P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A154215S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A154815P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A154815S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A156015P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A156015S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A156615P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A156615S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A157215P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A157215S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A157815P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60A157815S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60B154815P</b>	92	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60B154815S</b>	93	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60B156015P</b>	92	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60B156015S</b>	93	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F153015P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F153615P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F154215P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F154815P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F156015P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F156615P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F157215P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F157815P</b>	95	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F163615S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F164215S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F164815S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F166015S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F166615S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F167215S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E60F167815S</b>	96	Sgl-Hi Overhead Cabinets, FrameOne
<b>E6SA15307</b>	98	Organizer Shelves, FrameOne
<b>E6SA15367</b>	98	Organizer Shelves, FrameOne
<b>E6SA15427</b>	98	Organizer Shelves, FrameOne
<b>E6SA15487</b>	98	Organizer Shelves, FrameOne
<b>E6SA15607</b>	98	Organizer Shelves, FrameOne
<b>E6SA15667</b>	98	Organizer Shelves, FrameOne
<b>E6SA15727</b>	98	Organizer Shelves, FrameOne
<b>E6SA15787</b>	98	Organizer Shelves, FrameOne
<b>E6SF15307</b>	99	Organizer Shelves, FrameOne

Style Number	Page	Description	Style Number	Page	Description
<b>E6SF15367</b>	99	Organizer Shelves, FrameOne	<b>FMEDS2472</b>	75	Dual-Sided Extension
<b>E6SF15427</b>	99	Organizer Shelves, FrameOne	<b>FMEDS2478</b>	75	Dual-Sided Extension
<b>E6SF15487</b>	99	Organizer Shelves, FrameOne	<b>FMEDS2484</b>	75	Dual-Sided Extension
<b>E6SF15607</b>	99	Organizer Shelves, FrameOne	<b>FMEDS2496</b>	75	Dual-Sided Extension
<b>E6SF15667</b>	99	Organizer Shelves, FrameOne	<b>FMEDS3048</b>	75	Dual-Sided Extension
<b>E6SF15727</b>	99	Organizer Shelves, FrameOne	<b>FMEDS3060</b>	75	Dual-Sided Extension
<b>E6SF15787</b>	99	Organizer Shelves, FrameOne	<b>FMEDS3066</b>	75	Dual-Sided Extension
<b>FFDDMTNC</b>	146	Maintenance Agreement Renewal	<b>FMEDS3072</b>	75	Dual-Sided Extension
<b>FM4PK022460</b>	102	Bench with media:scape	<b>FMEDS3078</b>	75	Dual-Sided Extension
<b>FM4PK022472</b>	102	Bench with media:scape	<b>FMEDS3084</b>	75	Dual-Sided Extension
<b>FM4PK023060</b>	102	Bench with media:scape	<b>FMEDS3096</b>	75	Dual-Sided Extension
<b>FM4PK023072</b>	102	Bench with media:scape	<b>FMESS2448</b>	81	Single-Sided Extension
<b>FM6PK022460</b>	102	Bench with media:scape	<b>FMESS2460</b>	81	Single-Sided Extension
<b>FM6PK022472</b>	102	Bench with media:scape	<b>FMESS2466</b>	81	Single-Sided Extension
<b>FM6PK023060</b>	102	Bench with media:scape	<b>FMESS2472</b>	81	Single-Sided Extension
<b>FM6PK023072</b>	102	Bench with media:scape	<b>FMESS2478</b>	81	Single-Sided Extension
<b>FM8PK022448</b>	102	Bench with media:scape	<b>FMESS2484</b>	81	Single-Sided Extension
<b>FM8PK023048</b>	102	Bench with media:scape	<b>FMESS2496</b>	81	Single-Sided Extension
<b>FMAS</b>	105	Aligners	<b>FMESS3048</b>	81	Single-Sided Extension
<b>FMBDS2448</b>	73	Dual-Sided Base	<b>FMESS3060</b>	81	Single-Sided Extension
<b>FMBDS2460</b>	73	Dual-Sided Base	<b>FMESS3066</b>	81	Single-Sided Extension
<b>FMBDS2466</b>	73	Dual-Sided Base	<b>FMESS3072</b>	81	Single-Sided Extension
<b>FMBDS2472</b>	73	Dual-Sided Base	<b>FMESS3078</b>	81	Single-Sided Extension
<b>FMBDS2478</b>	73	Dual-Sided Base	<b>FMESS3084</b>	81	Single-Sided Extension
<b>FMBDS2484</b>	73	Dual-Sided Base	<b>FMESS3096</b>	81	Single-Sided Extension
<b>FMBDS2496</b>	73	Dual-Sided Base	<b>FMFA</b>	83	Floor Anchor Brackets
<b>FMBDS3048</b>	73	Dual-Sided Base	<b>FMFL24</b>	84	Infill
<b>FMBDS3060</b>	73	Dual-Sided Base	<b>FMFL30</b>	84	Infill
<b>FMBDS3066</b>	73	Dual-Sided Base	<b>FMFL48</b>	84	Infill
<b>FMBDS3072</b>	73	Dual-Sided Base	<b>FMFL60</b>	84	Infill
<b>FMBDS3078</b>	73	Dual-Sided Base	<b>FMFLE48</b>	84	Infill
<b>FMBDS3084</b>	73	Dual-Sided Base	<b>FMFLE60</b>	84	Infill
<b>FMBDS3096</b>	73	Dual-Sided Base	<b>FMFP24</b>	84	Infill
<b>FMBSS2448</b>	79	Single-Sided Base	<b>FMFP30</b>	84	Infill
<b>FMBSS2460</b>	79	Single-Sided Base	<b>FMFP48</b>	84	Infill
<b>FMBSS2466</b>	79	Single-Sided Base	<b>FMFP60</b>	84	Infill
<b>FMBSS2472</b>	79	Single-Sided Base	<b>FMFPE48</b>	84	Infill
<b>FMBSS2478</b>	79	Single-Sided Base	<b>FMFPE60</b>	84	Infill
<b>FMBSS2484</b>	79	Single-Sided Base	<b>FMLCD</b>	82	Intermediate Leg Cover
<b>FMBSS2496</b>	79	Single-Sided Base	<b>FMLCS</b>	82	Intermediate Leg Cover
<b>FMBSS3048</b>	79	Single-Sided Base	<b>FMMAL</b>	91	Parallel Application Kit
<b>FMBSS3060</b>	79	Single-Sided Base	<b>FMMAM</b>	90	Mirrored Application Kit
<b>FMBSS3066</b>	79	Single-Sided Base	<b>FMMAP</b>	89	Perpendicular Application Kit
<b>FMBSS3072</b>	79	Single-Sided Base	<b>FMMTNC</b>	146	media:scape Maintenance Agreement Renewal
<b>FMBSS3078</b>	79	Single-Sided Base	<b>FMRT1836</b>	85	Return
<b>FMBSS3084</b>	79	Single-Sided Base	<b>FMRT1848</b>	85	Return
<b>FMBSS3096</b>	79	Single-Sided Base	<b>FMRT1860</b>	85	Return
<b>FMCKDS</b>	83	Connection Kit – Base Leg to Base Leg	<b>FMRT2436</b>	85	Return
<b>FMCS1848</b>	76	End Counter	<b>FMRT2448</b>	85	Return
<b>FMCS1860</b>	76	End Counter	<b>FMRT2460</b>	85	Return
<b>FMCS2448</b>	76	End Counter	<b>FMRT3036</b>	85	Return
<b>FMCS2460</b>	76	End Counter	<b>FMRT3048</b>	85	Return
<b>FMEDS2448</b>	75	Dual-Sided Extension	<b>FMRT3060</b>	85	Return
<b>FMEDS2460</b>	75	Dual-Sided Extension	<b>FMRT3636</b>	85	Return
<b>FMEDS2466</b>	75	Dual-Sided Extension	<b>FMRT3648</b>	85	Return

## Style Number Index, continued

Style Number	Page	Description
<b>FMRT3660</b>	85	Return
<b>FMSAD40</b>	103	Shroud
<b>FMSAD42</b>	103	Shroud
<b>FMSB</b>	83	Dampener for 72"W to 84"W DS Base
<b>FMSC4812</b>	104	Centered 12"H Screen
<b>FMSC4819</b>	104	Centered 19"H Screen
<b>FMSC4824</b>	104	Centered 24"H Screen
<b>FMSC6012</b>	104	Centered 12"H Screen
<b>FMSC6019</b>	104	Centered 19"H Screen
<b>FMSC6024</b>	104	Centered 24"H Screen
<b>FMSC6612</b>	104	Centered 12"H Screen
<b>FMSC6619</b>	104	Centered 19"H Screen
<b>FMSC6624</b>	104	Centered 24"H Screen
<b>FMSC7212</b>	104	Centered 12"H Screen
<b>FMSC7219</b>	104	Centered 19"H Screen
<b>FMSC7224</b>	104	Centered 24"H Screen
<b>FMSC7812</b>	104	Centered 12"H Screen
<b>FMSC7819</b>	104	Centered 19"H Screen
<b>FMSC8412</b>	104	Centered 12"H Screen
<b>FMSC8419</b>	104	Centered 19"H Screen
<b>FMSK2</b>	105	Centered Screen Custom Insert Kit
<b>FMSK3</b>	105	Centered Screen Custom Insert Kit
<b>FMVB</b>	118	Block-to-Block Connector
<b>FMVBK</b>	118	Brckt Kit for Dsk w/Power and No Power Tray
<b>FMVC</b>	117	Vertebral Riser
<b>FMVCE</b>	117	Vertebral Riser
<b>FMVCP</b>	109	Chicago Hardwire Box
<b>FMVF</b>	112	Filler Package – Power/Data
<b>FMVH30</b>	113	Modular Harness
<b>FMVH36</b>	113	Modular Harness
<b>FMVH39</b>	113	Modular Harness
<b>FMVH42</b>	113	Modular Harness
<b>FMVH45</b>	113	Modular Harness
<b>FMVH48</b>	113	Modular Harness
<b>FMVH51</b>	113	Modular Harness
<b>FMVH54</b>	113	Modular Harness
<b>FMVH57</b>	113	Modular Harness
<b>FMVH60</b>	113	Modular Harness
<b>FMVH63</b>	113	Modular Harness
<b>FMVH66</b>	113	Modular Harness
<b>FMVH69</b>	113	Modular Harness
<b>FMVH72</b>	113	Modular Harness
<b>FMVH75</b>	113	Modular Harness
<b>FMVI12H</b>	114	Hardwire-to-Modular Power Infeed
<b>FMVI12M</b>	114	Modular-to-Modular Power Infeed
<b>FMVI24H</b>	114	Hardwire-to-Modular Power Infeed
<b>FMVI24M</b>	114	Modular-to-Modular Power Infeed
<b>FMVI6H</b>	114	Hardwire-to-Modular Power Infeed
<b>FMVI6M</b>	114	Modular-to-Modular Power Infeed
<b>FMVINN</b>	115	New York Power Infeed
<b>FMVISS</b>	115	San Francisco Power Infeed
<b>FMVM</b>	116	Junction Box Faceplate – Modular
<b>FMVPBH</b>	108	Modular Power Block – High-Capacity
<b>FMVPBS</b>	108	Modular Power Block – Standard-Capacity
<b>FMVPDS</b>	107	Power Strip

Style Number	Page	Description
<b>FMVPS</b>	107	Power Strip
<b>FMVRD</b>	110	Duplex Receptacle
<b>FMVRF</b>	111	Flexible Receptacle
<b>FMVRUSB</b>	112	USB Receptacle
<b>FMVUD</b>	116	Utility Pole
<b>FMVUS</b>	116	Utility Pole
<b>FPAC1FO</b>	126	Eyesite Sgl Display Support, Std Crank Adj
<b>FPAC2BBSFO</b>	128	Eyesite Static One-Over-One Disp Support
<b>FPAC2FO</b>	127	Eyesite Dual Display Support, Std Crank Adj
<b>FPAC3BBSFO</b>	129	Eyesite Mounting Brkt, FrameOne
<b>FPAEC1FO</b>	126	Eyesite Sgl Display Support, Ext Crank Adj
<b>FPAEC2FO</b>	127	Eyesite Dual Display Support, Ext Crank Adj
<b>FPAELC1FO</b>	126	Eyesite Flat Pnl Mon Arm w/Sgl Lptp Sprt
<b>FPAELC2FO</b>	127	Eyesite Flat Pnl Mon Arm w/Dual Lptp Sprt
<b>FPALC1FO</b>	126	Eyesite Flat Pnl Mon Arm w/Sgl Lptp Sprt
<b>FPALC2FO</b>	127	Eyesite Flat Pnl Mon Arm w/Dual Lptp Sprt
<b>FPAS1O1FO</b>	128	Eyesite Static One-Over-One Disp Support
<b>FPASINGLEFO</b>	130	FYI FrameOne Mounting Brkt
<b>FPCFO</b>	129	Eyesite Mounting Brkt, FrameOne
<b>LOCK9201FR</b>	145	Lock Cylinder
<b>LOCK9201XF</b>	145	Lock Cylinder
<b>LOCK9250FR</b>	145	Lock Cylinder
<b>LOCK9250XF</b>	145	Lock Cylinder
<b>LPTL30</b>	132	LED Personal Task Light
<b>LPTL30NR</b>	132	LED Personal Task Light
<b>MMMTNC</b>	146	Maintenance Agreement Renewal
<b>MSVPKMTNC</b>	146	Maintenance Agreement Renewal
<b>MTMTNC</b>	146	Maintenance Agreement Renewal
<b>SS11FCMLGG</b>	131	Stella Std KB Assy, FrameOne/c:scape Pltfrm
<b>SS11FCMRGG</b>	131	Stella Std KB Assy, FrameOne/c:scape Pltfrm
<b>SS17FCMLGG</b>	131	Stella Std KB Assy, FrameOne/c:scape Pltfrm
<b>SS17FCMRGG</b>	131	Stella Std KB Assy, FrameOne/c:scape Pltfrm
<b>TS7CNTSTKR</b>	119	Controlled Receptacle Stickers



# Trademark List

- ® The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, PolyVision, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, Turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- ® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- ® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- ® The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- ® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- ® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- ® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- ® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- ® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- ® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- ® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

- ® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- ® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, aLight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bira, Bivi, Bottomline, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, e<sup>3</sup>, e<sup>3</sup> ceramicsteel, e<sup>3</sup> environmental ceramicsteel, Echo, Edge, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Millbrae, Mineral, Mingle, Mystic, Mystic Metal, Mystic Wood, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Stationkits, Stiletto, Surprise!, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolley, tX2, U-Free, Uno, V.I.A., Verb, Verge, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of MBDC, Charlottesville, VA: Cradle to Cradle and C2C.

- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
  - ™ The following trademarks are under license from PP Möbler: Bar and Flag Halyard.
  - ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, and Wrapp.
  - ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
  - ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
  - ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.*