

MISSISSIPPI  
DEPARTMENT OF FINANCE AND ADMINISTRATION  
OFFICE OF PURCHASING, TRAVEL AND FLEET MANAGEMENT  
JACKSON

STATE CONTRACT NO. 8200014182

STATE CONTRACT SMART NO. 1130-15-C-SWCT-00394\*

OPTFM has listed a state contract number and a state contract *smart* number. The contract number is an automatically generated number. The smart number is a more unique identifier that lists OPTFM's agency's number, contract year and shows agencies that it is a statewide contract. Also there is an asterisk listed at the end of the smart number. The asterisk is added at the end of the number for searchable purposes only; this is because each time a contract is changed, the Version number of the contract changes. It is not actually a part of the smart number. Either number can be used by agencies to search for this contract in the State's e-procurement system.

CONTRACTOR: Bauer Compressors  
Please use Supplier No. 3100033997  
when ordering.

DATE: September 30, 2014

ITEMS: Fire Protection Equipment and Supplies,  
Self-Contained Breathing Apparatus, Personal  
Alert Systems, Nozzles, Thermal Imagers and Hoses

EFFECTIVE: October 1, 2014  
through  
September 30, 2015

A. AUTHORITY

This certifies that a contract has been executed between the Department of Finance and Administration, Office of Purchasing, Travel and Fleet Management for the State of Mississippi and the herein designated Contractor pursuant to Section 31-7-7, Mississippi Code of 1972, Annotated, for the items specified herein.

B. EFFECT

During the term of this contract no purchase of fire protection equipment and supplies, self-contained breathing apparatus, personal alert systems, nozzles, thermal imagers and hoses manufactured and/or distributed by the above-designated Contractor shall be made by state agencies at a price in excess of that established by the prices set out in this regulation (See Section "F").

Commodities purchased under provisions of this contract from the above Contractor or his authorized distributors shall be exempt from competitive bid requirements otherwise applying to purchases by the state agencies, counties, municipalities and other political subdivisions.

C. PURCHASE ORDERS

Purchase orders prepared by the various state agencies shall show the state contract number on the P. O. in the designated space, quantity, description of the items and prices, also shipping or delivery instructions, if any.

D. PAYMENT

The supplier shall be paid by the ordering agency upon submission of properly certified invoices or vouchers for articles or services delivered and accepted less deductions if any, as provided.

E. ORDERING

Purchasers shall order in such quantities as required. Purchase orders are to be directed to address of Contractor or Distributors shown in Section "J". The Bureau of Financial Control of the State shall not approve any account nor order and direct payment of any account for the purchase of any commodity covered by this contract certification when the purchase price is in excess of the maximum price fixed in this purchasing regulation.

F. PRICES

Prices for the new period are set forth on the following price list based off pricing from the **Bauers Compressors July 2013 State Contract Pricing**. A **15%** discount on all listed items and related accessories will apply. Only those items that are included on the following price list will apply. Any items covered by a competitively bid contract with the Office of Purchasing, Travel and Fleet Management will not be included in this agreement.

Entities making purchases over \$50,000 may consider obtaining two competitive quotes from the authorized dealers' list on this manufacturer's contract. If this manufacturer does not have a dealers' list, the manufacturer should be prepared to submit a quote.

G. TRANSPORTATION

F.O.B. destination, freight prepaid

H. POLITICAL SUBDIVISIONS - COUNTIES, MUNICIPALITIES, SCHOOLS, ETC.

This contract provides that the provisions thereof may be available to any county, municipality, school board or other local public agency or authority of the State of Mississippi which may elect to purchase at the prices, terms and conditions of sale specified therein.

Any such agency or political subdivisions electing to purchase as herein provided shall write the following on the face of the purchase order:

"P. O. issued pursuant to provisions of  
Mississippi State Contract No. 8200014182 and  
Contract Smart No. 1130-15-C-SWCT-00394\*."

I. TERMS

Net Forty-five (45) days Without Penalty

J. CONTRACTOR

Please place all orders under this agreement with the following:

Sunbelt Fire, Inc.  
8050 McGowin Drive  
Fairhope, AL 36532  
Contact: Kathy Hall  
Phone: 251-928-9917, Ext. 306  
Fax: 251-928-9933  
Cell: 251-513-3111  
Email: [khall@sunbeltfire.com](mailto:khall@sunbeltfire.com)

# AIR PURIFICATION SYSTEMS

Effective: 07/01/13

Model	Air processing capability*	System price price	Replacement cartridge(s)	Cartridge composition	Cartridge price
<b>5000 psig (345 bar) Triplex and super triplex</b>					
P0**	3200 cu. ft.	\$1,536	059183A	MS, AC, HP	\$49
B-TIMER/P0	--	\$500	--	--	--
P31**	11760 cu. ft.	\$2,208	80114	MS, AC, HP	\$97
B-TIMER/P31	--	\$560	--	--	
<b>6000 psig (414 bar) 20 inches</b>					
P41	28700 cu. ft.	\$2,928	67224	MS, AC, HP	\$97
P41S	47000 cu. ft.	\$3,621	61687	MS, AC, HP, SC	\$138
P42	64000 cu. ft.	\$4,195	62504	MS	\$82
			67224	MS, AC, HP	\$97
P42S	107000 cu. ft.	\$4,825	62504	MS	\$82
			61687	MS, AC, HP, SC	\$138
P43	100000 cu. ft.	\$5,142	2 x 062504	MS	2 x \$82
			67224	MS, AC, HP	\$97
P43S	164000 cu. ft.	\$5,911	2 x 062504	MS	2 x \$82
			61687	MS, AC, HP, SC	\$138
<b>6000 psig (414 bar) 27 inches</b>					
P2	40000 cu. ft.	\$3,123	058827A	MS, AC, HP	\$102
P2 SECURUS	67000 cu. ft.	\$3,673	060037A	MS, AC, SC, HP	\$160
P5	90000 cu. ft.	\$4,414	058825A	MS	\$90
			058827A	MS, AC, HP	\$102
P5 SECURUS	150000 cu. ft.	\$5,055	058825A	MS	\$90
			060037A	MS, AC, SC, HP	\$160
P10	140000 cu. ft.	\$5,751	2 x 058825A	MS	2 x \$90
			058827A	MS, AC, HP	\$102
P10 SECURUS	230000 cu. ft.	\$6,429	2 x 058825A	MS	2 x \$90
			060037A	MS, AC, SC, HP	\$160

P12 SECURUS+	420000 cu. ft.	\$11,545	67099	MS	\$629
			67097	MS, AC, SC	\$729
			65562	HP	\$629
P14 SECURUS+	650000 cu. ft.	\$13,817	2 x 067099	MS	2 X \$629
			67097	MS, AC, SC	\$729
			65562	HP	\$629

\*Air processing capability referenced to standard inlet conditions of 68 °F. \*\*P0 and P31 are not panel mounted. +P12 and P14 only available with

SECURUS MS = Molecular sieve, removes moisture AC = Activated carbon, removes odor and taste

HP = Chemical catalyst converts carbon monoxide to carbon dioxide SC = SECURUS sensing device, moisture sensor

**BAUER COMPRESSORS INC.**

1328 Azalea Garden Rd. | Norfolk, VA 23502 TEL. +1 (757) 855-6006

**BAUER MIAMI**

10052 N.W. 53rd St. | Sunrise, FL 33351 TEL. +1 (954) 746-2504

**BAUER SAN FRANCISCO**

267 East Airway Blvd. | Livermore, CA 94551 TEL. +1 (925) 449-7210

FAX +1 (757) 857-1041

[sls@bauercomp.com](mailto:sls@bauercomp.com)

FAX +1 (954) 746-2510

[bflsales@bauercomp.com](mailto:bflsales@bauercomp.com)

FAX +1 (925) 449-7201

[bauersf@bauercomp.com](mailto:bauersf@bauercomp.com)

**APS PL**

131.13.06.500SP

[www.bauercomp.com](http://www.bauercomp.com)

subject to alteration without notice or obligation

# AIR STORAGE PRICE LIST

Effective: 07/01/13

<b>Air Storage System</b>									
<b>UN 5000 psig (345)</b>									
Model	CYL-0068	HC5000-1	HC5000-2	HC5000-3	HC5000-4	HC5000-5	HC5000-6	HC5000-7	HC5000-8
Number of cylinders	1	1	2	3	4	5	6	7	8
Price	\$1,223	\$1,388	\$2,692	\$3,807	\$5,316	\$6,676	\$7,959	\$9,244	\$10,528
<b>UN 6000 psig (414)</b>									
Model	CYL-0069	HC6000-1	HC6000-2	HC6000-3	HC6000-4	HC6000-5	HC6000-6	HC6000-7	HC6000-8
Number of cylinders	1	1	2	3	4	5	6	7	8
Price	\$1,800	\$1,942	\$3,795	\$5,477	\$7,520	\$9,462	\$11,304	\$13,147	\$14,990
<b>UN cylinder racks and rack accessories</b>									
Wall mount retainer	N/A	\$138	\$138	\$177	\$215	\$254	\$301	\$340	\$378
RCK-0037	N/A	\$717	\$667	\$1,233	\$1,283	\$1,900	\$1,900	\$2,467	\$2,467

## E (UNITED NATIONS MODEL REGULATIONS)

When ordering HC5000 and HC6000 cylinder assemblies please specify BULK or BANK by adding to the model name (i.e. HC5000-6/BULK or HC5000-6/ BANK). When ordering BANK assemblies please specify the number of vessels required in each BANK (i.e. HC6000-6/BANK/2-2-1-1). Cylinder prices do not include storage rack. UN 5000 psig cylinders, CYL-0068, are manufactured in accordance to ISO 9809-2 specification. CYL-0068 are equipped with cylinder valves that have a CGA-347 connection and pressure relief device. Approximate empty weight 158 lbs. UN 6000 psig cylinders, CYL-0069, are manufactured in accordance to ISO 9809-2 specification. CYL-0069 are equipped with manifold style cylinder valves with 1/4" NPT ports set 180 degrees apart. Approximate empty weight 188 lbs. The mandatory retest period is every ten (10) years. The scope of supply for HC5000 cylinder assemblies includes as many CYL-0068 as specified by the model name. The scope of supply for HC6000 cylinder assemblies includes as many CYL-0069 as specified by the model name. BULK assemblies will be equipped with an inlet fitting, check valve, pressure gauge, and outlet fitting. BANK assemblies are designed to be used with a BAUER four bank cascade panel. Gauges are not included as they are on the cascade panel. The inlet and outlet are common fitting as there is no check valve. Our standard scope of supply includes 1/4" hose connectors for HC5000 and HC6000 assemblies. When interconnecting pigtails are necessary, we supply stainless steel instead of our flexible hose. UN wall retainer includes unistrut channel and cylinder clamp set for each cylinder. We start with the UN-2 for two cylinders. Change the model name to reflect the number cylinder positions required (i.e. UN-3, UN-4). Mounting hardware for installation is not included. RCK-0037 is heavy-duty,

two-position, welded steel rack designed for horizontal or vertical cylinder configuration for stationary or mobile applications. Please specify configuration at time of order placement. Hardware for installation is not included. RCK-0037 weighs approximately 130 lbs. For storage assemblies installed in RCK-0037, reference BAUER drawing ASY-0758 for horizontal assemblies and ASY-0759 for vertical assemblies. All components are shipped loose unless purchased factory installed in RCK-0037. Installation, assembly and interconnecting piping to an existing system are the responsibility of the installer.

BAUER COMPRESSORS INC.

AIR STORAGE PRICE LIST

## Air Storage

Air Storage System									
ASME 5000 psig (345)									
Model	CYL-0009	ASME5K-1	ASME5K-2	ASME5K-3	ASME5K-4	ASME5K-5	ASME5K-6	ASME5K-7	ASME5K-8
Number of cylinders	1	1	2	3	4	5	6	7	8
Price	\$2,377	\$2,848	\$5,759	\$8,671	\$11,583	\$14,494	\$17,406	\$20,316	\$23,228
ASME 6000 psig (414)									
Model	CYL-0009	ASME6K-1	ASME6K-2	ASME6K-3	ASME6K-4	ASME6K-5	ASME6K-6	ASME6K-7	ASME6K-8
Number of cylinders	1	1	2	3	4	5	6	7	8
Price	\$2,377	\$2,980	\$6,023	\$9,067	\$12,111	\$15,155	\$18,199	\$21,242	\$24,285
ASME cylinder racks									
RCK-0037	N/A	\$567	\$567	\$1,133	\$1,133	\$1,700	\$1,700	\$2,267	\$2,267

### A.S.M.E. (American Society of Mechanical Engineers)

When ordering ASME5K and ASME6K assemblies please specify BULK or BANK by adding to the model name (i.e. ASME5K-6/BULK or ASME5K-6/BANK). When ordering BANK assemblies please specify the number of vessels required in each BANK (i.e. ASME5K-6/BANK/2-2-1-1). Cylinder prices do not include storage rack. ASME cylinders conform to the ASME Code Section VIII, Division 1 Latest Edition and are for non-corrosive service. ASME cylinders have a 3 to 1 (3:1) safety factor at 6000 psig and a 4 to 1 (4:1) safety factor at 5000 psig. The scope of supply for ASME5K and ASME6K cylinder assemblies includes as many CYL-0009 as specified by the model name. In addition, we will provide an ASME safety relief valve, cylinder valve and drain valve for each cylinder. BULK assemblies will be equipped with an inlet fitting, check valve, pressure gauge, and outlet fitting. BANK assemblies are designed to be used with a BAUER four bank cascade panel. Gauges are not included as they are on the cascade panel. The inlet and outlet are common fitting as there is no check valve. Our standard scope of supply includes 1/4" hose connectors for ASME5K and ASME6K assemblies. When interconnecting pigtailed are necessary, we supply stainless steel instead of flexible hose. RCK-0037 is a heavy-duty, two-position, welded steel rack designed for horizontal or vertical cylinder configuration for stationary or mobile applications. Please specify configuration at time of order placement. Hardware for

installation is not included. RCK-0037 weighs approximately 130 lbs. For storage assemblies installed in RCK-0037, reference BAUER drawing ASY-0758 for horizontal assemblies and ASY-0759 for vertical assemblies. All components are shipped loose unless purchased factory installed in RCK-0037. Installation, assembly and interconnecting piping to an existing system are the responsibility of the installer.

**BAUER COMPRESSORS INC.**

1328 Azalea Garden Rd. | Norfolk, VA 23502 TEL. +1 (757) 855-6006

**BAUER MIAMI**

10052 N.W. 53rd St. | Sunrise, FL 33351 TEL. +1 (954) 746-2504

**BAUER SAN FRANCISCO**

267 East Airway Blvd. | Livermore, CA 94551 TEL. +1 (925) 449-7210

FAX +1 (757) 857-1041

**sls@bauercomp.com**

FAX +1 (954) 746-2510

**bflsales@bauercomp.com**

FAX +1 (925) 449-7201

**bauersf@bauercomp.com**

**AS PL**

40.13.06.500SP

**www.bauercomp.com**

subject to alteration without notice or obligation

# MINI & MAXI VERTICUS PRICE

Effective: 07/01/13

Model	Block	Charging Rate scfm	Number of stages	Motor hp	RPM	Purification system	Price	15% off	State Contract Price
<b>5000 psig (345 bar)</b>									
mVT6-E1	IK120II	6	3	5	1050	P2	\$18,359		\$15,605
mVT6-E3	IK120II	6	3	5	1050	P2	\$18,312		\$15,565
mVT8-E1	IK120II	8.4	3	7.5	1250	P2	\$19,598		\$16,658
mVT8-E3	IK120II	8.4	3	7.5	1250	P2	\$19,498		\$16,573
MVT20-E3	IK150II	21	4	15	1300	P5	\$31,604		\$26,863
MVT26-E3	IK180II	26.4	4	20	1350	P5	\$36,076		\$30,665
MVT42-E3 <sub>3</sub> )	IK22.0	42	4	30	1300	P10	\$58,301		\$49,556
<b>6000 psig (414 bar)</b>									
mVT5-E1	IK100-420	5	3	5	1050	P2	\$19,643		\$16,697
mVT5-E3	IK100-420	5	3	5	1050	P2	\$19,598		\$16,658
mVT10-E1	IK12.14II	9.7	4	7.5	1180	P2	\$26,781		\$22,764
mVT10-E3	IK12.14II	9.7	4	7.5	1180	P2	\$26,414		\$22,452
mVT13-E1	IK12.14II	13	4	10	1420	P2	\$28,229		\$23,995
mVT13-E3	IK12.14II	13	4	10	1420	P2	\$27,642		\$23,496
MVT18-E3	IK15.11II	18	4	15	1325	P5	\$33,783		\$28,716
MVT25-E3	IK18.1II	25.2	5	20	1300	P5	\$38,132		\$32,412

## Optional Accessories

Item	Part number	Price	S. C. Price
Dual pressure switch	/DPS-2	\$1,602	\$1,362
Visual CO/Moisture monitor indicator (5000 psig service only)	/IND-16	\$135	\$115
Visual CO/Moisture monitor indicator (6000 psig service only)	/IND-35	\$195	\$166
Electronic carbon monoxide monitor complete with calibration kit wired for alarm and shutdown. (Calibration gas included)	MNR-29	\$3,344	\$2,842
SCUBA fill hose assembly, 5 ft length	BFDV	\$273	\$232
SCBA (CGA-346) fill hose assembly, 5 ft length	BFFD-346	\$273	\$232
SCBA (CGA-347) fill hose assembly, 5 ft length	BFFD-347	\$322	\$274
Interstage pressure gauges mounted (3-stage)	/GAUGES/3 STG	\$181	\$154

Interstage pressure gauges mounted (4-stage)	/GAUGES/4 STG	\$240
--	---------------	-------

\$204
-------

BAUER COMPRESSORS INC.

MINI AND MAXI VERTICUS PRICE LIST

## Mini and Maxi Verticus

**DIMENSIONS** L x W x H inches (mm)

MINI VERTICUS 29 x 49 x 58 (737 x 1245 x 1473)

MAXI VERTICUS 44 x 52 x 72 (1118 x 1321 x 1830)

**WEIGHT** pounds (kg)

MINI VERTICUS 880 - 950 (400 - 432)

MAXI VERTICUS 1050 - 1530 (476 - 694)

## VERTECON PRICE LIST

Effective: 07/01/13

Model	Block		Number of stages	Motor	Purification system	Price	15 % off	S.C. Price
		scfm		hp				
<b>5000 psig (345 bar)</b>								
VTC-06-E1	IK120II	6	3	5	P0	\$11,147		\$9,475
VTC-06-E3	IK120II	6	3	5	P0	\$11,078		\$9,416
VTC-08-E1	IK120II	8.4	3	7.5	P31	\$11,809		\$10,038
VTC-08-E3	IK120II	8.4	3	7.5	P31	\$11,576		\$9,840
VTC-20-E3	IK150II	21	4	15	P5	\$25,328		\$21,529
VTC-26-E3	IK180II	26.4	4	20	P5	\$30,444		\$25,877
<b>6000 psig (414 bar)</b>								
VTC-05-E1	IK100-400	5	3	5	P2	\$18,462		\$15,693
VTC-05-E3	IK100-400	5	3	5	P2	\$18,395		\$15,636
VTC-10-E1	IK12.14II	9.7	4	7.5	P2	\$19,430		\$16,515
VTC-10-E3	IK12.14II	9.7	4	7.5	P2	\$18,852		\$16,024
VTC-13-E1	IK12.14II	13	4	10	P2	\$19,807		\$16,836
VTC-13-E3	IK12.14II	13	4	10	P2	\$19,327		\$16,428
VTC-18-E3	IK15.11II	18	4	15	P5	\$28,646		\$24,349
VTC-25-E3	IK18.1II	25.2	5	20	P5	\$34,080		\$28,968

## Optional Accessories

Item	Price	S.C. Price
Interstage gauges (locally mounted, 3-stage)	\$186	\$158

Interstage gauges (locally mounted, 4-stage)	\$245	\$208
Interstage gauges (locally mounted, 5-stage)	\$303	\$258
Automatic condensate drain - 3-stage	\$1,855	\$1577
Automatic condensate drain - 4-stage	\$2,007	\$1706
SECURUS	\$771	\$655
Dual pressure switch	\$1,603	\$1363
Visual CO/Moisture monitor indicator	\$135	\$115
Electronic carbon monoxide monitor complete with calibration kit wired for alarm and	\$3,344	\$2842
Purification upgrades (P0 to P31)	\$817	\$694
Purification upgrades (P0 to P2)	\$1,717	\$1459
Purification upgrades (P31 to P2)	\$1020	\$867
Purification upgrades (P2 to P5)	\$1,297	\$1102

BAUER COMPRESSORS INC.

VERTECON PRICE LIST

## Vertecon

**DIMENSIONS** L x W x H inches (mm)

44 x 33 x 54 (1118 x 838 x 1372)

**WEIGHT** pounds (kg)

630 - 1075 (286 - 488)

## ENGINE DRIVEN PRICE LIST

Effective: 07/01/13

Model	Block	Charging rate <sup>1)</sup> scfm	Number of stages	Motor hp	Purification system	Price	15% off	S. C. Price
<b>5000 psig (345 bar)</b>								
K20-D	IK150II	21	4	27	P5	\$42,822		\$36,399
K26-D	IK180II	26.4	4	27	P5	\$49,303		\$41,908
<b>6000 psig (414 bar)</b>								
H13-G	IK12.14II	13	4	13.5	P2 SECURUS	\$30,818		\$26,195
H13-D	IK12.14II	13	4	18	P2 SECURUS	\$37,195		\$31,616
H18-D	IK15.11II	18	4	27	P5 SECURUS	\$47,680		\$40,528

1) Based on recharging an 80 cubic foot tank from 500 to 3000 psig.

2) Compressor capacity referenced to standard inlet conditions.

G = Gasoline engine drive D = Diesel engine drive Alternate drives available.

## Optional Accessories

Item	Part number	Price	S. C. Price
Purification system upgrades	/P2 to P5	\$1,297	\$1,102
Purification system upgrades	/P5 to P10	\$1,487	\$1,264
SECURUS electronic purification monitoring system (available only with P2,	/SECURUS	\$771	\$655
Visual CO/Moisture monitor indicator (5000 psig service only)	/IND-16	\$135	\$115
Visual CO/Moisture monitor indicator (6000 psig service only)	/IND-35	\$195	\$166
Electronic carbon monoxide monitor complete with calibration kit wired for	MNR-29	\$3,344	\$2,842
Dual pressure switch	/DPS-2	\$1,603	\$1,363
SCUBA fill hose assembly, 5 ft length	BFDV	\$273	\$232
SCBA (CGA-346) fill hose assembly, 5 ft length	BFFD-346	\$273	\$232
SCBA (CGA-347) fill hose assembly, 5 ft length	BFFD-347	\$322	\$274

BAUER COMPRESSORS INC.

ENGINE DRIVEN PRICE LIST

## Engine Driven

**DIMENSIONS** L x W x H inches (mm)

H13-K26 63 x 49 x 46 (1600 x 1245 x 1168)

H35-K42 95 x 52 x 49 (2413 x 1320 x 1245)

K60 112 x 52 x 53 (2845 x 1320 x 1346)

**WEIGHT** pounds (kg)

1300 - 3750 (590 - 1700)

## DIVE MATE PRICE LIST

Effective: 07/01/13

Model	Block	Charging rate <sup>1)</sup> scfm	Number of stages	Motor hp	Purification system	Price	15% off	S.C. Price
<b>5000 psig (345 bar)</b>								
DMT06-E1/E3	IK120II	6	3	5	P0	\$9,480		\$8,058
DMT06-GS	IK120II	6	3	6	P0	\$9,386		\$7,978
DMT08-E1/E3	IK120II	8.4	3	7.5	P31	\$10,043		\$8,537
DMT08-GS	IK120II	8.4	3	9	P31	\$10,114		\$8,597
DMT08-DY	IK120II	8.4	3	6.4	P31	\$11,641		\$9,895
<b>5000 psig (345 bar) - 6000 psig (414 bar) capable with purification upgrade to P41</b>								
DMT10-E1	IK12.14II	9.7	4	7.5	P31	\$17,891		\$15,207
DMT10-E3	IK12.14II	9.7	4	7.5	P31	\$17,498		\$14,873
DMT10-GS	IK12.14II	9.7	4	13.5	P31	\$20,495		\$17,421

## Optional Accessories

Item	Price	S.C. Price
Pressure switch (gasoline drive model without electric start)	\$227	\$193
Interstage pressure gauges (locally mounted, 3-stage)	\$186	\$158
Interstage pressure gauges (locally mounted, 4-stage)	\$245	\$208
CO/Moisture indicator (5000 psig service only)	\$135	\$115
Purification upgrade (PO to P31)	\$817	\$694
Purification upgrade (P31 to P41)	\$836	\$711
Automatic condensate drain (electric drive or engine drive with electric start) - 3-stage	\$1,870	\$1,589
Automatic condensate drain (electric drive or engine drive with electric start) - 4-stage	\$2,022	\$1,719
Electric start package (includes pressure switch, high temperature switch) DMT-08/GS or	\$808	\$687
Electric start package (includes pressure switch, high temperature switch) DMT-10/GS	\$897	\$762
Hourmeter / Tachometer (GS models only)	\$182	\$155
Hourmeter vibration type (DY models)	\$431	\$366
Lifting handles	\$793	\$674
Crash frame	\$1,160	\$986
Wheel kit	\$600	\$510
B-Timer (PO)	\$500	\$425
B-Timer (P31)	\$560	\$476
Riser feet for in-house application (electric drive only)	\$324	\$275
Fill assemblies BFFD-346 (CGA-346) or BFDV(scuba)	\$273	\$232
Fill assemblies BFFD-347 (CGA-347) or BFDV-GN (genesis)	\$322	\$274

BAUER COMPRESSORS INC.

DMT PRICE LIST

### Dive Mate

**DIMENSIONS** L x W x H inches (mm)

43 x 24 x 27 (1092 x 609 x 686)

**WEIGHT** pounds (kg)

300 - 400 (136 - 181)

# PORTABLES PRICE LIST

Effective: 07/01/13

Model	Charging rate <sup>1)</sup>		Motor		Price	15% off	S.C. Price
	scfm		hp				
<b>5000 psig (345 bar)</b>							
JRII-E1/115	2.9		2		\$4,273		\$3,632
JRII-E1	3.9		3		\$4,273		\$3,632
JRII-E3	3.9		3		\$4,396		\$3,737
JRII-G	4.3		6		\$4,837		\$4,111
JRII-D	4.3		4		\$7,400		\$6,290
JRII-E1Y/115	2.9		2		\$9,905		\$8,419
JRII-E1Y	3.9		3		\$9,905		\$8,419
JRII-E3Y	3.9		3		\$9,905		\$8,419
OCEANUS-E1	4.9		5		\$5,482		\$4,660
OCEANUS-E3	4.9		5		\$5,419		\$4,606
OCEANUS-G	4.9		6		\$5,964		\$5,069
OCEANUS-E1Y	4.9		5		\$11,043		\$9,387
OCEANUS-E3Y	4.9		5		\$10,980		\$9,333

NOTE: JRII is designed for filling an individual SCUBA or SCBA. It is neither designed nor intended for filling cascade storage systems of any kind.

## Optional Accessories

Item	Price
Visual CO/Moisture monitor indicator	\$130
B-Timer purification system monitor	\$500
B-Timer purification system monitor	\$500
Final pressure switch for gasoline engine	\$222
Hourmeter / Tachometer for gasoline drive (limited life up to 7000 hours)	\$177
Hourmeter: Vibration type for diesel engine driven units	\$426
Alternate drive unit motor kit with JRII-G	\$487

BAUER COMPRESSORS INC.

Price
\$111
\$425
\$425
\$189
\$150
\$362

PORTABLES PRICE LIST

## Portables

**DIMENSIONS** L x W x H inches (mm)

JUNIOR II 42 x 19 x 23 (1067 x 483 x 584)

OCEANUS 32 x 18 x 23 (813 x 457 x 584)

**WEIGHT** pounds (kg)

JUNIOR II 89 - 165 (40 - 75)

OCEANUS 96 - 135 (44 - 61)

# CFS5.5 & FILL PANELS PRICE LIST

Effective: 07/01/13

MODEL	DESCRIPTION	Price	15% off	S.C. Price
CFS5.5-1S	Single position CFS equipped with inlet pressure gauge adjustable regulator, regulated	\$6,191		\$5,262
CFS5.5-1M	Containment fill station designed to be used in conjunction with a BAUER or other fill control	\$4,738		\$4,027
CFS5.5-2S	Two position CFS equipped with inlet pressure gauge adjustable regulator, regulated pressure	\$7,306		\$6,210
CFS5.5-2M	Two position CFS designed to be used in conjunction with a BAUER or other fill control panel	\$6,635		\$5,640
CFS5.5-3S	Three position CFS equipped with inlet pressure gauge adjustable regulator, regulated	\$8,034		\$6,829
CFS5.5-3M	Three position CFS designed to be used in conjunction with a BAUER or other fill control	\$7,594		\$6,455
<b>Optional Cascade Panels</b>				
/SF TM/CSCD	Single function, top mount, four bank cascade panel (compressor inlet) (CFSII-2 and CFSII-3	\$2,004		\$1,703
/SF SM/CSCD	Single function, side mount, four bank cascade panel (compressor inlet)	\$2,438		\$2,072
/DF TM/CSCD	Dual function, top mount, four bank cascade panel. The dual function feature offers the ability	\$2,456		\$2,088
/DF SM/CSCD	Dual function, side mount, four bank cascade panel	\$2,902		\$2,467
/FLUSH	No-Tilt/Angle version of top mount cascade panel**	\$433		\$368
<b>Optional Accessories (factory installed)</b>				
/RF/REG	Remote fill hose connection including bulkhead fitting, adjustable regulator for up to 6000 psig	\$1,144		\$972
/RFP/6K	Refill port with quick connect/disconnect and valve for up to 6000 psig service	\$568		\$483
/LP/RF/REG	Low pressure regulated remote fill connection	\$1,509		\$1,283
<b>Fill Options (factory installed)*</b>				
TRI-FILL/1 Position	TRI-FILL, high/low/SCUBA, quick connect fill station+	\$700		\$595
TRI-FILL/2 Position	TRI-FILL, high/low/SCUBA, quick connect fill station+	\$1,223		\$1,040
TRI-FILL/3 Position	TRI-FILL, high/low/SCUBA, quick connect fill station+	\$1,642		\$1,396
DUAL-FILL/1 Position	DUAL-FILL, high/low, quick connect fill station+	\$466		\$396
DUAL-FILL/2 Position	DUAL-FILL, high/low, quick connect fill station+	\$819		\$696
DUAL-FILL/3 Position	DUAL-FILL, high/low, quick connect fill station+	\$1,113		\$946

\*Per position. \*\*CFS5.5-2S AND CFS5.5-3 only +Specify fill pressure Contact BAUER for custom designed systems.

## CFS5.5 - Fill Station Base Deduct Prices From List Price

MODEL	DESCRIPTION	Net Deduct Price
BAS-105	CFS5.5-1S	\$192
BAS-099 REV B	CFS5.5-2S	\$201
BAS-100 REV B	CFS5.5-3S	\$247

BAUER COMPRESSORS INC.

CFS5.5 & FILL PANELS PRICE LIST

MODEL	DESCRIPTION	Price	15% off	S.C. Price
<b>Oxygen Fill Stations</b>				
OXY-1S	Single position fill station with inlet pressure gauge, fill control valve and fill pressure gauge	\$7,791		\$6,622
OXY-1M	Single position containment fill station designed to be used in conjunction with existing fill	\$5,314		\$4,517
OXY-2S	Two position fill station with inlet pressure gauge, fill control valves and fill pressure gauges	\$8,443		\$7,177
OXY-2M	Two position containment fill station designed to be used in conjunction with existing fill	\$6,962		\$5,918
<b>SCBA Fill Panels</b>				
BFP-2	Basic fill panel with two (2) fill positions	\$1,826		\$1,552
BFP-4	Basic fill panel with four (4) fill positions	\$2,178		\$1,851

<b>Optional Single Function Cascade Equipment for BFP*</b>		
/CASCADE/2	Includes all necessary fittings, bank gauges, bank control valves, and 1/4" NPT female inlet	\$373
/CASCADE/3	Includes all necessary fittings, bank gauges, bank control valves, and 1/4" NPT female inlet	\$526
/CASCADE/4	Includes all necessary fittings, bank gauges, bank control valves, and 1/4" NPT female inlet	\$680
<b>Additional Optional Equipment for BFP</b>		
/DOT MTS	Includes two pieces of unistrut and four clamps to facilitate mounting the BFP on DOT	\$249
/ASME MTS	Includes two pieces of unistrut and four clamps to facilitate mounting the BFP on ASME	\$249

\$317
\$447
\$578

\$212
\$212

\*Available for factory installation at time of order or for field retrofit.

## STANDARD SCOPE OF SUPPLY

Complete with cylinder scuff guard, SCBA fill connection, fill hose and bleed valve

Fill control panel with adjustable regulator, relief valve, manual control valve and pressure gauge for each fill position (S version only)

CFS5.5 M versions designed for use with remote air distribution panel Mounting base is standard on "S" version and optional on "M" version

Convenient door handle actuation, bottom venting and reduced footprint

## DIMENSIONS L x W x H inches (mm)

CFS5.5-1S, OXY-1S 18 x 21 x 55 (457 x 533 x 1397)

CFS5.5-1M, OXY-1M 18 x 21 x 39 (457 x 533 x 990)

CFS5.5-2S, OXY-2S 30 x 21 x 53 (762 x 533 x 1346)

CFS5.5-2M, OXY-1M 30 x 21 x 39 (762 x 533 x 990)

CFS5.5-3S 41 x 21 x 53 (1041 x 533 x 1346)

CFS5.5-3M 41 x 21 x 39 (1041 x 533 x 990)

## WEIGHT pounds (kg)

CFS5.5-1S, OXY-1S 433 (196)

CFS5.5-1M, OXY-1M 360 (163)

CFS5.5-2S, OXY-2S 670 (304)

CFS5.5-2M, OXY-2M 550 (249)

CFS5.5-3S 905 (411)

CFS5.5-3M 740 (336)

## BAUER COMPRESSORS INC.

1328 Azalea Garden Rd. | Norfolk, VA 23502 TEL. +1 (757) 855-6006

## BAUER MIAMI

10052 N.W. 53rd St. | Sunrise, FL 33351 TEL. +1 (954) 746-2504

## BAUER SAN FRANCISCO

267 East Airway Blvd. | Livermore, CA 94551 TEL. +1 (925) 449-7210

FAX +1 (757) 857-1041

FAX +1 (954) 746-2510

FAX +1 (925) 449-7201

## CFS5.5 & FP PL

sls@bauercomp.com

bflsales@bauercomp.com

bauersf@bauercomp.com

150.13.06.500SP

www.bauercomp.com

subject to alteration without notice or obligation