


[LOGIN](#) [New User?](#)
[Products](#) Quick Links to Products ▼
[Home](#)
[Online Catalog](#)
[Product Search](#)
[Customer Service](#)
[Library](#)
[Find Dealer](#)
[About Us](#)

A02HNX

JUMBO BARREL STRAINER 6.0" FEMALE

Part No: A02HNX



More details

Related Products

Water Flow Style	Strainer
Coupling Size Side A	6.0 inch (150mm)
Coupling Style Side A	Handle
Coupling Swiveling/Rigid Side A	Swivel (non-full time, no swivel after tightening)

Related Videos
[Strainers](#)
Online Technical Support Material
[High Volume Low-Level Suction Strainer \(pdf\)](#)
Technical Specifications and Drawings
[A02HNX Finished Good Print - STEP \(zip\)](#)
[A02HNX Finished Good Print - DXF \(dxf\)](#)
[A02HNX Finished Good Print - PDF \(pdf\)](#)
Details**JUMBO BARREL STRAINER 6.0" NHF SWIVEL HANDLE****JUMBO BARREL STRAINER 6.0" NH -**

Heavy duty barrel strainer gives maximum flow capability. The impact resistant polymer won't dent when dropped and won't corrode even in contaminated water. The wavy straining pattern resists debris sucking flat against the holes. 240 holes total 48 square inches of flow area. An oversize loop makes tying off the strainer easy. The coupling is made from hard anodized aluminum and rotates easily on a polymer bearing ring. 6.0" NH (150 mm) female short handle coupling is standard.

Weight: 3.940 lbs (1.787 kg)
[CLICK TO SAVE PAGE AS PDF](#)
PRODUCT SERIES OVERVIEW

- TFT's Jumbo Barrel Strainers are produced from lightweight nylon, incorporate a unique coupling attachment system, and are designed for high volume water flow operations. Available in black or high visibility yellow, these strainers are easily stored in compartments or pre-connected to hose lines, and are designed for 2 1/2", 4", 5", or 6" lightweight hard suction lines.
- The Low Level / High Volume Strainer provides flow performance up to 1500gpm with minimal loss and incorporates a unique swiveling design that holds the strainer flat on the bottom of the tank maximizing available water flow. The low level design prevents unwanted whirlpools which can cause a loss of prime, as well as allowing water to be drafted to within only a few inches of depth utilizing all available water.

Task Force Tips ® is a registered trademark of Task Force Tips, Inc.
TFT ® is a registered trademark of Task Force Tips, Inc.

Task Force Tips © 2015 • 3701 Innovation Way Valparaiso IN 46383-9327 • Phone (800) 348-2686


[LOGIN](#) [New User?](#)
Products
[Home](#) [Online Catalog](#) [Product Search](#) [Customer Service](#) [Library](#) [Find Dealer](#) [About Us](#)

A03HNX

LOW-LEVEL STRAINER 6.0" FEMALE

Part No: A03HNX

**Details****LOW-LEVEL STRAINER 6.0" WITHOUT JET SIPHON**

High volume low-level strainer is made of hard anodized and powder-coated aluminum. Clog-resistant stainless steel filter has over twice as much flow area as a 6" hose. This keeps friction loss down to 0.5 psi (1" Hg) at 1500 gpm and reduces the potential for air vortices to form as water sinks towards the 2.5" minimum usable depth. Oversized sealed ball pivot allows 45° range of hose angle without constricting the flow path. Optional Jet Siphon substantially increases suction lift capability. The Jet Siphon is also useful for tank shuttle operations, pump priming and dewatering without the need for a trash pump.

Weight: 18.100 lbs (kg)
[CLICK TO SAVE PAGE AS PDF](#)
PRODUCT SERIES OVERVIEW

- TFT's Jumbo Barrel Strainers are produced from lightweight nylon, incorporate a unique coupling attachment system, and are designed for high volume water flow operations. Available in black or high visibility yellow, these strainers are easily stored in compartments or pre-connected to hose lines, and are designed for 2 1/2", 4", 5", or 6" lightweight hard suction lines.
- The Low Level / High Volume Strainer provides flow performance up to 1500gpm will minimal loss and incorporates a unique swiveling design that holds the strainer flat on the bottom of the tank maximizing available water flow. The low level design prevents unwanted whirlpools which can cause a loss of prime, as well as allowing water to be drafted to within only a few inches of depth utilizing all available water.

More details**Related Products**

Water Flow Style	Strainer
Coupling Size Side A	6.0 inch (150mm)
Coupling Style Side A	Rocker
Coupling Swiveling/Rigid Side A	Swivel (non-full time, no swivel after tightening)
Jet Siphon	No Jet Siphon
Coupling Size Side B	1 1/2 inch (38mm)
Coupling Style Side B	Rocker
Coupling Swiveling/Rigid Side B	Swivel (non-full time, no swivel after tightening)

Related Videos

- [Strainers](#)
- [How to Add a Jet Siphon to a Low-level Strainer](#)

Online Technical Support Material

- [High Volume Low-Level Suction Strainer \(pdf\)](#)
- [Really Campaign - Low Level Strainer \(pdf\)](#)

Technical Specifications and Drawings

- [A03HNX Finished Good Print \(pdf\)](#)
- [A03HNX Finished Good Print \(dxf\)](#)


[LOGIN](#) [New User?](#)
Products
[Home](#) [Online Catalog](#) [Product Search](#) [Customer Service](#) [Library](#) [Find Dealer](#) [About Us](#)

A03HNX-JET LOW-LEVEL STRAINER 6.0" FEMALE

Part No: A03HNX-JET

[zoom](#)

Details LOW-LEVEL STRAINER 6.0" WITH 1.5" JET SIPHON

High volume low-level strainer is made of hard anodized and powder-coated aluminum. Clog-resistant stainless steel filter has over twice as much flow area as a 6" hose. This keeps friction loss down to 0.5 psi (1" Hg) at 1500 gpm and reduces the potential for air vortices to form as water sinks towards the 2.5" minimum usable depth. Oversized sealed ball pivot allows 45° range of hose angle without constricting the flow path. Optional Jet Siphon substantially increases suction lift capability. The Jet Siphon is also useful for tank shuttle operations, pump priming and dewatering without the need for a trash pump.

Weight: 18.100 lbs (kg)
[CLICK TO SAVE PAGE AS PDF](#)

PRODUCT SERIES OVERVIEW

- TFT's Jumbo Barrel Strainers are produced from lightweight nylon, incorporate a unique coupling attachment system, and are designed for high volume water flow operations. Available in black or high visibility yellow, these strainers are easily stored in compartments or pre-connected to hose lines, and are designed for 2 1/2", 4", 5", or 6" lightweight hard suction lines.
- The Low Level / High Volume Strainer provides flow performance up to 1500gpm will minimal loss and incorporates a unique swiveling design that holds the strainer flat on the bottom of the tank maximizing available water flow. The low level design prevents unwanted whirlpools which can cause a loss of prime, as well as allowing water to be drafted to within only a few inches of depth utilizing all available water.

More details

Related Products

Water Flow Style	Strainer
Coupling Size Side A	6.0 inch (150mm)
Coupling Style Side A	Rocker
Coupling Swiveling/Rigid Side A	Swivel (non-full time, no swivel after tightening)
Jet Siphon	Has Jet Siphon
Coupling Size Side B	1 1/2 inch (38mm)
Coupling Style Side B	Rocker
Coupling Swiveling/Rigid Side B	Swivel (non-full time, no swivel after tightening)

Related Videos

- [Strainers](#)
- [How to Add a Jet Siphon to a Low-level Strainer](#)

Online Technical Support Material

- [High Volume Low-Level Suction Strainer \(pdf\)](#)
- [Really Campaign - Low Level Strainer \(pdf\)](#)

Technical Specifications and Drawings

- [A03HNX-JET Finished Good Print - STEP \(zip\)](#)
- [A03HNX-JET Finished Good Print \(pdf\)](#)
- [A03HNX-JET Finished Good Print \(dxf\)](#)



[LOGIN](#) [New User?](#)

Products ▼

[Home](#) [Online Catalog](#) [Product Search](#) [Customer Service](#) [Library](#) [Find Dealer](#) [About Us](#)

A3850

3 WRENCH BRACKET SET

Part No: A3850



Details

3 WRENCH BRACKET SET

Lightweight cast aluminum bracket mounts to apparatus for easy accessibility. Features quick, snap-action release. Holds two A3813 Universal Spanner Wrenches and one Hydrant Wrench. Available with or without wrenches.

Weight: 5.700 lbs (kg)

[CLICK TO SAVE PAGE AS PDF](#)

PRODUCT SERIES OVERVIEW

- TFT offers exclusive personal tools such as the Res-Q-Me, a seat belt cutter and window punch designed to be kept on a key ring, the Res-Q-Rench which incorporates a spanner wrench, gas and O2 shutoff along with a seat belt cutter and window punch, and the unique Hose Hook for managing rolls of hose easily and safely. All of these personal tools are manufactured from high strength, light weight DuPont Zytel polymers and easily fit on a key ring, in bunker pants pocket or in a nearby apparatus compartment.
- An exclusive Spanner design allows the wrench to be adjusted to fit the locking mechanism of most Storz couplings, making coupling and uncoupling hose a simple single person operation. TFT's lightweight hydrant wrench easily adjust to either four or five sided hydrant valves, as well as fitting all rocker lug or storz hose couplings and caps.
- Picking up LDH hose could never be easier when using the unique Hose Roller. Easily and safely operated by two firefighters, LDH hose is easily drained of water and air for rapid repacking.

Task Force Tips ® is a registered trademark of Task Force Tips, Inc.
TFT ® is a registered trademark of Task Force Tips, Inc.

Task Force Tips © 2015 • 3701 Innovation Way Valparaiso IN 46383-9327 • Phone (800) 348-2686



[LOGIN](#) [New User?](#)

Products

[Home](#) [Online Catalog](#) [Product Search](#) [Customer Service](#) [Library](#) [Find Dealer](#) [About Us](#)

A3813

UNIVERSAL SPANNER WRENCH

Part No: A3813



Details

UNIVERSAL SPANNER WRENCH

For any style or size coupling from 1 1/4" to 4". Made of tough lightweight cast aluminum. Features include pin detail, window jimmy, gas cock slot, hammer head and hanger loop.

Weight: 0.500 lbs (kg)


[CLICK TO SAVE PAGE AS PDF](#)

PRODUCT SERIES OVERVIEW

- TFT offers exclusive personal tools such as the Res-Q-Me, a seat belt cutter and window punch designed to be kept on a key ring, the Res-Q-Rench which incorporates a spanner wrench, gas and O2 shutoff along with a seat belt cutter and window punch, and the unique Hose Hook for managing rolls of hose easily and safely. All of these personal tools are manufactured from high strength, light weight DuPont Zytel polymers and easily fit on a key ring, in bunker pants pocket or in a nearby apparatus compartment.
- An exclusive Spanner design allows the wrench to be adjusted to fit the locking mechanism of most Storz couplings, making coupling and uncoupling hose a simple single person operation. TFT's lightweight hydrant wrench easily adjust to either four or five sided hydrant valves, as well as fitting all rocker lug or storz hose couplings and caps.
- Picking up LDH hose could never be easier when using the unique Hose Roller. Easily and safely operated by two firefighters, LDH hose is easily drained of water and air for rapid repacking.

Task Force Tips ® is a registered trademark of Task Force Tips, Inc.
TFT ® is a registered trademark of Task Force Tips, Inc.

Task Force Tips © 2015 • 3701 Innovation Way Valparaiso IN 46383-9327 • Phone (800) 348-2686



TASK FORCE TIPS
FIRE FIGHTING EQUIPMENT

[Twitter](#)
[Facebook](#)
[YouTube](#)
[Apple](#)

[LOGIN](#)
[New User?](#)

Products Quick Links to Products

[Home](#)
[Online Catalog](#)
[Product Search](#)
[Customer Service](#)
[Library](#)
[Find Dealer](#)
[About Us](#)

A3810

JUMBO SPANNER SET W/BRACKET

Part No: A3810

*Details***JUMBO SPANNER SET W/BRACKET**

Lightweight cast aluminum alloy design features dual spanner claws that can be used on virtually any Storz, rocker lug or long handled fire hose couplings from 1" (25mm) up to 6" (152mm) diameter. Adjustable lug releases Storz-Lock levers on most Storz couplings. Includes four A3090 wrenches and one A3815 bracket for easy truck mounting. Compatible with former A3812 Single Spanner.

Weight: 5.400 lbs (2.449 kg)

CLICK TO SAVE PAGE AS PDF 

PRODUCT SERIES OVERVIEW

- TFT offers exclusive personal tools such as the Res-Q-Me, a seat belt cutter and window punch designed to be kept on a key ring, the Res-Q-Rench which incorporates a spanner wrench, gas and O2 shutoff along with a seat belt cutter and window punch, and the unique Hose Hook for managing rolls of hose easily and safely. All of these personal tools are manufactured from high strength, light weight DuPont Zytel polymers and easily fit on a key ring, in bunker pants pocket or in a nearby apparatus compartment.
- An exclusive Spanner design allows the wrench to be adjusted to fit the locking mechanism of most Storz couplings, making coupling and uncoupling hose a simple single person operation. TFT's lightweight hydrant wrench easily adjust to either four or five sided hydrant valves, as well as fitting all rocker lug or storz hose couplings and caps.
- Picking up LDH hose could never be easier when using the unique Hose Roller. Easily and safely operated by two firefighters, LDH hose is easily drained of water and air for rapid repacking.

More details**Related Products**

Material Aluminum Alloy

Related Videos

 [TFT Tools](#)

Online Technical Support Material

[RES-Q-RENCH - Fire & Rescue Magazine Article \(pdf\)](#)
[Res-Q-Rench Brochure \(pdf\)](#)

Technical Specifications and Drawings

[A3810 Item Specification \(doc\)](#)
[A3810 Finished Good Print - STEP \(zip\)](#)
[A3810 Finished Good Print \(pdf\)](#)
[A3810 Finished Good Print \(dxf\)](#)

Task Force Tips ® is a registered trademark of Task Force Tips, Inc.
TFT ® is a registered trademark of Task Force Tips, Inc.

Task Force Tips © 2015 • 3701 Innovation Way Valparaiso IN 46383-9327 • Phone (800) 348-2686  


[LOGIN](#) [New User?](#)
Products
[Home](#)
[Online Catalog](#)
[Product Search](#)
[Customer Service](#)
[Library](#)
[Find Dealer](#)
[About Us](#)

A3800

ADJUSTABLE HYDRANT WRENCH

Part No:A3800

**Details****ADJUSTABLE HYDRANT WRENCH**

Adjustable to open any hydrant with pentagon and square heads. Features dual spanner claws that can be used on virtually any Storz, rocker lug or long handled fire hose coupling from 1" (25mm) up to 6" (152mm) diameter. Made out of aluminum alloy throughout. Rugged handle grip is hardcoat anodized and permanently secured to both wrench ends.

Weight: 2.500 lbs (1.133 kg)
[CLICK TO SAVE PAGE AS PDF](#)

PRODUCT SERIES OVERVIEW

- TFT offers exclusive personal tools such as the Res-Q-Me, a seat belt cutter and window punch designed to be kept on a key ring, the Res-Q-Rench which incorporates a spanner wrench, gas and O2 shutoff along with a seat belt cutter and window punch, and the unique Hose Hook for managing rolls of hose easily and safely. All of these personal tools are manufactured from high strength, light weight DuPont Zytel polymers and easily fit on a key ring, in bunker pants pocket or in a nearby apparatus compartment.
- An exclusive Spanner design allows the wrench to be adjusted to fit the locking mechanism of most Storz couplings, making coupling and uncoupling hose a simple single person operation. TFT's lightweight hydrant wrench easily adjust to either four or five sided hydrant valves, as well as fitting all rocker lug or storz hose couplings and caps.
- Picking up LDH hose could never be easier when using the unique Hose Roller. Easily and safely operated by two firefighters, LDH hose is easily drained of water and air for rapid repacking.

More details**Related Products**
Material Aluminum Alloy
Related Videos
[TFT Tools](#)
Online Technical Support Material
[RES-Q-RENCH - Fire & Rescue Magazine Article \(pdf\)](#)
[Res-Q-Rench Brochure \(pdf\)](#)
Technical Specifications and Drawings
[A3800 Item Specification \(doc\)](#)
[A3800 Finished Good Print - STEP \(zip\)](#)
[A3800 Finished Good Print \(pdf\)](#)
[A3800 Finished Good Print \(dxf\)](#)

Task Force Tips ® is a registered trademark of Task Force Tips, Inc.
 TFT ® is a registered trademark of Task Force Tips, Inc.

Task Force Tips © 2015 • 3701 Innovation Way Valparaiso IN 46383-9327 • Phone (800) 348-2686