

# MISSISSIPPI DEPARTMENT OF CORRECTIONS

Jackson, Mississippi 39202



## INVITATION TO BID

MS DEPT. OF CORRECTIONS  
PURCHASING DEPARTMENT  
633 N STATE STREET  
JACKSON, MS 39202  
PHONE: (601) 359-5606

IFBD NO. 16-050/RFX #3160000651  
**AMBULANCES AND COTS**

**BIDS WILL BE OPENED**  
**OCTOBER 5, 2015 @ 3:00 P.M.**

### GENERAL CONDITIONS

Prices must be entered ONLINE IN MAGIC, WITHIN INDICATED FIELDS.

**THE MISSISSIPPI DEPARTMENT OF CORRECTIONS RESERVES THE RIGHT TO ACCEPT OR REJECT ANY AND ALL BIDS DEPENDING ON THE AVAILABILITY OF FUNDS OR TO END THE BID PROCESS IF IT IS IN THE BEST INTEREST OF THE STATE OF MISSISSIPPI.**

**1. PRICES, TERMS AND PAYMENT:** Firm prices shall be bid and include all packing, handling, shipping charges and delivery to the destination shown herein.

**(a) TAXES:** Mississippi Department of Corrections is a tax exempt entity. Our tax exemption number is 64-74-0123-K.

**(b) DISCOUNTS:** Cash discounts for prompt payment shall not be considered in determining the lowest net cost for bid evaluation purposes.

**(c) MISTAKES:** Bidders are expected to examine the specifications, delivery schedule, bid prices, extensions and all instructions pertaining to supplies and service. Failure to do so will be at bidder's risk. In case of mistake in extension, the unit price will govern.

**(d) CONDITIONS AND PACKAGING:** It is understood and agreed that any item offered or shipped as a result of this bid shall be a new, current standard production model available at the time of the bid. All containers shall be suitable for storage or shipment, and all prices shall include standard commercial packaging.

**(e) SAFETY STANDARDS:** Unless otherwise stipulated in the bid, all manufactured items and fabric Occupational Safety and Health Act and any standards thereunder.

**f) INVOICING AND PAYMENT:** The contractor shall be paid upon submission of properly certified invoices to the purchaser at the prices stipulated on the contract at the time the order is placed, after delivery and acceptance of goods, less deductions if any as provided. Invoices shall contain in the contract number, purchase order number and the contractor's Federal Employer Identification Number. An original and one (1) copy of the invoice shall be submitted. Failure to follow these instructions may result in delay in processing invoice for payment.

**(g) ANNUAL APPROPRIATIONS:** It shall be understood that any contracts entered into as a result of this bid that shall be in effect subsequent to June 30 of any calendar year is subject to the terms of the non-appropriation clause. This clause provides that any contract which extends past June 30 of any calendar year may be canceled for lack of funds. If this should become necessary MS Department of Corrections is not obligated to order or pay for any item which is not covered by a purchase order dated prior to June 30.

**2. DELIVERY:** Unless actual date is specified (or if specified delivery cannot be met), show number of days required to make delivery after receipt of purchase order in space provided. Delivery time may become a basis for making an award (see Special Conditions). Delivery shall be within the normal working hours of the user, Monday through Friday unless otherwise specified.

**3. ADDITIONAL TERMS AND CONDITIONS:** No additional terms and conditions included with the bid response shall be evaluated or considered and any and all such additional terms and conditions shall have no force and effect and are inapplicable to this bid. If submitted either purposely through intent or design or inadvertently appearing separately in transmittal letters, specifications, literature, price lists or warranties, it is understood and agreed the general and special conditions in this bid solicitation are the only conditions applicable to this bid and the bidder's authorized signature affixed to the bidder acknowledgment form attests to this.

#### **4. MANUFACTURERS' NAME AND APPROVED EQUIVALENTS:**

Any manufacturers' name, trade names, information and/or catalog numbers listed in specification are for information and not intended to limit competition. The bidder may offer any brand for which he is an authorized representative, which meets or exceeds the specifications for any item(s). **MEASUREMENTS:** Customary measurements appearing in these specifications are not intended to preclude bids for commodities with metric measurements. If bids are based on equivalent products, indicate on the bid form the manufacturer's name and number Bidder shall submit with his bid, cut sketches, and descriptive literature and/or complete specifications. Reference to literature submitted with a previous bid will not satisfy this provision. The State of Mississippi reserves the right to determine acceptance of item(s) as an approved equivalent. Bids which do not comply with these requirements are subject to rejection. Bids lacking any written indication of intent to bid an alternate brand will be received and considered in compliance with the specifications as listed on the bid form. The purchaser is to be notified of any proposed changes in (a) materials used, (b) manufacturing process, or (c) construction. However, changes shall not be binding upon the State unless evidenced by a Change of Notice issued and signed by the State.

**5. INTERPRETATIONS/DISPUTES:** Any questions concerning conditions and specifications shall be directed in writing to this office for receipt no later than five (5) days prior to the bid opening must reference the date of bid opening and bid number.

**6. AMBIGUOUS BIDS:** Ambiguous bids which are uncertain as to terms, delivery, quantity, or compliance with specifications may be rejected or otherwise disregarded.

**7. AWARDS:** As the best interest of the State may require, the right is reserved to make award(s) by individual item, group of items, all or none, or a combination thereof. When it is determined there is competition to the lowest responsible bidder, evaluation of other bids is not required. Bidders are cautioned to make no assumptions unless their bid has been evaluated as being responsive. All awards made as a result of this bid shall conform to applicable MS Statutes.

**8. SAMPLE:** Samples of items, when called for, must be furnished free of expense on or before bid opening time and date, and if not destroyed may upon request be returned at the bidder's expense. Each individual sample must be labeled with bidder's name, manufacturer's brand name and number, bid number and item reference. Request for return of samples shall be accompanied by instructions which include shipping authorization and name of carrier and must be received within 90 days after bid opening date. If instructions are not received within this time, the commodities shall be disposed of by the MS Department of Corrections. Bidder should be aware that in the process of evaluation, samples may be severely damaged. If this occurs, the MS Department of Corrections is not responsible to the vendor for reimbursement.

#### **9. NONCONFORMANCE TO CONTRACT**

**CONDITIONS:** Items may be tested for compliance with specifications. The data derived from any tests for compliance with specifications are public records and open to examination. Items delivered not conforming to specifications will be rejected and returned at vendor's expense. These items and items not delivered as per delivery date in bid and/or purchase order may result in bidder being found in default in which event any and all procurement costs may be charged against the defaulting contractor. Any violation of these stipulations will also result in:

- (a) Suppliers name being removed from the vendor mailing list.
- (b) The State Office of Purchasing and Travel shall be notified of such action taken.

**10. INSPECTION, ACCEPTANCE AND TITLE:** Inspection and acceptance will be destination unless otherwise provided. Title and risk of loss or damage to all items shall be the responsibility of the supplier until accepted by the ordering agency, unless loss or damage results from negligence by the ordering agency. The contract supplier shall be responsible for filing, processing and collecting all damage claims. However, to assist him in the expeditious handling of damage claims, the ordering agency will:

- a) Record any evidence of visible damage on all copies of the delivering carrier's Bill of Lading.
- b) Report damage (visible and concealed) to the carrier and contract supplier, confirming such reports, in writing, within 5 days of delivery, requesting that the carrier inspect the damaged merchandise.
- c) Retain the item and its shipping container, including inner packing material, until inspection is performed by the carrier, and disposition given by the contract supplier.
- d) Provide the contract supplier with a copy of the carrier's Bill of Lading and damage inspection report.

**11. SERVICE AND WARRANTY:** Unless otherwise specified, the bidder shall define any warranty service and replacement that will be provided during and subsequent to this contract. Bidder must explain on an attachment sheet to what extent warranty and service facilities are provided.

**12. PATENTS AND ROYALTIES:** The bidder, without exception, shall indemnify and save harmless the purchaser and its employees from liability of any nature or kind, including cost and expense for or on account of any copyrighted, patented, or unpatented invention, process, or article manufactured by the bidder.

**13. ASSIGNMENT:** Any purchase order issued pursuant to this bid invitation and the monies which may become due hereunder are not assignable except with the prior written approval of the Ordering Agency.

**14. LIABILITY:** The supplier shall hold and save the State of Mississippi, its officers, agents and employees harmless against claims by third parties resulting from the supplier's breach of this contract or the supplier's negligence.

**15. FACILITIES:** The State reserves the right to inspect the bidder's facilities at any reasonable time with prior notice.

**NOTE: Any and all special conditions and specifications attached hereto which vary from these general conditions shall have precedence.**

THE **MISSISSIPPI DEPARTMENT OF CORRECTIONS** IS REQUESTING  
BIDS FOR AMBULANCES WITH THE FOLLOWING SPECIFICATIONS

# Sales Order

<b>LEADER AMBULANCE</b> Al Try 10941 Weaver Ave So. El Monte, CA 91733	3/5/2015	PASS 8700 E. FM917 Alvarado, TX 76009 Brant Stovall	52474
	916-761-5071		VIN Number 9026 Parent Job 52474

Itemnumber Description

**10 - BASE SECTION**

10.

10. 1 Prep van and fiberglass roof.

10. 35 Ford Type II "CE" Base Conversion\*\*

10. 680 (2014) FORD V8 E350 Gas Van Chassis 138"

- GVW: 9,500 lbs
- Front Axle: 4,200 lbs Twin-I-Beam
- Rear Axle: 6,084 lbs
- 3.73 Limited Slip Rear Differential
- 4 Wheel Disc Brakes, w/ Anti Lock
- 225 Amp Alternator
- Dual 12-Volt, 650-CCA/72-Amp Hr Batteries
- 5.4L Triton V8 Gasoline Engine
- 255 HP @ 4,500 RPM / 350 ft. lb. Torque @ 2,500 RPM
- 50-State Emission System
- 35 Gallon Midship Fuel Tank
- HD Gas Type Shock Absorbers
- 1.0" Front Stabilizer Bar
- (5) LT245/75R16E BSW All Season Tires
- 5-Speed Torqshift Transmission w/ Overdrive and In-Tank Oil Cooler
- Aux. Transmission Cooler
- 47A Ambulance Prep Package

10. 800 **SPECIAL:**

**CHANGE ORDER** Shipping to Alvarado Texas  
Change Order by: Dave

**20 - PRE TAX**

20.

20. 1 Document Processing Fees

30.

40.

51.

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber Description

**200 - INTERIOR CABINETS - STANDARD****A.**

- A. 1 Cabinet lower, street side, center action wall, verticle stairchair storage @ rear with open ended cabinet to allow for slide-in loading @ floor level, floor to be finished with 20 gage #4 stainless steel, w/ (2) black straps & quick connect clips to secure stairchair, (4) storage compartments w/sliding polycarbonate doors, storage compartments to have fixed shelves (3) total, (1) open storage area forward of action wall to house latex glove boxes (gloves not included), (1) hinged wood door w/ PVC banded edges w/ (2) vents & locking latch for Inverter access.
- A. 2 Cabinet upper, street side, (2) storage compartments w/sliding polycarbonate doors, and (2) fixed shelves.
- A. 3 Partition with walk through (door not included). Power distribution cabinet with removable panel on cab side.
- A. 4 ALS medical shelves, curb side, solid partition with walk through opening, recessed aluminum uni-strut in partition wall for (2) ALS adjustable powder coated 21"x12" metal shelves with 1 inch upper lip (trim lock added to lip), (2) 1 inch black straps with quick connect clip included.
- A. 5 Upper partition cabinet, locking drug storage.
- A. 6 Squad bench, curb side wall, horizontal storage for backboards. (1) hinged seat lid w/ gas shock hold open devices and under lid elbow catches. (1) single backrest, (2) patient retractable lap seat belts, (2) attendant retractable lap seat belts. Squad bench shall be full length, w/ cabinet at head end, which includes a top drop (Kendall 5qt) sharps container & trash container.
- A. 7 Action wall panel, wood panel laminated with black formica with oxygen & electrical cut outs.
- A. 8 Vertical oxygen compartment at curbside rear. Aluminum formed door with matching laminate that allows for front and side access for easier bottle loading/unloading. Door closes with rubber latch. Includes upper clear plex door for easy tank reading.
- A. 9 Center console for main switch panel, driver area, removable ( for engine service ) seperate lid for (two-way radio & additional siren location, (1) 12volt USB Port.

**300 - INTERIOR TRIM AND COLOR - STANDARD****B.**

- B. 1 Floor color/material - (Non Coved), trimed with aluminum cove molding along edges, Black Altro Gravity #ZD2005
- B. 2 Laminate color, exterior upper Gloss, Light Gray - D 355 / interior compartments to match exterior.
- B. 3 Laminate color, exterior lower Gloss, Light Gray - D 355 / interior compartments to match exterior. Action wall laminated in Black.
- B. 4 Patient compartment doors to have original OEM panels.

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber	Description
B. 5	Polycarbonate color .240, Clear
B. 6	Polycarbonate sliding doors, retain handles on doors and provide holes for cable ties.
B. 7	Attendant seat, Blue high back (seamless) attendant seat w/ 3 point restraint, w/ reinforced pedestal base #CBPED w/out track, seat is in fixed location.
B. 8	Seat Cushions/Back Rest, upholstery color/material - Blue EVS#CN204 w/ 2" foam for seat cushion & back rest, attached with velcro.
B. 9	Headbumpers/Fillers upholstery color/material - Blue EVS#CN204 w/ 1/4" closed cell foam.
B. 10	Innerliner to be white gloss formica.
B. 11	Insulation, foil backed bubble astro-cooler walls and roof areas.

**400 - WARNING DEVICES - STANDARD**

C.

C. 1 WIRE ONLY for (2) 900 series Whelen LED lights (Red) and (2) 700 series Whelen LED (1) clear and one red. Also WIRE ONLY for Whelen Justice bar all LED bar with center steady red.

C. ~~99~~

C. ~~99~~

C. ~~99~~

C. 5 Warning light, rear center, mounted vertically, (1) Whelen 700 series Flashing Amber LED.

C. 6 Warning lights grille, (2) Whelen TIR - LIN 3 Flashing Red Led, clear lense, with black plastic housings, mounted on upper horizontal grille bar.

C. 7 Intersection lights, front body, (2) Whelen 700, Flashing Red LED, with chrome flanges.

C. 8 Scene lights, side (4) - (2) per side, Whelen 900 series Halogen w/ 26 degree angle, Clear.

C. 9 Scene lights, rear inboard (2), Whelen 900 series Halogen w/ 26 degree angle, Clear.

C. 10 Siren speakers, Whelen SA315EKT mounted behind front grille, (2) 100 watt drivers. Add high density sound protection 9 1/2 inches by 13 inches behind each siren.

C. 11 Warning light flasher (1) Vanner #3250 GCPE

C. 12 Brake light, rear upper center, "Slimline" Incandescent L#18-011148, Red. (Mandatory)

C. 13 Back-up alarm, rear mounted, 97 decibel. (NOT RESETABLE)

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber Description

C. 14 Daytime running lights, cancel when vehicle is placed in Park (OEM Std)

**4000 - WARNING DEVICES - OPTIONS**

C. 4000

C. 4010 Warning lights, upper perimeter (6) total, (2) per side, (2) rear, Whelen 900 series single row Flasing Red LED

**500 - ELECTRICAL CONTROL CENTER - STANDARD**

D.

D. 1 Bulkhead electrical storage cabinet components, fuse bar, fuse bar bracket, terminal blocks, etc. Access through removal panel trime with T molding, located behind drivers seat.

D. 2 Electrical switch panel (back lit) located on cab center console lid, between driver and passenger seat with additional room for Two-Way radios.

D. 3 Siren electronic , Cab console, Whelen 295SLSA1 with 17 Scan-Lock tones, flush mount bezel, w/removable mic, hands free, horn ring control.

D. 4 Indicator lamp Red (rocker switch type) DOOR OPEN

D. 5 Indicator lamp Green (rocker switch type) MASTER ON

D. 6 Switch, PRI. SEC., center off, primary controls all emergency lights, secondary controls rear ambulance warning lights only, panel mounted C.H. LED switch, lit Red/Amber.

D. 7 Switch, LEFT FLOOD, C.H. LED, lit White.

D. 8 Switch, REAR FLOOD, C.H. LED, lit White.

D. 9 Switch, RIGHT FLOOD, C.H. LED, lit White.

D. 10 Switch, PATIENT DOME, 3-way, C.H. LED, lit Amber.

D. 11 Switch, PATIENT HEAT/AC, 3-way, C.H. LED, lit Blue.

D. 12 Switch, MODULE DISCONNECT, C.H. LED, lit Green.

D. 13 Over head dome light will be OEM

D. 14 Two-way radio power, Positive - Negative - Ignition, with terminal strip, located in console.

D. 15 Prewire for handheld spotlight.

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber Description

**600 - ELECTRICAL PATIENT COMPARTMENT - STANDARD**

E.

- |       |  |
|-------|--|
| E. 1  | Dome lamps, ceiling, (5) flush mount, Whelen LED two-stage, Clear, door jamb switch activated (low intensity) and switch panel activated (high-low).                           |
| E. 2  | Electrical outlet 12 volt, (1) , rear action wall, cigarette style.  |
| E. 4  | Electrical outlet (2) 120V, ALS cabinet, action wall, with pilot lights, mounted on grey plastic housings, wired to shore power.   |
| E. 5  | Switch panel rear, (7) position Black Santex (switch plate only) back lit.   |
| E. 6  | Switch, DOME, 3-way, C.H. LED, lit Amber.  |
| E. 7  | Switch, DOME HI-LO, C.H. (non lit)   |
| E. 8  | Switch, ELECT SUCTION, C.H. LED, lit Amber.  |
| E. 9  | Switch, EXHAUST, C.H. LED, lit Amber.  |
| E. 10 | Switch, PATIENT HEAT A/C, 3-way, C.H. LED, lit Blue.   |
| E. 11 | Switch, A/C, FAN HI-LO, C.H. (non-lit)   |
| E. 12 | Switch, A/C, HEAT-COOL, C.H. (non-lit)   |
| E. 13 | Shore power, 120V, 15 amp, behind driver door, Hubbel plastic hinged cover, wired to 110V outlets in patient compartment.  |
| E. 14 | Restocking light timer, right forward wall, five minute. Controls (3) dome lights over cot, (high intensity)   |
| E. 15 | Step Well Light, located in side door step well, door switch activated.  |
| E. 16 | Inverter Pre-Wire, Includes 12volt Pos-Neg with Anderson quick disconnect connector, terminating inside inverter compartment. (Does not include remote panel or rocker switch) |

**700 - ELECTRICAL AND MECHANICAL - STANDARD**

F.

- |      |   |
|------|---|
| F. 1 | Air conditioning/heater, driver compartment switching control dash, Ford OEM, w/prep for rear air.    |
| F. 2 | Air conditioning / heater, patient compartment, front bulkhead mounted with (4) diirectional louvers. |
| F. 3 | Power Exhaust vent, center forward, Cast Products exterior cover, interior louver round               |

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber Description

- |       |  |
|-------|--|
| F. 4  | Air conditioning hose, shielded low loss, wedged on fittings, R134 (included w/ F2)  |
| F. 5  | Heater hose, Nomex, Ford QVM (included w/ F2)  |
| F. 6  | Alternator, OEM.   |
| F. 7  | Shut Down Timer, with 5 min. delay activated via ignition switch mounted on curbside forward wall.                           |
| F. 8  | Antenna wiring, center under streetside forward dome light, (1) coax RG58A/U, terminates in front console.                   |
| F. 9  | Wiring loom, Leader fabricated, hi temp SXL, color coded, number coded and function labeled, with split loom wire protection |
| F. 10 | Auto Throttle (Gas Engine), In-Power #DBT-LD (Ford QVM Approved)   |

**800 - OXYGEN SYSTEM - STANDARD**

G.

- |      |   |
|------|---|
| G. 1 | Aspirator, action wall area, SSCOR 22000, flush mount panel and gauge.  |
| G. 2 | Vacuum pump, 12V, w/vent tube to exterior.  |
| G. 3 | Oxygen system, Amico Ohio style quick release, (2) outlets in action wall panel.                                  |
| G. 4 | Oxygen bottle rack, vertical mount at curbside rear, Leader Brand, M size tank only. (3) straps and cinch buckle. |
| G. 5 | Oxygen regulator, preset 50 psi. (w/ 90 degree elbow)   |

**900 - HARDWARE -STANDARD**

H.

- |      |   |
|------|---|
| H. 1 | Seat belts, patient compartment, (4) sets of lap belts, (2) for squad bench attendants, (2) for squad bench patient. Black color. |
| H. 2 | I.V. holder (2) wall mount, chrome spring loaded clip, surface mount. (See print for location)                                    |
| H. 3 | (2) OEM Pull handles.   |
| H. 4 | Ceiling grab rail, center mounted, stainless steel finish, 64" length.  |
| H. 5 | Door hold open, back doors, Cast Products, polished aluminum with replaceable rubber insert.                                      |
| H. 6 | Rear Step all aluminum, grip strut grating.   |
| H. 7 | Door sill rear, #4 bright stainless steel, full width with ramp edge.   |

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber Description

H. 8 Hardware plates, mounting plates for squad bench cargo net. Drill and tap all bracket locations and insert temporary plugs. DO NOT INSTALL ANYTHING IN THE FLOOR.

**1000 -PATIENT HANDLING EQUIPMENT - STANDARD**

I.

I. 1 Cot Fastener, Stryker #6371, wall mount rear hook, front antlers.  
(Included in Base, Do Not Install At This Time)

I. 10000

**1100 -PAINT, BODY AND GRAPHICS - STANDARD**

J.

J. 1 Emblems, Leader, front fenders, rear doors, no smoking labels, ETC.

J. 11000

**12000 - OPTIONS FOR COMPLETED CE UNITS**

K. 12000

K. 12030 Whelen, LED Lightbar with (1) Red Steady Burn, (2) White LED  
(Includes Credit for 3 Whelen 900 Halogen)

CHANGE  
ORDER **Note:**  
**Change Order by: AT 2.21.2015**

K. 12060 Power inverter and battery charger - Xantrex, Freedom, HW-1000W, w/ auto transfer, (connected to electrical outlets and shoreline).

CHANGE  
ORDER **Note:**  
**Change Order by: AT 2.21.2015**

K. 12100 Cargo Net, head end of squad bench. (Black)

CHANGE  
ORDER **Note:**  
**Change Order by: AT 2.21.2015**

K. 12110 Window Tint on all patient compartment windows.

CHANGE  
ORDER **Note:**  
**Change Order by: AT 2.21.2015**

K. 12160 (2) Oxygen small bottle holder quick release, ZICO #QR-D-2, single "D" bottle only (strapless)

CHANGE  
ORDER **Note: \*\*\*SHIP LOOSE\*\*\***  
**Change Order by: AT 2.21.2015**

K. 12200 Cot Fastener, Stryker #6371 rear wall hook mount, front antlers.  
(Specify Cot Model)

CHANGE  
ORDER **Note: Set up for Stryker MX-PRO**  
**Change Order by: AT 2.21.2015**

K. 12220 Cot Safety Hook (safety yellow) w/ reflective tape - Stryker

# LEADER AMBULANCE

3/5/2015

PASS

52474

Al Try  
10941 Weaver Ave  
So. El Monte, CA 91733

916-761-5071

8700 E. FM917  
Alvarado, TX 76009  
Brant Stovall

VIN Number 9026

Parent Job 52474

Itemnumber Description

CHANGE  
ORDER

**Note:**  
**Change Order by: AT 2.21.2015**

K. 12260

OUT OF STATE MODIFICATION:  
-Delete Steady Burn, Change to Flashing Mode.  
-Siren to have full functions, Non CA Title 13.

CHANGE  
ORDER

**Note:**  
**Change Order by: AT 2.21.2015**

K. 12270

Door Panel Upgrade, patient compartment door panel set, (4) Matte Dark Grey #10592-6b laminate door panels, with (2) rear speaker grilles, (4) grab handles.

CHANGE  
ORDER

**Note:**  
**Change Order by: AT 2.21.2015**

#### OXYGEN TANK HOLDER

This oxygen tank holder accessory is designed to accommodate both 'D' and 'E' size cylinders. It has a 4.6 inch diameter. The all metal holder is powder coated for a long, durable life. This can be mounted on TMM3, TMM4, and TMM5 stretcher-chairs (Excludes chairs with "X" - seat tilt option).

#### IV STAND HOLDER

Dimensions:

Base: 21" dia (53 cm)

Height Adjustable: 59" to 89.5" (150 to 227 cm)

Casters: 2" swivel dual wheel


Compliance: MR Conditional; tested with Philips Achieva 3T System



# Power-PRO™ XT

powered ambulance cot

**Reduce the risk of injuries  
when raising and lowering**



**stryker®**

## EMS Equipment

3800 E. Centre Ave.  
Portage, MI 49002 U.S.A.  
t: 269 329 2100 f: 866 795 2233  
toll free: 800 327 0770

www.ems.stryker.com

### Standard Features

- Automatic in-cot fastener shut-off
- Manual back-up release handle
- Automatic high-speed retract
- Battery-powered hydraulic lift system
- Preventative maintenance hour meter
- Battery pack power level indicator
- Settable load height with jog function
- Color-coded controls
- High visibility powder-coated frame
- Lightweight, rugged aluminum construction
- Scientifically optimized lift bar and control design
- Lower lifting bar
- Lift-capable safety bar
- Integrated bumper system
- Retractable head section
- Floor-mounted safety hook
- One-hand release, fold down side rails
- One-hand release, infinite positioning, pneumatically assisted backrest
- Oversized wheels with sealed caster and wheel bearings
- G-rated bolster mattress
- Shock or flat leg positioning
- G-rated restraint package
- Built-in pull handle
- X-frame guards
- Power washable
- SMRT power system (12V DC, 120V AC and 240V AC options available)

### Optional Features

- Heavy duty two- or three-stage IV poles (patient right or left)
- Permanent or removable O<sub>2</sub> bottle holders (head end, foot end or fowler)
- Dual wheel locks
- Head extension
- Pillow
- Equipment hook
- Backrest storage pouch
- Head end storage flat
- Defibrillator platform
- Base storage net
- Knee gatch
- SMRT charger mounting bracket
- Power-LOAD™ compatibility

### Specifications

<b>Model Number</b>	<b>6506</b>
<b>Height<sup>1</sup> (infinite height positioning between lowest and highest position)</b>	
Highest Position	41.5 in (105 cm)
Lowest Position	14 in (36 cm)
<b>Length</b>	
Standard	81 in (206 cm)
Minimum	63 in (160 cm)
<b>Width</b>	23 in (58 cm)
<b>Weight<sup>2</sup></b>	125 lb (57 kg)
<b>Wheels</b>	
Diameter	6 in (15 cm)
Width	2 in (5 cm)
<b>Articulation</b>	
Backrest	0 - 73°
Shock Position	+15°
Optional Knee Gatch	30°
<b>Maximum Weight Capacity<sup>3</sup></b>	700 lb (318 kg)
<b>Minimum Operator Required</b>	
Occupied Cot	2
Unoccupied Cot	1
<b>Recommended Fastener System</b>	
Power-LOAD™	Model 6390
Floor Mount	Model 6370 or 6377
Wall Mount	Model 6371
<b>Recommended Loading Height<sup>4</sup></b>	Up to 36 in (91 cm)

### Warranty

- Two-year parts, labor and travel
- One-year soft goods
- Three-year X-frame components
- Three-year limited powertrain
- Lifetime on all welds\*

Extended warranties available.

\* 7-year service life.

<sup>1</sup> Height measured from bottom of mattress, at seat section, to ground level.

<sup>2</sup> Cot is weighed with one battery pack, without mattress and restraints.

<sup>3</sup> 700 lb weight capacity with an unassisted lift capacity of 500 lb (Cot loads over 300 lb (136 kg) may require additional assistance to meet the set cot load height).

<sup>4</sup> Can accommodate load decks up to 36 in. Load height can be set between 26 in and 36 in.

Stryker reserves the right to change specifications without notice.

In-service video included with every order.

The Power-PRO XT is designed to conform to the Federal Specification for the Star-of-Life Ambulance KKK-A-1822.

The Power-PRO XT is designed to be compatible with competitive cot fastener systems.

The yellow and black color scheme is a proprietary trademark of the Stryker Corporation.

Patents pending.



**SMRT™ Power**

Copyright © 2011 Stryker  
DDM/RRP 0811  
Mkt Lit-152 Rev F

# **NOTICE TO BIDDERS**

**THE MISSISSIPPI DEPARTMENT OF CORRECTIONS RESERVES THE RIGHT TO ACCEPT OR REJECT ANY AND ALL BIDS DEPENDING ON THE AVAILABILITY OF FUNDS OR TO END THE BID PROCESS IF IT IS IN THE BEST INTEREST OF THE STATE OF MISSISSIPPI.**

## **GENERAL CONDITIONS**

Prices must be entered ONLINE IN MAGIC, WITHIN INDICATED FIELDS.

**DIRECT QUESTIONS CONCERNING THIS BID OPENING TO:**

**RITA TWINER  
DIRECTOR OF PURCHASING  
601-359-5606**