

WHOLEGOODS PRICE LIST EFFECTIVE JULY 2, 2014

These pages are a complete revision of
this section of your price book.
All prices are effective July 2, 2014.

NOTE: Tire prices appear per piece.

2015 MISSISSIPPI GROUNDS MAINTENANCE EQUIPMENT PROPOSAL

Kubota "B Series" (B2320, B2620, B2650, B2920, B3200 & B3350)
Loaders, Implements & Attachments = 8.0% discount from indicated SLP\$

PAGE NUMBER	MODEL	PTO HP		SUGGESTED LIST PRICE
4-3	B2320DTWO	18.0		\$11,728.00
4-4	B2320DT	18.0		\$12,317.00
4-5	B2320HSD	17.0		\$13,499.00
4-6	B2620HSD	19.0		\$14,648.00
4-7	B2920HSD*	21.0		\$15,539.00
4-8	B2320DTN-1	18.0		\$12,909.00
4-9	B2320HSDN	17.0		\$13,896.00
4-10	B3200HSDWO*	23.0		\$15,874.00
4-10	B3200HSD*	23.0		\$16,425.00
4-12	B3300SUHSDP*	25.0		\$15,365.00
4-13	B3000HSDC*	23.0		\$23,007.00
4-14	B3000HSDCC*	23.0		\$24,395.00
4-15	B2650HSDC	19.5		\$24,195.00
4-16	B2650HSD	19.5		\$16,572.00
4-17	B3350HSDC	27.0		\$28,865.00
4-18	B3350HSD	27.0		\$21,242.00
4-19	B3350SUHSD	27.0		\$18,961.00
4-21	Attachment Matching Chart			
4-24	Dealer Installed Options			
4-31	Loader Matching Chart			
4-32	Front Loaders			
4-36	Backhoe Matching Chart			
4-37	Backhoes			
3-39	Mid Mount Mower Matching Chart			
4-40	Mid Mounted Mowers			
4-44	Grass Catchers			
4-46	Front & Rear Mounted Implement Chart			
4-48	Front Quick Hitch Rotary Broom			
4-49	Front Quick Hitch Mounted Blades			
4-50	Front Quick Hitch Mounted Snowblowers			
4-53	Front Quick Hitch and Options			
4-55	Rear Mounted Snowblowers			
4-56	Rotary Tillers			
4-58	Replacement Engines			
4-61	Prior Models			

* Subject to availability

B2320DTWO Standard B Series

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1005E3D22
E-TVCS Indirect Injection
3 Cyl. 61.1 cu. In.
+ 23 Gross Eng. HP
+ 18 PTO HP
@ 2800 Eng. rpm
12V – 430CCA
Charging Output 14.5 Amps
Radial Air Flow Cooling
Dual Air Cleaner Element

HYDRAULICS

Open Center
Tandem Pumps Gear Type
3.6 gpm Power Steering
4.7 gpm Remote/3 Pt. Hitch
8.3 gpm Total Hyd. Flow
Cat I 3-point Hitch
At lift Point 1356 lbs.
24" Behind 1058 lbs.

FRONT AXLE

Integral Power Steering
Cast Iron
Bevel Gear, 4WD
Tread Spacing, Nonadjustable

+ Manufacturer estimate.

DRIVE TRAIN

Gear Drive
9 Forward Speeds
3 Reverse Speeds
Rear Differential Lock
Wet Disc Brakes

FLUID CAPACITY

Fuel Tank	6.9 gal.
Cooling System	4.1 qts.
Crankcase	3.3 qts.
Transmission and Hydraulics	3.7 gal.
Front Axle Differential	3.4 qts.

DIMENSIONS

Overall Length w/ROPS	83.9"
Overall Length w/3pt.	106.4"
Wheel Base	61.5"
Crop Clearance	12.0"

POWER TAKE OFF

Transmission driven with
over running clutch
Rear PTO – 2 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2773 Eng. rpm
960 rpm @ 2722 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2750 Eng. rpm

SAFETY EQUIPMENT

2-Post Foldable ROPS w /
Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brakes
SMV Sign

TIRES AND WHEELS

Front 6.0 -- 12 F2 AG
Rear 9.5 -- 16 R1 AG

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B2320DTWO	4WD TRACTOR (Not equipped with Loader Valve) With 2 Post Foldable ROPS Folded ROPS height 66.8" with standard tires	1348	\$ 11,728.00
------------------	---	------	--------------

B2320DTWO		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8701**	F-TR 6-12B FR SV LUG-M	33	\$ 139.00	\$ 11,728.00
ABR8755B**	R-TIRE 9.5-16 R1 AG Steel Bias CA	76	\$ 308.00	
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	24	\$ 139.00	\$ 11,840.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80	\$ 364.00	
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	27	\$ 159.00	\$ 11,784.00
ABR8779	R-TIRE 33x12.5-15 R3 TF Steel Bias CE	82	\$ 316.00	
ABR8763	F-TIRE 23x8.5-12 R4 IN Steel Bias AA	45	\$ 180.00	\$ 11,854.00
ABR8764	R-TIRE 12-16.5 R4 IN Steel Bias AA	103	\$ 330.00	

** Standard tires.

B2320DT Standard B Series

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1005E3D22
 E-TVCS Indirect Injection
 3 Cyl. 61.1 cu. In.
 + 23 Gross Eng. HP
 + 18 PTO HP
 @ 2800 Eng. rpm
 12V – 430CCA
 Charging Output 14.5 Amps
 Radial Air Flow Cooling
 Dual Air Cleaner Element

HYDRAULICS

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow
 Cat I 3-point Hitch
 At lift Point 1356 lbs.
 24" Behind 1058 lbs.

FRONT AXLE

Integral Power Steering
 Cast Iron
 Bevel Gear, 4WD
 Tread Spacing, Nonadjustable

DRIVE TRAIN

Gear Drive
 9 Forward Speeds
 3 Reverse Speeds
 Rear Differential Lock
 Wet Disc Brakes

FLUID CAPACITY

Fuel Tank 6.9 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and
 Hydraulics 3.7 gal.
 Front Axle Differential 3.4 qts.

DIMENSIONS

Overall Length w/ROPS 83.9"
 Overall Length w/3pt. 106.4"
 Wheel Base 61.5"
 Crop Clearance 12.0"

POWER TAKE OFF

Transmission driven with
 over running clutch
 Rear PTO – 2 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm
 960 rpm @ 2722 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2750 Eng. rpm

SAFETY EQUIPMENT

2-Post Foldable ROPS w /
 Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brakes
 SMV Sign

TIRES AND WHEELS

Front 6 -- 12 R1
 Rear 9.5 x 16

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B2320DT	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 66.8" with standard tires	1348	\$ 12,317.00
----------------	---	------	--------------

B2320DT		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8701**	F-TR 6-12B FR SV LUG-M	33	\$ 139.00	\$ 12,317.00
ABR8755B**	R-TIRE 9.5-16 R1 AG Steel Bias CA	76	\$ 308.00	
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	24	\$ 139.00	\$ 12,429.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80	\$ 364.00	
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	27	\$ 159.00	\$ 12,373.00
ABR8779	R-TIRE 33x12.5-15 R3 TF Steel Bias CE	82	\$ 316.00	
ABR8763	F-TIRE 23x8.5-12 R4 IN Steel Bias AA	45	\$ 180.00	\$ 12,443.00
ABR8764	R-TIRE 12-16.5 R4 IN Steel Bias AA	103	\$ 330.00	

** Standard tires.

B2320HSD Standard B Series

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1005E3D22
 E-TVCS Indirect Injection
 3 Cyl. 61.1 cu. In.
 + 23 Gross Eng. HP
 + 17 PTO HP
 @ 2800 Eng. rpm
 12V – 430CCA
 Charging Output 14.5 Amps
 Radial Air Flow Cooling
 Dual Air Cleaner Element

HYDRAULICS

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow
 Cat I 3-point Hitch
 At lift Point 1356 lbs.
 24" Behind 1058 lbs.

FRONT AXLE

Integral Power Steering
 Cast Iron
 Bevel Gear, 4WD
 Tread Spacing, Nonadjustable

+ Manufacturer Estimate

TRANSMISSION

Hydrostatic Drive
 Forward Speeds
 Hi Range 0 – 11.7 mph
 Med Range 0 – 5.8 mph
 Lo Range 0 – 3.5 mph
 Reverse Speeds
 Hi Range 0 – 9.4 mph
 Med Range 0 – 4.6 mph
 Lo Range 0 – 2.8 mph
 Rear Differential Lock
 Cruise Control
 Wet Disc Brakes

FLUID CAPACITY

Fuel Tank 6.9 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and 4.0 gal.
 Hydraulics
 Front Axle Differential 3.4 qts.

DIMENSIONS

Overall Height w/ROPS 83.9"
 Overall Length w/3pt. 106.4"
 Wheel Base 61.5"
 Crop Clearance 12.0"

POWER TAKE OFF

Live Continuous Running
 Rear PTO – 2 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm
 960 rpm @ 2722 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2750 Eng. rpm

SAFETY EQUIPMENT

2-Post Foldable ROPS w / Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brakes
 SMV Sign

TIRES AND WHEELS

Front 6 -- 12 R1 AG
 Rear 9.5 - 16 R1 AG

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B2320HSD	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 66.8" with standard tires	1392	\$ 13,499.00
-----------------	---	------	--------------

B2320HSD		Price with Tire Option		
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8701**	F-TR 6-12B FR SV LUG-M	33	\$ 139.00	\$ 13,499.00
ABR8755B**	R-TIRE 9.5-16 R1 AG Steel Bias CA	76	\$ 308.00	
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	24	\$ 139.00	\$ 13,611.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80	\$ 364.00	
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	27	\$ 159.00	\$ 13,555.00
ABR8779	R-TIRE 33x12.5-15 R3 TF Steel Bias CE	82	\$ 316.00	
ABR8763	F-TIRE 23x8.5-12 R4 IN Steel Bias AA	45	\$ 180.00	\$ 13,625.00
ABR8764	R-TIRE 12-16.5 R4 IN Steel Bias AA	103	\$ 330.00	

** Standard tires.

B2620HSD Standard B Series

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1105E3D22
E-TVCS Indirect Injection
3 Cyl., 68.5 cu. in.
+ 26 Gross Eng. HP
+ 19 PTO HP
@ 2800 Eng. rpm
12 V – 430CCA
Charging Output 14.5 Amps
Radial Air Flow Cooling
Dual Air Cleaner Element

HYDRAULICS

Open Center
Tandem Pumps Gear Type
3.6 gpm Power Steering
4.7 gpm Remote Output
8.3 gpm Total
Cat I 3-point Hitch
at Lift Point 1356 lbs.
24" Behind 1058 lbs.

FRONT AXLE

Integral Power Steering
Cast Iron
Bevel Gear, 4WD
Tread Spacing - Nonadjustable

DRIVE TRAIN

Hydrostatic Drive
Forward Speeds —
Hi Range 0 - 12.6 mph
Med Range 0 - 6.2 mph
Lo Range 0 - 3.7 mph
Reverse Speeds —
Hi Range 0 - 10.0 mph
Med Range 0 - 4.9 mph
Lo Range 0 - 3.0 mph
Rear Differential Lock
Wet Disc Brakes
Cruise Control

FLUID CAPACITY

Fuel Tank 6.9 gal.
Cooling System 4.1 qts.
Crankcase 3.3 qts.
Transmission and
Hydraulics 4.0 gal.
Front Axle Differential 3.4 qts.

DIMENSIONS

Overall Height w/ROPS 85.0"
Overall Length w/3pt. 106.4"
Wheel Base 61.5"
Crop Clearance 12.8

POWER TAKE OFF

Live Continuous Running
Rear PTO — 2 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2773 Eng. rpm
960 rpm @ 2722 Eng. rpm
Mid PTO - 1 Speed
2500 rpm @ 2750 Eng. rpm

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Parking Brake
SMV Sign

TIRES AND WHEELS

Front 7 -- 12 R1 AG
Rear 11.2 - 16 R1 AG

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
B2620HSD	4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires.	1392	\$ 14,648.00

B2620HSD		Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 14,648.00
ABR8769**	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95	\$ 323.00	
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	24	\$ 139.00	\$ 14,668.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80	\$ 364.00	
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	27	\$ 159.00	\$ 14,612.00
ABR8779	R-TIRE 33x12.5-15 R3 TF Steel Bias CE	82	\$ 316.00	
BR8701	F-TR 6-12B FR SV LUG-M	33	\$ 139.00	\$ 14,556.00
ABR8755B	R-TIRE 9.5-16 R1 AG Steel Bias CA	76	\$ 308.00	
ABR8763	F-TIRE 23x8.5-12 R4 IN Steel Bias AA	45	\$ 180.00	\$ 14,682.00
ABR8764	R-TIRE 12-16.5 R4 IN Steel Bias AA	103	\$ 330.00	

** Standard tires.

B2920HSD Standard B Series

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1305E3D22
 E-TVCS Indirect Injection
 3 Cyl. 77.0 cu. In.
 + 29 Gross Eng. HP
 + 21.0 PTO HP
 @ 2800 Eng. Rpm
 12V – 430CCA
 Charging Output 14.5 Amps
 Dual Air Cleaner Element

HYDRAULICS

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow
 Cat I 3-point Hitch
 At lift Point 1356 lbs.
 24" Behind 1058 lbs.

FRONT AXLE

Integral Power Steering
 Cast Iron
 Bevel Gear, 4WD
 Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
 Forward Speeds
 Hi Range 0 – 12.6 mph
 Med. Range 0 – 6.2 mph
 Lo Range 0 – 3.7 mph
 Reverse Speeds
 Hi Range 0 – 10.0 mph
 Med. Range 0 – 4.9 mph
 Lo Range 0 – 3.0 mph
 Rear Differential Lock
 Wet Disc Brakes
 Cruise Control

FLUID CAPACITY

Fuel Tank 6.9 gal.
 Cooling System 4.6 qts.
 Crankcase 3.7 qts.
 Transmission and
 Hydraulics 4.0 gal.
 Front Axle Differential 3.4 qts.

DIMENSIONS

Overall Height w/ROPS 85.0"
 Overall Length w/3pt. 106.4"
 Wheel Base 61.5"
 Crop Clearance 12.8

POWER TAKE OFF

Live Continuous Running
 Rear PTO – 2 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm
 960 rpm @ 2722 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2750 Eng. rpm

SAFETY EQUIPMENT

2-Post Foldable ROPS w /
 Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brakes
 SMV Sign

TIRES AND WHEELS

Front 7 -- 12 R1 AG
 Rear 11.2 x 16 R1 AG

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B2920HSD	* 4WD TRACTOR (Equipped with Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires	1403	\$ 15,539.00
-----------------	---	------	--------------

B2920HSD		Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
TIRES AND WHEELS (priced per piece)				
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 15,539.00
ABR8769**	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95	\$ 323.00	
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	24	\$ 139.00	\$ 15,559.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80	\$ 364.00	
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	27	\$ 159.00	\$ 15,503.00
ABR8779	R-TIRE 33x12.5-15 R3 TF Steel Bias CE	82	\$ 316.00	
BR8701	F-TR 6-12B FR SV LUG-M	33	\$ 139.00	\$ 15,447.00
ABR8755B	R-TIRE 9.5-16 R1 AG Steel Bias CA	76	\$ 308.00	
ABR8763	F-TIRE 23x8.5-12 R4 IN Steel Bias AA	45	\$ 180.00	\$ 15,573.00
ABR8764	R-TIRE 12-16.5 R4 IN Steel Bias AA	103	\$ 330.00	

** Standard tires.

* Subject to availability.

KUBOTA

B3200HSDWO/B3200HSD Standard B Series

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # V1505E3D24
Tier 4 Interim Engine
4 Cyl. 91.5 cu. In.
+ 32 Gross Eng. HP
+ 23.0 PTO HP
@ 2700 Eng. Rpm
12V – 433CCA
Charging Output 14.5 Amps
Dual Air Cleaner Element

HYDRAULICS

Open Center
Tandem Pumps Gear Type
3.2 gpm Power Steering
6.7 gpm Remote/3 Pt. Hitch
9.9 gpm Total Hyd. Flow
Cat I 3-point Hitch
At lift Point 1655 lbs.
24" Behind 1300 lbs.

FRONT AXLE

Integral Power Steering
Cast Iron
Bevel Gear, 4WD
Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
Forward Speeds
Hi Range 0 – 12.4 mph
Med. Range 0 – 5.8 mph
Lo Range 0 – 3.3 mph
Reverse Speeds
Hi Range 0 – 9.9 mph
Med. Range 0 – 4.5 mph
Lo Range 0 – 2.6 mph
Rear Differential Lock

FLUID CAPACITY

Fuel Tank 8.1 gal.
Cooling System 4.7 qts.
Crankcase 5.7 qts.
Transmission and Hydraulics 3.8 gal.
Front Axle Differential 4.7 qts.

DIMENSIONS

Overall Height w/ROPS 89.4"
Overall Length w/3pt 109.8"
Wheel Base 65.6"
Crop Clearance 14.6"

POWER TAKE OFF

Live Continuous Running
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
540 rpm @ 2600 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2578 Eng. rpm
Operator Presence Control System

SAFETY EQUIPMENT

2-Post ROPS w / Retractable Seat Belt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Wet Disc Brakes
Parking Brakes

TIRES AND WHEELS

Front 7 - 12 R1
Rear 12.4 x 16 R1

+ Manufacturer estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B3200HSDWO	* 4WD TRACTOR With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires	1403	\$ 15,874.00
B3200HSD	* 4WD TRACTOR (Includes Loader Valve) With 2 Post Foldable ROPS Compatible with a Backhoe Folded height 69.3" with standard tires	1403	\$ 16,425.00

B3200HSDWO		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 15,874.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 15,952.00
ABR8744	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 15,954.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	

** Standard tires.

* Subject to availability.

B3200HSDWO/B3200HSD

B3200HSD		Price with Tire Option		
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 16,425.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 16,503.00
ABR8744	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 16,505.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	

** Standard tires.

B2650HSDC

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1305E4D26Q
Tier 4 Final Engine
3 Cyl. 77.0 cu. In.
+ 26 Gross Eng. HP
+ 19.5 PTO HP
@ 2500 Eng. Rpm
12V – 430CCA
Charging Output 60 Amps
Dual Air Cleaner Element

HYDRAULICS

Open Center
Gear Pump
Hyd. Pump Cap.
3.7 gpm Power Steering
5.0 gpm Remote/3 Pt. Hitch
8.7 gpm Total Hyd. Flow
Cat I 3-point Hitch
At lift Point 2139 lbs.
24" Behind 1676 lbs.
Position Control

DRIVETRAIN

Hydrostatic Power Steering
Cast Iron Front Axle – Bevel Gear
Rear Spur Gear, 4WD
Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
3 Range Hi-Med-Low
Forward Speeds
Hi Range 0 – 11.8 mph
Med. Range 0 – 5.3 mph
Lo Range 0 – 3.6 mph
Reverse Speeds
Hi Range 0 – 8.9 mph
Med. Range 0 – 3.9 mph
Lo Range 0 – 2.7 mph
Rear Differential Lock
Brake Pedals – Left Side

FLUID CAPACITY

Fuel Tank 7.4 gal.
Cooling System 4.5 qts.
Crankcase 4.2 qts.
Transmission and Hydraulics 4.0 gal.
Front Axle 5.0 qts.

DIMENSIONS

Overall Height w/ROPS 84.6"
Overall Length w/3pt. 114.2"
Wheel Base 65.6"
Crop Clearance 14.6"

TIRES AND WHEELS

Front 7 - 12 R1
Rear 12.4 x 16 R1

POWER TAKE OFF

Live Independent Hydraulic PTO
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
563 rpm @ 2500 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2500 Eng. rpm

SAFETY EQUIPMENT

Factory Certified ROPS Cab
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Wet Disc Brakes
Parking Brakes
Turn Signals / Hazard Lights

CAB FEATURES

Tilt Steering Wheel
Deluxe Cruise Control
AC / Heater
Adjustable Seat Suspension
Seat with Arm Rests
3 Pt. Lower extendible links
Ratchet right link
Enclosed operator controls
Rear Defogger with 60A Alternator
Front / Rear Wiper w/washer
12V Outlet and Cup Holder
Rear View Mirror
Integrated Loader Valve & Joystick

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B2650HSDC	4WD CAB TRACTOR With Factory Certified ROPS Cab (84.6" High)	2271	\$ 24,195.00
------------------	--	------	--------------

B2650HSDC		Price with Tire Option		
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 24,195.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 24,273.00
ABR8744	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 24,275.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	

** Standard tires.

B2650HSD

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1305
Tier 4 Final Engine
3 Cyl. 77.0 cu. In.
+ 26 Gross Eng. HP
+ 19.5 PTO HP
@ 2500 Eng. Rpm
12V – 430CCA
Charging Output 14.5 Amps
Dual Air Cleaner Element

HYDRAULICS

Open Center
Gear Pump
Hyd. Pump Cap.
3.7 gpm Power Steering
5.0 gpm Remote/3 Pt. Hitch
8.7 gpm Total Hyd. Flow
Cat I 3-point Hitch
At Lift Points 2139 lbs.
24" Behind 1676 lbs.
Position Control

DRIVETRAIN

Hydrostatic Power Steering
Cast Iron Front Axle – Bevel Gear
Rear Spur Gear, 4WD
Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
3 Range Hi-Med-Low
Forward Speeds
Hi Range
Med. Range
Lo Range
Reverse Speeds
Hi Range
Med. Range
Lo Range
Rear Differential Lock
Brakes Pedals, Left Side

FLUID CAPACITY

Fuel Tank 7.1 gal.
Cooling System 4.5 qts.
Crankcase 4.2 qts.
Transmission and
Hydraulics 4.0 gal.
Front Axle 5.0 qts.

DIMENSIONS

Overall Height w/ROPS 88.4"
Overall Length w/3pt. 118.4"
Wheel Base 65.6"
Crop Clearance 14.6"

TIRES AND WHEELS

Front 7 - 12 R1
Rear 12.4 x 16 R1

POWER TAKE OFF

Live Independent Hydraulic PTO
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
563 rpm @ 2500 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2500 Eng. rpm

SAFETY EQUIPMENT

Factory Certified Foldable ROPS
With Retractable Seatbelt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Wet Disc Brakes
Parking Brakes
Turn Signals / Hazard Lights

FEATURES

Tilt Steering Wheel
Cruise Control
Seat w/ Adjustable Parallel Link
Suspension
Seat with Arm Rests
Telescoping Stabilizers
12V Outlet and Cup Holder
Integrated Loader Valve & Joystick
Toolbox
Left Side Step

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B2650HSD	4WD COMPACT TRACTOR	1395	\$ 16,572.00
	With Factory Certified ROPS (88.4" High)		

B2650HSD		Price with Tire Option		
TIRES AND WHEELS (priced per piece)				SUGG. LIST
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 16,572.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 16,650.00
ABR8744	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 16,652.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	

** Standard tires.

B3350HSDC

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # V1505TE4D26Q
Tier Final Engine with DPF
4 Cyl. 91.5 cu. In.
+ 33.0 Gross Eng. HP
+ 27.0 PTO HP
@ 2500 Eng. Rpm
12V – 430CCA
Charging Output 75 Amps
Dual Air Cleaner Element

HYDRAULICS

Open Center
Gear Type
Hyd. Pump Cap.
3.7 gpm Power Steering
5.0 gpm Remote/3 Pt. Hitch
8.7 gpm Total Hyd. Flow
Cat I 3-point Hitch
At lift Point 2139 lbs.
24" Behind 1676 lbs.
Position Control

DRIVETRAIN

Hydrostatic Power Steering
Cast Iron Front Axle – Bevel Gear
Rear Bevel Gear, 4WD
Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
3 Range Hi-Med-Low
Forward Speeds
Hi Range 0 – 13.6 mph
Med. Range 0 – 5.8 mph
Lo Range 0 – 3.6 mph
Reverse Speeds
Hi Range 0 – 10.3 mph
Med. Range 0 – 4.3 mph
Lo Range 0 – 2.7 mph
Rear Differential Lock
Brake Pedals, Left Side

FLUID CAPACITY

Fuel Tank 7.4 gal.
Cooling System 4.3 qts.
Crankcase 4.8 qts.
Transmission and Hydraulics 4.0 gal.
Front Axle 5.0 qts.

DIMENSIONS

Overall Height w/ROPS 84.6"
Overall Length w/3pt. 114.2"
Wheel Base 65.6"
Crop Clearance 14.6"

TIRES AND WHEELS

Front 7 - 12 R1
Rear 12.4 x 16 R1

POWER TAKE OFF

Live Independent Hydraulic PTO
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
563 rpm @ 2500 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2600 Eng. rpm

SAFETY EQUIPMENT

Factory Certified ROPS Cab
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Wet Disc Brakes
Parking Brakes
Turn Signals / Hazard Lights

CAB FEATURES

Tilt Steering Wheel
Deluxe Cruise Control
AC / Heater
Adjustable Seat Suspension
Seat with Arm Rests
3 Pt. Lower extendible links
Ratchet right link
Enclosed operator controls
Rear Defogger with 60A Alternator
Front / Rear Wiper w/washer
12V Outlet and Cup Holder
Rear View Mirror
Integrated Loader Valve & Joystick

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B3350HSDC	4WD CAB TRACTOR	2271	\$ 28,865.00
	with Factory Certified ROPS Cab (84.6" High)		

B3350HSDC		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 28,865.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 28,943.00
ABR8744 ①	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 28,945.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	

** Standard tires.

- ① When using these tires for RCK60-27B, Stopper Extensions must be installed. Stopper extensions are included with RCK60-27B Mid-Mount Mower from Serial #22715 and above. Prior model mid-mount mowers Serial 22714 and lower, require Part #70000-00158 Stopper Extension Kit for compatibility.

B3350HSD

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # V1505
Tier 4 Final Engine w/ ECU
Diesel Particulate Filter w/ Default to Auto
Regeneration
4 Cyl. 91.5 cu. In.
+ 33 Gross Eng. HP
+ 27 PTO HP
@ 2500 Eng. Rpm
12V – 430CCA
Charging Output 60 Amps
Dual Air Cleaner Element

HYDRAULICS

Open Center
Gear Pump
Hyd. Pump Cap.
3.7 gpm Power Steering
5.0 gpm Remote/3 Pt. Hitch
8.7 gpm Total Hyd. Flow
Cat I 3-point Hitch
At Lift Points 2139 lbs.
24" Behind 1676 lbs.
Position Control

DRIVETRAIN

Hydrostatic Power Steering
Cast Iron Front Axle – Bevel Gear
Rear Spur Gear, 4WD
Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
3 Range Hi-Med-Low
Forward Speeds
Hi Range
Med. Range
Lo Range
Reverse Speeds
Hi Range
Med. Range
Lo Range
Rear Differential Lock
Brake Pedals, Left Side

FLUID CAPACITY

Fuel Tank 7.1 gal.
Cooling System 4.5 qts.
Crankcase 4.2 qts.
Transmission and
Hydraulics 4.0 gal.
Front Axle 5.0 qts.

DIMENSIONS

Overall Height w/ROPS 88.4"
Overall Length w/3pt. 118.4"
Wheel Base 65.6"
Crop Clearance 14.6"

TIRES AND WHEELS

Front 7 - 12 R1
Rear 12.4 x 16 R1

POWER TAKE OFF

Live Independent Hydraulic PTO
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
563 rpm @ 2500 Eng. rpm
Mid PTO – 1 Speed
2500 rpm @ 2500 Eng. rpm

SAFETY EQUIPMENT

Factory Certified Foldable ROPS
With Retractable Seatbelt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Wet Disc Brakes
Parking Brakes
Turn Signals / Hazard Lights

FEATURES

Tilt Steering Wheel
Cruise Control
Seat w/ Adjustable Parallel Link
Suspension
Seat with Arm Rests
Telescoping Stabilizers
12V Outlet and Cup Holder
Integrated Loader Valve & Joystick
Toolbox
Left Side Step
Default to Auto Regen; w/ Parked and
Inhibit Buttons for DPF

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B3350HSD	4WD COMPACT TRACTOR	1400	\$ 21,242.00
	with Factory Certified ROPS (88.4" High)		

B3350HSD		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 21,242.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 21,320.00
ABR8744	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 21,322.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	
ABR8767	① F-TIRE 25 X 8.50-14 R4 IND TIRE ASSY	45	\$ 191.00	\$ 21,780.00
ABR8768	② R-TIRE 15 X 19.5 R4 IND TIRE ASSEMBY	174	\$ 643.00	

① These tires require the use of steering stop kit B4573

② Not compatible with mid mount mower.

B3350SUHSD

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # V1505- T
Tier 4 Final Engine w/ ECU
Diesel Particulate Filter w/ Default to Auto
Regeneration
4 Cyl. 91.5 cu. In.
+ 33 Gross Eng. HP
+ 27 PTO HP
@ 2500 Eng. Rpm
12V – 430CCA
Charging Output 60 Amps
Dual Air Cleaner Element

HYDRAULICS

Open Center
Gear Pump
Hyd. Pump Cap.
3.7 gpm Power Steering
5.0 gpm Remote/3 Pt. Hitch
8.7 gpm Total Hyd. Flow
Cat I 3-point Hitch
At Lift Points 2139 lbs.
24" Behind 1676 lbs.
Quarter Inching Valve

DRIVETRAIN

Hydrostatic Power Steering
Cast Iron Front Axle – Bevel Gear
Rear Spur Gear, 4WD
Tread Spacing, Nonadjustable

TRANSMISSION

Hydrostatic Drive
3 Range Hi-Med-Low
Forward Speeds
Hi Range
Med. Range
Lo Range
Reverse Speeds
Hi Range
Med. Range
Lo Range
Rear Differential Lock
Brake Pedals, Left Side

FLUID CAPACITY

Fuel Tank 7.1 gal.
Cooling System 4.5 qts.
Crankcase 4.2 qts.
Transmission and 4.0 gal.
Hydraulics
Front Axle 5.0 qts.

DIMENSIONS

Overall Height w/ROPS 88.4"
Overall Length w/3pt. 118.4"
Wheel Base 65.6"
Crop Clearance 14.6"

TIRES AND WHEELS

Front 7 - 12 R1
Rear 12.4 x 16 R1

POWER TAKE OFF

Live Independent Hydraulic PTO
Rear PTO – 1 Speed
SAE Std 1 3/8" Six Spline
563 rpm @ 2500 Eng. rpm

SAFETY EQUIPMENT

Factory Certified Foldable ROPS
With Retractable Seatbelt
Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
Wet Disc Brakes
Parking Brakes
Turn Signals / Hazard Lights

FEATURES

Turnbuckle Stabilizers
Coil Spring Seat Suspension
12V Outlet and Cup Holder
Integrated Loader Valve & Joystick
Toolbox
Left Side Step
Default to Auto Regen; w/ Parked and
Inhibit Buttons for DPF

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

*** STANDARD MACHINE ***

B3350SUHSD	4WD COMPACT TRACTOR with Factory Certified ROPS 88.4 High)	1400	\$ 18,961.00
-------------------	--	------	--------------

B3350SUHSD		Price with Tire Option		
TIRES AND WHEELS (priced per piece)				SUGG. LIST
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGG. LIST PRICE	SUGG. LIST
BR8707A**	F-TIRE 7-12 R1 B-Stone Farm Service Lug	44	\$ 170.00	\$ 18,961.00
ABR9382**	R-TIRE 12.4-16 R1 AG Steel Bias DA	93	\$ 395.00	
ABR8742	F-TIRE 24x8.5-14 R3 TF Steel Bias AA	43	\$ 181.00	\$ 19,039.00
ABR8744	R-TIRE 13.6-16 R3 TF Steel Bias AA	133	\$ 423.00	
ABR8726	F-TIRE 23x8.5-14 R4 IN Steel Bias AA	47	\$ 179.00	\$ 19,041.00
BR8749	R-TIRE 12.4-16 R4 IN Steel Bias CA	108	\$ 426.00	
ABR8767	① F-TIRE 25 X 8.50-14 R4 IND TIRE ASSY	45	\$ 191.00	\$ 19,499.00
ABR8768	② R-TIRE 15 X 19.5 R4 IND TIRE ASSEMBY	174	\$ 643.00	

① These tires require the use of steering stop kit B4573

② Not compatible with mid mount mower.

Attachment Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

MODEL	B2320DT B2320HSD B2320DTWO	B2620HSD	B2920HSD	B2320DTN(-1)	B2320HSDN
Rigid ROPS	N/A	N/A	N/A	SFB-232N	SFB-232N
Foldable ROPS ^①	SFB-F292	SFB-F292	SFB-F292	N/A	N/A
Mid PTO Kit ^②	STD	STD	STD	N/A	STD
Sunshade ^③	E1133 / E1123	E1133 / E1123	E1133 / E1123	E1133 / E1123	E1133 / E1123
Front Suitcase Weight	BL8060-1	BL8060-1	BL8060-1	BL8060-1	BL8060-1
Front Weight Bracket	BX8064A	BX8064A	BX8064A	BX8064A	BX8064A
Power Steering	STD	STD	STD	STD	STD
Drawbar	STD	STD	STD	STD	STD
High Capacity Alternator	B7311	B7311	B7311	B7311	B7311
Block Heater	70000-73274	70000-73274	70000-73274	70000-73274	70000-73274
Speed Set Control	STD (HSD)	STD	STD	N/A	STD
Double Element Air Cleaner	STD	STD	STD	STD	STD
Spark Arrestor Kit	70000-01605	70000-01605	70000-01605	70000-01605	70000-01605
Work Light (Rear)	B7335	B7335	B7335	B7335	B7335
Front Grill Guard (Non-Loader Use)	B1642	B1642	B1642	B1642	B1642
Fender Extension Kit	N/A	N/A	N/A	N/A	N/A
Wheel Spacer Kit	B8786	B8786	B8786	N/A	N/A

	B3200HSDWO B3200HSD	B3300SUHSDP	B2630HSD B3030HSD	B3000HSDC	B3000HSDCC
Rigid ROPS	N/A	N/A	SFB-30	N/A	N/A
Foldable ROPS ^①	SFB-F32	SFB-F32	SFB-F30	N/A	N/A
Mid PTO Kit ^②	STD	N/A	STD	STD	STD
Sunshade ^③	E1133 / E1123	E1133 / E1123	E1133 / E1123	N/A	N/A
Front Suitcase Weight	BL8060-1	BL8060-1	BL8060-1	BL8060-1	BL8060-1
Front Weight Bracket	BX8064A	BX8064A	BX8064A	BX8064A	BX8064A
Power Steering	STD	STD	STD	STD	STD
Drawbar	STD	B9302	STD	STD	STD
High Capacity Alternator	B7324	B7324	B7324	STD (40 Amp)	STD (60 Amp)
Block Heater	70000-73274	70000-73274	70000-73274	70000-73274	70000-73274
Speed Set Control	STD	B9331	STD	STD	STD
Double Element Air Cleaner	STD	STD	STD	STD	STD
Spark Arrestor Kit	70000-01605	70000-01605	70000-01605	70000-01605	70000-01605
Work Light (Front)	N/A	N/A	N/A	B7359	STD
Work Light (Rear)	B7335	B7335	B7331	B7327	B7327
Front Grill Guard (Non-Loader Use)	B1642	B1642	B2335	B2335	B2335
Fender Extension Kit	N/A	N/A	B7365 ^④	B7365 ^④	B7365 ^④
Optional Arm Rest	N/A	N/A	STD	B7358	STD
Wheel Spacer Kit	B8785	B8785	B8785	B8785	B8785

- ① Required for Backhoe application. Optional SFB-F29 is 10.45 inches taller than rigid ROPS, optional SFB-F30 is the same height as rigid ROPS.
- ② B7800HSD-R Mid-PTO optional, dealer installed cassette style.
- ③ E1123 requires E1124 Mounting Kit.
- ④ Not compatible with GCK60-24B Grass Catcher

See Prior Model Section at the end of this section for Prior Model Matching Chart

Attachment Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

MODEL	B2650HSDC	B2650HSD	B3350HSDC	B3350HSD	B3350SUHSD
Replacement ROPS / CAB	B7076	SFB-F50	B7075	SFB-F50	SFB-F50
Canopy	N/A	E1133	N/A	E1133	E1133
Deluxe Canopy ①	N/A	E1123	N/A	E1123	E1123
Deluxe Canopy Mounting Kit	N/A	E1124	N/A	E1124	E1124
Mid PTO Kit	STD	STD	STD	STD	N/A
Front Suitcase Weight	BL8060-1	BL8060-1	BL8060-1	BL8060-1	BL8060-1
Front Weight Bracket	BX8064-A	BX8064-A	BX8064-A	BX8064-A	BX8064-A
Power Steering	STD	STD	STD	STD	STD
Drawbar	STD	STD	STD	STD	STD
High Capacity Alternator	STD	N/A	STD	N/A	N/A
Block Heater	70000-73274	70000-73274	70000-73274	70000-73274	70000-73274
Speed Set Control	STD	STD	STD	STD	B1015
Arm Rest Kit	STD	STD	STD	STD	B7358
Extra Length Seat Belt	70002-06605	70002-06605	70002-06605	70002-06605	70002-06605
Double Element Air Cleaner	STD	STD	STD	STD	STD
Spark Arrestor Kit	70000-01605	70000-01605	Not applicable with DPF	Not applicable with DPF	Not applicable with DPF
Work Light (Rear)	B7337	B7335	B7337	B7335	B7335
Front Grill Guard (Non-Loader Use)	B2336A	B2336A	B2336A	B2336A	B2336A
Fender Extension Kit	N/A	N/A	N/A	N/A	N/A
Wheel Spacer Kit	B8785	B8785	B8785	B8785	B8785
Rear Defogger	STD	N/A	STD	N/A	N/A
3 rd Function Valve	B7302	B7308	B7302	B7308	B7308

① E1123 Deluxe Canopy requires E1124 Mounting Kit

See Prior Model Section at the end of this section for Prior Model Matching Chart

Attachment Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

TRACTOR		REAR REMOTE VALVE KIT			
		First Position Complete Base Kit	OTHER REQUIRED ITEMS	Stacking Kit for Additional Valves	Additional Valves
B2320DTWO	without loader valve	B7333	No Additional parts needed	BL7343 or BL7353	BL7373 and/or BL7393
B2320DT B2320HSD B2620HSD B2920HSD B2320DTN(-1)⓪ B2320HSDN⓪	with loader valve	B7309B	No Additional parts needed		
B3200HSDWO	without loader valve	B7333	(1) 75536-68112 Hydraulic Block (Parts) (2) 75336-68132 O-Rings. (Parts)		
B3200HSD B3300SUHSDP	with loader valve	B7309B	No Additional parts needed		

TRACTOR		REAR REMOTE VALVE KIT			
		First Position Base Kit without valve	OTHER REQUIRED ITEMS	Stacking Kit for Additional Valve	Valve Section
B2630 B3030HSD/C/CC B3000HSDC/HSDCC		B7306	No Additional parts needed	B7307	B7304 and/or B7305
B2650HSDC B3350HSDC		B7316	No Additional parts needed	B7317	B7304 and/or B7305
B2650HSD B3350HSD B3350SUHSD		TBA	TBA	TBA	TBA

⓪ B7309B is not compatible with the narrow tractor.

See Prior Model Section at the end of this section for Prior Model Matching Chart

Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LISTED ALPHABETICALLY			
ARM REST KIT			
70000-73930	Arm Rest		(Order from the Parts Department)
B7358	Arm Rest Kit (B3300) (B3350SUHSD)	10	\$78.00
BACKHOE ROPS			
SFB-F24	① Foldable (Replacement) ROPS (Use for Backhoe application.) For B7300, B7400, B7500, B7510, B7610, B2410, B1700, B2100, B2400	115	\$580.00
SFB-F29	① Foldable (Replacement) ROPS (Use for Backhoe application.) For B2710, B2910, B7800	115	\$580.00
SFB-F30	*① Foldable (Replacement) ROPS (Use for Backhoe application.) For B2630HSD-R and B3030HSD-R	115	\$580.00
BLOCK HEATER (Available only from Parts)			
Applicable Models			
70000-73274	B1700 - B2100 - B2400 - B2410 - B7610 - B2710 - B2910 - B7500 - B7510 - B7800 - B2630 - B3030 - B2320 - B2920 - B2920 - B3200-B2650HSDC-B3350HSDC B2650HSD - B3350HSD - B3350SUHSD		(Order from the Parts Department)
70000-74128	B7300HSD - B7400HSD - B7410DT		(Order from the Parts Department)
CAB MODEL OPTIONS - B3030 / B3000			
B7327	Rear Work Light Kit	3	\$131.00
B7326	Rear Wiper Kit (Std. on B3030/B3000HSDCC)	5	\$143.00
B7328	Rear Defogger w/60A Alternator (Std. on B3030/B3000HSDCC)	35	\$557.00
B7358	Arm Rest (B3000HSDC)	10	\$78.00
B7359	Front Work Light (B3000HSDC)	10	\$98.00
B7325	Radio Mounting Kit	3	\$302.00
E9299A	② AM/FM Radio with MP3 Port and 7-Channel Weather Band. Requires B7325 Mounting Kit	5	\$310.00
E9276B	② AM/FM Radio CD/MP3 Player with 7-Channel Weather Band. Requires B7325 Mounting Kit	4	\$440.00
CAB OPTIONS - B2650HSDC / B3350HSDC			
B7337	Rear Work Light Kit	3	\$131.00
E9276B	② AM/FM Radio CD/MP3 Player with 7-Channel Weather Band.	5	\$440.00
E9299A	② AM/FM Radio with MP3 Port and 7- Channel Weather Band.	5	\$310.00
Jensen Radios	Three radio options		Order from Parts Departement

* Subject to availability.

① Backhoe ROPS are eligible for \$225.00 credit, see DSB-2002-016 ROPS Promotion Policy, submit Backhoe Discount Request Form. Credit is only available when std. ROPS has to be replaced with Backhoe ROPS, credit is available with Kubota Backhoe only. Required for Backhoe applications to replace standard ROPS: SFB-24A on B7400, B7500, or B2410; or SFB-29 on B2710, B2910, B7800 tractors.

② Radios have a two year warranty

Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CRUISE CONTROL KIT			
B1015	Cruise Control Kit for B3350SUHSD	2	\$45.00
EXTRA LENGTH SEAT BELT			
70000-00041	B2320 (ALL), B2620, B2920, B3200, B3300		(Order from the Parts Department)
70002-06605	B2630, B3030/B3000HSD/C, B2650HSDC/B3350HSDC		(Order from the Parts Department)
FENDER EXTENSION KIT			
B7301	For B1700, B2100, B7300, B7400, B7500, B7410, B7510 and B7610, B7500DTN and B7510DTN Tractors only.	30	\$209.00
B7365	① For B2630, B3030, and B3000	30	\$107.00
FRONT BUMPER WEIGHTS (You must order Weight and One Bolt Kit per Weight)			
BL8060-1	Front Suitcase Weight. 3 Weights per standard Tractor bracket. Requires one bolt kit per weight.	55	\$71.00
BX8064A	Optional Weight Bracket that attaches to the tractor for up to 2 additional weights for all B Series tractors	25	\$103.00
BL8060B	Bolt Kit (B200, B1550, B1750, B2150)	1	\$2.00
BL8062	Bolt Kit Required for B1700, B2100, B7410, B7510, B7610, B2400, B2410, B2710, B2910 B7300, B7400, B7500, B7800, B2630, B3030 B2320, B2620, B2920, B3200, B3300SU, B3000, B2650HSDC, B3350HSDC, B2650HSD, B3350HSD B3350SUHSD	1	\$6.00
FRONT GRILLE GUARD KIT			
B1775	For B7300, B7400, B7410, B7500, B7510, B7610, B1700, B2100, B2400, B2410, B2710, B2910, B7800 (Non-Loader Applications)	30	\$168.00
B2335	For B2630, B3030, B3000. Includes mounting hardware. (Non-Loader Applications)	20	\$211.00
B1642	For B2320, B2620, B2920, B3200 and B3300SU. Includes mounting hardware. (Non-Loader Applications)	17	\$172.00
B2336	* For B2650HSDC & B3350HSDC Includes mounting hardware. (Non-Loader Applications)	20	\$211.00
B2336A	For B2650HSDC, B3350HSDC, B265HSD, B3350HSD B3350SUHSD Includes mounting hardware. (Non-Loader Applications)	20	\$211.00
HIGH CAPACITY ALTERNATOR KIT			
B7311	B1700, B2100, B2400, B2410, B7500, B7510, B7610, B2320, B2620, and B2920	10	\$192.00
B7324	40 Amp High Capacity Alternator Kit (B2710, B2910, B7800, B2630HSD, B3200HSD, B300SUHSDP, B3030HSD) (Std. on B3030/B3000HSDC)	10	\$199.00

① Not compatible with GCK60-24B Grass Catcher.

* Subject to availability.

Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
JOYSTICK CONTROL VALVE			
B2056-1	① Joystick Control Valve for non-loader applications (B7300, B7400, B7500, B7410, B7510, B7610 and B2410)	30	\$699.00
B2099-1	② Joystick Control Valve for non-loader applications (B2710, B2910 and B7800)	58	\$699.00
MID-PTO KIT			
B7361	Mid-PTO Kit for B7800HSD-R	35	\$180.00
OPTIONAL STEP (for B-30 Series and B3200)			
Part Number			
6A700-51350	③ Step (Must order bolts 01125-50816)		(Order from the Parts Department)
01125-50816	Bolts (4 required)		(Order from the Parts Department)
REAR REMOTE HYDRAULICS (B2320, B2620, B2920, B3200, B3300)			
B7333	① 1st Position Complete Valve and Hose Kit 3-Position 4-Way type (B2320DTWO, B3200HSDWO, B2320DTN(-1) and B2320HSDN)	29	\$721.00
B7309B	1st Position Complete Valve and Hose Kit 3-Position, 4-Way type, Double Acting (B2320DT, B2320HSD, B2620HSD, B2920HSD, B3200HSD, and B3000SUHSDP)	30	\$721.00
<i>To install additional valves you need ONE stacking kit (hardware) from below and one or two additional valve kit sections depending on how many additional vales you want to install</i>			
Stacking Kits (Hardware)			
BL7343	2nd Position Stacking Kit to install 2nd valve Hardware and O-rings to install ONE additional valve section. Requires 1st position valve B7333, or B7309B and (requires any one BL7373, or BL7393 valve section.)	2	\$50.00
BL7353	3rd Position Stacking Kit to install 2nd and 3rd valve Hardware and O-rings to install TWO additional valve sections. Requires 1st position valve B7333 or B7309B and (requires any two B7373 and/or BL7393 valve section.)	2	\$50.00
Additional Valve Sections (dealer installed, select valve section(s) and appropriate stacking kit to complete.			
BL7373	3-Position, DV-Detent Valve (Not Self-canceling) Closed Detent Valve Section for B7333 and B7309(B) Hydraulic Kit.	5	\$273.00
BL7393	FD- Float Detent Section For BL7303and B7309B Hydraulic Kit	6	\$319.00

- ① Tractors without a Kubota Loader installed require the following parts: (1) hydraulic block 75536-68112 and (2) O-Rings 75536-68132.
- ② Requires additional part to complete the installation order (1) 6C040-95100 Rear Hydraulic outlet block
- ③ Not compatible with mid mount mower or cab models

Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
REAR REMOTE HYDRAULICS (B2630 / B3030 / B3000)			
Must order Base Kit and one Valve Section to complete installation.			
B7306	First Position Base Kit and 1st Lever Requires B7304 Double Acting Valve	16	\$482.00
B7307	Second Position Stacking Kit for 2nd Valve Includes Hardware and 2nd Lever Requires: B7306 Base Kit and 1st Lever, and either B7304 or B7305 Valve Section	10	\$240.00
B7304	Double Acting Valve Section	15	\$240.00
B7305	Float Detent Valve Section (Can only be used in 2nd position)	10	\$302.00
REAR REMOTE HYDRAULICS (B2650HSDC/B3350HSDC)			
Must order Base Kit and one Valve Section to complete installation.			
B7316	Base Kit and 1st Lever Requires B7304 Double Acting Valve	16	\$499.00
B7317	Second Position Stacking Kit and 2nd Lever Includes Hardware and 2nd Lever Requires: B7316 Base Kit and 1st Lever, and either B7304 or B7305 Valve Section	7	\$273.00
B7304	Double Acting Valve Section	15	\$240.00
B7305	Float Detent Valve Section (for 2nd position only)	10	\$302.00
REAR REMOTE HYDRAULICS (B2650HSD/B3350HSD/B3350SUHSD)			
Must order Base Kit and one Valve Section to complete installation.			
TBA	Base Kit and 1st Lever Requires TBA Double Acting Valve		TBA
TBA	Second Position Stacking Kit and 2nd Lever Includes Hardware and 2nd Lever Requires: TBA Base Kit and 1st Lever, and either TBA or TBA Valve Section		TBA
TBA	Double Acting Valve Section		TBA
TBA	Float Detent Valve Section (for 2nd position only)		TBA
REAR WHEEL WEIGHTS (For Narrow Tractors Only)			
B8048	Rear Weights for B7500DTN, B7510DTN, B2320DTN(-1) and B2320HSDN with narrow tires only. Use only with BR8754(A). Set includes (2) weights and hardware.	140	\$249.00
REAR WORK LIGHT KIT			
B7331	For B1700, B2100, B2400, B2410, B7610, B2710, B7800, B2910, B2630, B3030, B3000, B7510DTN Tractors only. One per tractor.	10	\$82.00
B7335	For B2320, B2620, B2920, B3200, B3300SU B2650HSD, B3350HSD, & B3350SUHSD One per tractor.	4	\$89.00

Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGGESTED LIST PRICE
REPLACEMENT ROPS			
SFB-232N	Replacement Rigid ROPS for B2320DTN(-1) and B2320HSDN	115	\$380.00
SFB-F32	Replacement ROPS for B3200 and B3300SU	115	\$580.00
SFB-F292	Replacement Foldable ROPS for B2320DT/HSD, B2620HSD, B2920HSD		\$580.00
SFB-F50	Replacement Foldable ROPS for B2650HSD, B3350HSD & B3350SUHSD	115	\$580.00
REPLACEMENT CAB			
B7040	Replacement cab for B3030HSDC/HSDCC <i>Field installation required. attachment system, lights, electrical harness, glass, roof, front frames, rear frames, and seat belt are included. Some components from old cab need to be installed in new cab.</i>	1000	\$6,350.00
B7056	Replacement cab for B3000HSDC/HSDCC <i>Field installation required. attachment system, lights, electrical harness, glass, roof, front frames, rear frames, and seat belt are included. Some components from old cab need to be installed in new cab.</i>	627	\$6,950.00
B7076	Replacement cab for B2650HSDC <i>Field installation required. attachment system, lights, electrical harness, glass, roof, front frames, rear frames, and seat belt are included. Some components from old cab need to be installed in new cab.</i>	627	\$7,835.00
B7075	Replacement cab for B3350HSDC <i>Field installation required. attachment system, lights, electrical harness, glass, roof, front frames, rear frames, and seat belt are included. Some components from old cab need to be installed in new cab.</i>	627	\$7,883.00
SPARK ARRESTING MUFFLER			
B7341	B1700, B2100, B2400, B2410, B2710, B2910, B7800	10	\$66.00
70000-01605	Spark Arrestor Kit (B2320/2620/2920, B2630/3030, B3200, B3300, B3000, B2650HSDC)		(Order from the Parts Department)
SUNSHADE FOR ROPS			
E1133	Canopy for all models	63	\$437.00
E1123	Deluxe Fiberglass Canopy Requires E1124 Mounting Kit	90	\$322.00
E1124	Mounting Kit	30	\$180.00
SUPPORT FRAME KIT			
B4671A	②③ Support Frame Kit	20	\$190.00

② Required for B4672A Backhoe and/or B5550A Trencher (not required on B2710, B2910, and B7800).

③ Use B4671A instead of B4671 frame kit if tractor is equipped with RCK54-24B or RCK60-24B Mid Mount Mowers. B4671A is also compatible with RC54-24B and RC60-24B Mid Mount Mowers.

Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGGESTED LIST PRICE
STEERING STOP KIT			
B7386	Steering Stop Kit for use when the B2791A Quick Hitch and ABR8767 R4 on tires are installed. This kit is to prevent interference between tire and Quick Hitch. on B3300SUHSDP only	1	\$21.00
B4573	Steering Stop Kit for use when the ABR8767 R4 on tires are installed. on B3350HSD & B3350SUHSD	1	\$20.00
Storage Covers (Order from Parts Dept.)			
70000-73732	Storage Cover Fits all B-Series Tractors Made of Dura-Lite fabric.	(Order from the Parts Department)	
3 POINT HITCH OPTIONS			
B2677	Telescoping Lower Link Ends Kit B2650HSD, B3350HSD, & B3350SUHSD	64	\$208.00
B2667	Ratchet Type Lift Rod B2650HSD, B3350HSD, & B3350SUHSD	58	\$113.00
WHEEL SPACER KIT			
B8785	① Wheel Spacer Kit provides additional 1.5" clearance between tire and fender for tire chains. Not compatible with B-20 Series tractors.	35	\$299.00
B8786	① Wheel Spacer Kit for B-20 Series tractors provides 1 3/8" clearance between tire and fender for tire chains	38	\$299.00

① Not compatible with mid-mount mower decks.

Loader Matching Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

Tractor Models	Front Loader	Hydraulic Valve	Grille Guard	Bucket Struck / Heaped Capacity	Other Attachments
B2320DTWO B2320DT B2320HSD	LA304FL	Std on tractors except B2320DTWO (B1980)	Std w/ Loader (B1642)	Std on Loader (B1623: 48" bucket) 4.2 cu. ft. / 4.9 cu. ft.	N/A
B2620HSD B2920HSD	LA364FL	Std on tractors (B1980)	Std w/ Loader (B1642)	Std on Loader (B1624: 50" width) 5.5 cu. ft. / 6.5 cu. ft.	N/A
B2320DTN(-1) B2320HSDN	N/A	N/A	N/A	N/A	N/A
B3200HSDWO B3200HSD B3300SUHSDP	LA504	Std on tractors except B3200HSDWO (B1651)	Std w/ Loader (B1642)	B1625: 54" bucket (Pin-on / Kubota Q.C.) B1626: 60" bucket (Pin-on / Kubota Q.C.)	B1658: Kubota Quick Coupler B1659: Kubota Q.C. Pallet Fork Frame K9048: 36" Pallet Forks
B2630HSD B3030HSD B3030HSDCC B3030HSDCC B3000HSDC B3000HSDCC	LA403	B2315: ROPS Model B2325(A) Cab Model	Std w/ Loader (B2335)	B2345: 54" bucket (Pin-on / Kubota Q.C.) 6.7 cu. ft. / 8.8 cu. ft. B2355: 60" bucket (Pin-on / Kubota Q.C.) 8.1 cu.ft / 10.2 cu. ft.	B2365: Kubota Quick Coupler B2375: Kubota Q.C. Pallet Fork Frame K9048: 36" Pallet Forks
B2650HSDC B3350HSDC	LA534 / LA534A	Standard on Tractor	Std w/ Loader (B2336 or B2336A)	B2324: 54" Quick Coupler Bucket B2356: 60" Light Material Quick Coupler Bucket" B1625: 54" Bucket (Pin-on) B1626: 60" Bucket (Pin-on)	B2366: Mechanical 2-Lever Q.C. B2376: Q.C. Pallet Fork Frame K9048 36" Pallet Forks *⓪B2759 72" Q.C. Straight Blade w Hyd/ Angulation *⓪B2749 60" Q.C. Straight Blade w Hyd/ Angulation B2672 60" Q.C. Straight Blade w/ Manual Angle B2673 72" Q.C. Straight Blade w/ Manual Angle B2671 Hydraulic Angle Kit B7302 3 rd Function Control Valve B2346 Hydraulic Spill Guard (LA534A)
B2650HSD B33550HSD B3350SUHSD	LA534A	Standard on Tractor	Std w/ Loader (B2336A)	B2324: 54" Quick Attach Bucket B2356: 60" Light Material Quick Attach Bucket" B1625: 54" Bucket (Pin-on) B1626: 60" Bucket (Pin-on)	B2366: Mechanical 2-Lever Q.C. B2376: Q.C. Pallet Fork Frame K9048 36" Pallet Forks *⓪B2759 72" Q.C. Straight Blade w Hyd/ Angulation *⓪B2749 60" Q.C. Straight Blade w Hyd/ Angulation B2672 60" Q.C. Straight Blade w/ Manual Angle B2673 72" Q.C. Straight Blade w/ Manual Angle B2671 Hydraulic Angle Kit B7302 3 rd Function Control Valve B2346 Hydraulic Spill Guard

IMPORTANT: Three point hitch ballast is required for stability with loader installed. See operator's manual for ballast recommendations.

⓪ Requires 3rd Function Control Valve.

* Subject to availability.

Front Loaders

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CURRENT B-SERIES LOADERS (All compatible with mid-mount mowers)			
LA304FL	FRONT LOADER Includes Mounting Kit, Grill Guard and 48" bucket.	732	\$2,825.00
LA364FL	FRONT LOADER Includes Mounting Kit, Grill Guard and 50" bucket.	710	\$3,238.00
LA504	FRONT LOADER Includes Mounting Kit and Grille Guard. Requires Valve and Bucket.	845	\$3,094.00
LA403	FRONT LOADER Includes Mounting Kit and Grille Guard. Requires Valve and Bucket.	845	\$2,780.00
LA534	* FRONT LOADER Includes Mounting Kit and Bucket Level Indicator. Loader Valve Standard on Tractor Requires Bucket.	603	\$3,208.00
LA534A	FRONT LOADER Includes Mounting Kit and Bucket Level Indicator. Loader Valve Standard on Tractor Requires Bucket.	603	\$3,208.00
PRIOR B-SERIES LOADERS (All compatible with mid-mount mowers)			
LA272FL-1	* FRONT LOADER Includes Mounting Kit, 4-Position Valve and 48" Bucket.	690	\$2,996.00
LA302FL-1	* FRONT LOADER Includes Mounting Kit, Grille Guard, 4-Position Valve and 48" Bucket.	732	\$3,268.00
LA352FL-1	⓪* FRONT LOADER Includes Mounting Kit, Grille Guard, 4-Position Valve, and 50" Bucket.	1000	\$3,566.00
LA402-1	* FRONT LOADER Includes Mounting Kit, Grille Guard and 4-Position Valve. Requires Bucket.	845	\$3,460.00
BALLAST BOX			
B8160	BALLAST BOX for BX and B Series tractors Note: If Ballast Box is not ordered with loader, proper ballast must be supplied. See operator's manual for ballast recommendations.	101	\$245.00

⓪ For compatibility with quick hitch front mount implements, use B2079 four position valve.

IMPORTANT: Three point hitch ballast is required with Loader installed for stability. See operator's manual for ballast recommendations.

* Subject to availability.

Front Loaders

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LOADER ATTACHMENTS			
LA304FL / LA364FL LOADER VALVES			
B1980	Loader Control Valve for B2320DTWO only. (Standard on the other B2320/2620/2920 models)	57	\$669.00
LA504 LOADER VALVES			
B1651	Loader Hydraulic Valve Kit For B3200HSDWO only. Standard on B3200HSD and B3300SUHSDP.	57	\$620.00
LA504 LOADER OPTIONAL EQUIPMENT			
B1658	Kubota Quick Coupler - For B1625, B1626, B1659	19	\$285.00
B1625	54" Bucket (Pin-on / Kubota Q.C.)	125	\$462.00
B1626	60" Light Material Bucket (Pin-on / Kubota Q.C.)	150	\$571.00
B1659	Kubota Q.C. Pallet Fork Frame	165	\$649.00
K9048	36" Pallet Forks	176	\$407.00
LA403 LOADER VALVES			
B2315	Four Position, for use on ROPS model	38	\$687.00
B2325A	Four Position, for use on Cab model	38	\$917.00
LA403 LOADER OPTIONAL ATTACHMENTS			
B2365	Kubota Quick Coupler	47	\$279.00
B2345	54" Bucket (Pin-on / Kubota Q.C.)	125	\$452.00
B2355	60" Bucket (Pin-on / Kubota Q.C.)	125	\$559.00
B2375	Kubota Q.C. Pallet Fork Frame	165	\$636.00
K9048	36" Pallet Forks	176	\$407.00
LA534 / LA534A LOADER OPTIONAL ATTACHMENTS			
B2366	Mechanical 2-Lever Type Quick Coupler	80	\$432.00
B2324	Quick Coupler Bucket 54"	160	\$452.00
B2356	Quick Coupler Light Material Bucket 60"	125	\$559.00
B1625	② Pin-On / Q.C. 54" Bucket	125	\$462.00
B1626	② Pin-On / Q.C. Light Material Bucket 60"	150	\$571.00
B2376	Quick Coupler Pallet Fork Frame	165	\$636.00
K9048	36" Pallet Forks	176	\$407.00
B2749*	① 60" Q.C. Straight Blade with Hyd/ Angulation	411	\$2,108.00
B2759*	① 72" Q.C. Straight Blade with Hyd/ Angulation	535	\$2,262.00
B7302	③ 3rd Function Valve Kit (CAB Models)	38	\$799.00
B7308	④ 3rd Function Valve Kit (ROPS Models)	38	\$799.00
B2346	Hydraulic Spill Guard (LA534A only)	20	\$549.00
B2672	60" Q.C. Straight Blade with Manual Angulation	411	\$1,625.00
B2673	72" Q.C. Straight Blade with Manual Angulation	535	\$1,779.00
B2671	① Hydraulic Angulation Kit (B2672 or B2673)	20	\$483.00

① Requires 3rd Function Valve

② Buckets will only work as Pin-on only with LA534A Loader. Not compatible with B2366 2-Lever Quick Coupler.

③ B2650HSDC and B3350HSDC Models only

④ B2650HSD, B3350HSD & B3350SUHSD Models only

* Subject to availability.

IMPORTANT: Three point hitch ballast is required with loader installed for stability. See operator's manual for ballast recommendations.

Front Loaders

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

PRIOR MODEL LOADER ATTACHMENTS

LA272 AND LA352 LOADER VALVES (Only for old loaders. Not for use with LA272FL-1 or LA352FL-1)

B2006*	①	Three Position, Bucket Spool	32	\$597.00
B2007*	②	Optional Four Position, Bucket Spool Required for FZB2019 Front Blade / Loader combination.	30	\$641.00

LA302 LOADER VALVES (Only for old loaders. Not for use with LA302FL-1)

B2008*	①	Three Position, Bucket Spool	30	\$597.00
B2009*	②	Optional Four Position, Bucket Spool Required for FZB2019 Front Blade / Loader combination.	30	\$641.00

LA402 LOADER VALVES

B2069*	①	Three Position, Bucket Spool Only for old loaders. Not for use with LA402-1	20	\$597.00
B2079*	②	Optional Four Position, Bucket Spool Required for Front Blade or Snowblower / Loader combination.	20	\$641.00

LA401 AND LA402 LOADER OPTIONAL ATTACHMENTS

BL1767*		Kubota Quick Coupler for LA401 and LA402	65	\$279.00
L2077A*	③	Kubota Q.C. Pallet Fork Frame	165	\$613.00
K9048		36" Pallet Forks	176	\$407.00

- ① Three position bucket spool provides immediate regenerative bucket dumping.
 - ② Four position bucket spool, the regenerative circuit is detented, push control lever past detent for fast regenerative dumping.
 - ③ L2077A is compatible with BL1767 Quick Coupler. The previous L2077 is not compatible with BL1767 Quick Coupler.
- * Subject to availability.

Front Loaders

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRILLE GUARDS FOR NON-LOADER APPLICATIONS				
B1642		GRILLE GUARD for B2320, B2620, B2920, B3200, B3300SU	17	\$172.00
B2335	*	GRILLE GUARD for B2630, B3030, B3000	20	\$211.00
B1775	①	GRILLE GUARD for B1700, B2100, B2400, B7300, B2710, B7400, B7410, B7500, B7510, B7800, B7610, B2410, B2910	30	\$168.00
B1763	*	GRILLE GUARD B7300HSD, B7400HSD, B7500DT/HSD	20	\$114.00
B2336	*	GRILLE GUARD For B2650HSDC, B3350HSDC	20	\$211.00
B2336A		GRILLE GUARD For B2650HSD, B2650HSDC, B3350HSD, B3350HSDC, B3350SUHSD	20	\$211.00

① The B1775 Kit provides compatibility with Mid Mount Mowers, Front Blade, Snowblower and Front Weights.

REPLACEMENT FRONT LOADER BUCKETS

B1623	*	48" Bucket (LA304)	125	\$379.00
B1624	*	50" Bucket (LA364)	125	\$421.00
B1625		54" Bucket (LA504) (LA534)	125	\$462.00
B1626		60" Light Material (LA504) (LA534)	150	\$571.00
B2345		54" Bucket (LA403)	125	\$452.00
B2355		60" Bucket (LA403)	125	\$559.00
B2324		54" Quick Attach Bucket (LA534)	160	\$452.00
B2325		60" Quick Attach Light Material (LA534)		\$899.00
B1614	*	48" Standard (LA271- LA301-LA272-LA302)	120	\$371.00
B1615	*	50" Standard (LA351-LA352)	137	\$412.00
B1616	*	54" Bucket (LA401-LA402)	125	\$452.00
B1617	*	60" Bucket (LA401-LA402)	150	\$559.00
B1607	*	48" Standard (LA300)	160	\$476.00
B1608A	*	50" Standard (LA350A)	176	\$411.00

* Subject to availability.

Backhoes

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

BH76/BH77 BACKHOE COMPATIBILITY CHART

Tractor Model	Acceptable ROPS Models for Backhoe Application	Backhoe Model BH65 ^② (6.5 FT)	Backhoe Model BH76 ^② (7.5 FT)	Backhoe Model BH77 ^② (7.7 FT)	Backhoe Model BH75(A) ^② (7.5 FT)	Backhoe Model B4672A ^{①②} (6.0 FT)	10" BT1950A	12" BT1951A	16" BT1952A	24" BT1953A
B2320 B2620 B2920	SFB-F292 (Std)	X					X	X	X	
B2630 B3030	SFB-F30		X	X ^⑤	X		X	X	X	X
B3200 B3300SU	SFB-F32 (Std)		X	X	③	X ^④	X	X	X	X
B3000	N/A			X ^⑥			X	X	X	X
B2650HSDC B3350HSDC B2650HSD B3350HSD B3350SUHSD	N/A			X			X	X	X	X

If your Tractor **is not** equipped with one of these corresponding ROPS, one must be ordered separately.

- ① Not compatible with Top-N-Tilt Kits.
- ② Not compatible with Grass Catcher.
- ③ If mounting a BH75A using BH4984 Subframe, longer mounting pin must be ordered from parts, #7K501-16570 (5 3/4" long).
- ④ Requires B4673 Backhoe Support Frame.
- ⑤ ROPS Models only.
- ⑥ BH77 Backhoes with serial number A0576 and prior are not compatible with the B3000 cab tractors.

CURRENT MODELS – TRACTORS & BACKHOES ^②

TRACTOR	BACKHOE	SUBFRAME / SEAT
B3200/B3300SU	BH77	BH4984 (Includes Reversible Seat Bracket)
B2650HSDC/B3350HSDC	BH77	BH4973 (Includes Fixed Seat)
B2650HSD/B3350HSD	BH77	BH4962 (Includes Reversible Seat Bracket)
B3350SUHSD	BH77	BH4963 (Includes Reversible Seat Bracket)
B2320/B2620/B2920 ^②	BH65	BH4965

PRIOR MODELS – TRACTORS & BACKHOES ^②

TRACTOR	BACKHOE	SEAT	SUBFRAME
B7800	BH76	BH7681	BH4974
B7800	BH77	BH7681	BH4974
B2630/B3030 (ROPS)	BH77	BH7681	BH4975A
B2630/B3030 (ROPS)	BH76	BH7681	BH4975A
B2630/B3030 (ROPS)	BH76	N/A	BH4975B (Inc. rev seat bracket)
B2630/B3030 (ROPS)	BH77	N/A	BH4975B (Includes fixed seat)
B3200/B3300SU	BH76	N/A	BH4984 Inc. rev seat bracket)
B3000 (CAB) ^①	BH77	N/A	BH4972 (Includes fixed seat)

- ① BH77 Backhoes with serial number A0576 and prior are not compatible with the B3000 Cab Tractor
- ② Not compatible with Grass Catcher

See Prior Model Section at the end of this section for Prior Model Matching Chart

Backhoes

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BH65	①② BACKHOE 4-pt mounted with Quick Attach, easy-on, easy-off, no tools design. Performance designed, requires integral sub-frame kit BH4965, works with tractor hydraulics	1400	\$5,715.00
BH76*	② BACKHOE 4-pt mounted with Quick Attach, easy-on, easy-off, no tools design. Requires integral sub frame kit. Backhoe seat is part of sub frame. See BH76 Backhoe Compatibility Chart for seat type. Not compatible with B3030 Cab model.	1400	\$6,844.00
BH77	③ BACKHOE 4-pt mounted with Quick Attach, easy-on, easy-off, no tools design. Requires integral sub frame kit.	2048	\$6,844.00
BX9468	Rubber Flip Pad Kit for BH65. Must order 2.	18	\$124.00
L9467	Rubber Flip Pad Kit for BH75(A), BH76 and BH77 Must order 2.	16	\$79.00

- ① BH4975 Sub frame Kit does not interfere with 3-Pt hitch operation. The 3-Pt hitch linkage must be removed for backhoe to be installed. The mid-mount mowers, RCK54-29B and RCK60-29B may remain on the tractor when installing the backhoe but the mower operated and it cannot be raised or lowered unless the backhoe is removed and the 3-Point hitch is reinstalled.
- ② Not compatible with Grass Catcher GCK60-76BA or GCK60-30B.
- ③ BH77 Backhoes with serial number A0576 and prior are not compatible with the B3000 Cab tractors

* Subject to availability.

Backhoes

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BH65 / BH75(A) SUBFRAME KITS			
	TRACTORS		
BH4965	B2320 / B2620 / B2920 with BH65	202	\$984.00
BH4975A	B2630 / B3030 (Foldable ROPS only) with BH75(A)	202	\$495.00
BH4974	B7800 with BH75(A)	202	\$486.00
BH76 SUBFRAME KITS (One Required)			
	TRACTORS		
BH4984	B3200/B3300SU (Reversible seat mechanism included in sub frame kit.)	202	\$1,010.00
BH4974	④ B7800	202	\$486.00
BH4975B*	B2630 / B3030 (Fixed Seat included in sub frame kit)	202	\$754.00
BH77 SUBFRAME KITS (One Required)			
	TRACTORS		
BH4984	B3200/B3300SU (Reversible seat) mechanism included in sub frame kit.)	202	\$1,010.00
BH4975B	B2630 / B3030 ROPS (Fixed seat included in sub frame kit)	202	\$754.00
BH4972	B3000 (Cab) (Includes regular fixed seat)	202	\$958.00
BH4973	B2650HSDC / B3350HSDC (Fixed seat included in sub frame kit)	202	\$939.00
BH4962	B2650HSD / B3350HSD (Reversible seat mechanism included in sub frame kit.)	202	\$939.00
BH4963	B3350SUHSD (Reversible seat mechanism included in sub frame kit.)	202	\$939.00
BH76 SEATS			
BH7681*	Seat Kit for BH76 Backhoe mounted with BH4974, BH4975A.	50	\$260.00
B4672A SUPPORT FRAME KIT (One Required)			
	TRACTORS		
B4671A*	①② B1700 / B2100 / B2400 / B7300	20	\$190.00
B4681*	② B7400 / B7500 / B2410 / B7410 / B7510 / B7610	20	\$194.00
B4673	B3200/B3300SU	20	\$73.00
BH65, BH75(A), BH76, BH77, B4672A, AND BL4690B BACKHOE BUCKETS AND THUMBS			
BT1950A	10" Bucket — 3 Teeth	69	\$415.00
BT1951A	12" Bucket — 3 Teeth	69	\$491.00
BT1952A	16" Bucket — 4 Teeth	84	\$648.00
BT1953A	③ 24" Bucket — 5 Teeth	118	\$847.00
BH1976	6 Position mechanical thumb for BH65/BH76/BH77	51	\$475.00

① B4671A is compatible with RCK54-24B, RCK54-75B, or RCK60-24B Mid-Mount Mower Decks.

② B4681 can be used for prior model B1700, B2100, B2400 and B7300, but hydrostatic model requires additional parts. You must order from Parts (1) 6C050-99650 HST Pedal Stay and (1) 70000-74002 M12 - 1.25 x 55 special bolt. The B4681 will supersede the B4671A when current inventory is depleted.

③ Not available for BH65.

④ Need to order BH7681 Seat Kit

* Subject to availability.

Mower Matching Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

<u>Tractor Model Number</u>	<u>Mowers</u>	<u>Comments</u>								
Please Match comments with appropriate number designation										
CURRENT MODELS										
B2320 B2620 B2920	RCK54-29B RCK60-29B	Drive over deck design GCK60-76BA Grass Catcher not compatible with BH65 subframe.								
B3200HSDWO B3200HSD ①	RCK60-27BA or RC72-27BA	Mower is compatible with BH4984 Backhoe subframe kit. However, Backhoe MUST be removed in order to install 3 pt hitch to raise/lower mower deck								
B3300SUD	N/A									
B2630HSD B3030HSD/C B3000HSDC/CC	RCK60-30BA ①③ RCK60-30B* ①③ RC72-30B ①②③	Quick mount mechanism allows mower deck to be mounted and dismounted easily without tools Mowers are compatible with the following tire combinations								
B2650HSDC B2650HSD B3350HSDC B3350HSD	RCK60-30BA ①③④ RC72-30B ①②③④	<table border="1"> <thead> <tr> <th>Front Tire</th> <th>Rear Tire</th> </tr> </thead> <tbody> <tr> <td>BR8707(A), 7 - 12 Ag</td> <td>ABR9382, 12.4 - 16 Ag</td> </tr> <tr> <td>ABR8742, 24 x 8.50 - 14 Turf</td> <td>ABR8743, 13.6 - 16 Turf</td> </tr> <tr> <td>ABR8726, 23 x 8.50 - 14 Ind</td> <td>BR8749, 12.4 - 16 Ind</td> </tr> </tbody> </table>	Front Tire	Rear Tire	BR8707(A), 7 - 12 Ag	ABR9382, 12.4 - 16 Ag	ABR8742, 24 x 8.50 - 14 Turf	ABR8743, 13.6 - 16 Turf	ABR8726, 23 x 8.50 - 14 Ind	BR8749, 12.4 - 16 Ind
		Front Tire	Rear Tire							
		BR8707(A), 7 - 12 Ag	ABR9382, 12.4 - 16 Ag							
		ABR8742, 24 x 8.50 - 14 Turf	ABR8743, 13.6 - 16 Turf							
		ABR8726, 23 x 8.50 - 14 Ind	BR8749, 12.4 - 16 Ind							
The RCK60-30BA mower is compatible with the 70000-02505 Mulching Kit, 70000-02507 Left Baffle Kit, and 70000-25041 Mulching Blades.										

* Subject to availability.

- ① Not compatible with B2714/B2714A/B2791A Quick Hitch. Mower must be disconnected when Quick Hitch is installed.
NOTE: Quick Hitch Brackets may remain on tractor, but Quick Hitch and Mower Deck cannot be installed at the same time.
- ② RC72-30B is not compatible with GCK60-30BA Grass Catcher
- ③ RC72-30B / RCK60-30BA / RCK60-30B is not compatible with B8785 Wheel Spacer Kit
- ④ Not compatible with ABR8768 R4 Tires.

See Prior Model Section at the end of this section for Prior Model Matching Chart

Mid-Mount Mowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
B SERIES MID-MOUNT MOWERS				
RCK54-29B	④	54" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Drive Over Deck Design, Quick Mount	433	\$2,103.00
RCK60-29B	④	60" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Drive Over Deck Design, Quick Mount	316	\$2,575.00
RCK60-27BA	③④	60" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Quick Mount Mechanism	446	\$2,854.00
RC72-27BA	①③④	72" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Quick Mount Mechanism	260	\$3,593.00
RCK60-30B	③④ *	60" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Parallel Linkage, Shaft Drive, Quick Mount Mechanism	445	\$2,854.00
RC72-30B	②③④ ⑤	72" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Parallel Linkage, Shaft Drive, Quick Mount Mechanism	528	\$3,593.00
RCK60-30BA	③④ ⑤	60" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Parallel Linkage, Shaft Drive, Quick Mount Mechanism	445	\$2,854.00

* Subject to availability.

① RC72-27BA is not compatible with the GCK60-30B.

② RC72-30B is not compatible with GCK60-30BA.

③ B2791A/B2714(A) Quick Hitch Mounting Brackets may remain on the tractor when mower deck is installed. Quick Hitch Subframe must be removed when installing Mower Deck. Mower Deck and Quick Hitch may not be installed at the same time.

④ Mower Deck is not compatible with B8785 Wheel Spacer Kit.

⑤ Not compatible with ABR8768 R4 Tires.

Mid-Mount Mowers

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PRIOR MODEL MOWERS			
RCK54-75B	*② 54" CUTTING WIDTH, ECONOMY DECK 3 - Blade Finishing Mower, RH Discharge, Suspended Type, Shaft Drive, Quick Mount Mechanism	383	\$2,062.00
RCK54-24B	*① 54" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Quick Mount Mechanism IMPORTANT: READ FOOTNOTE ①	433	\$2,472.00
RCK60-24B	*① 60" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Quick Mount Mechanism IMPORTANT: READ FOOTNOTE ①	441	\$2,608.00
RC54-24B	*A 54" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism	256	\$2,309.00
RC60-24B	*A 60" CUTTING WIDTH 3 - Blade Finishing Mower/RH Discharge/ Shaft Drive/Quick Mount Mechanism	265	\$2,317.00
RCK60-27B	* 60" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Quick Mount Mechanism	446	\$2,638.00
RC72-27B	* 72" CUTTING WIDTH 3 - Blade Finishing Mower, RH Discharge, Shaft Drive, Quick Mount Mechanism	539	\$3,322.00
RC48-62A	* 48" CUTTING WIDTH Requires Front PTO (FP72-A or B2559). RH discharge / 3-Blade finishing Mower / 3 Anti-Scalp Rollers. (Not compatible with 9.5 - 16 R1 Optional Rear Tires.)	342	\$1,670.00
RC60-82H	* 60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / Shaft Drive / 3 Anti-Scalp Rollers. (Not compatible with 9.5-16 R1 Optional Rear Tires.)	389	\$1,936.00
RC60-B	* 60" CUTTING WIDTH RH discharge / 3-Blade Finishing Mower / 3 Anti-Scalp Rollers / Shaft Drive. One Lever Quick Mount mechanism.	431	\$2,366.00

* Subject to availability.

① RCK54-24B and RCK60-24B after Serial Numbers 30001 are applicable on B7400, B7500 and B2410 tractors. For B2410 Tractor with ABR8707 and ABR8769 Tires, the Mid-Mount Mower Deck cannot be locked in the transport position with the extension steppers installed.

② B4672A Backhoe H.D. Top Link Bracket not compatible with RCK54-76B Mid-Mount Mower.

A Limited availability, use for replacement if customer has GC54-B, GC54-24B, GC60-B or GC60-24B Grass Catcher. If no Grass Catcher, please upgrade replacements to RCK54-24B or RCK60-24B Mower.

Mid-Mount Mowers

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CONVERSION KITS FOR MID-MOUNT MOWERS			
B3093*	Conversion Kit	22	\$393.00
B3094*	Conversion Kit	37	\$421.00

OVERRUNNING CLUTCH KIT (order part number below) (Non-current B1550 - B1750 Gear Models)

66414-99110	for RC54-B	Order from Parts Department
66416-99110	for RC60-B	Order from Parts Department
	S/N 20001~29999	
	S/N 10001~19999 with "U" mark behind the S/N requires Shaft 2 (66416-99171)	
	S/N 10001~19999 without "U" mark behind the S/N requires Shaft 3 (66416-99181)	

* Subject to availability.

Grass Catchers

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

**Grass Catcher Matching Chart
By Tractor Model
By Mower Model**

Current Tractor Models	Grass Catcher	Mower	Boot Kit
B2320 (except narrow) B2620 B2920	GCK60-76BA ①	RCK54-29B	B3045A
		RCK60-29B	B3047
B3200	GCK60-30BA ②	RCK60-27BA	B3046
B3300SU	N/A	N/A	N/A
B2630, s/n 52369 and below B3030, s/n 56209 and below	GCK60-24B ③ *	RCK60-30BA	Not required
B2630, s/n 52370 and above B3030, s/n 56210 and above B3000	GCK60-30BA ②	RCK60-30BA RCK60-30B*	B3046
B2650HSDC B2650HSD B3350HSDC B3350HSD	GCK60-30BA②	RCK60-30BA	B3046

- ① The grass catcher mounting subframe is not compatible with the BH65 Backhoe.
- ② The grass catcher mounting subframe is not compatible with the BH77, BH76 or BH75A Backhoe.
- ③ Requires conversion kit B3098 for B2630 and B3030 Tractors.

* Subject to availability.

See Prior Model Section at the end of this section for Prior Model Matching Chart

Grass Catchers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
B SERIES GRASS CATCHERS				
GCK60-76BA	①	GRASS CATCHER Three (3) Bags; 9.75 bushel capacity B2320, B2620, B2920 RCK54-29B requires Boot Kit B3045A RCK60-29B requires Boot Kit B3047	270	\$2,194.00
B3045A		BOOT KIT - for RCK54-29B	25	\$182.00
B3047		BOOT KIT - for RCK60-29B	31	\$182.00
GCK60-30BA		GRASS CATCHER Three (3) Bags; 9.75 bushel capacity B30 Series, B7800, B3200, and B3000 B2630 serial #52370 or higher B3030 serial #56210 or higher B2650HSDC, B3350HSDC, B2650HSD, B3350HSD Compatible with RCK60-30BA, RCK60-30B, and RCK60-27B Requires B3046 Boot Kit	TBA	\$2,194.00
B3046		BOOT KIT Required for GCK60-30BA with RCK60-27BA Required for GCK60-30BA with RCK60-30B Required for GCK60-30BA with RCK60-30BA Required for GCK60-76B with RCK60-24B	31	\$182.00
B3098		CONVERSION KIT Converts GCK60-24B to fit RCK60-30BA on B2630, B3030 tractor	20	\$145.00
B3097	*	CONVERSION KIT Converts GCK60-24B to fit RCK60-27B on B2710, B2910, B7800 tractor	20	\$98.00

* Subject to availability.

① Can be used on B/510/7610 with K6058-95200 Lower Link Kit.

Grass Catchers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
NON-CURRENT B SERIES GRASS CATCHERS				
GCK60-76B*	①	GRASS CATCHER Three (3) Bags; 9.75 bushel capacity B7510 and B7610 RCK54-24B Mower requires Boot Kit B3045 RCK60-24B Mower requires Boot Kit B3046 (Not compatible with BH65 Backhoe)	270	\$1,823.00
GC60-CV*		CONVERSION KIT Required when mounting RC60-21B Mid-Mount Mower Deck onto B2150 Tractor.	34	\$136.00
B3096*		CONVERSION KIT Converts GC54-24B to GC54B Converts GC60-24B to GC60B	20	\$160.00

① Can be used on B2320/2620/2920 with K6058-55221 Lower Link.

* Subject to availability.

Front & Rear Mounted Implement Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

Current B-Series Tractors	B2320DTWO B2320DT B2320HSD B2620HSD B2920HSD	B2320DTN(-1) B2320HSDN	B3200HSDWO B3200HSD	B3300SUHSDP	B3000HSDC(C)
Hydraulic Loader Valve	Std on tractor except B2320DTWO (B1980)	N/A	Std on tractor except B3200HSDWO (B1651)	Std on tractor	B2325A ③④
B2733A Quick Hitch	X	--	--	--	--
B2791A Quick Hitch ⑤	--	--	X	X	X
B2788 Driveline Kit	X	--	--	--	--
B2792 Driveline Kit	--	--	X	--	--
B2793 Driveline Kit	--	--	--	--	X
BX2735 PTO Half Shaft for BX Implement	X	--	--	--	--
B2736 PTO Half Shaft for B Implement	X	--	--	--	--
BX2537A 47" Rotary Broom	X	--	--	--	--
BX2761 Hyd. Angle Kit for 47" Broom	X	--	--	--	--
B2779 60" Rotary Broom	X	--	X	--	X
BX2763A 60" Front Blade	X	--	X	X	--
BX2765A 60" Front Blade	X	--	X	--	X
B2775 72" Front Blade	--	--	X	X	X
BX2750D* 50" Front Mount Snowblower	X	--	--	--	--
GB2513 Electric Chute Deflector Kit ①	X	--	--	--	--
GB2514B-1 Electric Chute Rot. Kit ①	X	--	--	--	--
BX2754A Hydraulic Chute Rotator Kit ①	X	--	--	--	--
BX5450 50" Front Mount Snowblower	X	--	--	--	--
BX5441 Hydraulic Chute Rotator Kit ①	X	--	--	--	--
BX5442 Electric Chute Deflector ①	X	--	--	--	--
BX5455HD 55" Front Mount Snowblower	X	--	--	--	--
BX5443 Electric Chute Deflector ①	X	--	--	--	--
B2781 51" Front Mount Snowblower	X	--	X	--	X
B2516A Electric Chute Deflector Kit ①	X	--	X	--	X
B2756 Hydraulic Chute Rotator Kit (Front Snowblower) ①	X	--	X	--	X
B2782B 63" Front Mount Snowblower	--	--	X	-	X
B2516A Electric Chute Deflector Kit ①	--	--	X	--	X
B2789 51" 3 Pt. Rear Snowblower	X	--	X	X	X
BL2664 64" 3 Pt. Rear Snowblower	--	--	X	X	X

① Please refer to wholegoods section for compability.

③ Cab only.

④ Non-loader use, requires B2794 Valve Mounting Kit.

⑤ Requires B7386 Steering Stop Kit if equipped with ABR8767 R4 tires.

* Subject to Availability

Front & Rear Mounted Implement Chart

NOTE: THIS CHART IS FOR QUICK REFERENCE ONLY. YOU MUST REFER TO THE APPROPRIATE SECTION
FOR ADDITIONAL DETAILS OF KITS THAT MAY BE REQUIRED.

Current B-Series Tractors	B2650HSDC	B2650HSD	B3350HSDC	B3350HSD	B3350SUHSD
Hydraulic Loader Valve	Std. on Tractor				
Quick Hitch	B2714 / B2714A	B2714A	B2714 / B2714A	B2714A	B2714A
Mid PTO Driveline Kit	B2793	B2747	B2793	B2747	N/A
47" Rotary Broom	N/A	N/A	N/A	N/A	N/A
Hyd. Angle Kit for 47" Broom	N/A	N/A	N/A	N/A	N/A
60" Rotary Broom	B2779	B2779	B2779	B2779	N/A
Hyd. Angle Kit for 60" Broom	Std. on Boom	Std. on Boom	Std. on Boom	Std. on Boom	N/A
60" Front Blade	B2765A	B2765A	B2765A	B2765A	B2765A
72" Front Blade	B2775	B2775	B2775	B2775	B2775
Electric Chute Deflector Kit	N/A	N/A	N/A	N/A	N/A
Electric Chute Rotator Kit	N/A	N/A	N/A	N/A	N/A
Hyd. Chute Rotator Kit	N/A	N/A	N/A	N/A	N/A
51" Front Mount Snowblower	B2781B	B2781B	B2781B	B2781B	N/A
Electric Chute Deflector Kit	B2516A	B2516A	B2516A	B2516A	N/A
Hydraulic Chute Rotator Kit	B2756	B2756	B2756	B2756	N/A
63" Front Mount Snowblower	B2782B	B2782B	B2782B	B2782B	N/A
Electric Chute Deflector Kit	B2516A	B2516A	B2516A	B2516A	N/A
Hydraulic Chute Rotator Kit (Front Snowblower)	B2756	B2756	B2756	B2756	N/A
51" 3Pt. Rear Snowblower	B2789	B2789	B2789	B2789	B2789
64" 3 Pt. Rear Snowblower	BL2664	BL2664	BL2664	BL2664	BL2664

See Prior Model Section at the end of this section for Prior Model Matching Chart

Front Quick Hitch Rotary Broom

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT ROTARY BROOM			
BX2537A	47" Rotary Sweeper Manual angle, parking Stands, 18" polypropylene wafer brush, manual angling. (B2320DT/HSD, B2620, B2920) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO BX2735) (B2320DTWO) requires above plus Loader Valve B1980 (B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader) - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO BX2735 & Mid-PTO Driveline B2734 (B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader) - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO BX2735 & Mid-PTO Driveline B2734	300	\$1,938.00
B2779	60" Rotary Sweeper Power angle is standard. 21.5" Wafer Brush (B2320DT/HSD, B2620, B2920) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO B2736 (B2320DTWO) requires above plus Loader Valve B1980 (B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader) - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO B2736 & Mid-PTO Driveline B2734 (B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader) - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO B2736 & Mid-PTO Driveline B2734 (B2630, B3030, B2710, B2910, B7800, B3200, B3000) - Requires Quick Hitch B2791A, Mid-PTO Driveline Kit B2792 (ROPS) or B2793 (CAB) & Choose Appropriate Loader Valve or Kit (B2650HSD, B2650HSDC, B3350HSD, B3350HSDC) - Requires Quick Hitch B2714A & Mid-PTO Driveline B2793 (CAB) or B2747(ROPS)	300	\$4,075.00
ROTARY BROOM OPTIONS			
BX2737	Side dethatching/caster wheel kit Recommended for snow removal or lawn dethatching for BX2537A	30	\$264.00
BL2178	Side Caster Wheels (Kit) for B3262A and B2779 Sweepers	47	\$439.00
BX2761	Hydraulic Angle Kit, includes cylinder, couplers, and hardware for BX2537A	17	\$464.00
L2168	Rubber Deflector for B2779	31	\$153.00

Front Quick Hitch Mounted Blades

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT BLADE			
BX2763A	60" Snow/Utility Blade Hydraulic Angle Does not include skid shoes (BX2762) (B2320DT/HSD, B2620, B2920) - Requires Quick Hitch B2733A (B2320DTWO) requires above plus Loader Valve B1980 (B7510DT/HSD, B7610, B2410 w/ Loader) - Requires Quick Hitch B2733A & Choose Appropriate Loader Valve or Kit (B7510DT/HSD, B7610, B2410 w/o Loader) - Requires Quick Hitch B2733A & Hyd. Valve Kit B2056-1	284	\$1,298.00
B2765A	60" Blade with trip spring lockout, Hydraulic Lift. Includes replaceable skid shoes and hydraulic angling with single cylinder, hoses and quick couplers. (B2320DT/HSD, B2620, B2920) - Requires Quick Hitch B2733A (B2320DTWO) requires above plus Loader Valve B1980 (B7510DT/HSD, B7610, B2410 w/ Loader) - Requires Quick Hitch B2733A & Choose Appropriate Loader Valve (B7510DT/HSD, B7610, B2410 w/o Loader) - Requires Quick Hitch B2733A & Hyd. Valve Kit B2056-1 (B2630, B3030, B2710, B2910, B7800, B3200, B3000, B3200) Requires Quick Hitch B2791A, Choose Appropriate Loader Valve or Kit (B2650HSD, B2650HSDC, B3350HSD, B3350HSDC) - Requires Quick Hitch B2714A	411	\$1,647.00
B2775	72" Snow/Utility Blade Hydraulic Angle Hydraulic Lift. Includes replaceable skid shoes and hydraulic angling with single cylinder, hoses and quick couplers. (B2630, B3030, B2710, B2910, B7800, B3200, B3000, B3200) Requires Quick Hitch B2791A, Choose Appropriate Loader Valve or Kit (B2650HSD, B2650HSDC, B3350HSD, B3350HSDC) - Requires Quick Hitch B2714A	535	\$1,656.00
FRONT BLADE OPTIONS			
BX2762	Skid Shoes for BX2763A	28	\$136.00
B2766	60" Rubber Cutting Edge	50	\$206.00
B2776	72" Rubber Cutting Edge	60	\$243.00

Front Quick Hitch Mounted Snowblowers

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH MOUNTED SNOWBLOWERS			
BX2750D*	50" Two stage snowblower Mid-PTO driven, Hyd. Lift, Manual chute and deflector. (<u>B2320DT/HSD, B2620, B2920</u>) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO BX2735 (<u>B2320DTWO</u>) - requires above plus Loader Valve B1980 (<u>B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader</u>) - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO BX2735 & Mid-PTO Driveline B2734 (<u>B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader</u>) - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO BX2735 & Mid-PTO Driveline B2734	313	\$1,977.00
BX5450	50" Two stage snowblower Mid-PTO driven, Hyd. Lift, Includes manual rotator and deflector. (<u>B2320DT/HSD, B2620, B2920</u>) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO BX2735 (<u>B2320DTWO</u>) - requires above plus Loader Valve B1980	313	\$1,999.00
BX5455HD	55" Two stage snowblower Mid-Pto driven, includes hydraulic chute rotator and manual deflector. (<u>B2320DT/HSD, B2620, B2920</u>) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO BX2735 (<u>B2320DTWO</u>) - requires above plus Loader Valve B1980	350	\$3,399.00
SNOWBLOWER OPTIONS			
GB2513	Electric Chute Deflector Kit for BX2750D.	3	\$512.00
GB2514B-1	Electric Chute Rotator Kit for BX2750D.	5	\$380.00
BX2754A	Hydraulic Chute Rotation Kit for BX2750D	17	\$804.00
BX5443	Electric Chute Deflector Kit for BX5450 or BX5455HD	17	\$499.00
BX5442	Electric Chute Rotation Kit for BX5450	17	\$379.00
BX5441	Hydraulic Chute Rotation Kit for BX5450	17	\$799.00
BX5444	Hard Plastic Skid Shoes for BX5450 or BX5455HD	28	\$135.00
BX5445	Hard Plastic Cutting Edge for BX5450	60	\$99.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	60	\$109.00
GR2714	Drift Cutters for BX5450	50	\$65.00
BX5447	Drift Cutters for BX5455HD	50	\$79.00

* Subject to availability.

Front Quick Hitch Mounted Snowblowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
B2781B	②	<p>51" SNOWBLOWER, TWO STAGE Includes chute reduction kit and manual chute rotation kit. <u>(B2320DT/HSD, B2620, B2920)</u> - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO B2736 <u>(B2320DTWO)</u> requires above plus Loader Valve B1980 <u>(B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader)</u> - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO B2736 & Mid-PTO Driveline B2734 <u>(B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader)</u> - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO B2736 & Mid-PTO Driveline B2734 <u>(B2630, B3030, B2710, B2910, B7800, B3200, B3000)</u> - Requires Quick Hitch B2791A, Mid-PTO Driveline Kit B2792 (ROPS) or B2793 (CAB) & Choose Appropriate Loader Valve or Kit <u>(B2650HSD, B2650HSDC, B3350HSD, B3350HSDC)</u> - Requires Quick Hitch B2714A & Mid-PTO Driveline B2793 (CAB) or B2747(ROPS)</p>	475	\$2,900.00
B2781A*	②	<p>51" SNOWBLOWER, TWO STAGE Includes chute reduction kit and manual chute rotation kit. <u>(B2320DT/HSD, B2620, B2920)</u> - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO B2736 <u>(B2320DTWO)</u> requires above plus Loader Valve B1980 <u>(B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader)</u> - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO B2736 & Mid-PTO Driveline B2734 <u>(B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader)</u> - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO B2736 & Mid-PTO Driveline B2734 <u>(B2630, B3030, B2710, B2910, B7800, B3200, B3000)</u> - Requires Quick Hitch B2791A, Mid-PTO Driveline Kit B2792 (ROPS) or B2793 (CAB) & Choose Appropriate Loader Valve or Kit</p>	475	\$2,900.00

CONTINUED ON NEXT PAGE

- ① The B2782A/B is only recommended for tractors with a category I 3-Point Hitch and a maximum rear PTO hp rating of 30 hp at 540 rpm.
- ② The B2756 Hydraulic Chute Rotation Kit is NOT compatible with the B2781, B2781A, B2782, B2782A, B2789, BL2664, L2674 Snowblower models because of the 4-bolt mounting flange configuration. The B2784A version
- * Subject to availability.

Front Quick Hitch Mounted Snowblowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH MOUNTED SNOWBLOWERS				
B2782B	①②	63" SNOWBLOWER, TWO STAGE Includes chute and reduction packages, chute rotation kit and lever brackets. Manual chute rotation is standard. (<u>B2320DT/HSD, B2620, B2920</u>) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO B2736 (<u>B2320DTWO</u>) requires above plus Loader Valve B1980 (<u>B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader</u>) - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO B2736 & Mid-PTO Driveline B2734 (<u>B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader</u>) - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO B2736 & Mid-PTO Driveline B2734 (<u>B2630, B3030, B2710, B2910, B7800, B3200, B3000</u>) - Requires Quick Hitch B2791A, Mid-PTO Driveline Kit B2792 (ROPS) or B2793 (CAB) & Choose Appropriate Loader Valve or Kit (<u>B2650HSD, B2650HSDC, B3350HSD, B3350HSDC</u>) - Requires Quick Hitch B2714A & Mid-PTO Driveline B2793 (CAB) or B2747(ROPS)	500	\$3,114.00
B2782A*	①②	63" SNOWBLOWER, TWO STAGE Includes chute and reduction packages, chute rotation kit and lever brackets. Manual chute rotation is standard. (<u>B2320DT/HSD, B2620, B2920</u>) - Requires Quick Hitch B2733A , Mid-PTO Driveline B2788, & Front Half PTO B2736 (<u>B2320DTWO</u>) requires above plus Loader Valve B1980 (<u>B7410DT, B7510DT/HSD, B7610, B2410 w/ Loader</u>) - Requires Quick Hitch B2733A, Choose Appropriate Loader Valve or Kit, Front Half PTO B2736 & Mid-PTO Driveline B2734 (<u>B7410DT, B7510DT/HSD, B7610, B2410 w/o Loader</u>) - Requires Quick Hitch B2733A, Hyd. Valve Kit B2056-1, Front Half PTO B2736 & Mid-PTO Driveline B2734 (<u>B2630, B3030, B2710, B2910, B7800, B3200, B3000</u>) - Requires Quick Hitch B2791A, Mid-PTO Driveline Kit B2792 (ROPS) or B2793 (CAB) & Choose Appropriate Loader Valve or Kit	500	\$3,114.00

CONTINUED ON NEXT PAGE

- ① The B2782A/B is only recommended for tractors with a category I 3-Point Hitch and a maximum rear PTO hp rating of 30 hp at 540 rpm.
- ② The B2756 Hydraulic Chute Rotation Kit is NOT compatible with the B2781, B2781A, B2782, B2782A, B2789, BL2664, L2674 Snowblower models because of the 4-bolt mounting flange configuration. The B2784A version is needed on those models.
- * Subject to availability.

Front Quick Hitch Mounted Snowblowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
SNOWBLOWER OPTIONS				
B2516A		Electric Chute Deflector For B2781, B2781A, B2781B, B2782, B2782A, B2782B includes actuator, switch and wiring.	8	\$597.00
B2756	① ③	Hydraulic Chute Rotation for B2781B, B2782B, Snowblower. Requires: If tractor is not equipped w Loader valve - requires Loader Valve or B2056-1 or B2099-1 for non-loader applications	10	\$787.00
B2784A	① ③	Hydraulic Chute Rotation for B2781A, B2782A, Snowblower. Requires: If tractor is not equipped w Loader valve - requires Loader Valve or B2056-1 or B2099-1 for non-loader applications	10	\$787.00
BL2666A	②	Hydraulic Chute Deflector For B2781, B2781A, B2781B, B2782, B2782A, B2782B	21	\$902.00
B2786		Side Extension Kit for B2781B, B2782B, B2781A, B2782A 5" additional cutting width	27	\$113.00

① Required on B3030HSDC and B3000HSDC(C).

② Must have Hydraulic Chute Rotation Kit installed.

③ The B2756 Hydraulic Chute Rotation Kit is NOT compatible with the B2781, B2781A, B2782, B2782A, B2789, BL2664, L2674 Snowblower models because of the 4-bolt mounting flange configuration. The B2784A version is needed on those models.

* Subject to availability.

Front Quick Hitch and Options

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCHES				
B2733A		Quick-Hitch sub frame for B7510, B7610, B7300, B7400, B7500, B2410, B2320, B2620, B2920, B7410. Required Hydraulic Control Valve Kit.	190	\$967.00
B2791A	②④	Quick Hitch and Sub frame for B2630, B2710, B2910, B3030, B3030C, B7800, B3200, B3300SU, B3000 (B2650/B3350HSDC Tractors w/ B2723 Kit installed)	224	\$1,076.00
B2714	①②	Quick Hitch and Sub frame B2650HSDC, B3350HSDC	224	\$1,044.00
B2714A	①②	Quick Hitch and Sub frame B2650HSDC, B3350HSDC, B2650HSD B3350HSD, B3350SUHSD	224	\$1,044.00
FRONT QUICK HITCH OPTIONS				
B2723		Retro Fit Kit to convert B2791A to work on B2650/ B3350 HSDC tractors.	12	\$196.00
B2726		Quick Hitch Frame Support Kit Necessary for when the B2650/B3350HSDC tractor does not have a loader subframe	4	\$228.00
PTO DRIVELINE KITS				
B2788		Mid-PTO Driveline Kit for B2320, B2620, B2920 Requires BX2735 or B2736 Front Half PTO.	19	\$425.00
B2792		Mid-PTO Driveline Kit for B2630, B2710, B2910 B3030, B7800, B3200	25	\$639.00
B2793		Mid-PTO Driveline Kit for B3030/B3000 Cab Model B2650HSDC, B3350HSDC	25	\$639.00
B2734		Mid-PTO Driveline Kit, includes mid drive shaft, Support shaft and bearings. Requires B2736 or BX2735 Front Half PTO. For B7300, B7400, B7500, B7410, B7510, B7610, B2410	19	\$425.00
B2747		Mid-PTO Driveline Kit for B2650HSD/B3350HSD	19	\$639.00
FRONT HALF PTOs				
BX2735		Front Half of Mid-PTO drive for all BX Series implements used on the B20 Series (excludes B2320DTN(-1) / HSDN)	7	\$178.00
B2736		Front half of Mid PTO Driveline Kit (B Implements only) for all B Series implements used on the B20 Series (excludes B2320DTN(-1) / HSDN)	7	\$200.00

① When installing a B2714/B2714A on tractor without loader subframe, B2726 is necessary.

② B2791A/B2714/B2714A is not compatible when mid mount mower is installed. Mower deck must be removed when Quick Hitch is installed. Hitch brackets can stay on the tractor when Mower is installed.

④ B3300SU requires B7386 when equipped with ABR8767 R4 Tires and front Quick Hitch

Front Quick Hitch and Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULIC CONTROL VALVE KIT			
B1980	Loader Control Valve for B2320DTWO only. (Standard on the other B2320/2620/2920 models)	57	\$669.00
B1651	Loader Control Valve for B3200HSDWO only (Standard on the B3200HSD)	57	\$620.00
B2325A	Hydraulic valve kit (4-position Valve) Includes Valve, Joystick and fender mounting hardware. Requires B2794 if tractor is without Loader. For B2630, B3030, B3000	38	\$917.00
B2794	Valve Mounting Kit (ROPS & Cab) Required if tractor is without Loader. For B2630, B3030, B3000. *Must order B2325 Valve Kit.	17	\$78.00
B2056-1	Hydraulic valve kit (4-position Valve) Includes stand for use with tractors without LA272, LA302, or LA352 loaders. For B7400 B7500, B2410	30	\$699.00
B2099-1	Joystick Control Valve for non-loader applications on B7800, B2710, B2910	58	\$699.00

Rear Mounted Snowblowers

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
3-POINT REAR MOUNTED SNOWBLOWERS				
B2789		51" 3-point hitch mounted, two stage, includes chute and gear box kit, requires BL2665 Manual Chute Rotation Kit or B2784A Hyd. Chute Rotation Kit.	390	\$2,497.00
BL2664	①	64" 3-Point Hitch Rear Mounted, two stage, High Capacity includes chute and gear box kit, requires BL2665 Manual Chute Rotation Kit or B2784A Hyd. Chute Rotation Kit.	681	\$2,677.00
3-POINT REAR MOUNTED SNOWBLOWER OPTIONS				
BL2583		Cat. I Three Point Hitch Adapter and Chute Kit For B2782 Snowblower Head	97	\$659.00
BL2665		Manual Chute Rotation Kit	11	\$161.00
B2784A	①②	Hydraulic Chute Rotation Kit for B2789 and BL2664	10	\$787.00
BL2666A	③	Hydraulic Chute Deflector Kit (with electric selector valve) for B2789 and BL2664	21	\$902.00
B2516A		Electric Chute Deflector for B2789 and BL2664	8	\$597.00
L2177		Side Extension Kit (5" width extension) for BL2664, B2789	27	\$108.00

① Required on B3030HSDC and B3000HSDC(C).

② B2784A requires at least one Rear Remote.

③ Requires B2784A Hydraulic Chute Rotation Kit.

Tillers

TRACTOR / ROTARY TILLER MATCHING CHART

CURRENT Model Tractors	
B7410 B7510DTN B7500 B7510	FL850 (34") FL1021C or FL1021RC (40")
B2630 B3030 B2410 B2710 B2910 B7610 B7800 B2320HSDN ① B2320DTN(-1) ① B2320DT B2320DTWO B2320HSD B3200HSDWO B3200HSD B3300SU B3000 B2620 B2920	FL1021C or FL1021RC (40") FL1271C or FL1271RC (50")

① The FL1271C/FL1271RC 50" Tiller is not compatible with the B2320DTN(1) or B2320HSDN.

Tillers

**NOTE: 3 POINT HITCH MOUNTED IMPLEMENTS REQUIRE FRONT COUNTER WEIGHT
IN THE FORM OF FRONT MOUNTED IMPLEMENTS OR FRONT BUMPER WEIGHTS.**

ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** ROTARY TILLERS ***				
FL850	*	34" CUTTING WIDTH Center or Offset Mounted/Friction Slip Clutch/Skid Shoe Depth Control/14.7" diameter Rotor w/Blades.	297	\$2,139.00
FL1021C	*	40" CUTTING WIDTH Offset or Center Mounted/Skid Shoe Depth Control 17.3" dia. Rotor.	466	\$2,719.00
FL1021RC	*	40" CUTTING WIDTH Reverse Cutting Rotation/Offset or Center Mounting Skid Shoe Depth Control/17.3" diameter Rotor.	500	\$2,861.00
FL1271C	*	50" CUTTING WIDTH Offset or Center Mounted/Skid Shoe Depth Control 17.3" diameter Rotor.	493	\$3,005.00
FL1271RC	*	50" CUTTING WIDTH Reverse Cutting Rotation/Offset or Center Mounting Skid Shoe Depth Control/17.3" diameter Rotor.	493	\$3,025.00

* Subject to availability.