
Loader Landscaper Series -- B26 / L39 / L45 / M59

WHOLEGOODS PRICE LIST EFFECTIVE APRIL 1, 2014

2015 MISSISSIPPI GROUNDS MAINTENANCE EQUIPMENT PROPOSAL

Kubota "TLB Series" (B26TL/TLB, L39TL/TLB, L45TL/TLB & M59TL/TLB)
Implements & Attachments = 10.0% discount from indicated SLP\$
(Loaders and/or Backhoe units included in base TL/TLB unit Proposal price)

PAGE NUMBER	MODEL	PTO HP		SUGGESTED LIST PRICE
5 - 5	B26TL	19.5		\$ 27,354.00
5 - 5	B26TLB	19.5		\$ 35,715.00
5 - 11	L39-1TL	28.9		\$ 31,496.00
5 - 11	L39-1TLB	28.9		\$ 42,466.00
5 - 17	L45TL	32.0		\$ 35,170.00
5 - 17	L45TLB	32.0		\$ 46,140.00
5 - 23	M59TL	50.0		\$ 43,167.00
5 - 23	M59TLB	50.0		\$ 57,566.00
5 - 29	Loader/Landscaper Utility Series Attachment / Implement Matching Chart			
5 - 30	Implements for Loader/Landscaper Utility Series Tractors			
5 - 32	Replacement Engines			
5 - 33	Prior Models			

ASSEMBLY CHARGE (Added to Invoice)

	TL	TLB
B26	\$ 445.00	\$ 530.00
L39-1	\$ 445.00	\$ 530.00
L45	\$ 445.00	\$ 530.00
M59	\$ 445.00	\$ 530.00

B26TL/TLB

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1105 Tier IV Certified
3 Cylinder
68.5 cu. in.
26.0 Gross HP *
19.5 PTO HP *
@ 2800 Engine RPM
Charging output 40 Amps
12 V – 36 Amp Hour Battery
Dual Element Air Cleaner

HYDRAULICS

Open Center — Gear Type
Total Pump Capacity 11.2 gpm
Includes Power Steering
Front / Rear Remotes 7.0 gpm

CAT I 3-Point Hitch

Lift Capacity
@ 24" behind 1,676 lbs.
Position Control - Standard
3-point linkage storage standard
3-point linkage optional
(Serial # 52354)

FRONT AXLE

Bevel-Gear, 4 WD
Hydrostatic Power Steering
Cast Iron – Heavy Duty
Tread spacing, Non-adjustable

* Manufacturer Estimate

DRIVE TRAIN

3 Range HST
Low-Medium-High
Maximum Travel Speed 11.1 mph
Rear Differential Lock
No Clutch
Wet Disk Brakes
4 Wheel Drive

DIMENSIONS

Transport Length 16' 6"
Width 54.0"
Height to ROPS top 89.5"
Wheelbase 62.2"
Ground Clearance 13.8"

FLUID CAPACITY

Fuel Tank 8.2 gals.
Crankcase 3.2 qts.
Eng. Coolant 4.7 qts.
Fr. Axle Gear Case 4.7 qts.

TIRES AND WHEELS

Front 23 x 8.50 - 14 R4 Std
Rear 12.4 - 16 R4 Std

LIGHTING

2 Headlights
2 Rear Work Lights
2 Taillights / Turn Signals

POWER TAKE OFF

Live Independent Rear PTO
540 rpm @ 2768 Eng. RPM
SAE – 1-3/8, 6 splines

INSTRUMENTS

Hour meter / Tachometer
Coolant Temp. Gauge
Fuel Gauge

REAR AXLE

Heavy Duty Axle w/ Differential Lock
Planetary Final Drives
Multiple Wet Disc Brakes

SAFETY EQUIPMENT

Four Post ROPS / FOPS
Deluxe Seat w/retractable Seat Belt
Spark Arrestor Muffler
Safety Start Switches
Electric Key Shut-Off
Hazard Lamps
SMV Sign

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
B26TL	Tractor / Loader	2976	\$ 27,354.00
B26TLB	Tractor / Loader & Backhoe	4001	\$ 35,715.00
B26TLB-V	Tractor / Loader & Backhoe Includes factory installed backhoe auxiliary hydraulics kit (BTB405)	4012	\$ 36,587.00

B26TL/TLB

Base Tractor Includes:			
TL (Tractor Loader) ①			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
① Rear counter weight is required when using the B26 as a Tractor/Loader			
TLB (Tractor Loader Backhoe)			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
BT820	Backhoe without Bucket	931	
TLB-V (Tractor Loader Backhoe)			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
BT820V	Backhoe without Bucket	931	
	Includes factory installed backhoe auxiliary hydraulics kit. (BTB405)	24	

NOTE: You must order a loader bucket for all TL and TLB Packages.
For all TLB Packages, you must order appropriate backhoe buckets.

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE		DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	B26TL SUGG. LIST	B26TLB SUGG. LIST	B26TLB-V SUGG. LIST
ABR8726	**	Front 23 x 8.50-14 R4 IND	35	\$179.00	\$27,354.00	\$ 35,715.00	\$ 36,587.00
BR8749	**	Rear 12.4 -- 16 R4 IND	147	\$426.00			
ABR8726		Front 23 x 8.50-14 R4 IND	35	\$179.00	\$27,292.00	\$ 35,653.00	\$ 36,587.00
ABR9382		Rear 12.4 -- 16 R1 AG	95	\$395.00			
ABR8742		Front 24 x 8.50-14Turf Multi Trac	35	\$181.00	\$27,352.00	\$ 35,713.00	\$ 36,587.00
ABR8744		Rear 13.6 -- 16 Turf Multi Trac	120	\$423.00			
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires.

B26TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
Loader - Model – TL500 Loader (Standard Equipment with B26 Tractor)			
Rated Lift Capacity @ Bucket Center 1102 lbs. / Rated Breakout 3,967 lbs. / Quick Coupler Standard Maximum Lift Height 94.5" / Mechanical Spill Guard			
QUICK COUPLER LOADER BUCKETS Requires a loader bucket for either TL, TLB, or TLB-V Package)			
TL2142	60" HD ROUND BACK BUCKET Struck Cap. (7.8 cu. ft.), Heaped Cap. (9.5 cu. ft.)	277	\$853.00
TL2143	BOLT-ON CUTTING EDGE FOR 60" TL2142 and L2244 Buckets	45	\$216.00
TL2144	66" LIGHT MATERIAL BUCKET Struck Cap. (11.3 cu. ft.), Heaped Cap. (13.8 cu. ft.)	329	\$883.00
TL1756	BOLT-ON CUTTING EDGE FOR 66" light material bucket (TL2144)	65	\$210.00
L2238	PALLET FORK FRAME Requires K9048 36" pallet forks	165	\$677.00
K9048	36" PALLET FORKS 2 pieces, 1 set	180	\$407.00
L2237	BALE SPEAR	165	\$642.00
L2244	60" 4-IN-ONE BUCKET (8.9 cu. ft. struck) (11.07 cu. ft. heaped) TL2141 required.	450	\$2,025.00
REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS			
TL2141	REMOTE VALVE KIT Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	60	\$863.00

Backhoe – Models BT820 and BT820V

Heavy-duty, 4-Point Rigid Mount Quick-Attach Bucket Breakout Force 4,211 lbs. / Dipper stick Breakout Force 2,123 lbs. / Dig Depth 8' 2", (2 ft. SAE) Stabilizer spread-operating 83.3", 2 cylinder trunion-type swing			
BT820	Backhoe – 8' 2" (for TLB Package)	931	\$8,361.00
BT820V	Backhoe – 8' 2" (for TLB-V Package) Includes factory installed backhoe auxiliary hydraulic kit (BTB405)	931	\$9,233.00
L9467	Stabilizer Flip-Pad Set (2) Sets Required	34	\$79.00
For TLB or TLB-V package, you also must order appropriate backhoe buckets.			

B26TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

BUCKETS

Direct Pin-on Buckets

BT1961A	12 inch 1.1 cu. ft Trenching Bucket	38	\$502.00
BT1963A	18 inch 1.84 cu. ft Trenching Bucket	59	\$661.00
BT1964A	24 inch 2.61 cu. ft Trenching Bucket	75	\$864.00

Quick Attach Coupler Buckets

BT1970	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	65	\$357.00
BT1971	12 inch 1.1 cu. ft. Trenching Bucket	69	\$602.00
BT1973	18 inch 1.84 cu. ft. Trenching Bucket	151	\$794.00
BT1974	24 inch 2.61 cu. ft. Trenching Bucket	140	\$942.00
BT1977	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	100	\$226.00

REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BTB405	REMOTE VALVE KIT Standard equipment for BT820V Includes right foot operated valve, hoses, pipes, brackets.	44	\$880.00
--------	--	----	----------

HYDRAULIC THUMB

BT1975	Hydraulic Thumb BT820V or BTB405 Remote Valve Kit required. Compatible with pin-on or quick coupler buckets. Thumb mount bracket factory installed.	123	\$1,101.00
--------	--	-----	------------

HYDRAULIC BREAKER

KXB310Q	HYDRAULIC BREAKER, 200 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires BT1970 Quick Coupler, BTB405 Remote Valve Kit, K7778 hose kit, and K7762 mount bracket.	231	\$5,630.00
K7778	HYDRAULIC BREAKER HOSE KIT Required for KXB310Q installation	16	\$399.00
K7762	HYDRAULIC BREAKER BRACKET Required for KXB310Q installation	91	\$729.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$985.00

B26TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

HYDRAULICS KITS FOR REAR ATTACHMENTS

B8027	BASE KIT AND 1ST LEVER For 1st valve. Requires B8028.	16	\$482.00
B8028	DOUBLE ACTING VALVE SECTION For 1st or 2nd position. Requires B8027 or B8030	15	\$240.00
B8029	FLOAT DETENT VALVE SECTION For 2nd position only Requires B8030	5	\$302.00
B8030	SECOND POSITION STACKING KIT For 2nd valve. Requires B8027 and B8028 or B8029 valve section.	10	\$240.00
B8039	TOP-N-TILT KIT Includes Cylinders and Hoses Requires 2 B8028 valve sections	50	\$762.00

OPTIONAL EQUIPMENT

B3941	3-point Linkage Kit	94	\$405.00
L8045	FRONT OR REAR WORK LIGHT KIT (2 per Kit) ROPS frame mount. Maximum 4 lights (2 kits) in total.	10	\$157.00
L8043	HORN KIT	10	\$58.00
B8036	DRAWBAR KIT	50	\$60.00
B8011	BACK-UP ALARM KIT	1	\$82.00
B8012	TOOL BOX	10	\$100.00

Available from Parts:

70000-73274 Block Heater (Frost Plug)

L39-1TL/TLB

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # D1803
Interim Tier 4 Certified
4 Cyl., 111.4 cu. in.
37.4. HP Gross
35.5 HP Net
28.9 PTO HP
@ 2700 Eng. rpm
Indirect Injection (E-TVCS)
Charging Output 40 Amps
12 V - 80 Amp Hour Battery
Dual Element Air Cleaner w/ cyclone
Precleaner

HYDRAULICS

Open Center – Gear Type
Total Pump Capacity 23.4 gpm
Includes Power Steering
Front /Rear Remotes 11.0 gpm
BH Boom Swing Pump 6.2 gpm
Cat I 3-Point Hitch (Linkage Opt.)
24" Behind 2800 lbs.
@ Lift Points 3858 lbs.
Position Control

FRONT AXLE

Bevel Gear, 4WD
Hydrostatic Power Steering
Cast Iron - Heavy Duty
Tread Spacing, Nonadjustable

DRIVE TRAIN

Glideshift w/Synchro Shuttle
12 Forward / 8 Reverse
Clutchless Shuttle Shift
Maximum Travel Speed 14.3 mph
Rear Differential Lock
Dry Single Stage Clutch
Mechanical, Multiple Wet Disc
Brakes
4 Wheel Drive

DIMENSIONS

Transport Length 232"
Width 72.0"
Height to ROPS top 94.5"
Wheelbase 68.9"
Ground Clearance 11.8"

FLUID CAPACITY

Fuel Tank 10.6 gal.
Crankcase 6.0 qts.
Engine Coolant 7.9 qts.
Transmission and
Hydraulics 16.3 gal.
Front Axle Case 6.9 qts.

TIRES AND WHEELS

Front 27 x 10.50 - 15 R4 6 PLY
Rear 15-19.5 R4 6 PLY

LIGHTING

2 Halogen Headlight / Work Lights
2 Tail Lights / Turn Signals

POWER TAKE OFF

Hydraulic Independent Rear PTO
Running 540 rpm @ 2550 Eng. RPM
SAE – 1-3/8, 6 splines

INSTRUMENTS

IntelliPanel™
Lighted Communications Symbols
Digital Display with Tachometer,
Travel Speed, PTO Speed,
Warnings, Maintenance Alerts,
On-board Diagnostics

REAR AXLE

Heavy Duty Axle w/ Differential Lock
Helical gear final drives
Multiple Wet Disc Brakes

SAFETY EQUIPMENT

Four Post ROPS / FOPS Canopy
Deluxe Seat w/retractable Seat
Belt
Spark Arrestor Muffler
Safety Start Switches
Electric Key Shut-Off
Parking Brake
SMV Sign
PTO Shields, Automatic Shutoff
Spark Arrestor Muffler

STANDARD EQUIPMENT

Two 55 W Halogen Work Lights
Full Flat Floor
Cast Steel Brake Pedal
Walk-through Step
Seat with Arm Rests
Seat Pivots In Place
3-point Linkage Storage
Parking brake
Slanted Hood & Loader Arms
Quick Coupler
Hydraulic Self-Leveling Loader
Braceless Loader Frame
Protected Hydraulic Hoses &
Pipes
Bucket Level Indicator
Arch Type Backhoe Boom
Independent Boom Swing Pump
Protected Hydraulic Hoses &
Pipes
Thumb Bracket

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
L39-1TL	Tractor Loader	5350	\$ 31,496.00
L39-1TLB	Tractor Loader Backhoe	7275	\$ 42,466.00
L39-1TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL1715A)	7275	\$ 43,329.00
L39-1TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	7275	\$ 44,168.00
L39-1TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	7275	\$ 45,031.00

L39-1TL/TLB

Base Tractor Includes:

TL (Tractor Loader) ①

L39-1	4 Post ROPS/FOPS & Seat Belt (FCL-39-2)	3170	
	Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND	200	In Base Price
	Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND	130	
TL1000A-1	Front Loader without Bucket	390	
		960	

① Rear counter weight is required when using L39-1 as a Tractor/Loader

TLB (Tractor Loader Backhoe)

L39-1	4 Post ROPS/FOPS & Seat Belt (FCL-39-2)	3170	
	Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND	200	In Base Price
	Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND	130	
TL1000A-1	Front Loader without Bucket	390	
BT1000A	Backhoe without Bucket	960	
		2018	

TLB-L (Tractor Loader Backhoe)

L39-1	4 Post ROPS/FOPS & Seat Belt (FCL-39-2)	3170	In Base Price
	Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND	200	
	Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND	130	
TL1000A-1V	Front Loader without Bucket	390	
	Includes factory assembled loader auxiliary hydraulic kit (TL1715A)	960	
BT1000A	Backhoe without Bucket	2018	

TLB-B (Tractor Loader Backhoe)

L39-1	4 Post ROPS/FOPS & Seat Belt (FCL-39-2)	3170	
	Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND	200	In Base Price
	Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND	130	
TL1000A-1	Front Loader without Bucket	390	
BT1000AV	Backhoe without Bucket	960	
	Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	2018	

TLB-LB (Tractor Loader Backhoe)

L39-1	4 Post ROPS/FOPS & Seat Belt (FCL-39-2)	3170	In Base Price
	Front Tire (ALR8876) 27 x 10.50 - 15 R4 IND	200	
	Rear Tire (ALR8877) 15 - 19.5 R4, 4-Ply IND	130	
TL1000A-1V	Front Loader without Bucket	390	
	Includes factory assembled loader auxiliary hydraulic kit (TL1715A)	960	
BT1000AV	Backhoe without Bucket	2018	
	Includes factory assembled backhoe auxiliary hydraulic kits (BT3911)		

NOTE: You must order a Loader Bucket for either TL or TLB Package.
For TLB Package, you must order appropriate Backhoe Buckets.

TIRES AND WHEELS (priced per piece)					Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE		L39-1TL SUGG. LIST	L39-1TLB SUGG. LIST
ALR8876 **	Front 27 x 10.5 - 15 R4 IND	68	\$231.00		\$ 31,496.00	\$ 42,466.00
ALR8877 **	Rear 15 - 19.5 R4 IND	267	\$773.00			
ALR8876	Front 27 x 10.5 -- 15 R4 IND	70	\$231.00		\$ 31,496.00	\$ 42,466.00
ALR9449	Rear 16.5L -- 16.1 Turf Tire	132	\$773.00			
ALR8898	Front 27/10.50LL-15 Galaxy Turf	70	\$384.00		\$ 31,802.00	\$ 42,772.00
ALR9449	Rear 16.5L-16.1 Turf Tire	132	\$773.00			
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires.

L39-1TL/TLB

ORDER				FACTORY	APPROX.	SUGGESTED
CODE				NUMBER	SHIP WT.	LIST PRICE
TIRES AND WHEELS (priced per piece)				Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	L39-1TLB-L SUGG. LIST	L39-1TLB-B SUGG. LIST	L39-1TLB-LB SUGG. LIST
ALR8876	** Front 27 x 10.5 -- 15 R4 IND	65	\$231.00	\$ 43,329.00	\$ 44,168.00	\$ 45,031.00
ALR8877	** Rear 15 -- 19.5 R4 IND	195	\$773.00			
ALR8876	Front 27 x 10.5 -- 15 R4 IND	65	\$231.00	\$ 43,329.00	\$ 44,168.00	\$ 45,031.00
ALR9449	Rear 16.5L -- 16.1 Turf Tire	132	\$773.00			
ALR8898	Front 27/10.50LL x 15 Galaxy	72	\$384.00	\$ 43,635.00	\$ 44,474.00	\$ 45,337.00
ALR9449	Rear 16.5L -- 16.1 Turf Tire	132	\$773.00			
Tractor Assembly Charges				\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires.

LOADER - MODEL -- TL1000A-1 LOADER (Standard Equipment with L39-1 Tractor)

Rated Lift Capacity @ Bucket Center 2,200 lbs. / Rated Breakout 3,560 lbs.
Maximum Lift Height 114.2" / Automatic Self Leveling Valve / Skid Steer Style Quick Coupler

TL1765	72" HD ROUND BACK BUCKET Struck Cap. (12.7 cu.ft.) Heaped Cap.(15.5 cu.ft.)	336	\$1,072.00
TL1748	BOLT-ON CUTTING EDGE for 72" L2245 and TL1765 Buckets	65	\$227.00
L2245	72" 4 in 1 BUCKET Struck Cap. (10.9 cu.ft.), Heaped Cap.(13.1 cu.ft.) 21.5" Mouth Opening, 2,000 psi clamping force Requires TL1715 Remote Valve Kit	812	\$2,140.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 Pallet Forks	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	190	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	212	\$512.00
M1874	Bale Spear (Quick-Change)	200	\$752.00

REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS

TL1715A	REMOTE VALVE KIT Includes valve section, hoses, pipes, loader lever control, quick couplers, and attaching hardware	30	\$863.00
---------	--	----	----------

L39-1TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

BACKHOE – MODELS BT1000A and BT1000AV

Heavy-duty, 4-Point Rigid Mount Quick-Attach Bucket Breakout Force 5,825 lbs. / Dipper Stick Breakout Force 3,779 lbs. / Dig Depth 10', (2 ft. SAE) / Stabilizer spread-operating 89.3" / Dedicated Boom Swing Pump / 2-Cylinder Trunion Type Swing			
BT1000A	BACKHOE – 10'	1925	\$10,970.00
BT1000AV	BACKHOE – 10'	1925	\$12,672.00
	Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)		
L9467	RUBBER STABILIZER FLIP PAD (2) Required	34	\$79.00

(For all TLB Packages, you must order appropriate backhoe buckets.)

BUCKETS

Direct Pin-On Buckets			
BT3001	12 inch 1.47 cu. ft Bucket	117	\$656.00
BT3002A	16 inch 2.16 cu. ft Bucket	140	\$744.00
BT3003A	18 inch 2.51 cu. ft Bucket	151	\$794.00
BT3004	24 inch 3.6 cu. ft Bucket	172	\$923.00
BT3005A	30 inch 4.69 cu. ft Bucket	205	\$1,065.00
BT3006	36 inch 5.78 cu. ft Bucket	226	\$1,191.00

Quick Attach Coupler Buckets

BT4550	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	19	\$660.00
BT4552	12 inch 1.47 cu. ft. TRENCHING BUCKET	119	\$797.00
BT4553	16 inch 2.16 cu. ft. TRENCHING BUCKET	146	\$841.00
BT4554	18 inch 2.51 cu. ft. TRENCHING BUCKET	152	\$885.00
BT4555	24 inch 3.60 cu. ft. TRENCHING BUCKET	176	\$1,045.00
BT4557	36 inch 5.78 cu. Ft. TRENCHING BUCKET	229	\$1,331.00

REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT3911	REMOTE VALVE KIT Standard equipment for BT1000AV Includes right foot operated valve, hoses, pipes, brackets.	44	\$1,788.00
--------	---	----	------------

HYDRAULIC THUMB

BT4598	HYDRAULIC THUMB KIT Requires BT1000AV or BT3911 Remote Valve Kit. Compatible with pin-on or quick coupler Buckets. Thumb mount bracket factory installed.	56	\$2,033.00
--------	--	----	------------

L39-1TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

HYDRAULIC BREAKER

KXB360Q	HYDRAULIC BREAKER, 300 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires BT4550 Quick Coupler, BT3911 Remote Valve Kit, K7776 Hose Kit, and K7763 Mount Bracket	231	\$6,915.00
K7776	HYDRAULIC BREAKER HOSE KIT Required for KXB360Q installation	16	\$395.00
K7763	HYDRAULIC BREAKER BRACKET Required for KXB360Q installation	91	\$783.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$985.00

OPTIONAL EQUIPMENT

L3961	3-POINT LINKAGE KIT	33	\$523.00
L8046	BACKUP ALARM KIT	1	\$82.00
L9475	DRAWBAR KIT	13	\$214.00
L9496G	DRAWBAR CLEVIS	8	\$67.00
L8043	HORN KIT	10	\$58.00
L9477	PRECLEANER KIT	20	\$214.00
L9476	TOOL BOX KIT	10	\$90.00
L8045	① WORK LIGHT KIT FRONT / REAR ROPS frame mounted. (2 per Kit)	10	\$157.00
L8044	① WORK LIGHT KIT REAR Canopy mounted. (2 per Kit)	3	\$158.00

① Maximum 4 (2 kits) in total.

HYDRAULICS KITS FOR REAR ATTACHMENTS

(To be used with Backhoe removed on a Tractor/Loader)			
L9553A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Includes 3 Spool Valves, Mount Bracket, Hoses, Hydraulic Quick-Couplers	50	\$1,286.00
L9554	3 PT TOP and TILT KIT Includes 2 Cylinders, Hoses and Hydraulic Quick Couplers. (Requires L9553A REMOTE VALVE KIT FOR REAR ATTACHMENTS)	50	\$843.00

Available from Parts:

70000-00297

Block Heater – Frost Plug

L45TL/TLB

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # V2203-M
Interim Tier 4 Certified
4 Cyl., 134.1 cu. in.
45.0. HP Gross
42.5 HP Net
32.0 PTO HP
@ 2700 Eng. rpm

Indirect Injection (E-TVCS)
Charging Output 45 Amps
12 V - 80 Amp Hour Battery
Dual Element Air Cleaner w/ cyclone
Precleaner

HYDRAULICS

Open Center – Gear Type
Total Pump Capacity 23.4 gpm
Includes Power Steering
Front /Rear Remotes 11.8 gpm
BH Boom Swing Pump 6.2 gpm
Cat I 3-Point Hitch (Linkage Opt.)
24" Behind 2794 lbs.
@ Lift Points 3850 lbs.
Position Control

FRONT AXLE

Bevel Gear, 4WD
Hydrostatic Power Steering
Cast Iron - Heavy Duty
Tread Spacing, Nonadjustable

DRIVE TRAIN

HST Plus
3 Ranges
Low-Medium-High
Maximum Travel Speed 14.9 mph
Rear Differential Lock
Dry Single Stage Clutch
Mechanical, Multiple Wet Disc
Brakes
4 Wheel Drive

DIMENSIONS

Transport Length 237"
Width 72.5"
Height to ROPS top 95.1"
Wheelbase 72.5"
Ground Clearance 14.4"

FLUID CAPACITY

Fuel Tank 11.9 gal.
Crankcase 8.7 qts.
Engine Coolant 6.9 qts.
Transmission and
Hydraulics 12.2 gal.
Front Axle Case 7.4 qts.

TIRES AND WHEELS

Front 27 x 10.50 - 15 R4 6 PLY
Rear 15-19.5 R4 6 PLY

LIGHTING

2 Halogen Headlight / Work Lights
2 Halogen Rear Work Lights
2 Tail Lights / Turn Signals

POWER TAKE OFF

Hydraulic Independent Rear PTO
Running 540 rpm @ 2590 Eng. RPM
SAE – 1-3/8, 6 splines

INSTRUMENTS

IntelliPanel™
Lighted Communications Symbols
Digital Display with Tachometer,
Travel Speed, PTO Speed,
Warnings, Maintenance Alerts,
On-board Diagnostics

REAR AXLE

Heavy Duty Axle w/ Differential Lock
Helical gear final drives
Multiple Wet Disc Brakes

SAFETY EQUIPMENT

Four Post ROPS / FOPS
Deluxe Seat w/retractable Seat
Belt
Spark Arrestor Muffler
Safety Start Switches
Electric Key Shut-Off
Parking Brake
SMV Sign

STANDARD EQUIPMENT

Four 55 W Halogen Work Lights
Electronic HST Transmission
Backhoe Crawling Mode
Full Flat Floor
Cast Steel Brake Pedal
Walk-through Step
Seat with Arm Rests
Seat Pivots In Place
Backup Alarm
3-point Linkage Storage
Parking brake

Slanted Hood & Loader Arms
Quick Coupler
Hydraulic Self-Leveling Loader
Braceless Loader Frame
Protected Hydraulic Hoses &
Pipes
Bucket Level Indicator

Arch Type Backhoe Boom
Independent Boom Swing Pump
Protected Hydraulic Hoses &
Pipes
Thumb Bracket
Improved Inching Performance
High Quality Hydraulic Cylinders

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
L45TL	Tractor Loader	5350	\$ 35,170.00
L45TLB	Tractor Loader Backhoe	7275	\$ 46,140.00
L45TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL2211)	7275	\$ 47,000.00
L45TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	7275	\$ 47,842.00
L45TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	7275	\$ 48,702.00

L45TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

Base Tractor Includes:

TL (Tractor Loader) ①			
L45	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,685	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	103	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	280	
TL1000A-2	Front Loader without Bucket	959	
① Rear counter weight is required when using the L45 as a Tractor Loader			
TLB (Tractor Loader Backhoe)			
L45	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,685	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	103	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	280	
TL1000A-2	Front Loader without Bucket	959	
BT1000A	Backhoe without Bucket	1,925	
TLB-L (Tractor Loader Backhoe)			
L45	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,685	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	103	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	280	
TL1000A-2V	Front Loader without Bucket	959	
	Includes factory assembled loader auxiliary hydraulic kit (TL2211)		
BT1000A	Backhoe without Bucket	1,925	
TLB-B (Tractor Loader Backhoe)			
L45	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,685	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	103	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	280	
TL1000A-2	Front Loader without Bucket	959	
BT1000AV	Backhoe without Bucket	1,925	
	Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)		
TLB-LB (Tractor Loader Backhoe)			
L45	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,685	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	103	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	280	
TL1000A-2V	Front Loader without Bucket	959	
	Includes factory assembled loader auxiliary hydraulic kit (TL2211)		
BT1000AV	Backhoe without Bucket	1,925	
	Includes factory assembled backhoe auxiliary hydraulic kits (BT3911)		

NOTE: You must order a loader bucket for all TL and TLB Packages.
For all TLB Packages, you must order appropriate backhoe buckets.

TIRES AND WHEELS (priced per piece)					Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE		L45TL SUGG. LIST	L45TLB SUGG. LIST
ALR9192 **	Front 27 x 10.5 - 15 R4 IND	68	\$231.00		\$ 35,170.00	\$ 46,140.00
ALR9195 **	Rear 15 – 19.5 R4 IND	267	\$773.00			
ALR9497	Front 27/10.50LL-15 Galaxy Turf	70	\$414.00		\$ 35,536.00	\$ 46,506.00
ALR9449	Rear 16.5L-16.1 Turf Tire	132	\$773.00			
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires

L45TL/TLB

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE		L45TLB-L SUGG. LIST	L45TLB-B SUGG. LIST	L45TLB-LB SUGG. LIST
ALR9192	** Front 27 x 10.5 - 15 R4 IND	68	\$231.00		\$ 47,000.00	\$ 47,842.00	\$ 48,702.00
ALR9195	** Rear 15 - 19.5 R4 IND	267	\$773.00		K36B660B00	K37B316B76	K37B987B56
ALR9497	Front 27/10.50LL-15 Galaxy	70	\$414.00		\$ 47,366.00	\$ 48,208.00	\$ 49,068.00
ALR9449	Rear 16.5L-16.1 Turf Tire	132	\$773.00		K36B945B48	K37B602B24	K38B273B04
Tractor Assembly Charges					\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

LOADER - MODELS TL1000A-2 and TL1000A-2V

Rated Lift Capacity @ Bucket Center 2,200 lbs. / Rated Breakout 4,530 lbs.
Maximum Lift Height 113.9" / Automatic Self Leveling Valve / Quick Coupler

QUICK-COUPLER LOADER BUCKETS

Requires a Loader bucket for either TL or TLB Package.

TL1765	72" HD ROUND BACK BUCKET Struck Cap. (12.7 cu. ft.) Heaped Cap.(15.5 cu. ft.)	336	\$1,072.00
TL1748	BOLT-ON CUTTING EDGE for 72" L2245 and TL1765 Buckets	65	\$227.00
L2245	72" 4 in 1 BUCKET Struck Capacity (10.9 cu. ft.) Heaped Capacity (13.1 cu. ft.) 21.5" Mouth Opening, 2,000 psi clamping force Requires TL2211 Remote Valve Kit	812	\$2,140.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 pallet forks	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	190	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	212	\$512.00
M1804	Bale Spear (Quick-Change)	195	\$746.00

REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS

TL2211	REMOTE VALVE KIT Standard equipment for TL1000A-2V Loader Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	30	\$903.00
--------	---	----	----------

BACKHOE – MODELS BT1000A and BT1000AV

Heavy-duty, 4-Point Rigid Mount Quick-Attach
Bucket Breakout Force 5,825 lbs. / Dipper Stick Breakout Force 3,779 lbs. / Dig Depth 10', (2 ft. SAE) / Stabilizer spread-operating 89.3" / Dedicated Boom Swing Pump / 2-Cylinder Trunion Type Swing

BT1000A	BACKHOE – 10'	1,925	\$10,970.00
BT1000AV	BACKHOE – 10' Includes factory assembled backhoe auxiliary hydraulic kit (BT3911)	1,925	\$12,672.00
L9467	RUBBER STABILIZER FLIP PAD (2) Required	34	\$79.00

For all TLB Packages, you must order appropriate backhoe buckets.

L45TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

BUCKETS

Direct Pin-On Buckets

BT3001	12 inch 1.47 cu. ft Bucket	117	\$656.00
BT3002A	16 inch 2.16 cu. ft Bucket	140	\$744.00
BT3003A	18 inch 2.51 cu. ft Bucket	151	\$794.00
BT3004	24 inch 3.6 cu. ft Bucket	172	\$923.00
BT3005A	30 inch 4.69 cu. ft Bucket	205	\$1,065.00
BT3006	36 inch 5.78 cu. ft Bucket	226	\$1,191.00

Quick Attach Coupler Buckets

BT4550	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	19	\$660.00
BT4552	12 inch 1.47 cu. ft. TRENCHING BUCKET	119	\$797.00
BT4553	16 inch 2.16 cu. ft. TRENCHING BUCKET	146	\$841.00
BT4554	18 inch 2.51 cu. ft. TRENCHING BUCKET	152	\$885.00
BT4555	24 inch 3.60 cu. ft. TRENCHING BUCKET	176	\$1,045.00
BT4557	36 inch 5.78 cu. ft TRENCHING BUCKET	229	\$1,331.00

REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT3911	REMOTE VALVE KIT Standard equipment for BT1000AV Includes right foot operated valve, hoses, pipes, brackets.	44	\$1,788.00
--------	--	----	------------

HYDRAULIC THUMB

BT4598	HYDRAULIC THUMB Requires BT1000AV or BT3911 remote valve kit. Compatible with pin-on or quick coupler buckets. Thumb mount bracket factory installed.	56	\$2,033.00
--------	--	----	------------

HYDRAULIC BREAKER

KXB360Q	HYDRAULIC BREAKER, 300 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires BT4550 Quick Coupler, BT3911 Remote Valve Kit, K7776 Hose Kit, and K7763 Mount Bracket.	231	\$6,915.00
K7776	HYDRAULIC BREAKER HOSE KIT Required for KXB360Q installation	16	\$395.00
K7763	HYDRAULIC BREAKER BRACKET Required for KXB360Q installation	91	\$783.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$985.00

L45TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

OPTIONAL EQUIPMENT

L3961	3-POINT LINKAGE KIT	33	\$523.00
L9475	DRAWBAR KIT	13	\$214.00
L9496G	DRAWBAR CLEVIS KIT	8	\$67.00
L8043	HORN KIT	10	\$58.00
L9477	PRECLEANER KIT	20	\$214.00
L9476	TOOL BOX KIT	10	\$90.00
L8045	① WORK LIGHT KIT FRONT / REAR ROPS frame mounted. (2 per Kit)	10	\$157.00

① Maximum 4 (2 kits) in total.

HYDRAULICS KITS FOR REAR ATTACHMENTS

(To be used with Backhoe removed on a Tractor/Loader)			
L9553A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Includes 3 Spool Valve, Mount Bracket, Hoses, Hydraulic Quick-Couplers	50	\$1,286.00
L9554	3 PT TOP and TILT KIT Includes 2 Cylinders, Hoses and Hydraulic Quick Couplers. (Requires L9553A REMOTE VALVE KIT FOR REAR ATTACHMENTS)	50	\$843.00

Available from Parts:

70000-00297

Block Heater – Front Plug

M59TL/TLB

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model # V2403-M
Interim Tier IV Certified
4 Cyl. 148.5 cu. in.
Turbocharged
+ 59 Gross HP
+ 57 Net HP
+ 46.0 PTO HP
@ 2700 Engine RPM
Indirect Injection (E-TVCS)
Charging output 45 Amps
12 V – 80 Amp Hour Battery
Dual Element Air Cleaner

HYDRAULICS

Open Center - Gear Type
Total Pump Capacity 26.7 gpm
Includes Power Steering
BH Boom Swing Pump 9.5 gpm
Front / Rear Remotes 16.1 gpm
Cat I & II 3-point Hitch (Optional)
24" Behind 2976 lbs.
@ Lift Points 3860 lbs.
Position Control

FRONT AXLE

Bevel-Gear, 4 WD
Hydrostatic Power Steering
Cast Iron – Heavy Duty
Tread spacing, Non-adjustable

DRIVE TRAIN

HST Plus
3 Ranges
Low-Medium-High
Maximum Travel Speed 15.9 mph
Rear Differential Lock
Dry Single Plate Clutch
Multiple Wet Disc Brakes
4 Wheel Drive

+ Manufacturer Estimate

DIMENSIONS

Transport Length 255.9"
Width 75.0"
Height to ROPS top 100.4"
Wheelbase 80.7"
Ground Clearance 17.8"

FLUID CAPACITY

Fuel Tank 14.5 gals.
Crankcase 9.9 qts.
Eng. Coolant 8.7 qts.
Transmission and Hydraulics 11.9 gal.
Front Axle Case 11.6 qts.

TIRES AND WHEELS

Front 10 - 16.5 R4 Industrial
Rear 17.5L - 24 R4 Industrial

LIGHTING

2 Halogen Headlight / Work Lights
2 Halogen Rear Work Lights
2 Tail Lights / Turn Signals

POWER TAKE OFF

Hydraulic Independent Rear PTO
Running 540 rpm @ 2550 Eng. RPM
SAE – 1-3/8, 6 splines

INSTRUMENTS

IntelliPanel™
Lighted Communications Symbols
Digital Display with Tachometer,
Travel Speed, PTO Speed, Warnings,
Maintenance Alerts, On-board
Diagnostics

REAR AXLE

Heavy Duty Axle w/ Differential Lock
Bull-gear final drives
Multiple Wet Disc Brakes

SAFETY EQUIPMENT

Four Post ROPS / FOPS
Deluxe Seat w/retractable Seat Belt
Spark Arrestor Muffler
Safety Start Switches
Electric Key Shut-Off
Parking Brake
SMV Sign

STANDARD EQUIPMENT

Four 55 W Halogen Work Lights
Electronic HST Transmission
Backhoe Crawling Mode
Full Flat Floor
Cast Steel Brake Pedal
Walk-through Step
Seat with Arm Rests
Seat Pivots In Place
Backup Alarm & Horn
3-point Linkage Storage
3-point Linkage Optional
Larger Canopy

Slanted Hood & Loader Arms
SSL Style Quick Coupler
Hydraulic Self-Leveling Loader
Braceless Loader Frame
Protected Hydraulic Hoses & Pipes
Bucket Level Indicator
Boom Lock

Arch Type Backhoe Boom
Independent Boom Swing Pump
Protected Hydraulic Hoses & Pipes
Thumb Bracket
Stabilizer Cylinder Cover
Improved Inching Performance
High Quality Hydraulic Cylinders
Tie-down Rings for Transport
L48 BH Buckets Compatible

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
M59TL	Tractor Loader	6,158	\$ 43,167.00
M59TLB	Tractor Loader Backhoe	8,345	\$ 57,566.00
M59TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL2212)	8,395	\$ 58,455.00
M59TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT3921)	8,405	\$ 58,990.00
M59TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	8,455	\$ 59,879.00

M59TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

Base Tractor Includes:

TL (Tractor Loader) ①			
M59	4 Post ROPS/FOPS (FCM-59) & Seat Belt	3,685	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1350	Front Loader without Bucket	1,169	
① Rear counter weight is required when using the M59 as a Tractor Loader			
TLB (Tractor Loader Backhoe)			
M59	4 Post ROPS/FOPS (FCM-59) & Seat Belt	3,685	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1350	Front Loader without Bucket	1,169	
BT1200	Backhoe without Bucket	2,015	
TLB-L (Tractor Loader Backhoe)			
M59	4 Post ROPS/FOPS (FCM-59) & Seat Belt	3,685	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1350V	Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2212)	1,169	
BT1200	Backhoe without Bucket	1,925	
TLB-B (Tractor Loader Backhoe)			
M59	4 Post ROPS/FOPS (FCM-59) & Seat Belt	3,685	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1350	Front Loader without Bucket	1,169	
BT1200V	Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kit (BT3921)	1,925	
TLB-LB (Tractor Loader Backhoe)			
M59	4 Post ROPS/FOPS (FCM-59) & Seat Belt	3,685	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1350V	Front Loader without Bucket Includes factory assembled loader auxiliary hydraulic kit (TL2212)	1,169	
BT1200V	Backhoe without Bucket Includes factory assembled backhoe auxiliary hydraulic kits (BT3921)	1,925	

NOTE: You must order a loader bucket for all TL and TLB Packages.

For all TLB Packages, you must order appropriate backhoe buckets.

KUBOTA

M59TL/TLB

TIRES AND WHEELS (priced per piece)					Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE		M59TL SUGG. LIST	M59TLB SUGG. LIST
ALR6842	** Front 10 -- 16.5 R4 IND	103	\$364.00		\$ 43,167.00	\$ 57,566.00
ALR6843	** Rear 17.5L -- 24 R4 IND	280	\$849.00			
ALR6845	Front 12 -- 16.5 SL R3 TURF	110	\$386.00		\$ 43,167.00	\$ 57,566.00
ALR6846	Rear 16.9L -- 24 R3 TURF	266	\$827.00			
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires.

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE		M59TLB-L SUGG. LIST	M59TLB-B SUGG. LIST	M59TLB-LB SUGG. LIST
ALR6842	** Front 10 -- 16.5 R4 IND	103	\$364.00		\$ 58,455.00	\$ 58,990.00	\$ 59,879.00
ALR6843	** Rear 17.5L -- 24 R4 IND	280	\$849.00				
ALR6845	Front 12 -- 16.5 SL R3 TURF	110	\$386.00		\$ 58,455.00	\$ 58,990.00	\$ 59,879.00
ALR6846	Rear 16.9L -- 24 R3 TURF	266	\$827.00				
Tractor Assembly Charges					\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

** Standard tires.

M59TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

LOADER - MODELS TL1350 and TL1350V

Rated Lift Capacity @ Bracket Center 2,976 lbs. / Rated Breakout 5,961 lbs.
Maximum Lift Height 126.1" / Automatic Self-Leveling / Quick Coupler / Rod Type Bucket Level Indicator

QUICK-COUPLER ATTACHMENTS

A loader bucket is required for all packages

TL3421	84" HD ROUND BACK BUCKET (19.1 cu. ft. struck) (23.57 cu. ft. heaped)	538	\$921.00
TL3431	BOLT-ON CUTTING EDGE FOR 84" HD Round Back Bucket (TL3421)	93	\$255.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 pallet forks	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	190	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	212	\$512.00
M1804	BALE SPEAR	195	\$746.00

REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS

TL2212	REMOTE VALVE KIT Standard equipment for TL1350V Includes valve section, hoses, pipes, loader lever control, quick couplers, and attaching hardware.	50	\$995.00
--------	--	----	----------

BACKHOE – MODEL BT1200 and BT1200V

Heavy-Duty, 4-Point Rigid Mount Quick Attach
Bucket Breakout Force 7,602 Lbs. / Dipperstick Breakout Force 4,731 Lbs. / Maximum Digging Depth 12'
Dedicated Boom Swing Pump / Stabilizer Spread-Operating 89.3" / 2 Cylinder Trunion-Type Swing /
Steel Flip Pads Standard

BT1200	BACKHOE 12' Backhoe without Bucket	1925	\$14,399.00
BT1200V	BACKHOE 12' Includes factory assembled backhoe auxiliary hydraulic kit (BT3921)	1925	\$15,823.00
L9467	RUBBER STABILIZER FLIP PAD (2 Required)	34	\$79.00

You Must Order Appropriate Backhoe Bucket(s) For All TLB Packages.

M59TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

BUCKETS

DIRECT PIN-ON BUCKETS

BT2911	12", 1.92 cu ft Trenching Bucket	126	\$723.00
BT2912A	16", 2.82 cu ft Trenching Bucket	140	\$823.00
BT2913A	18", 3.9 cu ft Trenching Bucket	151	\$871.00
BT2914	24", 4.73 cu ft Trenching Bucket	172	\$1,029.00
BT2915A	30", 6.20 cu ft Trenching Bucket	205	\$1,181.00
BT2916	36", 7.67 cu ft Trenching Bucket	226	\$1,308.00

QUICK-ATTACH BUCKETS

BT4580	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	38	\$694.00
BT4582	12 inch 1.92 cu. ft. TRENCHING BUCKET	123	\$839.00
BT4583	16 inch 2.82 cu. ft. TRENCHING BUCKET	186	\$885.00
BT4584	18 inch 3.9 cu. ft. TRENCHING BUCKET	137	\$931.00
BT4585	24 inch 4.73 cu. ft. TRENCHING BUCKET	212	\$1,099.00
BT4587	36 inch 7.67 cu. ft. TRENCHING BUCKET	267	\$1,400.00
BT4581	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	100	\$305.00

REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT3921	REMOTE VALVE KIT Includes right foot operated valve, hoses, pipes, brackets.	60	\$1,752.00
--------	--	----	------------

HYDRAULIC THUMB

BT4599	HYDRAULIC THUMB Requires BT1200V or BT3921 Remote Valve Kit. Compatible with pin-on or quick coupler buckets. Thumb mount bracket factory installed.	56	\$2,140.00
--------	---	----	------------

HYDRAULIC BREAKER

KXB460Q	HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires BT4580 Quick Coupler, BT3921 Remote Valve Kit, K7777 hose kit, and K7767 mount bracket.	231	\$8,450.00
K7777	HYDRAULIC BREAKER HOSE KIT Required for KXB460Q installation	16	\$423.00
K7767	HYDRAULIC BREAKER BRACKET Required for KXB460Q installation	91	\$733.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$985.00

M59TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

HYDRAULICS KITS FOR REAR ATTACHMENTS (To be used with Backhoe removed on a Tractor/Loader)

TL9407	TOP-N-TILT KIT Includes cylinders and hoses. Requires the L3995 Rear Remote valve kit. The TL9407 makes use of 2 of the 3 rear remote valves (L3995).	50	\$1,130.00
L3995	REMOTE VALVE KIT FOR REAR ATTACHMENTS Consists of 3 Float Detent Valves, L-Series Style Female Quick Couplers, Quick Couplers mount on Right Side Rear ROPS Post, Three Control Levers directly connected to valves. L3995 valve kit is required for installation of the TL9407 Top-N-Tilt kit.	64	\$2,324.00

OPTIONAL EQUIPMENT

L3951	3-point Linkage Kit	86	\$754.00
L9475	Drawbar Kit	13	\$214.00
L9496G	Drawbar Clevis	8	\$67.00
M2862	Hood Guard Kit	26	\$226.00
L7451	Precleaner Kit	8	\$214.00
L9476	Tool Box Kit	10	\$90.00
L8045	Work Light Kit ROPS Mount (2 per Kit)	10	\$157.00
LM8124	Wheel Weights (Max. 3 weights per wheel) Set of 2 (103 lbs. each) Requires (1) LM8125 and M8121 for 2nd / 3rd set.	206	\$279.00
LM8125A	Bolt kit (For Pair of LM8124)	5	\$67.00
M8121A	Bolt Kit (For 2nd / 3rd set of LM8124)	3	\$21.00

Available from Parts:

70000-00297

Block Heater

Loader/Landscaper Series Implement/Attachment Chart

LOADER / LANDSCAPERS SERIES IMPLEMENT/ATTACHMENT CHART

	MODEL	B26	L39-1	L45	M59
ATTACHMENTS	Remote Valve Kit For Rear Attachments	B8027 ①	L9553	L9553A	L3995
	3-point Linkage Kit	B3941	L3961	L3961	L3951
	3Pt Top and Tilt Kit	B8039 ①	L9554 ④	L9554 ④	TL9407 ⑤
	Backhoe Quick Attach Coupler	BT1970	BT4550	BT4550	BT4580
	Backhoe Stabilizer Flip Pad	L9467	L9467	L9467	L9467
	Backup Alarm Kit	B8011	L8046	(STD)	(STD)
	Block Heater (Front Plug)	70000-73274	70000-00297	70000-00297	70000-00297
	Bolt-on Cutting Edge	TL2143 ⑥	TL1748 ⑥	TL1748 ⑥	TL3431 ⑥
	Drawbar Kit	B8036	L9475	L9475	L9475
	Drawbar Clevis	N/A	L9496G	L9496G	L9496G
	Horn Kit	L8043	L8043	L8043	(STD)
	Pallet Forks	L2238 (Frame) ②	M1809 (Frame) ③	M1809 (Frame) ③	M1809 (Frame) ③
	Precleaner Kit	N/A	L9477	L9477	L7451
	Remote Valve Kit For Backhoe Mounted Attachments	BTB405	BT3911	BT3911	BT3921
	Remote Valve Kit For Loader Mounted Attachments	TL2141	TL1715A	TL2211	BT2212
	ROPS / FOPS	FCB-26 (STD)	FCL-39-2 (STD)	FCL-45 (STD)	FCM-59 (STD)
	Tool Box	B8012	L9476	L9476	L9476
	Working Light (2) - Front/Rear	L8045	L8045	L8045	L8045
		ROPS Frame Mount	ROPS Frame Mount	ROPS Frame Mount	ROPS Frame Mount
	Working Light (2) - Rear	N/A	L8044 Canopy Mount	L8044 Canopy Mount	L8044 Canopy Mount
IMPLEMENTS	Ballast Box	B1860	M8180	M8180	M8180
	Hydraulic Breaker	KXB310Q ⑦	KXB360Q ⑦	KXB360Q ⑦	KXB460Q ⑦
	Rear Blade	B2004	N/A	N/A	N/A
	Rear Mount Mower	RFM-60	N/A	N/A	N/A
	Rotary Tiller	FL1021C, FL1271C	FL1521C	FL1521C	N/A
	Transmission Type	HST (Hydrostatic)	GST (Glide Shift)	HST Plus	HST Plus

① Requires B8028 valve sections.

② Requires K9048 36" pallet forks

③ Requires K9058 42" or K9059 48" pallet forks

④ Requires L9553 / L9553A 3-spool remote valve kit for rear attachments.

⑤ Requires L3995 3-spool remote valve kit for rear attachments

⑥ Replacement cutting edge for heavy-duty round back bucket only

⑦ Requires quick attach coupler, remote valve kit for backhoe mounted attachments, hose kit, and bracket.

Loader/Landscaper Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

BALLAST BOX - An optional 3-point Linkage Kit is required for all Ballast Box installations

B8160	Ballast Box for BX, B Series, B21, and B26 400 lbs. capacity dry sand. The total weight of the ballast box with sand is 500 lbs.	100	\$245.00
L8170	Ballast Box for L Series, L35, and L45 845 lb. capacity dry sand. The total weight of the ballast box with sand is 1000 lb.	102	\$449.00
M8180	Ballast Box for L39, L48, M59, and all M-Series Tractors 1280 lb. capacity dry sand. The total weight of the ballast box with sand is 1500 lb.	102	\$593.00

BOX SCRAPERS

L7560	L7560 60" Cutting Width for L35 11.0 cu. ft. capacity	440	\$907.00
L7565A	65" Cutting Width for L35, Hydraulic 21.3 cu. ft. capacity/ 6 scarifiers Requires one L9434 Hose Kit and one L9433A Aux. Hyd Kit	884	\$2,390.00

REAR MOUNT SNOWBLOWER

B2515	Electric Chute Rotator	8	\$434.00
B2516	Electric Chute deflector	8	\$597.00

ROTARY TILLER

FL1021C	40" Cutting Width for B21 Offset or Center Mounted/ Skid Shoe Depth Control/17.3" Diameter Rotor	466	\$2,719.00
FL1021RC	40" Cutting Width for B21 Reverse Cutting Rotation /Offset or Center Mounted/ Skid Shoe Depth Control/ 17.3" Diameter Rotor	500	\$2,861.00
FL1521C	60" Cutting Width for L35 Offset or Center Mounted / Friction Slip Clutch/ Skid Shoe Depth Control	625	\$3,727.00