

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

WG32A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 32 in. Deck
Equipment for Base Machine

<p>14.5 HP* Vertical-Shaft Air Cooled Engine (603cc, 36.8 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Operator Presence System Gear Drive Transmission 5 Forward Gears 1 Reverse Gear with Reverse Assist Neutral Start Dual Element Air Cleaner 32 In. Fully Floating Commercial Side Discharge Mower Deck 7-Gauge Fabricated Steel Mower Deck</p>	<p>with Aluminum Spindles 1.5-4.75 In. Height of Cut with 13 Cutting Positions Pistol Grip Direction Control Multi-Position Recoil Start 5.4 MPH Mowing Speed 5.8 U.S. Gallon Fuel Capacity 13x5-6 4-Ply Pneumatic Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be</p>	<p>used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1334TC	WG32A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 32 in. Deck	3,699.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:		
TCB11738	32 In. Mulch Kit	216.14
BTC10643	Grass Collector, 3 Cu Ft.	329.56

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

WG36A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 36 In. Deck
Equipment for Base Machine

<p>14.5 HP* Vertical-Shaft Air Cooled Engine (603cc, 36.8 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Operator Presence System Peerless Gear Drive Transmission 5 Forward Gears 1 Reverse Gear with Reverse Assist Neutral Start Dual Element Air Cleaner 36 In. Fully Floating Commercial Side Discharge Mower Deck 7-Gauge Fabricated Steel Mower Deck</p>	<p>with Aluminum Spindles 1.5-4.75 In. Height of Cut with 13 Cutting Positions Pistol Grip Direction Control Multi-Position Recoil Start 5.4 MPH Mowing Speed 5.8 U.S. Gallon Fuel Capacity 13x5-6 4-Ply Pneumatic Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be</p>	<p>used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1344TC	WG36A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 36 In. Deck	3,899.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:		
TCB11739	36 In. Mulch Kit	216.14
BTC10643	Grass Collector, 3 Cu Ft.	329.56

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

WG48A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 48 In. Deck
Equipment for Base Machine

<p>14.5 HP* Vertical-Shaft Air Cooled Engine (603cc, 36.8 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Operator Presence System Peerless Gear Drive Transmission 5 Forward Gears 1 Reverse Gear with Reverse Assist Neutral Start Dual Element Air Cleaner 48 In. Fully Floating Commercial Side Discharge Mower Deck 7-Gauge Fabricated Steel Mower Deck</p>	<p>with Aluminum Spindles 1.5-4.75 In. Height of Cut with 13 Cutting Positions Pistol Grip Direction Control Multi-Position Recoil Start 5.4 MPH Mowing Speed 5.8 U.S. Gallon Fuel Capacity 13x6.5-6 4-Ply Pneumatic Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be</p>	<p>used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1354TC	WG48A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 48 In. Deck	4,199.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:		
TCB11740	48 In. Mulch Kit	250.39
BTC10643	Grass Collector, 3 Cu Ft.	329.56

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH36A, 14.5* Twin Loop Control HP Commercial Hydrostatic Drive Walk-Behind
Mower with Factory Installed Weight Kit and 36 In. Deck
Equipment for Base Machine**

14.5* HP Kawasaki FS
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
36 In. Fully Floating
Commercial Side Discharge
Mower Deck
7-Gauge Fabricated Steel Mower

Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x6.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and

torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1394TC	WH36A, 14.5* Twin Loop Control HP Commercial Hydrostatic Drive Walk-Behind Mower with Factory Installed Weight Kit and 36 In. Deck	6,399.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sully	562.81
Mower Deck and Mower Deck Attachments:		
TCB11739	36 In. Mulch Kit	216.14
BTC10643	Grass Collector, 3 Cu Ft.	329.56
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP36A, 14.5* HP Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with Factory Installed Weight Kit and 36 In. Deck
Equipment for Base Machine**

14.5* HP Kawasaki FS
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
36 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x6.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and

torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1393TC		WHP36A, 14.5* HP Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with Factory Installed Weight Kit and 36 In. Deck <i>Not Available for Sale in California.</i>	6,399.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
001D		Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:			
TCB11744		Sulky	562.81
Mower Deck and Mower Deck Attachments:			
TCB11739		36 In. Mulch Kit	216.14
BTC10643		Grass Collector, 3 Cu Ft.	329.56
Weights:			
BTC10484		Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH48A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 48 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
48 In. Fully Floating
Commercial Side Discharge
Mower Deck
7-Gauge Fabricated Steel Mower

Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1294TC	WH48A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck	7,299.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	562.81
Mower Deck and Mower Deck Attachments:		
TCB11740	48 In. Mulch Kit	250.39
BTC10643	Grass Collector, 3 Cu Ft.	329.56
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP48A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 48 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
48 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1295TC	WHP48A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck	7,299.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sully	562.81
Mower Deck and Mower Deck Attachments:		
TCB11740	48 In. Mulch Kit	250.39
BTC10643	Grass Collector, 3 Cu Ft.	329.56
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH52A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 52 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
52 In. Fully Floating
Commercial Side Discharge
Mower Deck
7-Gauge Fabricated Steel Mower

Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1284TC	WH52A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck	7,699.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sully	562.81
Mower Deck and Mower Deck Attachments:		
TCB11741	52 In. Mulch Kit	272.86
BTC10643	Grass Collector, 3 Cu Ft.	329.56
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP52A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 52 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
52 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1285TC	WHP52A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck	7,699.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	562.81
Mower Deck and Mower Deck Attachments:		
TCB11741	52 In. Mulch Kit	272.86
BTC10643	Grass Collector, 3 Cu Ft.	329.56
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH61A, 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower
with 61 In. Deck
Equipment for Base Machine**

23 HP*
Vertical-Shaft Air Cooled
Engine (726cc 44.3 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
61 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x8.5Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0710TC	WH61A, 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck <i>Not Available For Sale In California.</i>	8,829.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
TCB11744	Sulky	562.81
	Mower Deck and Mower Deck Attachments:	
BTC10636	61 In. Mulch Kit	283.56
	Weights:	
BTC10484	Weight Kit	116.63

**JOHN DEERE COMMERCIAL PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP61A, 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 61 In. Deck
Equipment for Base Machine**

23 HP*
Vertical-Shaft Air Cooled
Engine (726cc 44.3 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
61 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x8.5Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0720TC		WHP61A, 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck <i>Not Available For Sale In California.</i>	8,829.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
001D		Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
TCB11744		Sulky	562.81
		Mower Deck and Mower Deck Attachments:	
BTC10636		61 In. Mulch Kit	283.56
		Weights:	
BTC10484		Weight Kit	116.63