

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652B 22HP* Commercial QuikTrak with 52 In. 7-Gauge Fixed Deck
Equipment for Base Machine**

22HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 12cc Hydro-Gear Transmission Pumps 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Fixed, Side Discharge 7 Ga. Fabricated Steel Deck	Cast Iron Spindle Housing 1.25 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward / 5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine	horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
--	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2370TC	652B 22HP* Commercial QuikTrak with 52 In. 7-Gauge Fixed Deck	8,465.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AM108146	Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments:	
BTC10560	Mulch Kit (52 In.)	309.23

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck
Equipment for Base Machine**

18.5HP*
Vertical-Shaft Air Cooled
Gas Engine 603cc (36.8 cu.
in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
10cc Hydro-Gear Transmission
Pumps
12 cu. In / Rev Hydro-Gear Wheel
Motors
Hydraulic Oil Cooler
Dual Wheel Parking Brake
Operator Presence System
Platform
36 In. Floating, Side Discharge
7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing
1.25 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
8.2 MPH Forward / 3.5 MPH
Reverse
5.5 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
18 x 8.5 - 10 In.
4PR Turf Drive Tires
11 x 4-5 In. Front Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in
accordance with SAE
J1995, 726cc. The engine

horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual
operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2360TC	636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck	7,999.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine: AM108146 Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments: BTC10691 Mulch Kit (36 In.)	197.94

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck
 Equipment for Base Machine

22.0HP*
 Vertical-Shaft Air Cooled
 Gas Engine 726 cm³ (44.3cu.
 in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 10cc Hydro-Gear Transmission
 Pumps
 12 cu. In / Rev Hydro-Gear Wheel
 Motors
 Hydraulic Oil Cooler
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 48 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing
 1.25 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 8.2 MPH Forward / 3.5 MPH
 Reverse
 5.5 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 18 X 10.50 - 10
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and

torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2340TC	648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck	8,699.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine: AM108146 Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments: BTC10693 Mulch Kit (48 In.)	240.76

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
Equipment for Base Machine**

22.0HP*
Vertical-Shaft Air Cooled
Gas Engine 726 cm³ (44.3cu.
in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
10cc Hydro-Gear Transmission
Pumps
12 cu. In / Rev Hydro-Gear Wheel
Motors
Hydraulic Oil Cooler
Dual Wheel Parking Brake
Operator Presence System
Platform
52 In. Floating, Side Discharge
7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing
1.25 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
8.2 MPH Forward / 3.5 MPH
Reverse
5.5 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
18 X 10.50 - 10
4PR Turf Drive Tires
11 x 4-5 In. Front Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in
accordance with SAE
J1995, 726cc. The engine
horsepower and

torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual
operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2330TC	652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	8,999.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine: AM108146 Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments: BTC10560 Mulch Kit (52 In.)	309.23

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck
Equipment for Base Machine**

22HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing	Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine	horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
--	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2320TC	648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck	9,065.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine: AM108146 Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments: BTC10693 Mulch Kit (48 In.)	240.76

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
Equipment for Base Machine**

23.5HP*
Vertical-Shaft Air Cooled
Gas Engine 726cc (44.3 cu.
in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
Dual Hydrostatic Wheel Drive
12cc Hydro-Gear Transmission
15 cu. in. Hydro-Gear Wheel
Motors
Dual Wheel Parking Brake
Operator Presence System
Platform
52 In. Floating, Side Discharge
7 Ga. Fabricated Steel Mower
Deck
Cast Iron Spindle Housing

Pin Height of Cut Adjustment
No-tool Lever Assisted Height
Cut Adjustment
1.5 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
9.5 MPH Forward/5.5 MPH Reverse
5.6 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
20 x 10-8 In.
4PR Turf Drive Tires
13x6.5-6 Semi Pnuematic Front
Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in
accordance with SAE
J1995, 726cc. The engine

horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual
operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2310TC	652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	9,465.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AM108146	Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments:	
BTC10560	Mulch Kit (52 In.)	309.23

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R MOD 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck
 Equipment for Base Machine

23.5HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Mulch On Demand Deck with Electric Actuation 7 Ga. Fabricated Steel Mower Deck	Cast Iron Spindle Housing Cast Iron Spindle Housing Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE	J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2312TC		652R MOD 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck	10,335.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	Spark Arrester Screen for Muffler	See Parts
AM108146			

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
Equipment for Base Machine**

25.0 HP*
Vertical-Shaft Air Cooled
Electronically Fuel Injected
Closed Loop System
Engine (45.6 Cu. In.)
747cc, 18.3 kW
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
Dual Hydrostatic Wheel Drive
12cc Hydro-Gear Transmission
15 cu. in. Hydro-Gear Wheel
Motors
Dual Wheel Parking Brake
Operator Presence System
Platform
52 In. Floating, Side Discharge
7 Ga. Fabricated Steel Mower

Deck
Cast Iron Spindle Housing
Pin Height of Cut Adjustment
No-tool Lever Assisted Height
Cut Adjustment
1.5 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
9.5 MPH Forward/5.5 MPH Reverse
5.6 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
20 x 10-8 In.
4PR Turf Drive Tires
13x6.5-6 Semi Pnuematic Front
Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in

accordance with SAE
J1995, 747cc. The engine
horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual
operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2311TC	652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	9,965.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AM108146	Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments:	
BTC10560	Mulch Kit (52 In.)	309.23

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R EFI MOD 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck
Equipment for Base Machine

25.0 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Floating, Mulch On Demand
 Deck
 with Electric Actuation

7 Ga. Fabricated Steel Mower
 Deck
 Cast Iron Spindle Housing
 Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 13x6.5-6 Semi Pnuematic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in

accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2313TC		652R EFI MOD 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck	10,835.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	Spark Arrester Screen for Muffler	See Parts
AM108146			

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck
Equipment for Base Machine**

<p>23.5HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 61 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing</p>	<p>Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine</p>	<p>horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2300TC	661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck	10,065.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:		
AM108146	Spark Arrester Screen for Muffler		See Parts
	Mower Deck and Mower Deck Attachments:		
BTC10561	Mulch Kit (61 In.)		319.93

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck
 Equipment for Base Machine

25.0 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 61 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Mower

Deck
 Cast Iron Spindle Housing
 Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 13x6.5-6 Semi Pnuematic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in

accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2301TC	661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck	10,565.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AM108146	Spark Arrester Screen for Muffler	See Parts
	Mower Deck and Mower Deck Attachments:	
BTC10561	Mulch Kit (61 In.)	319.93

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

997 Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Gauge Deck

Equipment for Base Machine

31 Gross HP Yanmar Horizontal Shaft Direct Injected Liquid Cooled Diesel Engine (81 Cu. In.) 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 12 Volt with 40 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Kanzaki Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	60 In. 7-Iron PRO Commercial Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housings One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve	26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 4PR Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Low Oil Pressure Warning Light Battery Charge Light Hydraulic PTO Clutch Digital Hourmeter Deluxe Comfort Seat with Armrests
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

095DTC	997 Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Gauge Deck	21,199.00
--------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
TCA19917	B20 Biodiesel Conversion Kit	See Parts
	Miscellaneous:	
TCA18513	Deluxe Comfort Seat with Armrest	See Parts
TCA22396	Front Jack Kit (60" deck machines) <i>Requires purchase of AE32971 jack.</i>	See Parts
TCB11281	Front Light (2) Kit	243.96
DMB210226	Rear Bumper Kit	474.01
TCB10915	Suspension Seat Kit	313.51
	Mower Deck and Mower Deck Attachments:	
TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
 Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled
 Engine (44.2 Cu. In.)
 725cc, 17.8 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 15 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron II Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x5-6 Pneumatic Front
 Caster Tires
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1940, 725cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2131TC	Z915B Commercial ZTrak <i>Not Available for Sale in California.</i>	8,259.00
--------	--	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0250	Other Countries	Same Price
0195	Mexico	Same Price

MOWER DECK

1500	48 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings.</i>	In Base Price
1502	54 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings.</i>	270.00
1504	60 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings.</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
AM115838		Spark Arrester Screen	See Parts
Miscellaneous:			
TCU31258		Cast Iron Bumper	See Parts
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
Mower Deck and Mower Deck Attachments:			
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10445		Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10442		Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10591		Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
Order Zone:			
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc,17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2140TC	Z920M Commercial ZTrak <i>Available for Sale in all 50 states. California must select option code 1500, 48" 7-Iron PRO Side Discharge Mowing Deck.</i>	9,529.00
--------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1500	48 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1501	48 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1502		MOWER DECK Continued... 54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	270.00
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	540.00

SEATS

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00

ATTACHMENTS FOR FIELD CONVERSION

AM115838		Engine: Spark Arrester Screen	See Parts
TCB11281		Miscellaneous: Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
TCB10952		Mower Deck and Mower Deck Attachments: Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		Order Zone: Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc,17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2141TC	Z920M Commercial ZTrak <i>Available for Sale in California only.</i>	9,529.00
--------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	270.00
------	--	--------

SEATS

2000	Deluxe Comfort Seat with Armrests	In Base Price
2001	Deluxe Comfort Seat with Armrests and Isolation	195.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEATS Continued... <i>Includes Isolation System to Reduce Shock/Vibration</i>	
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00

ATTACHMENTS FOR FIELD CONVERSION

		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI Commercial ZTrak
 Equipment for Base Machine

24.6 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

	<i>F.O.B. Raleigh, North Carolina</i>	
2150TC	Z925M EFI Commercial ZTrak <i>Not Available for Sale in California.</i>	10,479.00

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1503	54 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00
1504	60 In. 7-Iron PRO Side Discharge Mower Deck	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOWER DECK Continued...			
<i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>			
<hr/>			
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel Commercial ZTrak
 Equipment for Base Machine

24.6 HP* Vertical-Shaft Air Cooled Electronically Fuel Injected Closed Loop System Flex Fuel (E0 to E85) Engine (45.6 Cu. In.) 747cc, 18.3 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing	Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch	Digital Hourmeter * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 747cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
---	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

	<i>F.O.B. Raleigh, North Carolina</i>	
2151TC	Z925M Flex Fuel Commercial ZTrak <i>Not available for Sale in California.</i>	10,749.00

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2160TC	Z930M Commercial ZTrak <i>Not Available for Sale in California.</i>	10,479.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00
1506	72 In. 7-Iron PRO Side Discharge Mower Deck <i>Availability limited to dealer inventory.</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOWER DECK Continued...			
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak (California)
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturers web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2162TC	Z930M Commercial ZTrak (California) <i>Available for Sale in California.</i>	10,479.00
--------	---	-----------

DESTINATION

0202	United States and Canada	In Base Price
------	--------------------------	---------------

MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
------	--	---------------

SEATS

2000	Deluxe Comfort Seat with Armrests	In Base Price
2001	Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002	Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak (California)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M EFI Commercial ZTrak
 Equipment for Base Machine

25.3 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

	<i>F.O.B. Raleigh, North Carolina</i>	
2161TC	Z930M EFI Commercial ZTrak <i>Not Available for Sale in California.</i>	10,999.00

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M EFI Commercial ZTrak

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0690TC	Z950M Commercial Ztrak <i>Not Available for Sale in California.</i>	10,889.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0250	Other Countries	Same Price
0195	Mexico	Same Price

MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00
1506	72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOWER DECK Continued...			
<i>Wheels.</i>			
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
AM115838		Spark Arrester Screen	See Parts
Miscellaneous:			
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
Mower Deck and Mower Deck Attachments:			
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
Order Zone:			
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920R Commercial ZTrak
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc, 17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48")
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge

Electric PTO Clutch
 Digital Hourmeter and Diagnostic
 Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2220TC	Z920R Commercial ZTrak <i>Not Available for Sale in California.</i>	11,439.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1500	48 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2180TC	Z930R Commercial Ztrak <i>Not Available for Sale in California.</i>	12,119.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1503	54 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1504		MOWER DECK Continued... 60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	270.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2190TC	Z950R Commercial ZTrak <i>Not Available for Sale in California.</i>	12,799.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1506		MOWER DECK Continued... 72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	540.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960R Commercial ZTrak
 Equipment for Base Machine

31.0 HP*
 Vertical-Shaft Air Cooled
 Engine (61.0 Cu. In.)
 999cc, 23.1 kW)
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 999cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2200TC	Z960R Commercial ZTrak <i>Not Available for Sale in California.</i>	13,499.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1506		MOWER DECK Continued... 72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	540.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
AM115838		Engine: Spark Arrester Screen	See Parts
TCB11281		Miscellaneous: Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
TCB10953		Mower Deck and Mower Deck Attachments: Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
LP40112		Order Zone: Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
 Equipment for Base Machine

35.0 HP*
 Vertical-Shaft Air Cooled
 Engine (61.0 Cu. In.)
 999cc, 26.1 kW)
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 72 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter and Diagnostic
 Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 999cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2210TC	Z970R Commercial ZTrak <i>Not Available for Sale in California.</i>	14,619.00
--------	--	-----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

MOWER DECK

1506	72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
------	--	---------------

SEATS

2000	Deluxe Comfort Seat with Armrests	In Base Price
------	-----------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2001		SEATS Continued... Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00

ATTACHMENTS FOR FIELD CONVERSION

		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled
 Engine (44.2 Cu. In.)
 725cc, 17.8 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 15 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron II Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x5-6 Pneumatic Front
 Caster Tires
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1940, 725cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2132TC	Z915B Commercial ZTrak <i>Not Available for Sale in California.</i>	8,259.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price

MOWER DECK

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1500		MOWER DECK Continued... 48 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502		54 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i>	270.00
1504		60 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i>	540.00

SEATS

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00

ATTACHMENTS FOR FIELD CONVERSION

AM115838	Engine: Spark Arrester Screen	See Parts
TCU31258	Miscellaneous: Cast Iron Bumper	See Parts
TCB11281	Front Light (2) Kit	243.96
TCB11531	Hitch Kit	34.24
TCB11248	Trash Receptacle Kit	99.51
TCB10952	Mower Deck and Mower Deck Attachments: Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469	Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10445	Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10442	Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10591	Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10285	Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112	Order Zone: Beacon Light Kit	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915B Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP1400	Floor Mat	In Catalog
	LPA11548	Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc,17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring
 Assisted Height of Cut

Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In. &
 60 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2142TC		Z920M Commercial ZTrak <i>Available for Sale in all 50 states. California must select option code 1500, 48" 7-Iron PRO Side Discharge Mowing Deck.</i>	9,529.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D		Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
MOWER DECK			
1500		48 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502		54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	540.00
1501		48 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	870.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10285	Rubber Flap Striping Kit for 48" Deck	419.44
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
	LP40112	Beacon Light Kit	In Catalog
	LP1400	Floor Mat	In Catalog
	LPA11548	Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc,17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2143TC	Z920M Commercial ZTrak (California) <i>Available for Sale in California only.</i>	9,529.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

MOWER DECK

1500	48 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	In Base Price
------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1502		MOWER DECK Continued... 54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00

SEATS

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00

ATTACHMENTS FOR FIELD CONVERSION

	Engine:		
AM115838		Spark Arrester Screen	See Parts
	Miscellaneous:		
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
	Mower Deck and Mower Deck Attachments:		
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
	Order Zone:		
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI Commercial ZTrak
 Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

	<i>F.O.B. Raleigh, North Carolina</i>	
2152TC	Z925M EFI Commercial ZTrak <i>Not Available for Sale in California.</i>	10,479.00

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
MOWER DECK			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI Commercial ZTrak
Continued

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel Commercial ZTrak
 Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Flex Fuel (E0 to E85)
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing

Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2153TC	Z925M Flex Fuel Commercial ZTrak <i>Not available for Sale in California.</i>	10,749.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel Commercial ZTrak

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
MOWER DECK			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2163TC	Z930M Commercial ZTrak <i>Not Available for Sale in California.</i>	10,479.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
MOWER DECK			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	-270.00
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	600.00
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak
Continued

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak (California)
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2165TC	Z930M Commercial ZTrak (California) <i>Available for Sale in California only.</i>	10,479.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
------	--	---------------

1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
------	--	--------

MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M Commercial ZTrak (California)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M EFI Commercial ZTrak
 Equipment for Base Machine

26.5 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

<i>F.O.B. Raleigh, North Carolina</i>		
2164TC	Z930M EFI Commercial ZTrak <i>Not Available for Sale in California.</i>	10,999.00

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M EFI Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
MOWER DECK			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (60" &
 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0691TC	Z950M Commercial Ztrak <i>Not available for Sale in California.</i>	10,889.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
<i>trademark, owned by Michelin North America, Inc.</i>			
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
MOWER DECK			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>	540.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40

Order Zone:

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M Commercial Ztrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP40112	Beacon Light Kit	In Catalog
	LP1400	Floor Mat	In Catalog
	LPA11548	Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920R Commercial ZTrak
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc, 17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48")
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge

Electric PTO Clutch
 Digital Hourmeter and Diagnostic
 Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2221TC	Z920R Commercial ZTrak <i>Not Available for Sale in California.</i>	11,439.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
MOWER DECK			
1500		48 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502		54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
AM115838		Engine: Spark Arrester Screen	See Parts
TCB11281		Miscellaneous: Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
TCB10952		Mower Deck and Mower Deck Attachments: Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		Order Zone: Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920R Commercial ZTrak
Continued

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2181TC		Z930R Commercial Ztrak <i>Not Available for Sale in California.</i>	12,119.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D		Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
<i>trademark, owned by Michelin North America, Inc.</i>			
MOWER DECK			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R Commercial Ztrak
Continued

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled
 Engine (52.0 Cu. In.)
 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 852cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2191TC		Z950R Commercial ZTrak <i>Not Available for Sale in California.</i>	12,799.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D		Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<hr/>			
MOWER DECK			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>	540.00
<hr/>			
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
AM115838		Engine: Spark Arrester Screen	See Parts
TCB11281		Miscellaneous: Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
TCB10953		Mower Deck and Mower Deck Attachments: Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10287	Rubber Flap Striping Kit for 72" Deck	449.40
		Order Zone:	
	LP40112	Beacon Light Kit	In Catalog
	LP1400	Floor Mat	In Catalog
	LPA11548	Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960R Commercial ZTrak
 Equipment for Base Machine

31.0 HP*
 Vertical-Shaft Air Cooled
 Engine (61.0 Cu. In.)
 999cc, 23.1 kW)
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 999cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2201TC	Z960R Commercial ZTrak <i>Not Available for Sale in California.</i>	13,499.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<hr/>			
MOWER DECK			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>	540.00
<hr/>			
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
TCB11248		Trash Receptacle Kit	99.51
		Mower Deck and Mower Deck Attachments:	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40

Order Zone:

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP40112	Beacon Light Kit	In Catalog
	LP1400	Floor Mat	In Catalog
	LPA11548	Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
 Equipment for Base Machine

35.0 HP*
 Vertical-Shaft Air Cooled
 Engine (61.0 Cu. In.)
 999cc, 26.1 kW)
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 72 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power
 Height of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips and
 Integrated
 Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter and Diagnostic
 Pkg.
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 999cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual
 operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2211TC	Z970R Commercial ZTrak <i>Not Available for Sale in California.</i>	14,619.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

TIRES & WHEELS

1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1039	24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R Commercial ZTrak
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TIRES & WHEELS Continued...			
MOWER DECK			
1506		72 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1037 or 1039.</i>	In Base Price
SEATS			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM115838		Spark Arrester Screen	See Parts
		Miscellaneous:	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	34.24
		Mower Deck and Mower Deck Attachments:	
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
		Order Zone:	
LP40112		Beacon Light Kit	In Catalog
LP1400		Floor Mat	In Catalog
LPA11548		Sun Canopy	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks
Equipment for Base Machine

24x12N12 Tire Size

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<div style="border: 1px solid black; padding: 5px; display: inline-block;">Select One Code From Each Required Category</div>			
BASE MACHINE			
<i>F.O.B. Raleigh, North Carolina</i>			
9980TC		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Order code is for one Tweel - two required. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	474.50
DESTINATION			
001A		United States and Canada	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X Tweel Turf for 72 In. Decks
Equipment for Base Machine

24x12N12 Tire Size

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

9981TC		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>Order code is for one Tweel - two required. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	474.50
--------	--	---	--------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For 997 Diesel ZTrak)
Equipment for Base Machine**

60 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Aluminum Spindle Housing
One Piece Stamped Deck	
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0336TC	60 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For 997 Diesel ZTrak)	2,760.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Deck and Mower Deck Attachments:	
TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS
 COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Gauge Steel Commercial Rear Discharge Mower Deck (For 997 Diesel ZTrak Mowers)
 Equipment for Base Machine

60 In. Cutting Width (3) HD Spindles, Blades Fabricated Deck 1.5-5 In. Height of Cut Deep Deck Design Vehicle Enclosure Kit Quick Release Belt Shields Front Anti-Scalp Wheels Steel Bar Reinforcement	Offset Spindles 8 In. Aluminum Spindle Housing Rear Discharge Chute Greaseable Spindles 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0510TC		60 In. 7-Gauge Steel Commercial Rear Discharge Mower Deck (For 997 Diesel ZTrak Mowers)	3,390.00
--------	--	---	----------

JOHN DEERE TURF & UTILITY PRODUCTS
 COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck (For 997 Diesel ZTrak)
 Equipment for Base Machine

60 In. Cutting Width (3) HD Spindles, Blades One Piece Stamped Deck 1.5-5.0 In. Height of Cut Mulch On Demand System Deep Deck Design Quick Release Belt Shields (2) Rear Adjustable Gauge Wheel Front and Rear Anti-Scalp Wheels	Steel Bar Reinforcement Offset Spindles 8 In. Aluminum Spindle Housing Hinged Side Discharge Chute Greaseable Spindles 7-Iron PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0335TC	60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck (For 997 Diesel ZTrak)	3,630.00
--------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

TCB11230	Mower Deck and Mower Deck Attachments: Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

72 In. 7-Iron II Commercial Side Discharge Mower Deck (For 997 Diesel ZTrak Mowers)
Equipment for Base Machine

72 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Aluminum Spindle Housing
One Piece Stamped Deck	
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0345TC	72 In. 7-Iron II Commercial Side Discharge Mower Deck (For 997 Diesel ZTrak Mowers)	3,180.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Deck and Mower Deck Attachments:	
TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS
 COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)

Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Aluminum Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

033BTC	60 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)	2,760.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:		
TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS
 COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck (For Z997R and 997 Diesel Ztrak)

Equipment for Base Machine

60 In. Cutting Width (3) HD Spindles, Blades Fabricated Deck 1.5-5 In. Height of Cut Deep Deck Design Vehicle Enclosure Kit Quick Release Belt Shields Front Anti-Scalp Wheels Steel Bar Reinforcement	Offset Spindles 8 In. Aluminum Spindle Housing Rear Discharge Chute Greaseable Spindles 7-Iron PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

051ATC		60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck (For Z997R and 997 Diesel Ztrak)	3,390.00
--------	--	---	----------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck (For Z997R and 997 Diesel ZTrak)
Equipment for Base Machine

60 In. Cutting Width (3) HD Spindles, Blades One Piece Stamped Deck 1.5-5.0 In. Height of Cut Mulch On Demand System Deep Deck Design Quick Release Belt Shields (2) Rear Adjustable Gauge Wheel Front and Rear Anti-Scalp Wheels	Steel Bar Reinforcement Offset Spindles 8 In. Aluminum Spindle Housing Hinged Side Discharge Chute Greaseable Spindles 7-Iron PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

035DTC		60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck (For Z997R and 997 Diesel ZTrak)	3,630.00
--------	--	--	----------

ATTACHMENTS FOR FIELD CONVERSION

		Mower Deck and Mower Deck Attachments: Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33
--	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
 COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)

Equipment for Base Machine

72 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Aluminum Spindle Housing
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

034ATC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)	3,180.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Deck and Mower Deck Attachments:	
TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**8 Bushel 2-Bag Material Collection System (For 48 In. / 54 In. / 60 In. Z-Trak Estate and
48 In. / 54 In. Z-Trak PRO Mowers including Mulch-On-Demand decks)
Equipment for Base Machine**

2 Bag Collection Hopper	14 In. Impeller Diameter
8 Bushel Capacity	Easy-To-Empty Bags
ABS Plastic Hopper Top	8 In. Diameter Chute
Mechanical Hopper Top Lock	Quick Detach Blower
Horizontal 7-Iron	Weight Bracket
Blower Configuration	
Steel Blower Housing	
5 Blade Commercial Impeller	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0783TC	8 Bushel 2-Bag Material Collection System (For 48 In. / 54 In. / 60 In. Z-Trak Estate and 48 In. / 54 In. Z-Trak PRO Mowers including Mulch-On-Demand decks) <i>When Installing 2-Bag MCS on ZTrak Estate Models, Rear Anti-Scalp Wheel Kit (TCB11228) and Attachment Kit (TCB11075) are Required. Not Compatible with Model Year 2007 and Prior ZTrak Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i>	1,865.00
--------	--	----------

ATTACHING PARTS

1003	Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 48" side discharge decks.</i>	In Base Price
1004	Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	In Base Price
1005	Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A & Z900A with 48" & 54" Mulch-on-Demand decks.</i>	241.00
1006	Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 54" side discharge decks.</i>	In Base Price
1010	Less Attaching Parts	-832.00

BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-749.00

CHUTE

3000	Chute	In Base Price
3010	Less Chute	-141.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**8 Bushel 2-Bag Material Collection System (For 48 In. / 54 In. / 60 In. Z-Trak Estate and
48 In. / 54 In. Z-Trak PRO Mowers including Mulch-On-Demand decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Material Collection System:			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11732		Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 48" side discharge decks.</i>	891.31
TCB11735		Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A & Z900A with 48" & 54" Mulch-on-Demand decks.</i>	1,145.97
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	488.99
TCB11736		Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 54" side discharge decks.</i>	891.31
TCB11734		Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	891.31
TCB11234		Chute	160.50
Mower Deck and Mower Deck Attachments:			
TCB11228		Rear Anti-Scalp Wheel Kit	173.34
Weights:			
R66949		Quik-Tatch Weight, 42 Lb.	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series
and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

3-Bag Collection Hopper	14 In. Impeller Diameter
14 Bushel Capacity	Easy-To-Empty Bags
Steel Hopper Top	8 In. Diameter Chute
Mechanical Hopper Top Lock	Quick Detach Blower
Horizontal 7-Iron	Weight Bracket
Blower Configuration	
Steel Blower Housing	
5 Blade Commercial Impeller	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0788TC	14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks) <i>When installing 3-Bag MCS on Z900B Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin Tweel Turf tires. Refer to Sales Manual for Proper Ballast Requirements.</i>	2,999.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price

ATTACHING PARTS

1005	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price
1006	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price
1007	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	In Base Price
1008	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	124.00
1010	Less Attaching Parts	-1,079.00
1011	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series
and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHING PARTS Continued...			
BLOWER			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00
ATTACHMENTS FOR FIELD CONVERSION			
Material Collection System:			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10221		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,239.06
BTC10363		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,239.06
BTC10368		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,213.39
BTC10370		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,239.06
BTC10365		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	1,381.37
BTC10369		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,381.37
Weights:			
R66949		Quik-Tatch Weight, 42 Lb.	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

3-Bag Collection Hopper	14 In. Impeller Diameter
14 Bushel Capacity	Easy-To-Empty Bags
Steel Hopper Top	8 In. Diameter Chute
Mechanical Hopper Top Lock	Quick Detach Blower
Horizontal 7-Iron	Weight Bracket
Blower Configuration	
Steel Blower Housing	
5 Blade Commercial Impeller	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0784TC	14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i>	2,915.00
--------	--	----------

ATTACHING PARTS

1005	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	In Base Price
1007	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks</i>	In Base Price
1008	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks</i>	124.00
1009	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	124.00
1010	Less Attaching Parts	-1,079.00
1011	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	In Base Price

BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-749.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Material Collection System:	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11705		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	1,239.06
TCB11704		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	1,239.06
TCB11686		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	1,213.39
TCB11707		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	1,239.06
TCB11703		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i>	1,381.37
TCB11706		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i>	1,381.37
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb.	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In.
Z900 M/R Series Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

High Density Polypropylene	5 Blade Commercial Impeller
Hopper	14 In. Impeller Diameter
14 Bushel Capacity	8 In. Diameter Chute
Mechanical Dump From	Quick Detach Blower
Operator Seat	Weight Bracket
Horizontal 7-Iron	
Blower Configuration	
Steel Blower Housing	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0787TC	14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin Tweel Turf tires. Not Compatible with Z900B Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,240.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price

ATTACHING PARTS

1005	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price
1006	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price
1007	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	In Base Price
1008	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	124.00
1010	Less Attaching Parts	-1,079.00
1011	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In.
Z900 M/R Series Mowers including Mulch-On-Demand Decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHING PARTS Continued...			
BLOWER			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00
ATTACHMENTS FOR FIELD CONVERSION			
Material Collection System:			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10221		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,239.06
BTC10363		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,239.06
BTC10368		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,213.39
BTC10370		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,239.06
BTC10365		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	1,381.37
BTC10369		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,381.37
Weights:			
R66949		Quik-Tatch Weight, 42 Lb.	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)
Equipment for Base Machine**

High Density Polypropylene Hopper	5 Blade Commercial Impeller
14 Bushel Capacity Mechanical Dump From Operator Seat	14 In. Impeller Diameter
Horizontal 7-Iron Blower Configuration	8 In. Diameter Chute
Steel Blower Housing	Quick Detach Blower Weight Bracket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0785TC	14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,160.00
--------	---	----------

ATTACHING PARTS

1005	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	In Base Price
1007	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks</i>	In Base Price
1008	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks</i>	124.00
1009	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	124.00
1010	Less Attaching Parts	-1,079.00
1011	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	In Base Price

BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-749.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Material Collection System:	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11705		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	1,239.06
TCB11704		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	1,239.06
TCB11686		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	1,213.39
TCB11707		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	1,239.06
TCB11703		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i>	1,381.37
TCB11706		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i>	1,381.37
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb.	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only
Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Polyethylene Hopper Top with Gas Cylinder Lift Assist and Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing	Upper and Lower Weight Brackets 5 Blade Commercial Impeller 14 In. Impeller Diameter Easy-To-Empty Bags 8 In. Diameter Chute Quick Detach Blower
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0771TC	14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only <i>Compatible with both 7-Iron and 7-Iron II Decks. Due to Overall Power Consumption with 757 Mulch-On-Demand and MCS, this Combination is not Recommended. Refer to Sales Manual for Proper Ballast Requirements.</i>	2,740.00
--------	---	----------

CHUTES

1000	Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	In Base Price
1001	Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	In Base Price
1002	Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	In Base Price
1010	Less Chute	-214.00

ATTACHING PARTS

3000	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	In Base Price
3001	Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	In Base Price
3002	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	In Base Price
3010	Less Attaching Parts	-438.00

ATTACHMENTS FOR FIELD CONVERSION

	Material Collection System:	
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11048	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11050	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	503.97

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB11047		Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	503.97
TCB11079		Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	245.03
TCB11052		Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	245.03
TCB11053		Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	245.03
		Weights:	
TCB11099		Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB11100		Upper Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	123.06

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797
Mowers only
Equipment for Base Machine**

Polypropylene Hopper	Upper and Lower Weight Brackets
14 Bushel Capacity	5 Blade Commercial Impeller
Mechanical Dump From Operator Seat	14 In. Impeller Diameter
Attaching Framework	8 In. Diameter Chute
Horizontal 7-Iron Blower Configuration	Quick Detach Blower
Steel Blower Housing	Weight Bracket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0772TC	14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797 Mowers only <i>Compatible with both 7-Iron and 7-Iron II Decks. Due to Overall Power Consumption with 757 Mulch-On-Demand and MCS, this Combination is not Recommended. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,040.00
--------	---	----------

CHUTES

1000	Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	In Base Price
1001	Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	In Base Price
1002	Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	In Base Price
1010	Less Chute	-214.00

ATTACHING PARTS

3000	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	In Base Price
3001	Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	In Base Price
3002	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	In Base Price
3010	Less Attaching Parts	-438.00

ATTACHMENTS FOR FIELD CONVERSION

	Material Collection System:	
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11048	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11050	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	503.97

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797
Mowers only**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB11047		Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	503.97
TCB11079		Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	245.03
TCB11052		Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	245.03
TCB11053		Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	245.03
		Weights:	
TCB11099		Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB11100		Upper Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	123.06

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side
Discharge Diesel Z-TRAK Mowers
Equipment for Base Machine**

High Density Polyethylene Hopper	Steel Blower Housing
Tubular Steel Frame With	Upper Weight Bracket
Polypropylene Fabric Door	14 In. Impeller Diameter
13 Bushel Capacity	6 In. Diameter Chute
Mechanical Dump From Operator	Quick Detach Blower
Seat	Weight Bracket
Attaching Framework	
7-Iron Blower	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0775TC	13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side Discharge Diesel Z-TRAK Mowers <i>For 997 with 60/72 In. side discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,499.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001B	Europe	Same Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHING PARTS

3405	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	14.00
3408	Attaching Parts for 60 In. 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	194.00
3490	Less Attaching Parts	-292.00

BLOWER

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-736.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side Discharge Diesel Z-TRAK Mowers

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Material Collection System:	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10264		Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i>	350.96
BTC10265		Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i>	556.40
BTC10266		Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i>	335.99
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb.	63.13
DMA210494		Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side
Discharge Diesel Z-TRAK Mowers
Equipment for Base Machine**

Low Density Polyethylene Hopper	Steel Blower Housing
Tubular Steel Frame With Low	Tilt for Service Feature
Density Polyethylene Door	14 In. Impeller Diameter
14 Bushel Capacity	6 In. Diameter Chute
Electrical Power Dump From	Quick Detach Blower
Operator Seat	Weight Bracket
Attaching Framework	
7-Iron Blower	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0776TC	14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side Discharge Diesel Z-TRAK Mowers <i>For MY15 and newer Z997R with 60/72 In. side discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements.</i>	4,289.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

ATTACHING PARTS

3405	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	13.00
3408	Attaching Parts for 60 In. 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	188.00
3490	Less Attaching Parts	-284.00

BLOWER

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-715.00

ATTACHMENTS FOR FIELD CONVERSION

	Material Collection System:	
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10264	Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i>	350.96

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side Discharge Diesel Z-TRAK Mowers

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i>	556.40
	BTC10266	Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i>	335.99
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron
PRO Deck**

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS	(Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Commercial Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0910TC		Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron PRO Deck	23,335.00
--------	--	---	-----------

SEATS

2009		Standard Seat	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
TCA18513		Deluxe Comfort Seat with Armrest	See Parts
BTC10713		Front Jack Kit	219.36
TCB11281		Front Light (2) Kit	243.96
BTC10674		Rear Bumper Kit	251.46

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Mower Deck and Mower Deck Attachments:	
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron PRO Deck

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS	(Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Commercial Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0913TC		Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron PRO Deck	24,205.00
--------	--	--	-----------

SEATS

2009		Standard Seat	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Miscellaneous:	
	TCA18513	Deluxe Comfort Seat with Armrest	See Parts
	BTC10713	Front Jack Kit	219.36
	TCB11281	Front Light (2) Kit	243.96
	BTC10674	Rear Bumper Kit	251.46

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Mower Deck and Mower Deck Attachments:	
	TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron
PRO Deck
Equipment for Base Machine**

<p>37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS</p>	<p>(Roll-Over Protective Structure) and Seat Belt 60 In. Commercial Rear Discharge Mower Deck 7-Gauge Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed</p>	<p>12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat</p>
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0912TC		Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron PRO Deck	23,965.00
--------	--	--	-----------

SEATS

2009		Standard Seat	In Base Price
2011		Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Miscellaneous:	
	TCA18513	Deluxe Comfort Seat with Armrest	See Parts
	BTC10713	Front Jack Kit	219.36
	TCB11281	Front Light (2) Kit	243.96
	BTC10674	Rear Bumper Kit	251.46

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron
PRO Deck**
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron
PRO Deck**

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS	(Roll-Over Protective Structure) and Seat Belt 72 In. 7-Iron PRO Commercial Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup & Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Armrests or Available Suspension Seat
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0911TC	Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron PRO Deck	23,805.00
--------	---	-----------

SEATS

2009	Standard Seat	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
TCA18513	Deluxe Comfort Seat with Armrest	See Parts
BTC10713	Front Jack Kit	219.36
TCB11281	Front Light (2) Kit	243.96
BTC10674	Rear Bumper Kit	251.46

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Mower Deck and Mower Deck Attachments:	
	TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
	TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model year '11 and Later (Serial # 060000-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Material Collection System:			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	488.99
TCB11074		Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11088		Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757)	503.97
TCB11234		Chute	160.50
Miscellaneous:			
TCA17208		Bumper Kit <i>Requires (2) 19M7817.</i>	See Parts
TCB11673		Bumper Kit <i>Z700A Mowers.</i>	107.00
TCB10967		Deluxe Comfort Seat with Armrests <i>For 7171A and 727A Mini-Frame Z-Trak Mowers.</i>	520.01
TCB11281		Front Light (2) Kit	243.96
Mower Deck and Mower Deck Attachments:			
TCB10801		Cloth Grass Catcher (3.5 Bushel)	439.77
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB11228		Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i>	173.34
TCB11266		Roller Striping Kit for 48 In. Deck <i>For Z710.</i>	448.33
TCB11229		Roller Striping Kit for 54 In. Deck <i>For Z710.</i>	448.33
TCB11230		Roller Striping Kit for 60 In. Deck <i>For Z720.</i>	448.33
Weights:			
TCB10900		(1) Caster Wheel Weight <i>For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.</i>	136.96

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and
Equipment**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB11099	Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21