

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1550 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

24.2 HP (17.8 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 77 cu. in. (1.27 L) Three Cylinder Liquid-Cooled Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxiliary Power Outlet 75 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Hydrostatic Front Wheel Drive Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column	mounted) 23x10.50-12 In. 4PR Turf (std) Drive Tires 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 4PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Internal Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Driven Implements Operator Presence System	Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Folding Two Post ROPS (Roll-Over Protective Structure) and Retractable Seat Belt Cast Iron Rear Bumper Operator Training Video
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2400TC	1550 TerrainCut Commercial Front Mower (Less Mower Deck)	18,420.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

DRIVE SYSTEM

1190	Two Wheel Drive	In Base Price
1191	Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00

DRIVE WHEELS WITH TIRES (TWO)

1019	23x10.50-12 4PR Turf Drive Tires	In Base Price
1020	23x8.50-12 4PR Turf Drive Tires	-35.00
1149	Less Drive Wheels and Tires	-332.00

SEATS

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	390.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2012		SEATS Continued... Air Ride Suspension Seat with Armrests	680.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AR87167		Engine Coolant Heater (110 Volt)	See Parts
		Hydraulics:	
BTC10529		Double Spool Auxiliary Hydraulic Kit	802.50
BTC10531		Hydraulic Weight Transfer Kit	317.79
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	324.21
BTC10530		Single Spool Auxiliary Hydraulic Kit	588.50
		Lighting:	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i>	310.30
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i>	208.66
		Miscellaneous:	
TCB10608		Electronic Cruise Control Kit	289.97
BTC10673		Reverse Alarm Kit (Back-up alarm)	128.40
BTC10685		Slow Moving Vehicle (SMV) Kit	85.60
		Operator Environment:	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS.</i>	219.36
BTC10334		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i>	1,700.23
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i>	492.20
		Seats / Wheels / Tires:	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	See Parts
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1550 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	108.07
		Wheels and Tires Front:	
	TCB10013	Dual Wheel Conversion Kit For 23x8.50-12 In. Drive Tires	295.31
	BTC10752	Two Wheels with 23x10.50-12 In. 6PR Turf Drive Tires	459.03
	TCB10413	Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires	375.57

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1570 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Diesel Engine 100.2 cu.
in. (1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxilary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Hydrostatic Front Wheel Drive
Hydrostatic Power Steering
Differential Front Wheel Lock

Front Lights (steering column
mounted)
23x10.50-12 In. 4PR Turf (std)
Drive Tires
18x8.50-8 In. 4PR Turf
Steering Tires (2WD) or
18x8.50-10 In. 6PR Turf
Steering Tires (4WD)
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2430TC	1570 TerrainCut Commercial Front Mower (Less Mower Deck)	25,916.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

DRIVE SYSTEM

1190	Two Wheel Drive	In Base Price
1191	Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00

DRIVE WHEELS WITH TIRES (TWO)

1019	23x10.50-12 4PR Turf Drive Tires	In Base Price
1020	23x8.50-12 4PR Turf Drive Tires	-35.00
1149	Less Drive Wheels and Tires	-332.00

SEATS

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	390.00
2012	Air Ride Suspension Seat with Armrests	680.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AR87167		Engine Coolant Heater (110 Volt)	See Parts
		Hydraulics:	
BTC10529		Double Spool Auxiliary Hydraulic Kit	802.50
BTC10531		Hydraulic Weight Transfer Kit	317.79
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	324.21
BTC10530		Single Spool Auxiliary Hydraulic Kit	588.50
		Lighting:	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i>	310.30
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i>	208.66
		Miscellaneous:	
TCB10608		Electronic Cruise Control Kit	289.97
BTC10673		Reverse Alarm Kit (Back-up alarm)	128.40
BTC10685		Slow Moving Vehicle (SMV) Kit	85.60
		Operator Environment:	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS.</i>	219.36
BTC10334		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i>	1,700.23
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i>	492.20
		Seats / Wheels / Tires:	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	See Parts
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1570 TerrainCut Commercial Front Mower (Less Mower Deck)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	108.07
		Wheels and Tires Front:	
TCB10013		Dual Wheel Conversion Kit For 23x8.50-12 In. Drive Tires	295.31
BTC10752		Two Wheels with 23x10.50-12 In. 6PR Turf Drive Tires	459.03
TCB10413		Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires	375.57

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

<p>37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 23x10.50-12 In. 4PR Turf Drive Tires</p>	<p>18x8.50-10 In. 6PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension</p>	<p>Seat with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights and Turn Signals</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2441TC	1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	37,729.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AR87167	Engine Coolant Heater (110 Volt)	See Parts
	Hydraulics:	
BTC10529	Double Spool Auxiliary Hydraulic Kit	802.50
BTC10531	Hydraulic Weight Transfer Kit	317.79
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	324.21
BTC10530	Single Spool Auxiliary Hydraulic Kit	588.50
	Lighting:	
LVB24852	Beacon Light Kit (Cab Only)	243.10
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only)	150.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous:			
	TCB10608	Electronic Cruise Control Kit	289.97
	BTC10673	Reverse Alarm Kit (Back-up alarm)	128.40
	BTC10685	Slow Moving Vehicle (SMV) Kit	85.60
Operator Environment:			
	LVB24844	External Mirror Kit (Cab Only)	190.30
	BTC10677	Radio Mount Kit (Cab Only)	117.70
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband	477.40
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband	933.90
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	See Parts
Seats / Wheels / Tires:			
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
Weights:			
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	108.07
Wheels and Tires Front:			
	BTC10752	Two Wheels with 23x10.50-12 In. 6PR Turf Drive Tires	459.03

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1580 TerrainCut Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE
J1995, PS
Rated at 3000 rpm
Displacement 100.2 cu. in.
(1.64 L)
Three Cylinder Liquid-Cooled
Up to B20 Compliant
Dual Element Air Cleaner
Air Restriction Indicator
12V Electric Start
12V Auxillary Power Outlet
75 AMP Automotive Alternator
16 U.S. Gallon Fuel Capacity
Two Pedal Hydrostatic Foot
Control
Hydrostatic Transmission
Two-Speed Transaxle
Four Wheel Drive
Full Time 4WD / On-Demand

Hydrostatic Power Steering
Differential Front Wheel Lock
Front Lights (steering column
mounted)
26x12.00-12 In. Square
Shoulder 6PR Turf Drive Tires
20x10.00-10 In. 6PR Round
Shoulder Steering Tires
Transmission Oil Cooler
Individual Turn Assist Brakes
Wet Disk Brakes
Master Stop Brake
Dual Hydraulic Implement
Lift Cylinders
Less Mower Deck
Hourmeter
Fuel Gauge
Tilt Steering Wheel
PTO Drvien Implements

Operator Presence System
Low Oil Pressure Warning Light
Hydraulic Oil Temp. Light and
Alarm PTO Shutdown
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Retractable Seat Belt
Cast Iron Rear Bumper
Operator Training Video

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2451TC	1580 TerrainCut Commercial Front Mower (Less Mower Deck)	31,231.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

SEATS

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	390.00
2012	Air Ride Suspension Seat with Armrests	680.00

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AR87167	Engine Coolant Heater (110 Volt)	See Parts
	Hydraulics:	
BTC10529	Double Spool Auxiliary Hydraulic Kit	802.50
BTC10531	Hydraulic Weight Transfer Kit	317.79
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	324.21
BTC10530	Single Spool Auxiliary Hydraulic Kit	588.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1580 TerrainCut Commercial Front Mower (Less Mower Deck)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting:	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i>	310.30
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i>	208.66
		Miscellaneous:	
TCB10608		Electronic Cruise Control Kit	289.97
BTC10673		Reverse Alarm Kit (Back-up alarm)	128.40
BTC10685		Slow Moving Vehicle (SMV) Kit	85.60
		Operator Environment:	
TCB10325		(1) Exterior Mirror Kit <i>Mounts to 4-Post ROPS.</i>	219.36
BTC10334		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i>	1,700.23
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i>	492.20
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	108.07
		Wheels and Tires Front:	
TCB10556		Two Wheels with 26x12-12 In., 6PR Turf Drive Tires	552.11

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)
Equipment for Base Machine**

<p>37.4 HP (27.5 kW), gross SAE J1995, P Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxillary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Two-Speed Transaxle Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 26x12.00-12 In. Square</p>	<p>Shoulder 6PR Turf Drive Tires 20x10.00-10 In. 6PR Round Shoulder Steering Tires Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents</p>	<p>Fabric Air Ride Suspension Seat with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2460TC	1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	40,131.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Engine:	
AR87167	Engine Coolant Heater (110 Volt)	See Parts
	Hydraulics:	
BTC10529	Double Spool Auxiliary Hydraulic Kit	802.50
BTC10531	Hydraulic Weight Transfer Kit	317.79
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	324.21
BTC10530	Single Spool Auxiliary Hydraulic Kit	588.50
	Lighting:	
LVB24852	Beacon Light Kit (Cab Only)	243.10
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only)	150.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous:			
	TCB10608	Electronic Cruise Control Kit	289.97
	BTC10673	Reverse Alarm Kit (Back-up alarm)	128.40
	BTC10685	Slow Moving Vehicle (SMV) Kit	85.60
Operator Environment:			
	LVB24844	External Mirror Kit (Cab Only)	190.30
	BTC10677	Radio Mount Kit (Cab Only)	117.70
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband	477.40
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband	933.90
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	See Parts
Seats / Wheels / Tires:			
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	See Parts
Weights:			
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	108.07
Wheels and Tires Front:			
	TCB10556	Two Wheels with 26x12-12 In., 6PR Turf Drive Tires	552.11

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

60 In. 7-Iron II Commercial Side Discharge Mower Deck (For 1400 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

60 In. Cutting Width (3) HD Spindles, Blades One Piece Stamped Deck 1-6 In. Height of Cut Deep Deck Design (2) Front Pneumatic Caster Wheels Quick Release Belt Shields (1) Rear Left Adjustable Gauge Wheel	Front and Rear Anti-Scalp Rollers 3/4 In. Steel Reinforcement Bar Offset Spindles Hinged Side Discharge Chute Greaseable Spindles 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System	90 Degrees Rotate for Service
---	---	-------------------------------

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0331TC	60 In. 7-Iron II Commercial Side Discharge Mower Deck (For 1400 Series II and Non-Series II Front Mowers) <i>Will not Retrofit F900, F1145 Series Front Mowers.</i>	4,070.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous: TCA13791 Vehicle Enclosure Kit	See Parts
	Mower Deck and Mower Deck Attachments: TCB10953 Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

60 In. 7-Iron PRO Commercial Side Discharge Deck (For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II)

Equipment for Base Machine

60 In. Cutting Width (3) Spindles, Blade (3) 0.25 In. High Lift Blades 7-Gauge (.177 In.) One Piece Stamped Deck Shell 1-6 In. Height of Cut 5.5 In. Deep Deck Design (2) Flat Free Caster Wheels Quick Release Belt Shields	(4) Double Captured Adjustable Anti-scalp Wheel Locations (1) Left Rear Anti-scalp Wheel Hinged Side Discharge Chute Greaseable Spindles and Caster Wheels 1 In. Splined Shaft Drive Rotate for Service w/ Safety Latches
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0338TC	60 In. 7-Iron PRO Commercial Side Discharge Deck (For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II) <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,070.00
--------	--	----------

Destination

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous: TCA24048 Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	See Parts
	Mower Deck and Mower Deck Attachments: TCA22953 Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	See Parts
	BTC10669 Mulch Kit (60 In. 7-Iron PRO)	326.36
	Weights: R66949 Quik-Tatch Weight, 42 Lb.	63.13
	TCB10303 Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

62 In. 7-Gauge Steel Commercial Rear Discharge Mower Deck (For 1400 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

62 In. Cutting Width	Front Anti-Scalp Rollers
(3) HD Spindles, Blades	3/4 In. Steel Reinforcement
Fabricated Deck	Bar
1-5 In. Height of Cut	Offset Spindles
Deep Deck Design	Rear Discharge Chute
Vehicle Enclosure Kit	Greaseable Spindles
(2) Front Pneumatic	7-Gauge (.177 In.) Steel
Caster Wheels	Splined Shaft Drive
Quick Release Belt Shields	Baffling System
(2) Rear Anti-Scalp Wheels	70 Degrees Rotate for Service

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0351TC	62 In. 7-Gauge Steel Commercial Rear Discharge Mower Deck (For 1400 Series II and Non-Series II Front Mowers) <i>Will not Retrofit F900, F1145 Series Front Mowers. Not Compatible with Dual Wheels.</i>	4,230.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9100	European CE Kit: European CE Conversion Kit, 62 In. 7-Gauge Steel Commercial Rear Discharge Mower Deck <i>This Code Must be Ordered to Receive a 62 In. Mower Deck Which Meets CE Mark Requirements. Kit Includes Low Lift Cutting Blades, Upstop Brackets, Pictorial Decals, English, French, German, Spanish and Italian Operator's Manual.</i>	74.00
------	--	-------

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:		
TCB10553	62 In. Rear Discharge Mulching Kit	224.70
TCB10523	62 In. Rear-Discharge Mower Deck Deflector Kit	249.31

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**62 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers
and 1400's Series II and Non-Series II Front Mowers)**

Equipment for Base Machine

62 In. Cutting Width (3) Spindles, Blades (3) 0.31 In. Medium Lift Blades 7-Gauge (.177 In.) Fabricated Deck 1-6 In. Height of Cut Vehicle Enclosure Kit (2) Flat Free Caster Wheels	Quick Release Belt Shields (3) Double Captured Anti-scalp Wheel Locations Greaseable Spindles and Caster Wheels 1 In. Splined Shaft Drive Rotate for Service
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0352TC	62 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers) <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,230.00
--------	---	----------

Destination

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	See Parts
TCA13791	Vehicle Enclosure Kit <i>For 1400/1500 Series II and Non-Series II.</i>	See Parts
Mower Deck and Mower Deck Attachments:		
BTC10545	62 In. Rear Discharge Mulching Kit <i>Will Retrofit MY13 62-In. Rear Discharge Decks and Prior. Rear Discharge Mulching Kit (TCB10533) will not Retrofit MY15 and newer 62-In. Rear Discharge Decks.</i>	235.40
TCB10523	62 In. Rear-Discharge Mower Deck Deflector Kit	249.31
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	See Parts
Weights:		
R66949	Quik-Tatch Weight, 42 Lb.	63.13
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers)
Equipment for Base Machine**

72 In. Cutting Width	Anti-scalp Wheel Locations
(3) Spindles, Blades	(2) Rear Anti-scalp Adjustable
7-Gauge (.177 In.) One Piece Stamped Deck Shell	Wheels
1-6 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
(2) Flat Free Caster Wheels	7-Gauge (.177 In.) Steel
Quick Release Belt Shields	1 In. Splined Shaft Drive
(4) Double Captured Adjustable	Rotate for Service

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0347TC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers) <i>Will not Retrofit F900, F1145 Series Front Mowers. Ballast Recommendations: (1) 42 Lb. (R66949) Quick-Tatch Weight Mounted on Rear Weight Mounting Kit(TCB10303).</i>	4,787.00
--------	--	----------

Destination

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	See Parts
Mower Deck and Mower Deck Attachments:		
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	See Parts
BTC10670	Mulch Kit 72" (7-Iron PRO)	331.70
Weights:		
R66949	Quik-Tatch Weight, 42 Lb.	63.13
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers
and 1400/1500's Series II and Non Series II Front Mowers)**
Equipment for Base Machine

72 In. Cutting Width	(2) Rear Anti-Scalp Wheels
(3) Spindles, Blades	Front Anti-Scalp Rollers
Fabricated Deck	Offset Spindles
1-6 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Gauge (.177 In.) Steel
Vehicle Enclosure Kit	1 In. Splined Shaft Drive
Rear Deck Deflector Kit	Rotate for Service
(2) Flat Free Caster Wheels	
Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0553TC	72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers) <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,799.00
--------	--	----------

Destination

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	See Parts
TCA13791	Vehicle Enclosure Kit <i>For 1400/1500 Series II and Non-Series II.</i>	See Parts
Mower Deck and Mower Deck Attachments:		
DMA210906	72 In. Deflector Kit	See Parts
DMB210223	72 In. Rear Discharge Anti-Scalp Wheel (Front Pair) Kit <i>For use with all 72" Rear Discharge Decks for NA and Export.</i>	179.76
DMB210099	72 In. Rear Discharge Mulching Kit <i>For use with 72" Rear Discharge Decks for NA.</i>	423.71
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	See Parts
Weights:		
R66949	Quik-Tatch Weight, 42 Lb.	63.13

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers
and 1400/1500's Series II and Non Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck (For 1570/1575/1580/1585
TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)
Equipment for Base Machine**

72 In. Cutting Width	(4) Front Pneumatic Caster
(3) HD Spindles, Blades	Wheels
(3) One Piece Stamped Decks	20 Degrees of Wing Deck
1-4 In. Height of Cut with Rear	Articulation
Roller Kit (optional)	Hinged Side Discharge Chute
1-5 In. Height of Cut with	Greasable Spindles
Standard	7 Gauge (.177 In.) Steel
Rear Wheel Kit	Splined Shaft Drive
Deep Deck Design	45 Degrees Rotate for Service

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0050TC	72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck (For 1570/1575/1580/1585 TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers) <i>Can not be Used with the MCS 600 Hydraulic High-Dump Material Collection System. Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual. * Hydraulic Weight Transfer Kit (TCB10566) is Required for use with 72-In V-Flex Mower Deck on 1400/1500 Series II Front Mowers. (2) Lift Cylinders(TCA13394) are Required for use with 1445 Front Mowers with Serial Numbers prior to 030001.</i>	7,999.00
--------	--	----------

Rear Rollers, Wheels

1000	Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	In Base Price
1001	Rear Roller Kit <i>Includes (3) 26" Smooth Solid Rollers.</i>	1,132.00

ATTACHMENTS - ORDER AS DESIRED

9100	European CE Kit: European CE Version 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck for 1445 Front Mowers Only <i>Not for 1445 Series II Mowers. This Code Must be Ordered for 72 In. 7-Iron V-Flex Mower Deck on 1445 Mowers Which Meet CE Mark Requirements. Kit Includes Pictorial Decals, Low Noise European Blades, Steel Shielding for Belt Drive System, Drive Shaft Guard, Lowered Front Lip and Operator's Manual in English, French, German, Spanish and Italian.</i>	342.00
------	---	--------

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck (For 1570/1575/1580/1585
TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		European CE Kit:	
TCB10771		European CE Hydraulic Wing Lift Kit <i>Meets CE Requirements. Requires Single Spool Auxiliary Hydraulic Kit (TCB11747).</i>	802.50
		Hydraulics:	
TCB10566		Hydraulic Weight Transfer Kit <i>For Series II and Non-Series II Front Mowers.</i>	306.01
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	317.79
TCB10653		Hydraulic Wing Lift Kit <i>*Requires Single Spool Auxiliary Hydraulic Kit (BTC10530) for 1500 TerrainCut Front Mowers **Requires Single Spool Auxiliary Hydraulic Kit (TCB11474) for 1400/1500 Series II Front Mowers</i>	759.70
TCB11474		Single Spool Auxiliary Hydraulic Kit <i>For Series II and Non-Series II Front Mowers.</i>	541.41
BTC10530		Single Spool Auxiliary Hydraulic Kit <i>For 1500 TerrainCut Front Mowers.</i>	588.50
		Miscellaneous:	
TCA13394		(1) Lift Cylinder	See Parts
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	See Parts
		Mower Deck and Mower Deck Attachments:	
TCB10581		Mulch Kit (72 In. V-Flex)	648.41
TCB10614		Rear Roller Kit <i>Includes (3) 26" Smooth Solid Rollers.</i>	1,728.06
TCB10578		Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	516.81
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	63.13
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine**

60 In. Clearing Width "Straight" 52 In. Clearing Width "Fully Angled" 0 Degrees Straight, 15-30 Degrees Left or Right Blade Angle Hydraulic Angling Replaceable Cutting Edge	Heavy-Duty, 7-Gauge Steel Reinforced Angle Bar on Back of Blade Spring Breakaway - Lockout Pin (2) 8-Position, Adjustable Skid Shoes Less Lift Arms
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0390TC		60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on 1500 TerrainCut Front Mowers.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	1,732.00
--------	--	---	----------

LIFT ARMS

1000		Lift Arms and Hardware <i>For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower.</i>	218.00
1001		Lift Arms and Hardware <i>For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower.</i>	218.00
1010		Less Lift Arms	In Base Price

ATTACHMENTS - ORDER AS DESIRED

9100		European CE Kit: European CE Conversion Kit for 60 In. H.D. Hydraulic Angling Front Blade <i>This Code Must be Ordered to Receive a 60 In. Front Blade Which Meets CE Requirements. Kit Includes Fuel Hose Conduit, Pictorial Decals, Operator's Manual in English, French, German, Spanish and Italian.</i>	14.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

	TCB11474	Hydraulics: Single Spool Auxiliary Hydraulic Kit <i>Required for 1400/1500 Series II and Non-Series II Front Mowers.</i>	541.41
--	----------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10530		Single Spool Auxiliary Hydraulic Kit <i>Required for all 1500 TerrainCut Front Mowers.</i>	588.50
		Miscellaneous:	
BTC10608		Front Blade Lift Arms and Hardware Kit (For 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non Series II Front Mowers)	249.31
TCB10449		Front Blade Lift Arms and Hardware Kit (For 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non Series II Front Mowers)	249.31
AM119321		Heavy Duty Skid Shoe (1)	See Parts
M142885		Heavy Duty Skid Shoe (1)	See Parts
		Seats / Wheels / Tires:	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	See Parts
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0228TC		Hard Cab (For 1400/1500 Series II and Non-Series II Front Mowers) <i>Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	3,055.00
--------	--	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000		Miscellaneous: Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	460.00
9001		Single Speed Front Windshield Wiper	347.00
9002		(1) Exterior Mirror Kit	205.00
9004		Cab Integrated Heater/Defroster Kit <i>For 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867</i>	917.00
9005		Cab Integrated Heater/Defroster and Air Conditioner <i>For 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models: 1445/1545; TCU19226 1565; M138867</i>	2,350.00
9006		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,589.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Hard Cab (For 1400/1500 Series II and Non-Series II Front Mowers)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous:			
BTC10293		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i>	1,700.23
TCB10538		Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	342.40
TCB10821		Cab Integrated Heater/Defroster Kit <i>For 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353 and 14H785</i> <i>1435; M139144</i> <i>1445/1545; TCU19226</i> <i>1565; M138867</i>	981.19
TCB10822		Cab Integrated Heater/Defroster and Air Conditioner <i>For 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1445/1545; TCU19226</i> <i>1565; M138867</i>	2,514.50
BTC10377		Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i>	190.46
BTC10378		Compressor Bracket Kit	212.93
TCB10326		Floor Mounted Heater/Defroster Kit <i>For Series II and Non Series II 1400/1500 Mowers. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353 and 14H785</i> <i>1435; M139144</i> <i>1445/1545; M138867</i> <i>1565; M138288</i>	802.50
TCB11095		Front Worklight (2) Kit <i>Requires 4-Post ROPS Conversion Kit with Canopy.</i>	181.90
TCB10662		Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	243.96
TCB10981		Single Speed Front Windshield Wiper	371.29
Operator Environment:			
TCB10325		(1) Exterior Mirror Kit	219.36
TCB10620		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	492.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Soft Cab (For 1400/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

Modular Design
Side Panels with Doors
Rear Panel with Window
Two Work Lights with Wiring
Harness

Accoustic Canopy Liner

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0227TC	Soft Cab (For 1400/1500 Series II and Non-Series II Front Mowers) <i>Requires Code 9004 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	2,180.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:		
9000	Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	460.00
9001	Single Speed Front Windshield Wiper	347.00
9002	(1) Exterior Mirror Kit	205.00
9003	Floor Mounted Heater/Defroster Kit <i>For Series II and Non-Series II 1400/1500 Mowers. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835</i>	750.00
9004	4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,589.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
BTC10293	4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Required for new Hard Cab BTC10295. *Required for new Soft Cab BTC10336. (Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023). **Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i>	1,700.23

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Soft Cab (For 1400/1500 Series II and Non-Series II Front Mowers)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10538		Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	342.40
BTC10377		Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i>	190.46
BTC10378		Compressor Bracket Kit	212.93
TCB10326		Floor Mounted Heater/Defroster Kit <i>For Series II and Non-Series II 1400/1500 Mowers. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models: 1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835</i>	802.50
TCB11095		Front Worklight (2) Kit <i>Requires 4-Post ROPS Conversion Kit with Canopy.</i>	181.90
TCB10662		Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	243.96
TCB10981		Single Speed Front Windshield Wiper	371.29
TCB10325		Operator Environment: (1) Exterior Mirror Kit	219.36
TCB10620		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	492.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Material Collection System (For F725, F735 Front Mowers)
Equipment for Base Machine

9 Bushel Capacity
Polyethylene Hopper
Less Power Flow Blower

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1341M		Material Collection System (For F725, F735 Front Mowers)	2,091.00
-------	--	--	----------

POWER FLOW BLOWER

1001		Power Flow Blower for 48 In and 54 In. Mower	461.00
1002		Less Power Flow Blower	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

BM19090		Material Collection System Power Flow Blowers: Blower Assembly for 48 In. and 54 In. Mower	541.41
---------	--	--	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

MCS 600 Hydraulic High-Dump Material Collection System (For 1400 4WD/1500 Series II and Non-Series II Front Mowers)
Equipment for Base Machine

17 Bushel Capacity
Hydraulic Dump System
High Performance Blower
Lift Height - 6.23 Ft.
Clam Shell Design
Fiberglass Structure

Easy To Dump System
Low Noise System
6 Blade Commercial Blower

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0801TC		MCS 600 Hydraulic High-Dump Material Collection System (For 1400 4WD/1500 Series II and Non-Series II Front Mowers) <i>Mowers Require TCB10567 Rear Auxillary Hydraulic Kit and TCB11475 Double Spool Auxiliary Hydraulic Kit. *Drive Coupler AM102741 is required for all MCS 600 Material Collection Systems.</i>	6,570.00
<i>All 1400 4WD Mowers can not be Operated with MCS and Cab. MCS can not be Used with the 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck.</i>			

CHUTE

1000		72 In. Chute with MCS Adapter	In Base Price
1001		60 In. Chute with MCS Adapter	Same Price
1010		Less Chute and Less MCS Adapter	-316.00

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics:			
TCB11475		Double Spool Auxiliary Hydraulic Kit	736.16
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	324.21
Material Collection System:			
TCB11588		60 In. Chute with MCS Adapter	362.73
TCB11589		72 In. Chute with MCS Adapter	362.73
AM102741		Drive Coupler <i>Needs to be ordered with all MCS 600 Material Collection systems for installation on 1400 and 1500 series Front Mowers.</i>	See Parts
TCA14116		MCS Support Stands	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and
Non-Series II Front Mowers)
Equipment for Base Machine**

57 In. Clearing Width "Straight" 50 In. Clearing Width "Fully Angled" 0 Degrees Straight, 15-30 Degrees Left or Right Brush Angle 26 In. Diameter Polypropylene Brush	Heavy Duty Center Drive Gearbox Storage Stand Less Lift Arms and Drive Shaft Chain and Sprocket Final Drive (2) Caster Wheels Steel Hood
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0500TC	60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on 1500 TerrainCut Front Mowers. *Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling. Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	3,247.00
--------	--	----------

LIFT ARMS AND DRIVE SHAFT

1000	Lift Arms, Cylinders, Drive Shaft and Hardware	1,633.00
1010	Less Lift Arms Cylinders, Drive Shaft and Hardware	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics:		
TCB11474	Single Spool Auxiliary Hydraulic Kit <i>(For 1400/1500 Series II and Non-Series II Front Mowers).</i>	541.41
BTC10530	Single Spool Auxiliary Hydraulic Kit <i>(For 1500 TerrainCut Front Mowers).</i>	588.50
Miscellaneous:		
BM20706	19.25x12.5x6.5 Heavy Duty Wheel Kit	361.66
TCB10391	60 Rotary Broom Lift Arms, Drive Shaft and Hardware Kit	1,854.31
TCB10392	Debris Deflector	417.30
AM128682	Wafers, Polypropylene Bristle (Pack of 16)	See Parts
AM128683	Wafers, Steel Bristle (Pack of 16)	See Parts
Weights:		
BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and
Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**47 In. Heavy-Duty Two-Stage Snow Blower (For 1550 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers)
Equipment for Base Machine**

Two-Stage Design	Reversible, Replaceable
Hydraulic Lift	Scraper Blade
47 In. Clearing Width	Hydraulic Discharge Chute
15.5 In. Diameter Impeller	Rotation 90 Degrees Right and
16 In. Diameter Auger	Left (180 Degrees Total)
(4) Spare Shear Bolts	HD Auger Bevel Gearbox Drive
Mounted to Shell	Less Lift Arms and Drive Shaft
Adjustable Spout Cap Deflector	
Large, Adjustable Skid Shoes	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0370TC	47 In. Heavy-Duty Two-Stage Snow Blower (For 1550 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570/1575 TerrainCut Front Mowers. *Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute. Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,099.00
--------	---	----------

LIFT ARMS AND DRIVE SHAFT

1000	Lift Arms, Drive Shaft and Hardware	435.00
1010	Less Lift Arms, Drive Shaft and Hardware <i>To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics:		
TCB11474	Single Spool Auxiliary Hydraulic Kit <i>(For 1400/1500 Series II and Non-Series II Front Mowers).</i>	541.41
BTC10530	Single Spool Auxiliary Hydraulic Kit <i>(For 1500 TerrainCut Front Mowers).</i>	588.50
Miscellaneous:		
M88984	Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i>	See Parts
TCB10448	Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	498.61
Seats / Wheels / Tires:		
TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

47 In. Heavy-Duty Two-Stage Snow Blower (For 1550 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	See Parts
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**

Equipment for Base Machine

Two-Stage Design	Scraper Blade
Hydraulic Lift	Hydraulic Discharge Chute
59 In. Clearing Width	Rotation 90 Degrees Right and
60 In. Overall Width	Left (180 Degrees Total)
16 In. Diameter Auger	HD Auger Gearbox Drive
Adjustable Spout Cap Deflector	Less Lift Arms and Drive Shaft
Large, Adjustable Skid Shoes	
Reversible, Replaceable	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0380TC	60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1500 TerrainCut Front Mowers.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,619.00
--------	--	----------

LIFT ARMS AND DRIVE SHAFT

1000	Lift Arms, Drive Shaft and Hardware	435.00
1010	Less Lift Arms <i>To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for Instruction.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics:			
TCB11474	Single Spool Auxiliary Hydraulic Kit <i>(For 1400/1500 Series II and Non-Series II Front Mowers).</i>		541.41
BTC10530	Single Spool Auxiliary Hydraulic Kit <i>(For 1500 TerrainCut Front Mowers).</i>		588.50
Miscellaneous:			
M88984	Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i>		See Parts
TCB10448	Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit		498.61
Seats / Wheels / Tires:			
TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires		See Parts
TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires		See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers,
1400/1500 Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	108.07

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL FRONT MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Front Mowers and Equipment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Hydraulics:			
TCB11475		Double Spool Auxiliary Hydraulic Kit	736.16
TCB10566		Hydraulic Weight Transfer Kit	306.01
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	324.21
TCB11474		Single Spool Auxiliary Hydraulic Kit	541.41
Miscellaneous:			
BM18123		2000 RPM Front PTO (F900's)	1,241.20
BM17714		Auxiliary Hydraulic Kit For F900 Series and F1145	177.61
TCA12058		Slow Moving Vehicle (SMV) Kit	See Parts
TCA13791		Vehicle Enclosure Kit	See Parts
Mower Deck and Mower Deck Attachments:			
BM17870		48 In. Front Edge Kit	88.81
BM19918		48 In. Mulch Kit	236.47
BM17436		72 In. Commercial Side Discharge Mower Deck (For F1145)	4,909.16