

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emmissions Certified
Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
Twin Touch Pedals and Direction Control
Differential Lock

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:

Hydrostatic Power Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System

Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter
Working Pressure (2000 PSI)
Dual Mid SCV Standard

PTO:

Hydrostatic Model:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:

Rockshaft
Limited Category 1, 3-Pt. Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:

Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:

12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights
Two Flashing Warning Lights

OPERATOR PROTECTIVE

STRUCTURE:
Folding ROPS (Roll-Over Protective Structure)
** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Seat Belt
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment

BASE MACHINE (4WD):

Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires

Tier IV EPA Emmissions

Certified Engine HP 22.4 (16.5 kW), PS PTO HP 15.3 (11.4 kW) Rated Speed 3200 RPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0254LV		1023E Sub-Compact Utility Tractor (15 PTO hp)	11,748.00
--------	--	---	-----------

OPERATORS MANUAL

0409		English North American Operator's Manual and Decal Kit	In Base Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price

REAR WHEELS WITH TIRES (TWO)

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REAR WHEELS WITH TIRES (TWO) Continued...			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	280.50
BW15074		Ballast Box Extension	133.10
		Engine:	
MIA881629		Engine Block Heater Adapter	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter and 57M9425 P-clamp.</i>	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	231.00
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	209.00
		Hydraulics:	
LVB25956		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i>	174.90
LVB25837		Rear Hydraulic Kit <i>Not compatible with LVB25956 (Power Beyond Kit), LVB25838 (Third SCV Kit) or BLV10531 (Third SCV Kit).</i>	306.90
BLV10351		Third Selective Control Valve Kit <i>Not compatible with LVB25956 (Power Beyond Kit).</i>	642.00
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness LVB26026. Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
LVB26026		Rear Work Light Harness Kit <i>Required to use with Rear Work Light LVB25547.</i>	22.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
LVB26110		Loader Mount Toolbox Kit	66.00
		Operator Environment:	
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		Spanish North American Kit:	
LVB26209		Spanish North American Owner's Manual and Decal Kit	119.90
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	63.13

Wheels and Tires Front:

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emmissions Certified
Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
2-Pedal Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:

Hydrostatic Power Steering
Tilt Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System

Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter
Working Pressure (2000 PSI)
Dual Mid SCV Standard

PTO:

Hydrostatic Model:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:

Rockshaft
Limited Category 1, 3-Pt.
Position Control Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:

Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light
Indicator

ELECTRICAL:

12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights

Two Flashing Warning Lights
Two Fender Lights

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over Protective Structure)
** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Deluxe Cushion Seat With Seat Belt
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment
Tool Box
12V Outlet
Floor Mat

BASE MACHINE (4WD):

Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires

Tier IV EPA Emmissions

Certified Engine HP 25.2 (18.5 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0284LV	1025R Sub-Compact Utility Tractor (18 PTO hp)	13,561.00
--------	---	-----------

OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
AM134805		Engine Block Heater Adapter	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter.</i>	See Parts
LVA15392		Spark Arrester Screen for Muffler	See Parts
Hitch:			
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
Hood Guards:			
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	231.00
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	209.00
Hydraulics:			
LVB25956		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i>	174.90
LVB25837		Rear Hydraulic Kit <i>Not compatible with LVB25956 (Power Beyond Kit), LVB25838 (Third SCV Kit) or BLV10531 (Third SCV Kit).</i>	306.90
BLV10351		Third Selective Control Valve Kit <i>Not compatible with LVB25956 (Power Beyond Kit).</i>	642.00
Lighting:			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400)</i> <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
LVB26110		Loader Mount Toolbox Kit	66.00
		Operator Environment:	
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		Spanish North American Kit:	
LVB26209		Spanish North American Owner's Manual and Decal Kit	119.90
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	63.13
		Wheels and Tires Front:	
LVB25850		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
LVB25848		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
LVB25849		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R TLB Sub-Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emmissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off</p> <p>TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle 2-Pedal Foot Operated Speed and Direction Control Differential Lock Cruise Control</p> <p>FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive 4WD</p> <p>STERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Wheel Brakes Park Brake Wet Disk Brakes</p> <p>HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard</p> <p>PTO: Hydrostatic Model: Mid PTO Standard Equipment Independent Mid and Rear PTO</p>	<p>540-RPM Rear PTO Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Position Control Hitch Rate of Drop/Stop Valve Hitch Plate</p> <p>INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator</p> <p>ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch</p> <p>LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights Two Fender Lights</p> <p>OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Deluxe Cushion Seat With Seat Belt Operator Presence System</p> <p>MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood Cupholder - Left Console Mower Deck Height Adjustment Tool Box</p>	<p>12V Outlet Floor Mat BASE MACHINE (4WD): Engage on the go 4WD 26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires 18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires Tier IV EPA Emmissions Certified Engine HP 25.2 (18.5 kW), PS PTO HP 18.0 (13.4 kW) Rated Speed 3200 RPM</p> <p>LOADER: 49 In.(1250 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quick-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover</p> <p>BACKHOE: 6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics 12 In. Bucket Swivel Seat Bracket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics</p>
--	--	--

CODE	ATTACHMENT IDENTIFIER DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0283LV	<p>1025R TLB Sub-Compact Utility Tractor (18 PTO hp) <i>Base Machine Suggested List Price Does Include:</i> - H120 NSL Loader (Less Ballast Box, with Quick Change Attachment Carrier and 49 In. Quick Change Materials Bucket) - 260_Backhoe (with 12 In. Backhoe Bucket) - Installation Charge of \$535 USD. - Three-point hitch WILL be included and arrive with the tractor in a box attached to the</p>	22,790.00
--------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BASE MACHINE Continued...			
<i>backhoe.</i>			
<hr/>			
OPERATORS MANUAL			
0409		English North American Operator's Manual and Decal Kit	In Base Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
<hr/>			
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
<hr/>			
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
Buckets:			
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
Engine:			
AM134805		Engine Block Heater Adapter	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter.</i>	See Parts
LVA15392		Spark Arrester Screen for Muffler	See Parts
Hitch:			
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
Miscellaneous:			
BW15476		Bucket Level Indicator	62.70
LVB26110		Loader Mount Toolbox Kit	66.00
LVB24982		Stabilizer Cylinder Protection Kit	124.30
Operator Environment:			
TY25324		Weather Protection Umbrella	See Parts
Order Zone:			
<i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>			
LP25000		ABS Plastic Canopy	In Catalog
Seats / Wheels / Tires:			
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
Spanish North American Kit:			
LVB26209		Spanish North American Owner's Manual and Decal Kit	119.90
Weights:			
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40

JOHN DEERE TURF & UTILITY PRODUCTS
 COMPACT UTILITY TRACTORS

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)
 Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	63.13
		Wheels and Tires Front:	
LVB25850		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
LVB25848		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		Wheels and Tires Rear:	
LVB25849		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
LVB25847		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emmissions Certified
Engine HP 24.2 (17.8 kW)**
PTO HP 18.0 (13.4 kW)
Rated Speed 3000 RPM
**Manufacturer's Estimate of Power (ISO) per 97/68/EC
68 Cu. In. Displacement (1.115 L)
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
6.1 Gallon Fuel Tank Capacity (23.0 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
2-Pedal Foot Operated Speed and Direction Control
Differential Lock

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:

Hydrostatic Power Steering
Individual Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pump - Maximum Total
Flow 5.6 GPM (21.2 LPM)
Steering Pump 2.2 GPM (8.5 LPM)
Implement Pump 3.4 GPM (12.7 LPM)
Dual Mid-SCV Standard

PTO:

Mid PTO Standard Equipment
Independent Mid and Rear PTO
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch

ROCKSHAFT, 3-PT. HITCH, AND DRAWBAR:

Rockshaft
Category 1, 3-Pt. Hitch With Position Control
Rate of Drop/Stop Valve
Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Warning Light
Indicator

ELECTRICAL:

12-Volt Electrical System
Wet Battery With 500

Cold Cranking Amps
55 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights
Two Flashing Warning Lights
**Turn Signal Indication per Current ASAE Lighting Standard

OPERATOR PROTECTIVE

STRUCTURE:

Folding ROPS (Roll-Over Protective Structure
**Meets ASAE/SAE/OSHA Standard
Deluxe Cushion Seat With Seat Belt
Isolated Foot Rest
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
One-piece Hood

BASE MACHINE (4WD):

Engage on the go 4WD
Anti-Wrapping Guard for 4WD Drive Shaft
Two - Steel Wheels With 31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires
23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1510LV	2025R Compact Utility Tractor (18 PTO hp)	16,398.00
--------	---	-----------

OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATORS MANUAL Continued... French Canadian Operator's Manual and Decal Kit	Same Price
REAR WHEELS WITH TIRES (TWO)			
<i>All Tires are of Bias Ply Construction</i>			
5205		31x13.50-15 (4PR, R3 Turf, 2 Position)	In Base Price
5206		12-16.50 (6PR, R4 Industrial, 2 Position)	120.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All Tires are of Bias Ply Construction</i>			
6205		23x8.50-12 (4PR, R3 Turf, 1 Position)	In Base Price
6206		23x8.50-12 (6PR, R4 Industrial, 1 Position)	45.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AM134805		Engine Block Heater Adapter	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter.</i>	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
		Fenders:	
LVB25652		Rear Fender Extension Kit	173.80
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BW15217		Hood Guard (2025R, 2210, 2305, 2320)	245.30
		Hydraulics:	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit BLV10382/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2025R and 2032R Tractors Equipped with Dual SCV.</i>	480.70
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor</i>	324.50
BLV10382		Third Selective Control Valve Kit Without Detent <i>Not Compatible with but REQUIRES Power Beyond Kit BLV10381/LVB25603 for part use. See instruction sheet for details.</i>	882.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Operator Environment:	
TY25324		Weather Protection Umbrella	See Parts
		Order Zone:	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
LP95223		Medium Seat Cover	In Catalog
		Spanish North American Kit:	
BLV10318		Spanish North American Operator's Manual and Decal Kit	97.90
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips.</i>	63.13
BM17965		Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Wheels and Tires Front:	
LVB24806		23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	433.40
LVB24804		23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
		Wheels and Tires Rear:	
LVB24803		12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	998.80
LVB24805		31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	849.20

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2032R Compact Utility Tractor (24 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine*
Interim Tier IV EPA Emissions Certified
Engine HP 31.7 (23.3 kW)**
PTO HP 23.5 (17.5 kW)
Rated Speed 2500 RPM
**Manufacturer's Estimate of Power (ISO) per 97/68/EC
100.2 Cu. In. Displacement (1.642 L)
Direct Fuel Injection
Auto Bleed Fuel System
Fully Enclosed Engine and Muffler with Horizontal Exhaust
7.1 Gallon Fuel Tank Capacity (27 L)
Hand Throttle
Air-Heater Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner with Safety Element
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission
Infinitely Variable - 2 Speed Transaxle
2-Pedal Foot Operated Speed and Direction Control
Cruise Control
Transmission Oil Cooler
Differential Lock

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:

Hydrostatic Power Steering
Individual Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
Hydraulic Pump - Total Flow 10.5 GPM (39.6 LPM)
Steering Pump 5.5 GPM (20.8 LPM)
Implement Pump 5 GPM (18.8 LPM) with Filter
Dual Mid-SCV Standard

PTO:

Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND DRAWBAR:

Rockshaft
Category 1, 3-Pt. Hitch with Position Control
Rate of Drop/Stop Valve
Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Warning Light
Indicator

ELECTRICAL:

12-Volt Outlet
12-Volt Electrical System
Wet Battery with 500

Cold Cranking Amps
55 Amp Alternator
Key Ignition Starter with Neutral Start Switch

LIGHTS:

Two Front Halogen Head Lights
Two Flashing Warning Lights
**Turn Signal Indication per Current ASAE Lighting Standard

OPERATOR PROTECTIVE

STRUCTURE:
Folding ROPS (Roll-Over-Protective Structure)
**Meets ASAE/SAE/OSHA Standards
Deluxe Cushion Seat with Seat Belt
Isolated Foot Rest
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood

BASE MACHINE (4WD):

Engage on the go 4WD
Anti-Wrapping Guard for 4WD Drive Shaft
14-17.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires
23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1530LV	2032R Compact Utility Tractor (24 PTO hp)	20,886.00
--------	---	-----------

OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATORS MANUAL Continued... French Canadian Operator's Manual and Decal Kit	Same Price
REAR WHEELS WITH TIRES (TWO)			
<i>All Tires are of Bias Ply Construction</i>			
5207		36x14-15 (4PR, R3 Turf, 2 Position)	-243.00
5208		14-17.50 (6PR, R4 Industrial, 2 Position)	In Base Price
FRONT WHEELS WITH TIRES (TWO)			
<i>All Tires are of Bias Ply Construction</i>			
6206		23x8.50-12 (6PR, R4 Industrial, 1 Position)	In Base Price
6207		24x8.50-14 (4PR, R3 Turf, 1 Position)	48.00
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AR87167		Engine Coolant Heater (110 Volt)	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
		Fenders:	
LVB25652		Rear FenderExtension Kit	173.80
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BW15634		Hood Guard (2032R, 2520, 2720)	259.60
		Hydraulics:	
LVB25823		Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	556.60
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit BLV10382/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2025R and 2032R Tractors Equipped with Dual SCV.</i>	480.70
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor</i>	324.50
BLV10382		Third Selective Control Valve Kit Without Detent <i>Not Compatible with but REQUIRES Power Beyond Kit BLV10381/LVB25603 for part use. See instruction sheet for details.</i>	882.20
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Operator Environment:	
	TY25324	Weather Protection Umbrella	See Parts
		Order Zone:	
	LP25001	3-Point Hitch Tractor Receiver Hitch	In Catalog
	LP25000	ABS Plastic Canopy	In Catalog
	LP95223	Medium Seat Cover	In Catalog
		Spanish North American Kit:	
	LVB25994	Spanish North American Operator's Manual and Decal Kit	97.90
	BLV10318	Spanish North American Operator's Manual and Decal Kit	97.90
		Transmission:	
	AR94493	Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
	BM17987	Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	H148916	Front Weight Retainer Shaft	See Parts
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) H148916 Rod and (2) AR60372 Spring Clips.</i>	63.13
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	AR60372	Spring Locking Pin	See Parts
		Wheels and Tires Front:	
	LVB24804	23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
	LVB25556	24x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	550.00
		Wheels and Tires Rear:	
	LVB25557	14-17.50 (6PR, R4 Industrial, 2 Position)	1,342.00
	LVB25555	36x14-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,037.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3032E Compact Utility Tractor (25 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 31.1 (22.3 kW)* PTO HP 25.0 (18.6 kW) HST Rated Speed 2500 RPM **Engine HP (kW), gross SAE J1995: 31.1 (22.3) @ 2500 rpm, PS Displacement, in3 (L): 100.20 (1.642)</p> <p>TRANSMISSION: 4-Wheel Drive HST Transmission 2 Ranges Differential Lock (Control Integrated with Brake Pedal)</p> <p>HYDRAULICS: 9.3 GPM (35.2 LPM) Total Flow</p>	<p>5.3 GPM (20.1 LPM) Implement Pump 4.0 GPM (15.1 LPM) Steering Pump</p> <p>PTO: Independent 540 RPM Rear PTO Electronically Engaged Wet Clutch</p> <p>ELECTRICAL: 12-Volt System 40 Amp Alternator Key Ignition Starter with Pre-Heat While Cranking Maintenance Free Battery with 500 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Fixed ROPS (Roll-Over Protective Structure) on all vertical exhaust configurations</p>	<p>Folding ROPS on all downward exhaust configurations Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System</p> <p>BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1474LV		3032E Compact Utility Tractor (25 PTO hp)	18,953.00
--------	--	---	-----------

OPERATORS MANUAL

0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price

EXHAUST

3010		Downward Exhaust <i>SN 1LV3032ELEH710001 and forward will come equipped with folding ROPS.</i>	In Base Price
3020		Vertical Exhaust <i>SN 1LV3032ELEH710001 and before will come equipped with fixed ROPS.</i>	-132.00

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction.

5210		15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5213		41x14-20 (4PR, R3 Turf, 1 Position)	20.00
5211		11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REAR WHEELS WITH TIRES (TWO) Continued...			
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
ATTACHMENTS - ORDER AS DESIRED			
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	280.50
BW15074		Ballast Box Extension	133.10
		Engine:	
AR87167		Engine Coolant Heater (110 Volt)	See Parts
LVA13457		Spark Arrester Screen	See Parts
		Hitch:	
LVB25811		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	133.10
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
LVB25998		Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		Hydraulics:	
BLV10461		Rear Hydraulic Kit	887.70
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
BLV10486		Cruise Control Kit <i>For tractor serial numbers above 610000.</i>	249.70
RE19428		Safety Chain Support Kit	See Parts
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	See Parts
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	See Parts
TY15653		Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	See Parts
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	See Parts
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	See Parts
		Operator Environment:	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
TY25324		Weather Protection Umbrella	See Parts
		Spanish North American Kit:	
BLV10611		Spanish North American Operators Manual and Decal Kit	See Parts
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor (25 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19951		Attaching Hardware for Rear Wheel Weight	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	185.90
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
BM17969		Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		Wheels and Tires Front:	
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
BLV10148		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
BLV10392		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
LVB24877		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3038E Compact Utility Tractor (30 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 37.3 (27.4 kW)* PTO HP 30.0 (22.4 kW) HST Rated Speed 2500 RPM **Engine HP (kW), gross SAE J1995: 37.3 (27.4) @ 2500 rpm, PS Displacement, in3 (L): 95.68 (1.568)</p> <p>TRANSMISSION: 4-Wheel Drive HST Transmission 2 Ranges Differential Lock (Control Integrated with Brake Pedal)</p> <p>HYDRAULICS: 9.3 GPM (35.2 LPM) Total Flow</p>	<p>5.3 GPM (20.1 LPM) Implement Pump 4.0 GPM (15.1 LPM) Steering Pump</p> <p>PTO: Independent 540 RPM Rear PTO Electronically Engaged Wet Clutch</p> <p>ELECTRICAL: 12-Volt System 40 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 500 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Fixed ROPS (Roll-Over Protective Structure) on all vertical exhaust configurations</p>	<p>Folding ROPS on all downward exhaust configurations Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System</p> <p>BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1484LV		3038E Compact Utility Tractor (30 PTO hp)	20,669.00
--------	--	---	-----------

OPERATORS MANUAL

0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price

EXHAUST

3010		Downward Exhaust <i>SN 1LV3038EKEH710001 and forward will come equipped with folding ROPS.</i>	In Base Price
3020		Vertical Exhaust <i>SN 1LV3038EKEH710001 and before will come equipped with fixed ROPS.</i>	-132.00

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction.

5210		15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5213		41x14-20 (4PR, R3 Turf, 1 Position)	20.00
5211		11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
REAR WHEELS WITH TIRES (TWO) Continued...			
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
ATTACHMENTS - ORDER AS DESIRED			
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
ATTACHMENTS FOR FIELD CONVERSION			
		Ballast Box:	
BW15073		Ballast Box	280.50
BW15074		Ballast Box Extension	133.10
		Engine:	
AR87167		Engine Coolant Heater (110 Volt)	See Parts
LVA13457		Spark Arrester Screen	See Parts
		Hitch:	
LVB25811		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	133.10
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
LVB25998		Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		Hydraulics:	
BLV10461		Rear Hydraulic Kit	887.70
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
BLV10486		Cruise Control Kit <i>For tractor serial numbers above 610000.</i>	249.70
RE19428		Safety Chain Support Kit	See Parts
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	See Parts
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	See Parts
TY15653		Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	See Parts
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	See Parts
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	See Parts
		Operator Environment:	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
TY25324		Weather Protection Umbrella	See Parts
		Spanish North American Kit:	
BLV10611		Spanish North American Operators Manual and Decal Kit	See Parts
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor (30 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19951		Attaching Hardware for Rear Wheel Weight	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	185.90
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
BM17969		Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		Wheels and Tires Front:	
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
BLV10148		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
BLV10392		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
LVB24877		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3033R Compact Utility Tractor (24 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 32.2 (23.7 kW)
PTO HP 24.8 (18.5 kW) PRT
PTO HP 24.3 (18.1 kW) HST
Engine HP (kW), Gross SAE J1995: 32.2 (23.7) @ 2600 rpm, PS
Displacement, L: 1.642

TRANSMISSION:
4-Wheel Drive
PRT Transmission/HST Transmission
Differential Lock

HYDRAULICS:
Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged with Mechanical Mid-Both-Rear Selector

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator

Key Ignition Starter with Accessory and Pre-Heat Position
Maintenance Free Battery with 770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat with Retractable Seat Belt
Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Isolated Foot Rest

ComfortGard Cab (Optional):
12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with Integrated Tail Lights
Radio Preparation (with antenna, speakers, wiring, media player storage slot)
Molded Rubber Floor Mat

Operator Manual Holder
Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor
Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted Warning Lights
Operator Presence with Safety Interlock System
Reverse Implement Option (RIO)

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1360LV		3033R Compact Utility Tractor (24 PTO hp)	23,237.00
--------	--	---	-----------

OPERATOR'S MANUAL

0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price

TRANSMISSION

1381		12F/12R PowrReverser	In Base Price
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	1,313.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i> <i>If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3420 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,207.00
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	975.00
Mid PTO			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid & Single EH Rear SCV)</i> <i>Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors.</i>	713.00
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5211		11.20-24 (6PR, R1 Bar, 5 Position)	In Base Price
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6230		FRONT WHEELS WITH TIRES (TWO) Continued... 27x8.5-15 6PR Front R4 Ind. 2 Pos.	127.00
ATTACHMENTS - ORDER AS DESIRED			
8244		Operator Environment: Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations).</i>	471.00
841W		iMatch Hitch	284.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10606		Vertical Exhaust Kit (Non Turbo)	489.50
Fenders:			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
Front Hitch:			
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
Front PTO:			
BLV10452		Front PTO Bracket (3033R-3046R)	92.40
Hitch:			
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
Hood Guards:			
BWA1190		Deluxe Hood Guard	586.30
BW16585		Deluxe Hood Guard Attachment	317.79
BW15219		Hood Guard	259.60
Hydraulics:			
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	852.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10471		EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10501		EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 Cab tractors with serial number 140252 and above.</i>	935.00
BLV10362		EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10500		EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 OOS tractors with serial number 110889 and above.</i>	935.00
BLV10649		Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,537.80
BLV10365		Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,478.40
BLV10502		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information. Compatible with MY2015 Cab tractors with serial number 140252 and above. Compatible with MY2015 OOS tractors with serial number 110889 and above.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
BLV10462		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	449.90
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,347.50
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Miscellaneous:	
BLV10167		7-Pin Trailer Connector (Cab Only)	128.70
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10648		Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
A22400P		Battery Heater Pad	See Parts
LVB24851		Horn Kit (Cab Only)	48.40
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	See Parts
TY15651		Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	See Parts
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	See Parts
LVB24930		Tool Box Kit <i>Cab Only.</i>	61.60
		Operator Environment:	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50
SWJHD1620		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor.</i>	See Parts
TY25324		Weather Protection Umbrella	See Parts

Order Zone:

For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
	LP25001	3-Point Hitch Tractor Receiver Hitch	In Catalog
	LP25000	ABS Plastic Canopy	In Catalog
	LP95233	Large Seat Cover	In Catalog
	LP95333	ROPS Organizer	In Catalog
	LVB24846	PTO: Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	722.70
	LVB26139	Transmission: PRT Oil Cooler Kit	300.30
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
	LVB25670	Wheels and Tires Front: 25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25673		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
LVB25495		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
BLV10393		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
LVB25496		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
LVB25498		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
LVB25494		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3039R Compact Utility Tractor (31 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 38.7 (28.5 kW)
PTO HP 31.1 (23.2 kW) HST
PTO HP 31.6 (23.6 kW) PRT
Engine HP (kW), Gross SAE J1995: 38.7 (28.5) @ 2600 rpm, PS
Displacement, L: 1.496

TRANSMISSION:
4-Wheel Drive
PRT Transmission/HST Transmission
Differential Lock

HYDRAULICS:
Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged with Mechanical Mid-Both-Rear Selector

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator

Key Ignition Starter with Accessory and Pre-Heat Position
Maintenance Free Battery with 770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat with Retractable Seat Belt
Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Isolated Foot Rest

ComfortGard Cab (Optional):
12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with Integrated Tail Lights
Radio Preparation (with antenna, speakers, wiring, media player storage slot)
Molded Rubber Floor Mat

Operator Manual Holder
Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor
Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted Warning Lights
Operator Presence with Safety Interlock System
Reverse Implement Option (RIO)

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1380LV	3039R Compact Utility Tractor (31 PTO hp)	25,667.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	1,313.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i> <i>If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3420 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,207.00
2055		Deluxe Cab with Standard Seat <i>Includes Rear Wiper and Rear Work Light.</i> <i>"Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV.</i> <i>Requires Option codes 1520 (eHydro), 2505 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).</i>	8,585.00
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	975.00
Mid PTO			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid & Single EH Rear SCV)</i> <i>Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors.</i>	713.00
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5211		11.20-24 (6PR, R1 Bar, 5 Position)	In Base Price
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT WHEELS WITH TIRES (TWO) Continued...			
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	127.00
ATTACHMENTS - ORDER AS DESIRED			
Operator Environment:			
8244		Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations).</i>	471.00
841W		iMatch Hitch	284.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10605		Turbo Vertical Exhaust Kit	489.50
Fenders:			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
Front Hitch:			
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
Front PTO:			
BLV10452		Front PTO Bracket (3033R-3046R)	92.40
Hitch:			
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
Hood Guards:			
BWA1190		Deluxe Hood Guard	586.30
BW16585		Deluxe Hood Guard Attachment	317.79

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW15219	Hood Guard	259.60
		Hydraulics:	
	LVB26035	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	852.50
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 Cab tractors with serial number 140507 and above.</i>	935.00
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 OOS tractors with serial number 110720 and above.</i>	935.00
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,537.80
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,478.40
	BLV10502	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information. Compatible with MY2015 Cab tractors with serial number 140507 and above. Compatible with MY2015 OOS tractors with serial number 110720 and above.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	449.90
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,347.50
		Lighting:	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400)</i> <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i>	302.50
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Miscellaneous:	
BLV10167		7-Pin Trailer Connector (Cab Only)	128.70
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10648		Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
A22400P		Battery Heater Pad	See Parts
LVB24851		Horn Kit (Cab Only)	48.40
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	See Parts
TY15651		Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	See Parts
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	See Parts
LVB24930		Tool Box Kit <i>Cab Only.</i>	61.60
		Operator Environment:	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor.</i>	See Parts
	TY25324	Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
	LP25001	3-Point Hitch Tractor Receiver Hitch	In Catalog
	LP25000	ABS Plastic Canopy	In Catalog
	LP95233	Large Seat Cover	In Catalog
	LP95333	ROPS Organizer	In Catalog
		PTO:	
	LVB24846	Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	722.70
		Transmission:	
	LVB26139	PRT Oil Cooler Kit	300.30
		Weights:	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
LVB25670		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25673		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
LVB25495		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
BLV10393		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
LVB25496		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
LVB25498		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
LVB25494		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3046R Compact Utility Tractor (34 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 45.3 (33.3 kW) PTO HP 34.1 (25.4 kW) HST Engine HP (kW), Gross SAE J1995: 45.3 (33.3) @ 2600 rpm, PS Displacement, L: 1.496</p> <p>TRANSMISSION: 4-Wheel Drive HST Transmission Differential Lock</p> <p>HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout</p> <p>PTO: Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector</p> <p>ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with</p>	<p>Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest</p> <p>ComfortGard Cab (Optional): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floor Mat</p>	<p>Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO)</p> <p>BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0290LV	3046R Compact Utility Tractor (34 PTO hp)	29,814.00
--------	---	-----------

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

TRANSMISSION

1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
------	--	---------------

OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OPERATOR STATION Continued...			
<i>If ordering transmission option 1520 (eHydro) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>			
2005		Open Station with Air Ride Seat <i>Requires option codes 1520 (eHydro), 3330 (Dual Mid & Single EH Rear SCV), and 3420 (Mid PTO).</i>	490.00
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3420 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,207.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i> <i>"Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV.</i> <i>Requires Option Codes 1520 (eHydro), 3420 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).</i>	9,075.00
<hr/>			
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	975.00
<hr/>			
Mid PTO			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid & Single EH Rear SCV).</i>	713.00
<hr/>			
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5211		11.20-24 (6PR, R1 Bar, 5 Position)	In Base Price
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
<hr/>			
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6223		FRONT WHEELS WITH TIRES (TWO) Continued... 27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	127.00

ATTACHMENTS - ORDER AS DESIRED

8244		Operator Environment: Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations).</i>	471.00
841W		iMatch Hitch	284.00

ATTACHMENTS FOR FIELD CONVERSION

Engine:

It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).

AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10605		Turbo Vertical Exhaust Kit	489.50
LVB24860		Fenders: Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
BLV10439		Front Hitch: Front Three-Point Hitch (3033R-3046R)	1,306.80
BLV10452		Front PTO: Front PTO Bracket (3033R-3046R)	92.40
LVB25308		Hitch: Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
BWA1190		Hood Guards: Deluxe Hood Guard	586.30
BW16585		Deluxe Hood Guard Attachment	317.79
BW15219		Hood Guard	259.60

Hydraulics:

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	852.50
BLV10471		EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10501		EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 Cab tractors with serial number 140703 and above.</i>	935.00
BLV10362		EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10500		EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details. Compatible with MY2015 OOS tractors with serial number 110508 and above.</i>	935.00
BLV10649		Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,537.80
BLV10365		Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,478.40
BLV10502		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information. Compatible with MY2015 Cab tractors with serial number 140703 and above. Compatible with MY2015 OOS tractors with serial number 110508 and above.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
BLV10462		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	449.90
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,347.50
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400)</i> <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i>	302.50
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Miscellaneous:	
BLV10167		7-Pin Trailer Connector (Cab Only)	128.70
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10648		Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
A22400P		Battery Heater Pad	See Parts
LVB24851		Horn Kit (Cab Only)	48.40
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	See Parts
TY15651		Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	See Parts
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	See Parts
LVB24930		Tool Box Kit <i>Cab Only.</i>	61.60
		Operator Environment:	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor.</i>	See Parts
	TY25324	Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
	LP25001	3-Point Hitch Tractor Receiver Hitch	In Catalog
	LP25000	ABS Plastic Canopy	In Catalog
	LP95233	Large Seat Cover	In Catalog
	LP95333	ROPS Organizer	In Catalog
		PTO:	
	LVB24846	Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	722.70
		Transmission:	
	LVB26139	PRT Oil Cooler Kit	300.30
		Weights:	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
LVB25670		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
BLV10394		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
LVB25673		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
LVB25495		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
BLV10393		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
LVB25496		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
LVB25498		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
LVB25494		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

JOHN DEERE TURF & UTILITY PRODUCTS

4105 Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

<p>ENGINE: Yanmar Liquid Cooled TurboDiesel Engine Interim Tier IV EPA Emissions Certified Engine HP 40.2 (29.8 kW)** PTO HP 32.5 (24.2 kW) HST Rated Speed 2600 RPM **Manufactures Estimate of Power (ISO) per 97/68 EC</p> <p>TRANSMISSION: 4-Wheel Drive HST Transmission Differential Lock</p> <p>HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control</p>	<p>Lever, Float, Regenerative Function, and SCV Lockout</p> <p>PTO: Independent 540 RPM Rear PTO Electronically Actuated</p> <p>ELECTRICAL: 12-Volt Electrical System 40 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position</p> <p>Maintenance Free Battery with 500 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Adjustable High Back Vinyl Seat with Spring Suspension Fixed ROPS (Roll-Over</p>	<p>Protective Structure) Meets ASAE S478 and OSHA 1928 ROPS Certification Standards Operator Presence with Safety Interlock System</p> <p>BASE MACHINE (4WD): R1 or R4 Tires</p>
--	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1493LV	4105 Compact Utility Tractor (33 PTO hp)	23,634.00
--------	--	-----------

OPERATOR STATION

1505	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

TRANSMISSION

2025	HST Transmission	In Base Price
------	------------------	---------------

MID PTO

2500	Less Mid PTO	In Base Price
------	--------------	---------------

WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction.

4555	8-16 (8PR, Front R1 Bar, 1 Position) 14.90-24 (6PR, Rear R1 Bar, 1 Position)	In Base Price
------	---	---------------

4560	10-16.5 (8PR, Front R4 Industrial, 1 Position) 17.50L-24 (6PR, Rear R4 Industrial, 1 Position)	273.00
------	---	--------

SELECTIVE CONTROL VALVES

7010	Dual Mid Selective Control Valve	In Base Price
------	----------------------------------	---------------

ATTACHMENTS - ORDER AS DESIRED

9800	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS

4105 Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AT118553		Air Cleaner Service Indicator (Donaldson)	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Diesel Engines Only.</i>	See Parts
LVA13457		Spark Arrester Screen	See Parts
LVB25884		Vertical Exhaust Kit	397.10
		Hitch:	
LVB25308		Telescoping Draft Links	352.00
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BW15783		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
BW16040		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	259.60
		Hydraulics:	
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
LVB25016		Warning Light Brush Guard Kit (Two Guards)	49.50
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS

4105 Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous:			
LVB25015		55 Amp Alternator	313.50
LVB26021		Cruise Control Kit	313.50
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	See Parts
Operator Environment:			
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
Order Zone:			
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP95333		ROPS Organizer	In Catalog
Spanish North American Kit:			
LVB25990		Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	68.20
LVB26188		Spanish North American Operators Manual and Decal Kit	77.00
Transmission:			
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
Weights:			
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
T19293		Weight, Rear Wheel 110 Lb.	171.60
Wheels and Tires Front:			
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
Wheels and Tires Rear:			
LVB26029		17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4044M Compact Utility Tractor (33 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA Emissions Certified Engine HP 43.1 (31.7 kW)** PTO HP 32.5 (23.0 kW) **Engine HP (kW), Gross SAE J1995: 43.1 (31.7) @ 2600 rpm, PS Displacement, L: 2.2 TRANSMISSION: PowrReverser Synchronized - 4 Speeds Forward, 4 Speeds Reverse Dual Multi-Disk Wet Clutches Differential Lock 4-Wheel Drive INSTRUMENTATION:</p>	<p>Performance Tracking System Diagnostic Control Panel Hour Meter PTO Hour Meter Filter Cleaning Tracking ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat with Retractable Seat Belt Fixed ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification</p>	<p>Standards for North America and Europe Flat Foot Deck Operator Presence with Safety Interlock BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0310LV	4044M Compact Utility Tractor (33 PTO hp)	26,717.00
--------	---	-----------

OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,100.00

OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction.

5221	13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243	44x18-20 (4PR, R3 Turf, 1 Position)	-457.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5253		REAR WHEELS WITH TIRES (TWO) Continued... 22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
ATTACHMENTS - ORDER AS DESIRED			
841W		iMatch	284.00
8951		Wheelspacers	418.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
9500		D170 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i>	300.00
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10608		Vertical Exhaust Kit (Non Turbo)	393.80
Fenders:			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
Hitch:			
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
BLV10326		Tractor Drawbar Assembly	376.63
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hood Guards:	
BW16155		Deluxe Hood Guard Attachment	166.10
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		Hydraulics:	
		<i>Please reference the SCV Options table for ordering information.</i>	
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
BLV10049		Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
BLV10048		Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10499		Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
BLV10040		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes 1 Light</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10358		Back-up Alarm Kit	130.90
A22400P		Battery Heater Pad	See Parts
BLV10388		Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	66.00
BLV10359		Horn Kit (OOS Only)	59.40
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	See Parts
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
LVB24865		Tool Box Kit <i>For use on 4M tractors less loader.</i>	165.00
BLV10029		Wheel Spacer Set, 140MM	525.80
		Operator Environment:	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
BLV10401		Premium Seat Kit (OOS Only)	825.00
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
LP95233		Large Seat Cover	In Catalog
LP95333		ROPS Organizer	In Catalog
		Transmission:	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4052M Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Turbocharged Diesel Engine Tier IV EPA Emissions Certified Engine HP 51.5 (37.9 kW)** PTO HP 39.9 (29.7 kW) **Engine HP (kW), Gross SAE J1995: 51.5 (37.9) @ 2600 rpm, PS Displacement, L: 2.1 TRANSMISSION: PowrReverser Synchronized - 4 Speeds Forward, 4 Speeds Reverse Dual Multi-Disk Wet Clutches Differential Lock 4-Wheel Drive INSTRUMENTATION:</p>	<p>Performance Tracking System Diagnostic Control Panel Hour Meter PTO Hour Meter Filter Cleaning Tracking ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat with Retractable Seat Belt Fixed ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification</p>	<p>Standards for North America and Europe Flat Foot Deck Operator Presence with Safety Interlock BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0350LV	4052M Compact Utility Tractor (40 PTO hp)	29,527.00
--------	---	-----------

OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,100.00

OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction.

5221	13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243	44x18-20 (4PR, R3 Turf, 1 Position)	-457.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5253		REAR WHEELS WITH TIRES (TWO) Continued... 22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
ATTACHMENTS - ORDER AS DESIRED			
841W		iMatch	284.00
8951		Wheelspacers	418.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
9500		D170 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i>	300.00
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10609		Vertical Exhaust Kit	393.80
Fenders:			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
Hitch:			
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
BLV10326		Tractor Drawbar Assembly	376.63
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hood Guards:	
BW16155		Deluxe Hood Guard Attachment	166.10
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		Hydraulics:	
		<i>Please reference the SCV Options table for ordering information.</i>	
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
BLV10049		Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
BLV10048		Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10499		Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
BLV10040		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes 1 Light</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10358		Back-up Alarm Kit	130.90
A22400P		Battery Heater Pad	See Parts
BLV10388		Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	66.00
BLV10359		Horn Kit (OOS Only)	59.40
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	See Parts
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
LVB24865		Tool Box Kit <i>For use on 4M tractors less loader.</i>	165.00
BLV10029		Wheel Spacer Set, 140MM	525.80
		Operator Environment:	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
BLV10401		Premium Seat Kit (OOS Only)	825.00
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
LP95233		Large Seat Cover	In Catalog
LP95333		ROPS Organizer	In Catalog
		Transmission:	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4066M Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Intercooled Turbocharged Diesel Engine Tier IV EPA Emissions Certified Engine HP 65.9 (48.5 kW)** PTO HP 52 (38.8 kW) **Engine HP (kW), Gross SAE J1995: 65.9 (48.5) @ 2600 rpm, PS Displacement, L: 2.1 TRANSMISSION: PowrReverser Synchronized - 4 Speeds Forward, 4 Speeds Reverse Dual Multi-Disk Wet Clutches Differential Lock 4-Wheel Drive INSTRUMENTATION:</p>	<p>Performance Tracking System Diagnostic Control Panel Hour Meter PTO Hour Meter Filter Cleaning Tracking ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat with Retractable Seat Belt Fixed ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification</p>	<p>Standards for North America and Europe Flat Foot Deck Operator Presence with Safety Interlock BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0370LV		4066M Compact Utility Tractor (52 PTO hp)	34,980.00
--------	--	---	-----------

OPERATORS MANUAL

0409		English Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	Same Price
0437		Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,100.00

OPERATOR STATION

2000		Open Station with Standard Seat	In Base Price
------	--	---------------------------------	---------------

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction.

5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5253		REAR WHEELS WITH TIRES (TWO) Continued... 22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
ATTACHMENTS - ORDER AS DESIRED			
841W		iMatch	284.00
8951		Wheelspacers	418.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
9500		D170 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i>	300.00
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10609		Vertical Exhaust Kit	393.80
Fenders:			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
Hitch:			
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
BLV10326		Tractor Drawbar Assembly	376.63
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hood Guards:	
BW16155		Deluxe Hood Guard Attachment	166.10
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		Hydraulics:	
		<i>Please reference the SCV Options table for ordering information.</i>	
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
BLV10049		Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
BLV10048		Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10499		Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
BLV10040		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes 1 Light</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Miscellaneous:	
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10358		Back-up Alarm Kit	130.90
A22400P		Battery Heater Pad	See Parts
BLV10388		Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	66.00
BLV10359		Horn Kit (OOS Only)	59.40
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	See Parts
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
LVB24865		Tool Box Kit <i>For use on 4M tractors less loader.</i>	165.00
BLV10029		Wheel Spacer Set, 140MM	525.80
		Operator Environment:	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
BLV10401		Premium Seat Kit (OOS Only)	825.00
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
LP95233		Large Seat Cover	In Catalog
LP95333		ROPS Organizer	In Catalog
		Transmission:	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4044R Compact Utility Tractor (33 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar
4 Cylinder Naturally Aspirated Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 43.1 (31.7)**
PTO HP 32.5 (23.0 kW) HST
**Engine HP (kW), Gross SAE
J1995: 43.1 (31.7) @ 2600 rpm, PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
Speedometer

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with Accessory and Pre-Heat Position
Wet Battery with 770 Cold Cranking Amps
OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure)
Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety Interlock
CAB:
12 Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with Retractable Seat Belt and Armrests
Dual Forward Work Lights
Two Speed Front Windshield Wiper/Washer
Fully Isolated Deluxe Cab
High Impact Polymer Fenders with Integrated Tail Lights
Radio Preparation (w/antenna, speakers,

wiring, media player storage slot
Molded Rubber Floor Mat
Operator Manual Holder
Rearview Mirror (inside)
Monitor Bosses (2 sets)
Right Hand and Left Hand Console Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun visor
Swing-Out Rear Window w/removable plug for monitor or controller harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted Warning Lights
HITCH:
HitchAssist
Aux. 3 Point Hitch Control
BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0320LV	4044R Compact Utility Tractor (33 PTO hp)	30,767.00
--------	---	-----------

OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser <i>Includes response control feature.</i> <i>Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,250.00
1520	eHydro	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRANSMISSION Continued...			
<i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>			
OPERATOR STATION			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option code 1520 (eHydro).</i>	8,207.00
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
ATTACHMENTS - ORDER AS DESIRED			
8244		Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat).</i>	471.00
8951		Wheelspacers	418.00
841W		iMatch	284.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10608		Vertical Exhaust Kit (Non Turbo)	393.80

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Fenders:	
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
		Hitch:	
BLV10037		3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch.</i>	1,089.00
		<i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.</i>	
		<i>Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>	
		<i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i>	
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		Hood Guards:	
BW16155		Deluxe Hood Guard Attachment	166.10
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		Hydraulics:	
		<i>Please reference the SCV Options table for ordering information.</i>	
BLV10045		4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	966.90
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
BLV10041		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,522.40
BLV10043		Electrohydraulic Third SCV Kit (Cab and OOS) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
BLV10146		Third SCV Rear Tubing Kit (Cab Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10454		Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10040		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes 1 Light</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	150.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Miscellaneous:	
BLV10167		7-Pin Trailer Connector (Cab Only)	128.70
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10358		Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors</i>	130.90
A22400P		Battery Heater Pad	See Parts
BLV10359		Horn Kit (OOS Only)	59.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	See Parts
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
LVB24865		Tool Box Kit	165.00
BLV10029		Wheel Spacer Set, 140MM	525.80
		Operator Environment:	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
BLV10379		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	723.80
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50
SWJHD1620		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor.</i>	See Parts
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
LP95233		Large Seat Cover	In Catalog
LP95333		ROPS Organizer	In Catalog
		PTO:	
BLV10386		2 Speed PTO Kit (Cab Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
BLV10385		2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4052R Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Turbocharged Diesel Engine Tier IV EPA Emissions Certified Engine HP 51.5 (37.9 kW)** PTO HP 39.9 (29.7 kW) HST **Engine HP (kW), Gross SAE J1995: 51.5 (37.9) @ 2600 rpm, PS Displacement, L: 2.2 TRANSMISSION: HST Transmission 3 Range Differential Lock 4-Wheel Drive LoadMatch MotionMatch SpeedMatch eThrottle HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and Regenerative Lockout INSTRUMENTATION: Performance Tracking System Diagnostic Control Panel Hour Meter Speedometer ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator</p>	<p>Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe Isolated Foot Rest Center Console Tool Storage Operator Presence with Safety Interlock CAB: 12 Volt Auxiliary Power Outlet Air Conditioning and Heater Armrests Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Dual Forward Work Lights Two Speed Front Windshield Wiper/Washer Fully Isolated Deluxe Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (w/antenna, speakers, wiring, media player storage</p>	<p>slot Molded Rubber Floormat Operator Manual Holder Rearview Mirror (inside) Monitor Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun visor Swing-Out Rear Window w/removable plug for monitor or controller harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights HITCH: HitchAssist Aux. 3 Point Hitch Control BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0360LV	4052R Compact Utility Tractor (40 PTO hp)	33,577.00
--------	---	-----------

OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser <i>Includes response control feature.</i> <i>Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,250.00
1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRANSMISSION Continued...			
<i>eThrottle).</i>			
OPERATOR STATION			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option code 1520 (eHydro).</i>	8,207.00
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
ATTACHMENTS - ORDER AS DESIRED			
8244		Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat).</i>	471.00
8951		Wheelspacers	418.00
841W		iMatch	284.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine:			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts
BLV10609		Vertical Exhaust Kit	393.80
Fenders:			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
BLV10037		<p>Hitch: 3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch.</i></p> <p><i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.</i> <i>Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i></p> <p><i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i></p>	1,089.00
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
BW16155		<p>Hood Guards: Deluxe Hood Guard Attachment</p>	166.10
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		<p>Hydraulics: <i>Please reference the SCV Options table for ordering information.</i></p>	
BLV10045		4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	966.90
BLV10050		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
BLV10041		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,522.40
BLV10043		Electrohydraulic Third SCV Kit (Cab and OOS) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
BLV10146		Third SCV Rear Tubing Kit (Cab Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10454		Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10040		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes 1 Light</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	150.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Miscellaneous:	
BLV10167		7-Pin Trailer Connector (Cab Only)	128.70
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10358		Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors</i>	130.90
A22400P		Battery Heater Pad	See Parts
BLV10359		Horn Kit (OOS Only)	59.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	See Parts
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
LVB24865		Tool Box Kit	165.00
BLV10029		Wheel Spacer Set, 140MM	525.80
		Operator Environment:	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
BLV10379		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	723.80
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50
SWJHD1620		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor.</i>	See Parts
TY25324		Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP25000		ABS Plastic Canopy	In Catalog
LP95233		Large Seat Cover	In Catalog
LP95333		ROPS Organizer	In Catalog
		PTO:	
BLV10386		2 Speed PTO Kit (Cab Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
BLV10385		2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4066R Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Intercooled Turbocharged Diesel Engine Tier IV EPA Emmissions Certified Engine HP 65.9 (48.5 kW)** PTO HP 52 (38.8 kW) HST **Engine HP (kW), Gross SAE J1995: 65.9 (48.5) @ 2600 rpm, PS Displacement, L: 2.2 TRANSMISSION: HST Transmission 3 Range Differential Lock 4-Wheel Drive LoadMatch MotionMatch SpeedMatch eThrottle HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and Regenerative Lockout INSTRUMENTATION: Performance Tracking System Diagnostic Control Panel Hour Meter Speedometer ELECTRICAL: 12-Volt Electrical System</p>	<p>75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe Isolated Foot Rest Center Console Tool Storage Operator Presence with Safety Interlock CAB: 12 Volt Auxiliary Power Outlet Air Conditioning and Heater Armrests Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Dual Forward Work Lights Two Speed Front Windshield Wiper/Washer Fully Isolated Deluxe Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (w/antenna, speakers,</p>	<p>wiring, media player storage slot Molded Rubber Floormat Operator Manual Holder Rearview Mirror (inside) Monitor Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun visor Swing-Out Rear Window w/removable plug for monitor or controller harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights HITCH: HitchAssist Aux. 3 Point Hitch Control BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0380LV	4066R Compact Utility Tractor (52 PTO hp)	39,030.00
--------	---	-----------

OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

TRANSMISSION

1381	12F/12R PowrReverser <i>Includes response control feature.</i> <i>Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,250.00
1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRANSMISSION Continued...			
<i>eThrottle).</i>			
OPERATOR STATION			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and 2 Rear Work Lights.</i> <i>Requires Transmission option code 1520 (eHydro).</i>	9,075.00
REAR WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
FRONT WHEELS WITH TIRES (TWO)			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
ATTACHMENTS - ORDER AS DESIRED			
8244		Factory Installed Stereo (Jensen Receiver, Weather Band, Auxiliary Port, and iPod compatibility) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat).</i>	471.00
8951		Wheelspacers	418.00
841W		iMatch	284.00
ATTACHMENTS FOR FIELD CONVERSION			
Engine: <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad if operating machine in temperatures below -18 C (0 F).</i>			
AR87167		Engine Coolant Heater (110 Volt)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10609	Vertical Exhaust Kit	393.80
		Fenders:	
	LVB24860	Rear Fender Extension Kit (Cab Only)	272.80
		Hitch:	
	BLV10037	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch.</i>	1,089.00
		<i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.</i>	
		<i>Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>	
		<i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i>	
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
	LVU12858	iMatch Quick Hitch Bushings	See Parts
	LVU15507	iMatch Quick Hitch Bushings	See Parts
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	357.50
		Hood Guards:	
	BW16155	Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		Hydraulics:	
		<i>Please reference the SCV Options table for ordering information.</i>	
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	966.90
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's.</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,522.40
	BLV10043	Electrohydraulic Third SCV Kit (Cab and OOS) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits.</i> <i>See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10456		Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10498		Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
BLV10039		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
BLV10146		Third SCV Rear Tubing Kit (Cab Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10454		Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
BLV10040		Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes 1 Light</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400) Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	150.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Miscellaneous:	
BLV10167		7-Pin Trailer Connector (Cab Only)	128.70
BLV10174		7-Pin Trailer Connector (OOS Only)	102.30
BLV10358		Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors</i>	130.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	A22400P	Battery Heater Pad	See Parts
	BLV10359	Horn Kit (OOS Only)	59.40
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	See Parts
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
	LVB24865	Tool Box Kit	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80
		Operator Environment:	
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	723.80
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit	105.60
	LVB24844	External Mirror Kit (Cab Only)	190.30
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor.</i>	See Parts
	TY25324	Weather Protection Umbrella	See Parts
		Order Zone: <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	
	LP25001	3-Point Hitch Tractor Receiver Hitch	In Catalog
	LP25000	ABS Plastic Canopy	In Catalog
	LP95233	Large Seat Cover	In Catalog
	LP95333	ROPS Organizer	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		PTO:	
BLV10386		2 Speed PTO Kit (Cab Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
BLV10385		2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30

JOHN DEERE TURF & UTILITY PRODUCTS
 COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
 Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10034		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
BLV10036		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
BLV10035		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 2305 Tractor/2305 Tractor Loader Backhoe

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
		Engine:	
AM134805		Engine Block Heater Adapter	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter and 57M9425 P-clamp. Requires AM134805 Engine Block Heater Adapter. Diesel Engines Only.</i>	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
		Hitch:	
LVU12858		iMatch Quick Hitch Bushings	See Parts
		Hydraulics:	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25016		Warning Light Brush Guard Kit (Two Guards)	49.50
		Miscellaneous:	
BW15476		Bucket Level Indicator	62.70
LVB24813		Cruise Control Kit	180.40
LVB19942		High Capacity Alternator Kit (35 amp)	536.80
LVB24982		Stabilizer Cylinder Protection Kit	124.30
		Order Zone:	
LP25000		ABS Plastic Canopy	In Catalog
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 2305 Tractor/2305 Tractor Loader Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
LVB25991		Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit <i>For 2305 Tractor. Not compatible with 260 backhoe.</i>	94.60
BM17972		Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
H148916		Front Weight Retainer Shaft	See Parts
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips. Requires (1)M128726 Rod, and (4)A15147 Spring Clips. Requires (1) H148916 Rod and (2) AR60372 Spring Clips. Requires (1) BLV10443. Requires (1) LVBM19607, Front Quik-Tatch Weight Kit. Requires CH14083 Pin. Requires CH15318, Pin. Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
AR60372		Spring Locking Pin	See Parts
BM20954		Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320-3720 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AR87167		Engine Coolant Heater (110 Volt)	See Parts
LVA13457		Spark Arrester Screen	See Parts
LVB25884		Vertical Exhaust Kit	397.10
		Fenders:	
LVB25686		Front Fender Kit	531.30
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
		Hitch:	
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BWA1190		Deluxe Hood Guard	586.30
BW15219		Hood Guard	259.60
		Hydraulics:	
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i>	852.50
LVB24854		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth). Not compatible with MY2011 tractors. See sales manual for details.</i>	1,606.00
LVB26076		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth) Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break</i>	1,568.60
LVB25507		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Not compatible with MY2011 tractors. See sales manual for details.</i>	1,478.40
LVB26075		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,567.50

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320-3720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26031		Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
LVB25781		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Only compatible with MY2011 tractors and older. See sales manual for details.</i>	412.50
LVB26069		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for details.</i>	412.50
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25506		Third Selective Control Valve Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	283.80
LVB24845		Third Selective control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	339.90
LVB25311		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 3320 and 3520 MY2011 and prior</i>	1,226.50
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25311.</i>	1,347.50
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
LVB25016		Warning Light Brush Guard Kit (Two Guards)	49.50

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320-3720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous:			
LVB25015		55 Amp Alternator	313.50
LVB25971		7-Pin Trailer Connector (Cab) <i>Serial # (H522565 -)</i>	111.10
LVB25960		7-Pin Trailer Connector (Open Station)	271.70
LVB25866		Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch	115.50
LVB24851		Horn Kit (Cab Only)	48.40
TY4453		Tire Chains	See Parts
TY15651		Tire Chains	See Parts
TY4457		Tire Chains <i>For Use With LVB25496 Rear Tires.</i>	See Parts
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	See Parts
LVB24930		Tool Box Kit <i>Cab Only.</i>	61.60
Operator Environment:			
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
LVB26065		Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	92.40
LVB25334		Canopy - Standard	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24876		Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	48.40
RE289852		Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers	See Parts
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50
SWJHD1620		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor.</i>	See Parts
TY25324		Weather Protection Umbrella	See Parts
Order Zone:			
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320-3720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP95233	Large Seat Cover	In Catalog
	LP95333	ROPS Organizer	In Catalog
	LVB24846	PTO: Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit <i>Note: 3X20 Tractors equipped with RIO(Reverse Implement Option) and PRT transmission are not compatible with mid-mount mowers(for grooming). Tractors with serial numbers ending with 910000(OOS) and above will have RIO. Tractors with serial numbers ending with 940000(cab) and above will have RIO.</i>	722.70
	BKK10018	Powertrain: Wheel Slip Control	5,261.30
	LVB26181	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	90.20
	LVB26180	Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors.</i>	72.60
	LVA11189	Transmission: Load Match Switch	See Parts
	LVB26139	PRT Oil Cooler Kit	300.30
	AR94493	Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
	AL113087	Vandal Protection: Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i>	See Parts
	BM19940	Weights: Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320-3720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight.</i>	171.60
		Wheels and Tires Front:	
LVB25670		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
LVB25673		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
LVB25671		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
LVB25672		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		Wheels and Tires Rear:	
LVB25495		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
LVB25496		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
LVB25498		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
LVB25494		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4105 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
AT118553		Air Cleaner Service Indicator (Donaldson)	See Parts
AR87167		Engine Coolant Heater (110 Volt) <i>Diesel Engines Only.</i>	See Parts
LVA13457		Spark Arrester Screen	See Parts
LVB25884		Vertical Exhaust Kit	397.10
		Hitch:	
LVB25308		Telescoping Draft Links	352.00
LVU15507		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BW15783		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
BW16040		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	259.60
		Hydraulics:	
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25084		Third Selective Control Valve Kit <i>Requires dual SCV. Includes rear mounted couplers. Hydraulic lines and SCV lever, valve not included. If tractor is equipped with loader, LVB25084 is recommended to raise and lower mid-mount mowers.</i>	323.40
LVB25089		Third Selective Control Valve Kit <i>Requires Dual SCV. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever, Valve Not Included.</i>	316.80
		Lighting:	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4105 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
LVB25016		Warning Light Brush Guard Kit (Two Guards)	49.50
		Miscellaneous:	
LVB25015		55 Amp Alternator	313.50
LVB26021		Cruise Control Kit	313.50
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	See Parts
		Operator Environment:	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
		Order Zone:	
LP25001		3-Point Hitch Tractor Receiver Hitch	In Catalog
LP95333		ROPS Organizer	In Catalog
		Spanish North American Kit:	
LVB25990		Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	68.20
LVB26188		Spanish North American Operators Manual and Decal Kit	77.00
		Transmission:	
AR94493		Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Weights:	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
T19293		Weight, Rear Wheel 110 Lb.	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
		Wheels and Tires Rear:	
LVB26029		17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

Attachments for Non-Current 4105 Series Tractors

Continued

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4120-4720 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine:	
LVA13458		Spark Arrester Screen	See Parts
LVB25561		Vertical Exhaust Kit <i>Serial #(- 670000).</i>	236.50
LVB25765		Vertical Exhaust Kit <i>Serial #(670001 -).</i>	393.80
RE51650		Water Separator Clear Bowl	See Parts
		Fenders:	
LVB25685		Front Fender Kit	531.30
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25683		Rear Fender Extension Kit (Open Station Only)	272.80
		Hitch:	
LVB25309		Telescoping Draft Links	389.40
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hood Guards:	
BW15221		Hood Guard (4120-4720)	259.60
		Hydraulics:	
LVB26072		4th & 5th Electrohydraulic SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Also see SCV Options Table under Notes for the appropriate parts needed for installation.</i>	1,405.80
LVB26037		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i>	877.80
LVB24855		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 and later tractors. See sales manual for details.</i>	1,522.40
LVB25511		Electric Diverter Kit (OOS Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 tractors. See sales manual for details.</i>	1,478.40
LVB26077		Electric Diverter Kit (OOS Only) <i>Includes two additional SCV's.</i>	1,522.40
LVB26033		Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4120-4720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26032		Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
LVB26078		Electronic Diverter Kit (Cab Only) <i>Includes two additional SCV's.</i>	1,522.40
LVB25780		Power Beyond Kit (Cab Only) <i>Not compatible with MY2011 tractors. See sales manual for details.</i>	343.20
LVB26071		Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	421.30
LVB25512		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
LVB26066		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB24848		Third Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	287.10
LVB25513		Third Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or older tractors. See sales manual for details.</i>	283.80
LVB25312		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 4120, 4320 and 4520 MY2011 and prior.</i>	1,159.40
LVB26161		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25312.</i>	1,273.80
RE527545		Kits and Accessories: Engine Block Heater	See Parts
LVB25547		Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB24852		Beacon Light Kit (Cab Only)	243.10
LVB25546		Forward Lighting Kit (2 Lights)	97.90
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
LVB25236		Warning Light Brush Guard Kit (Two Guards) <i>Open Station Only.</i>	63.80
		Miscellaneous:	

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4120-4720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25971		7-Pin Trailer Connector (Cab) <i>Serial # (H670871 -)</i>	111.10
LVB25960		7-Pin Trailer Connector (Open Station)	271.70
LVB25867		Automotive Style Cruise Load Match, Speed Match and Upgraded Motion Match Switch <i>Serial # (670001 -)</i>	115.50
LVB25866		Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch <i>Serial # (-670000).</i>	115.50
LVB24851		Horn Kit (Cab Only)	48.40
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	See Parts
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	See Parts
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	See Parts
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	See Parts
LVB24865		Tool Box Kit	165.00
		Operator Environment:	
LVB24983		Air Seat Suspension Kit (Cab Only)	723.80
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
LVB26065		Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	92.40
LVB25334		Canopy - Standard	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit	105.60
LVB24876		Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	48.40
RE289852		Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers	See Parts
LVB24844		External Mirror Kit (Cab Only)	190.30
LVB24856		Rear Wiper Kit (Cab Only)	280.50
LVB25501		Seat Armrest Kit <i>Open Station Only, Standard on Cab Tractors.</i>	145.20
SWJHD1620		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4120-4720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY25324	Weather Protection Umbrella	See Parts
		Order Zone:	
	LP25001	3-Point Hitch Tractor Receiver Hitch	In Catalog
	LP95233	Large Seat Cover	In Catalog
	LP95333	ROPS Organizer	In Catalog
		PTO:	
	LVB24847	Mid PTO Controls (Cab Only)	171.60
	LVB25959	Mid PTO Kit <i>4X20 Tractors with SN ending in 916000 (OOS) and 946000 (Cab) and after are NOT compatible with mid-mount mowers. Cab Tractors Require LVB24847 Mid PTO Controls.</i>	762.30
		Powertrain:	
	BKK10018	Wheel Slip Control	5,261.30
		Spanish North American Kit:	
	LVB26186	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	80.30
	LVB26185	Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i>	64.90
		Transmission:	
	AR94493	Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
		Vandal Protection:	
	AL113087	Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i>	See Parts
		Weights:	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb.	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	63.13
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 4120-4720 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Wheels and Tires Front:	
BM19108		10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
LVB25007		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
LVB25108		27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	707.30
BM19083		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		Wheels and Tires Rear:	
BM19113		13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
BLV10328		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
LVB25981		17.50L-24 (6PR, R4 Industrial) Rear Wheels & Tires	2,203.30
BM19208		22.50LLx16.1 (6PR, R3 Turf Special) Rear Wheels & Tires	3,136.10
LVB25000		44x18-20 (4PR, R3 Turf) Rear Wheels & Tires	1,885.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 110 Tractor Loader Backhoe

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Buckets:	
LVB25348		18 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	899.80
LVB25749		18 In. Quick Coupler Heavy-Duty Backhoe Bucket 4 Digging Teeth	1,014.20
LVB25754		20 In. Pin-On Heavy-Duty Backhoe Bucket 4 Digging Teeth	994.40
LVB25750		20 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,059.30
LVB25349		24 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	See Parts
LVB25751		24 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,180.30
LVB25350		30 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,205.60
LVB25752		30 In. Quick Coupler Heavy-Duty Backhoe Bucket 5 Digging Teeth	1,272.70
LVB25351		36 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,340.90
LVB25753		36 In. Quick Coupler Heavy-duty Backhoe Bucket No Digging Teeth	1,405.80
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge	1,387.10
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket	1,152.80
LVB25345		84 In. Light Material Bucket <i>For Light Material Handling.</i>	1,420.10
		Engine:	
AR87167		Engine Coolant Heater (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter.</i>	See Parts
LVA15311		Spark Arrester Assembly	See Parts
		Hitch:	
LVB24858		Regular 3-Pt Hitch	929.50
		Miscellaneous:	
LVB25735		3 In. Retractable Seat Belt	151.80
U16748		66 in. Bolt-On Cutting Edge	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for Non-Current 110 Tractor Loader Backhoe

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	T32742	72 in. Bolt-On Cutting Edge	See Parts
	LVA12133	Solid Rubber Stabilizer Pad (4 Required)	See Parts
	AR94493	Transmission: Transmission Oil Heater <i>Requires AR95434 Cord Set, R34557 Clamp and (2) R44302, Self Locking Straps.</i>	See Parts
	AL113087	Vandal Protection: Vandal Protection, Lockable Fuel Tank Cap	See Parts