

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV 550 Green & Yellow**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler  <b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights  <b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots  <b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension</p>	<p>(IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  12.3 ft. Turning Radius                  Ground Clearance: 10.5 In.                  (267 mm)  <b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTIVE STRUCTURE</b>                  (OPS):                  OSR (Occupant Side Retention)                  Nets standard                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified  <b>OPERATOR STATION:</b>                  Bench or bucket seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Two cup holders in dash                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet  <b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard    <b>DIMENSIONS (WITH OPS):</b>                  113 In. Long x 56.5 In.                  Wide x 73.5 In. High  <b>PAYLOAD CAPACITY</b>                  800 Lb (363 kg) Total Payload                  Capacity which Includes:</p>	<p>200 Lb (91 kg) Driver,                  200 Lb (91 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:                  1,100 Lb (499kg)  <b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable    <b>TIRES:</b>                  Front: 25x8-12 Ancla XT, 25x8-12                  Terra Hawk AT, 25x8-12 Turf,                  26x8-14 Maxxis Bighorn 2.0; 4                  ply rating                  Rear: 25x10-12 Ancla XT,                  25x10-12 Terra Hawk AT, 25x10-12                  Turf, 26x10-14 Maxxis Bighorn                  2.0; 4 ply rating  <b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

516FM		PR15 - XUV 550 Green & Yellow <i>Base Machine Suggested List Price Does Not Include 400 USD Destination Charge.</i>	8,139.00
-------	--	--	----------

**DESTINATION**

001A		US / CANADA	In Base Price
001C		Australia/New Zealand	Same Price

**WHEELS WITH TIRES (FOUR)**

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR) Continued...</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 In. Yellow steel wheels	In Base Price
<b>DRIVER SEAT</b>			
2006		Bench Seat - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OPS / BRAKE / TAILLIGHT</b>			
4000		OPS with net	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4149		Less Packages	In Base Price
<b>ROOF/REAR SCREEN</b>			
4049		Less Roof and Rear Screen	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Cabs/Roofs/Windshields:</b>			
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM23864		OPS Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	279.27
BM23397		OPS Poly Roof - Black	352.03
BM25014		OPS Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	512.53
BM23396		OPS Rear Screen <i>Includes headrests.</i>	293.19
BM24737		OPS Side Mirrors	185.11
LP37050		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37046		OPS Soft Roof - Black <i>Available through Order Zone.</i>	In Catalog
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,093.99

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
BM23385		Tire Rack <i>Requires cargo box rails.</i>	218.29
<b>Carts / Hitches:</b>			
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	In Catalog
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	In Catalog
BM23363		2" Front Receiver Hitch and Recovery Loops	114.49
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
PM05201		Ball Mount - 2 in. (51mm)	See Parts
BM22290		Drawbar - 2 in. (51mm)	40.66
<b>Custom &amp; High Performance:</b>			
BM24171		Engine Oil Temperature Sensor Kit	55.64
BM23438		High Capacity Alternator <i>55 Amps.</i>	714.76

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29
	BM23933	Sport Steering Wheel	206.51
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	In Catalog
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	In Catalog
	LP37041	Vehicle Cover - Transportable (Camo)	In Catalog
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	103.79
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
	BM24233	Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
	BM24100	Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
	BM23367	Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
	BM23370	Horn Kit	97.37
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	59.40
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	149.80
	BM23368	Floor Mat	80.26
	BM23365	Front Brushguard	335.99
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	185.11
	BM24095	Full Underbody Skid Plate	163.71
	BM23362	Rear Bumper	196.89
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	In Catalog
	LP37040	Vehicle Cover - Transportable (Black)	In Catalog
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV 550 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Winch:</b>	
BM24437		Warn Winch (3000 lbs) <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	770.40
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV 550 Green & Yellow Utility & Protection Package**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler  <b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights  <b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots  <b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension</p>	<p>(IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  12.3 ft. Turning Radius                  Ground Clearance: 10.5 In.                  (267 mm)  <b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTIVE STRUCTURE</b>                  (OPS):                  OSR (Occupant Side Retention)                  Nets standard                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified  <b>OPERATOR STATION:</b>                  Bench or bucket seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Two cup holders in dash                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet  <b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard    <b>DIMENSIONS (WITH OPS):</b>                  113 In. Long x 56.5 In.                  Wide x 73.5 In. High  <b>PAYLOAD CAPACITY</b>                  800 Lb (363 kg) Total Payload                  Capacity which Includes:</p>	<p>200 Lb (91 kg) Driver,                  200 Lb (91 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:                  1,100 Lb (499kg)  <b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable    <b>TIRES:</b>                  Front: 25x8-12 Ancla XT, 25x8-12                  Terra Hawk AT, 25x8-12 Turf,                  26x8-14 Maxxis Bighorn 2.0; 4                  ply rating                  Rear: 25x10-12 Ancla XT,                  25x10-12 Terra Hawk AT, 25x10-12                  Turf, 26x10-14 Maxxis Bighorn                  2.0; 4 ply rating  <b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

516GM		PR15 - XUV 550 Green & Yellow Utility & Protection Package <i>Base Machine Suggested List Price Does Not Include 400 USD Destination Charge.</i>	8,139.00
-------	--	---	----------

**DESTINATION**

001A		US / CANADA	In Base Price
001C		Australia/New Zealand	Same Price

**WHEELS WITH TIRES (FOUR)**

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1004		<b>WHEELS WITH TIRES (FOUR) Continued...</b> 26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Yellow alloy wheels	862.00
<b>DRIVER SEAT</b>			
2006		Bench Seat - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OPS / BRAKE / TAILLIGHT</b>			
4002		OPS, with Brake/Taillight and net	52.00
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4105		Utility and Protection Package Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rail	803.00
<b>ROOF/REAR SCREEN</b>			
4049		Less Roof and Rear Screen	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Cabs/Roofs/Windshields:</b>			
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM23864		OPS Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	279.27
BM23397		OPS Poly Roof - Black	352.03
BM25014		OPS Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	512.53
BM23396		OPS Rear Screen <i>Includes headrests.</i>	293.19
BM24737		OPS Side Mirrors	185.11
LP37050		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37046		OPS Soft Roof - Black <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,093.99
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
BM23385		Tire Rack <i>Requires cargo box rails.</i>	218.29
		<b>Carts / Hitches:</b>	
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	In Catalog
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	In Catalog
BM23363		2" Front Receiver Hitch and Recovery Loops	114.49
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
PM05201		Ball Mount - 2 in. (51mm)	See Parts
BM22290		Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
BM24171		Engine Oil Temperature Sensor Kit	55.64

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23438		High Capacity Alternator <i>55 Amps.</i>	714.76
BM22703		Seat-Belt Comfort Strap (2)	80.26
BM24376		Speedometer Kit	111.29
BM23933		Sport Steering Wheel	206.51
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX /SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
LP49226		<b>Hunting / Camo:</b> Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	In Catalog
LP37037		Vehicle Cover - Camo <i>Available through Order Zone.</i>	In Catalog
LP37041		Vehicle Cover - Transportable (Camo)	In Catalog
		<b>Lights / Signals:</b>	
BM23369		Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
BRE10015		<b>Operator Environment:</b> Cell Phone Mount Kit	59.40
BM23309		<b>Protection:</b> CV Guards <i>Aluminum.</i>	149.80
BM23368		Floor Mat	80.26
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM24095		Full Underbody Skid Plate	163.71
BM23362		Rear Bumper	196.89
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	In Catalog
LP37040		Vehicle Cover - Transportable (Black)	In Catalog
LP39965		<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV 550 Green & Yellow Utility & Protection Package**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Winch:</b>	
BM24437		Warn Winch (3000 lbs) <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	770.40
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV 550 Camo Utility & Protection Package**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler  <b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights  <b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots  <b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension</p>	<p>(IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  12.3 ft. Turning Radius                  Ground Clearance: 10.5 In.                  (267 mm)  <b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTIVE STRUCTURE</b>                  (OPS):                  OSR (Occupant Side Retention)                  Nets standard                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified  <b>OPERATOR STATION:</b>                  Bench or bucket seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Two cup holders in dash                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet  <b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard    <b>DIMENSIONS (WITH OPS):</b>                  113 In. Long x 56.5 In.                  Wide x 73.5 In. High  <b>PAYLOAD CAPACITY</b>                  800 Lb (363 kg) Total Payload                  Capacity which Includes:</p>	<p>200 Lb (91 kg) Driver,                  200 Lb (91 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:                  1,100 Lb (499kg)  <b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable    <b>TIRES:</b>                  Front: 25x8-12 Ancla XT, 25x8-12                  Terra Hawk AT, 25x8-12 Turf,                  26x8-14 Maxxis Bighorn 2.0; 4                  ply rating                  Rear: 25x10-12 Ancla XT,                  25x10-12 Terra Hawk AT, 25x10-12                  Turf, 26x10-14 Maxxis Bighorn                  2.0; 4 ply rating  <b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

516HM		PR15 - XUV 550 Camo Utility & Protection Package <i>Base Machine Suggested List Price Does Not Include 400 USD Destination Charge.</i>	8,689.00
-------	--	---	----------

**DESTINATION**

001A		US / CANADA	In Base Price
001C		Australia/New Zealand	Same Price

**WHEELS WITH TIRES (FOUR)**

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Camo Utility & Protection Package**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1005		<b>WHEELS WITH TIRES (FOUR) Continued...</b> 26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Black alloy wheels	862.00
<b>DRIVER SEAT</b>			
2007		Bench Seat - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OPS / BRAKE / TAILLIGHT</b>			
4002		OPS, with Brake/Taillight and net	52.00
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4106		Utility and Protection Package Package Consists of: Front Brushguard, OPS Camo Poly Roof, Cargo Box Rail	1,204.00
<b>ROOF/REAR SCREEN</b>			
4049		Less Roof and Rear Screen	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Cabs/Roofs/Windshields:</b>			
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM23864		OPS Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	279.27
BM23397		OPS Poly Roof - Black	352.03
BM23853		OPS Poly Roof - Camo	753.29
BM25014		OPS Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	512.53
BM23396		OPS Rear Screen <i>Includes headrests.</i>	293.19
BM24737		OPS Side Mirrors	185.11
LP37050		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37051		OPS Soft Cab - Camo <i>Requires front windshield. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP37046	OPS Soft Roof - Black <i>Available through Order Zone.</i>	In Catalog
	LP37047	OPS Soft Roof - Camo <i>Available through Order Zone.</i>	In Catalog
	BM24817	Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,093.99
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
	BM23371	Box Mat	119.84
	BM23307	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	114.49
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	In Catalog
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	218.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	In Catalog
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Camo Utility & Protection Package**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
PM05201		Ball Mount - 2 in. (51mm)	See Parts
BM22290		Drawbar - 2 in. (51mm)	40.66
BM24171		<b>Custom &amp; High Performance:</b> Engine Oil Temperature Sensor Kit	55.64
BM23438		High Capacity Alternator <i>55 Amps.</i>	714.76
BM22703		Seat-Belt Comfort Strap (2)	80.26
BM24376		Speedometer Kit	111.29
BM23933		Sport Steering Wheel	206.51
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
LP49226		<b>Hunting / Camo:</b> Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	In Catalog
LP37037		Vehicle Cover - Camo <i>Available through Order Zone.</i>	In Catalog
LP37041		Vehicle Cover - Transportable (Camo)	In Catalog
BM23369		<b>Lights / Signals:</b> Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23368		Floor Mat	80.26
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM24095		Full Underbody Skid Plate	163.71
BM23362		Rear Bumper	196.89
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	In Catalog
LP37040		Vehicle Cover - Transportable (Black)	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV 550 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	BM24437	<b>Winch:</b> Warn Winch (3000 lbs) <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	770.40
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV 550 S4 Green & Yellow**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler</p> <p><b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights</p> <p><b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots</p> <p><b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension                  (IRS) with 8 inches (203mm)                  of travel</p>	<p>Integrated 2 In. Rear Receiver                  19.7 ft. Turning Radius -- TBD                  Ground Clearance: 9.3 In.                  (236mm)</p> <p><b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding</p> <p><b>OCCUPANT PROTECTIVE STRUCTURE                  (OPS):</b>                  OSR (Occupant Side Retention)                  Nets standard                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified</p> <p><b>OPERATOR STATION:</b>                  Bench or bucket seats                  Hip Restraint Bars for Driver                  and Passenger</p> <p>Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet</p> <p><b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard</p> <p><b>DIMENSIONS(WITH OPS):</b>                  144 In. Long x 56.5 In.                  Wide x 74 In. High</p> <p><b>PAYLOAD CAPACITY</b>                  1200 Lb (544 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  600 Lb (273 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:</p>	<p>1,100 Lb (499kg)</p> <p><b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable</p> <p><b>CONVERTIBLE CARGO RACK:</b>                  23.5 In. Long x 38.8 In. Wide x                  8.1 In. Deep                  (59.7cm x 98.6 cm x 20.6 cm)                  4.3 cu. ft (0.12 cu.m) Capacity                  200 Lbs (90.7 kg) Rack Capacity</p> <p><b>TIRES:</b>                  Front: 25x8-12 Ancla XT, 25x8-12                  Terra Hawk AT, 25x8-12 Turf,                  26x8-14 Maxxis Bighorn 2.0; 4                  ply rating                  Rear: 25x10-12 Ancla XT,                  25x10-12 Terra Hawk AT, 25x10-12                  Turf, 26x10-14 Maxxis Bighorn                  2.0; 4 ply rating</p> <p><b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

515HM	PR15 - XUV 550 S4 Green & Yellow <i>Base Machine Suggested List Price Does Not Include 500 USD Destination Charge.</i>	9,739.00
-------	---	----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR)</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 In. Yellow steel wheels	In Base Price
<b>DRIVER SEAT</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OPS / BRAKE / TAILLIGHT</b>			
4000		OPS with net	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4149		Less Packages	In Base Price
<b>STORAGE</b>			
6040		Less Under Seat Storage	In Base Price
<b>ROOF/REAR SCREEN</b>			
4049		Less Roof and Rear Screen	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cabs/Roofs/Windshields:</b>	
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM24114		OPS Poly Cab - S4 <i>Includes front and rear doors, and rear panel. OPS Poly Roof and Windshield sold separately.</i>	4,404.11
BM25015		OPS Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	556.40
BM23398		OPS S4 Poly Roof - Black	535.00
BM24737		OPS Side Mirrors	185.11
LP37052		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37048		OPS Soft Roof (S4) - Black <i>Available through Order Zone</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,847.71
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM24094		Cargo Rack Screen	98.44
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
BM23385		Tire Rack <i>Requires cargo box rails.</i>	218.29
BM23874		Underseat Storage	111.29
BM24096		Vise Mount	53.50
		<b>Carts / Hitches:</b>	
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	In Catalog
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	In Catalog
BM23363		2" Front Receiver Hitch and Recovery Loops	114.49
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
PM05201		Ball Mount - 2 in. (51mm)	See Parts
BM22290		Drawbar - 2 in. (51mm)	40.66
BM24171		<b>Custom &amp; High Performance:</b> Engine Oil Temperature Sensor Kit	55.64
BM23438		High Capacity Alternator <i>55 Amps.</i>	714.76
BM22703		Seat-Belt Comfort Strap (2)	80.26
BM24376		Speedometer Kit	111.29
BM23933		Sport Steering Wheel	206.51
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
LP37039		<b>Hunting / Camo:</b> Vehicle Cover (S4) - Camo <i>Available through Order Zone</i>	In Catalog
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone</i>	In Catalog
BM23369		<b>Lights / Signals:</b> Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	163.71
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM23362		Rear Bumper	196.89
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone</i>	In Catalog
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone</i>	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV 550 S4 Green & Yellow**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
	BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler</p> <p><b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights</p> <p><b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots</p> <p><b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension                  (IRS) with 8 inches (203mm)                  of travel</p>	<p>Integrated 2 In. Rear Receiver                  19.7 ft. Turning Radius -- TBD                  Ground Clearance: 9.3 In.                  (236mm)</p> <p><b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding                  OCCUPANT PROTECTIVE STRUCTURE                  (OPS):                  OSR (Occupant Side Retention)                  Nets standard                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified</p> <p><b>OPERATOR STATION:</b>                  Bench or bucket seats                  Hip Restraint Bars for Driver                  and Passenger</p> <p>Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet</p> <p><b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard</p> <p><b>DIMENSIONS(WITH OPS):</b>                  144 In. Long x 56.5 In.                  Wide x 74 In. High</p> <p><b>PAYLOAD CAPACITY</b>                  1200 Lb (544 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  600 Lb (273 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:</p>	<p>1,100 Lb (499kg)</p> <p><b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable</p> <p><b>CONVERTIBLE CARGO RACK:</b>                  23.5 In. Long x 38.8 In. Wide x                  8.1 In. Deep                  (59.7cm x 98.6 cm x 20.6 cm)                  4.3 cu. ft (0.12 cu.m) Capacity                  200 Lbs (90.7 kg) Rack Capacity</p> <p><b>TIRES:</b>                  Front: 25x8-12 Ancla XT, 25x8-12                  Terra Hawk AT, 25x8-12 Turf,                  26x8-14 Maxxis Bighorn 2.0; 4                  ply rating                  Rear: 25x10-12 Ancla XT,                  25x10-12 Terra Hawk AT, 25x10-12                  Turf, 26x10-14 Maxxis Bighorn                  2.0; 4 ply rating</p> <p><b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

515JM	PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package <i>Base Machine Suggested List Price Does Not Include 500 USD Destination Charge.</i>	9,739.00
-------	--	----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR)</b>			
1004		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Yellow alloy wheels	862.00
<b>DRIVER SEAT</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OPS / BRAKE / TAILLIGHT</b>			
4002		OPS, with Brake/Taillight and net	52.00
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4107		Utility and Protection Package Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, 5 Gallon Pail Holder	1,025.00
<b>STORAGE</b>			
6040		Less Under Seat Storage	In Base Price
<b>ROOF/REAR SCREEN</b>			
4049		Less Roof and Rear Screen	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Cabs/Roofs/Windshields:</b>			
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM24114		OPS Poly Cab - S4 <i>Includes front and rear doors, and rear panel. OPS Poly Roof and Windshield sold separately.</i>	4,404.11
BM25015		OPS Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	556.40
BM23398		OPS S4 Poly Roof - Black	535.00
BM24737		OPS Side Mirrors	185.11
LP37052		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37048		OPS Soft Roof (S4) - Black <i>Available through Order Zone</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,847.71
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM24094		Cargo Rack Screen	98.44
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
BM23385		Tire Rack <i>Requires cargo box rails.</i>	218.29
BM23874		Underseat Storage	111.29
BM24096		Vise Mount	53.50
		<b>Carts / Hitches:</b>	
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	In Catalog
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	In Catalog
BM23363		2" Front Receiver Hitch and Recovery Loops	114.49
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
PM05201		Ball Mount - 2 in. (51mm)	See Parts
BM22290		Drawbar - 2 in. (51mm)	40.66
BM24171		<b>Custom &amp; High Performance:</b> Engine Oil Temperature Sensor Kit	55.64
BM23438		High Capacity Alternator <i>55 Amps.</i>	714.76
BM22703		Seat-Belt Comfort Strap (2)	80.26
BM24376		Speedometer Kit	111.29
BM23933		Sport Steering Wheel	206.51
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
LP37039		<b>Hunting / Camo:</b> Vehicle Cover (S4) - Camo <i>Available through Order Zone</i>	In Catalog
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone</i>	In Catalog
BM23369		<b>Lights / Signals:</b> Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	163.71
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM23362		Rear Bumper	196.89
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone</i>	In Catalog
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone</i>	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV 550 S4 Green & Yellow Utility & Protection Package**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
	BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV 550 S4 Camo Utility & Protection Package**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler</p> <p><b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights</p> <p><b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots</p> <p><b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension                  (IRS) with 8 inches (203mm)                  of travel</p>	<p>Integrated 2 In. Rear Receiver                  19.7 ft. Turning Radius -- TBD                  Ground Clearance: 9.3 In.                  (236mm)</p> <p><b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding</p> <p><b>OCCUPANT PROTECTIVE STRUCTURE                  (OPS):</b>                  OSR (Occupant Side Retention)                  Nets standard                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified</p> <p><b>OPERATOR STATION:</b>                  Bench or bucket seats                  Hip Restraint Bars for Driver                  and Passenger</p> <p>Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet</p> <p><b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard</p> <p><b>DIMENSIONS(WITH OPS):</b>                  144 In. Long x 56.5 In.                  Wide x 74 In. High</p> <p><b>PAYLOAD CAPACITY</b>                  1200 Lb (544 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  600 Lb (273 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:</p>	<p>1,100 Lb (499kg)</p> <p><b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable</p> <p><b>CONVERTIBLE CARGO RACK:</b>                  23.5 In. Long x 38.8 In. Wide x                  8.1 In. Deep                  (59.7cm x 98.6 cm x 20.6 cm)                  4.3 cu. ft (0.12 cu.m) Capacity                  200 Lbs (90.7 kg) Rack Capacity</p> <p><b>TIRES:</b>                  Front: 25x8-12 Ancla XT, 25x8-12                  Terra Hawk AT, 25x8-12 Turf,                  26x8-14 Maxxis Bighorn 2.0; 4                  ply rating                  Rear: 25x10-12 Ancla XT,                  25x10-12 Terra Hawk AT, 25x10-12                  Turf, 26x10-14 Maxxis Bighorn                  2.0; 4 ply rating</p> <p><b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual</p> <p>*Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

515KM	PR15 - XUV 550 S4 Camo Utility & Protection Package <i>Base Machine Suggested List Price Does Not Include 500 USD Destination Charge.</i>	10,289.00
-------	--	-----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR)</b>			
1005		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Black alloy wheels	862.00
<b>DRIVER SEAT</b>			
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OPS / BRAKE / TAILLIGHT</b>			
4002		OPS, with Brake/Taillight and net	52.00
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4107		Utility and Protection Package Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, 5 Gallon Pail Holder	1,025.00
<b>STORAGE</b>			
6040		Less Under Seat Storage	In Base Price
<b>ROOF/REAR SCREEN</b>			
4049		Less Roof and Rear Screen	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Cabs/Roofs/Windshields:</b>			
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM24114		OPS Poly Cab - S4 <i>Includes front and rear doors, and rear panel. OPS Poly Roof and Windshield sold separately.</i>	4,404.11
BM25015		OPS Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	556.40
BM23398		OPS S4 Poly Roof - Black	535.00
BM24737		OPS Side Mirrors	185.11
LP37052		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37053		OPS Soft Cab - Camo <i>Requires front windshield. Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP37048		OPS Soft Roof (S4) - Black <i>Available through Order Zone</i>	In Catalog
LP37049		OPS Soft Roof (S4) - Camo <i>Available through Order Zone</i>	In Catalog
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,847.71
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM24094		Cargo Rack Screen	98.44
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
LP37045		OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	In Catalog
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
BM23385		Tire Rack <i>Requires cargo box rails.</i>	218.29
BM23874		Underseat Storage	111.29
BM24096		Vise Mount	53.50
		<b>Carts / Hitches:</b>	
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
	PM05201	Ball Mount - 2 in. (51mm)	See Parts
	BM22290	Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	55.64
	BM23438	High Capacity Alternator <i>55 Amps.</i>	714.76
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29
	BM23933	Sport Steering Wheel	206.51
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
		<b>Hunting / Camo:</b>	
	LP37039	Vehicle Cover (S4) - Camo <i>Available through Order Zone</i>	In Catalog
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone</i>	In Catalog
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	103.79
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
	BM24233	Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
	BM24100	Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV 550 S4 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	163.71
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM23362		Rear Bumper	196.89
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone</i>	In Catalog
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone</i>	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV 550 S4 Camo Utility & Protection Package**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
	BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**XUV 550 Green & Yellow (Build to Order)**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler</p> <p><b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights</p> <p><b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots</p> <p><b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)</p>	<p>of travel                  Independent Rear Suspension                  (IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  12.3 ft. Turning Radius                  Ground Clearance: 10.5 In.                  (267 mm)</p> <p><b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTION SYSTEM(OPS):</b>                  Nets                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified</p> <p><b>OPERATOR STATION:</b>                  Bench Seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Two cup holders in dash                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet</p> <p><b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard</p> <p><b>DIMENSIONS (WITH OPS):</b>                  113 In. Long x 56.5 In.                  Wide x 73.5 In. High</p> <p><b>PAYLOAD CAPACITY</b></p>	<p>800 Lb (363 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  200 Lb (91 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:                  1,100 Lb (499kg)</p> <p><b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable</p> <p><b>TIRES:</b>                  Front: 25x8-12 Ancla XT                  (Extreme Terrain Tires)                  Rear: 25x10-12 Ancla XT                  (Extreme Terrain Tires)</p> <p><b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5164M	XUV 550 Green & Yellow (Build to Order) <i>Base Machine Suggested List Price Does Not Include 400 USD Destination Charge.</i>	8,399.00
-------	--	----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR)</b>			
1002		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 In. Yellow steel wheels	In Base Price
1004		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Yellow alloy wheels	862.00
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 In. Yellow steel wheels	Same Price
1007		25 in. Directional Turf Tires (4 PR) on 12 In. Yellow steel wheels	Same Price
<b>DRIVER SEAT</b>			
2006		Bench Seat - Yellow	In Base Price
2003		18 In. XUV HB Seat - Yellow	Same Price
2018		21 In. Deluxe XUV HB Seat - Yellow	73.00
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
3101		Cargo Box Power Lift	749.00
<b>OPS/REAR SCREEN/BRAKE/TAILLIGHT</b>			
4000		OPS with net	In Base Price
4002		OPS, with Brake/Taillight and net	52.00
<b>ROOF/REAR SCREEN</b>			
4030		OPS Poly Roof - Black <i>When ordering 4030 Option Code you must order 4145 or 4149 Option Code.</i>	329.00
4031		Roof - (Black) and Rear Screen <i>When ordering 4031 Option Code you must order 4145 or 4149 Option Code.</i>	603.00
4032		Rear Screen	274.00
4049		Less Roof and Rear Screen	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4105		Protection Package Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rail	803.00
4143		Protection Package Package Consists of: Front Brushguard, Rear Bumper	533.00
4144		Front Brushguard	314.00
4149		Less Utility and Protection Package	In Base Price
4145		Rear Bumper	184.00

**Miscellaneous Items**

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>Miscellaneous Items Continued...</b>	
9037		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Cabs/Roofs/Windshields:</b>	
	BM23373	OPS Full No-Scratch Windshield	542.49
	BM23358	OPS Full Poly Windshield	370.21
	BM23376	OPS Glass Windshield w/ Wiper	728.67
	BM23375	OPS Half Poly Windshield	241.81
	BM23864	OPS Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	279.27
	BM23397	OPS Poly Roof - Black	352.03
	BM25014	OPS Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	512.53
	BM23396	OPS Rear Screen <i>Includes headrests.</i>	293.19
	BM24737	OPS Side Mirrors	185.11
	LP37050	OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
	LP37046	OPS Soft Roof - Black <i>Available through Order Zone.</i>	In Catalog
	BM24817	Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,093.99
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
	BM23371	Box Mat	119.84
	BM23307	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	114.49
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	218.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	In Catalog
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
	PM05201	Ball Mount - 2 in. (51mm)	See Parts
	BM22290	Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	55.64
	BM23438	High Capacity Alternator <i>55 Amps.</i>	714.76
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29
	BM23933	Sport Steering Wheel	206.51
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Hunting / Camo:</b>	
LP49226		Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	In Catalog
LP37037		Vehicle Cover - Camo <i>Available through Order Zone.</i>	In Catalog
LP37041		Vehicle Cover - Transportable (Camo)	In Catalog
		<b>Lights / Signals:</b>	
BM23369		Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23368		Floor Mat	80.26
BM23365		Front Brushguard	335.99

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM24095		Full Underbody Skid Plate	163.71
BM23362		Rear Bumper	196.89
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	In Catalog
LP37040		Vehicle Cover - Transportable (Black)	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
BM24437		Warn Winch (3000 lbs) <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	770.40
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**XUV 550 Olive & Black (Build to Order)**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler</p> <p><b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights</p> <p><b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots</p> <p><b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)</p>	<p>of travel                  Independent Rear Suspension                  (IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  12.3 ft. Turning Radius                  Ground Clearance: 10.5 In.                  (267 mm)</p> <p><b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTION SYSTEM(OPS):</b>                  Nets                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified</p> <p><b>OPERATOR STATION:</b>                  Bench Seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Two cup holders in dash                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet</p> <p><b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard</p> <p><b>DIMENSIONS (WITH OPS):</b>                  113 In. Long x 56.5 In.                  Wide x 73.5 In. High</p> <p><b>PAYLOAD CAPACITY</b></p>	<p>800 Lb (363 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  200 Lb (91 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:                  1,100 Lb (499kg)</p> <p><b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable</p> <p><b>TIRES:</b>                  Front: 25x8-12 Ancla XT                  (Extreme Terrain Tires)                  Rear: 25x10-12 Ancla XT                  (Extreme Terrain Tires)</p> <p><b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5165M	XUV 550 Olive & Black (Build to Order) <i>Base Machine Suggested List Price Does Not Include 400 USD Destination Charge.</i>	8,499.00
-------	---	----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR)</b>			
1005		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Black alloy wheels	862.00
1003		25 in. Ancla M-T Extreme Terrain Tires (4 PR) on 12 in. Black steel wheels	In Base Price
1006		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Silver alloy wheels	862.00
<b>DRIVER SEAT</b>			
2007		Bench Seat - Black	In Base Price
2004		18 In. XUV HB Seat - Black	Same Price
2019		21 In. Deluxe XUV HB Seat - Black	73.00
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
3101		Cargo Box Power Lift	749.00
<b>OPS/REAR SCREEN/BRAKE/TAILLIGHT</b>			
4000		OPS with net	In Base Price
4002		OPS, with Brake/Taillight and net	52.00
<b>ROOF/REAR SCREEN</b>			
4030		OPS Poly Roof - Black <i>When ordering 4030 Option Code you must order 4145 or 4149 Option Code.</i>	329.00
4031		Roof - (Black) and Rear Screen <i>When ordering 4031 Option Code you must order 4145 or 4149 Option Code.</i>	603.00
4032		Rear Screen	274.00
4049		Less Roof and Rear Screen	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4105		Protection Package Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rail	803.00
4143		Protection Package Package Consists of: Front Brushguard, Rear Bumper	533.00
4144		Front Brushguard	314.00
4149		Less Utility and Protection Package	In Base Price
4145		Rear Bumper	184.00
<b>Miscellaneous Items</b>			
9037		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cabs/Roofs/Windshields:</b>	
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM23864		OPS Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	279.27
BM23397		OPS Poly Roof - Black	352.03
BM25014		OPS Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	512.53
BM23396		OPS Rear Screen <i>Includes headrests.</i>	293.19
BM24737		OPS Side Mirrors	185.11
LP37050		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37046		OPS Soft Roof - Black <i>Available through Order Zone.</i>	In Catalog
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,093.99
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	218.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	In Catalog
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
	PM05201	Ball Mount - 2 in. (51mm)	See Parts
	BM22290	Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	55.64
	BM23438	High Capacity Alternator <i>55 Amps.</i>	714.76
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29
	BM23933	Sport Steering Wheel	206.51
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	In Catalog
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP37041		Vehicle Cover - Transportable (Camo)	In Catalog
		<b>Lights / Signals:</b>	
BM23369		Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23368		Floor Mat	80.26
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM24095		Full Underbody Skid Plate	163.71

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23362	Rear Bumper	196.89
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	In Catalog
	LP37040	Vehicle Cover - Transportable (Black)	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
	BM24437	Warn Winch (3000 lbs) <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	770.40
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**XUV 550 Camo (Build to Order)**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler</p> <p><b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights</p> <p><b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots</p> <p><b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)</p>	<p>of travel                  Independent Rear Suspension                  (IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  12.3 ft. Turning Radius                  Ground Clearance: 10.5 In.                  (267 mm)</p> <p><b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTION SYSTEM(OPS):</b>                  Nets                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified</p> <p><b>OPERATOR STATION:</b>                  Bench Seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Two cup holders in dash                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet</p> <p><b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard</p> <p><b>DIMENSIONS (WITH OPS):</b>                  113 In. Long x 56.5 In.                  Wide x 73.5 In. High</p> <p><b>PAYLOAD CAPACITY</b></p>	<p>800 Lb (363 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  200 Lb (91 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box                  Towing Capacity:                  1,100 Lb (499kg)</p> <p><b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable</p> <p><b>TIRES:</b>                  Front: 25x8-12 Ancla XT                  (Extreme Terrain Tires)                  Rear: 25x10-12 Ancla XT                  (Extreme Terrain Tires)</p> <p><b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5166M	XUV 550 Camo (Build to Order) <i>Base Machine Suggested List Price Does Not Include 400 USD Destination Charge.</i>	8,949.00
-------	--	----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price
001D	Other Countries	Same Price
0195	Mexico	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES (FOUR)</b>			
1005		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Black alloy wheels	862.00
1003		25 in. Ancla M-T Extreme Terrain Tires (4 PR) on 12 in. Black steel wheels	In Base Price
1006		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Silver alloy wheels	862.00
<b>DRIVER SEAT</b>			
2007		Bench Seat - Black	In Base Price
2004		18 In. XUV HB Seat - Black	Same Price
2019		21 In. Deluxe XUV HB Seat - Black	73.00
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
3101		Cargo Box Power Lift	749.00
<b>OPS/REAR SCREEN/BRAKE/TAILLIGHT</b>			
4000		OPS with net	In Base Price
4002		OPS, with Brake/Taillight and net	52.00
<b>ROOF/REAR SCREEN</b>			
4030		OPS Poly Roof - Camo <i>When ordering 4030 Option Code you must order 4145 or 4149 Option Code.</i>	704.00
4031		Roof - (Camo) and Rear Screen <i>When ordering 4031 Option Code you must order 4145 or 4149 Option Code.</i>	978.00
4032		Rear Screen	274.00
4049		Less Roof and Rear Screen	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4106		Protection Package Package Consists of: Front Brushguard, OPS Camo Poly Roof, Cargo Box Rail	1,204.00
4109		Utility and Protection Package Package Consists of: Front Brushguard, OPS Camo Poly Roof, Cargo Box Rail, Rear Bumper, 2 In. Front Receiver Hitch.	1,515.00
4149		Less Utility and Protection Package	In Base Price
4143		Protection Package Package Consists of: Front Brushguard, Rear Bumper	533.00
4144		Front Brushguard	314.00
4145		Rear Bumper	184.00

**Miscellaneous Items**

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Camo (Build to Order)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>Miscellaneous Items Continued...</b>	
9037		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Cabs/Roofs/Windshields:</b>	
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM23864		OPS Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	279.27
BM23397		OPS Poly Roof - Black	352.03
BM23853		OPS Poly Roof - Camo	753.29
BM25014		OPS Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	512.53
BM23396		OPS Rear Screen <i>Includes headrests.</i>	293.19
BM24737		OPS Side Mirrors	185.11
LP37050		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37051		OPS Soft Cab - Camo <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37046		OPS Soft Roof - Black <i>Available through Order Zone.</i>	In Catalog
LP37047		OPS Soft Roof - Camo <i>Available through Order Zone.</i>	In Catalog
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,093.99
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23526	Cargo Box Rails	114.49
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	In Catalog
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	218.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	In Catalog
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
	PM05201	Ball Mount - 2 in. (51mm)	See Parts
	BM22290	Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	55.64
	BM23438	High Capacity Alternator <i>55 Amps.</i>	714.76
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23933	Sport Steering Wheel	206.51
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
	LP49226	<b>Hunting / Camo:</b> Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	In Catalog
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	In Catalog
	LP37041	Vehicle Cover - Transportable (Camo)	In Catalog
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	103.79
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
	BM24233	Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
	BM24100	Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
	BM23367	Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
	BM23370	Horn Kit	97.37
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	59.40
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	149.80
	BM23368	Floor Mat	80.26
	BM23365	Front Brushguard	335.99
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	185.11
	BM24095	Full Underbody Skid Plate	163.71
	BM23362	Rear Bumper	196.89
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	In Catalog
	LP37040	Vehicle Cover - Transportable (Black)	In Catalog
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	BM24437	<b>Winch:</b> Warn Winch (3000 lbs) <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	770.40

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**XUV 550 Camo (Build to Order)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**XUV 550 S4 Green & Yellow (Build to Order)**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler  <b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights  <b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots  <b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension</p>	<p>(IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  19.7 ft. Turning Radius -- TBD                  Ground Clearance: 9.3 In.                  (236mm)  <b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTION SYSTEM(OPS):</b>                  Nets                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified  <b>OPERATOR STATION:</b>                  Bench Seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet  <b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard    <b>DIMENSIONS(WITH OPS):</b>                  144 In. Long x 56.5 In.                  Wide x 74 In. High  <b>PAYLOAD CAPACITY</b>                  1200 Lb (544 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  600 Lb (273 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box</p>	<p>Towing Capacity:                  1,100 Lb (499kg)  <b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable  <b>CONVERTIBLE CARGO RACK:</b>                  23.5 In. Long x 38.8 In. Wide x                  8.1 In. Deep                  (59.7cm x 98.6 cm x 20.6 cm)                  4.3 cu. ft (0.12 cu.m) Capacity                  200 Lbs (90.7 kg) Rack Capacity    <b>TIRES:</b>                  Front: 25x8-12 Terra Hawk                  (All Terrain Tires)                  Rear: 25x10-12 Terra Hawk                  (All Terrain Tires)  <b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5155M	XUV 550 S4 Green & Yellow (Build to Order) <i>Base Machine Suggested List Price Does Not Include 500 USD Destination Charge.</i>	9,999.00
-------	---	----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price
001D	Other Countries	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		<b>DESTINATION Continued...</b> Mexico	Same Price
<b>WHEELS WITH TIRES (FOUR)</b>			
1002		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 In. Yellow steel wheels	In Base Price
1004		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Yellow alloy wheels	862.00
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 In. Yellow steel wheels	Same Price
1007		25 in. Directional Turf Tires (4 PR) on 12 In. Yellow steel wheels	Same Price
<b>DRIVER SEAT</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
3101		Cargo Box Power Lift	749.00
<b>OPS/REAR SCREEN/BRAKE/TAILLIGHT</b>			
4000		OPS with net	In Base Price
4002		OPS, with Brake/Taillight and net	52.00
<b>ROOF/REAR SCREEN</b>			
4030		OPS Poly Roof - Black <i>When ordering 4030 Option Code you must order 4145 or 4149 Option Code.</i>	500.00
4049		Less Roof and Rear Screen	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4107		Protection Package Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, 5 Gallon Pail Holder.	1,025.00
4149		Less Utility and Protection Package	In Base Price
4143		Protection Package Package Consists of: Front Brushguard, Rear Bumper	533.00
4144		Front Brushguard	314.00
4145		Rear Bumper	184.00
<b>STORAGE</b>			
6040		Less Under Seat Storage	In Base Price
6025		Under Seat Storage	104.00

**Miscellaneous Items**

**Spanish North American Kit:**

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9037		<b>Miscellaneous Items Continued...</b> Spanish North American Operator's Manual and Decal Kit	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cabs/Roofs/Windshields:</b>	
	BM23373	OPS Full No-Scratch Windshield	542.49
	BM23358	OPS Full Poly Windshield	370.21
	BM23376	OPS Glass Windshield w/ Wiper	728.67
	BM23375	OPS Half Poly Windshield	241.81
	BM24114	OPS Poly Cab - S4 <i>Includes front and rear doors, and rear panel. OPS Poly Roof and Windshield sold separately.</i>	4,404.11
	BM25015	OPS Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	556.40
	BM23398	OPS S4 Poly Roof - Black	535.00
	BM24737	OPS Side Mirrors	185.11
	LP37052	OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
	LP37048	OPS Soft Roof (S4) - Black <i>Available through Order Zone</i>	In Catalog
	BM24818	Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,847.71
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
	BM23371	Box Mat	119.84
	BM23307	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	114.49
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
	BM24094	Cargo Rack Screen	98.44
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
	BM24200	Glove Box Lock	12.84

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
BM23385		Tire Rack <i>Requires cargo box rails.</i>	218.29
BM23874		Underseat Storage	111.29
BM24096		Vise Mount	53.50
		<b>Carts / Hitches:</b>	
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	In Catalog
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	In Catalog
BM23363		2" Front Receiver Hitch and Recovery Loops	114.49
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
PM05201		Ball Mount - 2 in. (51mm)	See Parts
BM22290		Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
BM24171		Engine Oil Temperature Sensor Kit	55.64
BM23438		High Capacity Alternator <i>55 Amps.</i>	714.76
BM22703		Seat-Belt Comfort Strap (2)	80.26
BM24376		Speedometer Kit	111.29
BM23933		Sport Steering Wheel	206.51
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Hunting / Camo:</b>	
LP37039		Vehicle Cover (S4) - Camo <i>Available through Order Zone</i>	In Catalog
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone</i>	In Catalog
<b>Lights / Signals:</b>			
BM23369		Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
<b>Operator Environment:</b>			
BRE10015		Cell Phone Mount Kit	59.40
<b>Protection:</b>			
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	163.71

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Green & Yellow (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23365	Front Brushguard	335.99
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	185.11
	BM23362	Rear Bumper	196.89
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone</i>	In Catalog
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone</i>	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
	BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**XUV 550 S4 Olive & Black (Build to Order)**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler  <b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights  <b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots  <b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension</p>	<p>(IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  19.7 ft. Turning Radius -- TBD                  Ground Clearance: 9.3 In.                  (236mm)  <b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTION SYSTEM(OPS):</b>                  Nets                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified  <b>OPERATOR STATION:</b>                  Bench Seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet  <b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard    <b>DIMENSIONS(WITH OPS):</b>                  144 In. Long x 56.5 In.                  Wide x 74 In. High  <b>PAYLOAD CAPACITY</b>                  1200 Lb (544 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  600 Lb (273 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box</p>	<p>Towing Capacity:                  1,100 Lb (499kg)  <b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable  <b>CONVERTIBLE CARGO RACK:</b>                  23.5 In. Long x 38.8 In. Wide x                  8.1 In. Deep                  (59.7cm x 98.6 cm x 20.6 cm)                  4.3 cu. ft (0.12 cu.m) Capacity                  200 Lbs (90.7 kg) Rack Capacity    <b>TIRES:</b>                  Front: 25x8-12 Terra Hawk                  (All Terrain Tires)                  Rear: 25x10-12 Terra Hawk                  (All Terrain Tires)  <b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5156M		XUV 550 S4 Olive & Black (Build to Order) <i>Base Machine Suggested List Price Does Not Include 500 USD Destination Charge.</i>	10,099.00
-------	--	--	-----------

**DESTINATION**

001A		US / CANADA	In Base Price
001C		Australia/New Zealand	Same Price
001D		Other Countries	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		<b>DESTINATION Continued...</b> Mexico	Same Price
<b>WHEELS WITH TIRES (FOUR)</b>			
1005		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Black alloy wheels	862.00
1003		25 in. Ancla M-T Extreme Terrain Tires (4 PR) on 12 in. Black steel wheels	In Base Price
1006		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Silver alloy wheels	862.00
<b>DRIVER SEAT</b>			
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
3101		Cargo Box Power Lift	749.00
<b>OPS/REAR SCREEN/BRAKE/TAILLIGHT</b>			
4000		OPS with net	In Base Price
4002		OPS, with Brake/Taillight and net	52.00
<b>ROOF/REAR SCREEN</b>			
4030		OPS Poly Roof - Black <i>When ordering 4030 Option Code you must order 4145 or 4149 Option Code.</i>	500.00
4049		Less Roof and Rear Screen	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4107		Protection Package Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, 5 Gallon Pail Holder.	1,025.00
4149		Less Utility and Protection Package	In Base Price
4143		Protection Package Package Consists of: Front Brushguard, Rear Bumper	533.00
4144		Front Brushguard	314.00
4145		Rear Bumper	184.00
<b>STORAGE</b>			
6040		Less Under Seat Storage	In Base Price
6025		Under Seat Storage	104.00
<b>Miscellaneous Items</b>			
9037		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cabs/Roofs/Windshields:</b>	
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM24114		OPS Poly Cab - S4 <i>Includes front and rear doors, and rear panel. OPS Poly Roof and Windshield sold separately.</i>	4,404.11
BM25015		OPS Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	556.40
BM23398		OPS S4 Poly Roof - Black	535.00
BM24737		OPS Side Mirrors	185.11
LP37052		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37048		OPS Soft Roof (S4) - Black <i>Available through Order Zone</i>	In Catalog
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,847.71
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM24094		Cargo Rack Screen	98.44
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	218.29
	BM23874	Underseat Storage	111.29
	BM24096	Vise Mount	53.50
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	In Catalog
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
	PM05201	Ball Mount - 2 in. (51mm)	See Parts
	BM22290	Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	55.64
	BM23438	High Capacity Alternator <i>55 Amps.</i>	714.76
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29
	BM23933	Sport Steering Wheel	206.51
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Hunting / Camo:</b>	
LP37039		Vehicle Cover (S4) - Camo <i>Available through Order Zone</i>	In Catalog
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone</i>	In Catalog
<b>Lights / Signals:</b>			
BM23369		Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61
<b>Operator Environment:</b>			
BRE10015		Cell Phone Mount Kit	59.40
<b>Protection:</b>			
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	163.71

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Olive & Black (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23365	Front Brushguard	335.99
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	185.11
	BM23362	Rear Bumper	196.89
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone</i>	In Catalog
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone</i>	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
	BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**XUV 550 S4 Camo (Build to Order)**  
 Equipment for Base Machine

<p><b>ENGINE:</b>                  16 Engine HP*(570cc),                  Dynamically tuned carburetor                  Two-cylinder, Air-cooled                  4-Cycle Gasoline                  Full Pressure Lubrication                  System                  Replaceable Single Dry-Type                  Element Air Cleaner with                  Remote Intake                  4.9 Gallon (18.5L) Fuel                  Capacity                  Solid-state Ignition (12V)                  Spark-arresting Muffler  <b>ELECTRICAL:</b>                  Electric Start                  16 Amp Regulated, 3-Phase                  Alternator                  340 CCA Battery                  Two 55 Watt Halogen                  Headlights  <b>TRANSAXLE/TRANSMISSION:</b>                  Continuously Variable                  Transmission                  Full Clutch Enclosure                  Two-speed Transaxle                  Operator Selectable 4WD                  28 mph (45 kph) Maximum                  Forward Speed                  Selectable Four-Wheel                  Drive System                  Front and Rear Hydraulic Disk                  Brakes with stainless steel                  rotors                  Foot-operated Park brake                  Large diameter half shafts with                  TPE boots  <b>STEERING/SUSPENSION:</b>                  Rack and Pinion Steering                  Independent Front Suspension                  (IRS) with 9 inches (229mm)                  of travel                  Independent Rear Suspension</p>	<p>(IRS) with 8 inches (203mm)                  of travel                  Integrated 2 In. Rear Receiver                  19.7 ft. Turning Radius -- TBD                  Ground Clearance: 9.3 In.                  (236mm)  <b>FRAME/STYLED PARTS:</b>                  Full, robotically welded frame                  design                  Side frame rails for rock                  sliding  <b>OCCUPANT PROTECTION SYSTEM(OPS):</b>                  Nets                  1.75 In. (44.4 mm) Steel Tubular                  Overhead Structure                  Multiple Passenger Handholds                  3-pt. Seat Belts                  SAE J2194 &amp; OSHA ROPS Certified  <b>OPERATOR STATION:</b>                  Bench Seats                  Hip Restraint Bars for Driver                  and Passenger                  Sealed Glove Box                  Sealed Storage Compartment Under                  Hood                  Fuel Gauge                  Instrument Cluster - Hour Meter,                  and Seat Belt                  12v DC Outlet  <b>FRONTAL PROTECTION:</b>                  Integrated Front Bumper                  Accepts optional front receiver,                  winch and brush guard    <b>DIMENSIONS(WITH OPS):</b>                  144 In. Long x 56.5 In.                  Wide x 74 In. High  <b>PAYLOAD CAPACITY</b>                  1200 Lb (544 kg) Total Payload                  Capacity which Includes:                  200 Lb (91 kg) Driver,                  600 Lb (273 kg) Passenger, and                  400 Lb (181 kg) in Cargo Box</p>	<p>Towing Capacity:                  1,100 Lb (499kg)  <b>CARGO BOX:</b>                  32.3 In. Long x 47.6 In. Wide x                  11.7 In. Deep                  (82 cm x 120.9 cm x 29.7 cm)                  8.9 cu. ft (.25 cu.m) Capacity                  400 Lbs (181 kg) Box Capacity                  Tilting Box , Open from both                  sides                  Hinged (Bottom) Tailgate,                  Removeable  <b>CONVERTIBLE CARGO RACK:</b>                  23.5 In. Long x 38.8 In. Wide x                  8.1 In. Deep                  (59.7cm x 98.6 cm x 20.6 cm)                  4.3 cu. ft (0.12 cu.m) Capacity                  200 Lbs (90.7 kg) Rack Capacity    <b>TIRES:</b>                  Front: 25x8-12 Terra Hawk                  (All Terrain Tires)                  Rear: 25x10-12 Terra Hawk                  (All Terrain Tires)  <b>SAFETY VIDEO TAPE:</b>                  Safety and Operational DVD                  Operators Manual                  *Engine HP is Provided by the                  Engine Manufacturer to be Used                  for Comparison Purposes Only,                  Actual Operating HP will be                  Less.</p>
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5157M	XUV 550 S4 Camo (Build to Order) <i>Base Machine Suggested List Price Does Not Include 500 USD Destination Charge.</i>	10,549.00
-------	---	-----------

**DESTINATION**

001A	US / CANADA	In Base Price
001C	Australia/New Zealand	Same Price
001D	Other Countries	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		<b>DESTINATION Continued...</b> Mexico	Same Price
<b>WHEELS WITH TIRES (FOUR)</b>			
1005		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Black alloy wheels	862.00
1003		25 in. Ancla M-T Extreme Terrain Tires (4 PR) on 12 in. Black steel wheels	In Base Price
1006		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 12 in. Silver alloy wheels	862.00
<b>DRIVER SEAT</b>			
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
3101		Cargo Box Power Lift	749.00
<b>OPS/REAR SCREEN/BRAKE/TAILLIGHT</b>			
4000		OPS with net	In Base Price
4002		OPS, with Brake/Taillight and net	52.00
<b>ROOF/REAR SCREEN</b>			
4030		OPS Poly Roof - Black <i>When ordering 4030 Option Code you must order 4145 or 4149 Option Code.</i>	500.00
4049		Less Roof and Rear Screen	In Base Price
<b>PROTECTION/UTILITY AND PROTECTION PACKAGES</b>			
4107		Protection Package Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, 5 Gallon Pail Holder.	1,025.00
4149		Less Utility and Protection Package	In Base Price
4143		Protection Package Package Consists of: Front Brushguard, Rear Bumper	533.00
4144		Front Brushguard	314.00
4145		Rear Bumper	184.00
<b>STORAGE</b>			
6040		Less Under Seat Storage	In Base Price
6025		Under Seat Storage	104.00
<b>Miscellaneous Items</b>			
9037		<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Cabs/Roofs/Windshields:</b>	
BM23373		OPS Full No-Scratch Windshield	542.49
BM23358		OPS Full Poly Windshield	370.21
BM23376		OPS Glass Windshield w/ Wiper	728.67
BM23375		OPS Half Poly Windshield	241.81
BM24114		OPS Poly Cab - S4 <i>Includes front and rear doors, and rear panel. OPS Poly Roof and Windshield sold separately.</i>	4,404.11
BM25015		OPS Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	556.40
BM23398		OPS S4 Poly Roof - Black	535.00
BM24737		OPS Side Mirrors	185.11
LP37052		OPS Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37053		OPS Soft Cab - Camo <i>Requires front windshield. Available through Order Zone.</i>	In Catalog
LP37048		OPS Soft Roof (S4) - Black <i>Available through Order Zone</i>	In Catalog
LP37049		OPS Soft Roof (S4) - Camo <i>Available through Order Zone</i>	In Catalog
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,847.71
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	39.59
BM23371		Box Mat	119.84
BM23307		Cargo Box Power Lift	801.43
BM23526		Cargo Box Rails	114.49
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	344.54
BM24094		Cargo Rack Screen	98.44
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	253.59

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	In Catalog
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	In Catalog
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	In Catalog
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	218.29
	BM23874	Underseat Storage	111.29
	BM24096	Vise Mount	53.50
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	In Catalog
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	In Catalog
	BM23363	2" Front Receiver Hitch and Recovery Loops	114.49
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
	PM05201	Ball Mount - 2 in. (51mm)	See Parts
	BM22290	Drawbar - 2 in. (51mm)	40.66
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	55.64
	BM23438	High Capacity Alternator <i>55 Amps.</i>	714.76
	BM22703	Seat-Belt Comfort Strap (2)	80.26
	BM24376	Speedometer Kit	111.29
	BM23933	Sport Steering Wheel	206.51

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	660.19
LP37039		<b>Hunting / Camo:</b> Vehicle Cover (S4) - Camo <i>Available through Order Zone</i>	In Catalog
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone</i>	In Catalog
		<b>Lights / Signals:</b>	
BM23369		Backup Alarm	103.79
BM24013		Beacon Light <i>Requires OPS Switch Bank. Also requires Brake and Tail Light Installation Kit, if 4002 / 4003 option code is not selected, for brake light mounting; OR OPS Poly Roof for roof mounting.</i>	309.23
BM24233		Brake and Tail Light Installation Kit <i>Required to mount Brake and Tail Light Kit.</i>	35.31
BM24100		Brake and Tail Light Kit <i>Requires Brake and Tail Light Installation Kit.</i>	55.64
BM23367		Deluxe Light Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	395.90
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	953.37
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	349.89
BM23370		Horn Kit	97.37
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	195.81
BM24016		Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	125.19
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	125.19
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	70.61

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV 550 S4 Camo (Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Operator Environment:</b>	
BRE10015		Cell Phone Mount Kit	59.40
		<b>Protection:</b>	
BM23309		CV Guards <i>Aluminum.</i>	149.80
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	163.71
BM23365		Front Brushguard	335.99
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	185.11
BM23362		Rear Bumper	196.89
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone</i>	In Catalog
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone</i>	In Catalog
		<b>Sprayers / Pressure Washers:</b>	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	In Catalog
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	In Catalog
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	In Catalog
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	In Catalog
		<b>Winch:</b>	
BM24019		Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	132.69

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-DUTY CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**XUV 550 S4 Camo (Build to Order)**

Continued

JOHN DEERE TURF & UTILITY PRODUCTS  
UTILITY VEHICLES AND EQUIPMENT

**Standard-Duty 66 In. Front Blade  
(XUV 550, XUV550 S4, RSX 850i)**  
Equipment for Base Machine

66 In Wide Straight Blade  
Five-Position Manual Angling  
Two Adjusting Skid Shoes  
Trip Protection  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

8018M		Standard-Duty 66 In. Front Blade (XUV 550, XUV550 S4, RSX 850i) <i>Includes Front Blade, Lift Arms, and Lift Components. A winch is needed for blade lift operations and 2 in. front receiver hitch with recovery loops needed for mounting. RSX 850i also requires Blade Mount Adapter Kit.</i>	1,129.00
-------	--	--	----------

**DESTINATION**

001A		US/Canada	In Base Price
001C		Australia/New Zealand	Same Price
001B		Europe	Same Price
0195		Mexico	Same Price
001D		All Other Countries	Same Price

**LIFT FRAME KITS**

3153		Blade Mount Adapter Kit <i>Required on RSX 850i, not required on XUV 550 and XUV 550 S4.</i>	184.00
3160		Less Blade Mount Adapter Kit	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Blades:</b>		
BM23029			Plow Markers	39.59
		<b>Carts / Hitches:</b>		
BM23363			2" Front Receiver Hitch and Recovery Loops	114.49
		<b>Winch:</b>		
BM24723			WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit.</i>	588.50
BM24019			Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61

JOHN DEERE TURF & UTILITY PRODUCTS  
UTILITY VEHICLES AND EQUIPMENT

---

**Standard-Duty 66 In. Front Blade  
(XUV 550, XUV550 S4, RSX 850i)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25079	Winch Mounting Kit <i>Requires WARN ProVantage 3500 lb Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	181.90