

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X300 Tractor with 42X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*18.5 HP
42 IN. EDGE XTRA CUTTING SYSTEM
Two .67 In. StarLock Greaseable Spindles
Two Front 2.6 In. Wide Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 in Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering System
16 In. Turning Radius

Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
195 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option

MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO Drive Clutch
Foot Pedal Deck and Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300 - 42X

F.O.B. Janesville, Wisconsin

470KM	Select Series X300 Tractor with 42X Edge Xtra Deck <i>Not Available for Sale in California.</i>	2,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: SKU23044 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	Engine: AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

FRONT MOUNTED THATCHERS:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow/Rear Bagger Chutes:	
BG20766		Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
SKU24193		42 In. Edge Xtra Deck (42X)	600.00
BM22550		Anti-Scalp Wheel Extension Kit	63.13
AM141034		Blade Kit (42X, Bagging)	See Parts
AM141033		Blade Kit (42X, Mulching)	See Parts
AM141032		Blade Kit (42X, Side Discharge)	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
AM130907		Mower Deck Leveling Gauge	See Parts
BM21816		Mulch Kit (42 In. or 42X)	101.66
		Order Zone:	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1001		42-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
LP93617		Riding Mower Deluxe Cover (M)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36740		X300 Series Weather Enclosure	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 42X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM136646		Lift Assist Spring Kit	See Parts
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X310 Tractor with 42X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *18.5 HP 42 IN. EDGE XTRA CUTTING SYSTEM Two .67 In. StarLock Greaseable Spindles Two Front 2.6 In. Wide Anti-Scalp Wheels 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 31.6 in Uncut Circle Radius TIRES 15x6-6 Front Turf Tires 20x10-8 Rear Turf Tires STEERING 2 Wheel Low Effort Steering System Hydraulic Power Steering	22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K58 H Transaxle Internal Wet Disk Brakes Tow valve 5.8 mph (9.3 km/h) Forward, 3.5 mph (5.6km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Seat/PTO Interlock Switches	Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 2 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X310 - 42X

F.O.B. Janesville, Wisconsin

4791M	Select Series X310 Tractor with 42X Edge Xtra Deck <i>Not Available for Sale in California.</i>	3,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades:	
SKU23044	44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	Engine:	
AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

FRONT MOUNTED THATCHERS:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow/Rear Bagger Chutes:	
BG20766		Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
BM22550		Anti-Scalp Wheel Extension Kit	63.13
AM141034		Blade Kit (42X, Bagging)	See Parts
AM141033		Blade Kit (42X, Mulching)	See Parts
AM141032		Blade Kit (42X, Side Discharge)	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
AM130907		Mower Deck Leveling Gauge	See Parts
BM21816		Mulch Kit (42 In. or 42X)	101.66
		Order Zone:	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1001		42-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
LP93617		Riding Mower Deluxe Cover (M)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36740		X300 Series Weather Enclosure	In Catalog
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X310 Tractor with 42X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seats / Wheels / Tires:	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
BM24925		Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model
Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM
Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*18.5 HP
LESS MOWER STANDARD
OPTIONAL 38 IN. or 42 IN. EDGE XTRA CUTTING SYSTEM or 42 IN. EDGE MULCH CUTTING SYSTEM
Two .67 In. StarLock Greaseable Spindles
Two Front 2.6 In. Wide Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 In. Uncut Circle Radius (38X, 42X)
27 in Uncut Circle Radius (42 Edge Mulch)
Removable Material Gates with On Board Storage (42 Edge Mulch)
OPTIONAL 48 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp

Wheels
No Tools Anti-Scalp Wheel Cut Height Adjustment
Two 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering System
16 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment

and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
195 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300

F.O.B. Janesville, Wisconsin

470NM		Select Series X300 Tractor Less Deck, California Model	2,499.00
-------	--	--	----------

ATTACHMENTS FOR FIELD CONVERSION

	Blades:		
SKU23044		44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine:	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
TY13056	FRONT MOUNTED THATCHERS:	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow Blowers:	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20982		Rear Bagger Chute for 38 In. Mowers	75.97
BG20766		Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM132109	Rubber Blade Squeegee Kit	See Parts
	AM136046	Seat Net Kit	See Parts
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU24192	38 in Edge Xtra Deck (38X) <i>Requires M156856 Right-Hand Lift Arm.</i>	600.00
	SKU24194	42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	M127673	Blade (48C/48X, Mulching)	See Parts
	M145476	Blade (48C/48X, Side Discharge)	See Parts
	AM141040	Blade Kit (38X, Mulching)	See Parts
	AM141039	Blade Kit (38X, Side Discharge Kit)	See Parts
	AM140332	Blade Kit (42M, Mulching Low Lift)	See Parts
	AM140973	Blade Kit (42M, Mulching)	See Parts
	AM141034	Blade Kit (42X, Bagging)	See Parts
	AM141033	Blade Kit (42X, Mulching)	See Parts
	AM141032	Blade Kit (42X, Side Discharge)	See Parts
	AM141041	Blade, Kit (38X) Bagging	See Parts
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM108476		Mower Deck Wear Plate (38 In. Mower)	See Parts
M150883		Mower Leaf Mulcher Plate Assembly (38/38X)	See Parts
AM103851		Mower Lip Kit (Left), 38 In. Mower	See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower	See Parts
BM21817		Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	134.81
BM21816		Mulch Kit (42 In. or 42X)	101.66
BM20007		Mulch Kit (48C/48X)	160.50
		Order Zone:	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1001		42-In. Tractor Grass Groomer	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
LP93617		Riding Mower Deluxe Cover (M)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36740		X300 Series Weather Enclosure	In Catalog
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seats / Wheels / Tires:	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM136646		Lift Assist Spring Kit	See Parts
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X320 Tractor Less Deck, California Model
Equipment for Base Machine**

JOHN DEERE iTORQUE POWER SYSTEM
Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with
Replaceable Oil Filter
*22 HP
LESS MOWER STANDARD
OPTIONAL 38 IN. or 42 IN. EDGE
XTRA CUTTING SYSTEM or 42 IN.
EDGE MULCH CUTTING SYSTEM
Two .67 In. StarLock Greaseable
Spindles
Two Front 2.6 In. Wide
Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 In. Uncut Circle Radius
(38X, 42X)
27 in Uncut Circle Radius
(42 Edge Mulch)
Removable Material Gates with
On Board Storage (42 Edge
Mulch)
OPTIONAL 48 IN. EDGE XTRA
CUTTING SYSTEM
Three .79 In. Greaseable
Spindles
Two Front and Two Rear 2.6 In.
Wide Rotatable Anti-Scalp
Wheels

No Tools Anti-Scalp Wheel Cut
Height Adjustment
Two 2.9 In Wide Front
Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6.5-8 Front Turf Tires
22x11-10 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering
System
16 In. Turning Radius
Cast Iron Front Axle with
Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K58 Transaxle
Internal Wet Disk Brakes
Tow valve
6.2 mph (10 km/hr) Forward,
3.5mph (5.6 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with
Access
Grip, 7 In. Fore-Aft Adjustment
and Adjustable Suspension
Cup Holder

ELECTRICAL SYSTEM
195 CCA Battery
15 Amp Regulated Charging
System
Four-Position Key Switch with
Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch
Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement
Lift System
Adjustable Lift Assist Spring
Heavy Duty Cargo Mount System
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less. Refer to the Engine
Manufacturer's Web Site for
Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X320

F.O.B. Janesville, Wisconsin

472KM	Select Series X320 Tractor Less Deck, California Model	3,399.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

SKU23044	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow Blowers:	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BG20766		Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM136046	Seat Net Kit	See Parts
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	See Parts
		Mower Deck and Mower Deck Attachments:	
	SKU24194	42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
	SKU24193	42 In. Edge Xtra Deck (42X)	600.00
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	BM22550	Anti-Scalp Wheel Extension Kit	63.13
	M127673	Blade (48C/48X, Mulching)	See Parts
	M145476	Blade (48C/48X, Side Discharge)	See Parts
	M152726	Blade (54C/54X, High Lift)	See Parts
	M145516	Blade (54C/54X, Mulching)	See Parts
	M143520	Blade (54C/54X, Side Discharge)	See Parts
	AM140332	Blade Kit (42M, Mulching Low Lift)	See Parts
	AM140973	Blade Kit (42M, Mulching)	See Parts
	AM141034	Blade Kit (42X, Bagging)	See Parts
	AM141033	Blade Kit (42X, Mulching)	See Parts
	AM141032	Blade Kit (42X, Side Discharge)	See Parts
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	BM20985	Leaf Bagging Kit (54C/54X Mower)	126.26

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM130907	Mower Deck Leveling Gauge	See Parts
	BM21816	Mulch Kit (42 In. or 42X)	101.66
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1001	42-In. Tractor Grass Groomer	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	In Catalog
	LP93617	Riding Mower Deluxe Cover (M)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36740	X300 Series Weather Enclosure	In Catalog
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	See Parts
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
BM24925		Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
R66949		Weights: Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Requires BM17978 Wheel Weight Mounting Hardware Kit.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck
Equipment for Base Machine**

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*18.5 HP
42 IN. EDGE XTRA REAR DISCHARGE CUTTING SYSTEM
Two .67 In. StarLock Greaseable Spindles
Two Front 2.6 In. Wide Anti-Scalp Wheels
Wash Ports
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 3.75 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
29 In. Uncut Circle Radius
INTEGRATED COLLECTION SYSTEM
8.5 bu. (300 Liter) Collection Hopper
Turbostar Fan
Automatic PTO Shut Off/Hopper Full
TIRES

15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering System
20 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot Control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.3 mph (8.5 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
195 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with

Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option
MISCELLANEOUS
2.0 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Adjustable Lift Assist Spring
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300R

F.O.B. Janesville, Wisconsin

4759M	Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck <i>Not Available for Sale in California.</i>	4,199.00
-------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		FRONT MOUNTED THATCHERS:	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2007-2009 (Serial 040001-150000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2010- (Serial 150001-).</i>	See Parts
BM22196		Rear Deflector Kit (X300R)	125.19
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23054		Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
AM140974		Blade Kit (X300R, Bagging and Rear Discharge)	See Parts
AM140975		Blade Kit (X300R, Mulching)	See Parts
AM130907		Mower Deck Leveling Gauge	See Parts
BM22326		Mulch Kit (X300R)	116.63
		Order Zone:	
LP40000		40-In. Tractor Shovel	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
BM19123		31 Lb. Plastic Rear Wheel Weights	67.41
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. Collection Hopper or a BM22196 Rear Deflector Kit are Required. For Snow Blowers built prior to April 2008 (Serial -030001) see DTAC Solution 79224 for Adaptation Instructions.</i>	1,555.00
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
BM24926		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300R).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X300 Tractor with 48X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *18.5 HP 48 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 21 In. Uncut Circle Radius TIRES 15x6-6 Front Turf Tires 20x10-8 Rear Turf Tires STEERING	2 Wheel Low Effort Steering System 16 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K46 Transaxle Internal Wet Disk Brakes Tow valve 5.5 mph (8.9 km/h) Forward, 4.0 mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Seat/PTO Interlock Switches	Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 2 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300 - 48X

F.O.B. Janesville, Wisconsin

470LM	Select Series X300 Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	3,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
FRONT MOUNTED THATCHERS:			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
Material Collection System Hoppers:			
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
Material Collection System Power Flow Blowers:			
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
Material Collection System Power Flow/Rear Bagger Chutes:			
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
Miscellaneous:			
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
	AM132109	Rubber Blade Squeegee Kit	See Parts
	AM136046	Seat Net Kit	See Parts
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
	BM23054	Sun Shade (X300/X500 M-T)	164.79
Mower Deck and Mower Deck Attachments:			
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	See Parts
	M145476	Blade (48C/48X, Side Discharge)	See Parts
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	See Parts
	BM20007	Mulch Kit (48C/48X)	160.50
Order Zone:			
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	In Catalog
	LP93617	Riding Mower Deluxe Cover (M)	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor with 48X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36740	X300 Series Weather Enclosure	In Catalog
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X300 Tractor Less Deck
Equipment for Base Machine**

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*18.5 HP
LESS MOWER STANDARD
OPTIONAL 38 IN. or 42 IN. EDGE XTRA CUTTING SYSTEM or 42 IN. EDGE MULCH CUTTING SYSTEM
Two .67 In. StarLock Greaseable Spindles
Two Front 2.6 In. Wide Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
28 In. Uncut Circle Radius (38X, 42X)
27 in Uncut Circle Radius (42 Edge Mulch)
Removable Material Gates with On Board Storage (42 Edge Mulch)
OPTIONAL 48 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels

No Tools Anti-Scalp Wheel Cut Height Adjustment
Two 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
21 In. Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-8 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering System
16 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension

Cup Holder
ELECTRICAL SYSTEM
195 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option
MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 2 Quik-Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300

F.O.B. Janesville, Wisconsin

470MM		Select Series X300 Tractor Less Deck <i>Not Available for Sale in California.</i>	2,499.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	Same Price
0195		Mexico	Same Price
001D		Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Blades:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	SKU23044	44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21679	Material Collection System Hoppers: 7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	See Parts
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM21681	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20982	Rear Bagger Chute for 38 In. Mowers	75.97
	BG20766	Rear Bagger Chute for 42 In. Mowers	103.79
	AM136716	Miscellaneous: 12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
	BM24915	12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	See Parts
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	TY25341	Debris bag	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
SKU24192		38 in Edge Xtra Deck (38X)	600.00
SKU24194		42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
SKU24195		48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
BM22550		Anti-Scalp Wheel Extension Kit	63.13
M127673		Blade (48C/48X, Mulching)	See Parts
M145476		Blade (48C/48X, Side Discharge)	See Parts
AM141040		Blade Kit (38X, Mulching)	See Parts
AM141039		Blade Kit (38X, Side Discharge Kit)	See Parts
AM140332		Blade Kit (42M, Mulching Low Lift)	See Parts
AM140973		Blade Kit (42M, Mulching)	See Parts
AM141034		Blade Kit (42X, Bagging)	See Parts
AM141033		Blade Kit (42X, Mulching)	See Parts
AM141032		Blade Kit (42X, Side Discharge)	See Parts
AM141041		Blade, Kit (38X) Bagging	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	See Parts
	AM108476	Mower Deck Wear Plate (38 In. Mower)	See Parts
	M150883	Mower Leaf Mulcher Plate Assembly (38/38X)	See Parts
	AM103851	Mower Lip Kit (Left), 38 In. Mower	See Parts
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	See Parts
	BM21817	Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	134.81
	BM21816	Mulch Kit (42 In. or 42X)	101.66
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1001	42-In. Tractor Grass Groomer	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	In Catalog
	LP93617	Riding Mower Deluxe Cover (M)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36740	X300 Series Weather Enclosure	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM136646		Lift Assist Spring Kit	See Parts
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*18.5 HP
42 IN. EDGE XTRA CUTTING SYSTEM
Two .67 In. StarLock Greaseable Spindles
Two Front 2.6 In. Wide Anti-Scalp Wheels
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
16 In. Uncut Circle Radius
TIRES
15x6-6 Front Turf Tires
20x10-10 Rear Turf Tires
STEERING
4 Wheel Low Effort Steering System
15 In. Turning Radius

Cast Iron Front Axle with Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque k46 Transaxle
Internal Wet Disk Brakes
Tow valve
5.5 mph (8.9 km/h) Forward,
4.0 mph (6.4 km/h) Reverse
Travel Speed
Cruise Control
OPERATOR STATION
14 In. Steering Wheel
15 In. Open Back Seat with Access
Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup Holder
ELECTRICAL SYSTEM
195 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter
Seat/PTO Interlock Switches
Reverse Implement Option

MISCELLANEOUS
3.3 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Optional Rear Weight Bracket
Accepts 2 Quick Tatch Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X304

F.O.B. Janesville, Wisconsin

4718M	Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck <i>Not Available for Sale in California.</i>	3,799.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: SKU23044 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	Engine: AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

FRONT MOUNTED THATCHERS:

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow/Rear Bagger Chutes:	
BG20766		Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
AM141155		Wheel Cover, 10 In. (Stainless Steel)	See Parts
		Mower Deck and Mower Deck Attachments:	
SKU24193		42 In. Edge Xtra Deck (42X)	600.00
BM22550		Anti-Scalp Wheel Extension Kit	63.13
AM141034		Blade Kit (42X, Bagging)	See Parts
AM141033		Blade Kit (42X, Mulching)	See Parts
AM141032		Blade Kit (42X, Side Discharge)	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
AM130907		Mower Deck Leveling Gauge	See Parts
BM21816		Mulch Kit (42 In. or 42X)	101.66
		Order Zone:	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1001		42-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
LP93617		Riding Mower Deluxe Cover (M)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36740		X300 Series Weather Enclosure	In Catalog
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor with 4 Wheel Steer and 42X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP92324		Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
AM136646		Lift Assist Spring Kit	See Parts
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM24011		Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X320 Tractor with 48X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *22 HP 48 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 21 In. Uncut Circle Radius TIRES 15x6.5-8 Front Turf Tires 22x11-10 Rear Turf Tires STEERING	2 Wheel Low Effort Steering System 16 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K58 Transaxle Internal Wet Disk Brakes Tow valve 6.2 mph (10 km/hr) Forward, 3.5 mph (5.6 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Seat/PTO Interlock Switches	Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Low-Fuel Light Welded C-Channel Frame Rear Hitch Accepts 2 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X320 - 48X

F.O.B. Janesville, Wisconsin

472FM	Select Series X320 Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	4,299.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		FRONT MOUNTED THATCHERS:	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow Blowers:	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22144		48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	See Parts
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
	AM132109	Rubber Blade Squeegee Kit	See Parts
	AM136046	Seat Net Kit	See Parts
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	See Parts
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	See Parts
	M145476	Blade (48C/48X, Side Discharge)	See Parts
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	See Parts
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	In Catalog
	LP93617	Riding Mower Deluxe Cover (M)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36740	X300 Series Weather Enclosure	In Catalog
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	See Parts
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X320 Tractor with 54X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *22 HP 54 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 18 In. Uncut Circle Radius TIRES 15x6.5-8 Front Turf Tires 22x11-10 Rear Turf Tires STEERING	2 Wheel Low Effort Steering System 16 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K58 Transaxle Internal Wet Disk Brakes Tow valve 6.2 mph (10 km/hr) Forward, 3.5 mph (5.6 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight switch Hour Meter Seat/PTO Interlock Switches	Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Low-Fuel Light Welded C-Channel Frame Rear Hitch Accepts 2 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X320 - 54X

F.O.B. Janesville, Wisconsin

472JM	Select Series X320 Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	4,599.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		FRONT MOUNTED THATCHERS:	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow Blowers:	
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
AM141155		Wheel Cover, 10 In. (Stainless Steel)	See Parts
SKU21897		Mower Deck and Mower Deck Attachments: 54 in Edge Xtra Deck (54X)	1,300.00
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
AM130907		Mower Deck Leveling Gauge	See Parts
BM20827		Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
LP93617		Riding Mower Deluxe Cover (M)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X320 Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP36740		X300 Series Weather Enclosure	In Catalog
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
TY24327		Tire Chains for 22x11-10 In. Turf Tires	See Parts
		Snow Blowers:	
SKU23045		44 In. Snow Blower (X300's, X500, X520)	1,555.00
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
BM24925		Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *22 HP 48 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 9 In. Uncut Circle Radius TIRES 15x6-6 Front Turf Tires 20x10-10 Rear Turf Tires STEERING	4 Wheel Low Effort Steering System 15 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K58 Transaxle Internal Wet Disk Brakes Tow valve 5.9 mph (9.5 km/hr) Forward, 3.5mph (5.6 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Seat/PTO Interlock Switches	Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Low-Fuel Light Welded C-Channel Frame Optional Rear Weight Bracket Accepts 2 Quick Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X324

F.O.B. Janesville, Wisconsin

4737M	Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	4,799.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades:		
SKU23044	44 In. Front Blade (X300)	<i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)		See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		FRONT MOUNTED THATCHERS:	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow Blowers:	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22144		48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	See Parts
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
	AM132109	Rubber Blade Squeegee Kit	See Parts
	AM136046	Seat Net Kit	See Parts
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	See Parts
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	See Parts
	M145476	Blade (48C/48X, Side Discharge)	See Parts
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	See Parts
	BM20007	Mulch Kit (48C/48X)	160.50
		Order Zone:	
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X324 Tractor with 4 Wheel Steer and 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
LP93617		Riding Mower Deluxe Cover (M)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36740		X300 Series Weather Enclosure	In Catalog
LP92624		Protection: Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
TY16200		Seats / Wheels / Tires: Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
SKU23045		Snow Blowers: 44 In. Snow Blower (X300's, X500, X520)	1,555.00
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
BM24925		Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
R66949		Weights: Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM24011		Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X360 Tractor with 48X Edge Xtra Deck
Equipment for Base Machine**

Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *22 HP 48 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 24 In. Uncut Circle Radius TIRES 15x6.5-8 Front Turf Tires 22x11-10 Rear Turf Tires STEERING	2 Wheel Low Effort Steering System Hydraulic Power Steering 22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K58 Transaxle Internal Wet Disk Brakes Tow valve 6.2 mph (10.0 km/h) Forward, 3.5mph (5.6 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 5-Position Tilt Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with	Hour Meter Seat/PTO Interlock Switches Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Low-Fuel Light Welded C-Channel Frame Rear Hitch Accepts 2 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X360

F.O.B. Janesville, Wisconsin

9695M	Select Series X360 Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	5,299.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
FRONT MOUNTED THATCHERS:			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
Material Collection System Hoppers:			
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
Material Collection System Power Flow Blowers:			
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial) 010001-040000, Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
Material Collection System Power Flow/Rear Bagger Chutes:			
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
Miscellaneous:			
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
	AM132109	Rubber Blade Squeegee Kit	See Parts
	AM136046	Seat Net Kit	See Parts
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	AM141155	Wheel Cover, 10 In. (Stainless Steel)	See Parts
Mower Deck and Mower Deck Attachments:			
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	See Parts
	M145476	Blade (48C/48X, Side Discharge)	See Parts
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	See Parts
	BM20007	Mulch Kit (48C/48X)	160.50
Order Zone:			
	LP23117	125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	In Catalog
	LP93617	Riding Mower Deluxe Cover (M)	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X360 Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36740	X300 Series Weather Enclosure	In Catalog
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
	TY24327	Tire Chains for 22x11-10 In. Turf Tires	See Parts
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520)	1,555.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model

Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *18.5 HP 42 IN. EDGE XTRA REAR DISCHARGE CUTTING SYSTEM Two .67 In. StarLock Greaseable Spindles Two Front 2.6 In. Wide Anti-Scalp Wheels Wash Ports 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 3.75 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 29 In. Uncut Circle Radius INTEGRATED COLLECTION SYSTEM 8.5 bu. (300 Liter) Collection Hopper Turbostar Fan Automatic PTO Shut Off/Hopper Full	TIRES 15x6-6 Front Turf Tires 20x10-8 Rear Turf Tires STEERING 2 Wheel Low Effort Steering System 20 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot Control Tuff-Torque K46 Transaxle Internal Wet Disk Brakes Tow valve 5.3 mph (8.5 km/h) Forward, 4.0 mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM 195 CCA Battery 15 Amp Regulated Charging System	Four-Position Key Switch with Headlight Switch Hour Meter Seat/PTO Interlock Switches Reverse Implement Option MISCELLANEOUS 2.0 US Gallon Fuel Tank Capacity Welded C-Channel Frame Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X300R

F.O.B. Janesville, Wisconsin

475AM	Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model	4,299.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i>	558.00
AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2007-2009 (Serial 040001-150000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2010- (Serial 150001-).</i>	See Parts
BM22196		Rear Deflector Kit (X300R)	125.19
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
		Mower Deck and Mower Deck Attachments:	
AM140974		Blade Kit (X300R, Bagging and Rear Discharge)	See Parts
AM140975		Blade Kit (X300R, Mulching)	See Parts
AM130907		Mower Deck Leveling Gauge	See Parts
BM22326		Mulch Kit (X300R)	116.63
		Order Zone:	
LP40000		40-In. Tractor Shovel	In Catalog
LP33712		Manual Angling Kit (44 in Front Blade X300s)	In Catalog
		Protection:	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X300R Tractor with 42 In. Edge Xtra Rear Discharge Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP92324	Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
	BM19123	31 Lb. Plastic Rear Wheel Weights	67.41
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. Collection Hopper or a BM22196 Rear Deflector Kit are Required. For Snow Blowers built prior to April 2008 (Serial -030001) see DTAC Solution 79224 for Adaptation Instructions.</i>	1,555.00
		Spanish North American Kit:	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Weights:	
	BM24926	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300R).</i>	42.80
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99
	BM17962	Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X304 Tractor Less Deck, California Model
Equipment for Base Machine**

<p>JOHN DEERE iTORQUE POWER SYSTEM Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *18.5 HP LESS MOWER STANDARD OPTIONAL 42 IN. EDGE XTRA CUTTING SYSTEM Two .67 In. StarLock Greaseable Spindles Two Front 2.6 In. Wide Anti-Scalp Wheels 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 28 in Uncut Circle Radius OPTIONAL 48 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two 2.9 In Wide Front Anti-Scalp Rollers</p>	<p>4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 9 In. Uncut Circle Radius TIRES 15x6-6 Front Turf Tires 20x10-10 Rear Turf Tires STEERING 4 Wheel Low Effort Steering System 15 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque k46 Transaxle Internal Wet Disk Brakes Tow valve 5.5 mph (8.9 km/h) Forward, 4.0mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. Steering Wheel 15 In. Open Back Seat with Access Grip, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup Holder ELECTRICAL SYSTEM</p>	<p>195 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Seat/PTO Interlock Switches Reverse Implement Option MISCELLANEOUS 3.3 US Gallon Fuel Tank Capacity Welded C-Channel Frame Optional Rear Weight Bracket Accepts 2 Quick Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.</p>
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X304

F.O.B. Janesville, Wisconsin

4719M	Select Series X304 Tractor Less Deck, California Model	3,299.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

	<p>Blades: 44 In. Front Blade (X300) <i>Rear Weights and Tire Chains are Recommended for Additional Traction</i></p>	558.00
SKU23044		
AM135845	<p>Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)</p>	See Parts
TY13056	<p>FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i></p>	220.41
TY13036	<p>8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i></p>	54.57

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		Material Collection System Power Flow Blowers:	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotatable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotatable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BG20766		Rear Bagger Chute for 42 In. Mowers	103.79
		Miscellaneous:	
AM136716		12 Volt Outlet Kit (X300) <i>Used on MY2007-2011 X300s (040001-220000).</i>	See Parts
BM24915		12 Volt Outlet Kit (X300) <i>Used on MY2012- X300s (220001-).</i>	12.84
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
TY25341		Debris bag	See Parts
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
LG256		Home Maintenance Kit <i>For use with MY2006-2010 (Serial 010001-180000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 180001-).</i>	See Parts
AM132109		Rubber Blade Squeegee Kit	See Parts
AM136046		Seat Net Kit	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
SKU24194		Mower Deck and Mower Deck Attachments: 42 In. Edge Mulch Deck (42M) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, X300-42X or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
SKU24193		42 In. Edge Xtra Deck (42X)	600.00
SKU24195		48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
BM22550		Anti-Scalp Wheel Extension Kit	63.13
M127673		Blade (48C/48X, Mulching)	See Parts
M145476		Blade (48C/48X, Side Discharge)	See Parts
AM140332		Blade Kit (42M, Mulching Low Lift)	See Parts
AM140973		Blade Kit (42M, Mulching)	See Parts
AM141034		Blade Kit (42X, Bagging)	See Parts
AM141033		Blade Kit (42X, Mulching)	See Parts
AM141032		Blade Kit (42X, Side Discharge)	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
AM130907		Mower Deck Leveling Gauge	See Parts
BM21816		Mulch Kit (42 In. or 42X)	101.66
BM20007		Mulch Kit (48C/48X)	160.50
		Order Zone:	
LP23117		125 lb. Electric Broadcast Spreader Barrier Shield	In Catalog
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader <i>Requires Front Wheel Weights or Front Weight Bracket and 2 weights.</i>	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1001	42-In. Tractor Grass Groomer	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
	LP33712	Manual Angling Kit (44 in Front Blade X300s)	In Catalog
	LP93617	Riding Mower Deluxe Cover (M)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36740	X300 Series Weather Enclosure	In Catalog
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		Seats / Wheels / Tires:	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Winter Grill Cover Recommended on Air-cooled Engines to Prevent Carburetor Icing. X300, X304 Tractors Shipped less deck or with 38X, 42X or 42M (SN -150000) Decks need to also Order AM136646 Lift Assist Spring Kit.</i>	1,555.00
	AM136646	Lift Assist Spring Kit	See Parts
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		Spanish North American Kit:	
	BM24925	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X300,X310,X304,X324,X320,X360).</i>	42.80
		Weights:	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Use up to 2 Weights on the rear of X300 Series Tractors</i>	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of up to four R66949 Quik-Tatch Weights on front of X300s.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X304 Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24011		Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

**Current Attachments for Non-Current LT and LTR Lawn Tractors (LT150, LT160,
LT180, LT190 and LTR180)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Mower Deck and Mower Deck Attachments:	
SKU20799		38 In. Side Discharge Mower (Not for LT190) <i>See Sales Manual for Belt Guide Requirements</i>	660.00
SKU20744		42 In. Convertible Mower (Not for LT190) <i>See Sales Manual for Belt Guide Requirements</i>	782.00
BM20686		42 In. Rear Discharge Mulch Plug Attachment (LTR155, LTR166, LTR180)	176.56
BM20635		42M Mower Wash Port Kit <i>For Freedom 42" Mower.</i>	50.29
SKU20801		48 In. Convertible Mower (LT180) <i>See Sales Manual for Belt Guide Requirements.</i>	1,147.00
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		Seats / Wheels / Tires:	
BM19123		31 Lb. Plastic Rear Wheel Weights <i>Not for LT190</i>	67.41
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM21432		Rear Weight Bracket Kit	109.14
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Requires BM17978 Mounting Hardware For LT190.</i>	103.79
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware. Not for LT190</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

**Current Attachments for Non-Current LX200 Series Lawn Tractors (LX280, LX280
AWS and LX289)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Mower Deck and Mower Deck Attachments:	
SKU19943		38 In. Side Discharge Mower	761.00
SKU19671		42 In. Convertible Mower (42C) <i>Not for LX280 AWS.</i>	812.00
BM20635		42M Mower Wash Port Kit <i>For Freedom 42" Mower.</i>	50.29
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		Weights:	
BM19511		Front Weight Bracket/Bumper <i>For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	138.03
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17296		Rear Weight Mounting Kit (LX Series) <i>For (2) R66949 Weights. Mounting Kit is not Needed for LX280 and LX289 Tractors. LX277 AWS, LX280 AWS also Requires BM19797 Adapter Kit.</i>	83.46
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Front Wheel Weight for LX280 and LX289. Requires BM17978 Wheel Weight Mounting Hardware Kit.</i>	103.79
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

**Current Attachments for Non-Current 100 Series Lawn Tractors
(102, 115, 125, 135, 145, 155C and 190C)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Material Collection System:	
BM21888		6.5 Bushel Hopper and Chute for 100 Series, 42 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.</i>	349.00
		Miscellaneous:	
BG20020		46 In. Snow Blade <i>Requires Rear Ballast and Tire Chains.</i>	339.19
BG20260		Sun Canopy	99.00
		Mower Deck and Mower Deck Attachments:	
BG20439		48 In. Complete Mower Deck <i>This bundle is not orderable in Canada. Please order through Parts.</i>	930.90
BG20477		54 In. Complete Mower Deck <i>This bundle is not orderable in Canada. Please order through Parts.</i>	1,155.60
BG20304		54 In. Mulch Kit <i>Fits G110, 190C.</i>	226.84
BM21816		Mulch Kit (42 In. or 42X) <i>Used in place of GY00115 Cover as High Performance Mulching Option.</i>	101.66
		Weights:	
R66949		Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BG20029		Quik-Tatch Weight, 42 Lb. (Boxed) <i>Two Required.</i>	64.20
BM17962		Wheel Weight (Cast Iron, Front, 34 Lb., 5 or 6 in wheel) <i>Requires BM17978 Mounting Hardware.</i>	144.46
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77