

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck  
Equipment for Base Machine**

POWER SYSTEM  
Exclusive Air Intake System  
V-Twin Engine  
Overhead Valves  
Hemispheric Cylinder Head  
V-Valve Technology  
Cast Iron Cylinder Liners  
Full Pressure Lubrication with Replaceable Oil Filter  
\*24 HP  
48 IN. EDGE XTRA CUTTING SYSTEM  
Three .79 In. Greaseable Spindles  
Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels  
No Tools Anti-Scalp Wheel Cut Height Adjustment  
Two, 2.9 In Wide Front Anti-Scalp Rollers  
4 Point Mounting  
Adjustable Down Stop  
.25 In. Cut Height Increments  
1 to 4 In. Cutting Heights  
On Board Leveling Gauge  
Exact Adjust Leveling Ports  
27 In. Uncut Circle Radius  
TIRES  
16x6.5-8 Front Turf Tires  
24x12-12 Rear Turf Tires  
STEERING  
2 Wheel Low Effort Steering System

22 In. Turning Radius  
Cast Iron Front Axle with Replaceable Metal Bushings  
.75 In. Front Spindles  
AUTOMATIC (HYDROSTATIC) TRANSMISSION  
Twin Touch Foot control  
Tuff-Torque K72 Transaxle  
Internal Wet Disk Brakes  
Tow valve  
Traction Assist  
7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed  
Cruise Control  
OPERATOR STATION  
14 In. steering wheel  
15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension  
Cup holder  
Two Fender Handles  
12 Volt Outlet  
ELECTRICAL SYSTEM  
500 CCA Battery  
15 Amp Regulated Charging System  
Four-Position Key Switch with Headlight Switch  
Hour Meter  
Oil Pressure Indicator  
Mower/PTO Light

Seat/PTO Interlock Switches  
Reverse Implement Option  
Electronic Dash Mounted Fuel Gauge  
MISCELLANEOUS  
4.4 US Gallon Fuel Tank Capacity  
Welded C-Channel Frame  
Rear Hitch Accepts 4 Quik-Tatch Weights  
Electric Mower/Implement PTO Drive Clutch  
Foot Pedal Deck and Implement Lift System  
Adjustable Lift Assist Spring  
Heavy Duty Cargo Mount System  
\*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck**

*F.O.B. Janesville, WI*

480CM		Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	5,899.00
-------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	Same Price
0195		Mexico	Same Price
001D		Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

SKU23048		<b>Blades:</b> 48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23448		Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
		<b>Carts / Hitches:</b>	
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
		<b>Engine:</b>	
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
		<b>FRONT MOUNTED THATCHERS:</b>	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		<b>Material Collection System Hoppers:</b>	
BM21680		14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22144		48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21682		Power Flow Chute (14 bu)	141.24
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	87.74
		<b>Miscellaneous:</b>	
BM17981		12 Volt Work Light Kit	52.43

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
SKU24195		<b>Mower Deck and Mower Deck Attachments:</b> 48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
M127673		Blade (48C/48X, Mulching)	See Parts
M145476		Blade (48C/48X, Side Discharge)	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
AM130907		Mower Deck Leveling Gauge	See Parts
BM20007		Mulch Kit (48C/48X)	160.50
LP3301		<b>Order Zone:</b> 125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
	LP31357	Integral Hitch, Mechanical	In Catalog
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	In Catalog
	LP93647	Protective Cover (Large Deluxe)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36741	X500 Series Weather Enclosure	In Catalog
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		<b>Seats / Wheels / Tires:</b>	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
		<b>Snow Blowers:</b>	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00
	AM136645	Lift Assist Spring	See Parts
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	See Parts
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		<b>Spanish North American Kit:</b>	
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
		<b>Tillers:</b>	
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Rear:</b>	
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21977		24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck  
Equipment for Base Machine**

POWER SYSTEM  
Exclusive Air Intake System  
V-Twin Engine  
Overhead Valves  
Hemispheric Cylinder Head  
V-Valve Technology  
Cast Iron Cylinder Liners  
Full Pressure Lubrication with Replaceable Oil Filter  
\*24 HP  
54 IN. EDGE XTRA CUTTING SYSTEM  
Three .79 In. Greaseable Spindles  
Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels  
No Tools Anti-Scalp Wheel  
Cut Height Adjustment  
Two, 2.9 In Wide Front Anti-Scalp Rollers  
4 Point Mounting  
Adjustable Down Stop  
.25 In. Cut Height Increments  
1 to 4 In. Cutting Heights  
On Board Leveling Gauge  
Exact Adjust Leveling Ports  
24 In. Uncut Circle Radius  
TIRES  
16x6.5-8 Front Turf Tires  
24x12-12 Rear Turf Tires  
STEERING  
2 Wheel Low Effort Steering System

22 In. Turning Radius  
Cast Iron Front Axle with Replaceable Metal Bushings  
.75 In. Front Spindles  
AUTOMATIC (HYDROSTATIC) TRANSMISSION  
Twin Touch Foot control  
Tuff-Torque K72 Transaxle  
Internal Wet Disk Brakes  
Tow valve  
Traction Assist  
7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed  
Cruise Control  
OPERATOR STATION  
14 In. steering wheel  
15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension  
Cup holder  
Two Fender Handles  
12 Volt Outlet  
ELECTRICAL SYSTEM  
500 CCA Battery  
15 Amp Regulated Charging System  
Four-Position Key Switch with Headlight Switch  
Hour Meter  
Oil Pressure Indicator  
Mower/PTO Light

Seat/PTO Interlock Switches  
Reverse Implement Option  
Electronic Dash Mounted Fuel Gauge  
MISCELLANEOUS  
4.4 US Gallon Fuel Tank Capacity  
Welded C-Channel Frame  
Rear Hitch Accepts 4 Quik-Tatch Weights  
Electric Mower/Implement PTO Drive Clutch  
Foot Pedal Deck and Implement Lift System  
Adjustable Lift Assist Spring  
Heavy Duty Cargo Mount System  
\*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck**

*F.O.B. Janesville, WI*

480DM		Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	6,199.00
-------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	Same Price
0195		Mexico	Same Price
001D		Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

SKU23048		<b>Blades:</b> 48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23448		Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
		<b>Carts / Hitches:</b>	
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
		<b>Engine:</b>	
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
		<b>FRONT MOUNTED THATCHERS:</b>	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
		<b>Material Collection System Hoppers:</b>	
BM21680		14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22144		48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21682		Power Flow Chute (14 bu)	141.24
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	87.74

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous:</b>	
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
SKU21897		54 in Edge Xtra Deck (54X)	1,300.00
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
AM130907		Mower Deck Leveling Gauge	See Parts
BM20827		Mulch Kit (54C/54D/54X)	217.21
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP31357		Integral Hitch, Mechanical	In Catalog
LP22834		MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
LP23081		MC542 Mower Deck Boot Kit (54X)	In Catalog
LP93647		Protective Cover (Large Deluxe)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36741		X500 Series Weather Enclosure	In Catalog
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
		<b>Snow Blowers:</b>	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00
AM136645		Lift Assist Spring	See Parts
AM136692		Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	See Parts
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
BM24927		<b>Spanish North American Kit:</b> Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
SKU23030		<b>Tillers:</b> 30 in Mechanical Tiller (X500, X520, X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
BM17972		<b>Weights:</b> 50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
BM18434		<b>Wheels and Tires Rear:</b> 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21977		24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck  
Equipment for Base Machine**

**POWER SYSTEM**  
 Exclusive Air Intake System  
 V-Twin Engine  
 Overhead Valves  
 Hemispheric Cylinder Head  
 V-Valve Technology  
 Cast Iron Cylinder Liners  
 Full Pressure Lubrication with Replaceable Oil Filter  
 \*24 HP  
**54 IN. EDGE XTRA CUTTING SYSTEM**  
 Three .79 In. Greaseable Spindles  
 Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels  
 No Tools Anti-Scalp Wheel Cut Height Adjustment  
 Two, 2.9 In Wide Front Anti-Scalp Rollers  
 4 Point Mounting  
 Adjustable Down Stop  
 .25 In. Cut Height Increments  
 1 to 4 In. Cutting Heights  
 On Board Leveling Gauge  
 Exact Adjust Leveling Ports  
 24 In. Uncut Circle Radius  
**TIRES**  
 16x6.5-8 Front Turf Tires  
 24x12-12 Rear HDAP Tires  
**STEERING**  
 2 Wheel Low Effort Steering

**System**  
 Hydraulic Power Steering  
 22 In. Turning Radius  
 Cast Iron Front Axle with Replaceable Metal Bushings  
 1 In. Front Spindles  
**AUTOMATIC (HYDROSTATIC)**  
**TRANSMISSION**  
 Twin Touch Foot control  
 Tuff-Torque K72 Transaxle  
 Internal Wet Disk Brakes  
 Tow valve  
 Traction Assist  
 7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed  
 Cruise Control  
**OPERATOR STATION**  
 14 In. steering wheel  
 15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension  
 Cup holder  
 Two Fender Handles  
 12 Volt Outlet  
**ELECTRICAL SYSTEM**  
 500 CCA Battery  
 15 Amp Regulated Charging System  
 Four-Position Key Switch with Headlight Switch  
 Hour Meter

Oil Pressure Indicator  
 Mower/PTO Light  
 Seat/PTO Interlock Switches  
 Reverse Implement Option  
 Electronic Dash Mounted Fuel Gauge  
**MISCELLANEOUS**  
 4.4 US Gallon Fuel Tank Capacity  
 Welded C-Channel Frame  
 Rear Hitch Accepts 4 Quik-Tatch Weights  
 Electric Mower/Implement PTO Drive Clutch  
 Hydraulic Power Deck and Implement Lift System  
 Heavy Duty Cargo Mount System  
 \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck**

*F.O.B. Janesville, WI*

4843M	Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	6,999.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

SKU23048	<b>Blades:</b> 48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
		<b>Carts / Hitches:</b>	
	PM05101	Ball Mount - 1.875 in. (48mm)	See Parts
		<b>Engine:</b>	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
		<b>FRONT MOUNTED THATCHERS:</b>	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		<b>Material Collection System Hoppers:</b>	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	See Parts
		<b>Material Collection System Power Flow Blowers:</b>	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		<b>Miscellaneous:</b>	
	BM17981	12 Volt Work Light Kit	52.43
	BM19406	Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	228.99
	TY25866	Battery Charger and Maintainer	See Parts
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
SKU21897		54 in Edge Xtra Deck (54X)	1,300.00
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
AM130907		Mower Deck Leveling Gauge	See Parts
BM20827		Mulch Kit (54C/54D/54X)	217.21
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP31357	Integral Hitch, Mechanical	In Catalog
	LP22835	Integral Hitch, Power	In Catalog
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
	LP23081	MC542 Mower Deck Boot Kit (54X)	In Catalog
	LP93647	Protective Cover (Large Deluxe)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36741	X500 Series Weather Enclosure	In Catalog
		<b>Protection:</b>	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	In Catalog
	LP92324	Seat Cover - Yellow	In Catalog
		<b>Seats / Wheels / Tires:</b>	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
		<b>Snow Blowers:</b>	
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,755.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
		<b>Spanish North American Kit:</b>	
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
		<b>Tillers:</b>	
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	SKU23042	42 In. Hydraulic Tiller (X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Rear:</b>	
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21977		24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X534 Multi-Terrain Tractor Less Deck  
Equipment for Base Machine**

JOHN DEERE iTORQUE POWER SYSTEM Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *24 HP LESS MOWER STANDARD OPTIONAL 48 IN. or 54 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 14 In. Uncut Circle Radius with 48 In. Mower 13 In. Uncut Circle Radius with 54 In. Mower TIRES 16x6.5-8 Front Turf Tires	24x9.5-12 Rear Turf Tires STEERING 4 Wheel Low Effort Steering System Hydraulic Power Steering 27 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings 1 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. steering wheel 5-Position Tilt Steering Wheel 21 In. High Back Seat with 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet ELECTRICAL SYSTEM 500 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with	Headlight Switch Hour Meter Oil Pressure Indicator Mower/PTO Light Seat/PTO Interlock Switches Reverse Implement Option Electronic Dash Mounted Fuel Gauge MISCELLANEOUS 4.5 US Gallon Fuel Tank Capacity Welded C-Channel Frame Optional Rear Weight Bracket Accepts 4 Quick Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X534 Multi-Terrain Tractor Less Deck**

*F.O.B. Janesville, WI*

4827M	Select Series X534 Multi-Terrain Tractor Less Deck <i>Not Available for Sale in California.</i>	6,499.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X534 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Blades:</b>	
SKU23048		48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448		Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
<b>Carts / Hitches:</b>			
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
<b>Engine:</b>			
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
<b>FRONT MOUNTED THATCHERS:</b>			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
<b>Material Collection System Hoppers:</b>			
BM21680		14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
<b>Material Collection System Power Flow Blowers:</b>			
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>			
BM21682		Power Flow Chute (14 bu)	141.24
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	87.74
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X534 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23761		Adjustment Armrest Kit <i>For use with MY2011- (SN 060001-) X534 and X540).</i>	77.04
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
BM23056		Bumper (X300s, X500, X530, X534)	64.20
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
SKU24195		48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
SKU21897		54 in Edge Xtra Deck (54X)	1,300.00
M127673		Blade (48C/48X, Mulching)	See Parts
M145476		Blade (48C/48X, Side Discharge)	See Parts
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
AM130907		Mower Deck Leveling Gauge	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X534 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		<b>Order Zone:</b>	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
	LP40000	40-In. Tractor Shovel	In Catalog
	LP1002	48-In. / 54-In. Tractor Grass Groomer	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LP31357	Integral Hitch, Mechanical	In Catalog
	LP22835	Integral Hitch, Power	In Catalog
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
	LP23080	MC542 Mower Deck Boot Kit (48X)	In Catalog
	LP23081	MC542 Mower Deck Boot Kit (54X)	In Catalog
	LP93647	Protective Cover (Large Deluxe)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36741	X500 Series Weather Enclosure	In Catalog
		<b>Seats / Wheels / Tires:</b>	
	TY26227	Tire Chains (Pair) for 23x9.5-12 or 24x9.5-12 tires on X534	See Parts
		<b>Snow Blowers:</b>	
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,755.00
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	See Parts
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X534 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
BM24927		<b>Spanish North American Kit:</b> Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
BM17972		<b>Weights:</b> 50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM24011		Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck  
Equipment for Base Machine**

<p><b>POWER SYSTEM</b> Exclusive Air Intake System V-Twin Liquid-Cooled Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter *23.5 HP <b>54 IN. EDGE XTRA CUTTING SYSTEM</b> Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 24 In. Uncut Circle Radius <b>TIRES</b> 16x6.5-8 Front Turf Tires 24x12-12 Rear HDAP Tires <b>STEERING</b> 2 Wheel Low Effort Steering System</p>	<p>Hydraulic Power Steering 22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings 1 In. Front Spindles <b>AUTOMATIC (HYDROSTATIC) TRANSMISSION</b> Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed Cruise Control <b>OPERATOR STATION</b> 14 In. steering wheel 5-Position Tilt Steering Wheel 21 In. High Back Seat with 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet <b>ELECTRICAL SYSTEM</b> 500 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Oil Pressure Indicator</p>	<p>Coolant Temperature Indicator Mower/PTO Light Seat/PTO Interlock Switches <b>MISCELLANEOUS</b> 4.4 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 4 Quik-Tatch Weights Front Bumper Accepts 4 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System Heavy Duty Cargo Mount System *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.</p>
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck**

*F.O.B. Janesville, WI*

4839M	Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	7,799.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Blades:</b>	
SKU23048		48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448		Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
<b>Carts / Hitches:</b>			
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
<b>Engine:</b>			
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
<b>FRONT MOUNTED THATCHERS:</b>			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
<b>Material Collection System Hoppers:</b>			
BM21680		14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
<b>Material Collection System Power Flow Blowers:</b>			
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>			
BM21682		Power Flow Chute (14 bu)	141.24
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	87.74
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
BM19406		Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	228.99
BM23761		Adjustment Armrest Kit <i>For use with MY2011- (SN 060001-) X534 and X540).</i>	77.04

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
BM21289		Halogen Headlight Kit	58.86
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG257		Home Maintenance Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
<b>Mower Deck and Mower Deck Attachments:</b>			
SKU21897		54 in Edge Xtra Deck (54X)	1,300.00
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
AM130907		Mower Deck Leveling Gauge	See Parts
BM20827		Mulch Kit (54C/54D/54X)	217.21
<b>Order Zone:</b>			
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
	JD01673	Bucket (6 gallon with lid)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
	LPJD100	Bucket Holder (Single)	In Catalog
	LP31357	Integral Hitch, Mechanical	In Catalog
	LP22835	Integral Hitch, Power	In Catalog
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
	LP23081	MC542 Mower Deck Boot Kit (54X)	In Catalog
	LP93647	Protective Cover (Large Deluxe)	In Catalog
	LP93917	Riding Mower Standard Cover	In Catalog
	LP36741	X500 Series Weather Enclosure	In Catalog
<b>Seats / Wheels / Tires:</b>			
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
<b>Snow Blowers:</b>			
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction.</i>	1,755.00
<b>Tillers:</b>			
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	SKU23042	42 In. Hydraulic Tiller (X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
<b>Weights:</b>			
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
<b>Wheels and Tires Rear:</b>			
	BM18434	23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

---

**Select Series X540 Multi-Terrain Tractor with 54X Edge Xtra Deck**  
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X540 Multi-Terrain Tractor Less Deck  
Equipment for Base Machine**

**POWER SYSTEM**  
 Exclusive Air Intake System  
 V-Twin Liquid-Cooled Engine  
 Overhead Valves  
 Hemispheric Cylinder Head  
 V-Valve Technology  
 Cast Iron Cylinder Liners  
 Full Pressure Lubrication with  
 Replaceable Oil Filter  
 \*23.5 HP  
**LESS MOWER STANDARD**  
 OPTIONAL 48 IN. or 54 IN. EDGE  
**XTRA CUTTING SYSTEM**  
 Three .79 In. Greaseable  
 Spindles  
 Two Front and Two Rear 2.6 In.  
 Wide Anti-Scalp Wheels  
 No Tools Anti-Scalp Wheel Cut  
 Height Adjustment  
 Two, 2.9 In Wide Front  
 Anti-Scalp Rollers  
 4 Point Mounting  
 Adjustable Down Stop  
 .25 In. Cut Height Increments  
 1 to 4 In. Cutting Heights  
 On Board Leveling Gauge  
 Exact Adjust Leveling Ports  
 24 In. Uncut Circle Radius  
 with 54X Mower  
 27 In. Uncut Circle Radius  
 with 48X Mower  
**TIRES**  
 16x6.5-8 Front Turf Tires  
 24x12-12 Rear Turf Tires

**STEERING**  
 2 Wheel Low Effort Steering  
 System  
 Hydraulic Power Steering  
 22 In. Turning Radius  
 Cast Iron Front Axle with  
 Replaceable Metal Bushings  
 1 In. Front Spindles  
**AUTOMATIC (HYDROSTATIC)**  
**TRANSMISSION**  
 Twin Touch Foot control  
 Tuff-Torque K72 Transaxle  
 Internal Wet Disk Brakes  
 Tow valve  
 Traction Assist  
 7.2 mph (11.6 km/h) Forward, 4  
 mph  
 (6.4 km/h) Reverse Travel Speed  
 Cruise Control  
**OPERATOR STATION**  
 14 In. steering wheel  
 21 In. High Back Seat with  
 7 In. Fore-Aft  
 Adjustment and Adjustable  
 Suspension  
 Cup holder  
 Two Fender Handles  
 12 Volt Outlet  
**ELECTRICAL SYSTEM**  
 500 CCA Battery  
 15 Amp Regulated Charging System  
 Four-Position Key Switch with  
 Headlight Switch  
 Hour Meter

Oil Pressure Indicator  
 Coolant Temperature Indicator  
 Mower/PTO Light  
 Seat/PTO Interlock Switches  
 Reverse Implement Option  
 Electronic Dash Mounted Fuel  
 Gauge  
**MISCELLANEOUS**  
 4.4 US Gallon Fuel Tank Capacity  
 Welded C-Channel Frame  
 Rear Hitch Accepts 4 Quik-Tatch  
 Weights  
 Electric Mower/Implement PTO  
 Drive Clutch  
 Foot Pedal Deck and Implement  
 Lift System  
 Adjustable Lift Assist Spring  
 Heavy Duty Cargo Mount System  
 \*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less. Refer to the Engine  
 Manufacturer's Web Site for  
 Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X540 Multi-Terrain Tractor Less Deck**

*F.O.B. Janesville, WI*

483AM	Select Series X540 Multi-Terrain Tractor Less Deck <i>Not Available for Sale in California.</i>	6,599.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X540 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Blades:</b>	
SKU23048		48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448		Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
<b>Carts / Hitches:</b>			
PM05101		Ball Mount - 1.875 in. (48mm)	See Parts
<b>Engine:</b>			
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
<b>FRONT MOUNTED THATCHERS:</b>			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
<b>Material Collection System Hoppers:</b>			
BM21680		14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
<b>Material Collection System Power Flow Blowers:</b>			
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>			
BM21682		Power Flow Chute (14 bu)	141.24
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	87.74
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
BM19406		Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	228.99
BM23761		Adjustment Armrest Kit <i>For use with MY2011- (SN 060001-) X534 and X540).</i>	77.04

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X540 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
BM21289		Halogen Headlight Kit	58.86
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG257		Home Maintenance Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
SKU24195		48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
SKU21897		54 in Edge Xtra Deck (54X)	1,300.00
M127673		Blade (48C/48X, Mulching)	See Parts
M145476		Blade (48C/48X, Side Discharge)	See Parts
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
AM130907		Mower Deck Leveling Gauge	See Parts
BM20007		Mulch Kit (48C/48X)	160.50
BM20827		Mulch Kit (54C/54D/54X)	217.21
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X540 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP31357		Integral Hitch, Mechanical	In Catalog
LP22835		Integral Hitch, Power	In Catalog
LP22834		MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
LP23080		MC542 Mower Deck Boot Kit (48X)	In Catalog
LP23081		MC542 Mower Deck Boot Kit (54X)	In Catalog
LP93647		Protective Cover (Large Deluxe)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36741		X500 Series Weather Enclosure	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
		<b>Snow Blowers:</b>	
SKU23047		47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction.</i>	1,755.00
		<b>Tillers:</b>	
SKU23030		30 in Mechanical Tiller (X500, X520, X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
SKU23042		42 In. Hydraulic Tiller (X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

---

Select Series X540 Multi-Terrain Tractor Less Deck  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Rear:</b>	
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21977		24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Select Series X500 Multi-Terrain Tractor Less Deck, California Model  
Equipment for Base Machine**

JOHN DEERE iTORQUE POWER SYSTEM  
Exclusive Air Intake System  
V-Twin Engine  
Overhead Valves  
Hemispheric Cylinder Head  
V-Valve Technology  
Cast Iron Cylinder Liners  
Full Pressure Lubrication with Replaceable Oil Filter  
\*24 HP  
LESS MOWER STANDARD  
OPTIONAL 48 IN. or 54 IN. EDGE XTRA CUTTING SYSTEM  
Three .79 In. Greaseable Spindles  
Two Front and Two Rear 2.6 In. Wide Anti-Scalp Wheels  
No Tools Anti-Scalp Wheel Cut Height Adjustment  
Two, 2.9 In Wide Front Anti-Scalp Rollers  
4 Point Mounting  
Adjustable Down Stop  
.25 In. Cut Height Increments  
1 to 4 In. Cutting Heights  
On Board Leveling Gauge  
Exact Adjust Leveling Ports  
24 In. Uncut Circle Radius with 54X Mower  
27 In. Uncut Circle Radius with 48X Mower  
TIRES  
16x6.5-8 Front Turf Tires  
24x12-12 Rear Turf Tires

STEERING  
2 Wheel Low Effort Steering System  
22 In. Turning Radius  
Cast Iron Front Axle with Replaceable Metal Bushings  
.75 In. Front Spindles  
AUTOMATIC (HYDROSTATIC) TRANSMISSION  
Twin Touch Foot control  
Tuff-Torque K72 Transaxle  
Internal Wet Disk Brakes  
Tow valve  
Traction Assist  
7.2 mph (11.6 km/h) Forward, 4 mph  
(6.4 km/h) Reverse Travel Speed  
Cruise Control  
OPERATOR STATION  
14 In. steering wheel  
15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension  
Cup holder  
Two Fender Handles  
12 Volt Outlet  
ELECTRICAL SYSTEM  
500 CCA Battery  
15 Amp Regulated Charging System  
Four-Position Key Switch with Headlight Switch  
Hour Meter  
Oil Pressure Indicator

Mower/PTO Light  
Seat/PTO Interlock Switches  
Reverse Implement Option  
Electronic Dash Mounted Fuel Gauge  
MISCELLANEOUS  
4.5 US Gallon Fuel Tank Capacity  
Welded C-Channel Frame  
Rear Hitch Accepts 4 Quik-Tatch Weights  
Electric Mower/Implement PTO Drive Clutch  
Foot Pedal Deck and Implement Lift System  
Adjustable Lift Assist Spring  
Heavy Duty Cargo Mount System  
\*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Select Series X500 Multi-Terrain Tractor Less Deck, California Model**

*F.O.B. Janesville, WI*

480FM		Select Series X500 Multi-Terrain Tractor Less Deck, California Model	4,999.00
-------	--	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Blades:</b>		
SKU23048	48 in Front Blade (X500 M-T)	<i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448	Manual Angling Kit (48 in Blade X500 M-T)		257.87
M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade	<i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	See Parts
	<b>Carts / Hitches:</b>		
PM05101	Ball Mount - 1.875 in. (48mm)		See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor Less Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Engine:</b>	
AM135845		Spark Arrester Muffler Screen (X300s, X500 M-Ts)	See Parts
<b>FRONT MOUNTED THATCHERS:</b>			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
BM24000		Thatcher Mounting Frame (X300, X500 M-T)	207.59
<b>Material Collection System Hoppers:</b>			
BM21680		14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
BM21679		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
AM135486		Loose knit bags for 7 bu. Hopper	See Parts
<b>Material Collection System Power Flow Blowers:</b>			
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22144		48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>			
BM21682		Power Flow Chute (14 bu)	141.24
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	87.74
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
TY25866		Battery Charger and Maintainer	See Parts
BM23057		Brush Guard (X300, X500 M-T)	126.26

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor Less Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23056		Bumper (X300s, X500, X530, X534)	64.20
M88984		Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	See Parts
TY27534		Fuel Protect for Gasoline Engines (8 oz.)	See Parts
AM119321		Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	See Parts
LG249		Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	See Parts
LG265		Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	See Parts
AM136046		Seat Net Kit	See Parts
AM122263		Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM23054		Sun Shade (X300/X500 M-T)	164.79
		<b>Mower Deck and Mower Deck Attachments:</b>	
SKU24195		48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
SKU21897		54 in Edge Xtra Deck (54X)	1,300.00
M127673		Blade (48C/48X, Mulching)	See Parts
M145476		Blade (48C/48X, Side Discharge)	See Parts
M152726		Blade (54C/54X, High Lift)	See Parts
M145516		Blade (54C/54X, Mulching)	See Parts
M143520		Blade (54C/54X, Side Discharge)	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
AM130907		Mower Deck Leveling Gauge	See Parts
BM20007		Mulch Kit (48C/48X)	160.50
BM20827		Mulch Kit (54C/54D/54X)	217.21

**Order Zone:**

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor Less Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP22861		25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	In Catalog
LP40000		40-In. Tractor Shovel	In Catalog
LP1002		48-In. / 54-In. Tractor Grass Groomer	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
JD01673		Bucket (6 gallon with lid)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
LPJD100		Bucket Holder (Single)	In Catalog
LP33711		Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	In Catalog
LP31357		Integral Hitch, Mechanical	In Catalog
LP22834		MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	In Catalog
LP23080		MC542 Mower Deck Boot Kit (48X)	In Catalog
LP23081		MC542 Mower Deck Boot Kit (54X)	In Catalog
LP93647		Protective Cover (Large Deluxe)	In Catalog
LP93917		Riding Mower Standard Cover	In Catalog
LP36741		X500 Series Weather Enclosure	In Catalog
		<b>Protection:</b>	
LP92624		Seat Cover (Deluxe Medium) - Yellow	In Catalog
LP92324		Seat Cover - Yellow	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
		<b>Snow Blowers:</b>	
SKU23045		44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00
AM136645		Lift Assist Spring <i>Tractors built prior to September 2006 (See sales manual link for tractor serial number breaks.) and shipped with a 48X or 54X Mower Deck require that the original M151924 Lift Assist Spring be replaced with AM136645 Lift Assist Spring for use with a 44-in. snow blower.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Select Series X500 Multi-Terrain Tractor Less Deck, California Model**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM136692		Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	See Parts
AM145350		Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	See Parts
BM24927		<b>Spanish North American Kit:</b> Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
SKU23030		<b>Tillers:</b> 30 in Mechanical Tiller (X500, X520, X530, X540) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
BM17972		<b>Weights:</b> 50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM23621		Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
BM18434		<b>Wheels and Tires Rear:</b> 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21977		24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X710 Tractor Less Deck  
Equipment for Base Machine**

Signature Series X710 Tractor  
POWER SYSTEM:  
22 HP \*(16.4 kw)  
V-Twin Liquid Cooled  
Overhead Valves  
Full Pressure Lubrication  
System with Replaceable Oil  
Filter  
Rubber Mounted Isolated Engine  
Dry Type Air Filter and  
Pre-cleaner  
5.2 Gallon (19.7 L) Fuel  
Tank Capacity  
INTEGRATED TRANSAXLE:  
2 Pedal Foot Controlled  
Hydrostatic Transmission  
Internal Wet Disk Brakes  
Internal Hydraulic PTO Clutch  
with Modulated PTO Engagement  
Traction Assist  
2-wheel drive  
STEERING:  
Hydraulic Power Steering  
6 Position Tilt Steering Wheel  
OPERATOR STATION:  
Illuminated Dash with Gauges

and Lights  
Hourmeter  
Coolant Temperature  
Fuel Level  
Oil Pressure Light  
Battery Charge Light  
Park Brake Light  
21-in. High Back Seat with  
Coil Spring Suspension  
7 In. Slide Rail Seat Adjustment  
14 Position Adjustable Seat  
Cruise Control  
Reverse Implement Option (RIO)  
ELECTRICAL:  
12V Electric Start  
20 Amp Regulated Alternator  
340 CCA Battery  
Halogen Headlights, Tail Lights  
Rear Work and Backup Lights  
Seat, PTO and Brake  
Interlock Switch  
IMPLEMENT LIFT:  
"From the Seat" Mower Cut Height  
Adjustment  
Hydraulic with 2 Spool Control  
Valve

FRAME AND FRONT AXLE:  
Robotic MIG Welded Frame  
Frame Sides .18 In. (4.6 mm)  
Thick  
Built-In Front Bumper Accepts  
Four "Quik-Tatch" Weights  
Nodular Cast Iron Front Axle  
1 In. (25 mm) Front Spindles  
Built-In Front Receiver Hitch  
18x8.50-8 4 PR Front Turf Tires  
26x12.00-12 2 PR Rear Turf  
Tires  
\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X710 Tractor Less Deck**

*F.O.B. Janesville, Wisconsin*

5801M	Signature Series X710 Tractor Less Deck <i>Not Available for Sale in California.</i>	8,699.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Carts / Hitches:</b>		
BM23989	Drawbar, 1.25 In. (38mm)	37.46
<b>Engine:</b>		
AM108146	Spark Arrester Screen for Muffler	See Parts
<b>Fenders:</b>		
BM24429	Front Fender Kit (X710, X730, X750)	155.16
<b>Front Hitch:</b>		
BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X710 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front PTO:</b>	
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X710 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
M150362		Wheel Cover, 8 In. (Chrome)	See Parts
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X710 Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Front:</b>	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires <i>For X728, X729, X748, X749 and X500 HDGT's.</i>	330.00
		<b>Wheels and Tires Rear:</b>	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear) <i>Accommodates SKU22260 60-in 7-Iron Mower Deck. Use with Two Wheel Steer Only. Available Feb 2007.</i>	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X730 Tractor Less Deck  
Equipment for Base Machine**

Signature Series X730 Tractor  
**POWER SYSTEM:**  
 25.5 HP \*(19 kw)  
 V-Twin Liquid Cooled  
 Electronic Fuel Injection  
 Overhead Valves  
 Full Pressure Lubrication  
 System with Replaceable Oil  
 Filter  
 Rubber Mounted Isolated Engine  
 Dry Type Air Filter and  
 Precleaner  
 5.2 Gallon (19.7 L) Fuel  
 Tank Capacity  
**INTEGRATED TRANSAXLE:**  
 2 Pedal Foot Controlled  
 Hydrostatic Transmission  
 Internal Wet Disk Brakes  
 Internal Hydraulic PTO Clutch  
 with Modulated PTO Engagement  
 Traction Assist  
 2-wheel drive  
**STEERING:**  
 Hydraulic Power Steering  
 6 Position Tilt Steering Wheel  
**OPERATOR STATION:**  
 Illuminated Dash with Gauges

and Lights  
 Hourmeter  
 Coolant Temperature  
 Fuel Level  
 Oil Pressure Light  
 Battery Charge Light  
 Park Brake Light  
 21-In. Professional High Back  
 Seat with 4-Bar suspension  
 7 In. Slide Rail Seat Adjustment  
 14 Position Adjustable Seat  
 Cruise Control  
 Reverse Implement Option (RIO)  
**ELECTRICAL:**  
 12V Electric Start  
 20 Amp Regulated Alternator  
 340 CCA Battery  
 Halogen Headlights, Tail Lights  
 Rear Work and Backup Lights  
 Seat, PTO and Brake  
 Interlock Switch  
**IMPLEMENT LIFT:**  
 "From the Seat" Mower Cut Height  
 Adjustment  
 Hydraulic with 2 Spool Control  
 Valve  
 4 Hydraulic Outlet Couplers

**FRAME AND FRONT AXLE:**  
 Robotic MIG Welded Frame  
 Frame Sides .18 In. (4.6 mm)  
 Thick  
 Built-In Front Bumper Accepts  
 Four "Quik-Tatch" Weights  
 Nodular Cast Iron Front Axle  
 1 In. (25 mm) Front Spindles  
 Built-In Front Receiver Hitch  
 18x8.50-8 4 PR Front Turf Tires  
 26x12.00-12 2 PR Rear Turf  
 Tires  
 \*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X730 Tractors Less Deck**

*F.O.B. Janesville, Wisconsin*

5811M	Signature Series X730 Tractor Less Deck <i>Not Available for Sale in California.</i>	9,299.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Carts / Hitches:</b>	
BM23989	Drawbar, 1.25 In. (38mm)	37.46
	<b>Engine:</b>	
AM108146	Spark Arrester Screen for Muffler	See Parts
	<b>Fenders:</b>	
BM24429	Front Fender Kit (X710, X730, X750)	155.16

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X730 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front Hitch:</b>	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Front PTO:</b>	
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X730 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
M150363		Wheel Cover, 10 In. (Chrome)	See Parts
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
M150362		Wheel Cover, 8 In. (Chrome)	See Parts
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X730 Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Front:</b>	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires <i>For X728, X729, X748, X749 and X500 HDGT's.</i>	330.00
		<b>Wheels and Tires Rear:</b>	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear) <i>Accommodates SKU22260 60-in 7-Iron Mower Deck. Use with Two Wheel Steer Only. Available Feb 2007.</i>	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X734 4-Wheel Steer Tractor Less Deck  
Equipment for Base Machine**

Signature Series X734 4-Wheel Steer Tractor  
**POWER SYSTEM:**  
 25.5 HP \*(19 kw)  
 V-Twin Liquid Cooled  
 Electronic Fuel Injection  
 Overhead Valves  
 Full Pressure Lubrication System with Replaceable Oil Filter  
 Rubber Mounted Isolated Engine  
 Dry Type Air Filter and Precleaner  
 5.2 Gallon (19.7 L) Fuel Tank Capacity  
**INTEGRATED TRANSAXLE:**  
 2 Pedal Foot Controlled Hydrostatic Transmission  
 Internal Wet Disk Brakes  
 Internal Hydraulic PTO Clutch with Modulated PTO Engagement  
 Traction Assist  
 2-wheel drive  
**STEERING:**  
 Hydraulic Power Steering  
 6 Position Tilt Steering Wheel  
**OPERATOR STATION:**

Illuminated Dash with Gauges and Lights  
 Hourmeter  
 Coolant Temperature  
 Fuel Level  
 Oil Pressure Light  
 Battery Charge Light  
 Park Brake Light  
 21-In. Professional High Back Seat  
 with 4-Bar suspension  
 7 In. Slide Rail Seat Adjustment  
 14 Position Adjustable Seat  
 Cruise Control  
 Reverse Implement Option (RIO)  
**ELECTRICAL:**  
 12V Electric Start  
 20 Amp Regulated Alternator  
 340 CCA Battery  
 Halogen Headlights, Tail Lights  
 Rear Work and Backup Lights  
 Seat, PTO and Brake  
 Interlock Switch  
**IMPLEMENT LIFT:**  
 "From the Seat" Mower Cut Height Adjustment  
 Hydraulic with 2 Spool Control

Valve  
 4 Hydraulic Outlet Couplers  
**FRAME AND FRONT AXLE:**  
 Robotic MIG Welded Frame  
 Frame Sides .18 In. (4.6 mm) Thick  
 Built-In Front Bumper Accepts Four "Quik-Tatch" Weights  
 Nodular Cast Iron Front Axle  
 1 In. (25 mm) Front Spindles  
 Built-In Front Receiver Hitch  
 18x7.00-8 4 PR Front Turf Tires  
 26x10.50-12 2 PR Rear Turf Tires  
 \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X734 Tractors Less Deck**

*F.O.B. Janesville, Wisconsin*

5821M	Signature Series X734 4-Wheel Steer Tractor Less Deck <i>Not Available for Sale in California.</i>	10,299.00
-------	---	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Carts / Hitches:</b>	
BM23989	Drawbar, 1.25 In. (38mm)	37.46
	<b>Engine:</b>	
AM108146	Spark Arrester Screen for Muffler	See Parts
	<b>Front Hitch:</b>	
BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X734 4-Wheel Steer Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front PTO:</b>	
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X734 4-Wheel Steer Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For all Wheel Steer Tractors.</i>	See Parts
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
M150362		Wheel Cover, 8 In. (Chrome)	See Parts
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Rear:</b>	
BM20955		26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck  
Equipment for Base Machine**

Signature Series X738 Tractor with HDAP Tires  
**POWER SYSTEM:**  
 25.5 HP \*(19 kw)  
 V-Twin Liquid Cooled  
 Electronic Fuel Injection  
 Overhead Valves  
 Full Pressure Lubrication System with Replaceable Oil Filter  
 Rubber Mounted Isolated Engine  
 Dry Type Air Filter and Precleaner  
 5.2 Gallon (19.7 L) Fuel  
**INTEGRATED TRANSAXLE:**  
 2 Pedal Foot Controlled  
 Hydrostatic Transmission  
 Internal Wet Disk Brakes  
 Internal Hydraulic PTO Clutch with Modulated PTO Engagement  
 Traction Assist  
 Full Time 4-Wheel Drive  
**STEERING:**  
 Hydraulic Power Steering  
 6 Position Tilt Steering Wheel  
**OPERATOR STATION:**  
 Illuminated Dash with

Gauges and Lights  
 Hourmeter  
 Coolant Temperature  
 Fuel Level  
 Oil Pressure Light  
 Battery Charge Light  
 Park Brake Light  
 21-In. Professional High Back Seat with 4-Bar suspension  
 7 In. Slide Rail Seat Adjustment  
 14 Position Adjustable Seat  
 Cruise Control  
 Reverse Implement Option (RIO)  
**ELECTRICAL:**  
 12V Electric Start  
 20 Amp Regulated Alternator  
 340 CCA Battery  
 Halogen Headlights, Tail Lights  
 Rear Work and Backup Lights  
 Seat, PTO and Brake  
 Interlock Switch  
**IMPLEMENT LIFT:**  
 "From the Seat" Mower Cut Height Adjustment  
 Hydraulic with 2 Spool Control Valve  
 4 Hydraulic Outlet Couplers

**FRAME AND FRONT AXLE:**  
 Robotic MIG Welded Frame  
 Frame Sides .18 In. (4.6 mm) Thick  
 Built-In Front Bumper Accepts Four "Quik-Tatch" Weights  
 Nodular Cast Iron Front Axle  
 1 In. (25 mm) Front Spindles  
 Built-In Front Receiver Hitch  
 18x8.50-10 4 PR Front HDAP Tires  
 26x12.00-12 2 PR Rear HDAP Tires  
 \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X738 Tractor with HDAP Tires Less Deck**

*F.O.B. Janesville, Wisconsin*

5831M	Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck <i>Not Available for Sale in California.</i>	10,899.00
-------	---	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Carts / Hitches:</b>	
BM23989	Drawbar, 1.25 In. (38mm)	37.46
	<b>Engine:</b>	
AM108146	Spark Arrester Screen for Muffler	See Parts
	<b>Fenders:</b>	
BM24430	Front Fender Kit (X738, X739, X758)	155.16

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front Hitch:</b>	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Front PTO:</b>	
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
M150363		Wheel Cover, 10 In. (Chrome)	See Parts
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Wheels and Tires Front:</b>	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires <i>For X728, X729, X748, X749 and X500 HDGT's.</i>	330.00
BM20952		18x8.50-10 In. 4PR HDAP Tires	334.91
		<b>Wheels and Tires Rear:</b>	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear) <i>Accommodates SKU22260 60-in 7-Iron Mower Deck. Use with Two Wheel Steer Only. Available Feb 2007.</i>	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck  
Equipment for Base Machine**

Signature Series X739 4-Wheel Steer 4 Wheel Drive Tractor  
POWER SYSTEM:  
25.5 HP \*(19 kw)  
V-Twin Liquid Cooled  
Electronic Fuel Injection  
Overhead Valves  
Full Pressure Lubrication System with Replaceable Oil Filter  
Rubber Mounted Isolated Engine  
Dry Type Air Filter and Precleaner  
5.2 Gallon (19.7 L) Fuel Tank Capacity  
INTEGRATED TRANSAXLE:  
2 Pedal Foot Controlled Hydrostatic Transmission  
Internal Wet Disk Brakes  
Internal Hydraulic PTO Clutch with Modulated PTO Engagement  
Traction Assist  
Full-Time 4-Wheel Drive  
STEERING:  
Hydraulic Power Steering  
6 Position Tilt Steering Wheel  
OPERATOR STATION:

Illuminated Dash with Gauges and Lights  
Hourmeter  
Coolant Temperature  
Fuel Level  
Oil Pressure Light  
Battery Charge Light  
Park Brake Light  
21-In. Professional High Back Seat  
with 4-Bar suspension  
7 In. Slide Rail Seat Adjustment  
14 Position Adjustable Seat  
Cruise Control  
Reverse Implement Option (RIO)  
ELECTRICAL:  
12V Electric Start  
20 Amp Regulated Alternator  
340 CCA Battery  
Halogen Headlights, Tail Lights  
Rear Work and Backup Lights  
Seat, PTO and Brake  
Interlock Switch  
IMPLEMENT LIFT:  
"From the Seat" Mower Cut Height Adjustment  
Hydraulic with 2 Spool Control

Valve  
4 Hydraulic Outlet Couplers  
FRAME AND FRONT AXLE:  
Robotic MIG Welded Frame  
Frame Sides .18 In. (4.6 mm) Thick  
Built-In Front Bumper Accepts Four "Quik-Tatch" Weights  
Nodular Cast Iron Front Axle  
1 In. (25 mm) Front Spindles  
Built-In Front Receiver Hitch  
18x8.50-10 4 PR Front HDAP Tires  
26x12.00-12 2 PR Rear HDAP Tires  
\*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck**

*F.O.B. Janesville, Wisconsin*

5841M	Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck <i>Not Available for Sale in California.</i>	11,549.00
-------	---	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Carts / Hitches:</b>	
BM23989	Drawbar, 1.25 In. (38mm)	37.46
	<b>Engine:</b>	
AM108146	Spark Arrester Screen for Muffler	See Parts
	<b>Fenders:</b>	
BM24430	Front Fender Kit (X738, X739, X758)	155.16

**Front Hitch:**

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Front PTO:</b>	
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
M150363		Wheel Cover, 10 In. (Chrome)	See Parts
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
		<b>Wheels and Tires Front:</b>	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires <i>For X728, X729, X748, X749 and X500 HDGT's.</i>	330.00
BM20952		18x8.50-10 In. 4PR HDAP Tires	334.91

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

---

**Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Wheels and Tires Rear:</b>	
BM22554		26X12.0-12 In. 2PR HDAP Tires (Rear X729, X749)	622.74
BM20955		26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X750 Tractor Less Deck  
Equipment for Base Machine**

Signature Series X750 Tractor POWER SYSTEM: 24 HP *(17.9 kw) Final Tier IV Emission Compliant 3-Cylinder Liquid Cooled Diesel Overhead Valves Full Pressure Lubrication System with Replaceable Oil Filter Rubber Mounted Isolated Engine Dry Type Two Element Heavy Duty Air Filter with Air Restriction Indicator 6.5 Gallon (24.6 L) Fuel Tank Capacity INTEGRATED TRANSAXLE: 2 Pedal Foot Controlled Hydrostatic Transmission Internal Wet Disk Brakes Internal Hydraulic PTO Clutch with Modulated PTO Engagement Traction Assist 2-wheel drive STEERING: Hydraulic Power Steering 6 Position Tilt Steering Wheel OPERATOR STATION:	Illuminated Dash with Gauges and Lights Hourmeter Coolant Temperature Fuel Level Oil Pressure Light Battery Charge Light Park Brake Light Restricted Air Filter Light Glow Plug Wait Light 21-In. Professional High Back Seat with 4-Bar suspension 7 In. Slide Rail Seat Adjustment 14 Position Adjustable Seat Cruise Control Reverse Implement Option (RIO) ELECTRICAL: 12V Electric Start 40 Amp Regulated Alternator 500 CCA Battery Halogen Headlights, Tail Lights Rear Work and Backup Lights Seat, PTO and Brake Interlock Switch IMPLEMENT LIFT: "From the Seat" Mower Cut Height Adjustment Hydraulic with 2 Spool Control	Valve 4 Hydraulic Outlet Couplers FRAME AND FRONT AXLE: Robotic MIG Welded Frame Frame Sides .18 In. (4.6 mm) Thick Built-In Front Bumper Accepts Four "Quik-Tatch" Weights Nodular Cast Iron Front Axle 1 In. (25 mm) Front Spindles Built-In Front Receiver Hitch 18x8.50-8 4 PR Front Turf Tires 26x12.00-12 2 PR Rear Turf Tires *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X750 Tractor Less Deck**

*F.O.B. Janesville, Wisconsin*

5851M	Signature Series X750 Tractor Less Deck	10,499.00
-------	---	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Carts / Hitches:</b>		
BM23989	Drawbar, 1.25 In. (38mm)	37.46
<b>Engine:</b>		
AM134805	Engine Block Heater Adapter	See Parts
MIA881629	Engine Block Heater Adapter	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X750 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AR87167		Engine Coolant Heater (110 Volt) <i>Requires M1A881626 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer (Serial # 060001-). Requires AM134805 Engine Block Heater Adapter (Serial # -060000).</i>	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
		<b>Fenders:</b>	
BM24429		Front Fender Kit (X710, X730, X750)	155.16
		<b>Front Hitch:</b>	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Front PTO:</b>	
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X750, X754, X758, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X750 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24426	Arm Rest kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	AM36786	Battery Charger (110 Volt)	See Parts
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
	BM20753	Front Light Kit	211.86
	M150364	Wheel Cover, 12 In. (Chrome)	See Parts
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	See Parts
	M150362	Wheel Cover, 8 In. (Chrome)	See Parts
		<b>Order Zone:</b>	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
	LPJD400	Bucket (5 gallon)	In Catalog
	LPJD301	Bucket Holder (Double)	In Catalog
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X750 Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Front:</b>	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires <i>For X728, X729, X748, X749 and X500 HDGT's.</i>	330.00
		<b>Wheels and Tires Rear:</b>	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear) <i>Accommodates SKU22260 60-in 7-Iron Mower Deck. Use with Two Wheel Steer Only. Available Feb 2007.</i>	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X754 4-Wheel Steer Tractor Less Deck**  
Equipment for Base Machine

Signature Series X754 4-Wheel Steer Tractor  
POWER SYSTEM:  
24 HP \*(17.9 kw)  
Final Tier IV Emission Compliant Yanmar 3-Cylinder Liquid Cooled Diesel  
Overhead Valves  
Full Pressure Lubrication System with Replaceable Oil Filter  
Rubber Mounted Isolated Engine  
Dry Type Two Element Heavy Duty Air Filter with Air Restriction Indicator  
6.5 Gallon (24.6 L) Fuel Tank Capacity  
INTEGRATED TRANSAXLE:  
2 Pedal Foot Controlled Hydrostatic Transmission  
Internal Wet Disk Brakes  
Internal Hydraulic PTO Clutch with Modulated PTO Engagement  
Traction Assist  
2-Wheel Drive  
STEERING:  
Hydraulic Power Steering  
6 Position Tilt Steering Wheel  
OPERATOR STATION:

Illuminated Dash with Gauges and Lights  
Hourmeter  
Coolant Temperature  
Fuel Level  
Oil Pressure Light  
Battery Charge Light  
Park Brake Light  
Restricted Air Filter Light  
Glow Plug Wait Light  
21-In. Professional High Back Seat  
with 4-Bar suspension  
7 In. Slide Rail Seat Adjustment  
14 Position Adjustable Seat  
Cruise Control  
Reverse Implement Option (RIO)  
ELECTRICAL:  
12V Electric Start  
40 Amp Regulated Alternator  
500 CCA Battery  
Halogen Headlights, Tail Lights  
Rear Work and Backup Lights  
Seat, PTO and Brake  
Interlock Switch  
IMPLEMENT LIFT:  
"From the Seat" Mower Cut Height Adjustment  
Hydraulic with 2 Spool Control

Valve  
4 Hydraulic Outlet Couplers  
FRAME AND FRONT AXLE:  
Robotic MIG Welded Frame  
Frame Sides .18 In. (4.6 mm) Thick  
Built-In Front Bumper Accepts Four "Quik-Tatch" Weight  
Nodular Cast Iron Front Axle  
1 In. (25 mm) Front Spindles  
Built-In Front Receiver Hitch  
18x7.00-8 4 PR Front Turf Tires  
26x10.50-12 2 PR Rear Turf Tires  
\*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X754 4-Wheel Steer Tractor Less Deck**

*F.O.B. Janesville, Wisconsin*

5861M		Signature Series X754 4-Wheel Steer Tractor Less Deck	11,499.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	Same Price
001D		Other	Same Price
0195		Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Carts / Hitches:</b>			
BM23989		Drawbar, 1.25 In. (38mm)	37.46
<b>Engine:</b>			
AM134805		Engine Block Heater Adapter	See Parts
MIA881629		Engine Block Heater Adapter	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X754 4-Wheel Steer Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AR87167		Engine Coolant Heater (110 Volt) <i>Requires MIA881626 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer (Serial # 060001-). Requires AM134805 Engine Block Heater Adapter (Serial # -060000).</i>	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
BM19782		<b>Front Hitch:</b> Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
BM24361		<b>Front PTO:</b> 2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM17327		<b>Hitch:</b> 3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
BM20837		<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
BM23588		<b>Miscellaneous:</b> 540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X750, X754, X758, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69
BM24426		Arm Rest kit	193.67

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X754 4-Wheel Steer Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For all Wheel Steer Tractors.</i>	See Parts
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
M150362		Wheel Cover, 8 In. (Chrome)	See Parts
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

---

**Signature Series X754 4-Wheel Steer Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		<b>Wheels and Tires Rear:</b>	
BM20955		26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS**

**Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck  
Equipment for Base Machine**

Signature Series X758 4 Wheel Drive Tractor with HDAP Tires  
POWER SYSTEM:  
24 HP \*(17.9 kw)  
Interim Tier IV Emission Compliant  
3-Cylinder Liquid Cooled Diesel Overhead Valves  
Full Pressure Lubrication System with Replaceable Oil Filter  
Rubber Mounted Isolated Engine  
Dry Type Two Element Heavy Duty Air Filter with Air Restriction Indicator  
6.5 Gallon (24.6 L) Fuel Tank Capacity  
INTEGRATED TRANSAXLE:  
2 Pedal Foot Controlled Hydrostatic Transmission  
Internal Wet Disk Brakes  
Internal Hydraulic PTO Clutch with Modulated PTO Engagement  
Traction Assist  
Full Time 4-wheel drive  
STEERING:  
Hydraulic Power Steering  
6 Position Tilt Steering Wheel

OPERATOR STATION:  
Illuminated Dash with Gauges and Lights  
Hourmeter  
Coolant Temperature Fuel Level  
Oil Pressure Light  
Battery Charge Light  
Park Brake Light  
Restricted Air Filter Light  
Glow Plug Wait Light  
21-In. Professional High Back Seat with 4-Bar suspension  
7 In. Slide Rail Seat Adjustment  
14 Position Adjustable Seat  
Cruise Control  
Reverse Implement Option (RIO)  
ELECTRICAL:  
12V Electric Start  
40 Amp Regulated Alternator  
500 CCA Battery  
Halogen Headlights, Tail Lights  
Rear Work and Backup Lights  
Seat, PTO and Brak  
Interlock Switch  
IMPLEMENT LIFT:  
"From the Seat" Mower Cut Height Adjustment  
Hydraulic with 2 Spool Control

Valve  
4 Hydraulic Outlet Couplers  
FRAME AND FRONT AXLE:  
Robotic MIG Welded Frame  
Frame Sides .18 In. (4.6 mm) Thick  
Built-In Front Bumper Accepts Four "Quik-Tatch" Weights  
Nodular Cast Iron Front Axle  
1 In. (25 mm) Front Spindles  
Built-In Front Receiver Hitch  
18x8.50-10 4 PR Front HDAP Tires  
26x12.00-12 2 PR Rear HDAP Tires  
\*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck**

*F.O.B. Janesville, Wisconsin*

5871M	Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck	12,099.00
-------	---	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price
0195	Mexico	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Carts / Hitches:</b>	
BM23989	Drawbar, 1.25 In. (38mm)	37.46
	<b>Engine:</b>	
AM134805	Engine Block Heater Adapter	See Parts
MIA881629	Engine Block Heater Adapter	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AR87167		Engine Coolant Heater (110 Volt) <i>Requires M1A881626 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer (Serial # 060001-). Requires AM134805 Engine Block Heater Adapter (Serial # -060000).</i>	See Parts
AM108146		Spark Arrester Screen for Muffler	See Parts
		<b>Fenders:</b>	
BM24430		Front Fender Kit (X738, X739, X758)	155.16
		<b>Front Hitch:</b>	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Front PTO:</b>	
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		<b>Hitch:</b>	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	See Parts
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		<b>Hydraulics:</b>	
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BM20896		Hydraulic Retro Kit	28.89
		<b>Miscellaneous:</b>	
BM23588		540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond- ) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X750, X754, X758, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
AM36786		Battery Charger (110 Volt)	See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
BM24375		Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X744, X788)	254.66
BM20753		Front Light Kit	211.86
M150363		Wheel Cover, 10 In. (Chrome)	See Parts
M150364		Wheel Cover, 12 In. (Chrome)	See Parts
M114663		Wheel Cover, 12 In. (Yellow Plastic)	See Parts
		<b>Order Zone:</b>	
LP3301		125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
LP54000		54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	In Catalog
LPJD400		Bucket (5 gallon)	In Catalog
LPJD301		Bucket Holder (Double)	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
		<b>Wheels and Tires Front:</b>	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires <i>For X728, X729, X748, X749 and X500 HDGT's.</i>	330.00
BM20952		18x8.50-10 In. 4PR HDAP Tires	334.91
		<b>Wheels and Tires Rear:</b>	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear) <i>Accommodates SKU22260 60-in 7-Iron Mower Deck. Use with Two Wheel Steer Only. Available Feb 2007.</i>	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

Current Attachments for Non-Current G110 Garden Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
		<b>Miscellaneous:</b>	
BG20020		46 In. Snow Blade <i>Requires Rear Ballast and Tire Chains.</i>	339.19
BG20260		Sun Canopy <i>Fits all 100 Series Tractors.</i>	99.00
		<b>Mower Deck and Mower Deck Attachments:</b>	
BG20304		54 In. Mulch Kit <i>Fits G110, 190C.</i>	226.84
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BG20029		Quik-Tatch Weight, 42 Lb. (Boxed) <i>Two Required.</i>	64.20

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Current Attachments for Non-Current GT Garden Tractors (GT235 and GT245)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
BM21289		Halogen Headlight Kit	58.86
<b>Mower Deck and Mower Deck Attachments:</b>			
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
<b>Weights:</b>			
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM19511		Front Weight Bracket/Bumper <i>For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	138.03
BM17985		Mounting Hardware (1) for Attaching One Wheel Weight	12.84
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
<b>Wheels and Tires Rear:</b>			
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear) <i>Not for Use on 2003 and Prior Model Year Tractors</i>	339.19

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Current Attachments for Non-Current GX255 Garden Tractors**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
BM21289		Halogen Headlight Kit	58.86
<b>Mower Deck and Mower Deck Attachments:</b>			
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
<b>Weights:</b>			
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM19511		Front Weight Bracket/Bumper <i>For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	138.03
BM17985		Mounting Hardware (1) for Attaching One Wheel Weight	12.84
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
<b>Wheels and Tires Rear:</b>			
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear) <i>Not for Use on 2003 and Prior Model Year Tractors</i>	339.19

JOHN DEERE TURF & UTILITY PRODUCTS  
GARDEN TRACTORS

**Current Attachments for Non-Current GX Garden Tractors (GX335, GX345 and GX355)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
BM21289		Halogen Headlight Kit	58.86
<b>Mower Deck and Mower Deck Attachments:</b>			
<i>The appropriate front draft arm assembly will be included with tractors shipped "Less Mower", but NOT with the following mowers. Order as PARTS if needed.</i>			
<i>(GX355): The 48C and 54C In. Mower shipped with GX355's have heavier duty parts. If swapping a mower from a gas tractor or using a cartoned mower on a GX355, order the following from Parts: M143019 Primary Belt and AM130728 Belt Tension Assembly.</i>			
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
<b>Weights:</b>			
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17985		Mounting Hardware (1) for Attaching One Wheel Weight	12.84
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
<b>Wheels and Tires Rear:</b>			
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear) <i>Not for Use on 2003 and Prior Model Year Tractors</i>	339.19