

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**44 In. Front Blade  
(For LT and LTR)  
Equipment for Base Machine**

44 In. Wide, Heavy Gauge,  
Curved Blade

Two Adjustable Skid Shoes  
Three-Angle Positioning  
Replaceable Cutting Edge

Reinforcing Angle on Back  
of Blade

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9480M		44 In. Front Blade (For LT and LTR) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	519.00
-------	--	--	--------

**ATTACHMENTS FOR FIELD CONVERSION**

BM21360		<b>Miscellaneous:</b> Retro-Fit Kit <i>Required for Hand-Lift Tractors</i>	85.60
AM132109		Rubber Blade Squeegee Kit	See Parts
BM19123		<b>Seats / Wheels / Tires:</b> 31 Lb. Plastic Rear Wheel Weights	67.41
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
TY24327		Tire Chains for 22x11-10 In. Turf Tires	See Parts
R66949		<b>Weights:</b> Quik-Tatch Weight, 42 Lb. <i>Not for LTR166 or LTR180</i>	63.13
BM21432		Rear Weight Bracket Kit <i>Requires Two R66949 Quik-Tatch Weights Not for LTR166 or LTR180</i>	109.14

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**44 In. Front Blade  
(For LX, GT and GX255)  
Equipment for Base Machine**

44 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Reinforcing Angle on Back  
of Blade  
Three-Angle Positioning

Height Controlled by Manual  
Foot Lift on Tractor  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9561M		44 In. Front Blade (For LX, GT and GX255) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Hand Lift Tractors Require BM21360 Retro-Fit Kit.</i>	549.00
-------	--	--	--------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>		
BM21360		Retro-Fit Kit <i>Required for Hand-Lift Tractors</i>	85.60
AM132109		Rubber Blade Squeegee Kit	See Parts
	<b>Seats / Wheels / Tires:</b>		
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires <i>For Turf and Knobby Tires. Not Intended for use on all Four Rear Tires.</i>	See Parts
TY24327		Tire Chains for 22x11-10 In. Turf Tires	See Parts
	<b>Weights:</b>		
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17296		Rear Weight Mounting Kit (LX Series) <i>For LX280 AWS</i>	83.46

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48 In. Front Blade  
(For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)  
Equipment for Base Machine**

48 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Replaceable Cutting Edge  
Reinforcing Angle on Back  
of Blade

Easy-On, Easy-Off Mounting  
Five-Angle Positioning  
Spring Breakaway with Lock

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3481M		48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i>  <i>One 50 Lb. Plastic Wheel Weight on each Rear Wheel or up to Four 42 Lb. Quik-Tatch Weights Recommended for Additional Traction. Tire Chains helpful when Blading Snow.</i>	652.00
-------	--	---	--------

**LIFT KIT**

1000		Front Implement Lift Kit (GT with Hand Lift) <i>GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7466 Nuts.</i>	95.00
1001		Front Implement Lift Kit (325, 335, 345, 355D)	78.00
1002		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	107.00
1003		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	78.00
1004		Front Implement Lift Kit (GT and GX255 with Foot Lift)	111.00
1010		Less Front Implement Lift Kit	In Base Price

**ATTACHING PARTS**

2001		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285, 320 Tractors Require 24M7053 Washers.</i>	33.00
2002		Attaching Parts (GT and GX255)	44.00
2010		Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

**Miscellaneous:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48 In. Front Blade**  
**(For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM19218		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285, 320 Tractors Require six 24M7053 Washers.</i>	39.59
BM21340		Attaching Parts (GT and GX255)	50.29
BM16733		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	121.99
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	88.81
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	88.81
BM21337		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>(LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	126.26
BM18977		Front Implement Lift Kit (LX/GT with Hand Lift) <i>GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7401 Nuts.</i>	109.14
AM119321		Heavy Duty Skid Shoe (1)	See Parts
BM21341		Manual Angling Kit (GT, 240-285, 320, 325, 335, 345, 355D, GX) <i>For 240-285, 320 Tractors, Order one AM103783 Bracket, one 19M7866 Bolt and one 14M7401 Nut.</i>	211.86
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	See Parts
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires <i>For Turf and Knobby Tires. Not Intended for use on all Four Rear Tires.</i>	See Parts
		<b>Weights:</b>	
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Use of Two Weights is Recommended.</i>	67.41
R66949		Quik-Tatch Weight, 42 Lb. <i>Use of Four Weights is Recommended.</i>	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)**

Equipment for Base Machine

54 In. Clearing Width "Straight" 48 In. Clearing Width "Fully Angled" Replaceable Cutting Edge Heavy 11-Gauge, Curved Blade Angled Left or Right Up to 27 Degrees	Two Adjustable Skid Shoes Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin Less Front Hitch Less Hydraulic Angling
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1491M	54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors) <i>X700, X710, X465, X475 and 425 Require BM20761 Hydraulic Coupler Kit.</i>  <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>  <i>See Sales Manual for Ballast Requirements.</i>	515.00
-------	--	--------

**FRONT QUICK-HITCH**

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
1001	Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	638.00
1006	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
1007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
1008	Front Quick-Hitch and Hydraulic Lift(1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
1010	Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING (REQUIRED FOR OPERATION)**

2000	Hydraulic Angling (For X400/X500 HDGT's, X700's) <i>BM20761 Hydraulic Coupler Kit Required on X700, X710, X465 and X475.</i>	189.00
2001	Hydraulic Angling (425, 445, 455) <i>BM20761 Hydraulic Coupler Kit Required on 425 Tractor.</i>	165.00
2005	Hydraulic Angling (2210, 2305)	191.00
2006	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>HYDRAULIC ANGLING (REQUIRED FOR OPERATION)</b>	
		<b>Continued...</b>	
2007		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
2010		Less Hydraulic Angling	In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9100		<b>European CE Kit:</b> European CE Certification Kit	No Charge
------	--	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Front Hitch:</b>	
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	731.89
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Hydraulics:</b>	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM17650		Hydraulic Angling (415, 425, 445, 455)	189.39
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
		<b>Miscellaneous:</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
AM119321		Heavy Duty Skid Shoe (1)	See Parts
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Order Zone:</b>	
LP54000		54 In. Tractor Shovel <i>For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.</i>	In Catalog
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	See Parts
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	See Parts
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**ROPS Hard Cab (For X710,X730,X734,X738,X739,X750,X754,X758 Garden Tractors)**  
Equipment for Base Machine

Modular Design  
ROPS Certified  
Steel Doors  
Sliding Glass Windows  
Front windshield wiper

Safety Glass Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9356M	ROPS Hard Cab (For X710,X730,X734,X738,X739,X750,X754,X758 Garden Tractors)	4,799.00
-------	---	----------

**DESTINATION**

001A	US/Canada	In Base Price
------	-----------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>Miscellaneous:</b>		
BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
BM25094	Heater quick connect kit (X710,X730,X734,X738,X739,X750,X754,X758)	180.83
BM25033	Heater, Tuck-Away	457.96
BM25081	Interior review mirror kit (X710,X730,X734,X738,X739,X750,X754,X758)	112.36
BM25062	Mirror Kit (X710,X730,X734,X738,X739,X750,X754,X758)	111.29
BM25061	Rear Wiper Kit (X710,X730,X734,X738,X739,X750,X754,X758)	151.94
BM25063	Strobe Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	160.50
BM25064	Switch Panel Fuse Block Kit (X710,X730,X734,X738,X739,X750,X754,X758)	310.30
BM25082	Work Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	225.77

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**ROPS Hard Cab (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744,  
X748, X749 Garden Tractors)**  
Equipment for Base Machine

Modular Design  
ROPS Certified  
Steel Doors  
Sliding Glass Windows  
Safety Glass Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9354M		ROPS Hard Cab (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744, X748, X749 Garden Tractors) <i>Not Compatible with 45 Loader. Cab is Shipped in two Boxes.</i>	3,929.00
-------	--	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>		
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X750, X754, X758, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69
BM23194		Auxiliary Alternator Kit (X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
BM20931		Exterior Rear View Mirror Kit (Set of 2)	112.36
BM21480		Heater, Tuck-Away	457.96
BM20932		Strobe Light	148.73
BM20930		Switch Panel Kit/Fuse Block	254.66
BM20934		Wiper, Electric	210.79

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**ROPS Soft Cab (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744,  
X748, X749 Garden Tractors)**  
Equipment for Base Machine

Modular Design  
ROPS Certified  
Vinyl Doors  
Clear Vinyl Windows  
Clear Vinyl Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9355M		ROPS Soft Cab (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744, X748, X749 Garden Tractors) <i>Is compatible with 45 Loader.</i>	2,769.00
-------	--	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>			
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X750, X754, X758, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69
BM23194		Auxiliary Alternator Kit (X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
BM20931		Exterior Rear View Mirror Kit (Set of 2)	112.36
BM21480		Heater, Tuck-Away	457.96
BM20932		Strobe Light	148.73
BM20930		Switch Panel Kit/Fuse Block	254.66
BM20934		Wiper, Electric	210.79

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Weather Enclosure (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740,  
X744, X748, X749 Garden Tractors)**  
Equipment for Base Machine

16 Gauge Steel Tubing  
Construction  
Molded Plastic Roof  
Vinyl Fabric Doors and  
Sides  
Lexan Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>Weather Enclosure</b>			
<i>Weather Enclosure is not Modular Design, not ROPS Certified and no Wiper as Standard Equipment.</i>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Miscellaneous:</b>	
BM20482		Soft Weather Enclosure	1,095.69
BM20923		Windshield, Safety Glass	219.36
BM20925		Wiper, 12V Electric <i>Requires BM20923 Windshield</i>	226.84

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**45 Loader  
(For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors,  
Not for X465 Model or X700 Signature Series Tractors)  
Equipment for Base Machine**

Lift Height: 73"	Bucket Width - 48"	Hydrostatic Pressure
Lift Capacity:	(122 cm)	Relief Valve
Boom Breakout Force	Bucket Capacity (Struck)	
770 Lbs. (349 kg)	5.0 Cu. Ft.	
640 Lbs. (290 kg) to	Integral Parking Support	
36"	Cylinder Diameter	
385 Lbs. (175 kg) to	Lift - 1.5" (38 mm)	
Maximum Lift Height	Bucket - 1.75" (44 mm)	
Bucket Rollback Force	Quik-Tatch Mounting	
@ Ground Line 740 Lbs.	Hoses and Couplers	
(336 kg)	Tractor Transaxle	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3990M	45 Loader (For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors, Not for X465 Model or X700 Signature Series Tractors) <i>Tractor ballasting required. See operator's manual/sales manual.</i>	3,559.00
-------	--	----------

*X475 and the X700 model require BM20761 Hydraulic Coupler Kit. Requires AM131526 Hydraulic Cylinder Lock-Out Valve (must order from parts). Requires Transaxle Hydrostatic Relief Valve (included with loader).*

**TRANSAXLE HYDROSTATIC RELIEF VALVE**

1000	2WD Transaxle Hydrostatic Relief Valve (X400 HDGT's, X700, X720, X740)	Same Price
1001	4WD Transaxle Hydrostatic Relief Valve (X500 HDGT's, X728, X748)	In Base Price

**Ballast Box**

2000	Ballast Box (Click-N-Go) <i>Requires BM20714 Click-N-Go Bracket</i>	248.00
2002	Ballast Box (Category 1 3-Pt. Hitch)	248.00
2010	Less Ballast Box	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

M146148	<b>Hydraulics:</b> Free-Wheeling Valve Control Lever <i>Included with loader. Must be installed with Transaxle Hydrostatic relief valve on any X400/X500 HDGT or X700 Series Tractor equipped with a Loader.</i>	See Parts
---------	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**45 Loader**  
**(For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors,**  
**Not for X465 Model or X700 Signature Series Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
AM134625		Hydraulic Cylinder Lockout Valve	See Parts
BW15043		Transaxle Hydrostatic Relief Valve <i>Included with Loader. Must be Installed on any X400 Series Tractor Equipped with a Front End Loader. Requires M146148 Free-Wheeling Valve Control Lever.</i>	157.29
BW15044		Transaxle Hydrostatic Relief Valve <i>Included with Loader. Must be Installed on any X500 Series HDGT, X728 or X748 Tractor Equipped with a front end loader. Requires M146148 Free-Wheeling Valve Control Lever.</i>	157.29
<b>Miscellaneous:</b>			
BM17981		12 Volt Work Light Kit	52.43
BW15041		48 In. Bucket <i>For Replacement Only.</i>	612.04
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
AM131526		Hydraulic Cylinder Lockout Valve	See Parts
<b>Weights:</b>			
BM17972		50 Lb. Cast Iron Wheel Weight (1) <i>Requires BM17985 Wheel Weight Mounting Hardware Kit.</i>	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**7 Bu. Rear Bagger (For Riding Mowers)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy	Installation and Removal Air Flow Indicator
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20452		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute. Front Ballast is Required when Bagging. Order BM17963, Front Weight Kit and BM17979, Weight Mounting Hardware.</i>	449.40
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20384		Rear Bagger Chute for 30 In. and 38 In. Mowers	73.83
		<b>Miscellaneous:</b>	
BM17963		Front Weight Kit	140.17
BM17979		Weight Mounting Hardware	10.70

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For STX38 and STX46 Lawn Tractors)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal	Air Flow Indicator BLOWER ASSEMBLY: Easy Installation and Removal Polyethylene Housing
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20453		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute, or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
BM20982		Rear Bagger Chute for 38 In. Mowers	75.97
		<b>Mower Deck and Mower Deck Attachments:</b>	
M83459		High Lift Mower Blade (38 In. Mower)	See Parts
AM103851		Mower Lip Kit (Left), 38 In. Mower	See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For LT Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20454		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
BM20004		QT Blower Assembly for 38 In. Mower	600.27
BM21380		QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	552.11
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
BM20942		Rear Bagger Chute - 42C Mower, LT Only	93.09
BM20493		Rear Bagger Chute 38 In. Mower, LT Only	77.04
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM115595		48 In. Rear Lip Kit (1992 and prior)	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
M135589		Hi Lift Blade For 48 In. Mower	See Parts
M83459		High Lift Mower Blade (38 In. Mower)	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
AM103851		Mower Lip Kit (Left), 38 In. Mower	See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20455		7 Bushel Hopper Assembly <i>For LX172-LX188 and LX255, LX266, LX277, LX277 AWS, LX280 AWS and LX288 Lawn Tractors. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. LX277 AWS and LX280 AWS Requires BM19797, Adapter Kit.</i>	449.40
BM20456		7 Bushel Hopper Assembly <i>For LX280 (Not LX280 AWS) and LX289. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM19090		Blower Assembly for 48 In. and 54 In. Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
BM18770		QT Blower Assembly for 38 In. Mower (Yellow 38 In. Decks) <i>Not for use on LX277 AWS or LX280 AWS. Requires BM20988 Power Flow Chute.</i>	594.91
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20982		Rear Bagger Chute for 38 In. Mowers	75.97
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM115595		48 In. Rear Lip Kit (1992 and prior)	See Parts
M139977		Bagging Mower Blade (42C Mower)	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
M135589		Hi Lift Blade For 48 In. Mower	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
M83459		High Lift Mower Blade (38 In. Mower)	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
AM103851		Mower Lip Kit (Left), 38 In. Mower	See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For SST Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20943		Rear Bagger Chute for 42 In. All Purpose Mower (42AP)	88.81
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
M135589		Hi Lift Blade For 48 In. Mower	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		<b>Weights:</b>	
BM20937		Front Weight Kit (SST) <i>Warning Label not Included. French Canadian Dealers Need to Order M127333 Warning Label. Order M127333 Warning Label.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20456		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115) <i>Requires one AM133822 Wheel Adjusting Pin for use on Model Year 2004 Mowers. Requires BM21681 Power Flow Chute.</i>	541.41
BM19090		Blower Assembly for 48 In. and 54 In. Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20982		Rear Bagger Chute for 38 In. Mowers	75.97
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>	See Parts
M139977		Bagging Mower Blade (42C Mower) <i>For LX, GT and GX Tractors.</i>	See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
M135589		Hi Lift Blade For 48 In. Mower	See Parts
M135590		Hi Lift Blade for 54 In. Mower	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)**  
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GX and 300 Series Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20456		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM19090		Blower Assembly for 48 In. and 54 In. Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
BM20982		Rear Bagger Chute for 38 In. Mowers	75.97
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>	See Parts
M135589		Hi Lift Blade For 48 In. Mower	See Parts
M135590		Hi Lift Blade for 54 In. Mower	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System (For 425, 445, 455 Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20780		7 Bushel Hopper Assembly <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	494.34
		<b>Material Collection System Power Flow Blowers:</b>	
BM19089		Blower Assembly for 48 In. Mower	541.41
BM19090		Blower Assembly for 48 In. and 54 In. Mower	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	73.83
		<b>Miscellaneous:</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>	See Parts
M135589		Hi Lift Blade For 48 In. Mower	See Parts
M135590		Hi Lift Blade for 54 In. Mower	See Parts
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System (For X400/X500 HDGT and X700 Series  
Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20780		7 Bushel Hopper Assembly <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	494.34
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM24333		54HC Power Flow for X700 Signature Series	630.23
BM24514		60 In. High Performance Power Flow (For use with X700 HC and 7-Iron Decks and 1023E, 1025R and 1026R Decks)	719.04
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		<b>Miscellaneous:</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
BM20986		Leaf Bagging Kit (62C/62X Mower)	141.24

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX)  
Equipment for Base Machine**

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM21680		14 Bushel Hopper Assembly <i>Also Requires ""C or X"" Power Flow Blower Assembly and Power Flow Chute. Requires M146153 Bracket for use on GT and GX Tractors. Front Ballast is Recommended when Bagging. Especially on Hill or Inclines.</i>	934.11
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21682		Power Flow Chute (14 bu)	141.24

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors)**

Equipment for Base Machine

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20671		3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Not compatible with 48X deck on X729 or X749 Tractors. Requires BM20714 Click-N-Go Bracket, Requires ""C"" Series high performance power flow blower assembly and power flow chute.  Front ballast is recommended when bagging, especially on hills or inclines.</i>	952.30
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
BM24333		54HC Power Flow for X700 Signature Series	630.23
BM24514		60 In. High Performance Power Flow (For use with X700 HC and 7-Iron Decks and 1023E, 1025R and 1026R Decks)	719.04
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Decks X700, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21682		Power Flow Chute (14 bu)	141.24
		<b>Miscellaneous:</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**6.5 Bushel Hopper, Chute and Power Flow for 190C and G110, 54 In.**  
Equipment for Base Machine

Hopper Volume = 6.5 Bushels  
ABS Hopper Top  
2 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners

Ployethylene Blower and Fan  
will not Rust or Corrode  
No Tools Cargo Mount

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

**ATTACHMENTS FOR FIELD CONVERSION**

BM21376		<b>Material Collection System Hoppers:</b> 6.5 Bushel Hopper, Chute and Power Flow for 100 Series and G110, 54 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.</i>	790.73
---------	--	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mowers and Attachments for Mowers For Non-Current Riding Lawn Equipment**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM17870		48 In. Front Edge Kit	88.81
BM18365		48 In. Mower (240, 245, 265)	1,322.51
BM17879		48 In. Mower for 120, 140, 300, 314, 316, 317, 318, 322 and 332 Tractors <i>330, 322 and 332 Require M119871 Belt. 317 requires only AM119485 Attaching Parts Kit. 316 (80001-95000), 314, 312, 300, 140 and 120 requires one AM119485 Attaching Parts Kit and M87218 Belt. If tractor is not Currently Equipped with a Mower, Order Front Mounting Bracket Assembly (Mule Drive), Front Draft Arm Assembly and Mower Lift Strap Components through Parts.</i>  <i>Order AM116964 Export Decal Kit thru Parts.</i>	1,356.76
AM115595		48 In. Rear Lip Kit (1992 and prior)	See Parts
BM18361		48 In. Side Discharge Mower <i>For LX100's, 325 and 345 Tractors. GT242, GT262 and GT275 Tractors Require AM117017 Straight Gauge Wheel Post. (See DTAC Solution 81025).</i>	1,265.81
BM17871		54 In. Front Edge Kit	88.81
SKU17206		54 In. Shaft Driven Mower (425, 445, 455)	1,750.00
SKU19807		54 In. Side Discharge Mower (LX288, GT235, 325-355D)	1,295.00
SKU24289		60-inch Shaft Driven Mower Deck (425, 445, 455)	2,399.00
AM119679		Blowout Reduction Kit (48 In. Mower)	See Parts
AM119680		Blowout Reduction Kit (54 In. Mower)	See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
BM20986		Leaf Bagging Kit (62C/62X Mower)	141.24
AM115361		Leaf Mulcher Kit <i>For 48 In. and 54 In. Mowers.</i>	See Parts
AM108476		Mower Deck Wear Plate (38 In. Mower)	See Parts
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**38 in. Edge Xtra Deck (38X) (For X300 Tractor)**  
Equipment for Base Machine

38 In. Cutting Width	Adjustable Down Stop
Two .67 In. StarLock Greaseable Spindles	.25 In. Cut Height Increments
Two Front 2.6 In. Wide Anti-Scalp Wheels	1 to 4 In. Cutting Heights
Wash Port	
4 Point Mounting	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9038M	38 in. Edge Xtra Deck (38X) (For X300 Tractor)	Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.	600.00
-------	--	---	--------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	See Parts
----------	--	-----------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 in. Edge Xtra Deck (42X) (For X300, X304, and X310 Tractors)**  
Equipment for Base Machine

42 In. Cutting Width	Adjustable Down Stop
Two .67 In. StarLock Greaseable Spindles	.25 In. Cut Height Increments
Two Front 2.6 In. Wide Anti-Scalp Wheels	1 to 4 In. Cutting Heights
Wash Port	
4 Point Mounting	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9039M	42 in. Edge Xtra Deck (42X) (For X300, X304, and X310 Tractors) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	600.00
-------	---	--------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	See Parts
----------	--	-----------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 in. Edge Mulch Deck (42M) (For X300 Tractor)**  
Equipment for Base Machine

42 In. Cutting Width  
Rear Discharge  
Two .67 In. StarLock  
Greaseable Spindles  
Two Front 2.6 In. Wide Anti-  
Scalp Wheels  
Two Wash Ports

4 Point Mounting  
Adjustable Down Stop  
.25 In. Cut Height Increments  
1 to 3.75 In. Cutting Heights

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

903RM		42 in. Edge Mulch Deck (42M) (For X300 Tractor) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
-------	--	---	--------

**DESTINATION**

0202		United States and Canada	In Base Price
0230		Australia and New Zealand	Same Price
0195		Mexico	Same Price
0250		All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	See Parts
--	----------	--	-----------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48 in. Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X) (For X300, X320, X324,  
X360, X500, X534, and X540 Tractors)  
Equipment for Base Machine**

48 In. Cutting Width Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment	Two 2.9 In Wide Front Anti-Scalp Rollers Wash Port 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

903SM		48 in. Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X) (For X300, X320, X324, X360, X500, X534, and X540 Tractors) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	1,000.00
-------	--	---	----------

**DESTINATION**

0202		United States and Canada	In Base Price
0230		Australia and New Zealand	Same Price
0195		Mexico	Same Price
0250		All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	See Parts
--	--	--	-----------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54 in. Edge Xtra Deck (54X) (For X320, X500, X530, X534, and X540 Tractors)**  
Equipment for Base Machine

54 In. Cutting Width Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotateable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment	Two 2.9 In Wide Front Anti-Scalp Rollers Wash Port 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

903TM	54 in. Edge Xtra Deck (54X) (For X320, X500, X530, X534, and X540 Tractors) <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	1,300.00
-------	---	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Deck and Mower Deck Attachments:</b> AM130907 Mower Deck Leveling Gauge	See Parts
--	---	-----------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48 In. Shaft Driven Convertible Mower Deck (48C/48X)**  
Equipment for Base Machine

48 In. Shaft Driven convertible Mower Deck (48C/48X)	wheels
48 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 10 Gauge steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9070M	48 In. Shaft Driven Convertible Mower Deck (48C/48X) <i>When mounting on Signature Series Tractors (X710, 730, X734, X738, X739, X750, X754, X758), also order BM24370 Draft Arms and Upstop Kit.</i>	1,300.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Deck and Mower Deck Attachments:</b>	
BM24370	48C Draft arm kit, X700 Signature Series	64.20
AM130907	Mower Deck Leveling Gauge	See Parts

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54 In. Shaft Driven Convertible Mower Deck (54C/54X)**  
Equipment for Base Machine

54 In. Shaft Driven convertible Mower Deck (54C/54X)	wheels
54 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 3.4 mm steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9071M	54 In. Shaft Driven Convertible Mower Deck (54C/54X)	1,300.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHING PARTS/MOWER DECK LIFT**

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	480.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>	
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts. Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	310.30
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
	<b>Miscellaneous:</b>	
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
	<b>Mower Deck and Mower Deck Attachments:</b>	
BM24370	48C Draft arm kit, X700 Signature Series	64.20

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54 In. Shaft Driven Convertible Mower Deck (54C/54X)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM130907		Mower Deck Leveling Gauge	See Parts
BM20827		Mulch Kit (54C/54D/54X)	217.21
BM23648		Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
LVB26020		<b>Spanish North American Kit:</b> North American Spanish Labels	14.99
LVB26015		North American Spanish OM	20.33

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54HC Mower Deck X700 for Signature Series (Model Year 2013 and Later)**  
Equipment for Base Machine

54 HC Shaft Driven Mower Deck 54 In. Cutting Width Side discharge Drive over connect, w/optional auto connect drive shaft (4) Front and rear adjustable and quick release gauge wheels Memory Setting	Shaft drive Anti-Scalp Front Roller 40mm blade overlap Greasable Spindles Front Lip Reinforcement Formed heavy duty 8 Gauge steel Mower Wash Port
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9074M	54HC Mower Deck X700 for Signature Series (Model Year 2013 and Later)	1,700.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	All Other Countries	Same Price

**PTO CONNECTION**

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

**ATTACHMENTS FOR FIELD CONVERSION**

	Mower Deck and Mower Deck Attachments:	
BM23977	54HC Mulch Kit	232.19
BM23894	Auto-connect kit, X700 Signature Series	492.20
BM23903	Standard drive shaft with hanger, X700 Signature Series	208.66

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**60HC Mower Deck X700 for Signature Series (Model Year 2013 and Later)**  
Equipment for Base Machine

60HC Shaft Driven Mower Deck 60 In cutting width Formed heavy duty 9 Gauge steel deck (4) Front and Rear Adjustable and Quick Release Gauge Wheels with Memory Settings Drive over connect, w/optional	auto connect driveshaft Shaft drive 40mm blade overlap Greasable Spindles Front lip Reinforcement Mower Wash Port
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9075M	60HC Mower Deck X700 for Signature Series (Model Year 2013 and Later)	2,100.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	All Other Countries	Same Price

**PTO CONNECTION**

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

**ATTACHMENTS FOR FIELD CONVERSION**

	Mower Deck and Mower Deck Attachments:	
BM23978	60HC Mulch Kit	242.89
BM23894	Auto-connect kit, X700 Signature Series	492.20
BM23648	Roller Striping Kit (X400/X500 HDGT, X700s)	286.76
BM23903	Standard drive shaft with hanger, X700 Signature Series	208.66

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**60 In. 7-Iron Shaft Driven Mower Deck for X700, X720, X728, X740, X748 (60D)**  
Equipment for Base Machine

60 In. 7-Iron Shaft Driven Mower Deck for X700s (60D) 60 In. cutting width Shaft driven Formed heavy duty 4.6 mm steel 5/8 inch solid steel bar around edge of deck Heat treated, 1 inch cold forged blade spindles	5.5 inch deep deck design Mulch capable Material collection capable 4 heavy duty rotateable gage wheels Front anti-scalp roller Greaseable blade spindles Drive over installation Wash port
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9076M	60 In. 7-Iron Shaft Driven Mower Deck for X700, X720, X728, X740, X748 (60D) <i>Requires Model Year 2007 (Serial 020001-) X700 Series Tractor.                  Requires Turf Tires or BM22425 HDAP Tires. (BM22425 Tires are Factory Equipment on Serial MOX728A020102- and MOX748A020388-).                  Not Compatible with 4-Wheel Steer. See Sales Manual for Complete Compatibility Information for 3-Point Hitches, Cabs, SE Tractors and SE Tractor Serial Number Break.</i>	2,200.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Deck and Mower Deck Attachments:</b>	
BM24370	48C Draft arm kit, X700 Signature Series	64.20
AM130907	Mower Deck Leveling Gauge	See Parts
TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BM23648	Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**60 In. Shaft Driven Mower Deck (425, 445, 455)**  
Equipment for Base Machine

60 In. Shaft Driven Mower Deck for 425, 445, 455 60 In. cutting width Shaft driven Formed heavy duty 0.134 in. steel Solid steel bar around edge of	deck Mulch capable Material collection capable 4 heavy duty gauge wheels Greaseable blade spindles
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9080M	60 In. Shaft Driven Mower Deck (425, 445, 455)	2,350.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	See Parts
----------	--	-----------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**62 In. Shaft Driven Convertible Mower Deck (62C/62X)**  
Equipment for Base Machine

62 In. Shaft Driven convertible Mower Deck (62C/62X)	wheels
62 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 3.4 mm steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9072M	62 In. Shaft Driven Convertible Mower Deck (62C/62X)	1,700.00
-------	--	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHING PARTS/MOWER DECK LIFT**

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	480.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>	
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts. Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	310.30
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
	<b>Miscellaneous:</b>	
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
	<b>Mower Deck and Mower Deck Attachments:</b>	
BM24370	48C Draft arm kit, X700 Signature Series	64.20

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**62 In. Shaft Driven Convertible Mower Deck (62C/62X)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
AM130907		Mower Deck Leveling Gauge	See Parts
BM21890		Mulch Kit (62C/62D/62X)	237.54
BM23648		Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
LVB26020		<b>Spanish North American Kit:</b> North American Spanish Labels	14.99
LVB26015		North American Spanish OM	20.33

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mulching Attachments**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM17920		30 In. Tricycler Mulching Attachment <i>Fits 108, 130 and Riders.</i>	118.77
BM20008		42 In. Mulching Attachment with Plug and Blades (LX/GT) <i>Fits 42 In. Convertible Mower (42C) Only.</i>	101.66
BM20686		42 In. Rear Discharge Mulch Plug Attachment (LTR155, LTR166, LTR180)	176.56
BM19321		46 In. Tricycler Mulching Attachment <i>Fits 46 In. Decks with Hinged Discharge, include Blades.</i>	172.27
BM19918		48 In. Mulch Kit	236.47
BG20304		54 In. Mulch Kit <i>Fits G110, 190C.</i>	226.84
BM17869		54 In. Tricycler Mulching Kit	250.39
BM17878		60 In. Tricycler Mulching Attachment	268.57
BM20985		Leaf Bagging Kit (54C/54X Mower)	126.26
BM20986		Leaf Bagging Kit (62C/62X Mower)	141.24
BM21817		Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	134.81
BM21816		Mulch Kit (42 In. or 42X)	101.66
BM20007		Mulch Kit (48C/48X)	160.50
BM20827		Mulch Kit (54C/54D/54X)	217.21
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BM21890		Mulch Kit (62C/62D/62X)	237.54

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**  
 Equipment for Base Machine

52 In. Clearing Width "Straight"	Caster Wheels
48 In. Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. Diameter Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Heavy Duty No. 50 Chain Drive	Less Hydraulic Angling
(2) Adjustable Rear Mounting	Less Front PTO
	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3880M	52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) X700, X710, X465 and X475 Requires BM20761 Hydraulic Coupler Kit. See Sales Manual for Ballast Requirements.  Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit.  Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.	2,185.00
-------	---	----------

**FRONT QUICK-HITCH**

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
1001	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
1005	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
1006	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
1010	Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING CYLINDER**

2001	Hydraulic Angling (1023E, 1025R, 1026R)	191.00
2000	Hydraulic Angling (For X400/X500 HDGT's, X700's)	190.00
2005	Hydraulic Angling (2210, 2305)	191.00
2006	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>HYDRAULIC ANGLING CYLINDER Continued...</b>			
2010		Less Hydraulic Angling	In Base Price
<b>2000 RPM FRONT PTO KIT</b>			
3000		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3001		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758) <i>For European RII Homologation Tractors, also order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	250.00
3003		2000 RPM Front PTO (4100 and 4110)	259.00
3004		2000 RPM Front PTO (4010 and 4115)	259.00
3005		2000 RPM Front PTO (2210, 2305)	276.00
3006		2000 RPM Front PTO (2025R, 2320)	254.00
3007		2000 RPM Front PTO (2032R, 2520, 2720)	254.00
3009		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>For tractors with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	329.00
3010		Less 2000 RPM Front PTO	In Base Price
<b>IMPLEMENT DRIVE SHAFT</b>			
4000		Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	250.00
4001		European RII Implement Drive Shaft <i>Includes Shielding for CE, Supplemental CE Labels, FIGS OM. for X400/X500 HDGT's and X700's.</i>	296.00
4002		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	263.00
4010		Less Implement Drive Shaft	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BLV10159		<b>Front Hitch:</b> Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>Also Order BM20837, Angling Cylinder to Hydraulically Angle the Front Hitch.</i>	706.20
BLV10166		<b>Front PTO:</b> 2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	297.46
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM20978		Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>	142.31
BM20966		Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>	99.51
LVB26108		<b>Hydraulics:</b> Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's) <i>For BM19782 Front Quick Hitch</i>	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
BM20714		<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21777		Deflector Kit for 52 Broom	62.06

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
BM20836		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76
BM21853		Thatching Wheel Kit for 52 Broom	268.57
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.</i>	See Parts
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**  
**Equipment for Base Machine**

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to
26 In. Diameter Polypropylene	Shell"
Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted	Less Implement Drive Shaft
Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3790M	60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors) <i>X710, X465 and X475 Tractors Require BM20761 Hydraulic Coupler Kit.</i>  <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i>  <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO. Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. 3120-3720 Tractors with Mid-Mount Mowers for use with Front Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,345.00
-------	--	----------

**MOUNTING FRAME**

1000	Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	392.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling (3033R-3046R, 3120-3720)	829.00
1010	Less Mounting Frame	In Base Price

**FRONT QUICK-HITCH / HYDRAULIC LIFT**

2000	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	616.00
2002	Front Quick-Hitch and Hydraulic Lift (4210-4410)	739.00
2004	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	655.00
2005	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT QUICK-HITCH / HYDRAULIC LIFT Continued...</b>			
2006		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	1,368.00
2007		Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	716.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System (3033R-3046R)	1,395.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
<b>HYDRAULIC ANGLING</b>			
<i>Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>			
3000		Hydraulic Angling (X400/X500 HDGT's, X700's)	190.00
3002		Hydraulic Angling Kit (2210, 2305)	191.00
3003		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00
3004		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
3010		Less Hydraulic Angling	In Base Price
<b>2000 RPM FRONT PTO KIT</b>			
4000		2WD Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
4001		4WD Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	250.00
4002		2000 RPM Front PTO Kit (4100, 4110)	259.00
4003		2000 RPM Front PTO Kit ( 4010, 4115)	259.00
4004		2000 RPM Front PTO Kit (4200-4400, 4210-4410)	218.00
4005		2000 RPM Front PTO Kit (2210, 2305)	276.00
4006		2000 RPM Front PTO Kit (2025R, 2320)	254.00
4007		2000 RPM Front PTO Kit (2032R, 2520, 2720, 3033R-3046R, 3120-3720)	265.00
4009		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>For tractors with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	329.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
<b>IMPLEMENT DRIVE SHAFT</b>			
<i>Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>			

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>IMPLEMENT DRIVE SHAFT Continued...</b>			
5001		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	263.00
5003		Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	250.00
5010		Less Implement Drive Shaft	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Front Hitch:</b>			
BLV10316		A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	847.44
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878		Front Three-Point Hitch (3120-3720)	1,286.14
<b>Front PTO:</b>			
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
BM19576		2000 RPM Front PTO (4200-4400, 4210-4410)	250.39
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	297.46
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's)	298.53
BLV10452		Front PTO Bracket (3033R-3046R)	92.40

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB25759		Front PTO Bracket (3120-3720)	84.53
		<b>Hydraulics:</b>	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
		<b>Miscellaneous:</b>	
BM20706		19.25x12.5x6.5 Heavy Duty Wheel Kit	361.66
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM19805		Debris Deflector	417.30
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	164.79
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms	233.26
BM20836		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
LVB24956		Implement Drive Shaft (3120-3720)	174.41
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20626		Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	449.40
LVB25879		Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R)	776.81
BM19804		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410) <i>Bundle no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,355.69
AM128682		Wafers, Polypropylene Bristle (Pack of 16)	See Parts
AM128683		Wafers, Steel Bristle (Pack of 16)	See Parts
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires <i>Two Wheel Steer only.</i>	21.40
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)**

**Equipment for Base Machine**

Hydraulic Discharge Chute Rotation 100 Degrees Right and Left	Wear Plates Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15.5 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1474M		47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.</i>  Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.  See Sales Manual for Ballast requirements.	2,130.00
-------	--	--	----------

**FRONT QUICK-HITCH**

2000		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	625.00
2005		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
2006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
2007		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
2008		Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
2010		Less Front Quick-Hitch	In Base Price

**2000 RPM FRONT PTO KIT**

3000		2000 RPM Front PTO (425, 445, 455)	236.00
3003		2000 RPM Front PTO (4100, 4110)	259.00
3004		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3005		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739,	250.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,  
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,  
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>2000 RPM FRONT PTO KIT Continued...</b>			
		X758)	
3006		2000 RPM Front PTO (4010, 4115)	259.00
3007		2000 RPM Front PTO (2210, 2305)	276.00
3008		2000 RPM Front PTO Kit (2025R, 2320)	254.00
3009		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R)	254.00
3010		Less Power Take Off	In Base Price
3012		2000 RPM Front PTO (1023E, 1025R, 1026R)	329.00
<hr/>			
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4000		Implement Drive and Upstop (425, 445, 455)	221.00
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	221.00
4005		Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	369.00
4006		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	421.00
4010		Less Implement Drive and Upstop	In Base Price
<hr/>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
<b>Front PTO:</b>			
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
BM17330		2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	270.71

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,  
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,  
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM24361	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM24362	4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM20761	<b>Hydraulics:</b> Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
	BM20896	Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	28.89
	BM20714	<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	M88984	Drift Blade	See Parts
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>	See Parts
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	LVB24902	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	423.71
	BM20871	Implement Drive and Upstop (425, 445, 455, F900's)	253.59

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,  
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,  
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM23236		Implement Drive and Upstop (X400/X500 HDGT's, X700's)	253.59
AM128337		Left-Side Skid Shoe Plate and Hardware	See Parts
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
LVB24958		Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	149.80
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	203.30
AM128336		Right-Side Skid Shoe Plate and Hardware	See Parts
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	See Parts
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>	See Parts
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)  
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts
15 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

02C1M	54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X700 Tractors.</i>	2,550.00
	<i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	
	<i>See Sales Manual for Ballast requirements.</i>	

**FRONT QUICK-HITCH**

2005	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
2006	Front Quick-Hitch and Hydraulic Lift (2305)	656.00
2007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320-2720)	716.00
2008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

**2000 RPM FRONT PTO KIT**

3004	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3005	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	250.00
3007	2000 RPM Front PTO (2305)	276.00
3008	2000 RPM Front PTO Kit (2025R, 2320)	254.00
3009	2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R)	254.00
3010	Less Power Take Off	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>2000 RPM FRONT PTO KIT Continued...</b>			
3012		2000 RPM Front PTO (1023E, 1025R, 1026R)	329.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	221.00
4005		Implement Drive and Upstop (2025R, 2032R, 2320-2720)	288.00
4006		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	421.00
4010		Less Implement Drive and Upstop	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	751.14
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
<b>Front PTO:</b>			
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
<b>Hydraulics:</b>			
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
<b>Miscellaneous:</b>			
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
M88984		Drift Blade	See Parts
LVB25302		Front Attaching Support Kit <i>For 2520, 2720 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
LVB26135		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
BM23238		Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720)	330.63
BM23236		Implement Drive and Upstop (X400/X500 HDGT's, X700's)	253.59
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
LVB24958		Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	149.80
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	203.30
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	See Parts
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	See Parts
		<b>Weights:</b>	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Snow Thrower  
(For G100, Scotts/Sabre Yard Tractors, LX, GT, GX,  
325, 335, 345, 355D, 240-285, 320 Tractors)  
Equipment for Base Machine**

42 In. (107 cm) Clearing Width Easy-On, Easy-Off Mounting 12 In. Diameter Auger Reversible and Replaceable Cutting Blade 216 Degree Spout Rotation	Over-Center Belt Tensioner Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Large, Adjustable Skid Shoes
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3252M		42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i>  <i>100 Lbs. of Ballast is Recommended on Rear of Tractor.</i>	1,688.00
-------	--	--	----------

**LIFT KIT**

1000		Front Implement Lift Kit (G100, Scotts/Sabre Yard Tractors, LX, GT with Hand Lift) <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts, and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172-LX188 require BM19407 Mounting Parts.</i>	95.00
1001		Front Implement Lift Kit (325, 335, 345, 355D)	78.00
1002		Front Implement Lift Kit (240-285, 320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193, Right and 1-M71194, Left Mower Lift Stops, 4-03M7190, Carriage Bolts and 4-14M7296, Flange Head Nuts may be Required.</i>	107.00
1003		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	78.00
1004		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	111.00
1010		Less Front Implement Lift Kit	In Base Price

**ATTACHING PARTS**

2001		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.</i>	57.00
2003		Attaching Parts (LX, GT, GX255)	75.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42 In. Snow Thrower**  
**(For G100, Scotts/Sabre Yard Tractors, LX, GT, GX,**  
**325, 335, 345, 355D, 240-285, 320 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHING PARTS Continued...</b>			
2004		Attaching Parts (G100 and Scotts/Sabre Yard Tractors)	75.00
2010		Less Attaching Parts	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous:</b>			
BM19216		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX300 Series) <i>240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.</i>	60.99
BM21339		Attaching Parts (LX, GT, GX255)	83.46
M88984		Drift Blade	See Parts
BM19867		Electric Spout Rotation Kit	286.76
BM16733		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	121.99
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	88.81
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	88.81
BM21337		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>(LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	126.26
BM18977		Front Implement Lift Kit (LX/GT with Hand Lift) <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172- LX188 require BM19407 Mounting Parts.</i>	109.14
BM19407		Mounting Parts (LX172-LX188)	161.57
AM122263		Skid Shoe, Heavy Duty Left Hand (1)	See Parts
AM122264		Skid Shoe, Heavy Duty Right Hand (1)	See Parts
M142891		Wear Plate	See Parts
<b>Seats / Wheels / Tires:</b>			
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	See Parts
TY24327		Tire Chains for 22x11-10 In. Turf Tires	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**42 In. Snow Thrower**  
**(For G100, Scotts/Sabre Yard Tractors, LX, GT, GX,**  
**325, 335, 345, 355D, 240-285, 320 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weights:</b>	
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Not Compatible with LX Tractors.</i>	67.41
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17296		Rear Weight Mounting Kit (LX Series) <i>Not for LX280 or LX289</i> <i>For (2) R66949 Weights. LX277 AWS and LX280 AWS also</i> <i>Requires BM19797 Adapter Kit.</i>	83.46

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**44 In. Snow Blower (For 100 Series)**  
Equipment for Base Machine

44 In. (112 cm) Clearing Width Easy-On, Easy-Off Mounting 12 In. (30.5 cm) Diameter Auger Reversible and Replaceable Cutting Blade 200 Degree Spout Rotation	Cast Iron Gear Box Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

7005M	44 In. Snow Blower (For 100 Series) <i>Rear weights and tire chains are available for additional traction.</i>	1,399.00
-------	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Miscellaneous:**

M88984	Drift Blade	See Parts
AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	See Parts
AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	See Parts

**Order Zone:**

LP31342	Snow Cab 2011 and Beyond D Series Tractors	In Catalog
LP21790	Snow Cab 2010 and previous 100 Series Tractors	In Catalog

**Seats / Wheels / Tires:**

TY15959	Rear Tire Chain Kit (Pair) for 20x8-8	See Parts
TY25229	Rear Tire Chain Kit (Pair) for 22x9.5-12	See Parts
TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	See Parts

**Spanish North American Kit:**

BM25101	Spanish Label Kit - 100 Series Snow Thrower	3.21
---------	---	------

**Weights:**

R66949	Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BG20029	Quik-Tatch Weight, 42 Lb. (Boxed) <i>Two Required.</i>	64.20
BG20627	Rear Weight Bracket <i>One Rear Weight Bracket is Required.</i>	55.64

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**Front Mounted Thatchers**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>FRONT MOUNTED THATCHERS:</b>	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add to 38 In. Thatcher as Needed to Approximate Mower Width.</i>	54.57
		<b>Mounting Frames:</b>	
BM20853		Thatcher Mounting Frame <i>For X400/X500 HDGT and X700 Ultimate Tractors.</i>	214.00

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Hydraulic Tiller (for X400/X500 HDGT and X700 Series Garden Tractors)**  
Equipment for Base Machine

42 In. Tilling Width	28 High-Carbon, Heat Treated Steel Tines	Tines
Shaft Drive with "Lock-Back Collar" - X400/X500 HDGT'S, X700's	Optional Six Position Adjustable Skid Shoes	
2000 RPM PTO Input Speed	5 Gallon Hydraulic Oil Reservoir	
Category "1" 3-Point Hitch Mounting, X400/X500 HDGT'S, X700's	Adjustable Rear Hinged Cover Door	
Leveling Blade	200 RPM Tine Rotation Speed at Full Throttle	
14 In. Cutting Circle	Standard or Counter-Rotating	
1-6 In. Tilling Depth		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4392M		42 In. Hydraulic Tiller (for X400/X500 HDGT and X700 Series Garden Tractors) <i>If no Mower Deck, then AM133971 is Required.</i>	2,449.00
		<i>This version of the 42 Hydraulic Tiller is used for X700s and non-current X400/X500 HDGTs. See the "attachments for field conversion" for the version used on X500 M-T Tractor.</i>	
		<i>Bar Tires are Recommended on 2WD Tractors and HDAP Tires Recommended on 4WD Tractors for Tilling Applications. Chains not Recommended for Tilling.</i>	
		<i>160 Lbs. of front ballast is required for X400/X500 HDGT and X700 Series Garden Tractors.</i>	
		<i>X400/X500 HDGT and X700 Series Garden Tractors must be equipped with 3-Point Hitch.</i>	

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>		
BM19406	Adjustable Skid Shoes	<i>For 42 In. Hydraulic Tiller</i>	228.99
AM133971	Shaft, Half and Joint Assembly (X400/X500 HDGT's, X700's)		See Parts
	<b>Weights:</b>		
R66949	Quik-Tatch Weight, 42 Lb.		63.13

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**647 Rotary Tiller**  
 Equipment for Base Machine

48 In. Tilling Width 540 PTO Shaft Drive with "Quick Lock" Collar Pre-set Slip Clutch 15-35 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. Tilling Depth 14 In. Rotor Diameter	6 Hybrid Tines per Flange 6 Flanges - Total of 36 Tines 4 Position Adjustable Skidshoes ASA 60 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch & Alpha Compatible 3-Point Hitch Drive Shaft (CUT Tractors)
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0205LV	647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors.</i>  <i>X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch.</i>  <i>FrontBallast is Required, See Sales Manual for Specific Requirements.</i>  <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	2,516.00
--------	--	----------

**DRIVE SHAFT**

1000	Drive Shaft	In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors	31.00
1010	Less Drive Shaft	-319.00

**BRACKETS**

2000	Brackets for Compact Utility Tractors	In Base Price
2001	Brackets for X400/X500 HDGT and X700 Series Tractors	Same Price
2010	Less Brackets	-142.00

**ATTACHMENTS - ORDER AS DESIRED**

9430	<b>Spanish North American Kit:</b> Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**647 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
LVB25821		<b>AutoHitch Implement Side Components - Tillers:</b> AutoHitch DVD	3.57
LVB25621		AutoHitch Implement Components for John Deere 647 <i>LVB24978 AutoHitch Retrofit Kit is Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	231.00
LVB24978		AutoHitch Retrofit Kit (647 Tiller) <i>Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	134.20
LVB25675		iMatch AutoHitch PTO Coupler	546.70
<b>Miscellaneous:</b>			
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>	980.11
LVB25769		Brackets for Compact Utility Tractors	162.64
LVB25770		Brackets for X400/X500 HDGT and X700 Series Tractors	162.64
LVB25518		Drive Shaft Kit (CUTS)	365.94
LVB25545		Drive Shaft Kit (X400/X500 HDGT's, X700's)	401.26
<b>Spanish North American Kit:</b>			
BLV10081		Spanish North American Operator's Manual and Decal Kit	172.27
<b>Weights:</b>			
BM20957		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700, X720, X724, X728, X729, X740, X744, X748, X749.</i>	192.60
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
LVB19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	See Parts
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
LVB25363		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
R66949		Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors**  
Equipment for Base Machine

<p>Spreaders: Capacity and Type: 80 Lb. Pull-Type (TY25010) 125 Lb. Pull-Type (TY25011) 175 Lb. Pull-Type (TY25012) 175 Lb. Pull-Type (LPBST35JD) NEED TO UPDATE ALL SPECS 40 Lb. Push-Type (TY24375) Hopper Material Stainless Steel (40 Lb.) Polyethylene (80-, 125-, 175, 110- Lb.) 80 Setting Dial-A-Matic Rate Control Knob Solid, One-Place Axle</p>	<p>Drive Gears Delron/Nylon (40- and 80-Lb.) Heavy-Duty Die Cast Metal (110-, 125-, and 175-Lb.) Tires: 10 In. Pneumatic (80 Lb.) 14 In. Pneumatic (125- and 175-Lb.) 8x2.25 In. Semi-Pneumatic (40 Lb) 13x5 In. Turf Saver (110 Lb) Powder-Coated 16 gauge Tubular Steel Frame Stainless Steel Hopper Bottom</p>	<p>No-Stick Nylon Rate Gauge Stainless Steel Rate Gauge Linkage and Rotary Agitator One-Year Limited Warranty</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Carts / Hitches:</b>	
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	In Catalog
		<b>FRONT MOUNTED THATCHERS:</b>	
	TY13036	8 In. Front Thatcher (Extension) <i>Add to one end of 40 In. Thatcherator to make 48 In. wide, both ends for 56 In. total width</i>	54.57
		<b>Miscellaneous:</b>	
	AM105666	Extension, Wiring Harness (X400/X500 HDGT's, X700's, 322, 330, 332, 425, 445, 455) <i>30 in extension for use with sprayers on (X400's, X500's, 322, 330, 332, 425, 445, 455)</i>	See Parts
		<b>Order Zone:</b>	
	LP3100	100 Lb. Push-Type Spreader	In Catalog
	LP25011	125 Lb. Pull-Type Spin Spreader	In Catalog
	LPB536JD	175 LB. Broadcast Spreader	In Catalog
	LP25012	175 Lb. Pull-Type Spin Spreader	In Catalog
	LPPRT36JD	36 In. Tow Behind Lawn Roller	In Catalog
	LPAS40JD	40 In. Tow Behind Aerator-Spreader	In Catalog
	LPPA40JD	40 In. Tow Behind Plug Aerator	In Catalog
	LPSAT40JD	40 In. Tow Behind Spiker Aerator	In Catalog
	LPTA40JD	40 In. Tow Behind Thatcherator	In Catalog
	LPSTS42JD	42 in. Lawn Sweeper	In Catalog
	LPPA48JD	48 In. Tow Behind Plug Aerator <i>Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.</i>	In Catalog
	LP3050	50 Lb. Push-Type Spin Spreader	In Catalog
	LPPTK10	Cart Hard Top - 10 cu. Ft.	In Catalog

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP19478	Tow Behind Sprayer, 15 Gallon	In Catalog
	LP19479	Tow Behind Sprayer, 25 Gallon	In Catalog
	LPPCT10JD	Utility Cart, 10P	In Catalog
	LPHDC18JD	Utility Cart, 18 <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.</i>	In Catalog
	LP20485	<b>Sprayers / Pressure Washers:</b> 45 Gallon Tow-Behind Sprayer <i>Compatible with GT, GX, X500M-T and similar sized Lawn and Garden Tractors.</i>	In Catalog