



Prices effective February 2, 2015

Resolve® System

Introduction	page 2
Resolve® System	3
Infrastructure	5
Work Surfaces	54
Storage	69
Display Components	96
Lighting	108
Indices	113
By Name	113
By Number	115
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Air Quality and Packaging Information-Resolve System	
Keyed-Alike Information	
Vary Easy® Program	
Fire Retardancy-Resolve System	
Stain-to-Match Program	
Customer's Own Material Order Information-Resolve System	
Design on Textile (DOT™) and Customer's Own Image (COI) Order Information	
Design on Textile (DOT) Collection	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

This book is effective February 2, 2015, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Infrastructure

Work Surfaces


Storage

Display Components

Lighting

Tall Pole

R1110.



Product Information

Description

This 96"-high, 3-sided pole forms 120° connections between support arms. It attaches to trusses and allows overhead delivery of power and/or data. Each pole has 3 petals and a crown at the top and a 2" adjustable base that adjusts the pole height in 1/2" increments. The N, R, and P power options have 9 receptacle location covers; each side of the pole is prepunched to hold 3 duplex receptacles.

The pole is available nonpowered or powered. The powered pole has a 3-sided, 6-circuit electrical harness on the inside of the pole. The pole is UL listed; electrical components are UL listed and CSA certified.

The field-wired version of the tall pole (R1110.R) meets Chicago electrical code requirements. This version can also be used internationally and is compatible with most international electrical systems and components.

Notes

Order following products separately:

- Fixed truss (R1220.) or sliding truss (R1230.)
- Support arms (R1210.)

To manage data cables, order 1 of the following products separately:

- Cable bag (R1365.)
- Cable cover (R1361.)
- Cable management clips (R1362.)

To attach data ports to outside of pole, order data faceplate housing (R1360.) separately.

For powered pole, order 6-circuit duplex receptacle (R1311.) separately.

To add simplex receptacles to crown, order simplex receptacle (R1312.) separately.

To convert nonpowered pole with cutouts to powered pole, order tall pole power harness (R1380.) separately.


To pass power over the top of nonpowered pole, order power block (R1382.) separately.

To add duplex receptacle to field-wired pole (R1110.R), order receptacle box/cover (R1313.) separately. Receptacle box/cover accepts standard-size faceplates and duplex receptacles (supplied by electrician).

To supply power to field-wired pole (R1110.R) from the floor or wall, order power entry plate (R1325.) separately.

Nonpowered pole without cutouts (R1110.A) cannot be converted to a powered pole.

Dimensions



Specification Information

Step 1.

R1110.

Step 2. Power

- A** nonpowered, no cutouts
- N** nonpowered, with cutouts
- R** nonpowered, field wired (meets Chicago electrical code requirements)
- P** powered

Prices for Steps 1-2.

R1110. A	\$628
N	\$655
R	\$882
P	\$1048

Step 3. Pole/Crown Finish


8Q folkstone grey	+\$0
LU soft white	+\$0
CN metallic champagne	+\$30
EH metallic bronze	+\$30
MS metallic silver	+\$30

Step 4. Base/Trim Finish

3G brownstone	+\$0
8Q folkstone grey	+\$0
CL cool grey neutral	+\$0
LU soft white	+\$0
WL sandstone	+\$0
WN warm grey neutral	+\$0

Short Pole

R1120.



Product Information

Description

This 48" or 60"-high, 3-sided pole forms 120° connections between support arms. Each pole has a top cap and a 2" adjustable base that adjusts the pole height in 1/2" increments. The N, R, and P power options have 9 receptacle location covers; each side of the pole is prepunched to hold 3 duplex receptacles.

The pole is available nonpowered or powered. The powered pole has a 3-sided, 6-circuit electrical harness on the inside of the pole. The pole is UL listed; electrical components are UL listed and CSA certified.

The field-wired version of the short pole (R1120.48R and R1120.60R) meets Chicago electrical code requirements. This version can also be used internationally and is compatible with most international electrical systems and components.

Notes

Standing-height monitor pod, standing-height café table, pole accent light, and 60" and 69"-high boundary and display screens cannot be used with 48"-high short pole.

Order support arms (R1210.) separately.

To manage data cables, order 1 of the following products separately:

- Cable bag (R1365.)
- Cable cover (R1361.)
- Cable management clips (R1362.)

To attach data ports to outside of pole, order data faceplate housing (R1360.) separately.

For powered pole, order 6-circuit duplex receptacle (R1311.) separately.

To convert nonpowered pole with cutouts to powered pole, order short pole power harness (R1381.) separately.


To add duplex receptacle to field-wired pole (R1120.60R), order receptacle box/cover (R1313.) separately. Receptacle box/cover accepts standard-size faceplates and duplex receptacles (supplied by electrician).

To supply power to field-wired pole (R1120.60R), order power entry plate (R1325.) separately.

Order optional pole lamp (R6310.) or Chicago pole lamp (R6311.) separately.

Nonpowered pole without cutouts (R1120.A) cannot be converted to a powered pole.

Dimensions



Specification Information

Step 1.

R1120.

Step 2. Height

- 48** 48" high
- 60** 60" high

Step 3. Power

- A** nonpowered, no cutouts
- N** nonpowered, with cutouts
- R** nonpowered, field wired (meets Chicago electrical code requirements)
- P** powered

Prices for Steps 1-3.

	A	N	R	P
R1120. 48	\$348	376	495	638
60	\$411	443	546	702

Step 4. Pole Finish


- 8Q** folkstone grey +\$0
- LU** soft white +\$0
- CN** metallic champagne +\$15
- EH** metallic bronze +\$15
- MS** metallic silver +\$15

Step 5. Base/Trim Finish

- 3G** brownstone +\$0
- 8Q** folkstone grey +\$0
- CL** cool grey neutral +\$0
- LU** soft white +\$0
- WL** sandstone +\$0
- WN** warm grey neutral +\$0

In-Line Pole

R1140.



Product Information


Description

This 2-sided pole forms a 180° connection between support arms. It is available in a 48", 60", or 72" height and has a top cap and a 2" adjustable base that adjusts the pole height in 1/2" increments. The in-line pole does not accommodate power or data cables. The pole is UL listed.

Notes

Order support arms (R1210.) separately.

Dimensions



Specification Information

Step 1.

R1140.

Step 2. Height

48	48" high
60	60" high
72	72" high

Prices for Steps 1-2.

R1140. 48	\$305
60	\$373
72	\$400

Step 3. Pole Finish


8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20

Step 4. Base/Top Cap Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Seismic Clip

R1190.



Resolve® Infrastructure

Product Information


Description

This clip secures a tall, short, or in-line pole to the floor in regions where seismic activity is a concern or where required by local code. 3 clips are required for each tall or short pole; 2 clips are required for each in-line pole. Hardware to secure the clips to the pole is included; hardware to secure the clips to the floor is not included. Package contains 6.

Notes

Seismic clips must be field installed.

Dimensions



Specification Information

Step 1.


R1190. \$89

Step 2. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5

Support Arms

R1210.



Product Information

Description

These arms connect to tall, short, or in-line poles to create boundaries and hold components and accessories. They are available in 48" or 60" lengths as measured from the center axis of the connecting poles. Package includes an upper support arm and lower support arm. Support arms are UL listed.

Notes

Order screens separately:


- Boundary screen (R1410.)
- Boundary screen with DOT® (R1411.)
- Display screen (R1420.)
- Marker screen (R1450.)

Order arm-attached storage separately:

- Arm-attached cabinet (R3221.)
- Ladder shelf (R3312.)
- Tool rail (R3610.)

To distribute power and data on lower support arm, order power/data channel (R1351.) separately.

Dimensions



Specification Information

Step 1.

R1210.

Step 2. Length

48	48" long
60	60" long

Prices for Steps 1-2.


R1210. 48	\$238
60	\$279

Step 3. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$15
EH	metallic bronze	+\$15
MS	metallic silver	+\$15

Fixed Truss

R1220.



Resolve® Infrastructure

Product Information

Description


This truss attaches to 2 tall poles and delivers overhead power and/or data, creates boundaries, and can be used over an aisle. A steel barrier separates power and data cables in the trough. The truss is available nonpowered or powered and in 5 lengths. The powered truss has a 6-circuit electrical harness on the inside of the trough. The truss is UL listed; electrical components are UL listed and CSA certified.

Notes


To convert nonpowered truss to powered truss, order fixed truss power jumper conversion kit (R1345.) separately.

For cable capacity information, see Cable Capacity Charts in Kiosk.


Dimensions




Nonpowered: 48", 60"



Nonpowered: 96", 108", 120"



Powered: 48", 60"



Powered: 96", 108", 120"

Specification Information

Step 1.

R1220.

Step 2. Length

048	48" long
060	60" long
096	96" long
108	108" long
120	120" long

Step 3. Power

N	nonpowered
P	powered

Prices for Steps 1-3.

	N	P
R1220. 048	\$345	518
060	\$398	594
096	\$608	851
108	\$663	922
120	\$716	1004

Step 4. Truss/Bracket Finish


8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Step 5. Trough Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Sliding Truss

R1230.



Product Information

Description

This truss joins 2 tall poles and connects 2 separate constellations. It delivers overhead power and/or data, creates boundaries, and can be used over an aisle. A steel barrier separates power and data cables in the trough. The truss has 3 adjustable lengths: 9' to 12', 12' to 16', or 16' to 20'; attachment brackets at each end rotate the truss 62° to the left and right of center.


The truss is available nonpowered or powered. The powered truss has a 6-circuit electrical harness on the inside of the trough. The truss is UL listed; electrical components are UL listed and CSA certified.

Notes


To convert nonpowered truss to powered truss, order sliding truss power jumper conversion kit (R1346.) separately.

For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions



Nonpowered



Powered

Specification Information

Step 1.

R1230.

Step 2. Length

- 0912** extends from 9' to 12'
- 1216** extends from 12' to 16'
- 1620** extends from 16' to 20'

Step 3. Power

- N** nonpowered
- P** powered

Prices for Steps 1-3.

	N	P
R1230. 0912	\$1405	1906
1216	\$1579	2082
1620	\$1755	2256

Step 4. Truss/Bracket Finish


8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20

Step 5. Trough Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Floor/Wall Power Entry

R1320.



Resolve® Infrastructure

Product Information


Description

This power entry connects a building's electrical supply from a wall, floor, or column to the power harness of a tall or short pole. It distributes up to 6 20-amp circuits and is available in 4 lengths, which can be field cut to the appropriate length. The power entry plugs directly into the pole's electrical harness and uses 1 of the lowest receptacle openings. It is UL listed and CSA certified. Attachment hardware is included.

Notes

Licensed electrician must wire power entry.

Dimensions



Specification Information

Step 1.

R1320.

Step 2. Length


06	6' long
12	12' long
18	18' long
24	24' long

Prices for Steps 1-2.

R1320. 06	\$224
12	\$288
18	\$353
24	\$418

Step 3. Receptacle Filler Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This power/data entry connects a ceiling's electrical supply to a power harness or power block at the top of a tall pole. It distributes up to 6 20-amp circuits. The entry is available in 3 mesh-wrap lengths and includes a ceiling bezel connector. The mesh wrap and ceiling bezel connector are off white. The entry is UL listed and CSA certified.



The entry is available nonpowered or powered. The powered entry includes a flex-conduit harness with a crown-mounting bracket and power whip that is 4' longer than the mesh wrap to allow flexibility during installation.

Notes

A licensed electrician must wire the power entry.

For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions



Specification Information

Step 1.

R1332.

Step 2. Mesh Wrap Length

- 02** 2' long
- 04** 4' long
- 06** 6' long

Step 3. Power


- N** nonpowered
- P** powered

Prices for Steps 1-3.

	N	P
R1332. 02	\$161	378
04	\$191	467
06	\$218	525

Floor/Wall Power Entry,
New York City

R1321.



Product Information


Description

This power entry connects a building's electrical supply from a wall, floor, or column to the power harness of a tall or short pole with cutouts. It distributes up to 6 20-amp circuits. The power entry plugs directly into the pole's electrical harness and uses 1 of the lowest receptacle openings. It also includes an electrical box and cover that is connected by conduit. The power entry is UL listed. Attachment hardware is included.

Notes

Licensed electrician must wire power entry.

Dimensions



Specification Information

Step 1.

R1321. \$418

Step 2. Electrical Box/Cover Finish


8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Step 3. Receptacle Filler Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Ceiling Power/Data Entry,
New York City

R1331.



Resolve® Infrastructure

Product Information



Description

This power/data entry connects a ceiling's electrical supply to a power harness at the top of a tall pole. It distributes up to 6 20-amp circuits. The entry includes a mesh wrap for wire/cable management, a ceiling bezel connector, and a power harness and junction box that mounts to the pole's crown. The mesh wrap is available in 3 lengths. The entry is UL listed.

Notes

Licensed electrician must wire power entry.
For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions



Ceiling Power/Data Entry,
New York City *continued*

Specification Information

Step 1.

R1331.

Step 2. Mesh Wrap Length

02 2' long

04 4' long


06 6' long

Prices for Steps 1-2.

R1331. 02	\$471
04	\$524
06	\$576

Power Entry Plate

R1325.




Resolve® Infrastructure

Product Information

Description
 This plate covers receptacle openings on a field-wired tall or short pole. It includes a knockout that allows conduit to be routed into the pole. Package contains 6.

Notes
 Specify power entry plate for use with poles that are field wired for international use or to meet Chicago electrical codes: tall pole (R1110.R) or short pole (R1120.60R).

Dimensions



Specification Information


Step 1.
R1325. \$61

Step 2. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Receptacle Box/Cover

R1313.



Product Information


Description

This product attaches to a field-wired tall or short pole. It includes an electrical junction box and cover that attach to a field-wired pole's receptacle opening. Package contains 6.

Notes

Specify receptacle box/cover for use with poles that are field wired for international use or to meet Chicago electrical codes: tall pole (R1110.R) or short pole (R1120.6oR).

Dimensions



Specification Information

Step 1.

R1313. \$365


Step 2. Box Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Step 3. Cover Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Infrastructure



Product Information



Description

This channel mounts between 2 poles above the lower support arm and distributes power and data. It includes 3 channels: 1 for cables and power cords, 1 for an optional power harness, and 1 for data cables. The channel is available nonpowered or powered and in a 48" or 60" length. The powered center channel includes a power jumper with a flex-conduit harness; its direct connects on each end plug into the adjacent pole's electrical harness at the lowest receptacle opening. The channel is UL listed and CSA certified.

Notes

Specify length of channel to match length of support arms.
For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions



Specification Information

Step 1.

R1351.

Step 2. Length

- 048** 48" long
- 060** 60" long

Step 3. Power

- N** nonpowered
- P** powered

Prices for Steps 1-3.

	N	P
R1351. 048	\$151	333
060	\$166	392


Step 4. Bracket Finish

- 8Q** folkstone grey +\$0
- LU** soft white +\$0
- CN** metallic champagne +\$0
- EH** metallic bronze +\$0
- MS** metallic silver +\$0

Step 5. Channel Finish

- 3G** brownstone +\$0
- 8Q** folkstone grey +\$0
- CL** cool grey neutral +\$0
- LU** soft white +\$0
- WL** sandstone +\$0
- WN** warm grey neutral +\$0

**Power Jumper Conversion Kit, R1341.
Power/Data Channel**



Product Information

Description


This kit converts a nonpowered power/data channel(s) to a powered power/data channel(s). It distributes up to 6 20-amp circuits and is available in 5 lengths. The kit includes a flex-conduit harness with direct connects on each end that plug into the adjacent tall or short pole's electrical harness at the lowest receptacle opening. It is UL listed and CSA certified.

Notes

Specify length of conversion kit to match distance between the 2 connecting powered poles.

When power is routed past a nonpowered in-line pole, specify length of conversion kit to match combined length of the 2 connecting power/data channels.

Dimensions



Specification Information

Step 1.

R1341.

Step 2. Length

048	48" long
060	60" long
096	96" long
108	108" long
120	120" long

Prices for Steps 1-2.


R1341. 048	\$184
060	\$231
096	\$328
108	\$359
120	\$392

Step 3. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Power Pass-Through Bracket

R1352.



Resolve® Infrastructure

Product Information

Description


This mounting bracket fits into a nonpowered pole's receptacle location. It allows power to pass from a powered pole, through a nonpowered pole, and onto another powered pole. The bracket provides a connection point for the 2 lower arm power harnesses in the powered poles. It is UL listed and CSA certified. Package contains 6.

Notes

Power pass-through bracket can only be used with nonpowered poles with cutouts. It cannot be used with powered poles, nonpowered poles without cutouts, or power harnesses.

Use of the power pass-through bracket does not create a powered pole.

Dimensions




Specification Information

Step 1.

R1352.

\$45

**Power Jumper Conversion Kit, R1345.
Fixed Truss**



Product Information


Description

This kit converts a nonpowered fixed truss to a powered fixed truss. It distributes up to 6 20-amp circuits and is available in 5 lengths. The kit includes a flex-conduit harness with connectors on each end that plug into the top of the adjacent tall pole's power harness or power block. It is UL listed and CSA certified.

Notes

Specify length of conversion kit to match length of fixed truss.

Dimensions



Specification Information

Step 1.

R1345.

Step 2. Length

048	48" long
060	60" long
096	96" long
108	108" long
120	120" long


Prices for Steps 1-2.

R1345. 048	\$198
060	\$224
096	\$275
108	\$293
120	\$325

Step 3. Harness End Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Power Jumper Conversion Kit, R1346.
Sliding Truss



Resolve® Infrastructure

Product Information


Description

This kit converts a nonpowered sliding truss to a powered sliding truss. It distributes up to 6 20-amp circuits and is available in 3 lengths. The kit includes a flex-conduit harness with connectors on each end that plug into the top of the adjacent tall pole's power harness or power block. It is UL listed and CSA certified.

Notes

Specify length of conversion kit to match length of sliding truss.

Dimensions



Specification Information

Step 1.

R1346.

Step 2. Length

- 0912** extends from 9' to 12'
- 1216** extends from 12' to 16'
- 1620** extends from 16' to 20'

Prices for Steps 1-2.


R1346. 0912	\$441
1216	\$441
1620	\$441

Step 3. Harness End Finish

3G	brownstone	+ \$0
8Q	folkstone grey	+ \$0
CL	cool grey neutral	+ \$0
LU	soft white	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+ \$0

Power Harness, Tall Pole

R1380.



Product Information


Description

This harness converts a nonpowered tall pole with cutouts to a powered tall pole. It distributes up to 6 20-amp circuits and is UL listed and CSA certified.

Notes

Power harness is used with a nonpowered tall pole with cutouts (R1110.N) only.

Dimensions



Specification Information


Step 1.

R1380.

\$400

Power Harness, Short Pole

R1381.



Resolve® Infrastructure

Product Information


Description

This harness converts a nonpowered short pole with cutouts to a powered short pole. It distributes up to 6 20-amp circuits and is UL listed and CSA certified.

Notes

Power harness is used with a nonpowered short pole with cutouts (R1120.N) only.

Dimensions



Specification Information


Step 1.

R1381.

\$265

Power Block

R1382.



Product Information


Description

This power block fits into a nonpowered tall pole's crown and passes power over the top of the pole. A crown with a power block accepts up to 4 connections. The power block distributes up to 6 20-amp circuits and is UL listed and CSA certified.

Notes

Power block does not create a powered pole (receptacle locations in tall pole are not powered).
Power block cannot be used with a powered pole or power harness.

Dimensions



Specification Information


Step 1.

R1382.

\$184

Duplex Receptacle

R1311.



Resolve® Infrastructure

Product Information


Description

This duplex receptacle attaches to the power harness of a tall or short pole. It is UL listed and CSA certified. Attachment hardware is included. Package contains 6 duplex receptacles.

Notes

For information on receptacle types and wire usage, see Resolve Planning Guide.

Dimensions



Specification Information

Step 1.

R1311.

Step 2. Circuit Type

- A** circuit a
- B** circuit b
- C** circuit c
- CI** circuit c, isolated ground
- X** circuit x
- XI** circuit x, isolated ground
- YI** circuit y, isolated ground
- ZI** circuit z, isolated ground

Prices for Steps 1-2.


R1311. A	\$236
B	\$236
C	\$236
CI	\$236
X	\$236
XI	\$236
YI	\$236
ZI	\$236

Step 3. Finish

3G brownstone	+ \$0
8Q folkstone grey	+ \$0
CL cool grey neutral	+ \$0
LU soft white	+ \$0
WL sandstone	+ \$0
WN warm grey neutral	+ \$0

Simplex Receptacle

R1312.




Product Information

Description

This harness has 3 simplex receptacles that access circuit A. It plugs into the top of the tall pole's power harness or power block and fits into the crown. The receptacle harness is UL listed and CSA certified. Finish is black.

Dimensions



Specification Information

Step 1.


R1312.

\$82

Resolve® Infrastructure

Data Faceplate Housing

R1360.




Resolve® Infrastructure

Product Information

Description

This housing snaps onto the face of a tall or short pole. It provides a frame to attach a NEMA single-gang telecommunications faceplate. Package contains 6.

Dimensions



Specification Information

Step 1.


R1360. \$161

Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Cable Cover

R1361.



Product Information



Description

This 37"-high cover snaps onto a tall or short pole and covers data cables in the concave face of the pole. Package contains 3 covers.

Notes

Cover can be field cut to the appropriate length.
For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions



Specification Information

Step 1.

R1361.37	\$163
-----------------	-------


Step 2. Finish

3G	brownstone	+ \$0
8Q	folkstone grey	+ \$0
CL	cool grey neutral	+ \$0
LU	soft white	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+ \$0

Resolve® Infrastructure

Cable Management Clip

R1362.



Resolve® Infrastructure

Product Information


Description

This clip snaps onto a tall or short pole and manages data cables in the concave face of the pole. Package contains 6 clips.

Notes

For cable capacity information, see Cable Capacity Charts in Kiosk.

Dimensions



Specification Information

Step 1.


R1362. \$43

Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Cable Bag

R1365.




Product Information

Description

This mesh bag hangs from a tall or short pole and holds cords, cables, a multi-outlet strip, or other items. A cable management clip holds the bag in place against the pole; the bag can be adjusted vertically in 1" increments. The bag has a drawstring with a clear plastic cinch button that adjusts the size of the opening and secures cables entering the bag. A hook-and-loop-fastener opening in the back allows cords to enter or exit the back of the bag. Mesh color is grey. 1 cable management clip is included.

Dimensions



Specification Information

Step 1.


R1365. \$75

Step 2. Clip Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Infrastructure

Communication Port Faceplate Extender G1189.




Resolve® Infrastructure

Product Information

Description
 This faceplate fits over the communication port cutout of the following products: Action Office® Series 2 or Ethospace® cable management side cover; Action Office Series 2 cable management panel face; Ethospace cable access tile upper port; Resolve® data faceplate housing; or a Passage® voice/data outlet. It allows installation of specific cable communication modules without interfering with cable distribution capacity. Attachment hardware is included. Package contains 6.

Notes
 Purchase preconfigured voice/data modules/faceplates separately from their manufacturers.
 When specifying faceplate for Action Office Series 2 panel or Ethospace frame, order “J” or “G” power option with communication port locations.
 When specifying faceplate for Action Office Series 2 cable management panel, order panel face side 1 (A1181.C) and side 2 (A1182.C) separately.
 When specifying faceplate for Ethospace grooved face tile or frame with grooved side covers, order both reducer (G1189.A) and extender (G1189.B).
 When specifying faceplate for Resolve data faceplate housing, order housing (R1360.) separately.

Dimensions




Specification Information

Step 1.		
G1189.B		\$60
Step 2. Surface Finish		
8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Boundary Screen

R1410.



Product Information

Description

This fabric screen attaches to an upper and lower support arm using J-strips. It creates a boundary between workstations. The screen is available in combinations of 3 heights and 3 widths; the widths provide different degrees of enclosure. The upper and lower J-strip finish is clear. The screen is UL listed.

Notes

60"- and 69"-high screens cannot be used with 48"-high short pole.

Specify height of screen to match height of upper support arm.

Specify width of screen equal to or less than length of support arms.

For increased acoustical privacy, order acoustical insert (R1412.) separately.

For screen with images, order Boundary Screen with DOT® (R1411.) separately.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 60"-wide fabrics.

Height—Yardage




48"—1¹/₈

60"—1¹/₂

69"—1⁷/₈

Textiles are cut parallel to the roll to match the appropriate screen height. Add 4 yards COM to total boundary screen order (required for lead-in material used in application process). For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

R1410.

Step 2. Upper Support Arm Height

- 48** 48" upper support arm height
- 60** 60" upper support arm height
- 69** 69" upper support arm height

Step 3. Screen Width

- 36** 36" wide
- 48** 48" wide
- 60** 60" wide


Prices for Steps 1-3.

	36	48	60
R1410. 48	\$99	131	163
60	\$131	171	213
69	\$166	213	265

Step 4. Fabric

See DOT® collection list for fabric numbers. First 2 digits of number indicate fabric line; remaining digits indicate image.

	48	60	69
Price Category 1	+\$0	0	0
Price Category 3	+\$25	31	37



Product Information

Description

This imaged fabric screen attaches to an upper and lower support arm using J-strips. It creates a boundary between workstations. The screen is available in combinations of 3 heights and 3 widths; the widths provide different degrees of enclosure. The upper and lower J-strip finish is clear. The screen is UL listed.

Notes

60"- and 69"-high screens cannot be used with 48"-high short pole.

Specify height of screen to match height of support arms.

Specify width of screen equal to or less than length of support arms.




For list of DOT images, see Order Information for DOT and COI in

Appendices.

For Customer's Own Image (COI), see the following:

- For information, contact Herman Miller COM Department at (866) 854 3048, option #4, ext. 3400.
- For design specifications and order information, see HermanMiller.com or Kiosk.
- For order information, see Order Information for DOT and COI in Appendices.
- Process order through Vary Easy. See Vary Easy® Program in Appendices.
- \$28 charge for upgrading from DOT to COI.

Dimensions



Boundary Screen with DOT®

continued

Resolve® Infrastructure

Specification Information

Step 1.

R1411.

Step 2. Upper Support Arm Height

- 48** 48" upper support arm height
- 60** 60" upper support arm height
- 69** 69" upper support arm height

Step 3. Screen Width

- 36** 36" wide
- 48** 48" wide
- 60** 60" wide

Prices for Steps 1-3.

	36	48	60
R1411. 48	\$421	446	476
60	\$446	487	529
69	\$484	529	590


Step 4. Fabric

See DOT® collection list for fabric numbers. First 2 digits of number indicate fabric line; remaining digits indicate image.

Price Category 1 + \$0

Display Screen

R1420.



Product Information

Description

This screen attaches to an upper and lower support arm using J-strips. It has a bubbletack™ surface that is tackable and displays work and personal items. The screen also creates a boundary between workstations. It is available in combinations of 3 heights and 3 widths; the widths provide different degrees of enclosure. The upper and lower J-strip finish is clear. The screen is UL listed.

Notes

60"- and 69"-high screens cannot be used with 48"-high short pole.

Specify height of screen to match height of upper support arm.

Specify width of screen equal to or less than length of support arms.


For increased acoustical privacy, order acoustical insert (R1412.) separately.

Order accessories separately:


- Document holder (R7412.)
- Ledge (R7411.)
- Mirror (R7413.)
- Picture holder (R7410.)
- Utility hook (R7414.)

Dimensions


48" Upper Support Arm Height



60" Upper Support Arm Height



69" Upper Support Arm Height



Specification Information

Step 1.

R1420.

Step 2. Upper Support Arm Height

- 48** 48" upper support arm height
- 60** 60" upper support arm height
- 69** 69" upper support arm height

Step 3. Screen Width

- 36** 36" wide
- 48** 48" wide
- 60** 60" wide

Prices for Steps 1-3.

	36	48	60
R1420. 48	\$279	364	454
60	\$364	485	604
69	\$461	604	755


Step 4. Fabric

*See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.*

Price Category 1 + \$0

Acoustical Insert

R1412.



Product Information

Description

This sound-reducing insert is placed between 2 boundary or display screens mounted on a 4' or 5' support arm. It has a clear, sound-blocking Sound Transmission Class (STC) barrier that is positioned between 2 sound-absorbing Noise Reduction Coefficient (NRC) layers. The 3-piece insert is semi-translucent to light and attaches to the upper and lower support arms. The STC rating is 21; the NRC rating is .40. The insert is UL listed.

Notes


Specify height of insert to match height of support arms.

Specify width of insert to match width of corresponding boundary or display screen.

Acoustical insert is not available in 36" width.

For boundary or display screens shipped before June 6, 2005, please contact Herman Miller Options for appropriate insert widths. Call (800) 654 3910 for more information.

Dimensions



Specification Information

Step 1.

R1412.

Step 2. Upper Support Arm Height

48	48" upper support arm height
60	60" upper support arm height
69	69" upper support arm height

Step 3. Width


48	48" wide
60	60" wide

Prices for Steps 1-3.

	48	60
R1412. 48	\$320	393
60	\$423	516
69	\$516	650

Marker Screen

R1450.



Resolve® Infrastructure

Product Information


Description

This 48"-wide, double-sided screen attaches to an upper and lower support arm. It is available in 2 heights and has a white erasable writing surface. The screen includes 1 holder for markers and erasers; the holder attaches to the pole. Attachment hardware is included.

Notes

Marker screen cannot be used with 48"-high short pole.
Specify height of screen to match height of upper support arm.

Dimensions



Specification Information

Step 1.

R1450.

Step 2. Upper Support Arm Height

6048 60" upper support arm height

6948 69" upper support arm height

Prices for Steps 1-2.

R1450. 6048	\$881
6948	\$954

Step 3. Bracket Finish


8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Step 4. Holder Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Rolling Screen

R1441.



Product Information

Description

This screen attaches to a tall pole on one end, arcs over a workspace, and extends to the floor on the other end. It rolls left and right to allow easy positioning for individual privacy requirements. The fabric screen has a steel tube frame and color-matched wheels. It is available in 2 sizes and as a frame only or as a frame with standard fabrics.

Attachment hardware is included. Shipped knocked down.

The support arm length reference (48" or 60") gives the specifier an idea of the arc created when the rolling screen is used with either 48"- or 60"-long support arms.

Notes


For accurate planning information, see dimensional drawing and Resolve Planning Guide.

Fabric is shipped separately from frame; fabric must be field installed on frame.


For DOT® fabrics, specify "N" (frame only) and order DOT for rolling screen (R1443.) separately.

When replacement fabric is needed, order replacement fabric for rolling screen (R1444.) separately.

Dimensions



48" Support Arm Length Reference




60" Support Arm Length Reference

Specification Information			
Step 1.			
R1441.			
Step 2. Support Arm Length Reference			
48	48" support arm length reference		
60	60" support arm length reference		
Step 3. Assembly			
N	frame only		
F	frame and screen fabric		
Prices for Steps 1-3.			
		N	F
R1441. 48		\$419	674
60		\$419	674
Step 4. Bracket Finish			
8Q	folkstone grey		+\$0
LU	soft white		+\$0
CN	metallic champagne		+\$0
EH	metallic bronze		+\$0
MS	metallic silver		+\$0
Step 5. Trim Finish			
3G	brownstone		+\$0
8Q	folkstone grey		+\$0
CL	cool grey neutral		+\$0
LU	soft white		+\$0
WL	sandstone		+\$0
WN	warm grey neutral		+\$0
Step 6. Screen Fabric			
<i>For frame and screen fabric (F)</i>			
<i>See application chart and textiles list for fabric usage and numbers.</i>			
<i>First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.</i>			
Price Category 1			+\$0
Step 7. Edge Band Fabric			
<i>For frame and screen fabric (F)</i>			
<i>See application chart and textiles list for fabric usage and numbers.</i>			
<i>First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.</i>			
Price Category 1			+\$0

Nesting Rolling Screen

R1442.



Product Information

Description

These 2 screens attach to a tall pole on one end, arc over a workspace, and extend to the floor on the other end. They nest together or roll apart and move left and right to allow easy positioning for individual privacy requirements. Each fabric screen has a steel tube frame and color-matched wheels. They are available in 2 sizes and as a frame only or as a frame with standard fabrics. Attachment hardware is included.

Shipped knocked down.

The support arm length reference (48" or 60") gives the specifier an idea of the arc created when the rolling screen is used with either 48"- or 60"-long support arms.

Notes


For accurate planning information, see dimensional drawing and Resolve Planning Guide.

Fabric is shipped separately from frame; fabric must be field installed on frame.

For DOT® fabrics, specify "N" (frame only) and order DOT for rolling screen (R1443.) separately.

When replacement fabric is needed, order replacement fabric for rolling screen (R1444.) separately.

Dimensions



Nesting Rolling Screen *continued*

Resolve® Infrastructure

Specification Information

Step 1.

R1442.

Step 2. Support Arm Length Reference

48 48" support arm length reference

60 60" support arm length reference

Step 3. Assembly

N frame only

F frame and screen fabric

Prices for Steps 1-3.

	N	F
R1442. 48	\$837	1319
60	\$837	1319

Step 4. Bracket Finish

8Q folkstone grey + \$0

LU soft white + \$0

CN metallic champagne + \$0

EH metallic bronze + \$0

MS metallic silver + \$0

Step 5. Trim Finish

3G brownstone + \$0

8Q folkstone grey + \$0

CL cool grey neutral + \$0

LU soft white + \$0

WL sandstone + \$0

WN warm grey neutral + \$0

Step 6. Screen Fabric

For frame and screen fabric (F)

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 + \$0


Step 7. Edge Band Fabric

For frame and screen fabric (F)

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 + \$0



Product Information

Description

This imaged screen fabric attaches to a rolling screen frame or a nesting rolling screen frame.

Notes

Order rolling screen frame (R1441.N) or nesting rolling screen frame (R1442.N) separately.

For list of DOT images, see Order Information for DOT and COI in Appendices.

For Customer's Own Image (COI), see the following:

- For information, contact Herman Miller COM Department at (866) 854 3048, option #4, ext. 3400.
- For design specifications and order information, see HermanMiller.com or Kiosk.
- For order information, see Order Information for DOT and COI in Appendices.
- Process order through Vary Easy. See Vary Easy® Program in Appendices.
- \$28 charge for upgrading from DOT to COI.

Specification Information

Step 1.

R1443.

Step 2. Screen Usage

- A** fabric for rolling screen or outside nesting rolling screen
- B** fabric for inside nesting rolling screen

Prices for Steps 1-2.

R1443. A	\$966
B	\$966

Step 3. Screen Fabric

See DOT® collection list for fabric numbers. First 2 digits of number indicate fabric line; remaining digits indicate image.


Price Category 1	+ \$0
------------------	-------

Step 4. Edge Band Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+ \$0
------------------	-------

Replacement Fabric for Rolling Screen R1444.



Resolve® Infrastructure

Product Information

Description

This screen fabric attaches to a rolling screen frame or a nesting rolling screen frame and replaces the existing fabric.

Notes

Order rolling screen frame (R1441.N) or nesting rolling screen frame (R1442.N) separately.

Specification Information

Step 1.

R1444.

Step 2. Screen Usage

- A** fabric for rolling screen or outside nesting rolling screen
- B** fabric for inside nesting rolling screen

Prices for Steps 1-2.

R1444. A	\$314
B	\$314

Step 3. Screen Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 + \$0


Step 4. Edge Band Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 + \$0

Canopy

R1430.



Product Information

Description

This canopy attaches to a tall pole and creates an overhead boundary. It is available as a frame only or as a frame with standard fabrics. Attachment hardware is included. Shipped knocked down.


Notes

Fabric is shipped separately from frame; fabric must be field installed on frame.

For DOT® fabrics, specify “N” (frame only) and order DOT for canopy (R1431.) separately.

When replacement fabric is needed, order replacement fabric for canopy (R1432.) separately.

Dimensions



Specification Information

Step 1.

R1430.

Step 2. Assembly

- N** frame only
- F** frame and canopy fabric

Prices for Steps 1-2.

R1430. N	\$272
F	\$367

Step 3. Bracket Finish

8Q	folkstone grey	+ \$0
LU	soft white	+ \$0
CN	metallic champagne	+ \$0
EH	metallic bronze	+ \$0
MS	metallic silver	+ \$0

Step 4. Trim Finish

3G	brownstone	+ \$0
8Q	folkstone grey	+ \$0
CL	cool grey neutral	+ \$0
LU	soft white	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+ \$0

Step 5. Canopy Fabric

For frame and canopy fabric (F)

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+ \$0
------------------	-------

Step 6. Edge Band Fabric

For frame and canopy fabric (F)

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+ \$0
------------------	-------



Product Information

Description

This imaged canopy fabric attaches to a canopy frame.

Notes

Order canopy frame (R1430.N) separately.

For list of DOT images, see Order Information for DOT and COI in Appendices.

For Customer's Own Image (COI), see the following:

- For information, contact Herman Miller COM Department at (866) 854 3048, option #4, ext. 3400.
- For design specifications and order information, see HermanMiller.com or Kiosk.
- For order information, see Order Information for DOT and COI in Appendices.
- Process order through Vary Easy. See Vary Easy® Program in Appendices.
- \$28 charge for upgrading from DOT to COI.

Specification Information

Step 1.

R1431. \$552

Step 2. Canopy Fabric

See DOT® collection list for fabric numbers. First 2 digits of number indicate fabric line; remaining digits indicate image.

Price Category 1 +\$0

Step 3. Edge Band Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0

Replacement Fabric for Canopy R1432.



Product Information

Description
 This canopy fabric attaches to a canopy frame and replaces the existing fabric.

Notes
 Order canopy frame (R1430.N) separately.


Specification Information

Step 1.
R1432. \$160

Step 2. Canopy Fabric
 See application chart and textiles list for fabric usage and numbers.
 First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.
 Price Category 1 +\$0

Step 3. Edge Band Fabric
 See application chart and textiles list for fabric usage and numbers.
 First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.
 Price Category 1 +\$0

Resolve® Infrastructure



Resolve® Work Surfaces

Product Information

Description

This 120° curved work surface attaches to a tall or short pole in the rear corner and has 2 pin-adjustable legs with 1" adjustable glides on the front (user) side. It can be installed from 22" to 32" in height. The work surface has a laminate, formcoat™, or veneer finish. The 3/4"-thick laminate surface has a square thermoplastic edge that matches the top color; the 1"-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a 7/8"-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48"-wide work surface is predrilled in the center position; the 60"-wide work surface is predrilled in the left, right, and center positions. The center of the work surface's back edge is predrilled for a cable manager. Attachment hardware is included.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes


For additional support at left or right end of surface, order work surface bracket (R2190.) separately. Boomerang surface width must match adjacent support arm length (4' boomerang surface on 4' support arm; 5' boomerang surface on 5' support arm).

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions



Specification Information

Step 1.

R2100.

Step 2. Width

48 48" wide
60 60" wide

Step 3. Surface Material

L laminate
E formcoat™
W veneer A

Prices for Steps 1-3.

	L	E	W
R2100. 48	\$767	798	1294
60	\$924	960	1551

Step 4. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Opaque Formcoat™

For formcoat™ (E)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Fleck Formcoat™

For formcoat™ (E)

7F	natural maple fleck	+\$65
7G	light anigre fleck	+\$65
7H	aged cherry fleck	+\$65

Wood Veneer

For veneer (W)

		48	60
2U	light brown walnut A	+\$110	140
40	dark brown walnut A	+\$110	140
ED	aged cherry A	+\$110	140
EK	medium red walnut A	+\$110	140
UL	natural maple A	+\$110	140
UX	walnut on cherry A	+\$110	140

Step 5. Bracket/Leg Finish


8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Step 6. Glide Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Extended Boomerang™ Work Surface

R2104.
R2105.



Product Information

Description

This 120° curved work surface attaches to 2 tall or short poles. It has 3 pin-adjustable legs with 1" height-adjustable glides. The work surface can be installed from 22" to 32" in height. It has 3 sides and a laminate, formcoat™, or veneer finish. The 3/4"-thick laminate surface has a square thermoplastic edge that matches the top color; the 1"-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a 7/8"-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48"-wide work surface is predrilled in the center position; the 60"-wide work surface is predrilled on the left and right sides. The center of the work surface's back edge is predrilled for a cable manager. Attachment hardware is included. Shipped knocked down.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.

Notes

48"-wide left × 48"-wide right work surface with 48" center width (R2104.4848) has 2 pin-adjustable legs.


For additional support at left or right end of surface, order work surface bracket (R2190.) separately. Boomerang surface width must match adjacent support arm length (4' boomerang surface on 4' support arm; 5' boomerang surface on 5' support arm).

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions



Extended Boomerang™ Work Surface *continued*

Specification Information

Step 1.

R210

Step 2. Center Width

- 4. 48" center width
- 5. 60" center width

Step 3. Extension Widths

For 48" center width (4.)

4848 48" wide left x 48" wide right

For 60" center width (5.)

4848 48" wide left x 48" wide right

4860 48" wide left x 60" wide right

6048 60" wide left x 48" wide right

6060 60" wide left x 60" wide right

Step 4. Surface Material

- L** laminate
- E** formcoat™
- W** veneer A

Prices for Steps 1-4.

	L	E	W
R2104. 4848	\$1318	1359	2114
R2105. 4848	\$1449	1462	2345
4860	\$1526	1564	2434
6048	\$1519	1564	2508
6060	\$1581	1628	2598

Step 5. Top Finish

Solid-Color Laminate

For laminate (L)

- 8Q** folkstone grey +\$0
- 91** white +\$0
- CL** cool grey neutral +\$0
- LU** soft white +\$0
- WL** sandstone +\$0
- WN** warm grey neutral +\$0
- X1** chalk white +\$0

Opaque Formcoat™

For formcoat™ (E)

- 8Q** folkstone grey +\$0
- 91** white +\$0
- CL** cool grey neutral +\$0
- LU** soft white +\$0
- WL** sandstone +\$0
- WN** warm grey neutral +\$0
- X1** chalk white +\$0

Fleck Formcoat™

For formcoat™ (E)

- 7F** natural maple fleck +\$95
- 7G** light anigre fleck +\$95
- 7H** aged cherry fleck +\$95

Wood Veneer

For veneer (W)

		4.	5.4848	5.4860	5.6048	5.6060
2U light brown walnut A	+\$200	220	230	230	240	
40 dark brown walnut A	+\$200	220	230	230	240	
ED aged cherry A	+\$200	220	230	230	240	
EK medium red walnut A	+\$200	220	230	230	240	
UL natural maple A	+\$200	220	230	230	240	
UX walnut on cherry A	+\$200	220	230	230	240	

Step 6. Bracket/Leg Finish


- 8Q** folkstone grey +\$0
- LU** soft white +\$0
- CN** metallic champagne +\$10
- EH** metallic bronze +\$10
- MS** metallic silver +\$10

Step 7. Glide Finish

- 3G** brownstone +\$0
- 8Q** folkstone grey +\$0
- CL** cool grey neutral +\$0
- LU** soft white +\$0
- WL** sandstone +\$0
- WN** warm grey neutral +\$0

Work Surface Bracket

R2190.



Resolve® Work Surfaces

Product Information

Description

This bracket mounts to the underside of a boomerang™ work surface and an outbound tall, short, or in-line pole. Attachment hardware is included.





Notes

Use bracket with boomerang work surface (R2100.) or extended boomerang work surface (R2104. or R2105.).

Specify left or right orientation with user facing the boomerang surface.

Boomerang surface width must match adjacent support arm length (4' boomerang surface on 4' support arm; 5' boomerang surface on 5' support arm).

Dimensions



Left-Hand

Right-Hand

Specification Information

Step 1.

R2190.

Step 2. Position

- L** left-hand support
- R** right-hand support


Prices for Steps 1-2.

R2190. L	\$29
R	\$29

Step 3. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5

Freestanding Boomerang™ Work Surface R2650.



Product Information

Description

This freestanding 120° curved work surface has 5 pin-adjustable legs with adjustable glides. It can be installed from 22" to 32" in height. The work surface has a laminate, formcoat™, or veneer finish. The 3/4"-thick laminate surface has a square thermoplastic edge that matches the top color; the 1"-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a 7/8"-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48"-wide work surface is predrilled in the center position; the 60"-wide work surface is predrilled in the left, right, and center positions. The center of the work surface's back edge is predrilled for a cable manager.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.


Notes

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions




Freestanding Boomerang™ Work Surface *continued*

Specification Information				
Step 1.				
R2650.				
Step 2. Width				
48	48" wide			
60	60" wide			
Step 3. Surface Material				
L	laminate			
E	formcoat™			
W	veneer A			
Prices for Steps 1-3.				
		L	E	W
R2650. 48		\$915	952	1270
60		\$1068	1108	1572
Step 4. Top Finish				
Solid-Color Laminate				
<i>For laminate (L)</i>				
8Q	folkstone grey		+\$0	
91	white		+\$0	
CL	cool grey neutral		+\$0	
LU	soft white		+\$0	
WL	sandstone		+\$0	
WN	warm grey neutral		+\$0	
X1	chalk white		+\$0	
Opaque Formcoat™				
<i>For formcoat™ (E)</i>				
8Q	folkstone grey		+\$0	
91	white		+\$0	
CL	cool grey neutral		+\$0	
LU	soft white		+\$0	
WL	sandstone		+\$0	
WN	warm grey neutral		+\$0	
X1	chalk white		+\$0	
Fleck Formcoat™				
<i>For formcoat™ (E)</i>				
7F	natural maple fleck		+\$65	
7G	light anigre fleck		+\$65	
7H	aged cherry fleck		+\$65	

Wood Veneer			
<i>For veneer (W)</i>			
		48	60
2U	light brown walnut	+\$140	160
40	dark brown walnut	+\$140	160
ED	aged cherry A	+\$140	160
EK	medium red walnut	+\$140	160
UL	natural maple A	+\$140	160
UX	walnut on cherry	+\$140	160
Step 5. Leg Finish			
8Q	folkstone grey		+\$0
LU	soft white		+\$0
CN	metallic champagne		+\$10
EH	metallic bronze		+\$10
MS	metallic silver		+\$10
Step 6. Glide Finish			
3G	brownstone		+\$0
8Q	folkstone grey		+\$0
CL	cool grey neutral		+\$0
LU	soft white		+\$0
WL	sandstone		+\$0
WN	warm grey neutral		+\$0

Freestanding Extended Boomerang™ Work Surface

R2654.
R2655.



Product Information

Description

This freestanding, 120° curved work surface has 6 pin-adjustable legs with 1" height-adjustable glides. It can be installed from 22" to 32" in height. The work surface has 3 sides and a laminate, formcoat™, or veneer finish. The 3/4"-thick laminate surface has a square thermoplastic edge that matches the top color; the 1"-thick formcoat surface has a soft-curved front with an eased front edge; the veneer surface has a 7/8"-thick, 15-ply Baltic birch core and edge. It is predrilled for a pencil drawer: the 48"-wide work surface is predrilled in the center position; the 60"-wide work surface is predrilled on the left and right sides. The center of the work surface's back edge is predrilled for a cable manager. Shipped knocked down.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.


Notes

Order optional cable management products separately:

- Cable manager (R1364.)
- Cord holder (R1366.)

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions



Freestanding Extended Boomerang™ Work Surface *continued*


Resolve® Work Surfaces

Specification Information			
Step 1.			
R265			
Step 2. Center Width			
4.	48" center width		
5.	60" center width		
Step 3. Extension Widths			
<i>For 48" center width (4.)</i>			
4848	48" wide left x 48" wide right		
<i>For 60" center width (5.)</i>			
4848	48" wide left x 48" wide right		
4860	48" wide left x 60" wide right		
6048	60" wide left x 48" wide right		
6060	60" wide left x 60" wide right		
Step 4. Surface Material			
L	laminate		
E	formcoat™		
W	veneer A		
Prices for Steps 1-4.			
	L	E	W
R2654. 4848	\$1470	1529	2141
R2655. 4848	\$1595	1609	2358
4860	\$1648	1731	2442
6048	\$1665	1680	2442
6060	\$1709	1794	2527
Step 5. Top Finish			
Solid-Color Laminate			
<i>For laminate (L)</i>			
8Q	folkstone grey		+\$0
91	white		+\$0
CL	cool grey neutral		+\$0
LU	soft white		+\$0
WL	sandstone		+\$0
WN	warm grey neutral		+\$0
X1	chalk white		+\$0

Opaque Formcoat™						
<i>For formcoat™ (E)</i>						
8Q	folkstone grey					+\$0
91	white					+\$0
CL	cool grey neutral					+\$0
LU	soft white					+\$0
WL	sandstone					+\$0
WN	warm grey neutral					+\$0
X1	chalk white					+\$0
Fleck Formcoat™						
<i>For formcoat™ (E)</i>						
7F	natural maple fleck					+\$95
7G	light anigre fleck					+\$95
7H	aged cherry fleck					+\$95
Wood Veneer						
<i>For veneer (W)</i>						
		4. 5.4848	5.4860	5.6048	5.6060	
2U	light brown walnut	+\$200	220	230	230	240
40	dark brown walnut	+\$200	220	230	230	240
ED	aged cherry A	+\$200	220	230	230	240
EK	medium red walnut	+\$200	220	230	230	240
UL	natural maple A	+\$200	220	230	230	240
UX	walnut on cherry	+\$200	220	230	230	240
Step 6. Leg Finish						
8Q	folkstone grey					+\$0
LU	soft white					+\$0
CN	metallic champagne					+\$10
EH	metallic bronze					+\$10
MS	metallic silver					+\$10
Step 7. Glide Finish						
3G	brownstone					+\$0
8Q	folkstone grey					+\$0
CL	cool grey neutral					+\$0
LU	soft white					+\$0
WL	sandstone					+\$0
WN	warm grey neutral					+\$0

Input Table

R2600.



Product Information

Description


This mobile table is available in 2 sizes and holds a keyboard, mouse, or other work items. It has 2 locking casters in the front (user side) and 2 nonlocking casters in the rear. The table is available in a seated or standing height with pin-adjustable legs. The seated-height table adjusts from 22" to 32" high; the standing-height table adjusts from 30" to 45" high. The table holds up to 25 pounds and has a laminate, formcoat™, or veneer finish. The laminate surface has a square thermoplastic edge that matches the top color; the formcoat surface has an eased front edge; the veneer surface has a 7/8"-thick, 15-ply Baltic birch core and edge. Casters are black.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.


Notes

Order optional swivel tray set (R3620.) separately.

Dimensions



Seated Height



Standing Height

Specification Information

Step 1.

R2600.

Step 2. Height

- A** seated height
- B** standing height

Step 3. Surface Material

- L** laminate
- E** formcoat™
- W** veneer

Prices for Steps 1-3.

	L	E	W
R2600. A	\$595	607	914
B	\$634	646	955

Step 4. Top Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Opaque Formcoat™

For formcoat™ (E)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Fleck Formcoat™

For formcoat™ (E)

7F	natural maple fleck	+\$30
7G	light anigre fleck	+\$30
7H	aged cherry fleck	+\$30


Input Table *continued*

Resolve® Work Surfaces

Wood Veneer		
<i>For veneer (W)</i>		
2U	light brown walnut <input type="checkbox"/> A	+\$85
40	dark brown walnut <input type="checkbox"/> A	+\$85
ED	aged cherry <input type="checkbox"/> A	+\$85
EK	medium red walnut <input type="checkbox"/> A	+\$85
UL	natural maple <input type="checkbox"/> A	+\$85
UX	walnut on cherry <input type="checkbox"/> A	+\$85
Step 5. Leg Finish		
8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Equipment Table

R2720.



Product Information

Description

This 28"-high rectangular table holds a printer, scanner, fax machine, or other work items, and includes a secondary shelf for additional storage. The tabletop and shelf are 22" deep x 31" wide. The table has 4 legs with glides or casters and a laminate, formcoat™, or veneer finish. The laminate surface has a square thermoplastic edge that matches the top color; the formcoat surface has a square front edge; the veneer surface has a 7/8"-thick, 15-ply Baltic birch core and edge. Glide finishes accent the leg finish; casters are black. Shipped knocked down.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks.


Notes

Order optional swivel tray set (R3620.) separately.


Order optional cable management products separately:

- Cable bag (R1365.)
- Cable manager (R1364.)
- Cord holder (R1366.)

Dimensions



Glides



Casters

Specification Information

Step 1.

R2720.

Step 2. Casters/Glides

- A** glides
- B** casters

Step 3. Surface Material

- L** laminate
- T** formcoat™
- W** veneer

Prices for Steps 1-3.

	L	T	W
R2720. A	\$662	676	999
B	\$662	676	999

Step 4. Top/Shelf Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Opaque Formcoat™

For formcoat™ (T)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Fleck Formcoat™

For formcoat™ (T)

7F	natural maple fleck	+\$30
7G	light anigre fleck	+\$30
7H	aged cherry fleck	+\$30

Equipment Table *continued*

Resolve® Work Surfaces

For veneer (W)

2U	light brown walnut	+\$100
40	dark brown walnut	+\$100
ED	aged cherry A	+\$100
EK	medium red walnut	+\$100
UL	natural maple A	+\$100
UX	walnut on cherry	+\$100

Step 5. Leg Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10


Step 6. Glide Finish

For glides (A)

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Cable Manager

R1364.




Product Information

Description

This 18"-wide cable manager hangs from the underside of a work surface. It holds and routes cords and cables and can hold a multi-outlet strip or other items. 2 metal brackets provide support to the mesh holder. Mesh color and brackets are grey. Attachment hardware is included.

Dimensions



Specification Information


Step 1.

R1364.

\$87

Cord Holder

R1366.



Product Information

Description

This plastic holder attaches to the underside of a work surface to manage cords and cables. It attaches with heavy-duty double-sided tape. Color is folkstone grey. Package contains 6.



Dimensions

Specification Information

Step 1.


R1366. \$26

Resolve® Work Surfaces



Cabinet, Pole Attached

R3211.



Product Information

Description

This 48" or 60"-high cabinet attaches to a tall or short pole. It has 4 legs with 1" height-adjustable glides and several interior components including shelves, 6"-deep drawers, and file frames for letter-size hanging files. The interior components are available in prearranged configurations or can be ordered separately. The top of the cabinet includes a lockable lid for secured storage of personal items. The cabinet has a lockable, steel door. Attachment hardware is included. 48" cabinet attaches to a tall or short pole. 60" cabinet attaches to a 60"-high short pole or to a tall pole (60" cabinet cannot attach to a 48"-high short pole). Cabinet must attach to pole for stability; it cannot be used as a freestanding unit.

Notes


To order individual components, specify N for interior configuration and order components separately:

- Cabinet drawer (R3232.)
- Cabinet file frame (R3231.)
- Cabinet shelf (R3230.)

To convert pole-attached cabinet to arm-attached cabinet, order cabinet arm attachment bracket (R3294.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

R3211.

Step 2. Cabinet Height

48	48"-high cabinet
60	60"-high cabinet

Step 3. Door

L	left-hinged door
R	right-hinged door

Step 4. Interior Configuration

For 48"-high cabinet (48)

N	no interior components
A	2 shelves
B	4 file frames
C	2 file frames, 1 shelf, 1 drawer
D	2 file frames, 1 shelf, 2 drawers

For 60"-high cabinet (60)

N	no interior components
A	3 shelves
B	5 file frames
C	4 file frames, 1 shelf, 1 drawer
D	3 file frames, 1 shelf, 3 drawers
E	2 file frames, 1 shelf, 3 drawers
F	2 file frames, 1 shelf, 1 drawer

Prices for Steps 1-4.

	N	A	B	C	D	E
R3211. 48 L	\$826	884	1059	1029	1088	—
R	\$826	884	1059	1029	1088	—
60 L	\$918	1005	1210	1237	1297	1237
R	\$918	1005	1210	1237	1297	1237
						F
R3211. 60 L						\$1121
R						\$1121

Step 5. Cabinet/Door Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$50
EH	metallic bronze	+\$50
MS	metallic silver	+\$50

Cabinet, Pole Attached *continued*

Resolve® Storage

Step 6. Lid/Top/Interior/Base Finish


3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 7. Lock Option

KA	keyed alike	+\$0
KD	keyed differently	+\$0

Cabinet, Arm Attached

R3221.
R3222.



Product Information

Description

This 48" or 60"-high cabinet has 4 legs with 1" height-adjustable glides and attaches to an upper support arm. It has several interior components including shelves, 6"-deep drawers, and file frames for letter-size hanging files. The interior components are available in prearranged configurations or can be ordered separately. The top of the cabinet includes a lockable lid for secured storage of personal items. The cabinet has a lockable, steel door. Attachment hardware is included.

48" cabinet attaches to a 48" upper support arm height; 60" cabinet attaches to a 48", 60", or 69" upper support arm height. Cabinet must attach to support arm for stability; it cannot be used as a freestanding unit.

Notes

Specify height of cabinet's attachment bracket to match height of upper support arm.

To order individual components, specify N for interior configuration and order components separately:

- Cabinet drawer (R3232.)
- Cabinet file frame (R3231.)
- Cabinet shelf (R3230.)


When placing 2 cabinets back to back, specify N (no attachment bracket) for attachment bracket. Order cabinet back-to-back attachment bracket (R3291.) separately.

To convert arm-attached cabinet to pole-attached cabinet, order cabinet pole attachment bracket (R3293.) separately.


To attach cabinet to different upper support arm height, order cabinet arm attachment bracket (R3294.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.


Dimensions




48" Upper Support Arm Height



48" Upper Support Arm Height



60" Upper Support Arm Height



69" Upper Support Arm Height

Resolve® Storage

Specification Information

Step 1.

R322

Step 2. Cabinet Height

- 1. 48"-high cabinet
- 2. 60"-high cabinet

Step 3. Upper Support Arm Height

For 48"-high cabinet (1.)

48 48" upper support arm height

For 60"-high cabinet (2.)

- 48** 48" upper support arm height
- 60** 60" upper support arm height
- 69** 69" upper support arm height

Step 4. Attachment Bracket

- S** single bracket
- N** no attachment bracket

Step 5. Door

- L** left-hinged door
- R** right-hinged door

Step 6. Interior Configuration

For 48"-high cabinet (1.)

- N** no interior components
- A** 2 shelves
- B** 4 file frames
- C** 2 file frames, 1 shelf, 1 drawer
- D** 2 file frames, 1 shelf, 2 drawers

For 60"-high cabinet (2.)

- N** no interior components
- A** 3 shelves
- B** 5 file frames
- C** 4 file frames, 1 shelf, 1 drawer
- D** 3 file frames, 1 shelf, 3 drawers
- E** 2 file frames, 1 shelf, 3 drawers
- F** 2 file frames, 1 shelf, 1 drawer

Prices for Steps 1-6.

	LN	LA	LB	LC	LD	LE
R3221. 48 S	\$826	884	1059	1029	1088	—
N	\$791	849	1024	995	1053	—

	LF	RN	RA	RB	RC	RD
R3221. 48 S	—	\$826	884	1059	1029	1088
N	—	\$791	849	1024	995	1053

	LN	LA	LB	LC	LD	LE
R3222. 48 S	\$918	1005	1210	1237	1297	1237
N	\$884	971	1174	1204	1261	1204
60 S	\$918	1005	1210	1237	1297	1237
N	\$884	971	1174	1204	1261	1204
69 S	\$918	1005	1210	1237	1297	1237
N	\$884	971	1174	1204	1261	1204

	LF	RN	RA	RB	RC	RD
R3222. 48 S	\$1121	918	1005	1210	1237	1297
N	\$1088	884	971	1174	1204	1261
60 S	\$1121	918	1005	1210	1237	1297
N	\$1088	884	971	1174	1204	1261
69 S	\$1121	918	1005	1210	1237	1297
N	\$1088	884	971	1174	1204	1261

	RE	RF
R3222. 48 S	\$1237	1121
N	\$1204	1088
60 S	\$1237	1121
N	\$1204	1088
69 S	\$1237	1121
N	\$1204	1088

Step 7. Cabinet/Door Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$50
EH	metallic bronze	+\$50
MS	metallic silver	+\$50

Step 8. Lid/Top/Interior/Base Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Cabinet, Arm Attached *continued*

Step 9. Lock Option

KA	keyed alike	+\$0
KD	keyed differently	+\$0

Cabinet Shelf


R3230.



Product Information

Description
 This shelf fits inside a pole- or arm-attached cabinet and stores books, binders, and other items. It adjusts vertically in 2" increments.

Dimensions



Resolve® Storage

Specification Information


Step 1.
R3230. \$52

Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Cabinet File Frame

R3231.




Product Information

Description

This file frame fits inside a pole- or arm-attached cabinet and holds letter-size hanging files. It adjusts vertically in 2" increments.

Dimensions



Specification Information

Step 1.

R3231. \$130


Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Storage

Cabinet Drawer

R3232.





Product Information

Description

This 6"-high drawer fits inside a pole- or arm-attached cabinet and holds papers, supplies, and other small items. It adjusts vertically in 2" increments.

Dimensions



Specification Information

Step 1.


R3232. \$156

Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Storage

Back-to-Back Attachment Bracket, R3291. Cabinets




Product Information

Description

This bracket attaches 2 arm-attached cabinets back to back. 1 bracket is required for each application.

Dimensions



Specification Information

Step 1.

R3291. \$69


Step 2. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Resolve® Storage

Pole Attachment Bracket,
Cabinet

R3293.




Product Information

Description

This bracket converts an arm-attached cabinet to a pole-attached cabinet.

Dimensions



Specification Information

Step 1.


R3293.60 \$93

Step 2. Finish

8Q	folkstone grey	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0

Resolve® Storage

Arm Attachment Bracket, Cabinet R3294.






Product Information

Description

This bracket converts a pole-attached cabinet to an arm-attached cabinet. It also can change an existing arm-attached cabinet's attachment height.

Dimensions



Resolve® Storage

Arm Attachment Bracket, Cabinet

continued

Specification Information

Step 1.

R3294.

Step 2. Upper Support Arm Height

48	48" upper support arm height
60	60" upper support arm height
69	69" upper support arm height

Prices for Steps 1-2.

R3294. 48	\$93
60	\$93
69	\$90


Step 3. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Resolve® Storage

Ladder Shelf

R3312.



Product Information

Description

This storage unit has adjustable, open shelves and attaches to an upper support arm. It holds binders, books, reference materials, and other items. The ladder shelf has two 2½" height-adjustable glides.

Attachment hardware is included.

The 48"-high unit includes 3 shelves; the 60"-high unit includes 4 shelves; and the 69"-high unit includes 5 shelves. The shelves adjust vertically in 1" increments and can be specified with 3½"- or 6"-high shelf sides.




Notes

Specify height of ladder shelf's attachment bracket to match height of upper support arm.

When placing 2 ladder shelves back to back, specify N (no attachment bracket) for attachment bracket. Order ladder shelf back-to-back attachment bracket (R3391.) separately.

Order optional add-on ladder shelves (R3320.) separately.

Dimensions



Resolve® Storage

Ladder Shelf *continued*

Resolve® Storage

Specification Information

Step 1.

R3312.

Step 2. Upper Support Arm Height

- 48** 48" upper support arm height
- 60** 60" upper support arm height
- 69** 69" upper support arm height

Step 3. Shelf Height

- 3** 3½"-high shelf
- 6** 6"-high shelf

Step 4. Attachment Bracket

- S** single bracket
- N** no attachment bracket

Prices for Steps 1-4.

	S	N
R3312. 48 3	\$466	414
6	\$578	525
60 3	\$548	494
6	\$688	637
69 3	\$629	578
6	\$778	726

Step 5. Frame/Shelf Finish


- 8Q** folkstone grey +\$0
- LU** soft white +\$0
- CN** metallic champagne +\$40
- EH** metallic bronze +\$40
- MS** metallic silver +\$40

Step 6. Base/Glide Finish

- 3G** brownstone +\$0
- 8Q** folkstone grey +\$0
- CL** cool grey neutral +\$0
- LU** soft white +\$0
- WL** sandstone +\$0
- WN** warm grey neutral +\$0

Add-On Ladder Shelf

R3320.




Product Information

Description

This shelf can be added to a ladder shelf for additional shelving. It adjusts vertically in 1" increments and can be specified with 3 1/2"- or 6"-high shelf sides.

Dimensions



Specification Information

Step 1.

R3320.

Step 2. Shelf Height

- 3** 3 1/2"-high shelf
- 6** 6"-high shelf

Prices for Steps 1-2.

R3320. 3	\$70
6	\$93


Step 3. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Resolve® Storage

Ladder Shelf Divider

R3390.




Product Information

Description

This shelf divider attaches to a ladder shelf or add-on ladder shelf to separate or support binders, books, reference materials, and other items. Package contains 6.

Dimensions



Specification Information

Step 1.

R3390. \$260


Step 2. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Resolve® Storage

Back-to-Back Attachment Brackets, Ladder Shelves

R3391.




Product Information

Description

This bracket attaches 2 ladder shelves back to back. 2 brackets are required for each application. Package contains 2.

Dimensions



Specification Information

Step 1.

R3391. \$82


Step 2. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Resolve® Storage

Pole Shelf

R7310.



Resolve® Storage

Product Information

Description


This shelf attaches to a tall or short pole and holds display items, small electronics, and other items. It is available in 2 sizes: the 9"-deep shelf holds 25 pounds; the 13"-deep shelf holds up to 50 pounds. The shelf has a laminate, formcoat™, or veneer finish. Attachment brackets are included.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks. The veneer shelf has a 1/2"-thick, 9-ply Baltic birch core and edge.

Notes

Order optional bud vase (R7421.) separately.

Dimensions



Specification Information

Step 1.

R7310.

Step 2. Depth

09 9" deep

13 13" deep

Step 3. Surface Material

L laminate

T formcoat™

W veneer A

Prices for Steps 1-3.

	L	T	W
R7310. 09	\$189	173	289
13	\$209	189	317

Step 4. Shelf Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Opaque Formcoat™

For formcoat™ (T)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Fleck Formcoat™


For formcoat™ (T)

7F	natural maple fleck	+\$15
7G	light anigre fleck	+\$15
7H	aged cherry fleck	+\$15

Pole Shelf *continued*

Wood Veneer			
<i>For veneer (W)</i>			
		09	13
2U	light brown walnut	+\$25	30
40	dark brown walnut	+\$25	30
ED	aged cherry A	+\$25	30
EK	medium red walnut	+\$25	30
UL	natural maple A	+\$25	30
UX	walnut on cherry	+\$25	30

Step 5. Bracket Finish				
		L	T	W
8Q	folkstone grey	+\$0	0	0
LU	soft white	+\$0	0	0
CN	metallic champagne	+\$0	0	10
EH	metallic bronze	+\$0	0	10
MS	metallic silver	+\$0	0	10



Resolve® Storage

Product Information

Description
 This shelf attaches to the back edge of a work surface and holds binders, books, files, small electronics, and personal items. It is available in 2 sizes: the 18"-wide shelf holds up to 54 pounds; the 30"-wide shelf holds up to 90 pounds. Each shelf has a raised back edge to prevent items from sliding off the back. The shelf has a laminate, formcoat™, or veneer surface finish. Attachment hardware adjusts to fit surfaces 3/4" to 1 1/4" thick. Attachment hardware requires at least 1 1/2" of clearance behind the back edge of the surface.

The formcoat finish is available as opaque or fleck. The opaque finish is nontransparent and has a solid-color appearance; the fleck finish is a nontransparent solid color with tiny flecks. The veneer shelf has a 1/2"-thick, 9-ply Baltic birch core and edge.


Back edge colors are predetermined:

- Laminate shelves have a folkstone grey (8Q) edge, except for WL. Sandstone laminate (WL) has a sandstone (WL) edge.
- Opaque formcoat shelves have a folkstone grey (8Q) edge, except for WL. Sandstone opaque formcoat (WL) has a sandstone (WL) edge.
- Fleck formcoat shelves have a sandstone (WL) edge.
- Veneer shelves have a sandstone (WL) edge.

Notes

Order bookshelf dividers (G7332.) separately; dividers can only be used on formcoat bookshelves (G7314.T).

Dimensions



Specification Information

Step 1.

G7314.

Step 2. Width

18	18" wide
30	30" wide

Step 3. Surface Material

L	laminate
T	formcoat™
W	veneer

Prices for Steps 1-3.

	L	T	W
G7314. 18	\$202	214	320
30	\$235	250	370

Step 4. Shelf Finish

Solid-Color Laminate

For laminate (L)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Opaque Formcoat™

For formcoat™ (T)

8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Fleck Formcoat™

For formcoat™ (T)

7F	natural maple fleck	+\$15
7G	light anigre fleck	+\$15
7H	aged cherry fleck	+\$15

Wood Veneer
 For veneer (W)


		18	30
2U	light brown walnut <input type="checkbox"/> A	+\$25	30
40	dark brown walnut <input type="checkbox"/> A	+\$25	30
ED	aged cherry <input type="checkbox"/> A	+\$25	30
EK	medium red walnut <input type="checkbox"/> A	+\$25	30
UL	natural maple <input type="checkbox"/> A	+\$25	30
UX	walnut on cherry <input type="checkbox"/> A	+\$25	30

Step 5. Bracket Finish

		L	T	W
8Q	folkstone grey	+\$0	0	0
LU	soft white	+\$0	0	0
CN	metallic champagne	+\$0	0	10
EH	metallic bronze	+\$0	0	10
MS	metallic silver	+\$0	0	10

Bookshelf Divider

G7332.



Product Information


Description

This divider fits on a formcoat™ bookshelf and secures binders, books, and other items. Package contains 2.

Notes

Dividers cannot be used on laminate version of bookshelf; use on formcoat version only (G7314.T).

Dimensions



Specification Information

Step 1.

G7332. \$24


Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Storage

Tool Rail

R3610.



Product Information

Description

This tool rail hangs from an upper support arm and rests against the lower support arm. It holds work tools.




Notes

Specify height of tool rail to match height of upper support arm.

Tool rails cannot be located back to back; units must be horizontally offset by 1".

For accessory product applications, the following Compatibility Charts are available electronically for viewing and printing in Kiosk and HermanMiller.com: Keyboard Compatibility Charts, Pencil Drawer Compatibility Charts, and Work Organizer Compatibility Chart.

Dimensions



Resolve® Storage

Specification Information

Step 1.

R3610.

Step 2. Upper Support Arm Height

48	48" upper support arm height	
60	60" upper support arm height	
69	69" upper support arm height	

Prices for Steps 1-2.


R3610. 48		\$170
60		\$237
69		\$300

Step 3. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$15
EH	metallic bronze	+\$15
MS	metallic silver	+\$15

Swivel Tray Set

R3620.





Product Information



Description

This set of storage components attaches to the leg of an input table or equipment table, or to the underside of a work surface, input table, or equipment table. It includes a 9" diameter café tray, pencil tray, and storage tray. The trays swivel to accommodate various work needs and swivel under the table or work surface for storage. Attachment hardware is included.

Dimensions



Input Table Leg Attachment



Underside of Work Surface or Input Table Attachment

Resolve® Storage

Resolve® Storage

Specification Information

Step 1.

R3620.

Step 2. Attachment

- 1 input table leg attachment
- 2 underside of work surface attachment

Prices for Steps 1-2.


R3620. 1	\$131
2	\$131

Step 3. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Coat Hook

R7420.




Product Information

Description

This hook attaches to a tall or short pole and holds coats, hats, and umbrellas. Package contains 6.

Dimensions



Specification Information

Step 1.

R7420. \$66


Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Storage

Bud Vase

R7421.




Product Information

Description

This vase attaches to a tall or short pole, bookshelf, or pole shelf. It is clear plastic and is top-shelf dishwasher safe. Package contains 6. Attachment bracket is included.

Dimensions



Resolve® Display Components


Specification Information

Step 1.

R7421. \$181

Step 2. Bracket Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Product Information


Description

This 6"-diameter disk attaches to a tall, short, or in-line pole and provides workstation identification or displays messages on 1 side. Package contains 6 disks and 12 perforated sheets to create your own signage.

Notes

Additional perforated sheets for creating signage are available through Sales Source.

Dimensions



Specification Information

Step 1.


R7422. \$181

Step 2. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Marker Board

R7424.



Product Information


Description

This 24" high x 24" wide double-sided marker board attaches to a tall or short pole. It has a white erasable writing surface and a tray along the bottom of each side for markers and erasers. The marker board swivels for proper positioning.

Notes

Markers and erasers are not included.

Dimensions



Specification Information

Step 1.

R7424.2424 \$390

Step 2. Bracket Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0


Step 3. Tray/Trim Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Display Components

Flag Arm

R7423.



Product Information

Description


This 1"-diameter arm attaches to a tall pole and holds a flag. Attachment hardware is included.

Notes

Order flag separately:

- Flag (R7100.)
- Flag with DOT® (R7101.)

Dimensions



Specification Information

Step 1.

R7423. \$162

Step 2. Arm Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0


Step 3. Cap Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Display Components

Flag

R7100.



Product Information

Description

This fabric flag hangs on a flag arm. It is 35" wide x 75" long and includes a weight in the bottom hem. Attachment hardware is included.

Notes

Order flag arm (R7423.) separately.

Flag accepts Customer's Own Material (COM). For nondirectional fabrics, order minimum of 2 $\frac{1}{4}$ yards. For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

R7100.3575

\$150

Step 2. Fabric


See application chart and textiles list for fabric usage and numbers.


First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1

+\$0

Resolve® Display Components





Product Information

Description

This imaged flag hangs on a flag arm. It is 35" wide x 75" long and includes a weight in the bottom hem. Attachment hardware is included.

Notes


Order flag arm (R7423.) separately.

For list of DOT images, see Order Information for DOT and COI in Appendices.

For Customer's Own Image (COI), see the following:

- For information, contact Herman Miller COM Department at (888) 443-4357.
- For design specifications and order information, see HermanMiller.com or Kiosk.
- For order information, see Order Information for DOT and COI in Appendices.
- Process order through Vary Easy. See Vary Easy® Program in Appendices.
- \$28 charge for upgrading from DOT to COI.

Dimensions



Specification Information


Step 1.
R7101.3575 \$475

Step 2. Fabric
See DOT® collection list for fabric numbers. First 2 digits of number indicate fabric line; remaining digits indicate image.
Price Category 1 +\$0

Resolve® Display Components

Picture Holder

R7410.



Product Information


Description

This holder attaches to a display screen. It has 1 sleeve that holds two 5" x 7" pictures or photographs weighing up to 3 pounds. The holder has locators for easy attachment to and removal from the bubbletack™ display screen. Finish is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions



Specification Information


Step 1.

R7410.

\$338

Ledge

R7411.



Product Information


Description

This 1"-deep ledge attaches to a display screen and holds disks, CDs, small note pads, pictures, and other lightweight items weighing up to 3 pounds. It has locators for easy attachment to and removal from the bubbletack™ display screen. The ledge is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions



Specification Information


Step 1.

R7411.

\$332

Document Holder

R7412.



Product Information


Description

This holder attaches to a display screen and holds lightweight papers and folders weighing up to 3 pounds. It has locators for easy attachment to and removal from the bubbletack™ display screen. The holder is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions



Specification Information


Step 1.

R7412.

\$338

Mirror

R7413.




Product Information

Description
This 6"-diameter mirror attaches to a display screen. It has locators for easy attachment to and removal from the bubbletack™ display screen. Frame is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions




Specification Information

Step 1.
R7413. \$290

Resolve® Display Components

Utility Hook

R7414.



Product Information


Description

This hook attaches to a display screen and holds lightweight items like keys, headphones, or ID tags weighing up to 1 pound. It has 1 locator for easy attachment to and removal from the bubbletack™ display screen. The hook is translucent acrylic. Package contains 6.

Notes

Order display screen (R1420.) separately.

Dimensions



Specification Information


Step 1.

R7414.

\$284

Support Arm Task Light

R6140.
R6141.



Product Information


Description

This light mounts on an upper support arm and provides overhead task lighting to 1 side of a boomerang™ work surface. The light has a rapid-start shielded electronic ballast, T5 fluorescent lamp with a 3500° Kelvin color temperature, and 9' cord. The light cord and switch are located on the right side. The lamp has a refractive Holophane™ lens and the lamp's housing tilts from a level position to 45° backward. The 30"-wide light has a 14-watt lamp; the 42"-wide light has a 21-watt lamp. It is UL listed and UL Canada listed. Mounting hardware and 2 cord management clips are included.

Notes

42"-wide lights cannot be used back to back on 48"-long support arm.

Dimensions



Specification Information

Step 1.

R614

Step 2. Code Requirements

- 0. meets local codes including Canada and New York City
- 1. meets Chicago codes

Step 3. Width

- 30 30" wide
- 42 42" wide

Prices for Steps 1-3.

R6140. 30	\$604
42	\$644


R6141. 30	\$707
42	\$754

Step 4. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Truss Light

R6210.
R6211.



Product Information

Description

This light attaches to a truss and provides indirect/direct overhead lighting. It has a rapid-start shielded electronic ballast; 39-watt, T5 high-output fluorescent lamp with a 3500° Kelvin color temperature; white reflector; and 9' cord. The light rotates up to 35°. Perforations on the bottom of the light's housing provide accent lighting to the area below. It is UL listed and UL Canada listed. Mounting hardware and 3 cord management clips are included.


Notes

Truss light attachment information:

- Mount light at least 18" away from ceiling
- Fixed truss: mount 81" to 97" from floor
- Sliding truss: mount 89" to 105" from floor
- Light has a 16" height-adjustment range once mounted

To attach truss light to 96", 108", or 120"-long fixed truss or any length sliding truss, order truss light attachment brackets (R6290.) separately. For additional information, see Resolve Planning Guide.

Dimensions



Specification Information

Step 1.

R621

Step 2. Code Requirements

- 0.** meets local codes including Canada and New York City
- 1.** meets Chicago codes

Prices for Steps 1-2.


R6210.	\$724
R6211.	\$838

Step 3. Finish

8Q	folkstone grey	+\$0
LU	soft white	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Resolve® Lighting

Truss Light Attachment Brackets R6290.



Product Information

Description
This bracket mounts a truss light onto a 96", 108", or 120"-long fixed truss or any length sliding truss. Package includes 1 pair to mount 1 light. Attachment hardware is included.

Notes


Order truss light (G6210.) separately.

Dimensions

Specification Information


Step 1.
R6290. \$141

Resolve® Lighting



Pole Lamp

R6310.
R6311.



Product Information

Description

This lamp mounts on top of a short pole and provides indirect lighting. It has an energy-efficient 13-watt compact fluorescent lamp with a 3000° Kelvin color temperature. The lamp has an on/off switch in the base, a 9' electrical cord, a 120-volt magnetic ballast with a disconnect plug next to the ballast, and a white lampshade. The lamp replaces the top cap on the short pole. It is UL listed and UL Canada listed. Attachment hardware is included.

Notes

Lamp has a .3-amp draw.


Lamp for Chicago codes (R6311.) has a reset, circuit-breaker plug.

To manage cords down face of short pole, order 1 of the following separately:

- Cable cover (R1361.)
- Cable management clips (R1362.)

When using lamp on nonpowered short pole, order nonpowered power/data channel (R1351.) separately to route cable to adjacent powered pole.

Dimensions



Specification Information

Step 1.

R631

Step 2. Code Requirements

- 0.** meets local codes including New York City
- 1.** meets Chicago codes

Prices for Steps 1-2.

R6310.	\$584
R6311.	\$578

Step 3. Post Finish

8Q	folkstone grey	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0


Step 4. Top Cap Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Resolve® Lighting

Pole Accent Light

R6314.
R6315.



Product Information

Description


This vertical light attaches to the face of a tall or short pole and provides accent lighting, signage, or way finding. It has a shielded magnetic ballast, 32-watt T8 fluorescent lamp, top cap, and 9' cord. The light's switch is located on the top cap; the cord exits at the bottom. The outside clear sleeve is shipped with a white film diffuser. The clear sleeve can accept an insert for signage or to display images. It is UL listed and UL Canada listed. Mounting hardware is included.

Notes

Light cannot be used with 48"-high short pole.

For signage or image for insert, contact a third-party graphic services resource.

Dimensions



Specification Information

Step 1.

R631

Step 2. Code Requirements

- 4. meets local codes including Canada and New York City
- 5. meets Chicago codes

Prices for Steps 1-2.

R6314.	\$396
R6315.	\$490

Step 3. Finish

3G	brownstone	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Index by Product Name

Resolve® System	
	page(s)
Acoustical Insert	43
Add-On Ladder Shelf	83
Arm Attachment Bracket, Cabinet	79
Back-to-Back Attachment Bracket, Cabinets	77
Back-to-Back Attachment Brackets, Ladder Shelves	85
Bookshelf	88
Bookshelf Divider	90
Boomerang™ Work Surface	54
Boundary Screen	37
Boundary Screen with DOT®	39
Bud Vase	96
Cabinet Drawer	76
Cabinet File Frame	75
Cabinet Shelf	74
Cabinet, Arm Attached	71
Cabinet, Pole Attached	69
Cable Bag	35
Cable Cover	33
Cable Management Clip	34
Cable Manager	67
Canopy	51
Ceiling Power/Data Entry	15
Ceiling Power/Data Entry, New York City	18
Coat Hook	95
Communication Port Faceplate Extender	36
Cord Holder	68
Data Faceplate Housing	32
Display Screen	41
Document Holder	105
DOT® for Canopy	52
DOT® for Rolling Screen	49
Duplex Receptacle	30
Equipment Table	65
Extended Boomerang™ Work Surface	56
Fixed Truss	12
Flag	100
Flag Arm	99
Flag with DOT®	101
Floor/Wall Power Entry	14
Floor/Wall Power Entry, New York City	17
Freestanding Boomerang™ Work Surface	59
Freestanding Extended Boomerang™ Work Surface	61
In-Line Pole	9
Input Table	63
Ladder Shelf	81

Ladder Shelf Divider	84
Ledge	104
Marker Board	98
Marker Screen	44
Mirror	106
Nesting Rolling Screen	47
Picture Holder	103
Pole Accent Light	112
Pole Attachment Bracket, Cabinet	78
Pole Lamp	111
Pole Shelf	86
Power Block	29
Power Entry Plate	20
Power Harness, Short Pole	28
Power Harness, Tall Pole	27
Power Jumper Conversion Kit, Fixed Truss	25
Power Jumper Conversion Kit, Power/Data Channel	23
Power Jumper Conversion Kit, Sliding Truss	26
Power Pass-Through Bracket	24
Power/Data Channel	22
Receptacle Box/Cover	21
Replacement Fabric for Canopy	53
Replacement Fabric for Rolling Screen	50
Rolling Screen	45
Seismic Clip	10
Short Pole	7
Signage	97
Simplex Receptacle	31
Sliding Truss	13
Support Arm Task Light	108
Support Arms	11
Swivel Tray Set	93
Tall Pole	5
Tool Rail	91
Truss Light	109
Truss Light Attachment Brackets	110
Utility Hook	107
Work Surface Bracket	58

Index by Product Number

G1189. Communication Port Faceplate Extender	page(s) 36	R2104. Extended Boomerang™ Work Surface	56
G7314. Bookshelf	88	R2105.	
G7332. Bookshelf Divider	90	R2190. Work Surface Bracket	58
R1110. Tall Pole	5	R2600. Input Table	63
R1120. Short Pole	7	R2650. Freestanding Boomerang™ Work Surface	59
R1140. In-Line Pole	9	R2654. Freestanding Extended Boomerang™ Work Surface	61
R1190. Seismic Clip	10	R2655.	
R1210. Support Arms	11	R2720. Equipment Table	65
R1220. Fixed Truss	12	R3211. Cabinet, Pole Attached	69
R1230. Sliding Truss	13	R3221. Cabinet, Arm Attached	71
R1311. Duplex Receptacle	30	R3222.	
R1312. Simplex Receptacle	31	R3230. Cabinet Shelf	74
R1313. Receptacle Box/Cover	21	R3231. Cabinet File Frame	75
R1320. Floor/Wall Power Entry	14	R3232. Cabinet Drawer	76
R1321. Floor/Wall Power Entry, New York City	17	R3291. Back-to-Back Attachment Bracket, Cabinets	77
R1325. Power Entry Plate	20	R3293. Pole Attachment Bracket, Cabinet	78
R1331. Ceiling Power/Data Entry, New York City	18	R3294. Arm Attachment Bracket, Cabinet	79
R1332. Ceiling Power/Data Entry	15	R3312. Ladder Shelf	81
R1341. Power Jumper Conversion Kit, Power/Data Channel	23	R3320. Add-On Ladder Shelf	83
R1345. Power Jumper Conversion Kit, Fixed Truss	25	R3390. Ladder Shelf Divider	84
R1346. Power Jumper Conversion Kit, Sliding Truss	26	R3391. Back-to-Back Attachment Brackets, Ladder Shelves	85
R1351. Power/Data Channel	22	R3610. Tool Rail	91
R1352. Power Pass-Through Bracket	24	R3620. Swivel Tray Set	93
R1360. Data Faceplate Housing	32	R6140. Support Arm Task Light	108
R1361. Cable Cover	33	R6141.	
R1362. Cable Management Clip	34	R6210. Truss Light	109
R1364. Cable Manager	67	R6211.	
R1365. Cable Bag	35	R6290. Truss Light Attachment Brackets	110
R1366. Cord Holder	68	R6310. Pole Lamp	111
R1380. Power Harness, Tall Pole	27	R6311.	
R1381. Power Harness, Short Pole	28	R6314. Pole Accent Light	112
R1382. Power Block	29	R6315.	
R1410. Boundary Screen	37	R7100. Flag	100
R1411. Boundary Screen with DOT®	39	R7101. Flag with DOT®	101
R1412. Acoustical Insert	43	R7310. Pole Shelf	86
R1420. Display Screen	41	R7410. Picture Holder	103
R1430. Canopy	51	R7411. Ledge	104
R1431. DOT® for Canopy	52	R7412. Document Holder	105
R1432. Replacement Fabric for Canopy	53	R7413. Mirror	106
R1441. Rolling Screen	45	R7414. Utility Hook	107
R1442. Nesting Rolling Screen	47	R7420. Coat Hook	95
R1443. DOT® for Rolling Screen	49	R7421. Bud Vase	96
R1444. Replacement Fabric for Rolling Screen	50	R7422. Signage	97
R1450. Marker Screen	44	R7423. Flag Arm	99
R2100. Boomerang™ Work Surface	54	R7424. Marker Board	98



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon **A** will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an **A** are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Air Quality and Packaging Information — Resolve® System

Air Quality

The Resolve product line was tested for its indoor air quality emissions according to test protocol defined by the United States Environmental Protection Agency (USEPA). The Resolve workstation qualified as low-emitting and is considered an environmentally preferred product. The test method meets the requirements of ASTM Standard D5116, the State of Washington's IAQ Specification of January 1994, and the USEPA's Emissions Testing Requirements for Furniture Procurement, 1996.

For further information, contact the Herman Miller, Inc. Codes and Standards Department.

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.



Keyed-Alike Information

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, Passage®, Prospects®, Quadrant®, Resolve®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number. Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

- A3013.
- A3053.
- G5180.
- G5181.
- G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Herman Miller My Studio Environments™, Teneo® Storage Furniture, Tu® Filing and Storage, Canvas Office Landscape®, 5000 Series, and Meridian® Filing and Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For My Studio Environments closet and Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series
KA	1B2JK7-XXX ¹	chrome	UM series 226 - 427

For Canvas Metal Storage, Meridian Filing and Storage, Tu Filing and Storage, and Herman Miller 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226 - 427
KA	1B2JKP-XXX ²	black	BT series 1 - 165
KA	1B2JK7-XXX ¹	chrome	UM series 226 - 427
KA	1B2JK6-XXX ²	chrome	BT series 1 - 165

For Teneo Storage Furniture and 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226 - 427
KA	1B2JKP-XXX ²	black	BT series 1 - 165
KQ	1B2JK7-XXX ¹	chrome	UM series 226 - 427
KQ	1B2JK6-XXX ²	chrome	BT series 1 - 165

Key Number:

XXX¹ = a key number between 226 and 427 (excluding 408 and 412)

XXX² = a key number between 1 and 165

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

Fire Retardancy for Resolve Products

The products listed below, when covered with the textiles identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2009 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with energy distribution components (listed by UL under Office Furnishings 1286).

Product	Textile
Boundary Screen	Multiscrim™
	DOT® Collection
Display Screen	Bubbletack™

The fabrics listed below, when used on the products identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2009 Life Safety Code No. 101.

Product	Textile
Rolling Screen	Multiscrim and Scrim Trim
	DOT Collection
Canopy	Multiscrim and Scrim?Trim
	DOT Collection
Flag	Multiscrim
	DOT Collection

Stain-to-Match Program

Custom Stain-to-Match Program

Program Overview

The Stain-to-Match Program gives you the option of using veneer finishes other than those listed. Herman Miller will match a customer's recut or natural veneer sample. This increases the capability of matching an existing finish or creating a finish that is unique to an installation.

Currently, stain-to-match is offered on the following veneers:

- STA: Stain-to-match on Recut Ash
- STB: Stain-to-match on Beech
- STC: Stain-to-match on Cherry
- STD: Stain-to-match on Oak
- STK: Stain-to-match on Reltech Anigre
- STM: Stain-to-match on Recut Mahogany
- STP: Stain-to-match on Maple
- STU: Stain-to-match on Walnut

Stain-to-Match Process

1. Identify the product line that will be specified with a stain-to-match veneer finish. *Note: Passage® products require a wood sample that includes the wood composite edge.*
 2. Send a color sample (2" x 3" minimum) to Herman Miller Options® at:
 - Herman Miller, Inc.
 - 855 East Main Avenue
 - Attn: Options MS 0161
 - Zeeland, MI 49464-0302
 3. Within 7 to 10 working days, Herman Miller Options provides a stain on Herman Miller veneer to match the requested color and returns one sample to the requester for the customer's signed approval.
 4. If the sample meets the client's approval, have them sign the back of the sample and fax a copy of the signature to (616) 654 8241.
 5. After the stain has been approved, a stain number is assigned. The assigned stain number must be included in the purchase order.
- Contact Herman Miller Options at (800) 654 3910 with any questions.

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Kiosk lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 EXT 3400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from InterfaceFabric, C.F. Stinson, Jhane Barnes Textiles, Knoll Textiles, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

COM Testing Guidelines

Herman Miller uses an automated process to cut the fabric for use on the Resolve® Boundary Screens (R1410.). To determine whether COM textiles will withstand this, we must subject them to the cutting process. In addition, since the design of the Resolve Boundary Screen is highly demanding with regard to the physical properties of the fabric used, the COM must pass our fabric qualification tests before it is approved. *Note: Within the Resolve product line, COM may be applied only to the Boundary Screens and flags.*

Test Prioritization, Response Time, and Capacity Limits

- pending orders will receive priority over general submittals for COM approval
- customers are to be notified of test results within 10 business days
- COM testing has a capacity of 10 fabrics per week; if the number of requests exceeds this capacity, lead time for notification of test results may be extended beyond the normal 10 business days

Test Sample Specifications

- sample must be a minimum of 14 yards of **machine rolled** fabric that represents the width and tension the fabric will have when coming directly from the manufacturer
- roll must have as little damage as possible: a damaged roll can increase the likelihood of a fabric not passing the testing process
- “telescoping”— the degree to which the fabric creeps down the roll, creating a telescope look – is not to exceed one half inch
- linear patterns (defined as a fabric that requires alignment across the screen) are not recommended and alignment of the pattern will not be guaranteed

Include with the Sample Roll

- 12-inch memo sample from the fabric supplier
- material content specifications for process safety reasons

Customer's Own Material Order Information — Resolve® System

continued

Fabric Parameters

The following known parameters automatically disqualify COM fabrics from use on Boundary Screens:

- vinyl content
- greater than 20 percent nylon content
- rayon and nylon blends
- greater than 10 percent wool content

Note: When combining standard Herman Miller Boundary Screens with COM Boundary Screens, it is suggested that the COM screens be placed back-to-back with another Resolve screen of the same size. This hides a one-sided fabric or a larger fold near the stitching. This is not necessary when the back of the screen is hidden by architecture or other objects.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile is not listed in Kiosk, obtain a test number from a COM representative at (616) 654 3400 or (866) 854-3048 EXT3400. You can also submit your request within Kiosk. Please have the following information ready before calling: textile name, number, pattern, roll width, and the product you will apply it to.
3. Herman Miller will notify you of approval or disapproval within 10 business days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
2. If your textile is not listed in Kiosk, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.

Note: Yardage requirements are based on nondirectional, 60"-wide textiles. See the boundary screen product information for yardage requirements for each height. 3 additional yards of textile are required per order when applying COM to boundary screens (required for lead-in material used in application process).

Example: When ordering 20 60"-high boundary screens with COM, order 30 yards COM + 3 additional yards = 33 yards COM for application on 20 boundary screens.

3. Enter your order on Order Manager in Kiosk.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Kiosk for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854-3048 EXT3400.

Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Customer's Own Material Order Information — Resolve® System

continued

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from InterfaceFabric, C.F. Stinson, Jhane Barnes Textiles, Knoll Textiles, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Kiosk lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 EXT 3400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Refer to Kiosk to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
2. Herman Miller will notify you of approval or disapproval in approximately 10 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
2. Enter your order on Order Manager in Kiosk.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.



Design on Textile (DOT™) and Customer's Own Image (COI) Order Information

Design on Textile and Customer's Own Image

Program Overview

The Design on Textile (DOT) program gives you the option of selecting unique images from various designers and having the images digitally printed on a textile, or creating new designs through Customer's Own Image (COI). The program is available for Resolve® components only: boundary screens, rolling screens, canopies, and flags. Herman Miller will process orders only for images within the DOT Collection.

A complete documentation of the collection images and examples of COI design applications is available through your Herman Miller dealer or salesperson, the DOT brochure, HermanMiller.com, or Kiosk. The DOT Collection in the appendices has a list of images, their order numbers, and specification notes.

Specific information on the terms and conditions, warranties, and order processes for DOT is listed below.

Textile

The textile is 100% polyester. The base fabric color is white. Canopy and rolling screen products have a pearl grey (8C02) edge banding. Images are not applied to Resolve standard-colored fabrics.

Warranty

Herman Miller warrants the base textile for a period of one year. DOT textiles are not warranted for color consistency. Consistency will be maintained within commercial tolerance, UV stability, and resistance to soiling.

Visual color range is determined by multiple factors including lighting, application process, and image files.

Application Note

Herman Miller does not guarantee that images will be positioned the same across multiple screens, canopies, or flags. We also do not guarantee that patterns will align from one boundary screen to the next.

Material Pricing

DOT is a Category 1 fabric. COI has an upcharge. Pricing of DOT Resolve products and COI upcharges are listed with each product.

Customer's Own Images (COI)

For COI information, contact the Herman Miller COM Department at (866) 854 3048 EXT 3400. COI design specifications and ordering information can be found on HermanMiller.com or Kiosk. Orders are processed through Vary Easy®. See Vary Easy Program in Appendices.



Design on Textile (DOT™) Collection

Price Category 1

Boundary Screen DOT - Nature Collection	
100% polyester	
9GA1	Field Caramel
9GA2	Field Kiwi
9GA3	Field Blue
9GA4	Field Bronze
9GAY	Field Warm
9GAZ	Field Cool
9GA0	Water Blue
9GA5	Water Warm
9GA6	Water Cool
9GA7	Water Caramel
9GA8	Water Olive
9GA9	Water Spa
9GAA	Shadow Warm
9GAB	Shadow Cool
9GAC	Shadow Caramel
9GAD	Shadow Kiwi
9GAE	Shadow Spa
9GAF	Shadow Blue
9GAG	Shadow Purple
9GAH	Stems Warm
9GAJ	Stems Cool
9GAK	Stems Olive
9GAL	Stems Spa
9GAM	Stems Blue
9GAN	Sea Plant White
9GAP	Sea Plant Warm
9GAR	Sea Plant Cool
9GAS	Sea Plant Caramel
9GAT	Sea Plant Olive
9GAU	Sea Plant Spa
9GAV	Sea Plant Blue

9GAW	Sea Plant Purple
9GAX	Sea Plant Bronze
9GB1	Branch Warm Left
9GB2	Branch Warm Right
9GB3	Branch Cool Left
9GB4	Branch Cool Right
9GB5	Branch Kiwi Left
9GB6	Branch Kiwi Right
9GB7	Branch Spa Left
9GB8	Branch Spa Right
9GBA	Strawflower Warm
9GBB	Strawflower Cool
9GBC	Seascape Warm Left
9GBD	Seascape Warm Right
9GBE	Seascape Cool Left
9GBF	Seascape Cool Right
9GBG	Fossil Warm
9GBH	Fossil Cool
9GBJ	Fossil Caramel
9GBK	Fossil Kiwi
9GBL	Fossil Spa
9GBM	Fossil Blue
9GBN	Fossil Bronze
9GBP	Canal Warm Left
9GBR	Canal Warm Right
9GBS	Canal Cool Left
9GBT	Canal Cool Right
9GBU	Canal Blue Left
9GBV	Canal Blue Right
9GBW	Trees Warm Left
9GBX	Trees Warm Right
9GBY	Trees Cool Left
9GBZ	Trees Cool Right

Boundary Screen DOT	
100% polyester	
9GB0	Girard International Love Heart
9GB9	Girard Daisy Face
9GCA	Girard Old Sun
9GCB	Girard Palace
9GCC	Girard Black & White
9GDA	Ocean Series A
9GDB	Ocean Series B
9GDC	Ocean Series C
9GDD	Ocean Series D
9GDE	Ocean Series E
9GDF	Waterlines Series F
9GDG	Waterlines Series G
9GDH	Waterlines Series H
9GDJ	Reflections Series J
9GDK	Reflections Series K
9GDM	Reflections Series M
9GDP	Reflections Series P
9GE1	Orange Series 1
9GE2	Orange Series 2
9GE3	Orange Series 3
9GEA	Waffle Series A
9GEB	Waffle Series B
9GEC	Waffle Series C
9GH1	Red Sherbet 1
9GH2	Green Sherbet 2
9GH3	Blue Sherbet 3
9GHA	Green Swirl A
9GHB	Red Swirl B
9GHC	Blue Swirl C
9GHD	Suds D
9GHE	Hexagons E
9GHF	Seedburst F
9GHG	Pond View G
9GHH	Refractions H

9GHJ	Fronds J
9GHK	Dandelion K
9GHM	Pods M
9GHR	Workday 1 R
9GHS	Workday 2 S
9GHT	Workday 3 T
9GHU	Tulips U
9GHV	E-Smile V
9GHW	Brackets W
9GHX	Asterisk X
9GHZ	Address Z
9GJ1	Mosaic Series 1
9GJ2	Mosaic Series 2
9GJ3	Mosaic Series 3
9GJ4	Mosaic Series 4
9GJ5	Mosaic Series 5
9GJ6	Mosaic Series 6
9GJ7	Mosaic Series 7
9GJA	Dunes Series A
9GJB	Dunes Series B
9GJC	Dunes Series C
9GJD	Dunes Series D
9GJE	Dunes Series E
9GJF	Dunes Series F
9GJG	Dunes Series G
9GJH	Dunes Series H
9GJJ	Dunes Series J
9GJK	Dunes Series K
9GJM	Dunes Series M
9GM1	Peering Series 1
9GM2	Peering Series 2
9GM3	Peering Series 3
9GMA	Hatch Series A
9GMB	Hatch Series B
9GMC	Hatch Series C
9GMD	Hatch Series D
9GME	Hatch Series E
9GMF	Hatch Series F
9GMG	Hatch Series G
9GMH	Hatch Series H
9GMJ	Hatch Series J
9GMK	Hatch Series K

Design on Textile (DOT™)Collection

continued

Price Category 1

continued

Appendix: Design on Textile (DOT™) Collection

Canopy DOT	
100% polyester	
9JDA	Waterlines Series A
9JDB	Reflections Series B
9JE1	Orange Series 1
9JEA	Waffle Series A
9JEB	Waffle Series B
9JH1	Day Sky 1
9JH2	Petals 2
9JH3	Green Sherbet 3
9JH4	Blue Sherbet 4
9JH5	Red Sherbet 5
9JJ1	Mosaic Series 1
9JJ2	Mosaic Series 2
9JJ3	Mosaic Series 3
9JJA	Dunes Series A
9JM1	Peering Series 1
9JMA	Hatch Series A
9JMB	Hatch Series B

Flag DOT	
100% polyester	
9KB0	Girard International Love Heart
9KB9	Girard Daisy Face
9KCA	Girard Old Sun
9KCB	Girard Palace
9KCC	Girard Black & White
9KDA	Waterlines Series A
9KDB	Reflections Series B
9KE1	Orange Series 1
9KE2	Orange Series 2
9KEA	Waffle Series A
9KH1	N-Scape 1
9KH2	S-Scape 2
9KH3	E-Scape 3
9KH4	W-Scape 4
9KJ1	Mosaic Series 1
9KJ2	Mosaic Series 2
9KJA	Dunes Series A
9KM1	Peering Series 1
9KMA	Hatch Series A
9KMB	Hatch Series B

Rolling Screen DOT	
100% polyester	
9HDA	Reflections Series A
9HDB	Waterlines Series B
9HE1	Orange Series 1
9HE2	Orange Series 2
9HEA	Waffle Series A
9HEB	Waffle Series B
9HH1	Blue Sherbet 1
9HH2	Green Sherbet 2
9HH3	Red Sherbet 3
9HJ1	Mosaic Series 1
9HJ2	Mosaic Series 2
9HJA	Dunes Series A
9HM1	Peering Series 1
9HMA	Hatch Series A
9HMB	Hatch Series B

Notes regarding DOT images:

- To view DOT images and cropping guides, see the DOT brochure or HermanMiller.com.
- 69" x 60" screens will display the full DOT image. Smaller screens, canopies, and flags will display a percentage of the full image based on the size chosen. The cropped versions retain the essence of the full image for most applications, but images should be reviewed in their specified size to assure customers are satisfied.
- All images are cropped from the center/bottom except those noted:
 - 9GHR, 9GHS, and 9GHT have the bottom gray ban removed and are cropped from the center/top.
 - 9GMH is cropped from the center/top.
 - 9GJG is cropped from the upper/left.
 - 9GJH is cropped from the lower/left.
 - 9GJK is cropped from the lower/right.
 - 9GJM is cropped from the upper/right.
- DOT name and images are protected under trademark and copyright laws.
- Copyright in the artwork presented is owned by Herman Miller, Inc., and/or the artist/photographer or other copyright owner. All rights reserved.

Proprietary Textiles Application Chart – Workspaces

• Available

A Assigned lead-time textile.

See page 3 for exception notes.

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Flipper Doors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Flipper Doors	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Standing Screen	Canvas B-/E-Style Flipper Doors	Canvas Signature Screen	Canvas Tackboards	Locale™ Screens	Public Office Landscape™ Screens	My Studio Environments™ Cladding/Message Board	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Intersect® Screens	Passage® Flipper Doors	Passage Screens	5000 Series Flipper Doors	5000 Series Tackboards	Seating	
Price Category 1																								
COM Customer's Own Material A	1	1	1	1	1		1	1	1	•				1	1			1	3	15	3	3	1	
8A__ Bubbletack™																•								
2V__ Chain								22											•	3		3	3	
8T__ Crossing (85__)	2	2	2	•	•		•	•	2		•	•	•						•	3	15	3	3	18
95__ Gem	2	2	2	•	•		•	•	2		•								•	3	15	3	3	•
2I__ Grasscloth																								
8B__ Multiscrim™						•									•				•	3	15	3	3	
5T__ Resonance															•				•	3	15	3	3	
8C__ Scrim Trim																		•						
2M__ Silkworm																			•	3	15	3	3	
22F__ Slant	6																		•	3	15	3	3	
2Z__ Slideshow		2							2											3	15	3	3	•
Price Category 2																								
1CD__ Code																			•					
3P__ ColorGuard		2																						•
51__ Cord																			•	3	15	3	3	
92__ Crepe	2																		•	3	15	3	3	•
57__ Frost																			•	3	15	3	3	
84__ Grosgrain	4																		•	3	15	3	3	
4N__ Horizon	2	2	2	•	•		•	•	•		•								•			3	3	
1LM__ Loom	2	2	2	•	•		•	•	•		•								•					•
1HA__ Medley	2	2	2	•	•		•	•	•		•								•					•
3A__ Moiré		2	2	•	•		•	22	2		•									3	16	3	3	•
8V__ Railroad		2	2	•			•		2										•	3	15	3	3	•
43__ Tape																								
8R__ Twist (5S__)	5	2	2	•	•		•	•	2		•	•	•						•	3	15	3	3	18
Price Category 3																								
70__ Bento	2	2	2	•					2		•								•	3		3	3	•
1FA__ Circuit		2	2	•	•		•	•	2		•								•	3	15	3	3	•
8S__ Coil	2	2	2	•	•		•	•	•										•	3	15	3	3	•
1FB__ Connection																			•	3	15	3	3	
1FC__ Current																			•	3	15	3	3	
8Z__ Glaze																			•	3	15	3	3	
47__ Ground Cloth®												•	•	•					•	3	15	3	3	
5D__ Kira 2	2	2	2	•	•		•	•	2		•				14				•			3	3	
8L__ Savannah		20													14									
67__ Soba	4																		•	3	15	3	3	
8U__ Stitches (5Z__)	2	2	2	•					2		•								•	3	15	3	3	18
8W__ Strands																			•	3	15	3	3	
68__ Udon	4																		•	3	15	3	3	

continued on next page

Proprietary Textiles Application Chart – Workspaces

continued

	Action Office® Panels/Connectors	Action Office/Ethospace® B-Style Flipper Doors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Flipper Doors	Ethospace Tiles/Connectors	Ethospace Attaching Screens	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Standing Screen	Canvas B-/E-Style Flipper Doors	Canvas Signature Screen	Canvas Tackboards	Locale™ Screens	Public Office Landscape™ Screens	My Studio Environments™ Cladding/Message Board	Resolve® Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Intersect® Screens	Passage® Flipper Doors	Passage Screens	5000 Series Flipper Doors	5000 Series Tackboards	Seating
Price Category 4																							
2W_ _ Gleam	•	•	•	•	•		•	•	•	•								•			3		
2X_ _ Glisten	•	•	•	•	•		•	•	•	•								•	3	15	3	3	
2Y_ _ Gloss	4				24		•			•								•			3	3	
22L_ _ Loft A		2	2	•	•		•	•	2	•	•	•						•	3	15	3	3	
6S_ _ Quilty	2	2	2	•	•		•	•	2									•	3	15	3	3	•
63_ _ Sironetta	•	•	•	•	•		•	•	•	•								•	3	15	3	3	
Price Category 5																							
14A_ _ Hopsak	2	2	2	•	•		•	2		•								•	3	15			•
97_ _ Hue										•													
Price Category 6																							
No fabrics available at this time.																							

- 1 Refer to price book appendices and Kiosk for COM information.
- 2 Available on all products except 54" and 60" wide.
- 3 Fabric is railroaded for all widths.
- 4 Not available on Action Office (AO) acoustical panels.
- 5 (8R_ _), (8T_ _), (85_ _), and (5S_ _) not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO) connectors, cable management, and spacers.
- 14 Not available on Resolve flags.
- 15 Fabric is railroaded for all widths, except on Passage full-height screens.
- 16 Not available on Passage full-height screens. Fabric is railroaded for all widths.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors – Seating" appendix.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain (2Voo) and Moiré (3Aoo).
- 24 Not available on Ethospace cable access tile, cable channel tile, or beltline face tile.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Proprietary Textile Colors – Workspaces

Price Category 1

Customer's Own Material
See Order Information in Appendices. Assigned lead-time textile. [A](#)

Bubbletack™
100% polyester

- 8A01 Seashell White
- 8A02 Pearl Grey
- 8A05 Dune Beige
- 8A07 Pebble Beige
- 8A09 Olive Green
- 8A13 Slate Purple
- 8A19 Spa Blue
- 8A24 Sable Grey
- 8A27 Summer White
- 8A28 Moth Grey
- 8A29 Tea Leaf Grey
- 8A30 Blue Grey
- 8A31 Dusty Bronze
- 8A32 Slate Blue
- 8A33 Caramel Beige
- 8A34 Kiwi Green

Chain
66" wide
100% recycled polyester

- 2V01 Pearl
- 2V02 Oyster
- 2V03 Wheat
- 2V04 Linen
- 2V05 Wicker
- 2V06 Bamboo
- 2V07 Sage
- 2V08 Spring Wood
- 2V09 Iceberg

Crossing
54" wide
86% antimony-free polyester
14% polyester

- 8T03 Wicker
- 8T04 Porcelain
- 8T05 Warm Grey
- 8T06 Sepia
- 8T07 Pumpkin
- 8T08 Copper
- 8T09 Cranberry
- 8T10 Tomato
- 8T11 Mulberry
- 8T12 Plum
- 8T13 Green Apple
- 8T14 Loden
- 8T15 Spruce
- 8T16 Periwinkle
- 8T17 Cerulean
- 8T18 Indigo
- 8T19 Shale
- 8T20 Brownstone
- 8T21 Bark
- 8T22 Tin
- 8T23 Graphite
- 8T24 Black

Crossing
For systems products only.
54" wide
86% antimony-free polyester
14% polyester

- 8501 Ivory
- 8502 Oyster

Gem
54" wide
100% antimony-free polyester

- 9501 Sesame
- 9502 Tangerine
- 9503 Red
- 9504 Red Violet
- 9505 Mulberry
- 9506 Java
- 9507 Twilight
- 9508 Bayou
- 9509 Iris
- 9510 Berry Blue
- 9511 Aqua Green
- 9512 Green Apple
- 9513 Spruce
- 9514 Black
- 9515 Slate Grey
- 9516 Fog

Grasscloth
66" wide
100% recycled polyester

- 2I01 Silver Birch
- 2I02 Pampas
- 2I03 Sedge
- 2I04 Savannah
- 2I05 Reed
- 2I06 Moraine
- 2I07 Lea
- 2I08 Taro

Multiscrim™
60" wide
100% polyester

- 8B01 Seashell White
- 8B02 Pearl Grey
- 8B05 Dune Beige
- 8B07 Pebble Beige
- 8B09 Olive Green
- 8B15 Slate Purple
- 8B19 Spa Blue
- 8B24 Sable Grey
- 8B27 Summer White
- 8B28 Moth Grey
- 8B29 Tea Leaf Grey
- 8B30 Blue Grey
- 8B31 Dusty Bronze
- 8B32 Slate Blue
- 8B33 Caramel Beige
- 8B34 Kiwi Green

Proprietary Textile Colors – Workspaces

continued

Price Category 1

continued

Resonance

66" wide
100% polyester
5T04 Greige
5T05 Porcelain
5T06 Alabaster
5T15 Iris
5T28 Sugar
5T47 Tobacco
5T54 Saltbush
5T57 Seed
5T58 Sepia
5T59 Tundra
5T60 Iceberg
5T61 Black
5T62 Chamois
5T63 Citrus
5T64 Tangerine
5T65 Red
5T66 Wild Berry
5T67 Boysenberry
5T68 Pistachio
5T69 Green Apple
5T70 Forest
5T71 Jade
5T72 Blue Green
5T73 Bright Turquoise
5T74 Twilight

Scrim Trim

61" wide
82% polyester
18% spandex
8C01 Seashell White
8C02 Pearl Grey
8C22 Winter Grey
8C24 Sable Grey

Silkworm

66" wide
58% recycled polyester
42% polyester
2M01 Cocoon
2M02 Pongee
2M03 Saffron
2M04 Tussah
2M05 Ceylon
2M06 Jasmine
2M07 Shale
2M08 Monsoon

Slant

66" wide
51% polyester
49% recycled polyester
22F01 Beech Nut
22F02 Chamois
22F03 Chartreuse
22F04 Pesto
22F05 Peacock
22F06 Neptune
22F07 Blueberry
22F08 Boysenberry
22F09 Magenta
22F10 Pumpkin
22F11 Cranberry
22F12 Silver Birch
22F13 Bluestone
22F14 Truffle
22F15 Shale

Slideshow

54" wide
56% recycled polyester
44% polyester
2Z01 Cinema
2Z02 Snapshot
2Z03 Shutter
2Z04 Scenic
2Z05 Portrait
2Z06 Still Life
2Z07 Blueprint
2Z08 Halftone
2Z09 Exposure
2Z10 Zoom

Price Category 2

Code

66" wide
100% Repreve recycled polyester
1CD01 Linen
1CD02 Khaki
1CD03 Iceberg
1CD04 Zinc
1CD05 Blue Black

ColorGuard

54" wide
100% vinyl
3P01 Grey
3P02 Navy
3P03 Spruce [A]
3P04 Jade [A]
3P05 Natural [A]
3P08 Blueberry [A]
3P09 Coal [A]
3P12 Black Plum [A]
3P14 Black
3P15 New Burgundy [A]
3P17 Burgundy [A]
3P19 Slate
3P31 Horizon Blue [A]
3P33 Pumice
3P54 Candy Apple [A]
3P58 Beige [A]
3P66 Deep Clay [A]
3P72 Allspice [A]
3P90 Green Tea [A]
3P93 Camelback [A]
3P96 Manzanita [A]
3P97 Fudge [A]
3PB2 Sea Grass [A]
3PB5 Vizcaya Palm [A]
3PB9 Neptune [A]
3PC7 Bucksuede [A]
3PD4 Otter [A]

[A] Assigned lead-time color.

Proprietary Textile Colors – Workspaces

continued

Price Category 2

continued

Cord	
66" wide	
51% antimony-free polyester	
49% polyester	
5101 Ivory	
5102 White Ash	
5103 Linen	
5104 Bamboo	
5105 Sepia	
5106 Wicker	
5107 Sesame	
5108 Kiwi Green	
5109 Bayou	
5110 Shade	
5111 Spring Wood	
5112 Summer White	

Crepe	
54" wide	
100% recycled polyester	
9201 Licorice	
9203 Smoke	
9207 Cherry	
9209 Claret	
9212 Raisin	
9218 Aquamarine	
9223 Cadet	
9241 Beachglass	
9243 Midnight	
9244 Artichoke	
9248 Warm White	
9249 Stone	
9250 Earth	
9251 Fog	
9252 Slate Grey	
9253 Yellow Dark	
9254 Coral	
9255 Blush Grey	
9256 Wild Berry	
9257 Clover	
9258 Caribbean	
9259 Cerulean	

Frost	
66" wide	
100% recycled polyester	
5701 Bisque	
5702 Abalone	
5703 Porcelain	
5704 Honey	
5705 Iceberg	
5706 Sage	
5707 Reed	
5708 Steam Grey	
5709 Gunmetal	
5710 Sable Grey	

Grosgrain	
66" wide	
100% recycled polyester	
8401 Pearl	
8402 White Ash	
8403 Warm Grey	
8404 Khaki	
8405 Oyster	
8406 Celadon	
8407 Chamois	
8408 Spa Blue	
8409 Bud	
8410 Kiwi Green	
8411 Bayou	
8412 Tin	
8413 Iceberg	

Horizon	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01 Rye Grass	
4N02 Sugar Pine	
4N03 Silver Pine	
4N04 White Ash	
4N05 Spring Wood	
4N06 Tamarack	
4N07 Mushroom	
4N08 Haystack	
4N09 Oat Grass	
4N10 Forest Moss	
4N11 Hickory	
4N12 Beech Nut	
4N13 Pine Cone	
4N14 Poplar	
4N15 Elderberry	

Loom	
54" wide	
100% polyester	
1LM01 Linen	
1LM02 Brown Sugar and Spice	
1LM03 Brick and Mortar	
1LM04 Salt and Pepper	
1LM05 Black	
1LM06 Lemongrass	
1LM07 Poppy	
1LM08 Wild Berry	
1LM09 Loden	
1LM10 Jade	
1LM11 Deep Sea	

Medley	
54" wide	
100% polyester	
1HA01 Stone	
1HA02 Trail	
1HA03 Charcoal	
1HA04 Cinder	
1HA05 Citrus	
1HA06 Papaya	
1HA07 Chutney	
1HA08 Tundra	
1HA09 Feather Grey	
1HA10 Chartreuse	

Medley continued	
1HA11 Loden	
1HA12 Peacock	
1HA13 Bayou	
1HA14 Blue Grotto	
1HA15 Blueberry	

Moiré	
54" wide	
100% recycled polyester	
3A01 Concrete	
3A02 Biscotti	
3A03 Rattan	
3A04 Chambray	
3A05 Fern	
3A08 Violet	
3A09 Zin	
3A10 Curry	
3A11 Spice	
3A12 Cork	

Railroad	
54" wide	
100% recycled polyester	
8V01 Straw	
8V02 Squash	
8V03 Cayenne	
8V04 Nutmeg	
8V05 Root	
8V06 Wicker	
8V07 Moss	
8V08 Aquamarine	
8V09 Slate	

Tape	
66" wide	
52% polypropylene	
48% recycled polyester	
4301 Pearl	
4302 Oyster	
4303 Wicker	
4304 Reed	
4305 Straw	
4306 Celadon	
4307 Alabaster	
4308 Bamboo	
4309 Feather Grey	
4310 Iceberg	

Proprietary Textile Colors – Workspaces

continued

Price Category 2

continued

Twist
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
8R04 Chamois
8R05 Wicker
8R06 Nutmeg
8R07 Squash
8R08 Copper
8R09 Cayenne
8R10 Poppy
8R11 Magenta
8R12 Garnet
8R13 Iceberg
8R14 Tin
8R15 Shale
8R16 Graphite
8R17 Birch
8R18 Sepia
8R19 Coffee Bean
8R20 Bayou
8R21 Periwinkle
8R22 Blueberry
8R23 Green Apple
8R24 Loden
8R25 Turquoise

Twist
For systems products only.
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
5S01 Pearl
5S02 Ivory
5S03 Oyster

Price Category 3

Bento
54" wide
100% antimony-free polyester
7001 Frost
7002 Linen
7003 Khaki
7004 Truffle
7005 Grey Black
7006 Pumpkin
7007 Cranberry
7008 Everglade
7009 Cobalt

Circuit
54" wide
100% recycled polyester
1FA1 Sunflower
1FA2 Mango
1FA3 Red
1FA4 Magenta
1FA5 Cocoa
1FA6 Berry Blue
1FA7 Peacock
1FA8 Green Apple
1FA9 Graphite
1FAA Black

Coil
54" wide
100% recycled polyester
8S01 Nougat
8S02 Squash
8S03 Copper
8S04 Molasses
8S05 Chutney
8S06 Claret
8S07 Plum
8S08 Olive Wood
8S09 Root
8S10 Pesto
8S11 Hemlock
8S12 Java
8S13 Bayou
8S14 Peacock
8S15 Twilight
8S16 Ink
8S17 Black

Connection
66" wide
100% antimony-free polyester
1FB1 Oyster
1FB2 Linen
1FB3 Iceberg
1FB4 Silver Pine
1FB5 Apricot
1FB6 Cumin
1FB7 Green Apple
1FB8 Slate Blue
1FB9 Metal

Current
66" wide
100% antimony-free polyester
1FC1 Oyster
1FC2 Linen
1FC3 Iceberg
1FC4 Silver Pine
1FC5 Apricot
1FC6 Cumin
1FC7 Green Apple
1FC8 Slate Blue
1FC9 Metal

Glaze
66" wide
100% recycled polyester
8Z01 Wicker
8Z02 Honey
8Z03 Porcelain
8Z04 Celadon
8Z05 Spearmint
8Z06 Rye
8Z07 Frost
8Z08 Silver Birch

Ground Cloth®
66" wide
100% polyester
4701 Vapor Grey
4721 Warm White
4722 Fog
4723 Straw
4724 Red Orange
4725 Wild Berry
4726 Green Apple
4727 Caribbean
4728 Midnight
4729 Cappuccino

Kira 2
54" wide
100% recycled polyester
5D11 Flaxen
5D12 Papyrus
5D13 Oasis
5D14 Incense
5D15 Ash
5D16 Falcon

Savannah
66" wide
76% recycled polyester
24% polypropylene
8L01 Pearl
8L02 Oyster
8L03 Wheat
8L04 Jute
8L05 Bamboo
8L06 Metal
8L07 Linen
8L08 Celadon
8L09 Moss
8L10 Frost
8L11 Shale
8L12 Pewter

Proprietary Textile Colors – Workspaces

continued

Price Category 3

continued

Soba

66" wide
100% antimony-free polyester
6701 Steam Grey
6702 White Ash
6703 Alabaster
6704 Khaki
6705 Oyster
6706 Ivory
6707 Pearl

Stitches

54" wide
54% polyester
46% recycled polyester
8U02 Rye
8U03 Khaki
8U04 Honey
8U05 Cattail
8U06 Pumpkin
8U07 Brick
8U08 Cool Grey
8U09 Slate Blue
8U10 Juniper
8U11 Evening Blue
8U12 Charcoal
8U13 Kiwi Green
8U14 Olive
8U15 Pesto
8U16 Cocoa
8U17 Seed

Stitches

For systems products only.
54" wide
54% polyester
46% recycled polyester
5Z01 White Ash

Strands

66" wide
100% recycled polyester
8W01 Pebble
8W02 Porcelain
8W03 Taupe
8W04 Honey
8W05 Khaki
8W06 Rye
8W07 Wicker
8W08 Tin
8W09 Cool Grey

Udon

66" wide
100% antimony-free polyester
6801 Steam Grey
6802 White Ash
6803 Alabaster
6804 Khaki
6805 Oyster
6806 Ivory
6807 Pearl

Price Category 4

Gleam

66" wide
100% recycled polyester
2W01 Pearl
2W02 Ivory
2W03 Oyster
2W04 Wheat
2W05 Wicker
2W06 Khaki
2W07 Sepia
2W08 Reed
2W09 Olive Green
2W10 Frost

Glisten

66" wide
84% polyester
16% recycled polyester
2X01 Porcelain
2X02 Rye
2X03 Wicker
2X04 Cashew
2X05 Iceberg
2X06 Bronze
2X07 Celadon
2X08 Shadow
2X09 Pewter
2X10 Ash
2X11 Truffle

Gloss

66" wide
67% polyester
24% polypropylene
9% recycled polyester
2Y01 Pearl
2Y03 Porcelain
2Y04 Oyster
2Y05 Rye
2Y06 Gunmetal

Loft

Assigned lead-time textile. A
54" wide
100% wool
22L01 Heathered Light Green
22L02 Heathered Dark Green
22L03 Heathered Turquoise
22L04 Heathered Navy
22L05 Heathered Orange
22L06 Heathered Red
22L07 Heathered Tan
22L08 Heathered Grey
22L09 Heathered Blue
22L10 Heathered Brown
22L11 Heathered Dark Grey
22L12 Heathered Denim

Proprietary Textile Colors – Workspaces

continued

Price Category 4

continued

Quilty

56" wide
100% antimony-free polyester
GreenShield
6S01 Wicker
6S02 Honey
6S03 Khaki
6S04 Straw
6S05 Squash
6S06 Cayenne
6S07 Brick
6S08 Cerulean
6S09 Blue Violet
6S10 Mink
6S11 Green Apple
6S12 Jade
6S13 Indigo

Sironetta

66" wide
100% recycled polyester
6301 Acapella
6302 Sonata
6303 Interlude
6304 Legato
6305 Forte
6306 Minuet
6307 Opus
6308 Harmony
6309 Ensemble
6310 Baroque
6311 Serenade

Price Category 5

Hopsak

56" wide
100% recycled polyester
14A20 Black
14A22 Raw Umber Dark
14A26 Grey Blue Dark
14A30 Sepia Dark
14A38 Emerald Dark
14A39 Yellow Dark
14A40 Orange
14A41 Sienna
14A42 Olive Green Dark
14A43 Crimson
14A44 Crimson Dark Dark
14A45 Violet Dark
14A46 Pink Dark Dark
14A47 Ultramarine Dark
14A48 Cobalt Blue
14A49 Terra Cotta
14A50 Ochre Dark

Hue

90% polypropylene
10% polyester
9701 Pearl
9702 Champagne
9703 Silver
9704 Graphite

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2015 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ●, 3D Intelligent, Abak, AO, Action Office, Aeron, Ambi, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Ground Cloth, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Leaf, Lifework, Limerick, Live Unframed, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Resolve, Rodney, SAYL, Setu, Thrive, Tu, Vary Easy, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, Eco-Dematerialized, EnhancedAccess, Everywhere, Flex-Edge, Flute, Formcoat, Formwork, Harmonic, Herman Miller for the Home, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Layout Studio, Living Office, Locale, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Public Office Landscape, Q, Rapunzel, Recline Selector, Renew, SoftPad, Sense, Stackable, Stackable Storage, Swoop, Thinking is good for you, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM S3, TAP, Textile Alliance Program, and Herman Miller Options are among the service marks of Herman Miller, Inc.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

GREENGUARD® is a registered trademark of the Greenguard Environmental Institute.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

MOTOROLA XOOM™ is a trademark of Motorola Trademark Holdings, LLC.

Noguchi® and the Noguchi table configuration are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of ITW-Dahti Seating.