NATIONAL® | Furniture with Personality®

Tables

Conference Tables
WaveWorks® Training Tables
Fold™ Nesting Tables
Mio™ Collaborative Tables
Power/Data Electrical
Storage Components/Accessories
Exhibit™ Wall Rail Solution
Occasional Tables

4

Price List
October 19, 2015

National Office Furniture - Warranty

National warrants that each piece of furniture will be free from defects in workmanship given normal use and care for as long as you, the original customer, owns and uses the product.

Normal use is defined as the equivalent of a single shift, 40 hour work week. In the event that a product is used more than normal use, the applicable warranty period will be reduced to 12 years and items that fall under different warranty limitations, as listed below, will be reduced to one-third (ex: Wood chair frames will be 4 years instead of 12 years). National, at its option, will repair or replace with comparable product any product,part or component shipped after September 1, 2000, if the claim is eligible under the conditions of this warranty. This warranty is valid only if the product is given proper care and maintenance.

Limitations

Twelve Years	Wood Chair Frames
Ten Years	Seating Controls, Wood Veneers and Laminates
Five Years	Mechanical and High Wear Parts Such As: Electrical Components, Polymer Based Components, Pneumatic Cylinders, Swivel Arm Pads, Casters, Chair Glides, Textiles, Foam, Covering Materials and Decorative Trim

Exclusions

This warranty does not apply to:

- Damage caused by a carrier
- Normal wear and tear which is to be expected during the period of ownership
- Appearance, durability, quality, behavior, colorfastness or any other attribute of COM (Customer's Own Materials) or any other non-standard National material (including Arc-Com, Stinson, Maharam, Momentum, and Ultrafabrics) specified by the customer after application to a National product
- Color, grain or texture of wood, laminate and other covering materials
- Non-compliance with installation and maintenance instructions
- Electrical grommets where the box has been opened
- Damages or failures resulting from modifications, alterations, misuse, abuse or negligence or improper care and maintenance of our products

NOTE: If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe. A glass addition has the potential to accentuate deflection.

Gotcha™ 24 Hour Use Seating

Warranty on Gotcha 24 Hour Use models is 5 years from date of purchase for seating controls and pneumatic cylinders and 2 years from date of purchase for casters, textiles and foam.

Engineer-to-Order Products

National warrants all Engineer-to-Order products to be free from defects in workmanship given normal use and care for 3 years of single shift service.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Follow these procedures to process warranty issues:

1. Contact National Customer Service (800.482.1717) and provide them with the serial number from the product in question and the purchase order number or acknowledgement number and a detailed description of the warranty issue. **Serial numbers are mandatory before the claim can be processed.**
2. Customer Service will determine and pre-approve all resolutions to the claim such as replacement units, service parts, labor and repair charges. Upon approval, resolutions will be assigned an uthorization number.
3. The authorization number must be included on all invoices for reimbursement. Any unauthorized charges will not be the responsibility of National.

As the manufacturer of your furniture, we stand behind our craftsmanship and pledge to do everything we can to resolve any problems you may have within the terms of this warranty as quickly as possible.

There are no other warranties except as expressly set forth here, either expressed or implied including any warranty of merchantability or fitness for any particular purpose. We exclude and will not pay consequential or incidental damages under this warranty.

National Office Furniture
1610 Royal Street
Jasper, Indiana 47549
800.482.1717 Fax 812.482.8800
www.NationalOfficeFurniture.com

Table of Contents

GENERAL INFORMATION

Contact Information . . . 2
Order Procedures . . . 2
Order Confirmation . . . 2
Changes and Cancellations . . . 2
Terms and Pricing . . . 2
Product Design . . . 2
Shipping/Freight . . . 2
Delivery . . . 2
Claim Process . . . 3
Quick Delivery Program . . . 3
Sustainability Information . . . 4

TABLES SPECIFICATION GUIDE

Table Top Shapes and Sizes . . . 6
Functional Seating Capacity . . . 8
Number of Pieces Per Table Top . . . 9
Conference Top Size Modifications . . . 10
Round Grommet Locations . . . 12
One Touch Double Pivoting Power Grommet Cutout Locations . . . 14
Power/Data Oasis Cutout Locations . . . 16
Grommet Locations on Tops Including Modified Sizing . . . 18
Table Base Guide . . . 26
Table Base Placement Guide . . . 48

CONFERENCE TABLE TOPS

Arrowood™ . . . 52
Barrington® . . . 58
Captivate® . . . 66
Casbah® . . . 72
Clever® . . . 76
Epic™ . . . 86
Escalade® . . . 108
Flourish® . . . 116
Hiland™ . . . 120
Universal . . . 124
WaveWorks® . . . 144

CONFERENCE TABLE BASES

Wood/Laminate Bases . . . 162
Metal Bases . . . 172

TRAINING TABLES

WaveWorks® Flip/Nest Tables . . . 182
WaveWorks® Worksurfaces . . . 189
Metal Bases . . . 204
"L" Adjustable Height Bases . . . 214
"L" Worksurfaces . . . 218

NESTING TABLES

Fold™ . . . 235

STORAGE COMPONENTS AND ACCESSORIES

Arrowood™ . . . 242
Barrington® . . . 243
Captivate® . . . 245
Casbah® . . . 246
Clever® . . . 247
Epic™ . . . 248
Escalade® . . . 252
Flourish® . . . 254
Hiland™ . . . 255
Roosevelt™ . . . 256
Universal . . . 258
WaveWorks® . . . 263

COLLABORATIVE TABLES

Mio™ . . . 271

WALL RAIL SOLUTION

Exhibit™ . . . 323

OCCASIONAL TABLES

Arrowood™ . . . 406
Barrington® . . . 407
Captivate® . . . 408
Casbah® . . . 409
Clever® . . . 410
Confide® . . . 411
Eloquence® . . . 412
Epic™ . . . 413
Escalade® . . . 414
Myriad™ . . . 415
Pegos™ . . . 419
Reno® . . . 420
Roosevelt™ . . . 422
Staccato® . . . 423
Swift™ . . . 424
Tag® . . . 426
Triumph™ . . . 427
Universal . . . 428

POWER/DATA ELECTRICAL . . . 431

INDEX . . . 445

Strassa Tables Addendum . . . 447

- **DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL**
- **NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST**

General Information

Contact Information

National Office Furniture
1610 Royal Street
Jasper, Indiana 47549

To order literature, check order status, and check lead times on-line, please visit us at www.NationalOfficeFurniture.com.

Telephone: **800.482.1717**
Fax: **812.482.8800**
E-mail customer service: **Service@NationalOfficeFurniture.com**

Ordering Procedures

For prompt delivery, all orders **MUST** include:

1. Purchase Order Number (on each page of order)
2. Billing Address
3. "Ship To" Information
4. Special Shipping Instructions (requested ship or delivery dates, ship complete or split shipments, and tags if applicable)
5. Complete Model Numbers
6. Net Price

National does not accept orders verbally. Fax or e-mail orders directly to:

Fax: **812.482.8800**
E-mail: **Orders@NationalOfficeFurniture.com**
(This e-mail requires an attached PDF order. General correspondence should go through Service@NationalOfficeFurniture.com.)

Order Confirmation

All complete orders will be acknowledged with ship dates **upon entry of a clean, credit approved order** into our system. This acknowledgement is the final agreement between National and the customer superseding all previous communications regarding the order.

NOTE: Please examine this acknowledgement carefully and advise National immediately of any discrepancies.

Changes and Cancellations

We regret that changes and cancellations are not possible once your order is entered into our system. In order to support our lead time commitments, orders are scheduled into our production cycle immediately upon order entry.

This includes changes/cancellations to:

- Quick Delivery Tables
- Made-to-Order Tables
- Engineered-to-Order (ETO) Tables

Please contact customer service for assistance.

Terms and Pricing

Prices are list prices for shipment within the continental United States; for Canadian pricing, please reference www.NationalOfficeFurniture.com

Price subject to change without prior notice.

Merchandise will be billed at prices prevailing at time of placing order.

Distribution of this price list does not itself constitute an offer to sell.

Orders can be received only from authorized National Dealers.

Product Design

National reserves the right to make changes in design, specifications, and construction and to discontinue products without prior notice. Dimensions referenced in this book are nominal.

Shipping/Freight

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination, or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

National reserves the right to select the most appropriate shipping terms.

Delivery Hours

Pricing is based on standard delivery between 8am and 3pm Monday through Friday.

Special Delivery Services

Any charges incurred from failure to receive a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to the "sold to" account number on the order. Detention charges may be incurred for untimely off-loading of product.

Any order requiring **Special Delivery Services will incur additional charges.**

All such requirements must be noted on the purchase order. These are services that are not included in the price of the product or require the usage of specialized carriers. Examples of such Special Delivery services include:

- **Inside Delivery**
  Minimum $50 charge
- **Non-Standard Delivery Time (before 7:00am or after 5:00pm)**
  Contact customer service for charges and availability
- **Non-Dock Delivery**
  Minimum $50 charge
- **JIT Delivery (specific day and/or time)**
  Orders under $10,000 list will incur a minimum $125 charge
- **Weekend Delivery (Friday after 5:00pm until 7:00am Monday morning)**
  Minimum $500 charge per delivery
- **Residential Delivery**
  Customer service may assist you in determining your special delivery requirement and any additional charges that may apply

Contact customer service if you are not sure if your order requires one or more of the above services. We will make every attempt to avoid the additional charges by giving options on what we can do within our standard delivery price.

Carrier Selection

National reserves the right to select the most appropriate mode of shipment. National relinquishes all responsibility for the goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

National's standard method of shipping is to carton all items. Certain full truck load items may qualify for special consideration. Contact customer service for guidelines. International shipments can be crated at the customer's request. The expense of crating or special packaging will be the responsibility of the customer.

Loss, Damage, or Delay

National shall not be liable for loss, damage, detention, or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Claim Process for Merchandise Damage/Shortage/Carrier Delay

All the products produced by National are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

1. Before signing for merchandise, **make notation** of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
2. **Contact National Customer Service within 15 calendar days of goods receipt to report issue.** We will advise whether a freight claim will need to be filed based on the mode of transportation. Claims must be filed by dealer on Redistribution/LTL carrier shipments. Claim will be disputed if product is moved from original consignee location.
3. If claim must be filed, carrier must be contacted **within 15 calendar days of goods receipt.** Retain all shipping cartons for inspection by the carrier agent.
4. **Copy of Carrier Disposition Letter must be sent to National** to receive additional credit on concealed damage issues via Redistribution/LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Claim Process for Warranty Issues

If a warranty issue is discovered, contact customer service immediately. To file the warranty claim, the following information is required:

- Serial number and warranty number are **mandatory**
- Dealer purchase order number or National acknowledgement number
- Detailed description of issue

Customer service must **pre-approve** all resolutions such as replacement units, service parts, labor and repair charges. We reserve the right to resolve the issue in the most cost effective manner. All approved resolutions will be assigned an authorization number which must be included on all replacement orders or invoices for reimbursement. Any unauthorized charge will not be the responsibility of National.

Please see the inside Front cover for a full description of our Lifetime Product Warranty.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Finishes, when exposed to ultraviolet rays, may change color. Also, some desktop accessories with plastic or rubber feet can penetrate or burn the finish. These issues are not warranty defects and will not be the responsibility of National.

Return Merchandise

We discourage product returns due to the likelihood of damage during the return transportation. In the event a product return is necessary, we will make every attempt to help keep the product in the field. Please contact customer service for assistance.

If attempts to keep the product in the field are unsuccessful, National will allow **returns on stocking items only** with the following stipulations:

50% Restocking fee
Freight Charge prepaid by dealer
Product NEVER removed from original carton
Product must be returned within 30 days of RGA issue date
Credit will not be issued if product returned is damaged

Please note most models in the Quick Delivery Program are produced on demand and cannot be returned.

Freight damage, signs of usage or removal from original carton, or missing parts will result in no credit being issued. All returns require written authorization; any unauthorized return will not receive credit.

National will not be responsible for resolving damage claims on returned product.

Quick Delivery Program

Our most popular series and options are available to you on our "To You in 10 Days or Less" Quick Delivery program.

Need 10 tables in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 10? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

Quick Delivery Model Numbers

Quick Delivery models are available in select National finishes and have predetermined options. The Quick Delivery finishes are shaded in grey at the top of each page and the model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

Quick Delivery Ordering

Orders may not be changed or cancelled. Include only Quick Delivery models on your order. Create a separate order for any products that are not included in the Quick Delivery program. Remember that 10 business days does not include weekends or holidays. The day your order is placed with National counts as day zero.

Large Quantity Ordering

Large quantities of models on an order, or large dollar volume orders, may receive lead times greater than those posted on www.NationalOfficeFurniture.com. Please work with your project management team to confirm availability on your specific project.

CSL Ordering Process

- Laminate sheen level not to exceed 60° for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
  Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL Policy

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate
- Epic, Mio, Myriad and WaveWorks support the HPL CSL program at a 10% upcharge

Product Modifications

By choosing National, you will always receive a great looking piece of furniture; however, there are times when you just want that extra touch to make it your own. No problem! National conveniently offers custom embroidery, laser engraving, product modifications and finish matching. It's just one more way we try to make your life easier and deliver that extraordinary experience you deserve.

Sustainability Information

Our Statement on Sustainability

We aim to create lasting stakeholder value through responsible growth and deep commitment to the well-being of future generations. We cherish the Earth's natural resources and hold sustainability and environmental protection as our key priorities.

As our company fulfills its responsibilities to our customers, shareholders, employees and the public, six commitments provide a framework for focusing our energies toward the greatest good:

- Product Stewardship
- Environmental Preservation
- Green Building Development
- Regulatory Compliance
- Social Accountability
- Economic Responsibility

Our Products Reflect Stewardship

National is committed to providing quality products that will improve indoor air quality for the health of building occupants and visitors. Our products have achieved certification to the Indoor Advantage Gold label from Scientific Certification Systems (SCS) by meeting the BIFMA Furniture Emissions Standard (FES) for office furniture, and the California 01350 Special Environmental Requirements and Collaborative for High Performance Schools (CHPS).

In addition, all National manufactured products carry the level® 2 or 3 label for meeting the far-reaching ANSI/BIFMA e3 Sustainability Standard. This standard addresses the areas of material and energy use, greenhouse gas impacts, human and eco-system health considerations, and social responsibility. Modeled after the LEED® building rating system, furniture products are evaluated against a variety of credit criteria (after first meeting certain prerequisites), accumulating points toward increasing levels of recognition associated with reduced environmental impact. Purchasing products certified to level® gives you the assurance that the product was produced in an environmentally and socially responsible manner.

National products that meet the above specifications are identified with corresponding logos throughout this price list.

In further support of our commitment to indoor air quality, National utilizes IntegraClear, an environmentally-friendly, ultra-violet finish. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards and is standard on all tables. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through.

National offers products that are not only economically viable, but are environmentally responsible and socially beneficial. An example of this is the option of Forest Stewardship Council (FSC) Certified wood (call for availability). Additionally, our casegoods include a recycled material content of at least 82 percent. A wide range of 100 percent recycled polyester choices are available for upholstered seating products while our casegoods and tables packaging contains an average of 60 percent recycled content and our seating packaging contains an average of 50 percent recycled content. Our Corporate Recycling Center diverts over 4 million pounds of waste material per year from landfills by recycling 65 different types of materials.

What's more, National manufacturing facilities are registered to the ISO 14001 standard. This management tool enables us to identify and control the environmental impact of our operations, continually improve our company's environmental performance and systematically set environmental objectives and demonstrate their achievement.

We further support environmental improvements by shipping via our sister company, Kimball International Transit (KIT). KIT has earned certification in the SmartWay℠ Transportation Partnership by the EPA. The SmartWay℠ Transport Partnership is an innovative collaboration between the EPA and freight industry to increase energy efficiency while significantly reducing greenhouse gases and air pollution.

Growing With Green Buildings

National Facilities testify to our belief in sustainable building practices. As a member of the U.S. Green Building Council (USGBC), we prioritize building practices that support the LEED® (Leadership in Energy and Environmental Design) Green Building Rating System.

LEED® Registered Projects
Corporate Showroom, Jasper, IN – LEED Gold
Research and Development Rooms, Jasper, IN – LEED Certified
Showroom, Atlanta, GA – LEED Pending
Showroom, Boston, MA – LEED Pending
Showroom, Chicago, IL – LEED Silver
Showroom, Dallas, TX – LEED Gold
Showroom, New York, NY – LEED Certified
Showroom, Washington, DC – LEED Silver
Manufacturing Facility, Santa Claus, IN – LEED Silver

By partnering with ecoScorecard, we provide 24/7 access to research and compare the sustainable attributes of our products, making the specification of green products easier. EcoScorecard also does the calculations necessary for rating systems such as LEED®, the Green Guide for Health Care™, and others. This web-based tool produces the product documentation necessary for inclusion in the submission process.

Conference Table Tops/Bases	Indoor Advantage Gold	level® 2	level® 3	FSC-Certified Option
Arrowood™, Barrington®, Captivate®, Clever®, Escalade® Veneer Tops	✔		✔	
Arrowood™ Laminate Tops	✔		✔	
Barrington®, Captivate® Laminate Tops with Wood Rim	✔		✔	
Casbah® Veneer Tops	✔		✔	✔
Epic™ Tops	✔		✔	✔
Flourish® Veneer Tops	✔	✔		
Flourish® Laminate Tops	✔	✔		
Hiland™ Veneer Tops	✔	✔		
Mio™ Collaborative Tables	✔	✔		
Universal Veneer Tops	✔		✔	
Universal Laminate Tops	✔		✔	
Universal Laminate Tops with Wood Rim	✔		✔	
WaveWorks® Veneer Tops	✔		✔	✔
WaveWorks® Laminate, Thermofoil/3D Laminate Tops	✔		✔	✔
WaveWorks® Laminate Tops with Wood Rim	✔		✔	✔
Basic Veneer Bases	✔	✔		
Basic Laminate Bases	✔			
Barrington®, Captivate®, Epic™, Escalade®, Queen Anne Veneer Bases	✔	✔		
Metal Bases	✔			
Training Tables				
WaveWorks® Flip/Nest Training Tables Veneer, Laminate, Thermofoil/3D Laminate	✔		✔	✔*
WaveWorks® Veneer Tops	✔		✔	✔
WaveWorks® Laminate, Thermofoil/3D Laminate Tops	✔		✔	✔*
Fold™ Nesting Tables	✔			✔
Wall Rail Solution				
Exhibit™	✔	✔		
Occasional Tables	✔	✔		

ecoScorecard℠

For comprehensive sustainability information that includes LEED® point contribution information, visit NationalOfficeFurniture.ecoScorecard.com.
*Does not apply to thermofoil/3D laminate
For FSC certified wood information and availability, visit www.NationalOfficeFurniture.com/ProdMods.

Table Top Shapes And Sizes

SERIES	SHAPES Round	Square	Rectangle	Boat	Racetrack
Arrowood modified sizing available on rectangle see page 10		30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		
Barrington modified sizing available on rectangle and boat see page 10	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
Captivate modified sizing available on rectangle see page 10		30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		
Casbah modified sizing available on rectangle see page 10		42" x 42" 48" x 48"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240"		
Clever modified sizing available on rectangle, boat and racetrack see page 10	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"

SHAPES

SERIES	Round	Square	Rectangle	Boat	Racetrack
Epic modified sizing available on rectangle, boat and racetrack see page 10	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
Escalade modified sizing available on rectangle and boat see page 10	30" 36" 42" 48"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
Flourish	42"				
Hiland	30" 36" 42" 48"				
Universal	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
WaveWorks modified sizing available on rectangle, boat and racetrack see page 10	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"

Functional Seating Capacity

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

	TOP SHAPES				
TOP SIZES	Round	Square	Rectangle	Boat	Racetrack
24" x 24"	4	4	N/A	N/A	N/A
30" x 30"	4	4	N/A	N/A	N/A
36" x 36"	4	4	N/A	N/A	N/A
42" x 42"	4	4	N/A	N/A	N/A
48" x 48"	4	4	N/A	N/A	N/A
54" x 54"	5	4	N/A	N/A	N/A
60" x 60"	6	4–6	N/A	N/A	N/A
36" x 72"	N/A	N/A	6	6	6
42" x 84"	N/A	N/A	6	6	6
48" x 96"	N/A	N/A	6–8	6–8	6–8
48" x 120"	N/A	N/A	8–10	8–10	8–10
48" x 144"	N/A	N/A	10–12	10–12	10–12
48" x 168"	N/A	N/A	12–14	12–14	12–14
48" x 192"	N/A	N/A	14–16	14–16	14–16
48" x 216"	N/A	N/A	16–18	16–18	16–18
48" x 240"	N/A	N/A	18–20	18–20	18–20
60" x 144"	N/A	N/A	10–12	10–12	10–12
60" x 168"	N/A	N/A	12–14	12–14	12–14
60" x 192"	N/A	N/A	14–16	14–16	14–16
60" x 216"	N/A	N/A	16–18	16–18	16–18
60" x 240"	N/A	N/A	18–20	18–20	18–20

Number of Pieces Per Table Top

Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

	TOP SHAPES				
TOP SIZES	Round	Square	Rectangle	Boat	Racetrack
24" x 24"	1	1	N/A	N/A	N/A
30" x 30"	1	1	N/A	N/A	N/A
36" x 36"	1	1	N/A	N/A	N/A
42" x 42"	1	1	N/A	N/A	N/A
48" x 48"	1	1	N/A	N/A	N/A
54" x 54"	1	1	N/A	N/A	N/A
60" x 60"	1	1	N/A	N/A	N/A
36" x 72"	N/A	N/A	1	1	1
42" x 84"	N/A	N/A	1	1	1
48" x 96"	N/A	N/A	1	1	1
48" x 120"	N/A	N/A	2	2	2
48" x 144"	N/A	N/A	2	2	2
48" x 168"	N/A	N/A	2	2	2
48" x 192"	N/A	N/A	2	2	2
48" x 216"	N/A	N/A	3	3	3
48" x 240"	N/A	N/A	3	3	3
60" x 144"	N/A	N/A	2	2	2
60" x 168"	N/A	N/A	2	2	2
60" x 192"	N/A	N/A	2	2	2
60" x 216"	N/A	N/A	3	3	3
60" x 240"	N/A	N/A	3	3	3

Conference Top Size Modifications

- Available on all series except Universal
- Modified sizing not available on round/square tables in any series
- Size modifications (cut downs) are available at no upcharge on rectangular, boat and racetrack conference table tops
- The tops can be cut down in 6" increments on the depth, width, or both
- Available cut down sizes are noted in the chart below
- For specific conference top models that allow modified sizing, see notes under the individual models within the price list

● Standard size
— Modified size

WIDTH	DEPTH 36"	42"	48"	54"	60"	Number of Pieces
240"		—	●	—	●	3
234"		—	—	—	—	3
228"		—	—	—	—	3
222"		—	—	—	—	3
216"		—	●	—	●	3
210"		—	—	—	—	3
204"		—	—	—	—	3
198"		—	—	—	—	3
192"		—	●	—	●	2
186"		—	—	—	—	2
180"		—	—	—	—	2
174"		—	—	—	—	2
168"		—	●	—	●	2
162"		—	—	—	—	2
156"		—	—	—	—	2
150"		—	—	—	—	2
144"		—	●	—	●	2
138"		—	—	—	—	2
132"		—	—	—	—	2
126"		—	—	—	—	2
120"	—	—	●			2
114"	—	—	—			2
108"	—	—	—			2
102"	—	—	—			2
96"	—	—	●			1
90"	—	—	—			1
84"	—	●				1
78"	—	—				1
72"	●					1
66"	—					1
	36"	42"	48"	54"	60"	Number of Pieces

Depth

Round Grommet Locations

- Grommet also offered as field installable solution – reference page 433
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference page 48-49 for Base Placement Guide

***60" wide tops will be 29 5/16" to the center of the side dimension**

- G10 Round Grommet

- NACG10EL Round Electrical Grommet

- Must be ordered separately

Table Lengths

Grommet Location/Options	36"–60"	72"	84"	96"	120" 2 piece top
G10C Center	18" x 18" for 36" Top 21" x 21" for 42" Top 24" x 24" for 48" Top 27" x 27" for 54" Top 30" x 30" for 60" Top				
G10E End	N/A				
G10LR Left, Right	N/A				
G10A All	N/A				
G10CE Center, End	N/A				

Table Lengths

Grommet Location/Options	144" 2 piece top	168" 2 piece top	192" 2 piece top	216" 3 piece top	240" 3 piece top
G10C Center					
G10E End					
G10LR Left, Right					
G10A All					
G10CE Center, End					

One Touch Double Pivoting Power Grommet Cutout Locations

- Grommet also available as field installable solution, reference page 434
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- Wire managers (NAC0403WM) are included with conference top when CUT-G15 option is selected: 72", 84" and 96" tops will receive one, 120" and 144" tops will receive two and 168", 192", 216" and 240" tops will receive three
- Reference page 48-49 for Base Placement Guide

***60" wide tops will be 29 5/16" to the center of the side dimension**

- CUT-G15 option



- NACG15EL Double Pivoting Power Grommet



- Must be ordered separately

Table Lengths

Grommet Location/Options	36"–60"	72"	84"	96"	120" 2 piece top
CUT-G15C Center	 18" x 18" for 36" Top 21" x 21" for 42" Top 24" x 24" for 48" Top 27" x 27" for 54" Top 30" x 30" for 60" Top				
CUT-G15E End	N/A				
CUT-G15LR Left, Right	N/A				
CUT-G15A All	N/A	N/A	N/A		
CUT-G15CE Center, End	N/A	N/A	N/A		

One Touch Double Pivoting Power Grommet Cutout Locations

Table Lengths

Grommet Location/Options	144" 2 piece top	168" 2 piece top	192" 2 piece top	216" 3 piece top	240" 3 piece top
CUT-G15C Center					
CUT-G15E End					
CUT-G15LR Left, Right					
CUT-G15A All					
CUT-G15CE Center, End					

Power/Data Oasis Cutout Locations

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Wire managers (NAC0403WM) are included with conference top when CUT-G16 option is selected: 72", 84" and 96" tops will receive one, 120" and 144" tops will receive two and 168", 192", 216" and 240" tops will receive three
- Reference page 48-49 for Base Placement Guide

***60" wide tops will be 29 5/16" to the center of the side dimension**

- CUT-G16 option



- NACG162EL Power/Data Oasis



- Must be ordered separately

Table Lengths

Grommet Location/Options	72"	84"	96"	120" 2 piece top	144" 2 piece top
CUT-G16C Center				N/A	N/A
CUT-G16E End	N/A	N/A	N/A		
CUT-G16LR Left, Right	N/A	N/A	N/A		
CUT-G16A All	N/A	N/A	N/A	N/A	N/A
CUT-G16CE Center, End	N/A	N/A	N/A	N/A	N/A

Table Lengths

Grommet Location/Options	168" 2 piece top	192" 2 piece top	216" 3 piece top	240" 3 piece top
CUT-G16C Center				
CUT-G16E End				
CUT-G16LR Left, Right				
CUT-G16A All				
CUT-G16CE Center, End				

Grommet Locations On Tops Including Modified Sizing

- All grommets are centered on the table top depth
- Grommet also offered as field installable solution – reference page 433
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference page 48-49 for Base Placement Guide

***60" wide tops will be 29 5/16" to the center of the side dimension**



Table Length (in)

Grommet Location/Options	72"					84"					96"					120"				
G10C Center		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—	120"	—	60"	—	—
	66"	—	33"	—	—	78"	—	39"	—	—	90"	—	45"	—	—	114"	—	57"	—	—
																108"	—	54"	—	—
																102"	—	51"	—	—
G10E End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	—	—	—	84"	19"	—	—	—	96"	22"	—	—	—	120"	18"	—	—	—
	66"	14½"	—	—	—	78"	17½"	—	—	—	90"	20½"	—	—	—	114"	17"	—	—	—
																108"	16"	—	—	—
																102"	15"	—	—	—
G10LR Left, Right		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	—	—	56"	84"	19"	—	—	65"	96"	22"	—	—	74"	120"	18"	—	—	102"
	66"	14½"	—	—	51½"	78"	17½"	—	—	60½"	90"	20½"	—	—	69½"	114"	17"	—	—	97"
																108"	16"	—	—	92"
																102"	15"	—	—	87"
G10A All		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	—	56"	84"	19"	42"	—	65"	96"	22"	48"	—	74"	120"	18"	60"	—	102"
	66"	14½"	33"	—	51½"	78"	17½"	39"	—	60½"	90"	20½"	45"	—	69½"	114"	17"	57"	—	97"
																108"	16"	54"	—	92"
																102"	15"	51"	—	87"
G10CE Center, End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	—	—	84"	19"	42"	—	—	96"	22"	48"	—	—	120"	18"	60"	—	—
	66"	14½"	33"	—	—	78"	17½"	39"	—	—	90"	20½"	45"	—	—	114"	17"	57"	—	—
																108"	16"	54"	—	—
																102"	15"	51"	—	—

Grommet Locations On Tops Including Modified Sizing

- G10 Round Grommet

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet

- Must be ordered separately

144"					168"					192"					216"					240"				
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	—	72"	—	—	168"	—	61"	107"	—	192"	—	70"	122"	—	216"	—	79"	137"	—	240"	—	88"	152"	—
138"	—	69"	—	—	162"	—	58¾"	103¼"	—	186"	—	67¾"	118¼"	—	210"	—	76¾"	133¼"	—	234"	—	85¾"	148¼"	—
132"	—	66"	—	—	156"	—	56½"	99½"	—	180"	—	65½"	114½"	—	204"	—	74½"	129½"	—	228"	—	83½"	144½"	—
126"	—	63"	—	—	150"	—	54¼"	95¾"	—	174"	—	63¼"	110¾"	—	198"	—	72¼"	125¾"	—	222"	—	81¼"	140¾"	—
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	22"	—	—	—	168"	19"	—	—	—	192"	22¼"	—	122"	—	216"	25¼"	—	—	—	240"	28¼"	—	—	—
138"	21"	—	—	—	162"	18¼"	—	—	—	186"	21½"	—	118¼"	—	210"	24½"	—	—	—	234"	27½"	—	—	—
132"	20"	—	—	—	156"	17½"	—	—	—	180"	20¾"	—	114½"	—	204"	23¾"	—	—	—	228"	26¾"	—	—	—
126"	19"	—	—	—	150"	16¾"	—	—	—	174"	19¾"	—	110¾"	—	198"	23"	—	—	—	222"	26"	—	—	—
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	22"	—	—	122"	168"	19"	—	—	149"	192"	22¼"	—	—	169¾"	216"	25¼"	—	—	190¾"	240"	28¼"	—	—	211¾"
138"	21"	—	—	117"	162"	18¼"	—	—	143¾"	186"	21½"	—	—	164½"	210"	24½"	—	—	185½"	234"	27½"	—	—	206½"
132"	20"	—	—	112"	156"	17½"	—	—	138½"	180"	20¾"	—	—	159¼"	204"	23¾"	—	—	180¼"	228"	26¾"	—	—	201¼"
126"	19"	—	—	107"	150"	16¾"	—	—	133¼"	174"	19¾"	—	—	154¼"	198"	23"	—	—	175"	222"	26"	—	—	196"
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	22"	72"	—	122"	168"	19"	61"	107"	149"	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
138"	21"	69"	—	117"	162"	18¼"	58¾"	103¼"	143¾"	186"	21½"	67¾"	118¼"	164½"	210"	24½"	76¾"	133¼"	185½"	234"	27½"	85¾"	148¼"	206½"
132"	20"	66"	—	112"	156"	17½"	56½"	99½"	138½"	180"	20¾"	65½"	114½"	159¼"	204"	23¾"	74½"	129½"	180¼"	228"	26¾"	83½"	144½"	201¼"
126"	19"	63"	—	107"	150"	16¾"	54¼"	95¾"	133¼"	174"	19¾"	63¼"	110¾"	154¼"	198"	23"	72¼"	125¾"	175"	222"	26"	81¼"	140¾"	196"
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	22"	72"	—	—	168"	19"	61"	107"	—	192"	22¼"	70"	122"	—	216"	25¼"	79"	137"	—	240"	28¼"	88"	152"	—
138"	21"	69"	—	—	162"	18¼"	58¾"	103¼"	—	186"	21½"	67¾"	118¼"	—	210"	24½"	76¾"	133¼"	—	234"	27½"	85¾"	148¼"	—
132"	20"	66"	—	—	156"	17½"	56½"	99½"	—	180"	20¾"	65½"	114½"	—	204"	23¾"	74½"	129½"	—	228"	26¾"	83½"	144½"	—
126"	19"	63"	—	—	150"	16¾"	54¼"	95¾"	—	174"	19¾"	63¼"	110¾"	—	198"	23"	72¼"	125¾"	—	222"	26"	81¼"	140¾"	—

Grommet Locations On Tops Including Modified Sizing

- All grommets are centered on the table top depth
- Grommet also offered as field installable solution – reference page 434
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- Reference page 48-49 for Base Placement Guide

***60" wide tops will be 29 5/16" to the center of the side dimension**



Table Length (in)

Grommet Location/Options	72"					84"					96"					120"				
G15C Center		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	36"	—	—	84"	—	42"	—	—	96"	—	48"	—	—	120"	—	60"	—	—
	66"	—	33"	—	—	78"	—	39"	—	—	90"	—	45"	—	—	114"	—	57"	—	—
																108"	—	54"	—	—
																102"	—	51"	—	—
G15E End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	—	—	—	84"	21"	—	—	—	96"	24"	—	—	—	120"	20"	—	—	—
	66"	16½"	—	—	—	78"	19½"	—	—	—	90"	22½"	—	—	—	114"	19"	—	—	—
																108"	18"	—	—	—
																102"	17"	—	—	—
G15LR Left, Right		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	—	—	54"	84"	21"	—	—	63"	96"	24"	—	—	72"	120"	20"	—	—	100"
	66"	16½"	—	—	49½"	78"	19½"	—	—	58½"	90"	22½"	—	—	67½"	114"	19"	—	—	95"
																108"	18"	—	—	90"
																102"	17"	—	—	85"
G15A All		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—	120"	20"	60"	—	100"
	66"	—	—	—	—	78"	—	—	—	—	90"	22½"	45"	—	—	114"	19"	57"	—	95"
																108"	18"	54"	—	90"
																102"	17"	51"	—	85"
G15CE Center, End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	—	—	—	—	84"	—	—	—	—	96"	24"	48"	—	—	120"	20"	60"	—	—
	66"	—	—	—	—	78"	—	—	—	—	90"	22½"	45"	—	—	114"	19"	57"	—	—
																108"	18"	54"	—	—
																102"	17"	51"	—	—

• CUT-G15 option



	144"					168"					192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	—	72"	—	—	168"	—	63"	105"	—	192"	—	72"	120"	—	216"	—	81"	135"	—	240"	—	90"	150"	—
	138"	—	69"	—	—	162"	—	60¾"	101¼"	—	186"	—	69¾"	116¼	—	210"	—	78¾"	131¼	—	234"	—	87¾"	146¼	—
	132"	—	66"	—	—	156"	—	58½"	97½"	—	180"	—	67½"	112½	—	204"	—	76½"	127½	—	228"	—	85½"	142½	—
	126"	—	63"	—	—	150"	—	56¼"	93¾"	—	174"	—	65¼"	108¾	—	198"	—	74¼"	123¾	—	222"	—	83¼"	138¾	—
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	—	—	—	168"	21¼"	—	—	—	192"	24¼"	—	—	—	216"	27¼"	—	—	—	240"	30¼"	—	—	—
	138"	23"	—	—	—	162"	20½"	—	—	—	186"	23½"	—	—	—	210"	26½"	—	—	—	234"	29½"	—	—	—
	132"	22"	—	—	—	156"	19¾"	—	—	—	180"	22¾"	—	—	—	204"	25¾"	—	—	—	228"	28¾"	—	—	—
	126"	21"	—	—	—	150"	19"	—	—	—	174"	22"	—	—	—	198"	25"	—	—	—	222"	28"	—	—	—
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	—	—	119¾"	168"	21¼"	—	—	146¾"	192"	24¼"	—	—	167¾"	216"	27¼"	—	—	188¾"	240"	30¼"	—	—	209¾"
	138"	23"	—	—	115"	162"	20½"	—	—	141½"	186"	23½"	—	—	162½"	210"	26½"	—	—	183½"	234"	29½"	—	—	204½"
	132"	22"	—	—	110"	156"	19¾"	—	—	136¼"	180"	22¾"	—	—	157¼"	204"	25¾"	—	—	178¼"	228"	28¾"	—	—	199¼"
	126"	21"	—	—	105"	150"	19"	—	—	131"	174"	22"	—	—	152"	198"	25"	—	—	173"	222"	28"	—	—	194"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	72"	—	119¾"	168"	21¼"	63"	105"	146¾"	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
	138"	23"	69"	—	115"	162"	20½"	60¾"	101¼"	141½"	186"	23½"	69¾"	116¼"	162½"	210"	26½"	78¾"	131¼"	183½"	234"	29½"	87¾"	146¼"	204½"
	132"	22"	66"	—	110"	156"	19¾"	58½"	97½"	136¼"	180"	22¾"	67½"	112½"	157¼"	204"	25¾"	76½"	127½"	178¼"	228"	28¾"	85½"	142½"	199¼"
	126"	21"	63"	—	105"	150"	19"	56¼"	93¾"	131"	174"	22"	65¼"	108¾"	152"	198"	25"	74¼"	123¾"	173"	222"	28"	83¼"	138¾"	194"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	72"	—	—	168"	21¼"	63"	105"	—	192"	24¼"	72"	120"	—	216"	27¼"	81"	135"	—	240"	30¼"	90"	150"	—
	138"	23"	69"	—	—	162"	20½"	60¾"	101¼"	—	186"	23½"	69¾"	116¼"	—	210"	26½"	78¾"	131¼"	—	234"	29½"	87¾"	146¼"	—
	132"	22"	66"	—	—	156"	19¾"	58½"	97½"	—	180"	22¾"	67½"	112½"	—	204"	25¾"	76½"	127½"	—	228"	28¾"	85½"	142½"	—
	126"	21"	63"	—	—	150"	19"	56¼"	93¾"	—	174"	22"	65¼"	108¾"	—	198"	25"	74¼"	123¾"	—	222"	28"	83¼"	138¾"	—

Grommet Locations On Tops Including Modified Sizing

- All grommets are centered on the table top depth
- Grommet also offered as field installable solution – reference page 434
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 168" and 192" tops will be located on a seam
- Reference page 48-49 for Base Placement Guide

***60" wide tops will be 29 5/16" to the center of the side dimension**



Table Length (in)

Grommet Location/Options	72"				84"				96"				120"			
G16C Center		A	B	C		A	B	C		A	B	C		A	B	C
	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—	120"	—	—	—
	66"	—	33"	—	78"	—	39"	—	90"	—	45"	—	114"	—	—	—
													108"	—	—	—
													102"	—	—	—
G16E End		A	B	C		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—	120"	40"	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—	114"	38"	—	—
													108"	36"	—	—
													102"	34"	—	—
G16LR Left, Right		A	B	C		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—	120"	40"	—	80"
	66"	—	—	—	66"	—	—	—	66"	—	—	—	114"	38"	—	76"
													108"	36"	—	72"
													102"	34"	—	68"
G16A All		A	B	C		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—	120"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—	114"	—	—	—
													108"	—	—	—
													102"	—	—	—
G16CE Center, End		A	B	C		A	B	C		A	B	C		A	B	C
	72"	—	—	—	72"	—	—	—	72"	—	—	—	120"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—	114"	—	—	—
													108"	—	—	—
													102"	—	—	—

• CUT-G16 option



	144"				168"				192"				216"				240"			
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	—	—	—	168"	—	84"	—	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
	138"	—	—	—	162"	—	81"	—	186"	—	93"	—	210"	—	105"	—	234"	—	117"	—
	132"	—	—	—	156"	—	78"	—	180"	—	90"	—	204"	—	102"	—	228"	—	114"	—
	126"	—	—	—	150"	—	75"	—	174"	—	87"	—	198"	—	99"	—	222"	—	111"	—
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	48"	—	—	168"	42"	—	—	192"	48¼"	—	—	216"	54¼"	—	—	240"	60¼"	—	—
	138"	46"	—	—	162"	40½"	—	—	186"	46½"	—	—	210"	52¾"	—	—	234"	58¾"	—	—
	132"	44"	—	—	156"	39"	—	—	180"	45"	—	—	204"	51¼"	—	—	228"	57¼"	—	—
	126"	42"	—	—	150"	37½"	—	—	174"	43½"	—	—	198"	49¾"	—	—	222"	55¾"	—	—
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	48"	—	96"	168"	42"	—	126"	192"	48¼"	—	143¾"	216"	54¼"	—	161¾"	240"	60¼"	—	179¾"
	138"	46"	—	92"	162"	40½"	—	121½"	186"	46½"	—	139½"	210"	52¾"	—	157¼"	234"	58¾"	—	175¼"
	132"	44"	—	88"	156"	39"	—	117"	180"	45"	—	135"	204"	51¼"	—	152¾"	228"	57¼"	—	170¾"
	126"	42"	—	84"	150"	37½"	—	112½"	174"	43½"	—	130½"	198"	49¾"	—	148¼"	222"	55¾"	—	166¼"
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	—	—	—	168"	42"	84"	126"	192"	48¼"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
	138"	—	—	—	162"	40½"	81"	121½"	186"	46½"	93"	139½"	210"	52¾"	105"	157¼"	234"	58¾"	117"	175¼"
	132"	—	—	—	156"	39"	78"	117"	180"	45"	90"	135"	204"	51¼"	102"	152¾"	228"	57¼"	114"	170¾"
	126"	—	—	—	150"	37½"	75"	112½"	174"	43½"	87"	130½"	198"	49¾"	99"	148¼"	222"	55¾"	111"	166¼"
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	—	—	—	168"	42"	84"	—	192"	48¼"	96"	—	216"	54¼"	108"	—	240"	60¼"	120"	—
	138"	—	—	—	162"	40½"	81"	—	186"	46½"	93"	—	210"	52¾"	105"	—	234"	58¾"	117"	—
	132"	—	—	—	156"	39"	78"	—	180"	45"	90"	—	204"	51¼"	102"	—	228"	57¼"	114"	—
	126"	—	—	—	150"	37½"	75"	—	174"	43½"	87"	—	198"	49¾"	99"	—	222"	55¾"	111"	—

Table Base Guide

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
24", 24" x 24"  Bases at right applicable to 24" round or square tables	 Metal CBV2802C CBV2802CS CBV2802CN (Qty. 4)	 Metal CBV2802CM CBV2802CMS CBV2802CMN (Qty. 4)	 Metal CBV2215DB CBV2215DS CBV2215DN (Qty. 1)	 Metal CBV2228DB CBV2228DS CBV2228DN (Qty. 1)
	 Metal CBV2235DB CBV2235DS CBV2235DN (Qty. 1)	 Metal CBV2240DB CBV2240DS CBV2240DN (Qty. 1)	 Metal CBV2215SQDB CBV2215SQDS CBV2215SQDN (Qty. 1)	 Metal CBV2228SQDB CBV2228SQDS CBV2228SQDN (Qty. 1)
	 Metal CBV2235SQDB CBV2235SQDS CBV2235SQDN (Qty. 1)	 Metal CBV2240SQDB CBV2240SQDS CBV2240SQDN (Qty. 1)		

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
30", 30" x 30"  Bases at right applicable to 30" round or square tables	 Metal CBV2802C CBV2802CS CBV2802CN (Qty. 4) Metal CBV2802CM CBV2802CMS CBV2802CMN (Qty. 4) Metal CBV2728XB CBV2728XS CBV2728XN (Qty. 1) Metal CBV2728XMB CBV2728XMS CBV2728XMN (Qty. 1) Metal CBV2735XBB CBV2735XBS CBV2735XBN (Qty. 1)  Metal CBV2741XBB CBV2741XBS CBV2741XBN (Qty. 1) Metal CBV2215DB CBV2215DS CBV2215DN (Qty. 1) Metal CBV2228DB CBV2228DS CBV2228DN (Qty. 1)  Metal CBV2235DB CBV2235DS CBV2235DN (Qty. 1)  Metal CBV2240DB CBV2240DS CBV2240DN (Qty. 1) Metal CBV2215SQDB CBV2215SQDS CBV2215SQDN (Qty. 1) Metal CBV2228SQDB CBV2228SQDS CBV2228SQDN (Qty. 1)  Metal CBV2235SQDB CBV2235SQDS CBV2235SQDN (Qty. 1)  Metal CBV2240SQDB CBV2240SQDS CBV2240SQDN (Qty. 1) Metal CBV2728U4SB CBV2728U4SS CBV2728U4SN (Qty. 1) Metal CBV2728U4MB CBV2728U4MS CBV2728U4MN (Qty. 1) Metal CBV2742UA4MB CBV2742UA4MS CBV2742UA4MN (Qty. 1)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36", 36" x 36"  Bases at right applicable to 36" round or square tables	 Wood 10N1628CYBW (P1) (Qty. 1) For use with round tops only Laminate 10N1628CYBL (P1) (Qty. 1) For use with round tops only Wood BW-16 (Qty. 1) For use with round tops only Laminate BP-16 (Qty. 1) For use with round tops only  Wood 25N1628SQBW (Epic) (Qty. 1) Wood 10N1628SQBW (P1) (Qty. 1)  Wood 10N1628SQBW (P2) (Qty. 1)  Wood 10N1628SQBW (P3) (Qty. 1)  Wood 10N1628SQBW (P4) (Qty. 1)  Laminate 25N1628SQBL (Epic) (Qty. 1) Laminate 10N1628SQBL (P1) (Qty. 1)  Wood 25N1628SQBXW (Epic) (Qty. 1) Wood 10N1628SQBXW (P1) (Qty. 1)  Wood 10N1628SQBXW (P2) (Qty. 1)  Wood 10N1628SQBXW (P3) (Qty. 1)  Wood 10N1628SQBXW (P4) (Qty. 1)  Laminate 25N1628SQBXL (Epic) (Qty. 1) Laminate 10N1628SQBXL (P1) (Qty. 1) Wood BW-1616 (Qty. 1) Metal CBV2802C CBV2802CS CBV2802CN (Qty. 4) Metal CBV2802CM CBV2802CMS CBV2802CMN (Qty. 4) Metal B4-29MB (Qty. 1) Metal BW-4 (Qty. 1) Metal CBV3228X CBV3228XS CBV3228XN (Qty. 1) Metal CBV2728U4SB CBV2728U4SS CBV2728U4SN (Qty. 1) Metal CBV2728U4MB CBV2728U4MS CBV2728U4MN (Qty. 1) Metal CBV2742UA4MB CBV2742UA4MS CBV2742UA4MN (Qty. 1)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
36", 36" x 36" (continued)  Bases at right applicable to 36" round or square tables	 Metal CBV3228XM CBV3228XMS CBV3228XMN (Qty. 1)	 Metal CBV3235XBB CBV3235XBS CBV3235XBN (Qty. 1)	 Metal CBV3241XBB CBV3241XBS CBV3241XBN (Qty. 1)	 Metal CBV3226XBAB CBV3226XBAS CBV3226XBAN (Qty. 1)
	 Metal CBV2215DB CBV2215DS CBV2215DN (Qty. 1) For use with round tops only	 Metal CBV2228DB CBV2228DS CBV2228DN (Qty. 1) Not for use with 36" soft square Corian tops	 Metal CBV2235DB CBV2235DS CBV2235DN (Qty. 1) For use with round tops only	 Metal CBV2240DB CBV2240DS CBV2240DN (Qty. 1) For use with round tops only
	 Metal CBV2715DB CBV2715DS CBV2715DN (Qty. 1)	 Metal CBV2728DB CBV2728DS CBV2728DN (Qty. 1)	 Metal CBV2735DB CBV2735DS CBV2735DN (Qty. 1)	 Metal CBV2740DB CBV2740DS CBV2740DN (Qty. 1)
	 Metal CBV2215SQDB CBV2215SQDS CBV2215SQDN (Qty. 1)	 Metal CBV2228SQDB CBV2228SQDS CBV2228SQDN (Qty. 1)	 Metal CBV2235SQDB CBV2235SQDS CBV2235SQDN (Qty. 1)	 Metal CBV2240SQDB CBV2240SQDS CBV2240SQDN (Qty. 1)
	 Metal CBV2715SQDB CBV2715SQDS CBV2715SQDN (Qty. 1)	 Metal CBV2728SQDB CBV2728SQDS CBV2728SQDN (Qty. 1)	 Metal CBV2735SQDB CBV2735SQDS CBV2735SQDN (Qty. 1)	 Metal CBV2740SQDB CBV2740SQDS CBV2740SQDN (Qty. 1)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
42", 42" x 42"  Bases at right applicable to 42" round or square tables	 Wood 10N1828CYBW (P1) (Qty. 1) For use with round tops only	 Laminate 10N1828CYBL (P1) (Qty. 1) For use with round tops only	 Wood BW-18 (Qty. 1) For use with round tops only	 Laminate BP-18 (Qty. 1) For use with round tops only
	 Wood 25N1828SQBW (Epic) (Qty. 1)	 Wood 10N1828SQBW (P1) (Qty. 1)	 Wood 10N1828SQBW (P2) (Qty. 1)	 Wood 10N1828SQBW (P3) (Qty. 1)
	 Wood 10N1828SQBW (P4) (Qty. 1)	 Laminate 25N1828SQBL (Epic) (Qty. 1)	 Laminate 10N1828SQBL (P1) (Qty. 1)	 Wood 25N1828SQBXW (Epic) (Qty. 1)
	 Wood 10N1828SQBXW (P1) (Qty. 1)	 Wood 10N1828SQBXW (P2) (Qty. 1)	 Wood 10N1828SQBXW (P3) (Qty. 1)	 Wood 10N1828SQBXW (P4) (Qty. 1)
	 Laminate 25N1828SQBXL (Epic) (Qty. 1)	 Laminate 10N1828SQBXL (P1) (Qty. 1)	 Wood BW-1616 (Qty. 1)	 Wood TBW-4 (Qty. 1) Not for use with 40N42RDL top
	 Nylon TB-4P (Qty. 1)	 Metal CBV2802C CBV2802CS CBV2802CN (Qty. 4)	 Metal CBV2802CM CBV2802CMS CBV2802CMN (Qty. 4)	 Metal B4-29MB (Qty. 1)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
42", 42" x 42" (continued)  Bases at right applicable to 42" round or square tables	 Metal B34-29MB (Qty. 1)	 Metal BW-4 (Qty. 1)	 Metal CBV3828X CBV3828XS CBV3828XN (Qty. 1)	 Metal CBV3828XM CBV3828XMS CBV3828XMN (Qty. 1)
	 Metal CBV2228DB CBV2228DS CBV2228DN (Qty. 1) For use with round tops only Not for use with 42" Corian tops	 Metal CBV2728DB CBV2728DS CBV2728DN (Qty. 1) For use with round tops only	 Metal CBV2228SQDB CBV2228SQDS CBV2228SQDN (Qty. 1) For use with round tops only Not for use with 42" Corian tops	 Metal CBV2728SQDB CBV2728SQDS CBV2728SQDN (Qty. 1)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48", 48" x 48"



Bases at right applicable to 48" round or square tables

BASES

Wood
10N1828CYBW (P1)
(Qty. 1)
For use with round tops only

Laminate
10N1828CYBL (P1)
(Qty. 1)
For use with round tops only

Wood
BW-18
(Qty. 1)
For use with round tops only

Laminate
BP-18
(Qty. 1)
For use with round tops only



Wood
25N1828SQBW (Epic)
(Qty. 1)

Wood
10N1828SQBW (P1)
(Qty. 1)



Wood
10N1828SQBW (P2)
(Qty. 1)



Wood
10N1828SQBW (P3)
(Qty. 1)



Wood
10N1828SQBW (P4)
(Qty. 1)



Laminate
25N1828SQBL (Epic)
(Qty. 1)

Laminate
10N1828SQBL (P1)
(Qty. 1)



Wood
25N1828SQBXW (Epic)
(Qty. 1)

Wood
10N1828SQBXW (P1)
(Qty. 1)



Wood
10N1828SQBXW (P2)
(Qty. 1)



Wood
10N1828SQBXW (P3)
(Qty. 1)



Wood
10N1828SQBXW (P4)
(Qty. 1)



Laminate
25N1828SQBXL (Epic)
(Qty. 1)

Laminate
10N1828SQBXL (P1)
(Qty. 1)

Wood
BW-1616
(Qty. 1)

Wood
TBW-4
(Qty. 1)
For use with round tops only
Not for use with 48" Corian tops

Metal
CBV2802C
CBV2802CS
CBV2802CN
(Qty. 4)

Metal
CBV2802CM
CBV2802CMS
CBV2802CMN
(Qty. 4)

Metal
B34-29MB
(Qty. 1)

Metal
BW-4
(Qty. 1)

Metal
CBV3828X
CBV3828XS
CBV3828XN
(Qty. 1)

Metal
CBV3828XM
CBV3828XMS
CBV3828XMN
(Qty. 1)

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
54", 54" x 54" **60", 60" x 60"**  Bases at right applicable to 54" or 60" round or square tables	 Wood 10N2428CYBW (P1) (Qty. 1) For use with round tops only	 Laminate 10N2428CYBL (P1) (Qty. 1) For use with round tops only	 Wood BW-24 (Qty. 1) For use with round tops only	 Laminate BP-24 (Qty. 1) For use with round tops only
	 Wood 25N2428SQBW (Epic) (Qty. 1)	 Wood 10N2428SQBW (P1) (Qty. 1)	 Wood 10N2428SQBW (P2) (Qty. 1)	 Wood 10N2428SQBW (P3) (Qty. 1)
	 Wood 10N2428SQBW (P4) (Qty. 1)	 Laminate 25N2428SQBL (Epic) (Qty. 1)	 Laminate 10N2428SQBL (P1) (Qty. 1)	 Wood 25N2428SQBXW (Epic) (Qty. 1)
	 Wood 10N2428SQBXW (P1) (Qty. 1)	 Wood 10N2428SQBXW (P2) (Qty. 1)	 Wood 10N2428SQBXW (P3) (Qty. 1)	 Wood 10N2428SQBXW (P4) (Qty. 1)
	 Laminate 25N2428SQBXL (Epic) (Qty. 1)	 Laminate 10N2428SQBXL (P1) (Qty. 1)	 Metal CBV4728XB, CBV4728XS, CBV4728XN (Qty. 1)	

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

36" x 72"
42" x 84"



Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat or racetrack tables

BASES

Wood
10N1628CYBW (P1)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Laminate
10N1628CYBL (P1)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Wood
BW-16
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Laminate
BP-16
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
25N1628SQBW (Epic)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Wood
10N1628SQBW (P1)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
10N1628SQBW (P2)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
10N1628SQBW (P3)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
10N1628SQBW (P4)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Laminate
25N1628SQBL (Epic)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Laminate
10N1628SQBL (P1)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
25N1628SQBXW (Epic)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Wood
10N1628SQBXW (P1)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
10N1628SQBXW (P2)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Wood
10N1628SQBXW (P3)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Wood
10N1628SQBXW (P4)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top



Laminate
25N1628SQBXL (Epic)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Laminate
10N1628SQBXL (P1)
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Wood
BW-1616
(Qty. 2)
Very limited kneespace with 36″ x 72″ conference top

Wood
TBW-4
(Qty. 2)

Nylon
TB-4P
(Qty. 2)

Wood
BW-2427S
(Qty. 2)

Laminate
BP-2427S
(Qty. 2)

Laminate
BP-2427C
(Qty. 2)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36" x 72" **42" x 84" (continued)**  Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat or racetrack tables	 Wood 25N1828PNW (Epic) (Qty. 2)  Wood 10N1828PNW (P1) (Qty. 2)  Wood 10N1828PNW (P2) (Qty. 2)  Wood 10N1828PNW (P3) (Qty. 2)  Wood 10N1828PNW (P4) (Qty. 2)  Laminate 25N1828PNL (Epic) (Qty. 2)  Laminate 10N1828PNL (P1) (Qty. 2)  Wood 25N72PNKW (Epic) 25N84PNKW (Epic) (Qty. 1)  Wood 10N72PNKW (P1) 10N84PNKW (P1) (Qty. 1)  Wood 10N72PNKW (P2) 10N84PNKW (P2) (Qty. 1)  Wood 10N72PNKW (P3) 10N84PNKW (P3) (Qty. 1)  Wood 10N72PNKW (P4) 10N84PNKW (P4) (Qty. 1)  Laminate 25N72PNKL (Epic) 25N84PNKL (Epic) (Qty. 1)  Laminate 10N72PNKL (P1) 10N84PNKL (P1) (Qty. 1)  Metal B1-29MB (Qty. 2)  Metal CBW3428TT (Qty. 2)  Metal CBW3428H (Qty. 2)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 96"



Bases at right applicable to 48" x 96" rectangle, boat or racetrack tables

BASES

Wood
10N1828CYBW (P1)
(Qty. 2)

Laminate
10N1828CYBL (P1)
(Qty. 2)

Wood
BW-18
(Qty. 2)

Laminate
BP-18
(Qty. 2)



Wood
25N1828SQBW (Epic)
(Qty. 2)

Wood
10N1828SQBW (P1)
(Qty. 2)



Wood
10N1828SQBW (P2)
(Qty. 2)



Wood
10N1828SQBW (P3)
(Qty. 2)



Wood
10N1828SQBW (P4)
(Qty. 2)



Laminate
25N1828SQBL (Epic)
(Qty. 2)

Laminate
10N1828SQBL (P1)
(Qty. 2)



Wood
25N1828SQBXW (Epic)
(Qty. 2)

Wood
10N1828SQBXW (P1)
(Qty. 2)



Wood
10N1828SQBXW (P2)
(Qty. 2)



Wood
10N1828SQBXW (P3)
(Qty. 2)



Wood
10N1828SQBXW (P4)
(Qty. 2)



Laminate
25N1828SQBXL (Epic)
(Qty. 2)

Laminate
10N1828SQBXL (P1)
(Qty. 2)

Wood
TBW-4
(Qty. 2)

Wood
BW-2427S
(Qty. 2)

Laminate
BP-2427S
(Qty. 2)

Laminate
BP-2427C
(Qty. 2)



Wood
25N1828PNW (Epic)
(Qty. 2)



Wood
10N1828PNW (P1)
(Qty. 2)



Wood
10N1828PNW (P2)
(Qty. 2)



Wood
10N1828PNW (P3)
(Qty. 2)



Wood
10N1828PNW (P4)
(Qty. 2)



Laminate
25N1828PNL (Epic)
(Qty. 2)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 96" (continued)  Bases at right applicable to 48" x 96" rectangle, boat or racetrack tables	 Laminate 10N1828PNL (P1) (Qty. 2)  Wood 25N96PNKW (Epic) (Qty. 1)  Wood 10N96PNKW (P1) (Qty. 1)  Wood 10N96PNKW (P2) (Qty. 1)  Wood 10N96PNKW (P3) (Qty. 1)  Wood 10N96PNKW (P4) (Qty. 1)  Laminate 25N96PNKL (Epic) (Qty. 1)  Laminate 10N96PNKL (P1) (Qty. 1)  Metal B1-29MB (Qty. 3)  Metal CBW3428TT (Qty. 2)  Metal CBW3428H (Qty. 2)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 120"
48" x 144"



Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat or racetrack tables

BASES

Wood
10N1828CYBW (P1)
(Qty. 3)

Laminate
10N1828CYBL (P1)
(Qty. 3)

Wood
BW-18
(Qty. 3)

Laminate
BP-18
(Qty. 3)



Wood
25N1828SQBW (Epic)
(Qty. 3)

Wood
10N1828SQBW (P1)
(Qty. 3)



Wood
10N1828SQBW (P2)
(Qty. 3)



Wood
10N1828SQBW (P3)
(Qty. 3)



Wood
10N1828SQBW (P4)
(Qty. 3)



Wood
25N1828SQBL (Epic)
(Qty. 3)

Laminate
10N1828SQBL (P1)
(Qty. 3)



Wood
25N1828SQBXW (Epic)
(Qty. 3)

Wood
10N1828SQBXW (P1)
(Qty. 3)



Wood
10N1828SQBXW (P2)
(Qty. 3)



Wood
10N1828SQBXW (P3)
(Qty. 3)

Wood
10N1828SQBXW (P4)
(Qty. 3)



Laminate
25N1828SQBXL (Epic)
(Qty. 3)

Laminate
10N1828SQBXL (P1)
(Qty. 3)

Wood
TBW-4
(Qty. 3)

Nylon
TB-4P
(Qty. 3)

Wood
BW-2427S
(Qty. 3)

Laminate
BP-2427S
(Qty. 3)

Laminate
BP-2427C
(Qty. 3)



Wood
25N1828PNW (Epic)
(Qty. 3)



Wood
10N1828PNW (P1)
(Qty. 3)



Wood
10N1828PNW (P2)
(Qty. 3)



Wood
10N1828PNW (P3)
(Qty. 3)



Wood
10N1828PNW (P4)
(Qty. 3)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 120" **48" x 144" (continued)**  Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat or racetrack tables	 Laminate 25N1828PNL (Epic) (Qty. 3)  Laminate 10N1828PNL (P1) (Qty. 3)  Wood 25N120PNKW (Epic) 25N144PNKW (Epic) (Qty. 1)  Wood 10N120PNKW (P1) 10N144PNKW (P1) (Qty. 1)  Wood 10N120PNKW (P2) 10N144PNKW (P2) (Qty. 1)  Wood 10N120PNKW (P3) 10N144PNKW (P3) (Qty. 1)  Wood 10N120PNKW (P4) 10N144PNKW (P4) (Qty. 1)  Laminate 25N120PNKL (Epic) 25N144PNKL (Epic) (Qty. 1)  Laminate 10N120PNKL (P1) 10N144PNKL (P1) (Qty. 1)  Metal B1-29MB (Qty. 3)  Metal CBW3428TT (Qty. 3)  Metal CBW3428H (Qty. 3)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 168"
48" x 192"



Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat or racetrack tables

BASES

Wood
10N1828CYBW (P1)
(Qty. 4)

Laminate
10N1828CYBL (P1)
(Qty. 4)

Wood
BW-18
(Qty. 4)

Laminate
BP-18
(Qty. 4)



Wood
25N1828SQBW (Epic)
(Qty. 4)

Wood
10N1828SQBW (P1)
(Qty. 4)



Wood
10N1828SQBW (P2)
(Qty. 4)



Wood
10N1828SQBW (P3)
(Qty. 4)



Wood
10N1828SQBW (P4)
(Qty. 4)



Wood
25N1828SQBL (Epic)
(Qty. 4)

Laminate
10N1828SQBL (P1)
(Qty. 4)



Wood
25N1828SQBXW (Epic)
(Qty. 4)

Wood
10N1828SQBXW (P1)
(Qty. 4)



Wood
10N1828SQBXW (P2)
(Qty. 4)



Wood
10N1828SQBXW (P3)
(Qty. 4)

Wood
10N1828SQBXW (P4)
(Qty. 4)



Laminate
25N1828SQBXL (Epic)
(Qty. 4)

Laminate
10N1828SQBXL (P1)
(Qty. 4)

Wood
TBW-4
(Qty. 4)

Nylon
TB-4P
(Qty. 4)

Wood
BW-2427S
(Qty. 4)

Laminate
BP-2427S
(Qty. 4)

Laminate
BP-2427C
(Qty. 4)



Wood
25N1828PNW (Epic)
(Qty. 4)



Wood
10N1828PNW (P1)
(Qty. 4)



Wood
10N1828PNW (P2)
(Qty. 4)



Wood
10N1828PNW (P3)
(Qty. 4)



Wood
10N1828PNW (P4)
(Qty. 4)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 168" **48" x 192" (continued)**  Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat or racetrack tables	 Laminate 25N1828PNL (Epic) (Qty. 4)	 Laminate 10N1828PNL (P1) (Qty. 4)	 Wood 25N168PNKW (Epic) 25N192PNKW (Epic) (Qty. 1)	 Wood 10N168PNKW (P1) 10N192PNKW (P1) (Qty. 1)
	 Wood 10N168PNKW (P2) 10N192PNKW (P2) (Qty. 1)	 Wood 10N168PNKW (P3) 10N192PNKW (P3) (Qty. 1)	 Wood 10N168PNKW (P4) 10N192PNKW (P4) (Qty. 1)	 Laminate 25N168PNKL (Epic) 25N192PNKL (Epic) (Qty. 1)
	 Laminate 10N168PNKL (P1) 10N192PNKL (P1) (Qty. 1)	 Metal B1-29MB (Qty. 4)	 Metal CBW3428TT (Qty. 4)	 Metal CBW3428H (Qty. 4)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 216"
48" x 240"



Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat or racetrack tables

BASES

Wood
10N1828CYBW (P1)
(Qty. 4)

Laminate
10N1828CYBL (P1)
(Qty. 4)

Wood
BW-18
(Qty. 4)

Laminate
BP-18
(Qty. 4)



Wood
25N1828SQBW (Epic)
(Qty. 4)

Wood
10N1828SQBW (P1)
(Qty. 4)



Wood
10N1828SQBW (P2)
(Qty. 4)



Wood
10N1828SQBW (P3)
(Qty. 4)



Wood
10N1828SQBW (P4)
(Qty. 4)



Wood
25N1828SQBL (Epic)
(Qty. 4)

Laminate
10N1828SQBL (P1)
(Qty. 4)



Wood
25N1828SQBXW (Epic)
(Qty. 4)

Wood
10N1828SQBXW (P1)
(Qty. 4)



Wood
10N1828SQBXW (P2)
(Qty. 4)



Wood
10N1828SQBXW (P3)
(Qty. 4)

Wood
10N1828SQBXW (P4)
(Qty. 4)



Laminate
25N1828SQBXL (Epic)
(Qty. 4)

Laminate
10N1828SQBXL (P1)
(Qty. 4)

Wood
TBW-4
(Qty. 4)

Nylon
TB-4P
(Qty. 4)

Wood
BW-2427S
(Qty. 5)

Laminate
BP-2427S
(Qty. 5)

Laminate
BP-2427C
(Qty. 5)



Wood
25N1828PNW (Epic)
(Qty. 4)



Wood
10N1828PNW (P1)
(Qty. 4)



Wood
10N1828PNW (P2)
(Qty. 4)



Wood
10N1828PNW (P3)
(Qty. 4)



Wood
10N1828PNW (P4)
(Qty. 4)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
48" x 216" **48" x 240" (continued)**  Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat or racetrack tables	 Laminate 25N1828PNL (Epic) (Qty. 4)	 Laminate 10N1828PNL (P1) (Qty. 4)	 Wood 25N216PNKW (Epic) 25N240PNKW (Epic) (Qty. 1)	 Wood 10N216PNKW (P1) 10N240PNKW (P1) (Qty. 1)
	 Wood 10N216PNKW (P2) 10N240PNKW (P2) (Qty. 1)	 Wood 10N216PNKW (P3) 10N240PNKW (P3) (Qty. 1)	 Wood 10N216PNKW (P4) 10N240PNKW (P4) (Qty. 1)	 Laminate 25N216PNKL (Epic) 25N240PNKL (Epic) (Qty. 1)
	 Laminate 10N216PNKL (P1) 10N240PNKL (P1) (Qty. 1)	 Metal B1-29MB (Qty. 5)	 Metal CBW3428TT (Qty. 5)	 Metal CBW3428H (Qty. 5)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

60" x 144"



Bases at right applicable to 60" x 144" rectangle, boat or racetrack tables

***When specifying tables with a modified size, it is recommended to use the 18" deep bases to provide adequate kneespace.**

BASES

Wood
10N2428CYBW (P1)*
(Qty. 3)

Laminate
10N2428CYBL (P1)*
(Qty. 3)

Wood
BW-24*
(Qty. 3)

Laminate
BP-24*
(Qty. 3)



Wood
25N2428SQBW (Epic)*
(Qty. 3)

Wood
10N2428SQBW (P1)*
(Qty. 3)



Wood
10N2428SQBW (P2)*
(Qty. 3)



Wood
10N2428SQBW (P3)*
(Qty. 3)



Wood
10N2428SQBW (P4)*
(Qty. 3)



Laminate
25N2428SQBL (Epic)*
(Qty. 3)

Laminate
10N2428SQBL (P1)*
(Qty. 3)



Wood
25N2428SQBXW (Epic)*
(Qty. 3)

Wood
10N2428SQBXW (P1)*
(Qty. 3)



Wood
10N2428SQBXW (P2)*
(Qty. 3)



Wood
10N2428SQBXW (P3)*
(Qty. 3)

Wood
10N2428SQBXW (P4)*
(Qty. 3)



Laminate
25N2428SQBXL (Epic)*
(Qty. 3)

Laminate
10N2428SQBXL (P1)*
(Qty. 3)



Wood
25N2428PNW (Epic)
(Qty. 3)



Wood
10N2428PNW (P1)
(Qty. 3)



Wood
10N2428PNW (P2)
(Qty. 3)



Wood
10N2428PNW (P3)
(Qty. 3)



Wood
10N2428PNW (P4)
(Qty. 3)



Laminate
25N2428PNL (Epic)
(Qty. 3)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
60" x 144" (continued)  Bases at right applicable to 60" x 144" rectangle, boat or racetrack tables ***When specifying tables with a modified size, it is recommended to use the 18" deep bases to provide adequate kneespace.**	 Laminate 10N2428PNL (P1) (Qty. 3)  Wood 25N60144PNKW (Epic) (Qty. 1)  Wood 10N60144PNKW (P1) (Qty. 1)  Wood 10N60144PNKW (P2) (Qty. 1)  Wood 10N60144PNKW (P3) (Qty. 1)  Wood 10N60144PNKW (P4) (Qty. 1)  Laminate 25N60144PNKL (Epic) (Qty. 1)  Laminate 10N60144PNKL (P1) (Qty. 1)

Table Base Guide

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

60" x 168"
60" x 192"
60" x 216"
60" x 240"



Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, boat or racetrack tables

***When specifying tables with a modified size, it is recommended to use the 18" deep bases to provide adequate kneespace.**

BASES

Wood
10N2428CYBW (P1)*
(Qty. 4)

Laminate
10N2428CYBL (P1)*
(Qty. 4)

Wood
BW-24*
(Qty. 4)

Laminate
BP-24*
(Qty. 4)



Wood
25N2428SQBW (Epic)*
(Qty. 4)

Wood
10N2428SQBW (P1)*
(Qty. 4)



Wood
10N2428SQBW (P2)*
(Qty. 4)



Wood
10N2428SQBW (P3)*
(Qty. 4)



Wood
10N2428SQBW (P4)*
(Qty. 4)



Laminate
25N2428SQBL (Epic)*
(Qty. 4)

Laminate
10N2428SQBL (P1)*
(Qty. 4)



Wood
25N2428SQBXW (Epic)*
(Qty. 4)

Wood
10N2428SQBXW (P1)*
(Qty. 4)



Wood
10N2428SQBXW (P2)*
(Qty. 4)



Wood
10N2428SQBXW (P3)*
(Qty. 4)



Wood
10N2428SQBXW (P4)*
(Qty. 4)



Laminate
25N2428SQBXL (Epic)*
(Qty. 4)

Laminate
10N2428SQBXL (P1)*
(Qty. 4)



Wood
25N2428PNW (Epic)
(Qty. 4)



Wood
10N2428PNW (P1)
(Qty. 4)



Wood
10N2428PNW (P2)
(Qty. 4)



Wood
10N2428PNW (P3)
(Qty. 4)



Wood
10N2428PNW (P4)
(Qty. 4)



Laminate
25N2428PNL (Epic)
(Qty. 4)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
60" x 168" **60" x 192"** **60" x 216"** **60" x 240" (continued)**  Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, boat or racetrack tables ***When specifying tables with a modified size, it is recommended to use the 18" deep bases to provide adequate kneespace.**	 Laminate 10N2428PNL (P1) (Qty. 4)	 Wood 25N60168PNKW (Epic) 25N60192PNKW (Epic) 25N60216PNKW (Epic) 25N60240PNKW (Epic) (Qty. 1)	 Wood 10N60168PNKW (P1) 10N60192PNKW (P1) 10N60216PNKW (P1) 10N60240PNKW (P1) (Qty. 1)	 Wood 10N60168PNKW (P2) 10N60192PNKW (P2) 10N60216PNKW (P2) 10N60240PNKW (P2) (Qty. 1)
	 Wood 10N60168PNKW (P3) 10N60192PNKW (P3) 10N60216PNKW (P3) 10N60240PNKW (P3) (Qty. 1)	 Wood 10N60168PNKW (P4) 10N60192PNKW (P4) 10N60216PNKW (P4) 10N60240PNKW (P4) (Qty. 1)	 Laminate 25N60168PNKL (Epic) 25N60192PNKL (Epic) 25N60216PNKL (Epic) 25N60240PNKL (Epic) (Qty. 1)	 Laminate 10N60168PNKL (P1) 10N60192PNKL (P1) 10N60216PNKL (P1) 10N60240PNKL (P1) (Qty. 1)

Table Base Placement Guide

• All bases are centered on the table top depth

Table Length (in)	Section Length	Square and Round Bases		Queen Anne, Thick Panel Bases, and Kits		Figures (not to scale)
	C	A	B	A	B	
240	81	30	9	28	7	
234	78	29¼	9¾	27¼	7¾	
228	75	28½	10½	26½	8½	
222	72	27¾	11¼	25¾	9¼	
216	69	27	12	25	10	
210	66	26¼	12¾	24¼	10¾	
204	63	25½	13½	23½	11½	
198	60	24¾	14¼	22¾	12¼	
192	96	24	24	22	26	
186	93	23¼	23¼	21¼	25¼	
180	90	22½	22½	20½	24½	
174	87	21¾	21¾	19¾	23¾	
168	84	21	21	19	23	
162	81	20¼	20¼	18¼	22¼	
156	78	19½	19½	17½	21½	
150	75	18¾	18¾	16¾	20¾	
144	72	24	centered	22	centered	
138	69	23	centered	21	centered	
132	66	22	centered	20	centered	
126	63	21	centered	19	centered	
120	60	20	centered	18	centered	
114	57	19	centered	17	centered	
108	54	18	centered	16	centered	
102	51	17	centered	15	centered	
96	N/A	24	N/A	22	N/A	
90	N/A	22½	N/A	20½	N/A	
84	N/A	21	N/A	19	N/A	
78	N/A	19½	N/A	17½	N/A	
72	N/A	18	N/A	16	N/A	
66	N/A	16½	N/A	14½	N/A	

Table Length (in)	Section Length	Thin Panels, Curved Panels, and Metal Bases			
	C	Number of Bases	A	B	Figures (not to scale)
240	81	5	24	72	
234	78	5	24	72	
228	75	5	24	72	
222	72	5	24	72	
216	69	5	24	66	
210	66	5	24	66	
204	63	5	24	66	
198	60	5	24	66	
192	96	4	24	72	
186	93	4	24	70	
180	90	4	24	68	
174	87	4	24	66	
168	84	4	24	64	
162	81	4	24	62	
156	78	4	24	60	
150	75	4	24	58	
144	72	3	24	centered	
138	69	3	24	centered	
132	66	3	24	centered	
126	63	3	24	centered	
120	60	3	24	centered	
114	57	3	24	centered	
108	54	3	24	centered	
102	51	3	24	centered	
96 (2 prong)	48	3	24	N/A	
90 (2 prong)	45	3	24	N/A	
96	N/A	2	24	N/A	
90	N/A	2	24	N/A	
84	N/A	2	18	N/A	
78	N/A	2	18	N/A	
72	N/A	2	18	N/A	
66	N/A	2	18	N/A	

Tables Specification Guide

Conference Table Tops

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS

- Arrowood Veneer (31N) models feature 13/16" or 19/16" slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 13/16" TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:

1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood only)**
6. **Finish/Laminate**

ARROWOOD SHAPES AND SIZES



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

31N Arrowood Veneer Top Options

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

21N Arrowood Laminate Top Options

LAMINATE COLORS

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Arrowood Square Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 53 for options and upcharge
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31NN3636SQW G10C N NM
31NN3636SQLW G10C MC

Arrowood Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16 Top Thickness***								
31NN3030SQW	Wood	**$ 887**	30	30	19/16	—	—	33 lbs.	2.0
31NN3030SQLW	Laminate/Wood	**887**	30	30	19/16	—	—	33 lbs.	2.0
36" Square									
31NN3636SQW	Wood	**$ 1044**	36	36	19/16	—	—	45 lbs.	2.4
31NN3636SQLW	Laminate/Wood	**1044**	36	36	19/16	—	—	45 lbs.	2.4
42" Square									
31NN4242SQW	Wood	**$ 1171**	42	42	19/16	—	—	61 lbs.	3.2
31NN4242SQLW	Laminate/Wood	**1171**	42	42	19/16	—	—	61 lbs.	3.2
48" Square									
31NN4848SQW	Wood	**$ 1302**	48	48	19/16	—	—	79 lbs.	4.2
31NN4848SQLW	Laminate/Wood	**1302**	48	48	19/16	—	—	79 lbs.	4.2
54" Square									
31NN5454SQW	Wood	**$ 1529**	54	54	19/16	—	—	121 lbs.	6.9
31NN5454SQLW	Laminate/Wood	**1529**	54	54	19/16	—	—	121 lbs.	6.9
60" Square									
31NN6060SQW	Wood	**$ 1756**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
31NN6060SQLW	Laminate/Wood	**1756**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

Specify selections, left to right:

Base Model	Grommet/Cutout Option	Sheen (wood tops only)	Finish (31N only)	Laminate (21N only)
	G10C Center	R Standard	IM Brighton	IM Brighton
	CUT-G15C Center	N Matte/Satin	NM Natural	NM Natural
	X No Grommet		HN Honey	HN2 Honey 2
			CL Caramel	CL Caramel
			TF Truffle	TF Truffle
			AC Autumn	AC2 Autumn 2
			MC Amber	MC Amber
			CW Cordovan	CW Cordovan
			DW Judicial	DW Judicial
			MH Mocha	MH Mocha
				791 Palisander
				792 Sable
				793 Acorn
31NN3636SQW	G10C	N	NM	

Conference Table Tops

Arrowood

Arrowood Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***13/16 Top Thickness***								
31N3030SQW	Wood	**$ 790**	30	30	13/16	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	**790**	30	30	13/16	—	—	33 lbs.	2.0
21N3030SQL	Laminate	**405**	30	30	13/16	—	—	33 lbs.	2.0
36" Square									
31N3636SQW	Wood	**$ 930**	36	36	13/16	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	**930**	36	36	13/16	—	—	42 lbs.	2.4
21N3636SQL	Laminate	**476**	36	36	13/16	—	—	42 lbs.	2.4
42" Square									
31N4242SQW	Wood	**$ 1058**	42	42	13/16	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	**1058**	42	42	13/16	—	—	58 lbs.	3.2
21N4242SQL	Laminate	**682**	42	42	13/16	—	—	58 lbs.	3.2
48" Square									
31N4848SQW	Wood	**$ 1189**	48	48	13/16	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	**1189**	48	48	13/16	—	—	76 lbs.	4.2
21N4848SQL	Laminate	**935**	48	48	13/16	—	—	76 lbs.	4.2

Arrowood Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 53 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31NN48216RTW CUT-G15LR X X R MH
31NN48216RTLW X X X CW

Arrowood Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
31NN3672RTW	Wood	**$ 1655**	36	72	19/16	—	—	136 lbs.	6.3
31NN3672RTLW	Laminate/Wood	**1655**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
31NN4284RTW	Wood	**$ 1955**	42	84	19/16	—	—	180 lbs.	8.3
31NN4284RTLW	Laminate/Wood	**1955**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
31NN4896RTW	Wood	**$ 2252**	48	96	19/16	—	—	233 lbs.	10.5
31NN4896RTLW	Laminate/Wood	**2252**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
31NN48120RTW	Wood	**$ 3074**	48	120	19/16	—	—	279 lbs.	10.6
31NN48120RTLW	Laminate/Wood	**3074**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
31NN48144RTW	Wood	**$ 3809**	48	144	19/16	—	—	332 lbs.	12.5
31NN48144RTLW	Laminate/Wood	**3809**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
31NN48168RTW	Wood	**$ 4383**	48	168	19/16	—	—	385 lbs.	14.3
31NN48168RTLW	Laminate/Wood	**4383**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
31NN48192RTW	Wood	**$ 4956**	48	192	19/16	—	—	438 lbs.	16.2
31NN48192RTLW	Laminate/Wood	**4956**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
31NN48216RTW	Wood	**$ 5531**	48	216	19/16	—	—	524 lbs.	20.0
31NN48216RTLW	Laminate/Wood	**5531**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
31NN48240RTW	Wood	**$ 6105**	48	240	19/16	—	—	571 lbs.	22.0
31NN48240RTLW	Laminate/Wood	**6105**	48	240	19/16	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen (wood tops only)	Finish (31N only)	Laminate (21N only)
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton	IM Brighton
	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural	NM Natural
	G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey	HN2 Honey 2
	G10A	All	CUT-G16A	All				CL Caramel	CL Caramel
	G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle	TF Truffle
	CUT-G15C	Center	X	No Grommet				AC Autumn	AC2 Autumn 2
	CUT-G15E	End						MC Amber	MC Amber
	CUT-G15LR	Left, Right						CW Cordovan	CW Cordovan
	CUT-G15A	All						DW Judicial	DW Judicial
	CUT-G15CE	Center, End						MH Mocha	MH Mocha
									791 Palisander
									792 Sable
									793 Acorn
31NN48216RTW	CUT-G15LR				X	X	R	MH	

Arrowood Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
31NN60144RTW	Wood	**$ 4950**	58 5/8	144	19 1/16	—	—	412 lbs.	18.0
31NN60144RTLW	Laminate/Wood	**4950**	58 5/8	144	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
31NN60168RTW	Wood	**$ 5698**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
31NN60168RTLW	Laminate/Wood	**5698**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
31NN60192RTW	Wood	**$ 6445**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
31NN60192RTLW	Laminate/Wood	**6445**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
31NN60216RTW	Wood	**$ 7189**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
31NN60216RTLW	Laminate/Wood	**7189**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
31NN60240RTW	Wood	**$ 7934**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0
31NN60240RTLW	Laminate/Wood	**7934**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS
- 19/16" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:
1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood only)**
6. **Finish/Laminate**

BARRINGTON SHAPES AND SIZES



Round

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Boat

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

TF Truffle
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Barrington Round Tops

Product Specifications

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 59 for options and upcharge
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

50NN36RDW	X	N	DW
50NN3636SQW	X	N	MH

Barrington Round Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
50NN30RDW	Wood	**$ 1169**	30	—	19/16	—	—	33 lbs.	2.0
50NN30RDLW	Laminate/Wood	**1169**	36	—	19/16	—	—	33 lbs.	2.0
36" Round									
50NN36RDW	Wood	**$ 1376**	36	—	19/16	—	—	45 lbs.	2.4
50NN36RDLW	Laminate/Wood	**1376**	36	—	19/16	—	—	45 lbs.	2.4
42" Round									
50NN42RDW	Wood	**$ 1504**	42	—	19/16	—	—	61 lbs.	3.2
50NN42RDLW	Laminate/Wood	**1504**	42	—	19/16	—	—	61 lbs.	3.2
48" Round									
50NN48RDW	Wood	**$ 1860**	48	—	19/16	—	—	79 lbs.	4.2
50NN48RDLW	Laminate/Wood	**1860**	48	—	19/16	—	—	79 lbs.	4.2
54" Round									
50NN54RDW	Wood	**$ 2268**	54	—	19/16	—	—	121 lbs.	6.9
50NN54RDLW	Laminate/Wood	**2268**	54	—	19/16	—	—	121 lbs.	6.9
60" Round									
50NN60RDW	Wood	**$ 2499**	58 5/8	—	19/16	—	—	150 lbs.	8.3
50NN60RDLW	Laminate/Wood	**2499**	58 5/8	—	19/16	—	—	150 lbs.	8.3

Specify selections, left to right:

Base Model	Grommet/Cutout Option	Sheen (wood tops only)	Finish
	G10C Center	R Standard	TF Truffle
	CUT-G15C Center	N Matte/Satin	CW Cordovan
	X No Grommet		DW Judicial
			MH Mocha
50NN36RDW	X	N	DW

Barrington Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16 Top Thickness***								
50NN3030SQW	Wood	**$ 1169**	30	30	19/16	—	—	33 lbs.	2.0
50NN3030SQLW	Laminate/Wood	**1169**	30	30	19/16	—	—	33 lbs.	2.0
36" Square									
50NN3636SQW	Wood	**$ 1376**	36	36	19/16	—	—	45 lbs.	2.4
50NN3636SQLW	Laminate/Wood	**1376**	36	36	19/16	—	—	45 lbs.	2.4
42" Square									
50NN4242SQW	Wood	**$ 1504**	42	42	19/16	—	—	61 lbs.	3.2
50NN4242SQLW	Laminate/Wood	**1504**	42	42	19/16	—	—	61 lbs.	3.2
48" Square									
50NN4848SQW	Wood	**$ 1860**	48	48	19/16	—	—	79 lbs.	4.2
50NN4848SQLW	Laminate/Wood	**1860**	48	48	19/16	—	—	79 lbs.	4.2
54" Square									
50NN5454SQW	Wood	**$ 2268**	54	54	19/16	—	—	121 lbs.	6.9
50NN5454SQLW	Laminate/Wood	**2268**	54	54	19/16	—	—	121 lbs.	6.9
60" Square									
50NN6060SQW	Wood	**$ 2499**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
50NN6060SQLW	Laminate/Wood	**2499**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

Barrington Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 59 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50NN48216RTW CUT-G15A X X R DW
50NN48216RTLW CUT-G15A X X DW

Barrington Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
50NN3672RTW	Wood	**$ 2149**	36	72	19/16	—	—	136 lbs.	6.3
50NN3672RTLW	Laminate/Wood	**2149**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
50NN4284RTW	Wood	**$ 2534**	42	84	19/16	—	—	180 lbs.	8.3
50NN4284RTLW	Laminate/Wood	**2534**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
50NN4896RTW	Wood	**$ 2919**	47 11/16	96	19/16	—	—	233 lbs.	10.5
50NN4896RTLW	Laminate/Wood	**2919**	47 11/16	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
50NN48120RTW	Wood	**$ 3986**	47 11/16	120	19/16	—	—	279 lbs.	10.6
50NN48120RTLW	Laminate/Wood	**3986**	47 11/16	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
50NN48144RTW	Wood	**$ 4939**	47 11/16	144	19/16	—	—	332 lbs.	12.5
50NN48144RTLW	Laminate/Wood	**4939**	47 11/16	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
50NN48168RTW	Wood	**$ 5686**	47 11/16	168	19/16	—	—	385 lbs.	14.3
50NN48168RTLW	Laminate/Wood	**5686**	47 11/16	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
50NN48192RTW	Wood	**$ 6428**	47 11/16	192	19/16	—	—	438 lbs.	16.2
50NN48192RTLW	Laminate/Wood	**6428**	47 11/16	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
50NN48216RTW	Wood	**$ 7172**	47 11/16	216	19/16	—	—	524 lbs.	20.0
50NN48216RTLW	Laminate/Wood	**7172**	47 11/16	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
50NN48240RTW	Wood	**$ 7917**	47 11/16	240	19/16	—	—	571 lbs.	22.0
50NN48240RTLW	Laminate/Wood	**7917**	47 11/16	240	19/16	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen (wood tops only)	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	TF Truffle
	G10E	End	CUT-G16E	End			N Matte/Satin	CW Cordovan
	G10LR	Left, Right	CUT-G16LR	Left, Right				DW Judicial
	G10A	All	CUT-G16A	All				MH Mocha
	G10CE	Center, End	CUT-G16CE	Center, End				
	CUT-G15C	Center	X	No Grommet				
	CUT-G15E	End						
	CUT-G15LR	Left, Right						
	CUT-G15A	All						
	CUT-G15CE	Center, End						
50NN48216RTW	CUT-G15A				X	X	R	DW

Barrington Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
50NN60144RTW	Wood	**$ 6420**	58 5/8	143 1/8	19 1/16	—	—	412 lbs.	18.0
50NN60144RTLW	Laminate/Wood	**6420**	58 5/8	143 1/8	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
50NN60168RTW	Wood	**$ 7390**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
50NN60168RTLW	Laminate/Wood	**7390**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
50NN60192RTW	Wood	**$ 8356**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
50NN60192RTLW	Laminate/Wood	**8356**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
50NN60216RTW	Wood	**$ 9325**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
50NN60216RTLW	Laminate/Wood	**9325**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
50NN60240RTW	Wood	**$ 10292**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0
50NN60240RTLW	Laminate/Wood	**10292**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Barrington Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 59 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50NN48216BTW G10A X X N CW
50NN48216BTLW G10A X X CW

Barrington Boat Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
50NN3672BTW	Wood	**$ 2320**	36	72	19/16	—	—	136 lbs.	6.3
50NN3672BTLW	Laminate/Wood	**2320**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
50NN4284BTW	Wood	**$ 2701**	42	84	19/16	—	—	180 lbs.	8.3
50NN4284BTLW	Laminate/Wood	**2701**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
50NN4896BTW	Wood	**$ 3084**	47 11/16	96	19/16	—	—	233 lbs.	10.5
50NN4896BTLW	Laminate/Wood	**3084**	47 11/16	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
50NN48120BTW	Wood	**$ 4331**	47 11/16	120	19/16	—	—	279 lbs.	10.6
50NN48120BTLW	Laminate/Wood	**4331**	47 11/16	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
50NN48144BTW	Wood	**$ 5274**	47 11/16	144	19/16	—	—	332 lbs.	12.5
50NN48144BTLW	Laminate/Wood	**5274**	47 11/16	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
50NN48168BTW	Wood	**$ 6013**	47 11/16	168	19/16	—	—	385 lbs.	14.3
50NN48168BTLW	Laminate/Wood	**6013**	47 11/16	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
50NN48192BTW	Wood	**$ 6750**	47 11/16	192	19/16	—	—	438 lbs.	16.2
50NN48192BTLW	Laminate/Wood	**6750**	47 11/16	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
50NN48216BTW	Wood	**$ 7486**	47 11/16	216	19/16	—	—	524 lbs.	20.0
50NN48216BTLW	Laminate/Wood	**7486**	47 11/16	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
50NN48240BTW	Wood	**$ 8222**	47 11/16	240	19/16	—	—	571 lbs.	22.0
50NN48240BTLW	Laminate/Wood	**8222**	47 11/16	240	19/16	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen (wood tops only)	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	TF Truffle
	G10E	End	CUT-G16E	End			N Matte/Satin	CW Cordovan
	G10LR	Left, Right	CUT-G16LR	Left, Right				DW Judicial
	G10A	All	CUT-G16A	All				MH Mocha
	G10CE	Center, End	CUT-G16CE	Center, End				
	CUT-G15C	Center	X	No				
	CUT-G15E	End	Grommet					
	CUT-G15LR	Left, Right						
	CUT-G15A	All						
	CUT-G15CE	Center, End						
50NN48216BTW	G10A				X	X	N	CW

Barrington Boat Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
50NN60144BTW	Wood	**$ 6854**	58 5/8	143 1/8	19 1/16	—	—	412 lbs.	18.0
50NN60144BTLW	Laminate/Wood	**6854**	58 5/8	143 1/8	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
50NN60168BTW	Wood	**$ 7818**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
50NN60168BTLW	Laminate/Wood	**7818**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
50NN60192BTW	Wood	**$ 8775**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
50NN60192BTLW	Laminate/Wood	**8775**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
50NN60216BTW	Wood	**$ 9732**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
50NN60216BTLW	Laminate/Wood	**9732**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
50NN60240BTW	Wood	**$ 10688**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0
50NN60240BTLW	Laminate/Wood	**10688**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

CAPTIVATE CONFERENCE TOP SPECIFICATIONS

TOPS
- 13/16" or 19/16" slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim with two rim profile options
- Size modifications available at no upcharge; many Captivate conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:
1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Modified Depth**
5. **Modified Width**
6. **Sheen (wood models)**
7. **Finish/Laminate**

CAPTIVATE SHAPES AND SIZES



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILES



Oblique (TA) **Slide (TB)**

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Captivate Square Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 67 for options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

36N3636SQW TA X N AC
36N3636SQLW TA G10C MH

Captivate Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16" Top Thickness***								
36N3030SQ2W	Wood	**$ 1560**	30	30	19/16	—	—	33 lbs.	2.0
36N3030SQ2LW	Laminate/Wood	**1560**	30	30	19/16	—	—	33 lbs.	2.0
36" Square									
36N3636SQ2W	Wood	**$ 1835**	36	36	19/16	—	—	45 lbs.	2.4
36N3636SQ2LW	Laminate/Wood	**1835**	36	36	19/16	—	—	45 lbs.	2.4
42" Square									
36N4242SQ2W	Wood	**$ 1977**	42	42	19/16	—	—	61 lbs.	3.2
36N4242SQ2LW	Laminate/Wood	**1977**	42	42	19/16	—	—	61 lbs.	3.2
48" Square									
36N4848SQ2W	Wood	**$ 2400**	48	48	19/16	—	—	79 lbs.	4.2
36N4848SQ2LW	Laminate/Wood	**2400**	48	48	19/16	—	—	79 lbs.	4.2
54" Square									
36N5454SQ2W	Wood	**$ 2627**	54	54	19/16	—	—	121 lbs.	6.9
36N5454SQ2LW	Laminate/Wood	**2627**	54	54	19/16	—	—	121 lbs.	6.9
60" Square									
36N6060SQ2W	Wood	**$ 2854**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
36N6060SQ2LW	Laminate/Wood	**2854**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

Specify selections, left to right:

Base Model	Rim Profile	Grommet/Cutout Option	Sheen (wood tops only)	Finish
	TA Oblique	G10C Center	R Standard	IM Brighton
	TB Slide	CUT-G15C Center	N Matte/Satin	NM Natural
		X No Grommet		HN Honey
				CL Caramel
				TF Truffle
				AC Autumn
				MC Amber
				CW Cordovan
				DW Judicial
				MH Mocha
36N3636SQW	TA	X	N	AC

Captivate Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***13/16 Top Thickness***								
36N3030SQW	Wood	**$ 1464**	30	30	13/16	—	—	33 lbs.	2.0
36N3030SQLW	Laminate/Wood	**1464**	30	30	13/16	—	—	33 lbs.	2.0
36" Square									
36N3636SQW	Wood	**$ 1722**	37¼	37¼	13/16	—	—	42 lbs.	2.4
36N3636SQLW	Laminate/Wood	**1722**	37¼	37¼	13/16	—	—	42 lbs.	2.4
42" Square									
36N4242SQW	Wood	**$ 1863**	42	42	13/16	—	—	58 lbs.	3.2
36N4242SQLW	Laminate/Wood	**1863**	42	42	13/16	—	—	58 lbs.	3.2
48" Square									
36N4848SQW	Wood	**$ 2287**	48	48	13/16	—	—	76 lbs.	4.2
36N4848SQLW	Laminate/Wood	**2287**	48	48	13/16	—	—	76 lbs.	4.2

Captivate Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 67 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

36N48216RTW TB CUT-G16LR X X R CL
36N48216RTLW TB CUT-G16LR X X AC

Conference Table Tops

Captivate

Captivate Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
36N3672RTW	Wood	**$ 2825**	35¼	71⅛	19/16	—	—	136 lbs.	6.3
36N3672RTLW	Laminate/Wood	**2825**	35¼	71⅛	19/16	—	—	136 lbs.	6.3
42" x 84"									
36N4284RTW	Wood	**$ 3180**	41¼	83⅛	19/16	—	—	180 lbs.	8.3
36N4284RTLW	Laminate/Wood	**3180**	41¼	83⅛	19/16	—	—	180 lbs.	8.3
48" x 96"									
36N4896RTW	Wood	**$ 3533**	47¼	95⅛	19/16	—	—	233 lbs.	10.5
36N4896RTLW	Laminate/Wood	**3533**	47¼	95⅛	19/16	—	—	233 lbs.	10.5
48" x 120"									
36N48120RTW	Wood	**$ 4881**	47¼	119¼	19/16	—	—	279 lbs.	10.6
36N48120RTLW	Laminate/Wood	**4881**	47¼	119¼	19/16	—	—	279 lbs.	10.6
48" x 144"									
36N48144RTW	Wood	**$ 6039**	47¼	143⅛	19/16	—	—	332 lbs.	12.5
36N48144RTLW	Laminate/Wood	**6039**	47¼	143⅛	19/16	—	—	332 lbs.	12.5
48" x 168"									
36N48168RTW	Wood	**$ 7516**	47¼	167¼	19/16	—	—	385 lbs.	14.3
36N48168RTLW	Laminate/Wood	**7516**	47¼	167¼	19/16	—	—	385 lbs.	14.3
48" x 192"									
36N48192RTW	Wood	**$ 8606**	47¼	191⅜	19/16	—	—	438 lbs.	16.2
36N48192RTLW	Laminate/Wood	**8606**	47¼	191⅜	19/16	—	—	438 lbs.	16.2
48" x 216"									
36N48216RTW	Wood	**$ 9696**	47¼	215⅛	19/16	—	—	524 lbs.	20.0
36N48216RTLW	Laminate/Wood	**9696**	47¼	215⅛	19/16	—	—	524 lbs.	20.0
48" x 240"									
36N48240RTW	Wood	**$ 10788**	47¼	239⅛	19/16	—	—	571 lbs.	22.0
36N48240RTLW	Laminate/Wood	**10788**	47¼	239⅛	19/16	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Rim Profile	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen (wood tops only)	Finish
	TA Oblique	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton
	TB Slide	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural
		G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey
		G10A	All	CUT-G16A	All				CL Caramel
		G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle
		CUT-G15C	Center	X	No Grommet				AC Autumn
		CUT-G15E	End						MC Amber
		CUT-G15LR	Left, Right						CW Cordovan
		CUT-G15A	All						DW Judicial
		CUT-G15CE	Center, End						MH Mocha
36N48216RTW	TB	CUT-G16LR				X	X	R	CL

Captivate Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
36N60144RTW	Wood	**$ 7849**	59¼	143 1/8	19/16	—	—	412 lbs.	18.0
36N60144RTLW	Laminate/Wood	**7849**	59¼	143 1/8	19/16	—	—	412 lbs.	18.0
60" x 168"									
36N60168RTW	Wood	**$ 9770**	59¼	167¼	19/16	—	—	480 lbs.	22.5
36N60168RTLW	Laminate/Wood	**9770**	59¼	167¼	19/16	—	—	480 lbs.	22.5
60" x 192"									
36N60192RTW	Wood	**$ 11188**	59¼	191 3/8	19/16	—	—	539 lbs.	29.0
36N60192RTLW	Laminate/Wood	**11188**	59¼	191 3/8	19/16	—	—	539 lbs.	29.0
60" x 216"									
36N60216RTW	Wood	**$ 12606**	59¼	215 1/8	19/16	—	—	647 lbs.	31.0
36N60216RTLW	Laminate/Wood	**12606**	59¼	215 1/8	19/16	—	—	647 lbs.	31.0
60" x 240"									
36N60240RTW	Wood	**$ 14026**	59¼	239 1/8	19/16	—	—	706 lbs.	34.0
36N60240RTLW	Laminate/Wood	**14026**	59¼	239 1/8	19/16	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

CASBAH CONFERENCE TOP SPECIFICATIONS

TOPS
- 13/16" slipmatched cherry and maple veneer on square tops
- 19/16" slipmatched cherry and maple veneer on rectangle tops
- Wood rim with softened edge profile
- Recessed façade available with Reed or Flat profiles
- Reed only available on wood façade models for a 10% list upcharge
- Flat profile is available in wood finishes, Satin Nickel Metallic, Cinder or Platinum Metallic painted MDF
- Recessed façade is ¾" thick x 1½" tall and is 26 9/16" from bottom of façade to floor
- Size modifications available at no upcharge; many Casbah conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:
1. **Model Number**
2. **Façade Profile (wood only)**
3. **Grommet**
4. **Modified Depth**
5. **Modified Width**
6. **Sheen**
7. **Finish**
8. **Paint Color (painted only)**

CASBAH SHAPES AND SIZES



Square

42" x 42"
48" x 48"



Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

FAÇADE PROFILES

FL Flat
RE Reed (+10% list upcharge)



Softened Wood Rim with Reed Façade (RE)



Softened Wood Rim with Flat Façade (FL)

PAINT COLORS (FLAT FAÇADE)

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL (Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Casbah Square Tops

Product Specifications

- **Reed profile available on wood façade models for a 10% list upcharge**
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 73 for options and upcharge
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 73 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
WP	Wood Unit/Painted Façade

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

38N4848SQW	RE	G10C	R	AC		
38N3672RT2W	RE	G10A	X	X	R	CW
38N48192RT2WP	CUT-G16LR	R	X	X	CL	503

Casbah Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
42" Square	***13/16" Top Thickness***								
38N4242SQW	Wood Façade	**$ 1936**	42 1/16	42 1/16	21 1/16	—	—	104 lbs.	6.9
38N4242SQWP	Painted Façade	**1936**	42 1/16	42 1/16	21 1/16	—	—	104 lbs.	6.9
48" Square									
38N4848SQW	Wood Façade	**$ 2377**	48 1/16	48 1/16	21 1/16	—	—	131 lbs.	8.7
38N4848SQWP	Painted Façade	**2377**	48 1/16	48 1/16	21 1/16	—	—	131 lbs.	8.7

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen	Finish	Paint Color (painted only)
	FL Flat	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton	462 Cinder
	RE Reed	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural	501 Platinum Metallic
		G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey	503 Satin Nickel Metallic
		G10A	All	CUT-G16A	All				CL Caramel	
		G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle	
		CUT-G15C	Center	X	No Grommet				AC Autumn	
		CUT-G15E	End						MC Amber	
		CUT-G15LR	Left, Right						CW Cordovan	
		CUT-G15A	All						DW Judicial	
		CUT-G15CE	Center, End						MH Mocha	
38N4848SQW	RE	G10C						R	AC	

Casbah Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16 Top Thickness***								
38N3672RT2W	Wood Façade	**$ 2938**	36 1/16	71 15/16	31 1/16	—	—	146 lbs.	9.7
38N3672RT2WP	Painted Façade	**2938**	36 1/16	71 15/16	31 1/16	—	—	146 lbs.	9.7
42" x 84"									
38N4284RT2W	Wood Façade	**$ 3305**	42 1/16	84	31 1/16	—	—	185 lbs.	12.2
38N4284RT2WP	Painted Façade	**3305**	42 1/16	84	31 1/16	—	—	185 lbs.	12.2
48" x 96"									
38N4896RT2W	Wood Façade	**$ 3674**	48 1/16	95 7/8	31 1/16	—	—	247 lbs.	16.3
38N4896RT2WP	Painted Façade	**3674**	48 1/16	95 7/8	31 1/16	—	—	247 lbs.	16.3
48" x 120"									
38N48120RT2W	Wood Façade	**$ 5077**	48 1/16	120	31 1/16	—	—	299 lbs.	16.3
38N48120RT2WP	Painted Façade	**5077**	48 1/16	120	31 1/16	—	—	299 lbs.	16.3
48" x 144"									
38N48144RT2W	Wood Façade	**$ 6278**	48 1/16	143 15/16	31 1/16	—	—	351 lbs.	19.2
38N48144RT2WP	Painted Façade	**6278**	48 1/16	143 15/16	31 1/16	—	—	351 lbs.	19.2
48" x 168"									
38N48168RT2W	Wood Façade	**$ 7815**	48 1/16	168 1/16	31 1/16	—	—	404 lbs.	22.2
38N48168RT2WP	Painted Façade	**7815**	48 1/16	168 1/16	31 1/16	—	—	404 lbs.	22.2
48" x 192"									
38N48192RT2W	Wood Façade	**$ 8952**	48 1/16	192 1/8	31 1/16	—	—	457 lbs.	25.1
38N48192RT2WP	Painted Façade	**8952**	48 1/16	192 1/8	31 1/16	—	—	457 lbs.	25.1
48" x 216"									
38N48216RT2W	Wood Façade	**$ 10101**	48 1/16	216	31 1/16	—	—	556 lbs.	21.0
38N48216RT2WP	Painted Façade	**10101**	48 1/16	216	31 1/16	—	—	556 lbs.	21.0
48" x 240"									
38N48240RT2W	Wood Façade	**$ 11239**	48 1/16	240	31 1/16	—	—	592 lbs.	24.0
38N48240RT2WP	Painted Façade	**11239**	48 1/16	240	31 1/16	—	—	592 lbs.	24.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

CLEVER CONFERENCE TOP SPECIFICATIONS

TOPS
- 11/16" slipmatched cherry and maple or bookmatched walnut veneer or 1" TFL (thermally fused laminate)
- 19/16" slipmatched cherry and maple or bookmatched walnut veneer
- Medium density fiber board with finished knife edge profile
- Size modifications available at no upcharge; many Clever conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:
1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood models)**
6. **Finish/Laminate**

CLEVER SHAPES AND SIZES



Round

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Boat

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

Racetrack

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Clever Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on 19/16" round and square tops are G10C and CUT-G15C, reference page 77 for grommet options and upcharge
- Grommet option available on 11/16" and 1" round tops is G10C, reference page 77 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

CLNN36RDW	G10C	N	MH
CLNN3636SQW	X	R	CW

Clever Round Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
CLNN30RDW	Wood	**$ 1131**	30	—	19/16	—	—	33 lbs.	2.0
36" Round									
CLNN36RDW	Wood	**$ 1332**	36	—	19/16	—	—	45 lbs.	2.4
42" Round									
CLNN42RDW	Wood	**$ 1617**	42	—	19/16	—	—	61 lbs.	3.2
48" Round									
CLNN48RDW	Wood	**$ 1903**	48	—	19/16	—	—	79 lbs.	4.2
54" Round									
CLNN54RDW	Wood	**$ 2131**	54	—	19/16	—	—	121 lbs.	6.9
60" Round									
CLNN60RDW	Wood	**$ 2359**	58 5/8	—	19/16	—	—	150 lbs.	8.3
30" Round	***11/16" Top Thickness***								
CLN30RDW	Wood	**$ 1034**	30	—	11/16	—	—	33 lbs.	2.0
36" Round									
CLN36RDW	Wood	**$ 1216**	36	—	11/16	—	—	42 lbs.	2.4
42" Round									
CLN42RDW	Wood	**$ 1504**	42	—	11/16	—	—	58 lbs.	3.2
48" Round									
CLN48RDW	Wood	**$ 1790**	48	—	11/16	—	—	76 lbs.	4.2
30" Round	***1" Top Thickness***								
CLN30RDLW	Laminate	**$ 970**	30	—	1	—	—	33 lbs.	2.0
36" Round									
CLN36RDLW	Laminate	**$ 1141**	36	—	1	—	—	42 lbs.	2.4
42" Round									
CLN42RDLW	Laminate	**$ 1412**	42	—	1	—	—	58 lbs.	3.2
48" Round									
CLN48RDLW	Laminate	**$ 1681**	48	—	1	—	—	76 lbs.	4.2

Specify selections, left to right:

Base Model	Grommet/Cutout Option		Sheen (wood tops only)		Finish	
	G10C	Center	R	Standard	IM	Brighton
	CUT-G15C	Center	N	Matte/Satin	NM	Natural
	X	No Grommet			HN	Honey
					CL	Caramel
					TF	Truffle
					AC	Autumn
					MC	Amber
					CW	Cordovan
					DW	Judicial
					MH	Mocha
CLNN36RDW	G10C		N		MH	

Clever Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16 Top Thickness***								
CLNN3030SQW	Wood	**$ 1131**	30	30	19/16	—	—	33 lbs.	2.0
36" Square									
CLNN3636SQW	Wood	**$ 1332**	36	36	19/16	—	—	45 lbs.	2.4
42" Square									
CLNN4242SQW	Wood	**$ 1617**	42	42	19/16	—	—	61 lbs.	3.2
48" Square									
CLNN4848SQW	Wood	**$ 1903**	48	48	19/16	—	—	79 lbs.	4.2
54" Square									
CLNN5454SQW	Wood	**$ 2131**	54	54	19/16	—	—	121 lbs.	6.9
60" Square									
CLNN6060SQW	Wood	**$ 2359**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

Clever Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 77 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

CLNN48216RTW CUT-G16C X X R MH

Clever Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
CLNN3672RTW	Wood	**$ 2070**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
CLNN4284RTW	Wood	**$ 2450**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
CLNN4896RTW	Wood	**$ 2834**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
CLNN48120RTW	Wood	**$ 3890**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
CLNN48144RTW	Wood	**$ 4833**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
CLNN48168RTW	Wood	**$ 5572**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
CLNN48192RTW	Wood	**$ 6308**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
CLNN48216RTW	Wood	**$ 7044**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
CLNN48240RTW	Wood	**$ 7782**	48	240	19/16	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton
	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural
	G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey
	G10A	All	CUT-G16A	All				CL Caramel
	G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle
	CUT-G15C	Center	X	No Grommet				AC Autumn
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						CW Cordovan
	CUT-G15A	All						DW Judicial
	CUT-G15CE	Center, End						MH Mocha
CLNN48216RTW	CUT-G16C				X	X	R	MH

Clever Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
CLNN60144RTW	Wood	**$ 6299**	58 5/8	144	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
CLNN60168RTW	Wood	**$ 7260**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
CLNN60192RTW	Wood	**$ 8217**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216RTW	Wood	**$ 9175**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240RTW	Wood	**$ 10133**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Clever Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 77 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

CLNN48216BTW	X	X	X	N	DW
CLNN48216BTW	CUT-G16C	X	X	R	HN

Clever Boat Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
CLNN3672BTW	Wood	**$ 2238**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
CLNN4284BTW	Wood	**$ 2618**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
CLNN4896BTW	Wood	**$ 2995**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
CLNN48120BTW	Wood	**$ 4232**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
CLNN48144BTW	Wood	**$ 5164**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
CLNN48168BTW	Wood	**$ 5899**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
CLNN48192BTW	Wood	**$ 6626**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
CLNN48216BTW	Wood	**$ 7356**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
CLNN48240BTW	Wood	**$ 8086**	48	240	19/16	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton
	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural
	G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey
	G10A	All	CUT-G16A	All				CL Caramel
	G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle
	CUT-G15C	Center	X	No Grommet				AC Autumn
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						CW Cordovan
	CUT-G15A	All						DW Judicial
	CUT-G15CE	Center, End						MH Mocha
CLNN48216BTW	X				X	X	N	DW

Clever Boat Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
CLNN60144BTW	Wood	**$ 6730**	58 5/8	144	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
CLNN60168BTW	Wood	**$ 7683**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
CLNN60192BTW	Wood	**$ 8631**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216BTW	Wood	**$ 9579**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240BTW	Wood	**$ 10528**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Clever Racetrack Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 77 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

CLNN48216RCW X N MH

Clever Racetrack Top

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
CLNN3672RCW	Wood	**$ 2262**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
CLNN4284RCW	Wood	**$ 2645**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
CLNN4896RCW	Wood	**$ 3027**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
CLNN48120RCW	Wood	**$ 4275**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
CLNN48144RCW	Wood	**$ 5217**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
CLNN48168RCW	Wood	**$ 5958**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
CLNN48192RCW	Wood	**$ 6694**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
CLNN48216RCW	Wood	**$ 7430**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
CLNN48240RCW	Wood	**$ 8166**	48	240	19/16	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton
	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural
	G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey
	G10A	All	CUT-G16A	All				CL Caramel
	G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle
	CUT-G15C	Center	X	No Grommet				AC Autumn
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						CW Cordovan
	CUT-G15A	All						DW Judicial
	CUT-G15CE	Center, End						MH Mocha
CLNN48216RCW	X				X	X	N	MH

Clever Racetrack Top (continued)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
CLNN60144RCW	Wood	**$ 6798**	58 5/8	144	19 1/16	—	—	412 lbs.	18
60" x 168"									
CLNN60168RCW	Wood	**$ 7761**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192									
CLNN60192RCW	Wood	**$ 8719**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216RCW	Wood	**$ 9677**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240RCW	Wood	**$ 10634**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 13/16" or 19/16" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 13/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on all sides
- Refer to page 87 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:

1. **Model Number**
2. **Rim Profile**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Top Sheen (wood models)**
8. **Laminate Top Color/Wood Top Finish**
9. **Wood Rim Finish (combo models)**

EPIC SHAPES AND SIZES



Round

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Boat

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

Racetrack

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

FSC

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
*791 Palisander
792 Sable
*793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

*Not available on laminate/wood models

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

RIM PROFILES

PVC RIM

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

WOOD RIM

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable



Softened PVC (V)



Knife (K)



Softened Wood (F)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Epic Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 87 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Round Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
25NN30RDW	Wood	**$ 1159**	30 1/16	—	19 9/16	—	—	33 lbs.	2.0
25NN30RDLW	Laminate/Wood	**1159**	30 1/16	—	19 9/16	—	—	33 lbs.	2.0
25NN30RDL	Laminate	**675**	30 1/16	—	19 9/16	—	—	33 lbs.	2.0
36" Round									
25NN36RDW	Wood	**$ 1363**	36 1/16	—	19 9/16	—	—	40 lbs.	2.4
25NN36RDLW	Laminate/Wood	**1363**	36 1/16	—	19 9/16	—	—	40 lbs.	2.4
25NN36RDL	Laminate	**794**	36 1/16	—	19 9/16	—	—	40 lbs.	2.4
42" Round									
25NN42RDW	Wood	**$ 1654**	42 1/16	—	19 9/16	—	—	61 lbs.	3.2
25NN42RDLW	Laminate/Wood	**1654**	42 1/16	—	19 9/16	—	—	61 lbs.	3.2
25NN42RDL	Laminate	**1087**	42 1/16	—	19 9/16	—	—	61 lbs.	3.2
48" Round									
25NN48RDW	Wood	**$ 2018**	48 1/16	—	19 9/16	—	—	79 lbs.	4.2
25NN48RDLW	Laminate/Wood	**2018**	48 1/16	—	19 9/16	—	—	79 lbs.	4.2
25NN48RDL	Laminate	**1450**	48 1/16	—	19 9/16	—	—	79 lbs.	4.2
54" Round									
25NN54RDW	Wood	**$ 2246**	54 1/16	—	19 9/16	—	—	121 lbs.	6.9
25NN54RDLW	Laminate/Wood	**2246**	54 1/16	—	19 9/16	—	—	121 lbs.	6.9
25NN54RDL	Laminate	**1677**	54 1/16	—	19 9/16	—	—	121 lbs.	6.9
60" Round									
25NN60RDW	Wood	**$ 2473**	60 1/16	—	19 9/16	—	—	150 lbs.	8.3
25NN60RDLW	Laminate/Wood	**2473**	60 1/16	—	19 9/16	—	—	150 lbs.	8.3
25NN60RDL	Laminate	**1904**	60 1/16	—	19 9/16	—	—	150 lbs.	8.3

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)
7. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN36RDW	F	X	N	MC
25NN36RDLW	F	X	461	MC
25NN36RDL	V461	X	461	

Epic Round Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***13/16 Top Thickness***		**DI**		**H**				
25N30RDW	Wood	**$ 1062**	30 1/16	—	13/16	—	—	33 lbs.	2.0
25N30RDLW	Laminate/Wood	**1062**	30 1/16	—	13/16	—	—	33 lbs.	2.0
25N30RDL	Laminate	**578**	30 1/16	—	13/16	—	—	33 lbs.	2.0
36" Round									
25N36RDW	Wood	**$ 1248**	36 1/16	—	13/16	—	—	40 lbs.	2.4
25N36RDLW	Laminate/Wood	**1248**	36 1/16	—	13/16	—	—	40 lbs.	2.4
25N36RDL	Laminate	**681**	36 1/16	—	13/16	—	—	40 lbs.	2.4
42" Round									
25N42RDW	Wood	**$ 1541**	42 1/16	—	13/16	—	—	61 lbs.	3.2
25N42RDLW	Laminate/Wood	**1541**	42 1/16	—	13/16	—	—	61 lbs.	3.2
25N42RDL	Laminate	**973**	42 1/16	—	13/16	—	—	61 lbs.	3.2
48" Round									
25N48RDW	Wood	**$ 1904**	48 1/16	—	13/16	—	—	79 lbs.	4.2
25N48RDLW	Laminate/Wood	**1904**	48 1/16	—	13/16	—	—	79 lbs.	4.2
25N48RDL	Laminate	**1337**	48 1/16	—	13/16	—	—	79 lbs.	4.2

Epic Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 87 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Round Top
Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
25NN30RDWK	Wood	**$ 1506**	30 1/16	—	19 1/6	—	—	33 lbs.	2.0
25NN30RDLWK	Laminate/Wood	**1506**	30 1/16	—	19 1/6	—	—	33 lbs.	2.0
25NN30RDLK	Laminate	**878**	30 1/16	—	19 1/6	—	—	33 lbs.	2.0
36" Round									
25NN36RDWK	Wood	**$ 1772**	36 1/16	—	19 1/6	—	—	40 lbs.	2.4
25NN36RDLWK	Laminate/Wood	**1772**	36 1/16	—	19 1/6	—	—	40 lbs.	2.4
25NN36RDLK	Laminate	**1032**	36 1/16	—	19 1/6	—	—	40 lbs.	2.4
42" Round									
25NN42RDWK	Wood	**$ 2151**	42 1/16	—	19 1/6	—	—	61 lbs.	3.2
25NN42RDLWK	Laminate/Wood	**2151**	42 1/16	—	19 1/6	—	—	61 lbs.	3.2
25NN42RDLK	Laminate	**1412**	42 1/16	—	19 1/6	—	—	61 lbs.	3.2
48" Round									
25NN48RDWK	Wood	**$ 2623**	48 1/16	—	19 1/6	—	—	79 lbs.	4.2
25NN48RDLWK	Laminate/Wood	**2623**	48 1/16	—	19 1/6	—	—	79 lbs.	4.2
25NN48RDLK	Laminate	**1885**	48 1/16	—	19 1/6	—	—	79 lbs.	4.2
54" Round									
25NN54RDWK	Wood	**$ 2920**	54 1/16	—	19 1/6	—	—	121 lbs.	6.9
25NN54RDLWK	Laminate/Wood	**2920**	54 1/16	—	19 1/6	—	—	121 lbs.	6.9
25NN54RDLK	Laminate	**2182**	54 1/16	—	19 1/6	—	—	121 lbs.	6.9
60" Round									
25NN60RDWK	Wood	**$ 3215**	60 1/16	—	19 1/6	—	—	150 lbs.	8.3
25NN60RDLWK	Laminate/Wood	**3215**	60 1/16	—	19 1/6	—	—	150 lbs.	8.3
25NN60RDLK	Laminate	**2476**	60 1/16	—	19 1/6	—	—	150 lbs.	8.3

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)
7. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25N36RDWK	F	X	N	MC
25N36RDLWK	F	X	461	MC
25N36RDLK	V461	X	461	

Epic Round Top
Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***13/16 Top Thickness***		**DI**		**H**				
25N30RDWK	Wood	**$ 1380**	30 1/16	—	13/16	—	—	33 lbs.	2.0
25N30RDLWK	Laminate/Wood	**1380**	30 1/16	—	13/16	—	—	33 lbs.	2.0
25N30RDLK	Laminate	**752**	30 1/16	—	13/16	—	—	33 lbs.	2.0
36" Round									
25N36RDWK	Wood	**$ 1624**	36 1/16	—	13/16	—	—	40 lbs.	2.4
25N36RDLWK	Laminate/Wood	**1624**	36 1/16	—	13/16	—	—	40 lbs.	2.4
25N36RDLK	Laminate	**885**	36 1/16	—	13/16	—	—	40 lbs.	2.4
42" Round									
25N42RDWK	Wood	**$ 2003**	42 1/16	—	13/16	—	—	61 lbs.	3.2
25N42RDLWK	Laminate/Wood	**2003**	42 1/16	—	13/16	—	—	61 lbs.	3.2
25N42RDLK	Laminate	**1265**	42 1/16	—	13/16	—	—	61 lbs.	3.2
48" Round									
25N48RDWK	Wood	**$ 2476**	48 1/16	—	13/16	—	—	79 lbs.	4.2
25N48RDLWK	Laminate/Wood	**2476**	48 1/16	—	13/16	—	—	79 lbs.	4.2
25N48RDLK	Laminate	**1738**	48 1/16	—	13/16	—	—	79 lbs.	4.2

Epic Square Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 87 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Square Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16" Top Thickness***								
25NN3030SQW	Wood	**$ 1159**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
25NN3030SQLW	Laminate/Wood	**1159**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
25NN3030SQL	Laminate	**675**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
36" Square									
25NN3636SQW	Wood	**$ 1363**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
25NN3636SQLW	Laminate/Wood	**1363**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
25NN3636SQL	Laminate	**794**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
42" Square									
25NN4242SQW	Wood	**$ 1654**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
25NN4242SQLW	Laminate/Wood	**1654**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
25NN4242SQL	Laminate	**1087**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
48" Square									
25NN4848SQW	Wood	**$ 2018**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
25NN4848SQLW	Laminate/Wood	**2018**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
25NN4848SQL	Laminate	**1450**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
54" Square									
25NN5454SQW	Wood	**$ 2246**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
25NN5454SQLW	Laminate/Wood	**2246**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
25NN5454SQL	Laminate	**1677**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
60" Square									
25NN6060SQW	Wood	**$ 2473**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
25NN6060SQLW	Laminate/Wood	**2473**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
25NN6060SQL	Laminate	**1904**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)
7. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN3636SQW	F	G10C	N	TF
25NN3636SQLW	F	G10C	405	TF
25NN3636SQL	V405	G10C	405	

Epic Square Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***13/16 Top Thickness***								
25N3030SQW	Wood	**$ 1062**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
25N3030SQLW	Laminate/Wood	**1062**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
25N3030SQL	Laminate	**578**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
36" Square									
25N3636SQW	Wood	**$ 1248**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
25N3636SQLW	Laminate/Wood	**1248**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
25N3636SQL	Laminate	**681**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
42" Square									
25N4242SQW	Wood	**$ 1541**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
25N4242SQLW	Laminate/Wood	**1541**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
25N4242SQL	Laminate	**973**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
48" Square									
25N4848SQW	Wood	**$ 1904**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5
25N4848SQLW	Laminate/Wood	**1904**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5
25N4848SQL	Laminate	**1337**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5

Epic Square Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 87 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Square Top
Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16" Top Thickness***								
25NN3030SQWK	Wood	**$ 1506**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
25NN3030SQLWK	Laminate/Wood	**1506**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
25NN3030SQLK	Laminate	**878**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
36" Square									
25NN3636SQWK	Wood	**$ 1772**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
25NN3636SQLWK	Laminate/Wood	**1772**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
25NN3636SQLK	Laminate	**1032**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
42" Square									
25NN4242SQWK	Wood	**$ 2151**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
25NN4242SQLWK	Laminate/Wood	**2151**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
25NN4242SQLK	Laminate	**1412**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
48" Square									
25NN4848SQWK	Wood	**$ 2623**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
25NN4848SQLWK	Laminate/Wood	**2623**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
25NN4848SQLK	Laminate	**1885**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
54" Square									
25NN5454SQWK	Wood	**$ 2920**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
25NN5454SQLWK	Laminate/Wood	**2920**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
25NN5454SQLK	Laminate	**2182**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
60" Square									
25NN6060SQWK	Wood	**$ 3215**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
25NN6060SQLWK	Laminate/Wood	**3215**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
25NN6060SQLK	Laminate	**2476**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)
7. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN3636SQWK	F	G10C	N	TF
25NN3636SQLWK	F	G10C	405	TF
25NN3636SQLK	V405	G10C	405	

Epic Square Top
Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***13/16 Top Thickness***								
25N3030SQWK	Wood	**$ 1380**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
25N3030SQLWK	Laminate/Wood	**1380**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
25N3030SQLK	Laminate	**752**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
36" Square	***13/16 Top Thickness***								
25N3636SQWK	Wood	**$ 1624**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
25N3636SQLWK	Laminate/Wood	**1624**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
25N3636SQLK	Laminate	**885**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
42" Square									
25N4242SQWK	Wood	**$ 2003**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
25N4242SQLWK	Laminate/Wood	**2003**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
25N4242SQLK	Laminate	**1265**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
48" Square									
25N4848SQWK	Wood	**$ 2476**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5
25N4848SQLWK	Laminate/Wood	**2476**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5
25N4848SQLK	Laminate	**1738**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5

Epic Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 87 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Rectangle Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
25NN3672RTW	Wood	**$ 2126**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RTLW	Laminate/Wood	**2126**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RTL	Laminate	**1558**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTW	Wood	**$ 2508**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RTLW	Laminate/Wood	**2508**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RTL	Laminate	**1939**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTW	Wood	**$ 2890**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RTLW	Laminate/Wood	**2890**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RTL	Laminate	**2323**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTW	Wood	**$ 3947**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RTLW	Laminate/Wood	**3947**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RTL	Laminate	**3379**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTW	Wood	**$ 4888**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RTLW	Laminate/Wood	**4888**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RTL	Laminate	**4321**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTW	Wood	**$ 5629**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RTLW	Laminate/Wood	**5629**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RTL	Laminate	**5060**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTW	Wood	**$ 6365**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RTLW	Laminate/Wood	**6365**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RTL	Laminate	**5797**	48	192	19/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN48216RTW	F	G10LR	X	X	N	CW
25NN48216RTLW	F	G10LR	X	X	480	CW
25NN48216RTL	V480	G10LR	480			

Epic Rectangle Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
25NN48216RTW	Wood	**$ 7102**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RTLW	Laminate/Wood	**7102**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RTL	Laminate	**6536**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RTW	Wood	**$ 7838**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RTLW	Laminate/Wood	**7838**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RTL	Laminate	**7277**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RTW	Wood	**$ 6357**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RTLW	Laminate/Wood	**6357**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RTL	Laminate	**5618**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RTW	Wood	**$ 7318**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RTLW	Laminate/Wood	**7318**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RTL	Laminate	**6580**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RTW	Wood	**$ 8274**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RTLW	Laminate/Wood	**8274**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RTL	Laminate	**7535**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RTW	Wood	**$ 9232**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RTLW	Laminate/Wood	**9232**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RTL	Laminate	**8498**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RTW	Wood	**$ 10190**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RTLW	Laminate/Wood	**10190**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RTL	Laminate	**9461**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

Epic Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 87 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Rectangle Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
25NN3672RTWK	Wood	**$ 2765**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RTLWK	Laminate/Wood	**2765**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RTLK	Laminate	**2026**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTWK	Wood	**$ 3261**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RTLWK	Laminate/Wood	**3261**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RTLK	Laminate	**2521**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTWK	Wood	**$ 3757**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RTLWK	Laminate/Wood	**3757**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RTLK	Laminate	**3019**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTWK	Wood	**$ 5131**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RTLWK	Laminate/Wood	**5131**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RTLK	Laminate	**4393**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTWK	Wood	**$ 6355**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RTLWK	Laminate/Wood	**6355**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RTLK	Laminate	**5617**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTWK	Wood	**$ 7317**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RTLWK	Laminate/Wood	**7317**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RTLK	Laminate	**6579**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTWK	Wood	**$ 8275**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RTLWK	Laminate/Wood	**8275**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RTLK	Laminate	**7537**	48	192	19/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN3672RTWK	K	G10LR	X	N	CL
25NN3672RTLWK	K	G10LR	X	425	CL
25NN3672RTLK	K425	G10LR	X	425	

Epic Rectangle Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
25NN48216RTWK	Wood	**$ 9232**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RTLWK	Laminate/Wood	**9232**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RTLK	Laminate	**8498**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RTWK	Wood	**$ 10190**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RTLWK	Laminate/Wood	**10190**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RTLK	Laminate	**9461**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RTWK	Wood	**$ 8264**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RTLWK	Laminate/Wood	**8264**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RTLK	Laminate	**7302**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RTWK	Wood	**$ 9513**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RTLWK	Laminate/Wood	**9513**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RTLK	Laminate	**8553**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RTWK	Wood	**$ 10756**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RTLWK	Laminate/Wood	**10756**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RTLK	Laminate	**9796**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RTWK	Wood	**$ 12003**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RTLWK	Laminate/Wood	**12003**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RTLK	Laminate	**11047**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RTWK	Wood	**$ 13248**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RTLWK	Laminate/Wood	**13248**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RTLK	Laminate	**12298**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

Epic Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 87 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Boat Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
25NN3672BTW	Wood	**$ 2296**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672BTLW	Laminate/Wood	**2296**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672BTL	Laminate	**1733**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
25NN4284BTW	Wood	**$ 2674**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284BTLW	Laminate/Wood	**2674**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284BTL	Laminate	**2112**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
25NN4896BTW	Wood	**$ 3052**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896BTLW	Laminate/Wood	**3052**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896BTL	Laminate	**2490**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
25NN48120BTW	Wood	**$ 4289**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120BTLW	Laminate/Wood	**4289**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120BTL	Laminate	**3726**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
25NN48144BTW	Wood	**$ 5221**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144BTLW	Laminate/Wood	**5221**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144BTL	Laminate	**4659**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
25NN48168BTW	Wood	**$ 5953**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168BTLW	Laminate/Wood	**5953**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168BTL	Laminate	**5391**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
25NN48192BTW	Wood	**$ 6683**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192BTLW	Laminate/Wood	**6683**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192BTL	Laminate	**6120**	48	192	19/16	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN3672BTW	F	G10LR	X	N	CW
25NN3672BTLW	F	G10LR	X	480	CW
25NN3672BTL	V480	G10LR	480		

Epic Boat Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
25NN48216BTW	Wood	**$ 7412**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216BTLW	Laminate/Wood	**7412**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216BTL	Laminate	**6840**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240BTW	Wood	**$ 8142**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240BTLW	Laminate/Wood	**8142**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240BTL	Laminate	**7579**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144BTW	Wood	**$ 6787**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144BTLW	Laminate/Wood	**6787**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144BTL	Laminate	**6054**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168BTW	Wood	**$ 7739**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168BTLW	Laminate/Wood	**7739**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168BTL	Laminate	**7008**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192BTW	Wood	**$ 8689**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192BTLW	Laminate/Wood	**8689**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192BTL	Laminate	**7956**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216BTW	Wood	**$ 9636**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216BTLW	Laminate/Wood	**9636**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216BTL	Laminate	**8892**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240BTW	Wood	**$ 10584**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240BTLW	Laminate/Wood	**10584**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240BTL	Laminate	**9852**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

Epic Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 87 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Boat Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
25NN3672BTWK	Wood	**$ 2984**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672BTLWK	Laminate/Wood	**2984**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672BTLK	Laminate	**2254**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
25NN4284BTWK	Wood	**$ 3475**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284BTLWK	Laminate/Wood	**3475**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284BTLK	Laminate	**2745**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
25NN4896BTWK	Wood	**$ 3968**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896BTLWK	Laminate/Wood	**3968**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896BTLK	Laminate	**3238**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
25NN48120BTWK	Wood	**$ 5576**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120BTLWK	Laminate/Wood	**5576**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120BTLK	Laminate	**4844**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
25NN48144BTWK	Wood	**$ 6787**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144BTLWK	Laminate/Wood	**6787**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144BTLK	Laminate	**6055**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
25NN48168BTWK	Wood	**$ 7741**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168BTLWK	Laminate/Wood	**7741**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168BTLK	Laminate	**7008**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
25NN48192BTWK	Wood	**$ 8689**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192BTLWK	Laminate/Wood	**8689**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192BTLK	Laminate	**7956**	48	192	19/16	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN48216BTWK	K	G10A	X	X	N	AC
25NN48216BTLWK	K	G10A	X	X	461	AC
25NN48216BTLK	K461	G10A	X	X	461	

Epic Boat Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
25NN48216BTWK	Wood	**$ 9636**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216BTLWK	Laminate/Wood	**9636**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216BTLK	Laminate	**8892**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240BTWK	Wood	**$ 10584**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240BTLWK	Laminate/Wood	**10584**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240BTLK	Laminate	**9854**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144BTWK	Wood	**$ 8822**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144BTLWK	Laminate/Wood	**8822**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144BTLK	Laminate	**7871**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168BTWK	Wood	**$ 10062**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168BTLWK	Laminate/Wood	**10062**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168BTLK	Laminate	**9111**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192BTWK	Wood	**$ 11294**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192BTLWK	Laminate/Wood	**11294**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192BTLK	Laminate	**10342**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216BTWK	Wood	**$ 12526**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216BTLWK	Laminate/Wood	**12526**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216BTLK	Laminate	**11560**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240BTWK	Wood	**$ 13760**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240BTLWK	Laminate/Wood	**13760**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240BTLK	Laminate	**12808**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

Epic Racetrack Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 87 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Racetrack Top Softened Rim

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
25NN3672RCW	Wood	**$ 2320**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RCLW	Laminate/Wood	**2320**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RCL	Laminate	**1751**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCW	Wood	**$ 2701**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RCLW	Laminate/Wood	**2701**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RCL	Laminate	**2133**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCW	Wood	**$ 3084**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RCLW	Laminate/Wood	**3084**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RCL	Laminate	**2515**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCW	Wood	**$ 4331**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RCLW	Laminate/Wood	**4331**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RCL	Laminate	**3763**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCW	Wood	**$ 5274**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RCLW	Laminate/Wood	**5274**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RCL	Laminate	**4705**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCW	Wood	**$ 6014**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RCLW	Laminate/Wood	**6014**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RCL	Laminate	**5447**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCW	Wood	**$ 6751**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RCLW	Laminate/Wood	**6751**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RCL	Laminate	**6183**	48	192	19/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN48216RCW	F	G10LR	X	X	N	DW
25NN48216RCLW	F	G10LR	X	X	405	DW
25NN48216RCL	V405	G10LR	X	X	405	

Epic Racetrack Top Softened Rim (continued)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
25NN48216RCW	Wood	**$ 7488**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RCLW	Laminate/Wood	**7488**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RCL	Laminate	**6909**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RCW	Wood	**$ 8224**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RCLW	Laminate/Wood	**8224**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RCL	Laminate	**7654**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RCW	Wood	**$ 6855**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RCLW	Laminate/Wood	**6855**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RCL	Laminate	**6116**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RCW	Wood	**$ 7819**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RCLW	Laminate/Wood	**7819**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RCL	Laminate	**7079**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RCW	Wood	**$ 8776**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RCLW	Laminate/Wood	**8776**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RCL	Laminate	**8037**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RCW	Wood	**$ 9732**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RCLW	Laminate/Wood	**9732**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RCL	Laminate	**8983**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RCW	Wood	**$ 10689**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RCLW	Laminate/Wood	**10689**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RCL	Laminate	**9951**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

Epic Racetrack Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 87 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Epic Racetrack Top Knife Rim

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
25NN3672RCWK	Wood	**$ 3015**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RCLWK	Laminate/Wood	**3015**	36	72	19/16	—	—	136 lbs.	6.3
25NN3672RCLK	Laminate	**2275**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCWK	Wood	**$ 3511**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RCLWK	Laminate/Wood	**3511**	42	84	19/16	—	—	180 lbs.	8.3
25NN4284RCLK	Laminate	**2773**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCWK	Wood	**$ 4009**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RCLWK	Laminate/Wood	**4009**	48	96	19/16	—	—	233 lbs.	10.5
25NN4896RCLK	Laminate	**3270**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCWK	Wood	**$ 5631**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RCLWK	Laminate/Wood	**5631**	48	120	19/16	—	—	279 lbs.	10.6
25NN48120RCLK	Laminate	**4891**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCWK	Wood	**$ 6856**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RCLWK	Laminate/Wood	**6856**	48	144	19/16	—	—	332 lbs.	12.5
25NN48144RCLK	Laminate	**6117**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCWK	Wood	**$ 7819**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RCLWK	Laminate/Wood	**7819**	48	168	19/16	—	—	385 lbs.	14.3
25NN48168RCLK	Laminate	**7079**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCWK	Wood	**$ 8776**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RCLWK	Laminate/Wood	**8776**	48	192	19/16	—	—	438 lbs.	16.2
25NN48192RCLK	Laminate	**8037**	48	192	19/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

For options, see page 87

Sample Model Numbers:

25NN3672RCWK	K	G10A	X	N	CW
25NN3672RCLWK	K	G10A	X	425	CW
25NN3672RCLK	K425	G10A	X	CW	

Epic Racetrack Top Knife Rim (continued)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
25NN48216RCWK	Wood	**$ 9734**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RCLWK	Laminate/Wood	**9734**	48	216	19/16	—	—	524 lbs.	20.0
25NN48216RCLK	Laminate	**8983**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RCWK	Wood	**$ 10689**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RCLWK	Laminate/Wood	**10689**	48	240	19/16	—	—	571 lbs.	22.0
25NN48240RCLK	Laminate	**9951**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RCWK	Wood	**$ 8912**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RCLWK	Laminate/Wood	**8912**	58 5/8	144	19/16	—	—	412 lbs.	18.0
25NN60144RCLK	Laminate	**7951**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RCWK	Wood	**$ 10164**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RCLWK	Laminate/Wood	**10164**	58 5/8	168	19/16	—	—	480 lbs.	22.5
25NN60168RCLK	Laminate	**9204**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RCWK	Wood	**$ 11408**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RCLWK	Laminate/Wood	**11408**	58 5/8	192	19/16	—	—	539 lbs.	29.0
25NN60192RCLK	Laminate	**10448**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RCWK	Wood	**$ 12653**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RCLWK	Laminate/Wood	**12653**	58 5/8	216	19/16	—	—	647 lbs.	31.0
25NN60216RCLK	Laminate	**11677**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RCWK	Wood	**$ 13898**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RCLWK	Laminate/Wood	**13898**	58 5/8	240	19/16	—	—	706 lbs.	34.0
25NN60240RCLK	Laminate	**12937**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS
- 19/16" slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:
1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen**
6. **Finish**

ESCALADE SHAPES AND SIZES



Round

30" Diameter
36" Diameter
42" Diameter
48" Diameter



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Boat

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Escalade Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 109 for options and upcharge
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Numbers:

ECN42RDW	G10C	R	DW
ECN3636SQW	X	N	MH

Escalade Round Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
ECN30RDW	Wood	**$ 1316**	30 1/16	—	19/16	—	—	33 lbs.	2.0
36" Round									
ECN36RDW	Wood	**$ 1550**	36 1/16	—	19/16	—	—	45 lbs.	2.4
42" Round									
ECN42RDW	Wood	**$ 1746**	42 1/16	—	19/16	—	—	74 lbs.	4.0
48" Round									
ECN48RDW	Wood	**$ 2143**	48 1/16	—	19/16	—	—	94 lbs.	5.1

Specify selections, left to right:

Base Model	Grommet/Cutout Option		Sheen	Finish	
	G10C	Center	R Standard	IM	Brighton
	CUT-G15C	Center	N Matte/Satin	NM	Natural
	X	No Grommet		HN	Honey
				CL	Caramel
				TF	Truffle
				AC	Autumn
				MC	Amber
				CW	Cordovan
				DW	Judicial
				MH	Mocha
ECN42RDW	G10C		R	DW	

Escalade Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16 Top Thickness***								
ECN3030SQW	Wood	**$ 1316**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
36" Square									
ECN3636SQW	Wood	**$ 1550**	36 1/16	36 1/16	19/16	—	—	45 lbs.	2.4
42" Square									
ECN4242SQW	Wood	**$ 1746**	42 1/16	42 1/16	19/16	—	—	61 lbs.	3.2
48" Square									
ECN4848SQW	Wood	**$ 2143**	48 1/16	48 1/16	19/16	—	—	79 lbs.	4.2
54" Square									
ECN5454SQW	Wood	**$ 2370**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
60" Square									
ECN6060SQW	Wood	**$ 2597**	60 1/16	60 1/16	19/16	—	—	150 lbs.	8.3

Escalade Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 109 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN3672RTW	X	X	N	MH	
ECN60144RTW	CUT-G15A	X	X	N	CL

Escalade Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
ECN3672RTW	Wood	**$ 2652**	35¼	71 9/16	1 9/16	—	—	136 lbs.	6.3
42" x 84"									
ECN4284RTW	Wood	**$ 2973**	42 1/16	84 3/16	1 9/16	—	—	180 lbs.	8.3
48" x 96"									
ECN4896RTW	Wood	**$ 3291**	47¼	95 1/8	1 9/16	—	—	233 lbs.	10.5
48" x 120"									
ECN48120RTW	Wood	**$ 4519**	47¼	119¼	1 9/16	—	—	279 lbs.	10.6
48" x 144"									
ECN48144RTW	Wood	**$ 5610**	47¼	143 1/8	1 9/16	—	—	332 lbs.	12.5
48" x 168"									
ECN48168RTW	Wood	**$ 6927**	47¼	167¼	1 9/16	—	—	385 lbs.	14.4
48" x 192"									
ECN48192RTW	Wood	**$ 7846**	47¼	191¼	1 9/16	—	—	438 lbs.	16.3
48" x 216"									
ECN48216RTW	Wood	**$ 8766**	47¼	216	1 9/16	—	—	524 lbs.	20.0
48" x 240"									
ECN48240RTW	Wood	**$ 9685**	47¼	240	1 9/16	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton
	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural
	G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey
	G10A	All	CUT-G16A	All				CL Caramel
	G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle
	CUT-G15C	Center	X	No Grommet				AC Autumn
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						CW Cordovan
	CUT-G15A	All						DW Judicial
	CUT-G15CE	Center, End						MH Mocha
ECN3672RTW	X				X	X	N	MH

Escalade Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
ECN60144RTW	Wood	**$ 7293**	58 5/8	143½	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
ECN60168RTW	Wood	**$ 9005**	58 5/8	167¼	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
ECN60192RTW	Wood	**$ 10199**	58 5/8	191¼	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
ECN60216RTW	Wood	**$ 11395**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
ECN60240RTW	Wood	**$ 12591**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Escalade Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 109 for options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN3672BTW	X	X	N	MH	
ECN60144BTW	CUT-G15A	X	X	N	NM

Escalade Boat Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
ECN3672BTW	Wood	**$ 2838**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
ECN4284BTW	Wood	**$ 3180**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
ECN4896BTW	Wood	**$ 3523**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
ECN48120BTW	Wood	**$ 4835**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
ECN48144BTW	Wood	**$ 6004**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
ECN48168BTW	Wood	**$ 7412**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
ECN48192BTW	Wood	**$ 8393**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
ECN48216BTW	Wood	**$ 9378**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
ECN48240BTW	Wood	**$ 10364**	48	240	19/16	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

Specify selections, left to right:

Base Model	Grommet/Cutout Option				Modified Depth (see page 10 for available sizes)	Modified Width (see page 10 for available sizes)	Sheen	Finish
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	IM Brighton
	G10E	End	CUT-G16E	End			N Matte/Satin	NM Natural
	G10LR	Left, Right	CUT-G16LR	Left, Right				HN Honey
	G10A	All	CUT-G16A	All				CL Caramel
	G10CE	Center, End	CUT-G16CE	Center, End				TF Truffle
	CUT-G15C	Center	X	No Grommet				AC Autumn
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						CW Cordovan
	CUT-G15A	All						DW Judicial
	CUT-G15CE	Center, End						MH Mocha
ECN3672BTW	X				X	X	N	MH

Escalade Boat Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16 Top Thickness***								
ECN60144BTW	Wood	**$ 7804**	58 5/8	144	19 1/16	—	—	412 lbs.	18.0
60" x 168"									
ECN60168BTW	Wood	**$ 9635**	58 5/8	168	19 1/16	—	—	480 lbs.	22.5
60" x 192"									
ECN60192BTW	Wood	**$ 10914**	58 5/8	192	19 1/16	—	—	539 lbs.	29.0
60" x 216"									
ECN60216BTW	Wood	**$ 12193**	58 5/8	216	19 1/16	—	—	647 lbs.	31.0
60" x 240"									
ECN60240BTW	Wood	**$ 13471**	58 5/8	240	19 1/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing

FLOURISH CONFERENCE TOP SPECIFICATIONS

TOPS
- 11/16" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard with profiled rim profile
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution

To Order, Specify:
1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Sheen (wood models)**
5. **Finish/Laminate**

FLOURISH SHAPES AND SIZES



Round

42" Diameter

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 2

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILES

Fluted (TC)

Eased (TD)

GROMMET OPTIONS

Conference table tops are available with grommet options to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Flourish Round Tops

Product Specifications

- Grommet option available is G10C, reference page 117 for grommet options and upcharge
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit
LW Laminate Top

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Number:

19N42RDW G10C R TD AC

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Flourish Round Top	***42" Round***	***11/16" Top Thickness***		**DI**		**H**				
	19N42RDW	Wood	**$ 863**	42	—	11/16	—	—	54 lbs.	3.2
	42" Round	***1" Top Thickness***								
	19N42RDLW	TFL	**$ 767**	42	—	1	—	—	54 lbs.	3.2

Specify selections, left to right:

Base Model	Rim Profile	Grommet Option	Sheen	Finish
	TC Fluted	G10C Center	R Standard	IM Brighton
	TD Eased	X No Grommet	N Matte/Satin	NM Natural
				HN Honey
				CL Caramel
				TF Truffle
				AC Autumn
				MC Amber
				CW Cordovan
				DW Judicial
				MH Mocha
19N42RDW	TD	G10C	R	AC

HILAND CONFERENCE TOP SPECIFICATIONS

TOPS
- 13/16" slipmatched cherry and maple or bookmatched walnut veneer
- Wood rim with three rim profile options

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port

To Order, Specify:
1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Sheen**
5. **Finish**

HILAND SHAPES AND SIZES



Round

30" Diameter
36" Diameter
42" Diameter
48" Diameter

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 2

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILES

Taper (T1)

Pillar (T2)

Reed (T3)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Hiland Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available are G10C and CUT-G15C, reference page 121 for options and upcharge
- Reference pages 26-47 for table base guide

Base Model Key

W Wood Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Number:

35N36RDW T1 G10C R DW

Hiland Round Top



Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***13/16" Top Thickness***			**DI**		**H**				
35N30RDW	Wood		**$ 1024**	30	—	13/16	—	—	33 lbs.	2.0
36" Round										
35N36RDW	Wood		**$ 1204**	35 1/8	—	13/16	—	—	42 lbs.	2.4
42" Round										
35N42RDW	Wood		**$ 1487**	42½	—	13/16	—	—	58 lbs.	3.2
48" Round										
35N48RDW	Wood		**$ 1845**	48	—	13/16	—	—	79 lbs.	4.2

Specify selections, left to right:

Base Model	Rim Profile	Grommet/Cutout Option	Sheen	Finish
	T1 Taper	G10C Center	R Standard	IM Brighton
	T2 Pillar	CUT-G15C Center	N Matte/Satin	NM Natural
	T3 Reed	X No Grommet		HN Honey
				CL Caramel
				TF Truffle
				AC Autumn
				MC Amber
				CW Cordovan
				DW Judicial
				MH Mocha
35N36RDW	T1	G10C	R	DW

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS
- 13/16" or 19/16" HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS
- Veneer surfaces are 13/16" or 19/16" slipmatched cherry, maple, or bookmatched walnut veneer
- Veneer surfaces feature wood rim with five profile options
- Laminate/wood models are 13/16" or 19/16" HPL (high pressure laminate) that feature wood rim with five profile options

CORIAN SOLID SURFACE TOPS
- 1½" Corian solid surface
- Knife rim profile
- Grommet cutouts not available
- Available in standard or matte/satin sheen

FINISH APPLICATION
- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order CP Tops, Specify:
1. **Model Number**
2. **Grommet**
3. **Laminate**

To Order CCW Tops, Specify:
1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Sheen (wood models)**
5. **Laminate Top Color/Wood Top Finish**
6. **Rim Finish (laminate/wood models)**

To Order Solid Surface Tops, Specify:
1. **Model Number**
2. **Sheen**
3. **Solid Surface Color**

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

UNIVERSAL SHAPES AND SIZES



Round

24" Diameter (solid surface only)
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



Soft Square (solid surface only)

24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Boat

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Racetrack

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Sheen: Standard

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

CP Top Options

LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

CP RIM PROFILE

Flat (E)

CCW Top Options

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

WOOD RIM

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

CCW RIM PROFILES

Radius (A)

Reed (M)

Bullnose (D)

Softened (F)

Self (J)
(all wood models only)

Solid Surface Top Options

CORIAN COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)

CORIAN RIM PROFILE

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

Universal Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 127 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

CCW36RD2W	D	G10C	N	NM
CCW60RD2LW	F	G10C	805	CL
CP-54E	G10C	461		

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Universal Round Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
CCW30RD2W	Wood-J Rim	**$ 589**	30	—	19/16	—	—	33 lbs.	2.0
CCW30RD2W	Wood-A, M, D, F Rim	**1034**	30	—	19/16	—	—	33 lbs.	2.0
CCW30RD2LW	Laminate/Wood-A, M, D, F Rim	**1034**	30	—	19/16	—	—	33 lbs.	2.0
CP-30E	Laminate-E Rim	**339**	30	—	19/16	—	—	33 lbs.	2.0
36" Round									
CCW36RD2W	Wood-J Rim	**$ 693**	36	—	19/16	—	—	56 lbs.	3.1
CCW36RD2W	Wood-A, M, D, F Rim	**1216**	36	—	19/16	—	—	56 lbs.	3.1
CCW36RD2LW	Laminate/Wood-A, M, D, F Rim	**1216**	36	—	19/16	—	—	56 lbs.	3.1
CP-36E	Laminate-E Rim	**398**	36	—	19/16	—	—	56 lbs.	3.1
42" Round									
QCCW42RD2W	Wood-J Rim	**$ 843**	42	—	19/16	—	—	74 lbs.	4.0
CCW42RD2W	Wood-J Rim	**843**	42	—	19/16	—	—	74 lbs.	4.0
CCW42RD2W	Wood-A, M, D, F Rim	**1504**	42	—	19/16	—	—	74 lbs.	4.0
CCW42RD2LW	Laminate/Wood-A, M, D, F Rim	**1504**	42	—	19/16	—	—	74 lbs.	4.0
QCP-42E	Laminate-E Rim	**458**	42	—	19/16	—	—	74 lbs.	4.0
CP-42E	Laminate-E Rim	**458**	42	—	19/16	—	—	74 lbs.	4.0
48" Round									
CCW48RD2W	Wood-J Rim	**$ 1070**	48	—	19/16	—	—	94 lbs.	5.1
CCW48RD2W	Wood-A, M, D, F Rim	**1860**	48	—	19/16	—	—	94 lbs.	5.1
CCW48RD2LW	Laminate/Wood-A, M, D, F Rim	**1860**	48	—	19/16	—	—	94 lbs.	5.1
CP-48E	Laminate-E Rim	**524**	48	—	19/16	—	—	79 lbs.	4.2
54" Round									
CCW54RD2W	Wood-J Rim	**$ 1299**	54	—	19/16	—	—	121 lbs.	6.9
CCW54RD2W	Wood-A, M, D, F Rim	**2087**	54	—	19/16	—	—	121 lbs.	6.9
CCW54RD2LW	Laminate/Wood-A, M, D, F Rim	**2087**	54	—	19/16	—	—	121 lbs.	6.9
CP-54E	Laminate-E Rim	**752**	54	—	19/16	—	—	121 lbs.	6.9
60" Round									
CCW60RD2W	Wood-J Rim	**$ 1525**	58 5/8	—	19/16	—	—	150 lbs.	8.3
CCW60RD2W	Wood-A, M, D, F Rim	**2314**	58 5/8	—	19/16	—	—	150 lbs.	8.3
CCW60RD2LW	Laminate/Wood-A, M, D, F Rim	**2314**	58 5/8	—	19/16	—	—	150 lbs.	8.3
CP-60E	Laminate-E Rim	**980**	58 5/8	—	19/16	—	—	150 lbs.	8.3

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option	Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)	Rim Finish (laminate/wood only)
CCW36RD2W	A Radius D Bullnose F Softened M Reed J Self (wood only) D	G10C Center CUT-G15C Center X No Grommet G10C	R Standard N Matte/Satin N	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha NM	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear *791 Palisander *792 Sable *793 Acorn **809 Tungsten Evolv **814 White Tigris **818 Crisp Linen **819 Flax Gauze **820 Paloma Bisque **821 Elemental Concrete **822 Smoke Quarstone **874 Bronze Legacy	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha

*Only available on laminate models
**Only available on laminate/wood models

Universal Round Tops

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Universal Round Top	***30" Round*** ***13/16 Top Thickness***		**DI**		**H**				
CCW30WSRNW	Wood-J Rim	**$ 541**	30	—	13/16	—	—	33 lbs.	2.0
CP-WS30E	Laminate-E Rim	**289**	30	—	13/16	—	—	33 lbs.	2.0
	36" Round								
CCW36WSRNW	Wood-J Rim	**$ 636**	36	—	13/16	—	—	42 lbs.	2.4
CP-WS36E	Laminate-E Rim	**341**	36	—	13/16	—	—	42 lbs.	2.4
	42" Round								
CCW42WSRNW	Wood-J Rim	**$ 786**	42	—	13/16	—	—	58 lbs.	3.2
CP-WS42E	Laminate-E Rim	**401**	42	—	13/16	—	—	58 lbs.	3.2
	48" Round								
CCW48WSRNW	Wood-J Rim	**$ 1015**	48	—	13/16	—	—	76 lbs.	4.2
CP-WS48E	Laminate-E Rim	**468**	48	—	13/16	—	—	76 lbs.	4.2

		Grade A	Grade B	Grade C	DI		H				
Universal Corian Round Top	***24" Round*** ***1½" Top Thickness***										
10N24RDS	Corian Solid Surface	**$ 1428**	**$ 1520**	**$ 1644**	24	—	1½	—	—	26 lbs.	1.3
	30" Round										
10N30RDS	Corian Solid Surface	**$ 1825**	**$ 1969**	**$ 2163**	30	—	1½	—	—	41 lbs.	1.9
	36" Round										
10N36RDS	Corian Solid Surface	**$ 2275**	**$ 2482**	**$ 2761**	36	—	1½	—	—	59 lbs.	2.7
	42" Round										
10N42RDS	Corian Solid Surface	**$ 2776**	**$ 3058**	**$ 3438**	42	—	1½	—	—	80 lbs.	3.5
	48" Round										
10N48RDS	Corian Solid Surface	**$ 3351**	**$ 3719**	**$ 4215**	48	—	1½	—	—	105 lbs.	4.5
	54" Round										
10N54RDS	Corian Solid Surface	**$ 3953**	**$ 4419**	**$ 5047**	54	—	1½	—	—	133 lbs.	5.7
	60" Round										
10N60RDS	Corian Solid Surface	**$ 4610**	**$ 5185**	**$ 5960**	58 5/8	—	1½	—	—	165 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade B), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases

Universal Square Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 127 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW5454SQW	A	X	R	CW
CCW5454SQLW	M	X	461	CL
CP-SQ54E	G10C	461		

Universal Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16" Top Thickness***								
CCW3030SQW	Wood-J Rim	**$ 589**	30	30	19/16	—	—	33 lbs.	2.0
CCW3030SQW	Wood-A, M, D, F Rim	**1034**	30	30	19/16	—	—	33 lbs.	2.0
CCW3030SQLW	Laminate/Wood-A, M, D, F Rim	**1034**	30	30	19/16	—	—	33 lbs.	2.0
CP-SQ30E	Laminate-E Rim	**339**	30	30	19/16	—	—	33 lbs.	2.0
36" Square									
CCW3636SQW	Wood-J Rim	**$ 693**	36	36	19/16	—	—	45 lbs.	2.4
CCW3636SQW	Wood-A, M, D, F Rim	**1216**	36	36	19/16	—	—	45 lbs.	2.4
CCW3636SQLW	Laminate/Wood-A, M, D, F Rim	**1216**	36	36	19/16	—	—	45 lbs.	2.4
CP-SQ36E	Laminate-E Rim	**398**	36	36	19/16	—	—	45 lbs.	2.4
42" Square									
CCW4242SQW	Wood-J Rim	**$ 843**	42	42	19/16	—	—	61 lbs.	3.2
CCW4242SQW	Wood-A, M, D, F Rim	**1504**	42	42	19/16	—	—	61 lbs.	3.2
CCW4242SQLW	Laminate/Wood-A, M, D, F Rim	**1504**	42	42	19/16	—	—	61 lbs.	3.2
CP-SQ42E	Laminate-E Rim	**458**	42	42	19/16	—	—	61 lbs.	3.2
48" Square									
CCW4848SQW	Wood-J Rim	**$ 1070**	48	48	19/16	—	—	79 lbs.	4.2
CCW4848SQW	Wood-A, M, D, F Rim	**1860**	48	48	19/16	—	—	79 lbs.	4.2
CCW4848SQLW	Laminate/Wood-A, M, D, F Rim	**1860**	48	48	19/16	—	—	79 lbs.	4.2
CP-SQ48E	Laminate-E Rim	**524**	48	48	19/16	—	—	79 lbs.	4.2
54" Square									
CCW5454SQW	Wood-J Rim	**$ 1299**	54	54	13/16	—	—	121 lbs.	6.9
CCW5454SQW	Wood-A, M, D, F Rim	**2087**	54	54	13/16	—	—	121 lbs.	6.9
CCW5454SQLW	Laminate/Wood-A, M, D, F Rim	**2087**	54	54	13/16	—	—	121 lbs.	6.9
CP-SQ54E	Laminate-E Rim	**752**	54	54	13/16	—	—	121 lbs.	6.9
60" Square									
CCW6060SQW	Wood-J Rim	**$ 1525**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
CCW6060SQW	Wood-A, M, D, F Rim	**2314**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
CCW6060SQLW	Laminate/Wood-A, M, D, F Rim	**2314**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
CP-SQ60E	Laminate-E Rim	**980**	58 5/8	58 5/8	13/16	—	—	121 lbs.	6.9

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option	Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)	Rim Finish (laminate/wood only)
CCW5454SQW	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear *791 Palisander *792 Sable *793 Acorn **809 Tungsten Evolv **814 White Tigris **818 Crisp Linen **819 Flax Gauze **820 Paloma Bisque **821 Elemental Concrete **822 Smoke Quarstone **874 Bronze Legacy	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	A	X	R	CW		

*Only available on laminate models
**Only available on laminate/wood models

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Universal Square Top	***30" Square***	***13/16 Top Thickness***								
	**CCW3030WSSQW**	Wood-J Rim	**$ 541**	30	30	13/16	—	—	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	**289**	30	30	13/16	—	—	33 lbs.	2.0
	36" Square									
	CCW3636WSSQW	Wood-J Rim	**$ 636**	36	36	13/16	—	—	42 lbs.	2.4
	CP-WSSQ36E	Laminate-E Rim	**341**	36	36	13/16	—	—	42 lbs.	2.4
	42" Square									
	CCW4242WSSQW	Wood-J Rim	**$ 786**	42	42	13/16	—	—	58 lbs.	3.2
	CP-WSSQ42E	Laminate-E Rim	**401**	42	42	13/16	—	—	58 lbs.	3.2
	48" Square									
	CCW4848WSSQW	Wood-J Rim	**$ 1015**	48	48	13/16	—	—	76 lbs.	4.2
	CP-WSSQ48E	Laminate-E Rim	**468**	48	48	13/16	—	—	76 lbs.	4.2

	Model No./Description		Grade A	Grade B	Grade C	D	W	H	A	KW	Cartoned Weight	Cubic Feet
Universal Corian Soft Square Top	***24" Soft Square***	***1½" Top Thickness***	**Grade A**	**Grade B**	**Grade C**							
	**10N2424SSQS**	Corian Solid Surface	**$ 1428**	**$ 1520**	**$ 1644**	24	24	1½	—	—	38 lbs.	1.3
	30" Soft Square											
	10N3030SSQS	Corian Solid Surface	**$ 1825**	**$ 1969**	**$ 2163**	30	30	1½	—	—	57 lbs.	1.9
	36" Soft Square											
	10N3636SSQS	Corian Solid Surface	**$ 2275**	**$ 2482**	**$ 2761**	36	36	1½	—	—	79 lbs.	2.7
	42" Soft Square											
	10N4242SSQS	Corian Solid Surface	**$ 2776**	**$ 3058**	**$ 3438**	42	42	1½	—	—	105 lbs.	3.5
	48" Soft Square											
	10N4848SSQS	Corian Solid Surface	**$ 3351**	**$ 3719**	**$ 4215**	48	48	1½	—	—	135 lbs.	4.5
	54" Soft Square											
	10N5454SSQS	Corian Solid Surface	**$ 3953**	**$ 4419**	**$ 5047**	54	54	1½	—	—	169 lbs.	5.6
	60" Soft Square											
	10N6060SSQS	Corian Solid Surface	**$ 4610**	**$ 5185**	**$ 5960**	58 5/8	58 5/8	1½	—	—	206 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade B), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases

Universal Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW48144RT2W	J	CUT-G15LR	R	DW
CCW48144RT2LW	M	CUT-G15CE	CW	CW

Universal Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
CCW3672RT2W	Wood-J Rim	**$ 1424**	36	72	19/16	—	—	136 lbs.	6.3
CCW3672RT2W	Wood-A, M, D, F Rim	**1966**	36	72	19/16	—	—	136 lbs.	6.3
CCW3672RT2LW	Laminate/Wood-A, M, D, F Rim	**1966**	36	72	19/16	—	—	136 lbs.	6.3
CP-S72E	Laminate-E Rim	**553**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
CCW4284RT2W	Wood-J Rim	**$ 1697**	42	84	19/16	—	—	180 lbs.	8.3
CCW4284RT2W	Wood-A, M, D, F Rim	**2341**	42	84	19/16	—	—	180 lbs.	8.3
CCW4284RT2LW	Laminate/Wood-A, M, D, F Rim	**2341**	42	84	19/16	—	—	180 lbs.	8.3
CP-S84E	Laminate-E Rim	**627**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
CCW4896RT2W	Wood-J Rim	**$ 1968**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896RT2W	Wood-A, M, D, F Rim	**2718**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896RT2LW	Laminate/Wood-A, M, D, F Rim	**2718**	48	96	19/16	—	—	233 lbs.	10.5
CP-S96E	Laminate-E Rim	**700**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
CCW48120RT2W	Wood-J Rim	**$ 2720**	48	120	19/16	—	—	279 lbs.	10.6
CCW48120RT2W	Wood-A, M, D, F Rim	**3753**	48	120	19/16	—	—	279 lbs.	10.6
CCW48120RT2LW	Laminate/Wood-A, M, D, F Rim	**3753**	48	120	19/16	—	—	279 lbs.	10.6
CP-S120E	Laminate-E Rim	**1005**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
CCW48144RT2W	Wood-J Rim	**$ 3391**	48	144	19/16	—	—	332 lbs.	12.5
CCW48144RT2W	Wood-A, M, D, F Rim	**4678**	48	144	19/16	—	—	332 lbs.	12.5
CCW48144RT2LW	Laminate/Wood-A, M, D, F Rim	**4678**	48	144	19/16	—	—	332 lbs.	12.5
CP-S144E	Laminate-E Rim	**1209**	48	144	19/16	—	—	332 lbs.	12.5

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option				Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)		Rim Finish (laminate/wood only)
	A Radius	G10C	Center	CUT-G16C	Center	R Standard	IM Brighton	IM Brighton	462 Cinder	IM Brighton
	D Bullnose	G10E	End	CUT-G16E	End	N Matte/Satin	NM Natural	NM Natural	478 Platinum Grey	NM Natural
	F Softened	G10LR	Left, Right	CUT-G16LR	Left, Right		HN Honey	HN2 Honey 2	488 Frosty White	HN Honey
	M Reed	G10A	All	CUT-G16A	All		CL Caramel	CL Caramel	491 Des. White Linear	CL Caramel
	J Self (wood only)	G10CE	Center, End	CUT-G16CE	Center, End		TF Truffle	TF Truffle	492 Cinder Linear	TF Truffle
		CUT-G15C	Center	X	No Grommet		AC Autumn	AC2 Autumn 2	*791 Palisander	AC Autumn
		CUT-G15E	End				MC Amber	MC Amber	*792 Sable	MC Amber
		CUT-G15LR	Left, Right				CW Cordovan	CW Cordovan	*793 Acorn	CW Cordovan
		CUT-G15A	All				DW Judicial	DW Judicial	**809 Tungsten Evolv	DW Judicial
		CUT-G15CE	Center, End				MH Mocha	MH Mocha	**814 White Tigris	MH Mocha
								405 Des. White	**818 Crisp Linen	
								417 Mojave	**819 Flax Gauze	
								418 Mouse	**820 Paloma Bisque	
								419 Wallaby	**821 Elemen. Concrete	
								425 Shadow	**822 Smoke Quarstone	
								440 Cloud	**874 Bronze Legacy	
								461 Graphite		
CCW48144RT2W	J	CUT-G15LR				R	DW			

*Only available on laminate models
**Only available on laminate/wood models

Universal Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 168"	***19/16 Top Thickness***								
CCW48168RT2W	Wood-J Rim	$ **3890**	48	168	19/16	—	—	385 lbs.	14.4
CCW48168RT2W	Wood-A, M, D, F Rim	**5403**	48	168	19/16	—	—	385 lbs.	14.4
CCW48168RT2LW	Laminate/Wood-A, M, D, F Rim	**5403**	48	168	19/16	—	—	385 lbs.	14.4
CP-S168E	Laminate-E Rim	**1607**	48	168	19/16	—	—	385 lbs.	14.4
48" x 192"									
CCW48192RT2W	Wood-J Rim	$ **4410**	48	192	19/16	—	—	438 lbs.	16.3
CCW48192RT2W	Wood-A, M, D, F Rim	**6126**	48	192	19/16	—	—	438 lbs.	16.3
CCW48192RT2LW	Laminate/Wood-A, M, D, F Rim	**6126**	48	192	19/16	—	—	438 lbs.	16.3
CP-S192E	Laminate-E Rim	**2005**	48	192	19/16	—	—	438 lbs.	16.3
48" x 216"									
CCW48216RT2W	Wood-J Rim	$ **5035**	48	216	19/16	—	—	524 lbs.	20.0
CCW48216RT2W	Wood-A, M, D, F Rim	**6989**	48	216	19/16	—	—	524 lbs.	20.0
CCW48216RT2LW	Laminate/Wood-A, M, D, F Rim	**6989**	48	216	19/16	—	—	524 lbs.	20.0
CP-S216E	Laminate-E Rim	**2403**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
CCW48240RT2W	Wood-J Rim	$ **5660**	48	240	19/16	—	—	571 lbs.	22.0
CCW48240RT2W	Wood-A, M, D, F Rim	**7724**	48	240	19/16	—	—	571 lbs.	22.0
CCW48240RT2LW	Laminate/Wood-A, M, D, F Rim	**7724**	48	240	19/16	—	—	571 lbs.	22.0
CP-S240E	Laminate-E Rim	**2801**	48	240	19/16	—	—	571 lbs.	22.0

Universal Rectangle Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW60216RT2W	F	CUT-G16A	N	DW
CCW60216RT2LW	F	CUT-G16A	802	MH

Universal Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16" Top Thickness***								
CCW60144RT2W	Wood-J Rim	**$ 4747**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CCW60144RT2W	Wood-A, M, D, F Rim	**6243**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CCW60144RT2LW	Laminate/Wood-A, M, D, F Rim	**6243**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CP-S60144E	Laminate-E Rim	**1571**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RT2W	Wood-J Rim	**$ 5447**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CCW60168RT2W	Wood-A, M, D, F Rim	**7205**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CCW60168RT2LW	Laminate/Wood-A, M, D, F Rim	**7205**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CP-S60168E	Laminate-E Rim	**2089**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RT2W	Wood-J Rim	**$ 6175**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CCW60192RT2W	Wood-A, M, D, F Rim	**8161**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CCW60192RT2LW	Laminate/Wood-A, M, D, F Rim	**8161**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CP-S60192E	Laminate-E Rim	**2607**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RT2W	Wood-J Rim	**$ 7049**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CCW60216RT2W	Wood-A, M, D, F Rim	**9119**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CCW60216RT2LW	Laminate/Wood-A, M, D, F Rim	**9119**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CP-S60216E	Laminate-E Rim	**3123**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RT2W	Wood-J Rim	**$ 7925**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CCW60240RT2W	Wood-A, M, D, F Rim	**10076**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CCW60240RT2LW	Laminate/Wood-A, M, D, F Rim	**10076**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CP-S60240E	Laminate-E Rim	**3640**	58 5/8	240	19/16	—	—	706 lbs.	34.0

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option				Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)		Rim Finish (laminate/wood only)
	A Radius	G10C	Center	CUT-G16C	Center	R Standard	IM Brighton	IM Brighton	462 Cinder	IM Brighton
	D Bullnose	G10E	End	CUT-G16E	End	N Matte/Satin	NM Natural	NM Natural	478 Platinum Grey	NM Natural
	F Softened	G10LR	Left, Right	CUT-G16LR	Left, Right		HN Honey	HN2 Honey 2	488 Frosty White	HN Honey
	M Reed	G10A	All	CUT-G16A	All		CL Caramel	CL Caramel	491 Des. White Linear	CL Caramel
	J Self	G10CE	Center, End	CUT-G16CE	Center, End		TF Truffle	TF Truffle	492 Cinder Linear	TF Truffle
	(wood only)	CUT-G15C	Center	X	No Grommet		AC Autumn	AC2 Autumn 2	*791 Palisander	AC Autumn
		CUT-G15E	End				MC Amber	MC Amber	*792 Sable	MC Amber
		CUT-G15LR	Left, Right				CW Cordovan	CW Cordovan	*793 Acorn	CW Cordovan
		CUT-G15A	All				DW Judicial	DW Judicial	**809 Tungsten Evolv	DW Judicial
		CUT-G15CE	Center, End				MH Mocha	MH Mocha	**814 White Tigris	MH Mocha
								405 Des. White	**818 Crisp Linen	
								417 Mojave	**819 Flax Gauze	
								418 Mouse	**820 Paloma Bisque	
								419 Wallaby	**821 Elemen. Concrete	
								425 Shadow	**822 Smoke Quarstone	
								440 Cloud	**874 Bronze Legacy	
								461 Graphite		
CCW60216RT2W	F	CUT-G16A				N	DW			

*Only available on laminate models
**Only available on laminate/wood models

Universal Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW48144BTW	J	G10A	R	HN
CCW48144BTLW	A	X	HN	HN

Universal Boat Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
CCW3672BTW	Wood-J Rim	**$ 1545**	36	72	19/16	—	—	136 lbs.	6.3
CCW3672BTW	Wood-A, M, D, F Rim	**2134**	36	72	19/16	—	—	136 lbs.	6.3
CCW3672BTLW	Laminate/Wood-A, M, D, F Rim	**2134**	36	72	19/16	—	—	136 lbs.	6.3
CP-B72E	Laminate-E Rim	**587**	36	72	19/16	—	—	130 lbs.	6.3
42" x 84"									
CCW4284BTW	Wood-J Rim	**$ 1816**	42	84	19/16	—	—	180 lbs.	8.3
CCW4284BTW	Wood-A, M, D, F Rim	**2506**	42	84	19/16	—	—	180 lbs.	8.3
CCW4284BTLW	Laminate/Wood-A, M, D, F Rim	**2506**	42	84	19/16	—	—	180 lbs.	8.3
CP-B84E	Laminate-E Rim	**665**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
CCW4896BTW	Wood-J Rim	**$ 2084**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896BTW	Wood-A, M, D, F Rim	**2876**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896BTLW	Laminate/Wood-A, M, D, F Rim	**2876**	48	96	19/16	—	—	233 lbs.	10.5
CP-B96E	Laminate-E Rim	**745**	48	96	19/16	—	—	223 lbs.	10.5
48" x 120"									
CCW48120BTW	Wood-J Rim	**$ 2962**	48	120	19/16	—	—	279 lbs.	10.6
CCW48120BTW	Wood-A, M, D, F Rim	**4091**	48	120	19/16	—	—	279 lbs.	10.6
CCW48120BTLW	Laminate/Wood-A, M, D, F Rim	**4091**	48	120	19/16	—	—	279 lbs.	10.6
CP-B120E	Laminate-E Rim	**1073**	48	120	19/16	—	—	269 lbs.	10.6
48" x 144"									
CCW48144BTW	Wood-J Rim	**$ 3626**	48	144	19/16	—	—	332 lbs.	12.5
CCW48144BTW	Wood-A, M, D, F Rim	**5005**	48	144	19/16	—	—	332 lbs.	12.5
CCW48144BTLW	Laminate/Wood-A, M, D, F Rim	**5005**	48	144	19/16	—	—	332 lbs.	12.5
CP-B144E	Laminate-E Rim	**1303**	48	144	19/16	—	—	322 lbs.	12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option				Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)		Rim Finish (laminate/wood only)
	A Radius	G10C	Center	CUT-G16C	Center	R Standard	IM Brighton	IM Brighton	462 Cinder	IM Brighton
	D Bullnose	G10E	End	CUT-G16E	End	N Matte/Satin	NM Natural	NM Natural	478 Platinum Grey	NM Natural
	F Softened	G10LR	Left, Right	CUT-G16LR	Left, Right		HN Honey	HN2 Honey 2	488 Frosty White	HN Honey
	M Reed	G10A	All	CUT-G16A	All		CL Caramel	CL Caramel	491 Des. White Linear	CL Caramel
	J Self (wood only)	G10CE	Center, End	CUT-G16CE	Center, End		TF Truffle	TF Truffle	492 Cinder Linear	TF Truffle
		CUT-G15C	Center	X	No Grommet		AC Autumn	AC2 Autumn 2	*791 Palisander	AC Autumn
		CUT-G15E	End				MC Amber	MC Amber	*792 Sable	MC Amber
		CUT-G15LR	Left, Right				CW Cordovan	CW Cordovan	*793 Acorn	CW Cordovan
		CUT-G15A	All				DW Judicial	DW Judicial	**809 Tungsten Evolv	DW Judicial
		CUT-G15CE	Center, End				MH Mocha	MH Mocha	**814 White Tigris	MH Mocha
								405 Des. White	**818 Crisp Linen	
								417 Mojave	**819 Flax Gauze	
								418 Mouse	**820 Paloma Bisque	
								419 Wallaby	**821 Elemen. Concrete	
								425 Shadow	**822 Smoke Quarstone	
								440 Cloud	**874 Bronze Legacy	
								461 Graphite		
CCW48144BTW	J	G10A				R	HN			

*Only available on laminate models
**Only available on laminate/wood models

Universal Boat Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 168"	***19/16 Top Thickness***								
CCW48168BTW	Wood-J Rim	$ **4118**	48	168	19/16	—	—	385 lbs.	14.3
CCW48168BTW	Wood-A, M, D, F Rim	**5724**	48	168	19/16	—	—	385 lbs.	14.3
CCW48168BTLW	Laminate/Wood-A, M, D, F Rim	**5724**	48	168	19/16	—	—	385 lbs.	14.3
CP-B168E	Laminate-E Rim	**1701**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
CCW48192BTW	Wood-J Rim	$ **4636**	48	192	19/16	—	—	438 lbs.	16.2
CCW48192BTW	Wood-A, M, D, F Rim	**6441**	48	192	19/16	—	—	438 lbs.	16.2
CCW48192BTLW	Laminate/Wood-A, M, D, F Rim	**6441**	48	192	19/16	—	—	438 lbs.	16.2
CP-B192E	Laminate-E Rim	**2098**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
CCW48216BTW	Wood-J Rim	$ **5255**	48	216	19/16	—	—	524 lbs.	20.0
CCW48216BTW	Wood-A, M, D, F Rim	**7299**	48	216	19/16	—	—	524 lbs.	20.0
CCW48216BTLW	Laminate/Wood-A, M, D, F Rim	**7299**	48	216	19/16	—	—	524 lbs.	20.0
CP-B216E	Laminate-E Rim	**2497**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
CCW48240BTW	Wood-J Rim	$ **5874**	48	240	19/16	—	—	571 lbs.	22.0
CCW48240BTW	Wood-A, M, D, F Rim	**8029**	48	240	19/16	—	—	571 lbs.	22.0
CCW48240BTLW	Laminate/Wood-A, M, D, F Rim	**8029**	48	240	19/16	—	—	571 lbs.	22.0
CP-B240E	Laminate-E Rim	**2893**	48	240	19/16	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Universal Boat Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW60216BTW	D	X	N	CL
CCW60216BTLW	D	X	425	MH

Universal Boat Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16" Top Thickness***								
CCW60144BTW	Wood-J Rim	**$ 5073**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CCW60144BTW	Wood-A, M, D, F Rim	**6674**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CCW60144BTLW	Laminate/Wood-A, M, D, F Rim	**6674**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CP-B60144E	Laminate-E Rim	**1694**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
CCW60168BTW	Wood-J Rim	**$ 5766**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CCW60168BTW	Wood-A, M, D, F Rim	**7627**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CCW60168BTLW	Laminate/Wood-A, M, D, F Rim	**7627**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CP-B60168E	Laminate-E Rim	**2211**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
CCW60192BTW	Wood-J Rim	**$ 6492**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CCW60192BTW	Wood-A, M, D, F Rim	**8575**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CCW60192BTLW	Laminate/Wood-A, M, D, F Rim	**8575**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CP-B60192E	Laminate-E Rim	**2727**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
CCW60216BTW	Wood-J Rim	**$ 7357**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CCW60216BTW	Wood-A, M, D, F Rim	**9522**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CCW60216BTLW	Laminate/Wood-A, M, D, F Rim	**9522**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CP-B60216E	Laminate-E Rim	**3245**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
CCW60240BTW	Wood-J Rim	**$ 8224**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CCW60240BTW	Wood-A, M, D, F Rim	**10471**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CCW60240BTLW	Laminate/Wood-A, M, D, F Rim	**10471**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CP-B60240E	Laminate-E Rim	**3761**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option				Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)		Rim Finish (laminate/wood only)
	A Radius	G10C	Center	CUT-G16C	Center	R Standard	IM Brighton	IM Brighton	462 Cinder	IM Brighton
	D Bullnose	G10E	End	CUT-G16E	End	N Matte/Satin	NM Natural	NM Natural	478 Platinum Grey	NM Natural
	F Softened	G10LR	Left, Right	CUT-G16LR	Left, Right		HN Honey	HN2 Honey 2	488 Frosty White	HN Honey
	M Reed	G10A	All	CUT-G16A	All		CL Caramel	CL Caramel	491 Des. White Linear	CL Caramel
	J Self	G10CE	Center, End	CUT-G16CE	Center, End		TF Truffle	TF Truffle	492 Cinder Linear	TF Truffle
	(wood only)	CUT-G15C	Center	X	No Grommet		AC Autumn	AC2 Autumn 2	*791 Palisander	AC Autumn
		CUT-G15E	End				MC Amber	MC Amber	*792 Sable	MC Amber
		CUT-G15LR	Left, Right				CW Cordovan	CW Cordovan	*793 Acorn	CW Cordovan
		CUT-G15A	All				DW Judicial	DW Judicial	**809 Tungsten Evolv	DW Judicial
		CUT-G15CE	Center, End				MH Mocha	MH Mocha	**814 White Tigris	MH Mocha
								405 Des. White	**818 Crisp Linen	
								417 Mojave	**819 Flax Gauze	
								418 Mouse	**820 Paloma Bisque	
								419 Wallaby	**821 Elemen. Concrete	
								425 Shadow	**822 Smoke Quarstone	
								440 Cloud	**874 Bronze Legacy	
								461 Graphite		
CCW60216BTW	D	X				N	CL			

*Only available on laminate models
**Only available on laminate/wood models

Universal Racetrack Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW3672RC2W	F	G10LR	R	DW
CCW3672RC2LW	A	G10C	CW	CW

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Universal Racetrack Top

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
CCW3672RC2W	Wood-J Rim	**$ 1561**	36	72	19/16	—	—	136 lbs.	6.3
CCW3672RC2W	Wood-A, M, D, F Rim	**2156**	36	72	19/16	—	—	136 lbs.	6.3
CCW3672RC2LW	Laminate/Wood-A, M, D, F Rim	**2156**	36	72	19/16	—	—	136 lbs.	6.3
CP-R72E	Laminate-E Rim	**617**	36	72	19/16	—	—	124 lbs.	6.3
42" x 84"									
CCW4284RC2W	Wood-J Rim	**$ 1834**	42	84	19/16	—	—	180 lbs.	8.3
CCW4284RC2W	Wood-A, M, D, F Rim	**2531**	42	84	19/16	—	—	180 lbs.	8.3
CCW4284RC2LW	Laminate/Wood-A, M, D, F Rim	**2531**	42	84	19/16	—	—	180 lbs.	8.3
CP-R84E	Laminate-E Rim	**705**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
QCCW4896RC2W	Wood-J Rim	**$ 2106**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896RC2W	Wood-J Rim	**2106**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896RC2W	Wood-A, M, D, F Rim	**2906**	48	96	19/16	—	—	233 lbs.	10.5
CCW4896RC2LW	Laminate/Wood-A, M, D, F Rim	**2906**	48	96	19/16	—	—	233 lbs.	10.5
QCP-R96E	Laminate-E Rim	**792**	48	96	19/16	—	—	213 lbs.	10.5
CP-R96E	Laminate-E Rim	**792**	48	96	19/16	—	—	213 lbs.	10.5
48" x 120"									
CCW48120RC2W	Wood-J Rim	**$ 2992**	48	120	19/16	—	—	279 lbs.	10.6
CCW48120RC2W	Wood-A, M, D, F Rim	**4131**	48	120	19/16	—	—	279 lbs.	10.6
CCW48120RC2LW	Laminate/Wood-A, M, D, F Rim	**4131**	48	120	19/16	—	—	279 lbs.	10.6
CP-R120E	Laminate-E Rim	**1151**	48	120	19/16	—	—	258 lbs.	10.6
48" x 144"									
CCW48144RC2W	Wood-J Rim	**$ 3662**	48	144	19/16	—	—	311 lbs.	12.5
CCW48144RC2W	Wood-A, M, D, F Rim	**5055**	48	144	19/16	—	—	311 lbs.	12.5
CCW48144RC2LW	Laminate/Wood-A, M, D, F Rim	**5055**	48	144	19/16	—	—	311 lbs.	12.5
CP-R144E	Laminate-E Rim	**1392**	48	144	19/16	—	—	311 lbs.	12.5

Specify selections, left to right:

Base Model

CCW3672RC2W

Rim Profile (CCW only)

A Radius
D Bullnose
F Softened
M Reed
J Self (wood only)

F

Grommet/Cutout Option

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End
CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End
CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End
X No Grommet

G10LR

Sheen (wood tops only)

R Standard
N Matte/Satin

R

Finish (wood tops only)

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

DW

Laminate (laminate or laminate/wood only)

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Des. White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Des. White Linear
492 Cinder Linear
*791 Palisander
*792 Sable
*793 Acorn
**809 Tungsten Evolv
**814 White Tigris
**818 Crisp Linen
**819 Flax Gauze
**820 Paloma Bisque
**821 Elemen. Concrete
**822 Smoke Quarstone
**874 Bronze Legacy

Rim Finish (laminate/wood only)

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

*Only available on laminate models
**Only available on laminate/wood models

Universal Racetrack Top (continued)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 168"	***19/16 Top Thickness***								
CCW48168RC2W	Wood-J Rim	$ **4160**	48	168	19/16	—	—	365 lbs.	14.4
CCW48168RC2W	Wood-A, M, D, F Rim	**5783**	48	168	19/16	—	—	365 lbs.	14.4
CCW48168RC2LW	Laminate/Wood-A, M, D, F Rim	**5783**	48	168	19/16	—	—	365 lbs.	14.4
CP-R168E	Laminate-E Rim	**1790**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
CCW48192RC2W	Wood-J Rim	$ **4683**	48	192	19/16	—	—	418 lbs.	16.3
CCW48192RC2W	Wood-A, M, D, F Rim	**6505**	48	192	19/16	—	—	418 lbs.	16.3
CCW48192RC2LW	Laminate/Wood-A, M, D, F Rim	**6505**	48	192	19/16	—	—	418 lbs.	16.3
CP-R192E	Laminate-E Rim	**2188**	48	192	19/16	—	—	438 lbs.	16.2
48" x 216"									
CCW48216RC2W	Wood-J Rim	$ **5309**	48	216	19/16	—	—	524 lbs.	20.0
CCW48216RC2W	Wood-A, M, D, F Rim	**7374**	48	216	19/16	—	—	524 lbs.	20.0
CCW48216RC2LW	Laminate/Wood-A, M, D, F Rim	**7374**	48	216	19/16	—	—	524 lbs.	20.0
CP-R216E	Laminate-E Rim	**2585**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
CCW48240RC2W	Wood-J Rim	$ **5934**	48	240	19/16	—	—	571 lbs.	22.0
CCW48240RC2W	Wood-A, M, D, F Rim	**8109**	48	240	19/16	—	—	571 lbs.	22.0
CCW48240RC2LW	Laminate/Wood-A, M, D, F Rim	**8109**	48	240	19/16	—	—	571 lbs.	22.0
CP-R240E	Laminate-E Rim	**2983**	48	240	19/16	—	—	571 lbs.	22.0

Universal Racetrack Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CCW60240RC2W	J	CUT-G16A	N	AC
CCW60240RC2LW	A	CUT-G16A	403	CW

Universal Racetrack Top (continued)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 144"	***19/16" Top Thickness***								
CCW60144RC2W	Wood-J Rim	**$ 5124**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CCW60144RC2W	Wood-A, M, D, F Rim	**6741**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CCW60144RC2LW	Laminate/Wood-A, M, D, F Rim	**6741**	58 5/8	144	19/16	—	—	412 lbs.	18.0
CP-R60144E	Laminate-E Rim	**1811**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RC2W	Wood-J Rim	**$ 5825**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CCW60168RC2W	Wood-A, M, D, F Rim	**7705**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CCW60168RC2LW	Laminate/Wood-A, M, D, F Rim	**7705**	58 5/8	168	19/16	—	—	480 lbs.	22.5
CP-R60168E	Laminate-E Rim	**2328**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RC2W	Wood-J Rim	**$ 6556**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CCW60192RC2W	Wood-A, M, D, F Rim	**8662**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CCW60192RC2LW	Laminate/Wood-A, M, D, F Rim	**8662**	58 5/8	192	19/16	—	—	539 lbs.	29.0
CP-R60192E	Laminate-E Rim	**2844**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RC2W	Wood-J Rim	**$ 7431**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CCW60216RC2W	Wood-A, M, D, F Rim	**9619**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CCW60216RC2LW	Laminate/Wood-A, M, D, F Rim	**9619**	58 5/8	216	19/16	—	—	647 lbs.	31.0
CP-R60216E	Laminate-E Rim	**3361**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RC2W	Wood-J Rim	**$ 8306**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CCW60240RC2W	Wood-A, M, D, F Rim	**10576**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CCW60240RC2LW	Laminate/Wood-A, M, D, F Rim	**10576**	58 5/8	240	19/16	—	—	706 lbs.	34.0
CP-R60240E	Laminate-E Rim	**3880**	58 5/8	240	19/16	—	—	706 lbs.	34.0

Specify selections, left to right:

Base Model	Rim Profile (CCW only)	Grommet/Cutout Option				Sheen (wood tops only)	Finish (wood tops only)	Laminate (laminate or laminate/wood only)		Rim Finish (laminate/wood only)
	A Radius	G10C	Center	CUT-G16C	Center	R Standard	IM Brighton	IM Brighton	462 Cinder	IM Brighton
	D Bullnose	G10E	End	CUT-G16E	End	N Matte/Satin	NM Natural	NM Natural	478 Platinum Grey	NM Natural
	F Softened	G10LR	Left, Right	CUT-G16LR	Left, Right		HN Honey	HN2 Honey 2	488 Frosty White	HN Honey
	M Reed	G10A	All	CUT-G16A	All		CL Caramel	CL Caramel	491 Des. White Linear	CL Caramel
	J Self (wood only)	G10CE	Center, End	CUT-G16CE	Center, End		TF Truffle	TF Truffle	492 Cinder Linear	TF Truffle
		CUT-G15C	Center	X	No Grommet		AC Autumn	AC2 Autumn 2	*791 Palisander	AC Autumn
		CUT-G15E	End				MC Amber	MC Amber	*792 Sable	MC Amber
		CUT-G15LR	Left, Right				CW Cordovan	CW Cordovan	*793 Acorn	CW Cordovan
		CUT-G15A	All				DW Judicial	DW Judicial	**809 Tungsten Evolv	DW Judicial
		CUT-G15CE	Center, End				MH Mocha	MH Mocha	**814 White Tigris	MH Mocha
								405 Des. White	**818 Crisp Linen	
								417 Mojave	**819 Flax Gauze	
								418 Mouse	**820 Paloma Bisque	
								419 Wallaby	**821 Elemen. Concrete	
								425 Shadow	**822 Smoke Quarstone	
								440 Cloud	**874 Bronze Legacy	
								461 Graphite		
CCW60240RC2W	J	CUT-G16A				N	AC			

*Only available on laminate models
**Only available on laminate/wood models

WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 13/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Laminate surfaces are 13/16" or 19/16" HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with six rim profile options
- Laminate surfaces feature a 3mm PVC rim
- Laminate/wood models are 13/16" or 19/16" HPL (high pressure laminate) that feature wood rim with six rim profiles
- Thermofoil/3D laminate surfaces feature a vinyl membrane pressed over 13/16" medium density fiberboard and have a softened thermofoil/3D laminate profile
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6" increments. See component section for specific models
- See page 10 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:

1. **Model Number**
2. **Rim**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Top Sheen (wood models)**
8. **Laminate Top Color/Wood Top Finish**
9. **Wood Rim Finish (combo models)**

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

FSC

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WAVEWORKS SHAPES AND SIZES



Round

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



Square

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

Rectangle

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



Boat

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

Racetrack

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
*791 Palisander
792 Sable
*793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

*Not available on laminate/wood models

RIM PROFILES

PVC RIM

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

PVC Reed Rim

NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

Wood Rim

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

THERMOFOIL/ 3D LAMINATE COLORS

405 Designer White
440 Cloud
466 Concrete Fiber
484 Cashmere Fiber
MH Mocha

Softened Wood (F)

Reed Wood (R)

Cove Wood (P)

Zip Wood (Z)

Concave Wood (C)

Step Wood (T)

Softened PVC (V)

Reed PVC (N)

Softened Thermofoil/ 3D Laminate (S)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 12-13 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 433 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 434 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 16-17 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 434 for pricing and details

WaveWorks Round Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 147 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

WW48RDW	R	X	N	MH
WW48RDL	V	MH	G10C	MH
WW48RDLW	R	X	MH	MH

WaveWorks Round Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***19/16" Top Thickness***		**DI**		**H**				
WWN30RDW	Wood	**$ 1159**	30 1/16	—	19 1/16	—	—	33 lbs.	2.0
WWN30RDLW	Laminate/Wood	**1159**	30 1/16	—	19 1/16	—	—	33 lbs.	2.0
WWN30RDL	Laminate	**675**	30 1/16	—	19 1/16	—	—	33 lbs.	2.0
36" Round									
WWN36RDW	Wood	**$ 1363**	36 1/16	—	19 1/16	—	—	40 lbs.	2.4
WWN36RDLW	Laminate/Wood	**1363**	36 1/16	—	19 1/16	—	—	40 lbs.	2.4
WWN36RDL	Laminate	**794**	36 1/16	—	19 1/16	—	—	40 lbs.	2.4
42" Round									
WWN42RDW	Wood	**$ 1654**	42 1/16	—	19 1/16	—	—	61 lbs.	3.2
WWN42RDLW	Laminate/Wood	**1654**	42 1/16	—	19 1/16	—	—	61 lbs.	3.2
WWN42RDL	Laminate	**1087**	42 1/16	—	19 1/16	—	—	61 lbs.	3.2
48" Round									
WWN48RDW	Wood	**$ 2018**	48 1/16	—	19 1/16	—	—	79 lbs.	4.2
WWN48RDLW	Laminate/Wood	**2018**	48 1/16	—	19 1/16	—	—	79 lbs.	4.2
WWN48RDL	Laminate	**1450**	48 1/16	—	19 1/16	—	—	79 lbs.	4.2
54" Round									
WWN54RDW	Wood	**$ 2246**	54 1/16	—	19 1/16	—	—	121 lbs.	6.9
WWN54RDLW	Laminate/Wood	**2246**	54 1/16	—	19 1/16	—	—	121 lbs.	6.9
WWN54RDL	Laminate	**1677**	54 1/16	—	19 1/16	—	—	121 lbs.	6.9
60" Round									
WWN60RDW	Wood	**$ 2473**	58 5/8	—	19 1/16	—	—	150 lbs.	8.3
WWN60RDLW	Laminate/Wood	**2473**	58 5/8	—	19 1/16	—	—	150 lbs.	8.3
WWN60RDL	Laminate	**1904**	58 5/8	—	19 1/16	—	—	150 lbs.	8.3

- Zip profile does not run out on round tops

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WaveWorks Round Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Round	***13/16 Top Thickness***		**DI**		**H**				
WW30RDW	Wood	**$ 1062**	30 1/16	—	13/16	—	—	33 lbs.	2.0
WW30RDLW	Laminate/Wood	**1062**	30 1/16	—	13/16	—	—	33 lbs.	2.0
WW30RDL	Laminate	**578**	30 1/16	—	13/16	—	—	33 lbs.	2.0
WW30RDT	Thermofoil/3D Laminate	**578**	30 1/16	—	13/16	—	—	33 lbs.	2.0
36" Round									
WW36RDW	Wood	**$ 1248**	36 1/16	—	13/16	—	—	42 lbs.	3.0
WW36RDLW	Laminate/Wood	**1248**	36 1/16	—	13/16	—	—	42 lbs.	3.0
WW36RDL	Laminate	**681**	36 1/16	—	13/16	—	—	42 lbs.	3.0
WW36RDT	Thermofoil/3D Laminate	**681**	36 1/16	—	13/16	—	—	51 lbs.	3.8
42" Round									
WW42RDW	Wood	**$ 1541**	42 1/16	—	13/16	—	—	58 lbs.	3.8
WW42RDLW	Laminate/Wood	**1541**	42 1/16	—	13/16	—	—	58 lbs.	3.8
WW42RDL	Laminate	**973**	42 1/16	—	13/16	—	—	58 lbs.	3.8
WW42RDT	Thermofoil/3D Laminate	**973**	42 1/16	—	13/16	—	—	63 lbs.	3.0
48" Round									
WW48RDW	Wood	**$ 1904**	48 1/16	—	13/16	—	—	76 lbs.	4.5
WW48RDLW	Laminate/Wood	**1904**	48 1/16	—	13/16	—	—	76 lbs.	4.5
WW48RDL	Laminate	**1337**	48 1/16	—	13/16	—	—	76 lbs.	4.5
WW48RDT	Thermofoil/3D Laminate	**1337**	48 1/16	—	13/16	—	—	78 lbs.	4.8

• Zip profile does not run out on round tops

WaveWorks Square Tops

Product Specifications

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 147 for grommet options and upcharge
- Reference pages 12-15 for grommet and cutout locations
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WW4848SQW	F	X	N	MH
WW4848SQL	V	480	X	MH
WW4848SQLW	F	G10C	805	MH

WaveWorks Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***19/16" Top Thickness***								
WWN3030SQW	Wood	**$ 1159**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
WWN3030SQLW	Laminate/Wood	**1159**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
WWN3030SQL	Laminate	**675**	30 1/16	30 1/16	19/16	—	—	33 lbs.	2.0
36" Square									
WWN3636SQW	Wood	**$ 1363**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
WWN3636SQLW	Laminate/Wood	**1363**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
WWN3636SQL	Laminate	**794**	36 1/16	36 1/16	19/16	—	—	45 lbs.	3.0
42" Square									
WWN4242SQW	Wood	**$ 1654**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
WWN4242SQLW	Laminate/Wood	**1654**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
WWN4242SQL	Laminate	**1087**	42 1/16	42 1/16	19/16	—	—	59 lbs.	3.8
48" Square									
WWN4848SQW	Wood	**$ 2018**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
WWN4848SQLW	Laminate/Wood	**2018**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
WWN4848SQL	Laminate	**1450**	48 1/16	48 1/16	19/16	—	—	76 lbs.	4.5
54" Square									
WWN5454SQW	Wood	**$ 2246**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
WWN5454SQLW	Laminate/Wood	**2246**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
WWN5454SQL	Laminate	**1677**	54 1/16	54 1/16	19/16	—	—	121 lbs.	6.9
60" Square									
WWN6060SQW	Wood	**$ 2473**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
WWN6060SQLW	Laminate/Wood	**2473**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3
WWN6060SQL	Laminate	**1904**	58 5/8	58 5/8	19/16	—	—	150 lbs.	8.3

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WaveWorks Square Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30" Square	***13/16 Top Thickness***								
WW3030SQW	Wood	**$ 1062**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WW3030SQLW	Laminate/Wood	**1062**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WW3030SQL	Laminate	**578**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WW3030SQT	Thermofoil/3D Laminate	**578**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
36" Square									
WW3636SQW	Wood	**$ 1248**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
WW3636SQLW	Laminate/Wood	**1248**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
WW3636SQL	Laminate	**681**	36 1/16	36 1/16	13/16	—	—	45 lbs.	3.0
WW3636SQT	Thermofoil/3D Laminate	**681**	36 1/16	36 1/16	13/16	—	—	48 lbs.	3.2
42" Square									
WW4242SQW	Wood	**$ 1541**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
WW4242SQLW	Laminate/Wood	**1541**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
WW4242SQL	Laminate	**973**	42 1/16	42 1/16	13/16	—	—	59 lbs.	3.8
WW4242SQT	Thermofoil/3D Laminate	**973**	42 1/16	42 1/16	13/16	—	—	63 lbs.	3.0
48" Square									
WW4848SQW	Wood	**$ 1904**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5
WW4848SQLW	Laminate/Wood	**1904**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5
WW4848SQL	Laminate	**1337**	48 1/16	48 1/16	13/16	—	—	76 lbs.	4.5

WaveWorks Rectangle Tops

Product Specifications

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN3672RT2W	P	CUT-G16C	X	R	NM
WWN3672RT2LW	P	X	X	480	NM
WWN3672RT2L	V	462	X	G10LR	HN2

WaveWorks Rectangle Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
WWN3672RT2W	Wood	**$ 2126**	36	72	19/16	—	—	136 lbs.	6.3
WWN3672RT2LW	Laminate/Wood	**2126**	36	72	19/16	—	—	136 lbs.	6.3
WWN3672RT2L	Laminate	**1558**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
WWN4284RT2W	Wood	**$ 2508**	42	84	19/16	—	—	180 lbs.	8.3
WWN4284RT2LW	Laminate/Wood	**2508**	42	84	19/16	—	—	180 lbs.	8.3
WWN4284RT2L	Laminate	**1939**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
WWN4896RT2W	Wood	**$ 2890**	48	96	19/16	—	—	233 lbs.	10.5
WWN4896RT2LW	Laminate/Wood	**2890**	48	96	19/16	—	—	233 lbs.	10.5
WWN4896RT2L	Laminate	**2323**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
WWN48120RT2W	Wood	**$ 3947**	48	120	19/16	—	—	279 lbs.	10.6
WWN48120RT2LW	Laminate/Wood	**3947**	48	120	19/16	—	—	279 lbs.	10.6
WWN48120RT2L	Laminate	**3379**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
WWN48144RT2W	Wood	**$ 4888**	48	144	19/16	—	—	332 lbs.	12.5
WWN48144RT2LW	Laminate/Wood	**4888**	48	144	19/16	—	—	332 lbs.	12.5
WWN48144RT2L	Laminate	**4321**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
WWN48168RT2W	Wood	**$ 5629**	48	168	19/16	—	—	385 lbs.	14.3
WWN48168RT2LW	Laminate/Wood	**5629**	48	168	19/16	—	—	385 lbs.	14.3
WWN48168RT2L	Laminate	**5060**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
WWN48192RT2W	Wood	**$ 6365**	48	192	19/16	—	—	438 lbs.	16.2
WWN48192RT2LW	Laminate/Wood	**6365**	48	192	19/16	—	—	438 lbs.	16.2
WWN48192RT2L	Laminate	**5797**	48	192	19/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WaveWorks Rectangle Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
WWN48216RT2W	Wood	**$ 7102**	48	216	19/16	—	—	524 lbs.	20.0
WWN48216RT2LW	Laminate/Wood	**7102**	48	216	19/16	—	—	524 lbs.	20.0
WWN48216RT2L	Laminate	**6536**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
WWN48240RT2W	Wood	**$ 7838**	48	240	19/16	—	—	571 lbs.	22.0
WWN48240RT2LW	Laminate/Wood	**7838**	48	240	19/16	—	—	571 lbs.	22.0
WWN48240RT2L	Laminate	**7277**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
WWN60144RT2W	Wood	**$ 6357**	58 5/8	144	19/16	—	—	412 lbs.	18.0
WWN60144RT2LW	Laminate/Wood	**6357**	58 5/8	144	19/16	—	—	412 lbs.	18.0
WWN60144RT2L	Laminate	**5618**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
WWN60168RT2W	Wood	**$ 7318**	58 5/8	168	19/16	—	—	480 lbs.	22.5
WWN60168RT2LW	Laminate/Wood	**7318**	58 5/8	168	19/16	—	—	480 lbs.	22.5
WWN60168RT2L	Laminate	**6580**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
WWN60192RT2W	Wood	**$ 8274**	58 5/8	192	19/16	—	—	539 lbs.	29.0
WWN60192RT2LW	Laminate/Wood	**8274**	58 5/8	192	19/16	—	—	539 lbs.	29.0
WWN60192RT2L	Laminate	**7535**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
WWN60216RT2W	Wood	**$ 9232**	58 5/8	216	19/16	—	—	647 lbs.	31.0
WWN60216RT2LW	Laminate/Wood	**9232**	58 5/8	216	19/16	—	—	647 lbs.	31.0
WWN60216RT2L	Laminate	**8498**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
WWN60240RT2W	Wood	**$ 10190**	58 5/8	240	19/16	—	—	706 lbs.	34.0
WWN60240RT2LW	Laminate/Wood	**10190**	58 5/8	240	19/16	—	—	706 lbs.	34.0
WWN60240RT2L	Laminate	**9461**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

WaveWorks Boat Tops

Product Specifications

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN3672BTW	P	CUT-G16C	X	R	NM
WWN3672BTLW	P	X	X	480	NM
WWN3672BTL	V	480	X	X	CW

WaveWorks Boat Top



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
WWN3672BTW	Wood	**$ 2296**	36	72	19/16	—	—	136 lbs.	6.3
WWN3672BTLW	Laminate/Wood	**2296**	36	72	19/16	—	—	136 lbs.	6.3
WWN3672BTL	Laminate	**1733**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
WWN4284BTW	Wood	**$ 2674**	42	84	19/16	—	—	180 lbs.	8.3
WWN4284BTLW	Laminate/Wood	**2674**	42	84	19/16	—	—	180 lbs.	8.3
WWN4284BTL	Laminate	**2112**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
WWN4896BTW	Wood	**$ 3052**	48	96	19/16	—	—	233 lbs.	10.5
WWN4896BTLW	Laminate/Wood	**3052**	48	96	19/16	—	—	233 lbs.	10.5
WWN4896BTL	Laminate	**2490**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
WWN48120BTW	Wood	**$ 4289**	48	120	19/16	—	—	279 lbs.	10.6
WWN48120BTLW	Laminate/Wood	**4289**	48	120	19/16	—	—	279 lbs.	10.6
WWN48120BTL	Laminate	**3726**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
WWN48144BTW	Wood	**$ 5221**	48	144	19/16	—	—	332 lbs.	12.5
WWN48144BTLW	Laminate/Wood	**5221**	48	144	19/16	—	—	332 lbs.	12.5
WWN48144BTL	Laminate	**4659**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
WWN48168BTW	Wood	**$ 5953**	48	168	19/16	—	—	385 lbs.	14.3
WWN48168BTLW	Laminate/Wood	**5953**	48	168	19/16	—	—	385 lbs.	14.3
WWN48168BTL	Laminate	**5391**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
WWN48192BTW	Wood	**$ 6683**	48	192	19/16	—	—	438 lbs.	16.2
WWN48192BTLW	Laminate/Wood	**6683**	48	192	19/16	—	—	438 lbs.	16.2
WWN48192BTL	Laminate	**6120**	48	192	19/16	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WaveWorks Boat Top (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
WWN48216BTW	Wood	**$ 7412**	48	216	19/16	—	—	524 lbs.	20.0
WWN48216BTLW	Laminate/Wood	**7412**	48	216	19/16	—	—	524 lbs.	20.0
WWN48216BTL	Laminate	**6840**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
WWN48240BTW	Wood	**$ 8142**	48	240	19/16	—	—	571 lbs.	22.0
WWN48240BTLW	Laminate/Wood	**8142**	48	240	19/16	—	—	571 lbs.	22.0
WWN48240BTL	Laminate	**7579**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
WWN60144BTW	Wood	**$ 6787**	58 5/8	144	19/16	—	—	412 lbs.	18.0
WWN60144BTLW	Laminate/Wood	**6787**	58 5/8	144	19/16	—	—	412 lbs.	18.0
WWN60144BTL	Laminate	**6054**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
WWN60168BTW	Wood	**$ 7739**	58 5/8	168	19/16	—	—	480 lbs.	22.5
WWN60168BTLW	Laminate/Wood	**7739**	58 5/8	168	19/16	—	—	480 lbs.	22.5
WWN60168BTL	Laminate	**7008**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
WWN60192BTW	Wood	**$ 8689**	58 5/8	192	19/16	—	—	539 lbs.	29.0
WWN60192BTLW	Laminate/Wood	**8689**	58 5/8	192	19/16	—	—	539 lbs.	29.0
WWN60192BTL	Laminate	**7956**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
WWN60216BTW	Wood	**$ 9636**	58 5/8	216	19/16	—	—	647 lbs.	31.0
WWN60216BTLW	Laminate/Wood	**9636**	58 5/8	216	19/16	—	—	647 lbs.	31.0
WWN60216BTL	Laminate	**8892**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
WWN60240BTW	Wood	**$ 10584**	58 5/8	240	19/16	—	—	706 lbs.	34.0
WWN60240BTLW	Laminate/Wood	**10584**	58 5/8	240	19/16	—	—	706 lbs.	34.0
WWN60240BTL	Laminate	**9852**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

WaveWorks Racetrack Tops

Product Specifications

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 12-17 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 26-47 for table base guide

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN3672RC2W	P	CUT-G16C	X	R	NM
WWN3672RC2LW	P	X	X	480	NM
WWN3672RC2L	N	CW	X	G10C	CW

WaveWorks Racetrack Top

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
36" x 72"	***19/16" Top Thickness***								
WWN3672RC2W	Wood	**$ 2320**	36	72	19/16	—	—	136 lbs.	6.3
WWN3672RC2LW	Laminate/Wood	**2320**	36	72	19/16	—	—	136 lbs.	6.3
WWN3672RC2L	Laminate	**1751**	36	72	19/16	—	—	136 lbs.	6.3
42" x 84"									
WWN4284RC2W	Wood	**$ 2701**	42	84	19/16	—	—	180 lbs.	8.3
WWN4284RC2LW	Laminate/Wood	**2701**	42	84	19/16	—	—	180 lbs.	8.3
WWN4284RC2L	Laminate	**2133**	42	84	19/16	—	—	180 lbs.	8.3
48" x 96"									
WWN4896RC2W	Wood	**$ 3084**	48	96	19/16	—	—	233 lbs.	10.5
WWN4896RC2LW	Laminate/Wood	**3084**	48	96	19/16	—	—	233 lbs.	10.5
WWN4896RC2L	Laminate	**2515**	48	96	19/16	—	—	233 lbs.	10.5
48" x 120"									
WWN48120RC2W	Wood	**$ 4331**	48	120	19/16	—	—	279 lbs.	10.6
WWN48120RC2LW	Laminate/Wood	**4331**	48	120	19/16	—	—	279 lbs.	10.6
WWN48120RC2L	Laminate	**3763**	48	120	19/16	—	—	279 lbs.	10.6
48" x 144"									
WWN48144RC2W	Wood	**$ 5274**	48	144	19/16	—	—	332 lbs.	12.5
WWN48144RC2LW	Laminate/Wood	**5274**	48	144	19/16	—	—	332 lbs.	12.5
WWN48144RC2L	Laminate	**4705**	48	144	19/16	—	—	332 lbs.	12.5
48" x 168"									
WWN48168RC2W	Wood	**$ 6014**	48	168	19/16	—	—	385 lbs.	14.3
WWN48168RC2LW	Laminate/Wood	**6014**	48	168	19/16	—	—	385 lbs.	14.3
WWN48168RC2L	Laminate	**5447**	48	168	19/16	—	—	385 lbs.	14.3
48" x 192"									
WWN48192RC2W	Wood	**$ 6751**	48	192	19/16	—	—	438 lbs.	16.2
WWN48192RC2LW	Laminate/Wood	**6751**	48	192	19/16	—	—	438 lbs.	16.2
WWN48192RC2L	Laminate	**6183**	48	192	19/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WaveWorks Racetrack Top (continued)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 216"	***19/16 Top Thickness***								
WWN48216RC2W	Wood	**$ 7488**	48	216	19/16	—	—	524 lbs.	20.0
WWN48216RC2LW	Laminate/Wood	**7488**	48	216	19/16	—	—	524 lbs.	20.0
WWN48216RC2L	Laminate	**6909**	48	216	19/16	—	—	524 lbs.	20.0
48" x 240"									
WWN48240RC2W	Wood	**$ 8224**	48	240	19/16	—	—	571 lbs.	22.0
WWN48240RC2LW	Laminate/Wood	**8224**	48	240	19/16	—	—	571 lbs.	22.0
WWN48240RC2L	Laminate	**7654**	48	240	19/16	—	—	571 lbs.	22.0
60" x 144"									
WWN60144RC2W	Wood	**$ 6855**	58 5/8	144	19/16	—	—	412 lbs.	18.0
WWN60144RC2LW	Laminate/Wood	**6855**	58 5/8	144	19/16	—	—	412 lbs.	18.0
WWN60144RC2L	Laminate	**6116**	58 5/8	144	19/16	—	—	412 lbs.	18.0
60" x 168"									
WWN60168RC2W	Wood	**$ 7819**	58 5/8	168	19/16	—	—	480 lbs.	22.5
WWN60168RC2LW	Laminate/Wood	**7819**	58 5/8	168	19/16	—	—	480 lbs.	22.5
WWN60168RC2L	Laminate	**7079**	58 5/8	168	19/16	—	—	480 lbs.	22.5
60" x 192"									
WWN60192RC2W	Wood	**$ 8776**	58 5/8	192	19/16	—	—	539 lbs.	29.0
WWN60192RC2LW	Laminate/Wood	**8776**	58 5/8	192	19/16	—	—	539 lbs.	29.0
WWN60192RC2L	Laminate	**8037**	58 5/8	192	19/16	—	—	539 lbs.	29.0
60" x 216"									
WWN60216RC2W	Wood	**$ 9732**	58 5/8	216	19/16	—	—	647 lbs.	31.0
WWN60216RC2LW	Laminate/Wood	**9732**	58 5/8	216	19/16	—	—	647 lbs.	31.0
WWN60216RC2L	Laminate	**8983**	58 5/8	216	19/16	—	—	647 lbs.	31.0
60" x 240"									
WWN60240RC2W	Wood	**$ 10689**	58 5/8	240	19/16	—	—	706 lbs.	34.0
WWN60240RC2LW	Laminate/Wood	**10689**	58 5/8	240	19/16	—	—	706 lbs.	34.0
WWN60240RC2L	Laminate	**9951**	58 5/8	240	19/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 10 for conference top sizing
- Sable veneer grain pattern will not match on multi-piece conference tops

Conference Table Bases

Conference Table Bases

SQUARE BASES

- Veneer is slipmatched cherry (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), or quarter cut walnut veneer (Sable)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Sable which is quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched cherry (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), or quarter cut walnut veneer (Sable)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features two support rails that run from base to base

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

METAL BASES

- Bases are formed metal with a powder coat finish in four colors on most bases
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases

TABLE BASE GUIDE CAN BE FOUND ON PAGES 26-47

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 2

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

LAMINATE COLORS

Woodgrain Laminates

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminates

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

BASE DETAIL OPTIONS



Basic (P1)

Barrington (P2) (wood only)

Escalade (P3) (wood only)

Captivate (P4) (wood only)

EPIC BASE DETAIL

FOOT COLORS (EPIC ONLY)

FR462 Cinder
FR501 Platinum Metallic
FR503 Satin Nickel Metallic

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

Conference Table Bases

Base Model Key

W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Numbers:

BW-16 CW
10N1628SQBW P3 MH
10N1628SQBL P1 MH

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Cylinder Base (No Wire Access)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood			**DI**		**H**				
BW-16	16" Diameter	**$ 1035**	16	—	27¾	—	—	145 lbs.	5.3
QBW-18	18" Diameter	**1155**	18	—	27¾	—	—	160 lbs.	5.3
BW-18	18" Diameter	**1155**	18	—	27¾	—	—	160 lbs.	5.3
BW-24	24" Diameter	**1194**	24	—	27¾	—	—	180 lbs.	7.2
Laminate									
BP-16	16" Diameter	**$ 617**	16	—	27¾	—	—	145 lbs.	5.3
QBP-18	18" Diameter	**767**	18	—	27¾	—	—	160 lbs.	5.3
BP-18	18" Diameter	**767**	18	—	27¾	—	—	160 lbs.	5.3
BP-24	24" Diameter	**886**	24	—	27¾	—	—	180 lbs.	7.2

- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 26-47 for table base guide
- Adjustable glides standard

Cylinder Base with Wire Access



Basic (P1)

Wood									
10N1628CYBW	16" Diameter	**$ 1705**	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBW	18" Diameter	**1847**	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBW	24" Diameter	**1989**	24	—	27¾	—	—	180 lbs.	7.2
Laminate									
10N1628CYBL	16" Diameter	**$ 1194**	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBL	18" Diameter	**1336**	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBL	24" Diameter	**1761**	24	—	27¾	—	—	180 lbs.	7.2

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 26-47 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

Softened Square Base (No Wire Access)



			D	W	H	A	KW		
BW-1616	Wood	**$ 941**	16	16	27½	—	—	140 lbs.	5.3

- Do not specify base detail
- Base is weighted for stabilization
- Reference pages 26-47 for table base guide

Specify selections, left to right:

Base Model	Base Detail	Foot Color (Epic only)	Finish (wood only)	Laminate (laminate only)	
BW-16	P1 Basic	FR462 Cinder	IM Brighton	IM Brighton	419 Wallaby
	P2 Barrington	FR501 Platinum Metallic	NM Natural	NM Natural	425 Shadow
	P3 Escalade	FR503 Satin Nickel Metallic	HN Honey	HN2 Honey 2	440 Cloud
	P4 Captivate		CL Caramel	CL Caramel	461 Graphite
			TF Truffle	TF Truffle	462 Cinder
			AC Autumn	AC2 Autumn 2	478 Platinum Grey
			MC Amber	MC Amber	488 Frosty White
			CW Cordovan	CW Cordovan	491 Designer White Linear
			DW Judicial	DW Judicial	492 Cinder Linear
			MH Mocha	MH Mocha	791 Palisander
			792 Sable	405 Designer White	792 Sable
			CW	417 Mojave	793 Acorn
				418 Mouse	

Epic Square Base (No Wire Access)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
25N1628SQBXW	16" Square	**$ 1262**	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXW	18" Square	**1278**	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXW	24" Square	**1337**	24	24	28	—	—	180 lbs.	7.2
Laminate									
25N1628SQBXL	16" Square	**$ 713**	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXL	18" Square	**859**	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXL	24" Square	**992**	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-47 for table base guide
- Adjustable glides standard

Square Base (No Wire Access)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
10N1628SQBXW	16" Square	**$ 1126**	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXW	18" Square	**1141**	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXW	24" Square	**1194**	24	24	28	—	—	180 lbs.	7.2
Laminate									
10N1628SQBXL	16" Square	**$ 636**	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXL	18" Square	**767**	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXL	24" Square	**886**	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-47 for table base guide
- Adjustable glides standard

Conference Table Bases

Base Model Key

W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:
BW-2427S CW

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Epic
Square Base with Wire Access



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
25N1628SQBW	16" Square	**$ 1464**	16	16	28	—	—	145 lbs.	5.3
25N1828SQBW	18" Square	**1623**	18	18	28	—	—	150 lbs.	6.3
25N2428SQBW	24" Square	**1782**	24	24	28	—	—	180 lbs.	7.2
Laminate									
25N1628SQBL	16" Square	**$ 1019**	16	16	28	—	—	145 lbs.	5.3
25N1828SQBL	18" Square	**1241**	18	18	28	—	—	150 lbs.	6.3
25N2428SQBL	24" Square	**1527**	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-47 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

Square Base with Wire Access



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

Wood									
10N1628SQBW	16" Square	**$ 1307**	16	16	28	—	—	145 lbs.	5.3
10N1828SQBW	18" Square	**1449**	18	18	28	—	—	150 lbs.	6.3
10N2428SQBW	24" Square	**1591**	24	24	28	—	—	180 lbs.	7.2
Laminate									
10N1628SQBL	16" Square	**$ 909**	16	16	28	—	—	145 lbs.	5.3
10N1828SQBL	18" Square	**1107**	18	18	28	—	—	150 lbs.	6.3
10N2428SQBL	24" Square	**1364**	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-47 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

Specify selections, left to right:

Base Model	Base Detail	Foot Color (Epic only)	Finish (wood only)	Laminate (laminate only)	
BW-2427S	P1 Basic	FR462 Cinder	IM Brighton	IM Brighton	419 Wallaby
	P2 Barrington	FR501 Platinum Metallic	NM Natural	NM Natural	425 Shadow
	P3 Escalade	FR503 Satin Nickel Metallic	HN Honey	HN2 Honey 2	440 Cloud
	P4 Captivate		CL Caramel	CL Caramel	461 Graphite
			TF Truffle	TF Truffle	462 Cinder
			AC Autumn	AC2 Autumn 2	478 Platinum Grey
			MC Amber	MC Amber	488 Frosty White
			CW Cordovan	CW Cordovan	491 Designer White Linear
			DW Judicial	DW Judicial	492 Cinder Linear
			MH Mocha	MH Mocha	791 Palisander
			792 Sable	405 Designer White	792 Sable
			CW	417 Mojave	793 Acorn
				418 Mouse	

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood Queen Anne Base	**TBW-4**	Wood	$ **1264**	—	38	27¾	—	—	35 lbs.	25.0

- Available in Judicial, Cordovan, Mocha or Truffle
- Do not specify base detail
- Reference pages 26-47 for table base guide
- Cannot be used with grommet or cutout options on conference tops
- Not to be used with 48" square tops

Nylon Queen Anne Base	**TB-4P**	Nylon	$ **447**	—	30½	27	—	—	35 lbs.	25.0



- Available in Judicial, Cordovan or Mocha
- Do not specify base detail
- Reference pages 26-47 for table base guide
- Cannot be used with grommet or cutout options on conference tops
- Not to be used with 48" square or round tops

Thin Panel Base	**QBW-2427S**	Wood	$ **516**	2	24	27½	—	—	37 lbs.	1.7
	BW-2427S	Wood	**516**	2	24	27½	—	—	37 lbs.	1.7
	QBP-2427S	Laminate	**211**	1½	24	27½	—	—	37 lbs.	1.7
	BP-2427S	Laminate	**211**	1½	24	27½	—	—	37 lbs.	1.7



- Do not specify base detail
- Reference pages 26-47 for table base guide
- Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout
- Laminate base comes with additional angle bracket for installation

Curved Panel Base	**BP-2427C**	Laminate	$ **353**	2	22⅝	27½	—	—	39 lbs.	2.9



- Do not specify base detail
- Reference pages 26-47 for table base guide

Conference Table Bases

Base Model Key

W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:
10N1828PNW P3 DW
10N1828PNL P1 MC

Epic
Thick Panel Base
with Wire Access



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
25N1828PNW	18"	**$ 1464**	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNW	24"	**1654**	8	24	27¾	—	—	95 lbs.	7.0
Laminate									
25N1828PNL	18"	**$ 987**	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNL	24"	**1144**	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 26-47 for table base guide

Specify selections, left to right:

Base Model	Base Detail	Foot Color (Epic only)	Finish (wood only)	Laminate (laminate only)	
	P1 Basic	FR462 Cinder	IM Brighton	IM Brighton	419 Wallaby
	P2 Barrington	FR501 Platinum Metallic	NM Natural	NM Natural	425 Shadow
	P3 Escalade	FR503 Satin Nickel Metallic	HN Honey	HN2 Honey 2	440 Cloud
	P4 Captivate		CL Caramel	CL Caramel	461 Graphite
			TF Truffle	TF Truffle	462 Cinder
			AC Autumn	AC2 Autumn 2	478 Platinum Grey
			MC Amber	MC Amber	488 Frosty White
			CW Cordovan	CW Cordovan	491 Designer White Linear
			DW Judicial	DW Judicial	492 Cinder Linear
			MH Mocha	MH Mocha	791 Palisander
			792 Sable	405 Designer White	792 Sable
				417 Mojave	793 Acorn
				418 Mouse	
10N1828PNW	P3		DW		

Thick Panel Base with Wire Access



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
10N1828PNW	18"	**$ 1307**	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNW	24"	**1478**	8	24	27¾	—	—	95 lbs.	7.0
Laminate									
10N1828PNL	18"	**$ 881**	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNL	24"	**1023**	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 26-47 for table base guide

Conference Table Bases

Base Model Key

W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

10N72PNKW P4 AC
10N72PNKL P1 AC

Epic
Thick Panel Base Kit
(For use with 36", 42" and 48" deep tops)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
25N72PNKW	For 72" Top	**$ 3144**	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKW	For 84" Top	**3208**	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKW	For 96" Top	**3272**	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKW	For 120" Top	**4646**	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKW	For 144" Top	**4773**	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKW	For 168" Top	**6110**	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKW	For 192" Top	**6237**	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKW	For 216" Top	**6364**	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKW	For 240" Top	**6491**	18	190¾	27¾	—	162½	210 lbs.	8.2
Laminate									
25N72PNKL	For 72" Top	**$ 2417**	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKL	For 84" Top	**2481**	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKL	For 96" Top	**2546**	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKL	For 120" Top	**3309**	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKL	For 144" Top	**3436**	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKL	For 168" Top	**4327**	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKL	For 192" Top	**4455**	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKL	For 216" Top	**4582**	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKL	For 240" Top	**4709**	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-47 for table base guide
- Modified width is available; refer to the chart on page 10 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

Specify selections, left to right:

Base Model	Base Detail	Foot Color (Epic only)	Modified Width	Finish (wood only)	Laminate (laminate only)
10N72PNKW	P4			AC	

Base Detail

P1	Basic
P2	Barrington
P3	Escalade
P4	Captivate

Foot Color (Epic only)

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic

Finish (wood only)

IM	Brighton
NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC	Autumn
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
792	Sable

Laminate (laminate only)

IM	Brighton	419	Wallaby
NM	Natural	425	Shadow
HN2	Honey 2	440	Cloud
CL	Caramel	461	Graphite
TF	Truffle	462	Cinder
AC2	Autumn 2	478	Platinum Grey
MC	Amber	488	Frosty White
CW	Cordovan	491	Designer White Linear
DW	Judicial	492	Cinder Linear
MH	Mocha	791	Palisander
405	Designer White	792	Sable
417	Mojave	793	Acorn
418	Mouse		

Thick Panel Base Kit (For use with 36", 42" and 48" deep tops)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
10N72PNKW	For 72" Top	$ **2807**	18	47	27¾	—	33	145 lbs.	5.3
10N84PNKW	For 84" Top	**2864**	18	53	27¾	—	39	150 lbs.	5.3
10N96PNKW	For 96" Top	**2921**	18	59	27¾	—	45	150 lbs.	5.3
10N120PNKW	For 120" Top	**4148**	18	91	27¾	—	69¾	170 lbs.	6.2
10N144PNKW	For 144" Top	**4262**	18	107	27¾	—	85¾	175 lbs.	6.2
10N168PNKW	For 168" Top	**5455**	18	136¾	27¾	—	108½	195 lbs.	7.9
10N192PNKW	For 192" Top	**5568**	18	154¾	27¾	—	126½	200 lbs.	7.9
10N216PNKW	For 216" Top	**5683**	18	172¾	27¾	—	144½	210 lbs.	8.2
10N240PNKW	For 240" Top	**5796**	18	190¾	27¾	—	162½	210 lbs.	8.2
Laminate									
10N72PNKL	For 72" Top	$ **2159**	18	47	27¾	—	33	145 lbs.	5.3
10N84PNKL	For 84" Top	**2217**	18	53	27¾	—	39	150 lbs.	5.3
10N96PNKL	For 96" Top	**2272**	18	59	27¾	—	45	150 lbs.	5.3
10N120PNKL	For 120" Top	**2955**	18	91	27¾	—	69¾	170 lbs.	6.2
10N144PNKL	For 144" Top	**3068**	18	107	27¾	—	85¾	175 lbs.	6.2
10N168PNKL	For 168" Top	**3864**	18	136¾	27¾	—	108½	195 lbs.	7.9
10N192PNKL	For 192" Top	**3977**	18	154¾	27¾	—	126½	200 lbs.	7.9
10N216PNKL	For 216" Top	**4091**	18	172¾	27¾	—	144½	210 lbs.	8.2
10N240PNKL	For 240" Top	**4204**	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-47 for table base guide
- Modified width is available; refer to the chart on page 10 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

Conference Table Bases

Base Model Key

W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:
10N60144PNKW P4 AC
10N60144PNKL P1 AC

Epic
Thick Panel Base Kit
(For use with 60" deep tops)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
25N60144PNKW	For 144" Top	**$ 6204**	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKW	For 168" Top	**7943**	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKW	For 192" Top	**8108**	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKW	For 216" Top	**8273**	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKW	For 240" Top	**8439**	24	190¾	27¾	—	162½	243 lbs.	8.3
Laminate									
25N60144PNKL	For 144" Top	**$ 4467**	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKL	For 168" Top	**5626**	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKL	For 192" Top	**5792**	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKL	For 216" Top	**5956**	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKL	For 240" Top	**6121**	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-47 for table base guide
- Modified width is available; refer to the chart on page 10 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

Specify selections, left to right:

Base Model	Base Detail	Foot Color (Epic only)	Modified Width	Finish (wood only)	Laminate (laminate only)
10N60144PNKW	P4			AC	

Base Detail
- P1 Basic
- P2 Barrington
- P3 Escalade
- P4 Captivate

Foot Color (Epic only)
- FR462 Cinder
- FR501 Platinum Metallic
- FR503 Satin Nickel Metallic

Finish (wood only)
- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha
- 792 Sable

Laminate (laminate only)
- IM Brighton
- NM Natural
- HN2 Honey 2
- CL Caramel
- TF Truffle
- AC2 Autumn 2
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha
- 405 Designer White
- 417 Mojave
- 418 Mouse
- 419 Wallaby
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 478 Platinum Grey
- 488 Frosty White
- 491 Designer White Linear
- 492 Cinder Linear
- 791 Palisander
- 792 Sable
- 793 Acorn

Thick Panel Base Kit (For use with 60" deep tops)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
10N60144PNKW	For 144" Top	**$ 5540**	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKW	For 168" Top	**7093**	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKW	For 192" Top	**7240**	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKW	For 216" Top	**7387**	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKW	For 240" Top	**7534**	24	190¾	27¾	—	162½	243 lbs.	8.3
Laminate									
10N60144PNKL	For 144" Top	**$ 3989**	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKL	For 168" Top	**5023**	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKL	For 192" Top	**5171**	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKL	For 216" Top	**5318**	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKL	For 240" Top	**5466**	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-47 for table base guide
- Modified width is available; refer to the chart on page 10 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

Conference Table Bases

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Double Doric Base	**CBW3428TT**	Black Metal	**$ 521**	8	30	28	—	—	29 lbs.	2.8



- Some assembly is required
- Features side holes at the top and bottom of each leg for wire management
- Reference pages 26-47 for table base guide

2-Prong Base	**B1-29MB**	Black Metal	**$ 239**	—	29	28	—	—	22 lbs.	1.5



- Reference pages 26-47 for table base guide
- Cannot be used with grommet or cutout options on conference tops
- Some assembly required

H-Style Leg Base	**CBW3428H**	Black Metal	**$ 363**	6	29 15/16	28	—	—	17 lbs.	3.4



- Reference pages 26-47 for table base guide

				DI		H				
Column Leg Static	**CBV2802C**	Cinder	**$ 131**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CS	Platinum Metallic	**131**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CN	Satin Nickel Metallic	**131**	2	—	27¾	—	—	6 lbs.	0.6



- Adjustable glide standard
- Reference pages 26-47 for table base guide

Column Leg Mobile	**CBV2802CM**	Cinder	**$ 150**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CMS	Platinum Metallic	**150**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CMN	Satin Nickel Metallic	**150**	2	—	27¾	—	—	6 lbs.	0.6



- Dual wheel locking caster
- Some assembly required
- Reference pages 26-47 for table base guide

To Order, Specify:

1. Model Number

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
4-Prong Base	**B4-29MB**	Black Metal	$ **307**	—	28	28	—	—	32 lbs.	1.4
	B34-29MB	Black Metal	**400**	—	34	28	—	—	32 lbs.	2.5



- Reference pages 26-47 for table base guide
- Some assembly required

Wood Capped Base	**BW-4**	Black Metal with Wood Caps	$ **405**	—	32½	27½	—	—	21 lbs.	3.0



- Specify wood finish after model number
- Reference pages 26-47 for table base guide

Four Star Base Static	**CBV3828X**	Cinder	$ **677**	—	38 1/16	27¾	—	—	36 lbs.	12.0
	CBV3828XS	Platinum Metallic	**677**	—	38 1/16	27¾	—	—	36 lbs.	12.0
	CBV3828XN	Satin Nickel Metallic	**677**	—	38 1/16	27¾	—	—	36 lbs.	12.0
	CBV3228X	Cinder	$ **506**	—	31 15/16	27¾	—	—	33 lbs.	12.0
	CBV3228XS	Platinum Metallic	**506**	—	31 15/16	27¾	—	—	33 lbs.	12.0
	CBV3228XN	Satin Nickel Metallic	**506**	—	31 15/16	27¾	—	—	33 lbs.	12.0
	CBV2728XB	Cinder	$ **430**	—	27 5/16	27¾	—	—	33 lbs.	12.0
	CBV2728XS	Platinum Metallic	**430**	—	27 5/16	27¾	—	—	33 lbs.	12.0
	CBV2728XN	Satin Nickel Metallic	**430**	—	27 5/16	27¾	—	—	33 lbs.	12.0



- Adjustable glides standard
- Some assembly required
- Reference pages 26-47 for table base guide

Conference Table Bases

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Four Star Base Mobile	**CBV3828XM**	Cinder	$ **706**	—	381/16	27¾	—	—	36 lbs.	12.0
	CBV3828XMS	Platinum Metallic	**706**	—	381/16	27¾	—	—	36 lbs.	12.0
	CBV3828XMN	Satin Nickel Metallic	**706**	—	381/16	27¾	—	—	36 lbs.	12.0
	CBV3228XM	Cinder	$ **544**	—	3115/16	27¾	—	—	33 lbs.	12.0
	CBV3228XMS	Platinum Metallic	**544**	—	3115/16	27¾	—	—	33 lbs.	12.0
	CBV3228XMN	Satin Nickel Metallic	**544**	—	3115/16	27¾	—	—	33 lbs.	12.0
	CBV2728XMB	Cinder	$ **462**	—	275/16	27¾	—	—	33 lbs.	12.0
	CBV2728XMS	Platinum Metallic	**462**	—	275/16	27¾	—	—	33 lbs.	12.0
	CBV2728XMN	Satin Nickel Metallic	**462**	—	275/16	27¾	—	—	33 lbs.	12.0



- Dual wheel locking casters
- Some assembly required
- Reference pages 26-47 for table base guide

				DI	W	H				
Four Star Base Wire Management	**CBV4728XB**	Cinder	$ **756**	4	47	27¾	—	—	55 lbs.	15.0
	CBV4728XS	Platinum Metallic	**756**	4	47	27¾	—	—	55 lbs.	15.0
	CBV4728XN	Satin Nickel Metallic	**756**	4	47	27¾	—	—	55 lbs.	15.0



- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet

Counter Height Base	**CBV3235XBB**	Cinder	$ **705**	2½	32	3313/16	—	—	32 lbs.	12.0
	CBV3235XBS	Platinum Metallic	**705**	2½	32	3313/16	—	—	32 lbs.	12.0
	CBV3235XBN	Satin Nickel Metallic	**705**	2½	32	3313/16	—	—	32 lbs.	12.0
	CBV2735XBB	Cinder	$ **599**	2½	275/16	3313/16	—	—	32 lbs.	12.0
	CBV2735XBS	Platinum Metallic	**599**	2½	275/16	3313/16	—	—	32 lbs.	12.0
	CBV2735XBN	Satin Nickel Metallic	**599**	2½	275/16	3313/16	—	—	32 lbs.	12.0



- Adjustable glides standard
- Some assembly required
- Reference pages 26-47 for table base guide

To Order, Specify:

1. Model Number

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Bar Height Base	**CBV3241XBB**	Cinder	$ **775**	2½	32	40 13/16	—	—	33 lbs.	14.0
	CBV3241XBS	Platinum Metallic	**775**	2½	32	40 13/16	—	—	33 lbs.	14.0
	CBV3241XBN	Satin Nickel Metallic	**775**	2½	32	40 13/16	—	—	33 lbs.	14.0
	CBV2741XBB	Cinder	$ **659**	2½	27 5/16	40 13/16	—	—	33 lbs.	14.0
	CBV2741XBS	Platinum Metallic	**659**	2½	27 5/16	40 13/16	—	—	33 lbs.	14.0
	CBV2741XBN	Satin Nickel Metallic	**659**	2½	27 5/16	40 13/16	—	—	33 lbs.	14.0



- Adjustable glides standard
- Some assembly required
- Reference pages 26-47 for table base guide

Adjustable Height Base Mobile	**CBV3226XBAB**	Cinder	$ **1705**	2½	32	26-40 13/16		—	33 lbs.	12.0
	CBV3226XBAS	Platinum Metallic	**1705**	2½	32	26-40 13/16		—	33 lbs.	12.0
	CBV3226XBAN	Satin Nickel Metallic	**1705**	2½	32	26-40 13/16		—	33 lbs.	12.0



- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 26-47 for table base guide

Conference Table Bases

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Fixed Height X Base	**CBV2728U4SB**	Cinder	$ **876**	30	30	27 7/8	—	—	32 lbs.	10.3
	CBV2728U4SS	Platinum Metallic	**876**	30	30	27 7/8	—	—	32 lbs.	10.3
	CBV2728U4SN	Satin Nickel Metallic	**876**	30	30	27 7/8	—	—	32 lbs.	10.3



- Some assembly required
- 4 leveling glides

Fixed Height Mobile X Base	**CBV2728U4MB**	Cinder	$ **876**	30	30	27 7/8	—	—	32 lbs.	10.3
	CBV2728U4MS	Platinum Metallic	**876**	30	30	27 7/8	—	—	32 lbs.	10.3
	CBV2728U4MN	Satin Nickel Metallic	**876**	30	30	27 7/8	—	—	32 lbs.	10.3



- Some assembly required
- 4 locking casters

Adjustable Height Mobile X Base	**CBV2742U4AMB**	Cinder	$ **1526**	30	30	25½-41 7/8	—		36 lbs.	10.3
	CBV2742U4AMS	Platinum Metallic	**1526**	30	30	25½-41 7/8	—		36 lbs.	10.3
	CBV2742U4AMN	Satin Nickel Metallic	**1526**	30	30	25½-41 7/8	—		36 lbs.	10.3



- Some assembly required
- Release paddle to adjust height
- 4 locking casters

To Order, Specify:

1. Model Number

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Disc Base Occasional Table Height	**CBV2715DB**	Cinder	$ **648**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715DS	Platinum Metallic	**648**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715DN	Satin Nickel Metallic	**648**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2215DB	Cinder	$ **489**	3	22	16	—	—	43 lbs.	1.9
	CBV2215DS	Platinum Metallic	**489**	3	22	16	—	—	43 lbs.	1.9
	CBV2215DN	Satin Nickel Metallic	**489**	3	22	16	—	—	43 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Soft Square Base Occasional Table Height	**CBV2715SQDB**	Cinder	$ **754**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715SQDS	Platinum Metallic	**754**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715SQDN	Satin Nickel Metallic	**754**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2215SQDB	Cinder	$ **595**	3	22	16	—	—	50 lbs.	1.9
	CBV2215SQDS	Platinum Metallic	**595**	3	22	16	—	—	50 lbs.	1.9
	CBV2215SQDN	Satin Nickel Metallic	**595**	3	22	16	—	—	50 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Disc Base Worksurface Height	**CBV2728DB**	Cinder	$ **690**	3	273/16	277/16	—	—	73 lbs.	2.8
	CBV2728DS	Platinum Metallic	**690**	3	273/16	277/16	—	—	73 lbs.	2.8
	CBV2728DN	Satin Nickel Metallic	**690**	3	273/16	277/16	—	—	73 lbs.	2.8
	CBV2228DB	Cinder	$ **516**	3	22	277/16	—	—	56 lbs.	2.8
	CBV2228DS	Platinum Metallic	**516**	3	22	277/16	—	—	56 lbs.	2.8
	CBV2228DN	Satin Nickel Metallic	**516**	3	22	277/16	—	—	56 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Conference Table Bases

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Soft Square Base Worksurface Height	**CBV2728SQDB**	Cinder	$ **796**	3	273/16	277/16	—	—	84 lbs.	2.8
	CBV2728SQDS	Platinum Metallic	**796**	3	273/16	277/16	—	—	84 lbs.	2.8
	CBV2728SQDN	Satin Nickel Metallic	**796**	3	273/16	277/16	—	—	84 lbs.	2.8
	CBV2228SQDB	Cinder	$ **622**	3	22	277/16	—	—	63 lbs.	2.8
	CBV2228SQDS	Platinum Metallic	**622**	3	22	277/16	—	—	63 lbs.	2.8
	CBV2228SQDN	Satin Nickel Metallic	**622**	3	22	277/16	—	—	63 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Disc Base Counter Height	**CBV2735DB**	Cinder	$ **745**	3	273/16	35	—	—	75 lbs.	3.4
	CBV2735DS	Platinum Metallic	**745**	3	273/16	35	—	—	75 lbs.	3.4
	CBV2735DN	Satin Nickel Metallic	**745**	3	273/16	35	—	—	75 lbs.	3.4
	CBV2235DB	Cinder	$ **718**	3	22	35	—	—	58 lbs.	3.4
	CBV2235DS	Platinum Metallic	**718**	3	22	35	—	—	58 lbs.	3.4
	CBV2235DN	Satin Nickel Metallic	**718**	3	22	35	—	—	58 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Soft Square Base Counter Height	**CBV2735SQDB**	Cinder	$ **851**	3	273/16	35	—	—	86 lbs.	3.4
	CBV2735SQDS	Platinum Metallic	**851**	3	273/16	35	—	—	86 lbs.	3.4
	CBV2735SQDN	Satin Nickel Metallic	**851**	3	273/16	35	—	—	86 lbs.	3.4
	CBV2235SQDB	Cinder	$ **824**	3	22	35	—	—	65 lbs.	3.4
	CBV2235SQDS	Platinum Metallic	**824**	3	22	35	—	—	65 lbs.	3.4
	CBV2235SQDN	Satin Nickel Metallic	**824**	3	22	35	—	—	65 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

To Order, Specify:

1. Model Number

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Disc Base Bar Height	**CBV2740DB**	Cinder	$ **796**	3	27 3/16	40 3/4	—	—	76 lbs.	3.8
	CBV2740DS	Platinum Metallic	**796**	3	27 3/16	40 3/4	—	—	76 lbs.	3.8
	CBV2740DN	Satin Nickel Metallic	**796**	3	27 3/16	40 3/4	—	—	76 lbs.	3.8
	CBV2240DB	Cinder	$ **769**	3	22	40 3/4	—	—	59 lbs.	3.8
	CBV2240DS	Platinum Metallic	**769**	3	22	40 3/4	—	—	59 lbs.	3.8
	CBV2240DN	Satin Nickel Metallic	**769**	3	22	40 3/4	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Soft Square Base Bar Height	**CBV2740SQDB**	Cinder	$ **902**	3	27 3/16	40 3/4	—	—	87 lbs.	3.8
	CBV2740SQDS	Platinum Metallic	**902**	3	27 3/16	40 3/4	—	—	87 lbs.	3.8
	CBV2740SQDN	Satin Nickel Metallic	**902**	3	27 3/16	40 3/4	—	—	87 lbs.	3.8
	CBV2240SQDB	Cinder	$ **876**	3	22	40 3/4	—	—	66 lbs.	3.8
	CBV2240SQDS	Platinum Metallic	**876**	3	22	40 3/4	—	—	66 lbs.	3.8
	CBV2240SQDN	Satin Nickel Metallic	**876**	3	22	40 3/4	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Training Tables

WAVEWORKS FLIP/NEST TRAINING TABLE SPECIFICATIONS

SIZES

- 18" deep in widths of 48", 60", 72"
- 24" deep in widths of 48", 60", 72"
- 30" deep in widths of 48", 60", 72"

TOPS

- Veneer surfaces are 13/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Laminate surfaces are 13/16" HPL (high pressure laminate) or 1 1/8" TFL (thermally fused laminate)
- Thermofoil/3D laminate vinyl membrane pressed over 13/16" MDF
- Thermofoil/3D laminate surface backer is white vinyl

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with six rim profile options
- Laminate tops feature a 3mm PVC rim
- Thermofoil/3D laminate top features a softened thermofoil/3D laminate profile

MODESTY PANEL OPTION
RESIN OR METAL

- 1/8" thick resin with a white printed film pattern
- Steel stiffener rail flexes to insert into corresponding holes on the table frame
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel

GROMMET/POWER DATA OPTIONS

- Round black nylon grommet (G1C) available for an upcharge
- CUT-G12C or CUT-G17C optional cutouts available for an upcharge
- G12 or G17 one touch pivoting power grommet available; see pages 433 and 436-437
- When CUT-G12C or CUT-G17C is ordered with flip/nest table, two undersurface wire managers are installed on underside of surface
- Hardwire solution available for field installation on the one touch pivoting power grommet, see page 433
- Wire/data manager is available for additional cable management, see page 187 for accessories
- Undersurface wire managers available, see page 187 for accessories

FLIP/NEST FUNCTIONALITY

- Release lever allows top to flip vertical for nesting capabilities
- Bases are angled at 20° to allow tables to nest
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommets and/or modesty panels are attached
- Depth of base is 22 15/16" for 18" and 24" tables and 28 3/16" for 30" tables
- 18" deep training tables will have a 6" gap between the tables when configuring from the approach side due to the base size

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

FSC®

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE TOPS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

WOOD RIM

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

RIM PROFILE OPTIONS

PVC Softened Rim

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

PVC Reed Rim

NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

THERMOFOIL/ 3D LAMINATE TOPS

405 Designer White
440 Cloud
466 Concrete Fiber
484 Cashmere Fiber
MH Mocha

TABLE LEG COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

RESIN COLORS

Grade 1
1677 Frosted

Grade 2
2877 Ting Ting
2977 Scribble Cloud

Grade 3
3377 Wisp Silver



Softened Wood (F) **Reed Wood (R)** **Cove Wood (P)** **Zip Wood (Z)** **Concave Wood (C)** **Step Wood (T)** **Softened PVC (V)** **Reed PVC (N)** **Softened Thermofoil/ 3D Laminate (S)**

GROMMET AND CUTOUT OPTIONS

WaveWorks Flip/Nest Training Tables are available with a G1C grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

- G1C Round Grommet, Black (+$25 list)
- CUT-G12C Cutout for G12 One Touch Pivoting Power Grommet when used with Byrne Interlink System (+$25 list)
- CUT-G17C Cutout for G17 One Touch Pivoting Power Grommet when used with Byrne Interlink System (+$25 list)

•For G12, G17, or hardwire solution, reference pages 433 and 436-437

CUT-G12C



CUT-G17C



WaveWorks Flip/Nest Training Tables

Base Model Key

W	Wood Top/Wood Rim
L	Laminate Top/PVC Rim
T	Thermofoil/3D Laminate Top
LL	TFL Top

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WW1848RTFMW	R	X	N	CL	501
WW1848RTFML	V	62	CUT-G12C	462	501
WW1848RTFMT	S	G1C	484	501	

Flip/Nest Tables

Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood Top—18" Depth								
WW1848RTFMW	**$ 1478**	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMW	**1556**	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMW	**1624**	18	72	29½	—	—	93 lbs.	6.9
Wood Top—24" Depth								
WW2448RTFMW	**$ 1591**	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMW	**1670**	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMW	**1738**	24	72	29½	—	—	96 lbs.	6.9
Wood Top—30" Depth								
WW3048RTFMW	**$ 1724**	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMW	**1803**	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMW	**1870**	30	72	29½	—	—	98 lbs.	7.1
Laminate Top—18" Depth								
WW1848RTFML	**$ 1148**	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFML	**1329**	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFML	**1364**	18	72	29½	—	—	93 lbs.	6.9
Laminate Top—24" Depth								
WW2448RTFML	**$ 1263**	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFML	**1443**	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFML	**1478**	24	72	29½	—	—	96 lbs.	6.9
Laminate Top—30" Depth								
WW3048RTFML	**$ 1395**	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFML	**1576**	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFML	**1611**	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22 15/16" for 18" and 24" deep training tables
- Depth of base is 28 3/16" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (veneer models)
6. Finish/Laminate/Thermofoil/3D Laminate
7. Paint Color (for legs)

For options, see page 183

Flip/Nest Tables (continued)

Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Thermofoil/3D Laminate Top—18" Depth								
WW1848RTFMT	**$ 1148**	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMT	**1329**	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMT	**1364**	18	72	29½	—	—	93 lbs.	6.9
Thermofoil/3D Laminate Top—24" Depth								
WW2448RTFMT	**$ 1263**	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMT	**1443**	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMT	**1478**	24	72	29½	—	—	96 lbs.	6.9
Thermofoil/3D Laminate Top—30" Depth								
WW3048RTFMT	**$ 1395**	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMT	**1576**	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMT	**1611**	30	72	29½	—	—	98 lbs.	7.1
TFL Top—18" Depth								
WW1848RTFMLL	**$ 919**	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMLL	**1063**	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMLL	**1091**	18	72	29½	—	—	93 lbs.	6.9
TFL Top—24" Depth								
WW2448RTFMLL	**$ 1010**	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMLL	**1154**	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMLL	**1182**	24	72	29½	—	—	96 lbs.	6.9
TFL Top—30" Depth								
WW3048RTFMLL	**$ 1116**	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMLL	**1261**	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMLL	**1289**	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22 15/16" for 18" and 24" deep training tables
- Depth of base is 28 3/16" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

Base Model Key

W Wood Top/Wood Rim
L Laminate Top/PVC Rim
T Thermofoil/3D Laminate Top

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NAC6012MP2M E 501

Modesty Panel 1/3 Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
WW4011MPA9	For 48" Table	$ 421	1/8	40	11	—	—	3 lbs.	3.6
WW5211MPA9	For 60" Table	535	1/8	52	11	—	—	4 lbs.	3.8
WW6411MPA9	For 72" Table	648	1/8	64	11	—	—	5 lbs.	3.9

- Can only be used with flip/nest training tables
- Specify model number only
- 1/8 thick resin with a white printed film pattern
- Modesty is attached to a powder coated steel stiffener rail for rigidity
- Modesty spans from leg-to-leg

Rectangular Modesty Panel 1/3 Height Resin



	Grade 1	Grade 2	Grade 3							
NAC6012MPA	$ 569	$ 839	$ 942	3/16	59 11/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPA	511	756	849	3/16	53 11/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPA	454	669	751	3/16	47 11/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPA	398	588	660	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPA	341	506	569	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPA	284	419	470	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPA	227	337	379	3/16	23 13/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16 resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

Tapered Modesty Panel 1/3 Height Resin



	Grade 1	Grade 2	Grade 3							
NAC6012MPTA	$ 569	$ 839	$ 942	3/16	59 11/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPTA	511	756	849	3/16	53 11/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPTA	454	669	751	3/16	47 11/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPTA	398	588	660	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPTA	341	506	569	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPTA	284	419	470	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPTA	227	337	379	3/16	23 13/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16 resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

To Order, Specify:

1. Model Number

For options, see page 183

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Rectangular Modesty Panel 1/3 Height Metal	**NAC6012MP2M**		**$ 569**	1/16	59 11/16	12 5/8	—	—	10 lbs.	3.9
	NAC5412MP2M		**511**	1/16	53 11/16	12 5/8	—	—	10 lbs.	3.8
	NAC4812MP2M		**454**	1/16	47 11/16	12 5/8	—	—	8 lbs.	3.7
	NAC4212MP2M		**398**	1/16	41¾	12 5/8	—	—	8 lbs.	3.7
	NAC3612MP2M		**341**	1/16	35¾	12 5/8	—	—	8 lbs.	3.7
	NAC3012MP2M		**284**	1/16	29¾	12 5/8	—	—	6 lbs.	3.6
	NAC2412MP2M		**227**	1/16	23 13/16	12 5/8	—	—	6 lbs.	3.6



- Specify Style E for embossed design
- Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

Undersurface Wire Manager	**NAC0403WM**	Set of two	**$ 39**	4	2 5/8	1¾	—	—	1 lbs.	0.1

- Specify model number only
- Black
- When one touch pivoting power grommet or CUT-G12C option is ordered with flip/nest table, two undersurface wire managers are installed on underside of surface

Vertical Wire Manager	**NAC0318WMV**	Cinder	**$ 171**	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	**171**	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	**171**	—	3	18	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Clamps to leg; no hardware required

Mesh Wire Manager	**NAC0318WMM**	Black	**$ 83**	—	3	17½	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Wraps around leg and is secured with Velcro®

WaveWorks Flip/Nest Training Tables

To Order, Specify:

1. Model Number

For options, see page 183

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACGBT2

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Ganging Bracket	**NACGBT2**	Table Ganging Bracket Kit	$ 75	—	—	—	—	—	1 lbs.	0.1

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

Leveling Ganging Bracket	**NAC18LGB**	Table Ganging Bracket Kit	$ 68	—	—	—	—	—	1 lbs.	0.03
	NAC24LGB	Table Ganging Bracket Kit	91	—	—	—	—	—	2 lbs.	0.03



- NAC18LGB to be used with 18" deep flip/nest table surfaces
- NAC24LGB to be used with 24" and 30" deep flip/nest table surfaces
- For use when completely level surfaces are desired
- Tables feature threaded inserts for ganging brackets
- One model to be ordered per flip/nest training table

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

SIZES

- 18" deep in widths of 30"–72"
- 24" deep in widths of 30"–72"
- 30" deep in widths of 48"–72"

TOPS

- Veneer surfaces are 13/16" thick slipmatched cherry, slipmatched maple and bookmatched walnut veneer
- Laminate surfaces are 13/16" HPL [high pressure laminate) or 1 1/8" TFL (thermally fused laminate)
- Thermofoil/3D laminate vinyl membrane pressed over 13/16" MDF
- Thermofoil/3D laminate surface backer is white vinyl

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with six rim profile options
- Laminate tops feature a 3mm PVC rim or a wood rim with six rim profile options
- Thermofoil/3D laminate top features a softened thermofoil/3D laminate profile

GROMMET OPTIONS

- Cutout option for (G17) One Touch Pivoting Power Grommet
- Round black nylon grommet (G1) available
- Racetrack zinc grommet (G11) available in four colors
- Wire/data managers are available for additional cable management, see page 187 for accessories
- Undersurface wire managers available, see page 187 for accessories

BASES

- Reference page 204 for base matrix requirements
- See pages 206-211 for base options available

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
*791 Palisander
792 Sable
*793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

*Not available on laminate/wood models

WOOD RIM

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

RIM PROFILE OPTIONS

PVC Softened Rim

M Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

PVC Reed Rim

NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

THERMOFOIL/ 3D LAMINATE TOPS

405 Designer White
440 Cloud
466 Concrete Fiber
484 Cashmere Fiber
MH Mocha

Softened Wood (F)

Reed Wood (R)

Cove Wood (P)

Zip Wood (Z)

Concave Wood (C)

Step Wood (T)

Softened PVC (V)

Reed PVC (N)

Softened Thermofoil/ 3D Laminate (S)

WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon



$25 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$30 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$30 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLA	Left, Right & Center

Racetrack Grommet, Cinder



$30 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBA	Left, Right & Center

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location



CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

- Reference page 288 in the Casegoods Book 2 Price List for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)

- Reference page 436 for the pricing and details



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)

- Reference page 436 for the pricing and details



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 436 for the pricing and details

WaveWorks Training Worksurfaces

Product Specifications

- For worksurface type option, specify M (main)

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN1872WSSW	F	G1C	N	NM
WWN1872WSSL	V	HN2	X	HN2
WWN1872WSSLW	R	G1C	403	CL

18"D Rectangular Worksurface



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
18" Depth	***19/16" Top Thickness***								
WWN1872WSSW	Wood	$ **759**	18	71 15/16	19/16	—	—	57 lbs.	2.3
WWN1872WSSLW	Laminate/Wood	**759**	18	71 15/16	19/16	—	—	57 lbs.	2.3
WWN1872WSSL	Laminate	**474**	18	71 15/16	19/16	—	—	57 lbs.	2.3
WWN1866WSSW	Wood	$ **735**	18	66	19/16	—	—	52 lbs.	2.2
WWN1866WSSLW	Laminate/Wood	**735**	18	66	19/16	—	—	52 lbs.	2.2
WWN1866WSSL	Laminate	**449**	18	66	19/16	—	—	52 lbs.	2.2
WWN1860WSSW	Wood	$ **717**	18	60	19/16	—	—	48 lbs.	2.0
WWN1860WSSLW	Laminate/Wood	**717**	18	60	19/16	—	—	48 lbs.	2.0
WWN1860WSSL	Laminate	**431**	18	60	19/16	—	—	48 lbs.	2.0
WWN1854WSSW	Wood	$ **701**	18	54	19/16	—	—	43 lbs.	1.8
WWN1854WSSLW	Laminate/Wood	**701**	18	54	19/16	—	—	43 lbs.	1.8
WWN1854WSSL	Laminate	**394**	18	54	19/16	—	—	43 lbs.	1.8
WWN1848WSSW	Wood	$ **688**	18	48 1/16	19/16	—	—	38 lbs.	1.6
WWN1848WSSLW	Laminate/Wood	**688**	18	48 1/16	19/16	—	—	38 lbs.	1.6
WWN1848WSSL	Laminate	**366**	18	48 1/16	19/16	—	—	38 lbs.	1.6
WWN1842WSSW	Wood	$ **662**	18	42 1/16	19/16	—	—	34 lbs.	1.5
WWN1842WSSLW	Laminate/Wood	**662**	18	42 1/16	19/16	—	—	34 lbs.	1.5
WWN1842WSSL	Laminate	**341**	18	42 1/16	19/16	—	—	34 lbs.	1.5
WWN1836WSSW	Wood	$ **643**	18	36 1/16	19/16	—	—	29 lbs.	1.3
WWN1836WSSLW	Laminate/Wood	**643**	18	36 1/16	19/16	—	—	29 lbs.	1.3
WWN1836WSSL	Laminate	**320**	18	36 1/16	19/16	—	—	29 lbs.	1.3
WWN1830WSSW	Wood	$ **628**	18	30 1/16	19/16	—	—	24 lbs.	1.1
WWN1830WSSLW	Laminate/Wood	**628**	18	30 1/16	19/16	—	—	24 lbs.	1.1
WWN1830WSSL	Laminate	**299**	18	30 1/16	19/16	—	—	24 lbs.	1.1

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Top Sheen (wood models)
7. Laminate Color/Veneer Finish/ Thermofoil/3D Laminate
8. Veneer Rim Finish (combo models)

For options, see pages 190-191

18"D Rectangular Worksurface (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
18" Depth	***13/16 Top Thickness***								
WW1872WSSW	Wood	$ **646**	18	71 15/16	13/16	—	—	44 lbs.	2.3
WW1872WSSLW	Laminate/Wood	**646**	18	71 15/16	13/16	—	—	44 lbs.	2.3
WW1872WSSL	Laminate	**365**	18	71 15/16	13/16	—	—	44 lbs.	2.3
WW1872WSST	Thermofoil/3D Laminate	**365**	18	71 15/16	13/16	—	—	44 lbs.	2.3
WW1872WSSDLL	TFL	$ **292**	18	71 15/16	13/16	—	—	44 lbs.	2.3
WW1866WSSW	Wood	$ **622**	18	66	13/16	—	—	41 lbs.	2.2
WW1866WSSLW	Laminate/Wood	**622**	18	66	13/16	—	—	41 lbs.	2.2
WW1866WSSL	Laminate	**339**	18	66	13/16	—	—	41 lbs.	2.2
WW1866WSST	Thermofoil/3D Laminate	**339**	18	66	13/16	—	—	41 lbs.	2.2
WW1866WSSDLL	TFL	**271**	18	66	13/16	—	—	41 lbs.	2.2
WW1860WSSW	Wood	$ **604**	18	60	13/16	—	—	37 lbs.	2.0
WW1860WSSLW	Laminate/Wood	**604**	18	60	13/16	—	—	37 lbs.	2.0
WW1860WSSL	Laminate	**321**	18	60	13/16	—	—	37 lbs.	2.0
WW1860WSST	Thermofoil/3D Laminate	**321**	18	60	13/16	—	—	37 lbs.	2.0
WW1860WSSDLL	TFL	**257**	18	60	13/16	—	—	37 lbs.	2.0
WW1854WSSW	Wood	$ **588**	18	54	13/16	—	—	33 lbs.	1.8
WW1854WSSLW	Laminate/Wood	**588**	18	54	13/16	—	—	33 lbs.	1.8
WW1854WSSL	Laminate	**284**	18	54	13/16	—	—	33 lbs.	1.8
WW1854WSST	Thermofoil/3D Laminate	**284**	18	54	13/16	—	—	33 lbs.	1.8
WW1854WSSDLL	TFL	**227**	18	54	13/16	—	—	33 lbs.	1.8
WW1848WSSW	Wood	$ **575**	18	48 1/16	13/16	—	—	30 lbs.	1.6
WW1848WSSLW	Laminate/Wood	**575**	18	48 1/16	13/16	—	—	30 lbs.	1.6
WW1848WSSL	Laminate	**256**	18	48 1/16	13/16	—	—	30 lbs.	1.6
WW1848WSST	Thermofoil/3D Laminate	**256**	18	48 1/16	13/16	—	—	30 lbs.	1.6
WW1848WSSDLL	TFL	**205**	18	48 1/16	13/16	—	—	30 lbs.	1.6

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

WaveWorks Training Worksurfaces

Product Specifications

- Thermofoil/3D laminate models only available with G1 round grommet
- For worksurface type option, specify M (main); do not specify worksurface type for thermofoil/3D laminate

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WW1872WSSW	F	G1C	N	NM
WW1872WSSL	V	HN2	X	HN2
WW1872WSSLW	R	G1C	403	CL
WW1872WSST	S	X	MH	

18"D Rectangular Worksurface (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
18" Depth	***13/16" Top Thickness***								
WW1842WSSW	Wood	$ **549**	18	421/16	13/16	—	—	26 lbs.	1.5
WW1842WSSLW	Laminate/Wood	**549**	18	421/16	13/16	—	—	26 lbs.	1.5
WW1842WSSL	Laminate	**232**	18	421/16	13/16	—	—	26 lbs.	1.5
WW1842WSST	Thermofoil/3D Laminate	**232**	18	421/16	13/16	—	—	26 lbs.	1.5
WW1842WSSDLL	TFL	**185**	18	421/16	13/16	—	—	26 lbs.	1.5
WW1836WSSW	Wood	$ **529**	18	361/16	13/16	—	—	23 lbs.	1.3
WW1836WSSLW	Laminate/Wood	**529**	18	361/16	13/16	—	—	23 lbs.	1.3
WW1836WSSL	Laminate	**211**	18	361/16	13/16	—	—	23 lbs.	1.3
WW1836WSST	Thermofoil/3D Laminate	**211**	18	361/16	13/16	—	—	23 lbs.	1.3
WW1836WSSDLL	TFL	**169**	18	361/16	13/16	—	—	23 lbs.	1.3
WW1830WSSW	Wood	$ **515**	18	301/16	13/16	—	—	19 lbs.	1.1
WW1830WSSLW	Laminate/Wood	**515**	18	301/16	13/16	—	—	19 lbs.	1.1
WW1830WSSL	Laminate	**190**	18	301/16	13/16	—	—	19 lbs.	1.1
WW1830WSST	Thermofoil/3D Laminate	**190**	18	301/16	13/16	—	—	19 lbs.	1.1
WW1830WSSDLL	TFL	**152**	18	301/16	13/16	—	—	19 lbs.	1.1

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Top Sheen (wood models)
7. Laminate Color/Veneer Finish/ Thermofoil/3D Laminate
8. Veneer Rim Finish (combo models)

For options, see pages 190-191

24"D Rectangular Worksurface



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
24" Depth	***19/16 Top Thickness***								
WWN2472WSSW	Wood	$ **816**	24	71 15/16	19/16	—	—	81 lbs.	3.3
WWN2472WSSLW	Laminate/Wood	**816**	24	71 15/16	19/16	—	—	81 lbs.	3.3
WWN2472WSSL	Laminate	**510**	24	71 15/16	19/16	—	—	81 lbs.	3.3
WWN2466WSSW	Wood	$ **791**	24	66	19/16	—	—	75 lbs.	3.1
WWN2466WSSLW	Laminate/Wood	**791**	24	66	19/16	—	—	75 lbs.	3.1
WWN2466WSSL	Laminate	**482**	24	66	19/16	—	—	75 lbs.	3.1
WWN2460WSSW	Wood	$ **770**	24	60	19/16	—	—	69 lbs.	2.8
WWN2460WSSLW	Laminate/Wood	**770**	24	60	19/16	—	—	69 lbs.	2.8
WWN2460WSSL	Laminate	**464**	24	60	19/16	—	—	69 lbs.	2.8
WWN2454WSSW	Wood	$ **754**	24	54	19/16	—	—	63 lbs.	2.5
WWN2454WSSLW	Laminate/Wood	**754**	24	54	19/16	—	—	63 lbs.	2.5
WWN2454WSSL	Laminate	**424**	24	54	19/16	—	—	63 lbs.	2.5
WWN2448WSSW	Wood	$ **740**	24	48 1/16	19/16	—	—	57 lbs.	2.3
WWN2448WSSLW	Laminate/Wood	**740**	24	48 1/16	19/16	—	—	57 lbs.	2.3
WWN2448WSSL	Laminate	**394**	24	48 1/16	19/16	—	—	57 lbs.	2.3
WWN2442WSSW	Wood	$ **713**	24	42 1/16	19/16	—	—	51 lbs.	2.0
WWN2442WSSLW	Laminate/Wood	**713**	24	42 1/16	19/16	—	—	51 lbs.	2.0
WWN2442WSSL	Laminate	**367**	24	42 1/16	19/16	—	—	51 lbs.	2.0
WWN2436WSSW	Wood	$ **690**	24	36 1/16	19/16	—	—	45 lbs.	1.8
WWN2436WSSLW	Laminate/Wood	**690**	24	36 1/16	19/16	—	—	45 lbs.	1.8
WWN2436WSSL	Laminate	**344**	24	36 1/16	19/16	—	—	45 lbs.	1.8
WWN2430WSSW	Wood	$ **676**	24	30 1/16	19/16	—	—	39 lbs.	1.5
WWN2430WSSLW	Laminate/Wood	**676**	24	30 1/16	19/16	—	—	39 lbs.	1.5
WWN2430WSSL	Laminate	**321**	24	30 1/16	19/16	—	—	39 lbs.	1.5

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

WaveWorks Training Worksurfaces

Product Specifications

- Thermofoil/3D laminate models only available with G1 round grommet
- For worksurface type option, specify M (main); do not specify worksurface type for thermofoil/3D laminate

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WW2454WSSW	F	G1C	N	NM
WW2454WSSL	V	HN2	X	HN2
WW2454WSSLW	R	G1C	403	CL
WW2454WSST	S	X	MH	

24"D Rectangular Worksurface (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
24" Depth	***13/16" Top Thickness***								
WW2472WSSW	Wood	$ **694**	24	71 15/16	13/16	—	—	81 lbs.	3.3
WW2472WSSLW	Laminate/Wood	**694**	24	71 15/16	13/16	—	—	81 lbs.	3.3
WW2472WSSL	Laminate	**393**	24	71 15/16	13/16	—	—	81 lbs.	3.3
WW2472WSST	Thermofoil/3D Laminate	**393**	24	71 15/16	13/16	—	—	62 lbs.	3.0
WW2472WSSDLL	TFL	**315**	24	71 15/16	13/16	—	—	81 lbs.	3.3
WW2466WSSW	Wood	$ **668**	24	66	13/16	—	—	75 lbs.	3.1
WW2466WSSLW	Laminate/Wood	**668**	24	66	13/16	—	—	75 lbs.	3.1
WW2466WSSL	Laminate	**365**	24	66	13/16	—	—	75 lbs.	3.1
WW2466WSST	Thermofoil/3D Laminate	**365**	24	66	13/16	—	—	59 lbs.	2.8
WW2466WSSDLL	TFL	**292**	24	66	13/16	—	—	75 lbs.	3.1
WW2460WSSW	Wood	$ **649**	24	60	13/16	—	—	69 lbs.	2.8
WW2460WSSLW	Laminate/Wood	**649**	24	60	13/16	—	—	69 lbs.	2.8
WW2460WSSL	Laminate	**345**	24	60	13/16	—	—	69 lbs.	2.8
WW2460WSST	Thermofoil/3D Laminate	**345**	24	60	13/16	—	—	52 lbs.	2.5
WW2460WSSDLL	TFL	**276**	24	60	13/16	—	—	69 lbs.	2.8
WW2454WSSW	Wood	$ **631**	24	54	13/16	—	—	63 lbs.	2.5
WW2454WSSLW	Laminate/Wood	**631**	24	54	13/16	—	—	63 lbs.	2.5
WW2454WSSL	Laminate	**306**	24	54	13/16	—	—	63 lbs.	2.5
WW2454WSST	Thermofoil/3D Laminate	**306**	24	54	13/16	—	—	47 lbs.	2.3
WW2454WSSDLL	TFL	**245**	24	54	13/16	—	—	63 lbs.	2.5

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Top Sheen (wood models)
7. Laminate Color/Veneer Finish/ Thermofoil/3D Laminate
8. Veneer Rim Finish (combo models)

For options, see pages 190-191

24"D Rectangular Worksurface (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
24" Depth	***13/16 Top Thickness***								
WW2448WSSW	Wood	$ **618**	24	48 1/16	13/16	—	—	57 lbs.	2.3
WW2448WSSLW	Laminate/Wood	**618**	24	48 1/16	13/16	—	—	57 lbs.	2.3
WW2448WSSL	Laminate	**277**	24	48 1/16	13/16	—	—	57 lbs.	2.3
WW2448WSST	Thermofoil/3D Laminate	**277**	24	48 1/16	13/16	—	—	43 lbs.	2.1
WW2448WSSDLL	TFL	**222**	24	48 1/16	13/16	—	—	57 lbs.	2.3
WW2442WSSW	Wood	$ **590**	24	42 1/16	13/16	—	—	51 lbs.	2.0
WW2442WSSLW	Laminate/Wood	**590**	24	42 1/16	13/16	—	—	57 lbs.	2.3
WW2442WSSL	Laminate	**249**	24	42 1/16	13/16	—	—	57 lbs.	2.3
WW2442WSST	Thermofoil/3D Laminate	**249**	24	42 1/16	13/16	—	—	38 lbs.	1.8
WW2442WSSDLL	TFL	**199**	24	42 1/16	13/16	—	—	57 lbs.	2.3
WW2436WSSW	Wood	$ **569**	24	36 1/16	13/16	—	—	45 lbs.	1.8
WW2436WSSLW	Laminate/Wood	**569**	24	36 1/16	13/16	—	—	57 lbs.	2.3
WW2436WSSL	Laminate	**227**	24	36 1/16	13/16	—	—	57 lbs.	2.3
WW2436WSST	Thermofoil/3D Laminate	**227**	24	36 1/16	13/16	—	—	33 lbs.	1.6
WW2436WSSDLL	TFL	**181**	24	36 1/16	13/16	—	—	57 lbs.	2.3
WW2430WSSW	Wood	$ **553**	24	30 1/16	13/16	—	—	39 lbs.	1.5
WW2430WSSLW	Laminate/Wood	**553**	24	30 1/16	13/16	—	—	39 lbs.	1.5
WW2430WSSL	Laminate	**204**	24	30 1/16	13/16	—	—	39 lbs.	1.5
WW2430WSST	Thermofoil/3D Laminate	**204**	24	30 1/16	13/16	—	—	29 lbs.	1.4
WW2430WSSDLL	TFL	**163**	24	30 1/16	13/16	—	—	39 lbs.	1.5

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

WaveWorks Training Worksurfaces

Product Specifications

- Thermofoil/3D laminate models only available with G1 round grommet
- For worksurface type option, specify M (main); do not specify worksurface type for thermofoil/3D laminate

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN3072WSSW	F	X	R	TF
WWN3072WSSLW	R	G1C	461	TF
WWN3072WSSL	V	TF	G1C	TF

30"D Rectangular Worksurface



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30"Depth	***19/16" Top Thickness***								
WWN3072WSSW	Wood	$ **898**	30 1/16	71 15/16	19/16	—	—	95 lbs.	4.0
WWN3072WSSLW	Laminate/Wood	**898**	30 1/16	71 15/16	19/16	—	—	95 lbs.	4.0
WWN3072WSSL	Laminate	**587**	30 1/16	71 15/16	19/16	—	—	95 lbs.	4.0
WWN3066WSSW	Wood	$ **870**	30 1/16	66	19/16	—	—	88 lbs.	3.7
WWN3066WSSLW	Laminate/Wood	**870**	30 1/16	66	19/16	—	—	88 lbs.	3.7
WWN3066WSSL	Laminate	**549**	30 1/16	66	19/16	—	—	88 lbs.	3.7
WWN3060WSSW	Wood	$ **852**	30 1/16	60	19/16	—	—	81 lbs.	3.3
WWN3060WSSLW	Laminate/Wood	**852**	30 1/16	60	19/16	—	—	81 lbs.	3.3
WWN3060WSSL	Laminate	**510**	30 1/16	60	19/16	—	—	81 lbs.	3.3
WWN3054WSSW	Wood	$ **836**	30 1/16	54	19/16	—	—	74 lbs.	3.0
WWN3054WSSLW	Laminate/Wood	**836**	30 1/16	54	19/16	—	—	74 lbs.	3.0
WWN3054WSSL	Laminate	**479**	30 1/16	54	19/16	—	—	74 lbs.	3.0
WWN3048WSSW	Wood	$ **822**	30 1/16	48 1/16	19/16	—	—	67 lbs.	2.7
WWN3048WSSLW	Laminate/Wood	**822**	30 1/16	48 1/16	19/16	—	—	67 lbs.	2.7
WWN3048WSSL	Laminate	**446**	30 1/16	48 1/16	19/16	—	—	67 lbs.	2.7

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Top Sheen (wood models)
7. Laminate Color/Veneer Finish/ Thermofoil/3D Laminate
8. Veneer Rim Finish (combo models)

For options, see pages 190-191

30"D Rectangular Worksurface (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
30"Depth	***13/16 Top Thickness***								
WW3072WSSW	Wood	$ **776**	30 1/16	71 15/16	13/16	—	—	95 lbs.	4.0
WW3072WSSLW	Laminate/Wood	**776**	30 1/16	71 15/16	13/16	—	—	95 lbs.	4.0
WW3072WSSL	Laminate	**470**	30 1/16	71 15/16	13/16	—	—	95 lbs.	4.0
WW3072WSST	Thermofoil/3D Laminate	**470**	30 1/16	71 15/16	13/16	—	—	76 lbs.	3.6
WW3072WSSDLL	TFL	**376**	30 1/16	71 15/16	13/16	—	—	95 lbs.	4.0
WW3066WSSW	Wood	$ **748**	30 1/16	66	13/16	—	—	88 lbs.	3.7
WW3066WSSLW	Laminate/Wood	**748**	30 1/16	66	13/16	—	—	88 lbs.	3.7
WW3066WSSL	Laminate	**432**	30 1/16	66	13/16	—	—	88 lbs.	3.7
WW3066WSST	Thermofoil/3D Laminate	**432**	30 1/16	66	13/16	—	—	70 lbs.	3.3
WW3066WSSDLL	TFL	**345**	30 1/16	66	13/16	—	—	88 lbs.	3.7
WW3060WSSW	Wood	$ **731**	30 1/16	60	13/16	—	—	81 lbs.	3.3
WW3060WSSLW	Laminate/Wood	**731**	30 1/16	60	13/16	—	—	81 lbs.	3.3
WW3060WSSL	Laminate	**393**	30 1/16	60	13/16	—	—	81 lbs.	3.3
WW3060WSST	Thermofoil/3D Laminate	**393**	30 1/16	60	13/16	—	—	64 lbs.	3.1
WW3060WSSDLL	TFL	**315**	30 1/16	60	13/16	—	—	81 lbs.	3.3
WW3054WSSW	Wood	$ **715**	30 1/16	54	13/16	—	—	74 lbs.	3.0
WW3054WSSLW	Laminate/Wood	**715**	30 1/16	54	13/16	—	—	74 lbs.	3.0
WW3054WSSL	Laminate	**362**	30 1/16	54	13/16	—	—	74 lbs.	3.0
WW3054WSST	Thermofoil/3D Laminate	**362**	30 1/16	54	13/16	—	—	58 lbs.	2.8
WW3054WSSDLL	TFL	**289**	30 1/16	54	13/16	—	—	74 lbs.	3.0
WW3048WSSW	Wood	$ **700**	30 1/16	48 1/16	13/16	—	—	67 lbs.	2.7
WW3048WSSLW	Laminate/Wood	**700**	30 1/16	48 1/16	13/16	—	—	67 lbs.	2.7
WW3048WSSL	Laminate	**329**	30 1/16	48 1/16	13/16	—	—	67 lbs.	2.7
WW3048WSST	Thermofoil/3D Laminate	**329**	30 1/16	48 1/16	13/16	—	—	52 lbs.	2.5
WW3048WSSDLL	TFL	**263**	30 1/16	48 1/16	13/16	—	—	67 lbs.	2.7

- Reference pages 204-211 for base requirements
- To provide additional worksurface support, see undersurface support rail on page 212

WaveWorks Training Worksurfaces

Product Specifications

- Thermofoil/3D laminate models only available with G1 round grommet
- For worksurface type option, specify M (main); do not specify worksurface type for thermofoil/3D laminate

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN60WSRHRW	T	G1C	R	HN
WWN60WSRHRL	V	G1C	HN2	HN2
WWN60WSHRLW	S	G1C	466	

Concave Worksurface



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16" Top Thickness									
WWN2472WSCCRW	Wood	**$ 1096**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WWN2472WSCCRLW	Laminate/Wood	**1096**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WWN2472WSCCRL	Laminate	**599**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WWN2466WSCCRW	Wood	**$ 1027**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WWN2466WSCCRLW	Laminate/Wood	**1027**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WWN2466WSCCRL	Laminate	**563**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WWN2460WSCCRW	Wood	**$ 976**	26 7/16	60	13/16	—	—	69 lbs.	2.8
WWN2460WSCCRLW	Laminate/Wood	**976**	26 7/16	60	13/16	—	—	69 lbs.	2.8
WWN2460WSCCRL	Laminate	**542**	26 7/16	60	13/16	—	—	69 lbs.	2.8
13/16" Top Thickness									
WW2472WSCCRW	Wood	**$ 974**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WW2472WSCCRLW	Laminate/Wood	**974**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WW2472WSCCRL	Laminate	**482**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WW2472WSCCRDLL	TFL	**$ 386**	26 7/16	71 15/16	13/16	—	—	81 lbs.	3.3
WW2466WSCCRW	Wood	**$ 906**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WW2466WSCCRLW	Laminate/Wood	**906**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WW2466WSCCRL	Laminate	**446**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WW2466WSCCRDLL	TFL	**357**	26 7/16	66	13/16	—	—	75 lbs.	3.0
WW2460WSCCRW	Wood	**$ 853**	26 7/16	60	13/16	—	—	69 lbs.	2.8
WW2460WSCCRLW	Laminate/Wood	**853**	26 7/16	60	13/16	—	—	69 lbs.	2.8
WW2460WSCCRL	Laminate	**425**	26 7/16	60	13/16	—	—	69 lbs.	2.8
WW2460WSCCRDLL	TFL	**340**	26 7/16	60	13/16	—	—	69 lbs.	2.8

- For use with 23" deep pedestals or for table desking applications
- To provide additional worksurface support, see undersurface support rail on page 212

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Top Sheen (wood models)
7. Laminate Color/Veneer Finish/ Thermofoil/3D Laminate
8. Veneer Rim Finish (combo models)

For options, see pages 190-191

Half Round Worksurface



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16" Top Thickness									
WWN60WSHRW	Wood	**$ 800**	30	60	19/16	—	—	69 lbs.	2.8
WWN60WSHRLW	Laminate/Wood	**800**	30	60	19/16	—	—	69 lbs.	2.8
WWN60WSHRL	Laminate	**503**	30	60	19/16	—	—	69 lbs.	2.8
WWN48WSHRW	Wood	**$ 686**	24	481/16	19/16	—	—	57 lbs.	2.3
WWN48WSHRLW	Laminate/Wood	**686**	24	481/16	19/16	—	—	57 lbs.	2.3
WWN48WSHRL	Laminate	**438**	24	481/16	19/16	—	—	57 lbs.	2.3
13/16" Top Thickness									
WW60WSHRW	Wood	**$ 679**	30	60	13/16	—	—	69 lbs.	2.8
WW60WSHRLW	Laminate/Wood	**679**	30	60	13/16	—	—	69 lbs.	2.8
WW60WSHRL	Laminate	**385**	30	60	13/16	—	—	69 lbs.	2.8
WW60WSHRT	Thermofoil/3D Laminate	**385**	30	60	13/16	—	—	55 lbs.	2.6
WW60WSHRDLL	TFL	**$ 308**	30	60	13/16	—	—	69 lbs.	2.8
WW48WSHRW	Wood	**$ 565**	24	481/16	13/16	—	—	57 lbs.	2.3
WW48WSHRLW	Laminate/Wood	**565**	24	481/16	13/16	—	—	57 lbs.	2.3
WW48WSHRL	Laminate	**321**	24	481/16	13/16	—	—	57 lbs.	2.3
WW48WSHRT	Thermofoil/3D Laminate	**321**	24	481/16	13/16	—	—	52 lbs.	2.5
WW48WSHRDLL	TFL	**257**	24	481/16	13/16	—	—	57 lbs.	2.3

- Rim profile on radius edge of surface
- Only available grommet option is center location
- Do not specify worksurface type for thermofoil/3D laminate

WaveWorks Training Worksurfaces

Product Specifications

- Thermofoil/3D laminate models only available with G1 round grommet
- For worksurface type option, specify M (main); do not specify worksurface type for thermofoil/3D laminate

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
T	Thermofoil/3D Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN2424WSQRW	R	N	HN
WWN2424WSQRL	V	403	403
WWN2424WSQRLW	R	403	HN

Quarter Round Worksurface



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16" Top Thickness									
WWN2424WSQRW	Wood	**$ 676**	24	24	13/16	—	—	25 lbs.	1.1
WWN2424WSQRLW	Laminate/Wood	**676**	24	24	13/16	—	—	25 lbs.	1.1
WWN2424WSQRL	Laminate	**431**	24	24	13/16	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WWN3030WSQRW	Wood	**$ 788**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WWN3030WSQRLW	Laminate/Wood	**788**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WWN3030WSQRL	Laminate	**495**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WWN3024WSQRW	Wood	**$ 1104**	30 1/16	24	13/16	—	—	33 lbs.	2.0
WWN3024WSQRLW	Laminate/Wood	**1104**	30 1/16	24	13/16	—	—	33 lbs.	2.0
WWN3024WSQRL	Laminate	**730**	30 1/16	24	13/16	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WWN2430WSQRW	Wood	**$ 1104**	24	30 1/16	13/16	—	—	33 lbs.	2.0
WWN2430WSQRLW	Laminate/Wood	**1104**	24	30 1/16	13/16	—	—	33 lbs.	2.0
WWN2430WSQRL	Laminate	**730**	24	30 1/16	13/16	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									

- Rim profile on radius edge of worksurface
- Grommet option not available
- Worksurface uses flat brackets to attach to other worksurfaces and does not require a base

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Worksurface Sheen (wood models)
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (combo models)

For options, see pages 190-191

Quarter Round Worksurface (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
13/16 Top Thickness									
WW2424WSQRW	Wood	**$ 553**	24	24	13/16	—	—	25 lbs.	1.1
WW2424WSQRLW	Laminate/Wood	**553**	24	24	13/16	—	—	25 lbs.	1.1
WW2424WSQRL	Laminate	**313**	24	24	13/16	—	—	25 lbs.	1.1
WW2424WSQRT	Thermofoil/3D Laminate	**313**	24	24	13/16	—	—	25 lbs.	1.1
WW2424WSQRLL	TFL	**$ 250**	24	24	13/16	—	—	25 lbs.	1.1

- Utilize with 24" deep worksurfaces
- Do not specify worksurface type for thermofoil/3D laminate

WW3030WSQRW	Wood	**$ 665**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WW3030WSQRLW	Laminate/Wood	**665**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WW3030WSQRL	Laminate	**377**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0
WW3030WSQRLL	TFL	**$ 302**	30 1/16	30 1/16	13/16	—	—	33 lbs.	2.0

- Utilize with 30" deep worksurfaces

WW3024WSQRW	Wood	**$ 1012**	30 1/16	24	13/16	—	—	33 lbs.	2.0
WW3024WSQRLW	Laminate/Wood	**1012**	30 1/16	24	13/16	—	—	33 lbs.	2.0
WW3024WSQRL	Laminate	**630**	30 1/16	24	13/16	—	—	33 lbs.	2.0
WW3024WSQRLL	TFL	**$ 504**	30 1/16	24	13/16	—	—	33 lbs.	2.0

- Utilize with 30" deep worksurface on left and 24" deep worksurface on right

WW2430WSQRW	Wood	**$ 1012**	24	30 1/16	13/16	—	—	33 lbs.	2.0
WW2430WSQRLW	Laminate/Wood	**1012**	24	30 1/16	13/16	—	—	33 lbs.	2.0
WW2430WSQRL	Laminate	**630**	24	30 1/16	13/16	—	—	33 lbs.	2.0
WW2430WSQRLL	TFL	**$ 504**	24	30 1/16	13/16	—	—	33 lbs.	2.0

- Utilize with 24" deep worksurface on left and 30" deep worksurface on right

- Rim profile on radius edge of worksurface
- Grommet option not available
- Worksurface uses flat brackets to attach to other worksurfaces and does not require a base

Base Requirements

	18" D 48" - 72"	24" D 48" - 72"	30" D 48" - 72"	24" D 60" - 72"	24" & 30" D 48" & 60"
Static Column / Mobile Column	(4) / (N/A) for mobile column	(4)	(4)	(4)	(3) / 48" (N/A) for mobile column
Adjustable Height Column Pin Leg / Adjustable Height Mobile Column Pin Leg	(N/A)	(4)	(4)	(4)	(N/A)
21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(2)	(N/A)
27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	(2)	(N/A)	(N/A)
21" Static T / 21" Mobile T (Sold 2 per box)	(N/A)	(2)	(N/A)	(2)	(N/A)
Electric Adjustable Base	(N/A)	48" - 60" (1)	(N/A)	60" (1)	(N/A)
Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models / (N/A) for 30" models	(1) for 30" models / (N/A) for 24" models	(1) for 24" models / (N/A) for 30" models	(N/A)
Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(1) for 24" models / (N/A) for 30" models	(1) for 30" models / (N/A) for 24" models	(1) for 24" models / (N/A) for 30" models	(N/A)

Span Between Table Legs

For leg-based applications, the maximum recommended span of an unsupported 13/16" thick top is 48" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended. Reference page 212 for undersurface support rail.

Rectangular Tops
Recommended Span Between Legs for Stability and Visual Appearance

Length	13/16" Top	
	C-Leg / T-Leg	Column Leg
72"	48"	48"
66"	48"	48"
60"	42"	48"
54"	36"	46"
48"	30"	40"
42"	24"	34"

Metal Bases

Product Specifications

- Reference page 204 for base requirements

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Column Leg Static				**DI**	**W**	**H**				
	**CBV2802C**	Cinder	**$ 131**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CS	Platinum Metallic	**131**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CN	Satin Nickel Metallic	**131**	2	—	27¾	—	—	6 lbs.	0.6
	• Adjustable glide standard • Some assembly required • Sold one per box									
Column Leg Mobile	**CBV2802CM**	Cinder	**$ 150**	2	—	27¾	—	—	6 lbs.	0.6
	**CBV2802CMS**	Platinum Metallic	**150**	2	—	27¾	—	—	6 lbs.	0.6
	CBV2802CMN	Satin Nickel Metallic	**150**	2	—	27¾	—	—	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Sold one per box									
Adjustable Height Column Pin Leg Static	**CBV2802CPAB**	Cinder	**$ 318**	1½	—	24⅝–33⅝	—		6 lbs.	0.6
	**CBV2802CPAS**	Platinum Metallic	**318**	1½	—	24⅝–33⅝	—		6 lbs.	0.6
	CBV2802CPAN	Satin Nickel Metallic	**318**	1½	—	24⅝–33⅝	—		6 lbs.	0.6
	• Sold two per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed									
Adjustable Height Column Pin Leg Mobile	**CBV2802CPAMB**	Cinder	**$ 340**	1½	—	26⅜–35⅜	—		6 lbs.	0.6
	**CBV2802CPAMS**	Platinum Metallic	**340**	1½	—	26⅜–35⅜	—		6 lbs.	0.6
	CBV2802CPAMN	Satin Nickel Metallic	**340**	1½	—	26⅜–35⅜	—		6 lbs.	0.6
	• Sold two per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed									

To Order, Specify:

1. Model Number

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
C-Leg Base Static	**CBV2728CL2B**	Cinder	$ **720**	2½	26 9/16	27¾	—	—	30 lbs.	7.2
	CBV2728CL2S	Platinum Metallic	**720**	2½	26 9/16	27¾	—	—	30 lbs.	7.2
	CBV2728CL2N	Satin Nickel Metallic	**720**	2½	26 9/16	27¾	—	—	30 lbs.	7.2
	CBV2128CL2B	Cinder	$ **684**	2½	20½	27¾	—	—	26 lbs.	2.8
	CBV2128CL2S	Platinum Metallic	**684**	2½	20½	27¾	—	—	26 lbs.	2.8
	CBV2128CL2N	Satin Nickel Metallic	**684**	2½	20½	27¾	—	—	26 lbs.	2.8



- Adjustable glides standard
- Some assembly required
- Sold two per box
- Grommets should be field installed on surfaces utilizing a C-leg

				DI	W	H				
C-Leg Base Mobile	**CBV2728CLM2B**	Cinder	$ **743**	2½	26 9/16	27¾	—	—	30 lbs.	7.2
	CBV2728CLM2S	Platinum Metallic	**743**	2½	26 9/16	27¾	—	—	30 lbs.	7.2
	CBV2728CLM2N	Satin Nickel Metallic	**743**	2½	26 9/16	27¾	—	—	30 lbs.	7.2
	CBV2128CLM2B	Cinder	$ **707**	2½	20½	27¾	—	—	26 lbs.	2.8
	CBV2128CLM2S	Platinum Metallic	**707**	2½	20½	27¾	—	—	26 lbs.	2.8
	CBV2128CLM2N	Satin Nickel Metallic	**707**	2½	20½	27¾	—	—	26 lbs.	2.8



- Dual wheel locking casters
- Some assembly required
- Sold two per box
- Grommets should be field installed on surfaces utilizing a C-leg

Basic C-Leg Base Static	**CBV2728CL1**	Black	$ **236**	2	26 9/16	27¾	—	—	10 lbs.	3.8
	CBV2128CL1	Black	**216**	2	20½	27¾	—	—	9 lbs.	3.0



- Adjustable glides standard
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold one per box

Metal Bases

Product Specifications

- Reference page 204 for base requirements

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Basic C-Leg Base Mobile	**CBV2728CLM1**	Black	$ **252**	2	26 9/16	27¾	—	—	10 lbs.	3.8
	CBV2128CLM1	Black	**229**	2	20½	27¾	—	—	9 lbs.	3.0



- Dual wheel locking casters
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold one per box

Adjustable Height Static C-Leg Pin Adjustment	**CBV2628CLA2B**	Cinder	$ **796**	2¼	26¾	24¾-33 5/8	—		11 lbs.	7.2
	CBV2628CLA2S	Platinum Metallic	**796**	2¼	26¾	24¾-33 5/8	—		11 lbs.	7.2
	CBV2628CLA2N	Satin Nickel Metallic	**796**	2¼	26¾	24¾-33 5/8	—		11 lbs.	7.2
	CBV2128CLA2B	Cinder	$ **743**	2¼	21¾	24¾-33 5/8	—		11 lbs.	2.8
	CBV2128CLA2S	Platinum Metallic	**743**	2¼	21¾	24¾-33 5/8	—		11 lbs.	2.8
	CBV2128CLA2N	Satin Nickel Metallic	**743**	2¼	21¾	24¾-33 5/8	—		11 lbs.	2.8



- Sold two per box
- Ships fully assembled
- Grommets should be field installed on surfaces utilizing a C-leg

				DI	W	H				
T-Leg Base Static	**CBV2128TL2B**	Cinder	$ **684**	2½	20½	27¾	—	—	28 lbs.	5.6
	CBV2128TL2S	Platinum Metallic	**684**	2½	20½	27¾	—	—	28 lbs.	5.6
	CBV2128TL2N	Satin Nickel Metallic	**684**	2½	20½	27¾	—	—	28 lbs.	5.6



- Adjustable glides standard
- Some assembly required
- Sold two per box

T-Leg Base Mobile	**CBV2128TLM2B**	Cinder	$ **707**	2½	20½	27¾	—	—	28 lbs.	5.6
	CBV2128TLM2S	Platinum Metallic	**707**	2½	20½	27¾	—	—	28 lbs.	5.6
	CBV2128TLM2N	Satin Nickel Metallic	**707**	2½	20½	27¾	—	—	28 lbs.	5.6



- Dual wheel locking casters
- Some assembly required
- Sold two per box

To Order, Specify:

1. Model Number

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Basic T-Leg Base Static	**CBV2128T1**	Black	**$ 216**	2	20½	27¾	—	—	10 lbs.	3.0
	• Adjustable glides standard • Sold one per box									
Basic T-Leg Base Mobile	**CBV2128TM1**	Black	**$ 229**	2	20½	27¾	—	—	10 lbs.	3.0
	• Dual wheel locking casters • Sold one per box									
Basic Folding Leg	**CBV2128TF (Set)**	Black	**$ 645**	2	20½	27¾	—	—	21 lbs.	2.3
	• Includes 2 legs per carton • Folding leg to be used with 24", 30", and 36" deep worksurfaces • Folding leg to be used on all 48", 54" and 60" long worksurfaces									
Electric Adjustable Height Base	**CBV4847TBA**	Black	**$ 2671**	20½	45½	28-47	—	—	32 lbs.	3.0
	CBV6047TBA	Black	**2688**	20½	57½	28-47	—	—	76 lbs.	5.2
	• ADA/HFES compliant • Adjustable glides • One touch button allows for up/down adjustment • For use with 24" deep WaveWorks and Epic worksurfaces • Base style complements National's T-leg, C-leg and WaveWorks flip/nest table bases • CBV4847TBA for use with 48"W worksurfaces; CBV6047TBA for use with 60"W worksurfaces • All hardware and electrical included • Some assembly required • 100 lb limit for table height activation • 216 lb limit for static distribution load on top • CBV4847TBA-outside-to-outside dimension is 45½", inside leg-to-leg dimension is 40" • CBV6047TBA-outside-to-outside dimension is 57½", inside leg-to-leg dimension is 52"									

Metal Bases

Product Specifications

- Reference page 204 for base requirements

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Electric Adjustable Height Base



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
CBV3072ABEB	Cinder	$ **1973**	29	62 7/8	25 3/16	41/16	—	67 lbs.	2.3
CBV3072ABES	Platinum Metallic	**1973**	29	62 7/8	25 3/16	41/16	—	67 lbs.	2.3
CBV3072ABEN	Satin Nickel Metallic	**1973**	29	62 7/8	25 3/16	41/16	—	67 lbs.	2.3
CBV3066ABEB	Cinder	$ **1968**	29	56 7/8	25 3/16	41/16	—	67 lbs.	2.3
CBV3066ABES	Platinum Metallic	**1968**	29	56 7/8	25 3/16	41/16	—	67 lbs.	2.3
CBV3066ABEN	Satin Nickel Metallic	**1968**	29	56 7/8	25 3/16	41/16	—	67 lbs.	2.3
CBV3060ABEB	Cinder	$ **1963**	29	50 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV3060ABES	Platinum Metallic	**1963**	29	50 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV3060ABEN	Satin Nickel Metallic	**1963**	29	50 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV3048ABEB	Cinder	$ **1910**	29	38 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV3048ABES	Platinum Metallic	**1910**	29	38 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV3048ABEN	Satin Nickel Metallic	**1910**	29	38 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2472ABEB	Cinder	$ **1867**	23	62 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2472ABES	Platinum Metallic	**1867**	23	62 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2472ABEN	Satin Nickel Metallic	**1867**	23	62 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2466ABEB	Cinder	$ **1862**	23	56 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2466ABES	Platinum Metallic	**1862**	23	56 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2466ABEN	Satin Nickel Metallic	**1862**	23	56 7/8	25 3/16	41/16	—	65 lbs.	2.1
CBV2460ABEB	Cinder	$ **1857**	23	50 7/8	25 3/16	41/16	—	64 lbs.	2.1
CBV2460ABES	Platinum Metallic	**1857**	23	50 7/8	25 3/16	41/16	—	64 lbs.	2.1
CBV2460ABEN	Satin Nickel Metallic	**1857**	23	50 7/8	25 3/16	41/16	—	64 lbs.	2.1
CBV2448ABEB	Cinder	$ **1804**	23	38 7/8	25 3/16	41/16	—	64 lbs.	2.1
CBV2448ABES	Platinum Metallic	**1804**	23	38 7/8	25 3/16	41/16	—	64 lbs.	2.1
CBV2448ABEN	Satin Nickel Metallic	**1804**	23	38 7/8	25 3/16	41/16	—	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- One touch button allows for up/down adjustment
- Electrical cord is 4 ft. long
- Adjustable glides

To Order, Specify:

1. Model Number

Manual (Hand Crank) Adjustable Height Base



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
CBV3072ABCB	Cinder	$ **1591**	29	62 7/8	25 3/16	63½	—	67 lbs.	2.3
CBV3072ABCS	Platinum Metallic	**1591**	29	62 7/8	25 3/16	63½	—	67 lbs.	2.3
CBV3072ABCN	Satin Nickel Metallic	**1591**	29	62 7/8	25 3/16	63½	—	67 lbs.	2.3
CBV3066ABCB	Cinder	$ **1539**	29	56 7/8	25 3/16	63½	—	67 lbs.	2.3
CBV3066ABCS	Platinum Metallic	**1539**	29	56 7/8	25 3/16	63½	—	67 lbs.	2.3
CBV3066ABCN	Satin Nickel Metallic	**1539**	29	56 7/8	25 3/16	63½	—	67 lbs.	2.3
CBV3060ABCB	Cinder	$ **1485**	29	50 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV3060ABCS	Platinum Metallic	**1485**	29	50 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV3060ABCN	Satin Nickel Metallic	**1485**	29	50 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV3048ABCB	Cinder	$ **1433**	29	38 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV3048ABCS	Platinum Metallic	**1433**	29	38 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV3048ABCN	Satin Nickel Metallic	**1433**	29	38 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2472ABCB	Cinder	$ **1337**	23	62 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2472ABCS	Platinum Metallic	**1337**	23	62 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2472ABCN	Satin Nickel Metallic	**1337**	23	62 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2466ABCB	Cinder	$ **1332**	23	56 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2466ABCS	Platinum Metallic	**1332**	23	56 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2466ABCN	Satin Nickel Metallic	**1332**	23	56 7/8	25 3/16	63½	—	65 lbs.	2.1
CBV2460ABCB	Cinder	$ **1327**	23	50 7/8	25 3/16	63½	—	64 lbs.	2.1
CBV2460ABCS	Platinum Metallic	**1327**	23	50 7/8	25 3/16	63½	—	64 lbs.	2.1
CBV2460ABCN	Satin Nickel Metallic	**1327**	23	50 7/8	25 3/16	63½	—	64 lbs.	2.1
CBV2448ABCB	Cinder	$ **1273**	23	38 7/8	25 3/16	63½	—	64 lbs.	2.1
CBV2448ABCS	Platinum Metallic	**1273**	23	38 7/8	25 3/16	63½	—	64 lbs.	2.1
CBV2448ABCN	Satin Nickel Metallic	**1273**	23	38 7/8	25 3/16	63½	—	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABCB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware included
- Hand crank takes five full turns per inch of adjustment
- Adjustable glides

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Undersurface Support Rail (Worksurface)	**NAC0248SUR**		**$ 168**	2¾	48	1	—	—	5 lbs.	0.5
	NAC0236SUR		**144**	2¾	36	1	—	—	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 13/16" worksurface and greater than 60" on a 19/16" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces

Undersurface Wire Manager	**NAC0403WM**	Set of two	**$ 39**	5¼	25/8	1¾	—	—	1 lbs.	0.1

- Specify model number only
- Black
- When one touch pivoting power grommet is ordered with flip/nest table, two undersurface wire managers are installed on underside of surface

Mesh Wire Manager	**NAC0318WMM**	Black	**$ 83**	—	3	17½	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Wraps around leg and is secured with Velcro®

Vertical Wire Manager	**NAC0318WMV**	Cinder	**$ 171**	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	**171**	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	**171**	—	3	18	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Clamps to leg; no hardware required

To Order, Specify:

1. Model Number

Mesh Modesty Panel



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
NAC5408MPM	**$ 229**	¼	54	8	—	—	5 lbs.	0.7
NAC4808MPM	**203**	¼	48	8	—	—	4 lbs.	0.6
NAC4208MPM	**180**	¼	42	8	—	—	4 lbs.	0.5

- Specify base model only
- Used only for privacy, not support
- Offers horizontal cable management
- Fabric is a black mesh material

"L" Adjustable Height Base and Worksurface Matrix



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

Electrical Adjustable Height "L" Base	Base Model Number	Color	Depth A	Depth B	Width A	Width B	Extended Corner (Left or Right)	Rectangular Component Top
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

Manual (Hand Crank) Adjustable Height "L" Base	Base Model Number	Color	Depth A	Depth B	Width A	Width B	Extended Corner (Left or Right)	Rectangular Component Top
	CBV7272ALBCB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCS	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBCB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBCB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCS	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBCB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCS	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBCB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCS	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

“L” Adjustable Height Bases

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Electrical Adjustable Height “L” Base Kit



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
CBV7272ALBEB	Cinder	$ **2949**	23	62 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV7272ALBES	Platinum Metallic	**2949**	23	62 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV7272ALBEN	Satin Nickel Metallic	**2949**	23	62 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV7266ALBEB	Cinder	$ **2875**	23	62 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV7266ALBES	Platinum Metallic	**2875**	23	62 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV7266ALBEN	Satin Nickel Metallic	**2875**	23	62 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6666ALBEB	Cinder	$ **2801**	23	56 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6666ALBES	Platinum Metallic	**2801**	23	56 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6666ALBEN	Satin Nickel Metallic	**2801**	23	56 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6072ALBEB	Cinder	$ **2801**	23	50 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6072ALBES	Platinum Metallic	**2801**	23	50 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6072ALBEN	Satin Nickel Metallic	**2801**	23	50 7/8	25 3/16-44 1/16		—	87 lbs.	3.1
CBV6066ALBEB	Cinder	$ **2726**	23	50 7/8	25 3/16-44 1/16		—	80 lbs.	2.8
CBV6066ALBES	Platinum Metallic	**2726**	23	50 7/8	25 3/16-44 1/16		—	80 lbs.	2.8
CBV6066ALBEN	Satin Nickel Metallic	**2726**	23	50 7/8	25 3/16-44 1/16		—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 214-215 when specifying the Adjustable Height “L” Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 4 ft. long
- Adjustable glides

To Order, Specify:

1. Model Number

Manual (Hand Crank) Adjustable Height “L” Base Kit



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
CBV7272ALBCB	Cinder	$ **2218**	23	62 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV7272ALBCS	Platinum Metallic	**2218**	23	62 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV7272ALBCN	Satin Nickel Metallic	**2218**	23	62 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV7266ALBCB	Cinder	$ **2143**	23	62 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV7266ALBCS	Platinum Metallic	**2143**	23	62 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV7266ALBCN	Satin Nickel Metallic	**2143**	23	62 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6666ALBCB	Cinder	$ **2069**	23	56 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6666ALBCS	Platinum Metallic	**2069**	23	56 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6666ALBCN	Satin Nickel Metallic	**2069**	23	56 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6072ALBCB	Cinder	$ **2069**	23	50 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6072ALBCS	Platinum Metallic	**2069**	23	50 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6072ALBCN	Satin Nickel Metallic	**2069**	23	50 7/8	25 3/16	63½	—	87 lbs.	3.1
CBV6066ALBCB	Cinder	$ **1994**	23	50 7/8	25 3/16	63½	—	80 lbs.	2.8
CBV6066ALBCS	Platinum Metallic	**1994**	23	50 7/8	25 3/16	63½	—	80 lbs.	2.8
CBV6066ALBCN	Satin Nickel Metallic	**1994**	23	50 7/8	25 3/16	63½	—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 214-215 when specifying the Adjustable Height “L” Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hand crank takes five full turns per inch of adjustment
- Adjustable glides

WAVEWORKS PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 13/16" or 19/16" HPL (high pressure laminate) or 1 1/8" TFL (thermally fused laminate), and feature a 3mm PVC rim or six veneer rim options
- Veneer surfaces are 13/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile

FINISH APPLICATION

- WaveWorks products finished using IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)



Zip Wood (Z)



Concave Wood (C)

Step Wood (T)



Softened PVC (V)



Reed PVC (N)



Softened Thermofoil/ 3D Laminate (S)

PVC REED RIM

NM	Natural
HN2	Honey 2
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha

WOOD RIM

IM	Brighton
NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC	Autumn
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
792	Sable

PVC SOFTENED RIM

IM	Brighton
NM	Natural
HN2	Honey 2
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
791	Palisander
792	Sable
793	Acorn

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

FSC

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

WORKSURFACE SHEEN OPTIONS

R Standard
N Matte/Satin

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
*791 Palisander
792 Sable
*793 Acorn

*Not available on laminate/wood models

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic



$25 list for each grommet

G1L Left
G1R Right
G1LR Left & Right
G1C Center
G1LC Left & Center
G1RC Right & Center
G1A Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$30 list for each grommet

G11SNL Left
G11SNR Right
G11SNLR Left & Right
G11SNC Center
G11SNLC Left & Center
G11SNRC Right & Center
G11SNA Left, Right & Center

Racetrack Grommet, Platinum Metallic



$30 list for each grommet

G11PLL Left
G11PLR Right
G11PLLR Left & Right
G11PLC Center
G11PLLC Left & Center
G11PLRC Right & Center
G11PLA Left, Right & Center

Racetrack Grommet, Cinder



$30 list for each grommet

G11MBL Left
G11MBR Right
G11MBLR Left & Right
G11MBC Center
G11MBLC Left & Center
G11MBRC Right & Center
G11MBA Left, Right & Center

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17LC Left & Center
CUT-G17RC Right & Center
CUT-G17A Left, Right & Center



- Reference page 288 in the Casegoods Book 2 Price List for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)

- Reference page 436 for the pricing and details



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)

- Reference page 436 for the pricing and details



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 436 for the pricing and details

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	425	Shadow	462	Cinder
405	Designer White	440	Cloud	478	Platinum Grey
419	Wallaby	461	Graphite	485	Dark Chocolate

"L" Configuration Epic Worksurfaces

EPIC PRODUCT SPECIFICATIONS

WORKSURFACE
- Laminate surfaces are 13/1'6 HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 13/1'6 plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on one (K1) and/or two (K2) sides to simplify space planning

FINISH APPLICATION
- Epic products finished using IntegraClear® UV technology
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS



Softened PVC (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

WORKSURFACE SHEEN OPTIONS

R Standard
N Matte/Satin

SOFTENED PVC RIM

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

WOOD RIM

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

FSC

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

LAMINATE WORKSURFACES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
*791 Palisander
792 Sable
*793 Acorn

*Not available on laminate/wood models

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic



$25 list for each grommet

G1L Left
G1R Right
G1LR Left & Right
G1C Center
G1LC Left & Center
G1RC Right & Center
G1A Left, Right & Center

Racetrack Grommet, Cinder



$30 list for each grommet

G11MBL Left
G11MBR Right
G11MBLR Left & Right
G11MBC Center
G11MBLC Left & Center
G11MBRC Right & Center
G11MBA Left, Right & Center

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location



CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17LC Left & Center
CUT-G17RC Right & Center
CUT-G17A Left, Right & Center

- Reference page 288 in the Casegoods Book 2 Price List for cutout locations of CUT-G17

Racetrack Grommet, Satin Nickel Metallic



$30 list for each grommet

G11SNL Left
G11SNR Right
G11SNLR Left & Right
G11SNC Center
G11SNLC Left & Center
G11SNRC Right & Center
G11SNA Left, Right & Center

Racetrack Grommet, Platinum Metallic



$30 list for each grommet

G11PLL Left
G11PLR Right
G11PLLR Left & Right
G11PLC Center
G11PLLC Left & Center
G11PLRC Right & Center
G11PLA Left, Right & Center



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)

- Reference page 436 for the pricing and details



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)

- Reference page 436 for the pricing and details



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 436 for the pricing and details

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

"L" Configuration WaveWorks Worksurfaces

WaveWorks Product Specifications

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 288 in the Casegoods Book 2 Price List for grommet locations; and page 219 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

Base Model Key

W	Wood Top/Wood Rim
LW	Laminate Top/Wood Rim
L	Laminate Top/PVC Rim
LL	TFL Top/PVC Rim

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Extended Corner Worksurface



Left shown



Right shown

Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16 Top Thickness										
Left	***Right***									
WWN3672WSCEDLW2	**WWN3672WSCEDRW2**	Wood	**$ 1304**	35 13/16	72	19/16	—	—	79 lbs.	3.9
WWN3672WSCEDLLW2	**WWN3672WSCEDRLW2**	Laminate/Wood	**1304**	35 13/16	72	19/16	—	—	79 lbs.	3.9
WWN3672WSCEDLL2	**WWN3672WSCEDRL2**	Laminate	**1096**	35 13/16	72	19/16	—	—	79 lbs.	3.9
WWN3666WSCEDLW2	**WWN3666WSCEDRW2**	Wood	**$ 1266**	35 13/16	66	19/16	—	—	72 lbs.	3.6
WWN3666WSCEDLLW2	**WWN3666WSCEDRLW2**	Laminate/Wood	**1266**	35 13/16	66	19/16	—	—	72 lbs.	3.6
WWN3666WSCEDLL2	**WWN3666WSCEDRL2**	Laminate	**1045**	35 13/16	66	19/16	—	—	72 lbs.	3.6
WWN3660WSCEDLW2	**WWN3660WSCEDRW2**	Wood	**$ 1189**	35 13/16	60	19/16	—	—	65 lbs.	3.3
WWN3660WSCEDLLW2	**WWN3660WSCEDRLW2**	Laminate/Wood	**1189**	35 13/16	60	19/16	—	—	65 lbs.	3.3
WWN3660WSCEDLL2	**WWN3660WSCEDRL2**	Laminate	**998**	35 13/16	60	19/16	—	—	65 lbs.	3.3

- Modified width and depth not available on this shape
- For undersurface wire managers, see page 609 in the Casegoods Book 2 Price List

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Worksurface Sheen (wood models)
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

• See pages 218-219 for options

Sample Model Numbers:

WWN3672WSCEDLW2	E	F	X	D1B403	N	MH
WWN3672WSCEDLL2	E	V420	X	D1L420	420	
WWN3672WSCEDLLW2	E	F	X	D1R420	MH	MH

Extended Corner Worksurface (continued)



Left shown



Right shown

Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
13/16" Top Thickness										
Left	***Right***									
WW3672WSCEDLW2	**WW3672WSCEDRW2**	Wood	**$ 1181**	35	13/16	72	13/16	—	—	79 lbs.	3.9
WW3672WSCEDLLW2	**WW3672WSCEDRLW2**	Laminate/Wood	**1181**	35	13/16	72	13/16	—	—	79 lbs.	3.9
WW3672WSCEDLL2	**WW3672WSCEDRL2**	Laminate	**977**	35	13/16	72	13/16	—	—	79 lbs.	3.9
WW3672WSCEDLLL2	**WW3672WSCEDRLL2**	TFL	**782**	35	13/16	72	1 1/8	—	—	79 lbs.	3.9
WW3666WSCEDLW2	**WW3666WSCEDRW2**	Wood	**$ 1141**	35	13/16	66	13/16	—	—	72 lbs.	3.6
WW3666WSCEDLLW2	**WW3666WSCEDRLW2**	Laminate/Wood	**1141**	35	13/16	66	13/16	—	—	72 lbs.	3.6
WW3666WSCEDLL2	**WW3666WSCEDRL2**	Laminate	**927**	35	13/16	66	13/16	—	—	72 lbs.	3.6
WW3666WSCEDLLL2	**WW3666WSCEDRLL2**	TFL	**742**	35	13/16	66	1 1/8	—	—	72 lbs.	3.6
WW3660WSCEDLW2	**WW3660WSCEDRW2**	Wood	**$ 1064**	35	13/16	60	13/16	—	—	65 lbs.	3.3
WW3660WSCEDLLW2	**WW3660WSCEDRLW2**	Laminate/Wood	**1064**	35	13/16	60	13/16	—	—	65 lbs.	3.3
WW3660WSCEDLL2	**WW3660WSCEDRL2**	Laminate	**881**	35	13/16	60	13/16	—	—	65 lbs.	3.3
WW3660WSCEDLLL2	**WW3660WSCEDRLL2**	TFL	**705**	35	13/16	60	1 1/8	—	—	65 lbs.	3.3

• Modified width and depth not available on this shape
• For undersurface wire managers,see page 609 in the Casegoods Book 2 Price List

"L" Configuration Epic Worksurfaces

Epic Product Specifications

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all four sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Extended Corner Worksurface



Left shown



Right shown

Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Softened Rim										
Left	***Right***									
25N3672WSCELW2	**25N3672WSCERW2**	Wood	**$ 1181**	3515/16	72	13/16	—	—	79 lbs.	3.9
25N3672WSCELLW2	**25N3672WSCERLW2**	Lam/Wood	**1181**	3515/16	72	13/16	—	—	79 lbs.	3.9
25N3672WSCELL2	**25N3672WSCERL2**	Laminate	**977**	3515/16	72	13/16	—	—	79 lbs.	3.9
25N3666WSCELW2	**25N3666WSCERW2**	Wood	**$ 1141**	3515/16	66	13/16	—	—	72 lbs.	3.6
25N3666WSCELLW2	**25N3666WSCERLW2**	Lam/Wood	**1141**	3515/16	66	13/16	—	—	72 lbs.	3.6
25N3666WSCELL2	**25N3666WSCERL2**	Laminate	**927**	3515/16	66	13/16	—	—	72 lbs.	3.6
25N3660WSCELW2	**25N3660WSCERW2**	Wood	**$ 1064**	3515/16	60	13/16	—	—	65 lbs.	3.3
25N3660WSCELLW2	**25N3660WSCERLW2**	Lam/Wood	**1064**	3515/16	60	13/16	—	—	65 lbs.	3.3
25N3660WSCELL2	**25N3660WSCERL2**	Laminate	**881**	3515/16	60	13/16	—	—	65 lbs.	3.3
Knife Rim										
Left	***Right***									
25N3672WSCELW2K1	**25N3672WSCERW2K1**	Wood	**$ 1537**	361/16	7115/16	13/16	—	—	79 lbs.	3.9
25N3672WSCELLW2K1	**25N3672WSCERLW2K1**	Lam/Wood	**1537**	361/16	7115/16	13/16	—	—	79 lbs.	3.9
25N3672WSCELL2K1	**25N3672WSCERL2K1**	Laminate	**1515**	361/16	7115/16	13/16	—	—	79 lbs.	3.9
25N3666WSCELW2K1	**25N3666WSCERW2K1**	Wood	**$ 1485**	361/16	66	13/16	—	—	72 lbs.	3.6
25N3666WSCELLW2K1	**25N3666WSCERLW2K1**	Lam/Wood	**1485**	361/16	66	13/16	—	—	72 lbs.	3.6
25N3666WSCELL2K1	**25N3666WSCERL2K1**	Laminate	**1438**	361/16	66	13/16	—	—	72 lbs.	3.6
25N3660WSCELW2K1	**25N3660WSCERW2K1**	Wood	**$ 1383**	361/16	60	13/16	—	—	65 lbs.	3.3
25N3660WSCELLW2K1	**25N3660WSCERLW2K1**	Lam/Wood	**1383**	361/16	60	13/16	—	—	65 lbs.	3.3
25N3660WSCELL2K1	**25N3660WSCERL2K1**	Laminate	**1365**	361/16	60	13/16	—	—	65 lbs.	3.3

- Modified width and depth not available on this shape
- For undersurface wire managers, see page 609 in the Casegoods Book 2 Price List

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)
9. Rim Finish (laminate/wood models)

• See pages 220-221 for options

Sample Model Number:

25N3672WSCERW2 E V G1A X R MC

Extended Corner Worksurface (continued)



Left shown



Right shown

Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Knife Rim (continued)										
Left	***Right***									
25N3872WSCELW2K2	**25N3872WSCERW2K2**	Wood	**$ 1537**	37½	71 15/16	13 1/16	—	—	79 lbs.	3.9
25N3872WSCELLW2K2	**25N3872WSCERLW2K2**	Lam/Wood	**1537**	37½	71 15/16	13 1/16	—	—	79 lbs.	3.9
25N3872WSCELL2K2	**25N3872WSCERL2K2**	Laminate	**1515**	37½	71 15/16	13 1/16	—	—	79 lbs.	3.9
25N3866WSCELW2K2	**25N3866WSCERW2K2**	Wood	**$ 1485**	37½	66	13 1/16	—	—	72 lbs.	3.6
25N3866WSCELLW2K2	**25N3866WSCERLW2K2**	Lam/Wood	**1485**	37½	66	13 1/16	—	—	72 lbs.	3.6
25N3866WSCELL2K2	**25N3866WSCERL2K2**	Laminate	**1438**	37½	66	13 1/16	—	—	72 lbs.	3.6
25N3860WSCELW2K2	**25N3860WSCERW2K2**	Wood	**$ 1383**	37½	60	13 1/16	—	—	65 lbs.	3.3
25N3860WSCELLW2K2	**25N3860WSCERLW2K2**	Lam/Wood	**1383**	37½	60	13 1/16	—	—	65 lbs.	3.3
25N3860WSCELL2K2	**25N3860WSCERL2K2**	Laminate	**1365**	37½	60	13 1/16	—	—	65 lbs.	3.3

• Modified width and depth not available on this shape
• For undersurface wire managers, see page 609 in the Casegoods Book 2 Price List

"L" Configuration WaveWorks Worksurfaces

WaveWorks Product Specifications

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 288 in the Casegoods Book 2 Price List for grommet locations; and page 219 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit
LL	TFL Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Rectangular Worksurface 24" Depth



Direction of arrow designates woodgrain direction

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16" Top Thickness									
WWN2436WSSVDW	Wood	$ **690**	24	36 1/16	19/16	—	—	63 lbs.	1.8
WWN2436WSSVDLW	Laminate/Wood	**690**	24	36 1/16	19/16	—	—	63 lbs.	1.8
WWN2436WSSVDL	Laminate	**344**	24	36 1/16	19/16	—	—	63 lbs.	1.8
WWN2430WSSVDW	Wood	$ **676**	24	30 1/16	19/16	—	—	61 lbs.	1.5
WWN2430WSSVDLW	Laminate/Wood	**676**	24	30 1/16	19/16	—	—	61 lbs.	1.5
WWN2430WSSVDL	Laminate	**321**	24	30 1/16	19/16	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces

13/16" Top Thickness									
WW2436WSSVDW	Wood	$ **569**	24	36 1/16	13/16	—	—	63 lbs.	1.8
WW2436WSSVDLW	Laminate/Wood	**569**	24	36 1/16	13/16	—	—	63 lbs.	1.8
WW2436WSSVDL	Laminate	**227**	24	36 1/16	13/16	—	—	63 lbs.	1.8
WW2436WSSVDLL	TFL	**181**	24	36 1/16	11/8	—	—	63 lbs.	1.8
WW2430WSSVDW	Wood	$ **553**	24	30 1/16	13/16	—	—	61 lbs.	1.5
WW2430WSSVDLW	Laminate/Wood	**553**	24	30 1/16	13/16	—	—	61 lbs.	1.5
WW2430WSSVDL	Laminate	**204**	24	30 1/16	13/16	—	—	61 lbs.	1.5
WW2430WSSVDLL	TFL	**163**	24	30 1/16	11/8	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces
- For undersurface wire managers, see page 609 in the Casegoods Book 2 Price List

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

• See pages 220-221 for options

Sample Model Numbers:

WWN2436WSSVDW	M	F	X	D1BL403	X	55½	N	MH
WWN2436WSSVDL	M	V420	X	D1L420	X	55	420	
WWN2436WSSVDLW	M	F	X	D1B420	X	X	MH	MH

Rectangular Worksurface 24" Depth



Grain direction runs front-to-back

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Softened Rim									
25N2436WSSVW	Wood	$ **569**	24	36 1/16	13 1/16	—	—	33 lbs.	1.8
25N2436WSSVLW	Laminate/Wood	**569**	24	36 1/16	13 1/16	—	—	33 lbs.	1.8
25N2436WSSVL	Laminate	**227**	24	36 1/16	13 1/16	—	—	33 lbs.	1.8
25N2430WSSVW	Wood	$ **553**	24	30 1/16	13 1/16	—	—	28 lbs.	1.5
25N2430WSSVLW	Laminate/Wood	**553**	24	30 1/16	13 1/16	—	—	28 lbs.	1.5
25N2430WSSVL	Laminate	**204**	24	30 1/16	13 1/16	—	—	28 lbs.	1.5
Knife Rim									
25N2636WSSVWK1	Wood	$ **739**	25½	36 1/16	13 1/16	—	—	33 lbs.	1.8
25N2636WSSVLWK1	Laminate/Wood	**739**	25½	36 1/16	13 1/16	—	—	33 lbs.	1.8
25N2636WSSVLK1	Laminate	**352**	25½	36 1/16	13 1/16	—	—	33 lbs.	1.8
25N2630WSSVWK1	Wood	$ **719**	25½	30 1/16	13 1/16	—	—	28 lbs.	1.5
25N2630WSSVLWK1	Laminate/Wood	**719**	25½	30 1/16	13 1/16	—	—	28 lbs.	1.5
25N2630WSSVLK1	Laminate	**315**	25½	30 1/16	13 1/16	—	—	28 lbs.	1.5

• Grain direction runs front-to-back
• Intended to be used when building an L configuration utilizing components
• For undersurface wire managers, see page 609 in the Casegoods Book 2 Price List

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Number:

NAC7218PVCTP 1 1677

Rectangular Modesty Panel 1/3 Height Resin



Model No./Description	Grade 1 List Price	Grade 2 List Price	Grade 3 List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
NAC6012MPA	$ 569	$ 839	$ 942	3/16	59 11/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPA	511	756	849	3/16	53 11/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPA	454	669	751	3/16	47 11/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPA	398	588	660	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPA	341	506	569	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPA	284	419	470	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPA	227	337	379	3/16	23 13/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

Tapered Modesty Panel 1/3 Height Resin



Model No./Description	Grade 1 List Price	Grade 2 List Price	Grade 3 List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
NAC6012MPTA	$ 569	$ 839	$ 942	3/16	59 11/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPTA	511	756	849	3/16	53 11/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPTA	454	669	751	3/16	47 11/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPTA	398	588	660	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPTA	341	506	569	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPTA	284	419	470	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPTA	227	337	379	3/16	23 13/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

Rectangular Modesty Panel 1/3 Height Metal



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
NAC6012MP2M	$ 569	1/16	59 11/16	12 5/8	—	—	10 lbs.	3.9
NAC5412MP2M	511	1/16	53 11/16	12 5/8	—	—	10 lbs.	3.8
NAC4812MP2M	454	1/16	47 11/16	12 5/8	—	—	8 lbs.	3.7
NAC4212MP2M	398	1/16	41 3/4	12 5/8	—	—	8 lbs.	3.7
NAC3612MP2M	341	1/16	35 3/4	12 5/8	—	—	8 lbs.	3.7
NAC3012MP2M	284	1/16	29 3/4	12 5/8	—	—	6 lbs.	3.6
NAC2412MP2M	227	1/16	23 13/16	12 5/8	—	—	6 lbs.	3.6

- Specify Style E for embossed design
- Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

To Order, Specify:

1. Model Number
2. Resin Grade/Color

Edge Mounted Privacy Screen Rectangular, Resin



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
	Grade 1							
NAC7224PVCP	**$ 727**	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCP	**692**	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCP	**656**	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCP	**621**	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCP	**586**	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCP	**550**	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCP	**512**	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCP	**476**	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCP	**459**	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCP	**439**	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCP	**422**	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 13/16" and 19/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

Edge Mounted Privacy Screen Tapered, Resin



	Grade 1							
NAC7224PVCTP	**$ 727**	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCTP	**692**	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCTP	**656**	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCTP	**621**	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCTP	**586**	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCTP	**550**	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCTP	**512**	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCTP	**476**	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCTP	**459**	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCTP	**439**	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCTP	**422**	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 13/16" and 19/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Number:

NAC7232PVMCP 1 1677 501

Edge Mounted Privacy Screen Rectangular, Fabric



Model No./Description		Grade A	Grade B/COM	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
NAC7224PVC2PFA	Railroad	$ 1288	$ 1351		11/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVC2PFA	Railroad	$ 1207	$ 1263		11/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVC2PFA	Railroad	$ 1121	$ 1177		11/16	59 13/16	24	—	—	19 lbs.	4.0
NAC6024PVC2PF	Standard	1115	1164		11/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVC2PFA	Railroad	$ 1040	$ 1089		11/16	53 13/16	24	—	—	17 lbs.	3.6
NAC5424PVC2PF	Standard	1035	1084		11/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVC2PFA	Railroad	$ 960	$ 1002		11/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4824PVC2PF	Standard	955	1004		11/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVC2PFA	Railroad	$ 879	$ 921		11/16	41 7/8	24	—	—	14 lbs.	2.9
NAC4224PVC2PF	Standard	873	922		11/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVC2PFA	Railroad	$ 795	$ 830		11/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3624PVC2PF	Standard	790	839		11/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVC2PFA	Railroad	$ 713	$ 741		11/16	29 15/16	24	—	—	10 lbs.	2.2
NAC3024PVC2PF	Standard	708	757		11/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVC2PFA	Railroad	$ 672	$ 700		11/16	27	24	—	—	9 lbs.	2.0
NAC2724PVC2PF	Standard	666	694		11/16	27	24	—	—	9 lbs.	2.0
NAC2424PVC2PFA	Railroad	$ 625	$ 653		11/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2424PVC2PF	Standard	620	648		11/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVC2PFA	Railroad	$ 589	$ 610		11/16	21	24	—	—	7 lbs.	1.6
NAC2124PVC2PF	Standard	584	612		11/16	21	24	—	—	7 lbs.	1.6

- Privacy screens are 11/16" thick dual sided fabric
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 13/16" and 19/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Privacy screens that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Screen extends 18" above the surface and 4" below the surface

To Order, Specify:

1. Model Number
2. Fabric or Resin Grade/Color
3. Paint Color

• See pages 326 for fabrics





Shaded rectangle portrays a railroaded privacy/modesty screen.

Edge Mounted Privacy/Modesty Screen Rectangular, Resin



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
	Grade 1							
NAC7232PVMCP	**$ 1163**	3/16	72	32	—	—	46 lbs.	6.0
NAC6632PVMCP	**1106**	3/16	66	32	—	—	34 lbs.	5.5
NAC6032PVMCP	**1050**	3/16	60	32	—	—	32 lbs.	5.1
NAC5432PVMCP	**993**	3/16	54	32	—	—	30 lbs.	4.6
NAC4832PVMCP	**936**	3/16	48	32	—	—	28 lbs.	4.1
NAC4232PVMCP	**880**	3/16	42	32	—	—	26 lbs.	3.7
NAC3632PVMCP	**820**	3/16	36	32	—	—	24 lbs.	3.2
NAC3032PVMCP	**763**	3/16	30	32	—	—	22 lbs.	2.8
NAC2732PVMCP	**733**	3/16	27	32	—	—	22 lbs.	2.5
NAC2432PVMCP	**702**	3/16	24	32	—	—	20 lbs.	2.3
NAC2132PVMCP	**675**	3/16	21	32	—	—	18 lbs.	2.1

• Specify resin grade and color: Grade 1 Frosted (1677)
• Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
• Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 15/8"
• Privacy screen holders are made of 12-gauge steel
• Privacy screens are not intended to be stand alone units
• For use on 13/16" and 19/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
• Screen extends 18" above the surface and 12" below the surface

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACGBT2

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Edge Mounted Privacy/Modesty Screen Rectangular, Fabric



Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
NAC7232PVMC2PFA	Railroad	**$ 2056**	**$ 2175**	11/16	72	32	—	—	46 lbs.	6.0
NAC6632PVMC2PFA	Railroad	**$ 1924**	**$ 2036**	11/16	66	32	—	—	34 lbs.	5.5
NAC6032PVMC2PFA	Railroad	**$ 1796**	**$ 1897**	11/16	60	32	—	—	32 lbs.	5.1
NAC6032PVMC2PF	Standard	**1791**	**1847**	11/16	60	32	—	—	32 lbs.	5.1
NAC5432PVMC2PFA	Railroad	**$ 1664**	**$ 1755**	11/16	54	32	—	—	30 lbs.	4.6
NAC5432PVMC2PF	Standard	**1659**	**1715**	11/16	54	32	—	—	30 lbs.	4.6
NAC4832PVMC2PFA	Railroad	**$ 1532**	**$ 1616**	11/16	48	32	—	—	28 lbs.	4.1
NAC4832PVMC2PF	Standard	**1526**	**1582**	11/16	48	32	—	—	28 lbs.	4.1
NAC4232PVMC2PFA	Railroad	**$ 1405**	**$ 1478**	11/16	42	32	—	—	26 lbs.	3.7
NAC4232PVMC2PF	Standard	**1400**	**1456**	11/16	42	32	—	—	26 lbs.	3.7
NAC3632PVMC2PFA	Railroad	**$ 1269**	**$ 1332**	11/16	36	32	—	—	24 lbs.	3.2
NAC3632PVMC2PF	Standard	**1264**	**1320**	11/16	36	32	—	—	24 lbs.	3.2
NAC3032PVMC2PFA	Railroad	**$ 1137**	**$ 1193**	11/16	30	32	—	—	22 lbs.	2.8
NAC3032PVMC2PF	Standard	**1132**	**1188**	11/16	30	32	—	—	22 lbs.	2.8
NAC2732PVMC2PFA	Railroad	**$ 1071**	**$ 1120**	11/16	27	32	—	—	22 lbs.	2.5
NAC2732PVMC2PF	Standard	**1066**	**1094**	11/16	27	32	—	—	22 lbs.	2.5
NAC2432PVMC2PFA	Railroad	**$ 1005**	**$ 1054**	11/16	24	32	—	—	20 lbs.	2.3
NAC2432PVMC2PF	Standard	**1000**	**1028**	11/16	24	32	—	—	20 lbs.	2.3
NAC2132PVMC2PFA	Railroad	**$ 937**	**$ 979**	11/16	21	32	—	—	18 lbs.	2.1
NAC2132PVMC2PF	Standard	**932**	**960**	11/16	21	32	—	—	18 lbs.	2.1

- Privacy screens are 11/16" thick dual sided fabric; the overall assembly thickness
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 13/16" and 19/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Privacy screens that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Screen extends 18" above the surface and 12" below the surface

To Order, Specify:

1. Model Number
2. Fabric Grade/Color
3. Paint Color

• See pages 326 for fabrics



Shaded rectangle portrays a railroaded privacy/modesty screen.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Ganging Bracket	**NACGBT2**	Table Ganging Bracket Kit	**$ 75**	—	—	—	—	—	1 lbs.	0.1

• Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
• All hardware included
• Available in black only
• Specify model number only

Vertical Wire Manager	**NAC30WMV**		**$ 191**	1½	3¼	31	—	—	2 lbs.	0.2



• Graphite color
• Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables

Horizontal Wire Manager	**NAC17WMH**	Black Plastic	**$ 47**	2½	17	4¼	—	—	3 lbs.	0.5
	NAC24WMH	Black Plastic	**54**	2½	24	4¼	—	—	3 lbs.	0.5

• Attaches below worksurface; can be installed horizontally or vertically
• Used to conceal power in-feed and data cables

Fold™ Nesting Tables

FOLD NESTING TABLES PRODUCT SPECIFICATIONS

TOP SIZES

- Concave Top – 29½" width x 21⅝" depth
- Rectangular Top – 59" width x 21⅝" depth

TOPS

- Laminate surfaces are 1" thick HPL (high pressure laminate)
- Laminate surfaces feature a 3 mm PVC or T-mold rim

GROMMET OPTION

- Optional G1 grommet

FLIP/NEST FUNCTIONALITY

- Flip mechanism allows top to flip vertically for nesting capabilities
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommet and standard modesty panel is attached



SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

FSC

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

LAMINATE TOPS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

RIM PROFILE OPTIONS

PVC Softened Rim

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

Softened PVC (V)

TABLE LEG COLORS

1 Designer White
2 Silver
3 Black

GROMMET

Fold Nesting Tables are available with a G1C grommet to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

- G1C Grommet, Center
- X No Grommet

Fold Nesting Tables

Base Model Key

L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

61N2430CCFMVL V405 X 405 1
61N2460CCFMYL X 405 1

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Concave Table PVC Rim	**61N2430CCFMVL**	Laminate	**$ 779**	23 3/8	29½	29 5/8	—	—	43 lbs.	4.2

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Not recommended to be ganged

Concave Table T-Mold Rim	**61N2430CCFMYL**	Laminate	**$ 779**	23 3/8	29½	29 5/8	—	—	43 lbs.	4.2

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Features T-mold rim in Graphite color
- Not recommended to be ganged

To Order, Specify:

1. Model Number
2. Rim Profile/Color (PVC models only)
3. Grommet
4. Laminate
5. Paint

For options, see page 237

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Rectangular Table PVC Rim	**61N2460RTFMVL**	Laminate	**$ 1075**	24 1/8	59	29 5/8	—	—	66 lbs.	7.0

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- PVC rim and T-mold rim tops can not be ganged together
- Tables must be unganged when putting tables in the flip position

Rectangular Table T-Mold Rim	**61N2460RTFMYL**	Laminate	**$ 1075**	24 1/8	59	29 5/8	—	—	66 lbs.	7.0

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Features T-mold rim in Graphite color
- PVC rim and T-mold rim tops can not be ganged together
- Tables must be unganged when putting tables in the flip position

Ganging Bracket	**61NGB1**	Two per package	**$ 52**	2	6½	5/8	—	—	2 lbs.	0.5



- Featured in Graphite color
- Only to be used with 24" x 60" rectangular tables

Storage Components and Accessories

Arrowood

Specify selections, left to right:

Base Model	Grommet Option	Locking	Sheen (wood tops only)	Finish (31N only)	Laminate (21N only)
	G13LR Black, Left & Right	KRB Key Random, Black	R Standard	IM Brighton	IM Brighton
	G13C Black, Center	KRS Key Random, Silver	N Matte/Satin	NM Natural	NM Natural
	X No Grommet	KS2B Key Specific, Black		HN Honey	HN2 Honey 2
		KS2S Key Specific, Silver		CL Caramel	CL Caramel
				TF Truffle	TF Truffle
				AC Autumn	AC2 Autumn 2
				MC Amber	MC Amber
				CW Cordovan	CW Cordovan
				DW Judicial	DW Judicial
				MH Mocha	MH Mocha
					791 Palisander
					792 Sable
					793 Acorn
31N2472CBVLW	X			MC	

For details and product specifications, see pages 50-51 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Entertainment Credenza	**31N2472CBVW**	Wood	$ **3760**	22 25/32	71 13/16	34 15/16	—	—	309 lbs.	36.4
	31N2472CBVLW	Laminate/Wood	**3760**	22 25/32	71 13/16	34 15/16	—	—	309 lbs.	36.4



- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- Inside dimension of each storage section is 21" deep x 34½" wide x 23¼" high
- Unfinished back panel
- Cutouts in back panel for venting
- Grommet (G13LR) available
- Rim on front and sides of model
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Printer/Telephone Stand	**31N2430PTLW**	Laminate/Wood	$ **1075**	23¾	29½	29½	—	—	89 lbs.	18.7
	MPK-4	Set of 4 Casters	**65**	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 27⅜ wide and ¾" thick
- Open back
- Grommet (G13C) available

Printer/Telephone Stand	**21N2430PTL**		$ **680**	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4	Set of 4 Casters	**65**	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep and 27¾" wide and ¾" thick
- Open back
- Grommet (G13C) available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	80AB Provincial	G13C Black, Center	KRB Key Random, Black	R Standard	TF Truffle
	81AB Classic	X No Grommet	KS1B Key Specific, Black	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass				DW Judicial
	85CN Verona, Classic Nickel				MH Mocha
50N2172CBVW	80AB	G13C	KRB	R	DW

For details and product specifications, see pages 74-75 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Entertainment Credenza	**50N2172CBVW**	Wood	**$ 3697**	21	71¾	34½	—	—	379 lbs.	42.9
	**50N2172CBVLW**	Laminate/Wood	**3697**	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Cutouts in back panel for venting
- Unfinished back panel
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

Buffet Credenza	**50N2172CBW**	Wood	**$ 3697**	21	71¾	34½	—	—	379 lbs.	42.9
	**50N2172CBLW**	Laminate/Wood	**3697**	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Unfinished back panel
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS1B) available

Telephone Stand	**50N2421PTHW**	Wood	**$ 1308**	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW	Laminate/Wood	**1308**	23¾	20¾	29½	—	—	115 lbs.	16.0

- Left-hinged door on unit
- Grommet option not available

Barrington

Specify selections, left to right:

Base Model	Grommet Option	Sheen (wood tops only)	Finish
	G13C Black, Center	R Standard	TF Truffle
	X No Grommet	N Matte/Satin	CW Cordovan
			DW Judicial
			MH Mocha
50N2430PTW	G13C	R	DW

For details and product specifications, see pages 74-75 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Printer/Telephone Stand	**50N2430PTW**	Wood	**$ 1393**	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW	Laminate/Wood	**1393**	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	**65**	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 26 1/8 wide and ¾" thick
- Height from top of shelf to bottom of top is 18 3/16"
- Open back
- Picture frame molding on sides
- Grommet (G13C) available

Printer/Telephone Stand	**40N2430PTL**	Laminate	**$ 745**	23¾	29¾	29½	—	—	67 lbs.	14.3
	MPK-4	Set of 4 casters	**65**	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 26 1/8 wide and ¾" thick
- Height from top of shelf to bottom of top is 18 3/16"
- Open back
- Grommet (G13C) available

Traditional Visual Board	**50N4240VBW**		**$ 2256**	5	41 7/8	39 2/3	—	—	72 lbs.	7.4



- Tackable black fabric covers inside panels
- A set of 4 dry erase markers and an eraser are standard
- Frame of visual board is black
- Grommet option not available

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	G11SNLR Satin Nickel Metallic, Left & Right G11MBLR Cinder, Left & Right G11PLLR Platinum Metallic, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
36N2473CBVW	TA	70SN	G11SNLR		R	CW

For details and product specifications, see pages 98-99 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Entertainment Credenza	**36N2473CBVW**	Wood	**$ 4385**	24	73¼	35 7/8	—	—	382 lbs.	49.6
	36N2473CBVLW	HPL Top	**4385**	24	73¼	35 7/8	—	—	382 lbs.	49.6



- Rim and base molding on front and sides of model
- Credenza features an adjustable shelf (21 11/16" deep, 33¾" wide and 1" thick)
- Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high
- Cutouts in back panel for venting
- Doors are non-locking
- Grommets (G11SNLR, G11MBLR, G11PLLR) available $60 list upcharge
- Unfinished back panel

Buffet Credenza	**36N2473CBW**	Wood	**$ 4385**	24	73¼	35 7/8	—	—	382 lbs.	49.6
	36N2473CBLW	HPL Top	**4385**	24	73¼	35 7/8	—	—	382 lbs.	49.6



- Rim and base molding on front and sides of model
- Credenza features an adjustable shelf (21 11/16" deep, 33¾" wide and 1" thick)
- Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high
- Grommet option not available
- Doors are non-locking

Entertainment Cabinet	**36N3773VVHW**	Wood	**$ 4895**	23½	37	73	—	—	311 lbs.	52.1



- Specify rim, pull and finish only
- Cornice and base molding on front and sides of model
- Interior dimensions 21¼" D, 34" W, upper storage 43 13/16" H, lower storage 25½" H
- Shaded shelves are adjustable
- Features standard sheen
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Casbah

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat	72SN Balance, Sat. Nick. Met.	G11SNC Sat. Nick. Met., Center	KRB Key Random, Black	R Standard	IM Brighton	462 Cinder
	RE Reed*	72MB Balance, Cinder	G11SNLR Sat. Nick. Met., Left & Right	KRS Key Random, Silver	N Matte/Satin	NM Natural	501 Plat. Met.
		72PL Balance, Plat. Met.	G11MBC Cinder, Center	KS2B Key Specific, Black		HN Honey	503 Sat. Nick. Met.
		73SN Sweep, Sat. Nick. Met.	G11MBLR Cinder, Left & Right	KS2S Key Specific, Silver		CL Caramel	
		73MB Sweep, Cinder	G11PLC Plat. Met., Center	KS3B Key Specific, Black		TF Truffle	
		73PL Sweep, Plat. Met.	G11PLLR Plat. Met., Left & Right	KS3S Key Specific, Silver		AC Autumn	
		74SN Groove, Sat. Nick. Met.	X No Grommet			MC Amber	
		74MB Groove, Cinder				CW Cordovan	
		74PL Groove, Plat. Met.				DW Judicial	
						MH Mocha	
38N2472CBVW	RE	72SN	X	KRB	R	MH	

*10% list upcharge

For details and product specifications, see pages 127-128 in the Casegoods Book 1 Price List

Entertainment Credenza



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood Façade								
38N2490CBVW	**$ 5504**	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBVW	**4561**	24	71 15/16	34 1/16	—	—	381 lbs.	46.7
Painted Façade								
38N2490CBVWP	**$ 5504**	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBVWP	**4561**	24	71 15/16	34 1/16	—	—	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable shelf (1" thick and 21 3/8" deep)
- (3) shelves in 90" cabinet are each 28 7/16" wide
- (2) shelves in 72" cabinet are each 34 7/16" wide
- Cutouts in back panel for venting
- Grommets available for $30 list upcharge per grommet; 72" unit (G11SNLR, G11MBLR, G11PLLR), 90" unit (G11SNLR, G11MBLR, G11PLLR, G11SNC, G11MBC, G11PLC)
- Unfinished back panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

Buffet Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood Façade									
38N2490CBW	Wood	**$ 5504**	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBW	Wood	**4561**	24	71 15/16	34 1/16	—	—	381 lbs.	46.7
Painted Façade									
38N2490CBWP	Wood	**$ 5504**	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBWP	Wood	**4561**	24	71 15/16	34 1/16	—	—	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable laminate shelf (1" thick and 21 3/8" deep)
- (3) shelves in 90" cabinet are each 28 7/16" wide
- (2) shelves in 72" cabinet are each 34 7/16" wide
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

Entertainment Cabinet



38N3680VVHW	**$ 5699**	23 9/16	35 7/8	79 1/4	—	—	345 lbs.	56.5
38N3668VVHW	**5089**	23 9/16	35 7/8	67 7/16	—	—	299 lbs.	48.6

- Specify pull and finish only
- Features standard sheen
- Interior dimensions for 80" unit:
  22" D, 34 7/16" W, upper storage from the fixed shelf 45½" H, lower storage 23 13/16" H
- Interior dimensions for 68" unit:
  22" D, 34 7/16" W, upper storage from the fixed shelf 33 11/16" H, lower storage 23 13/16" H
- Features an adjustable shelf in lower storage
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	77SN Keen, Satin Nickel	G14LR Black, Left & Right	KRB Key Random, Black	R Standard	IM Brighton
		X No Grommet	KS2B Key Specific, Black	N Matte/Satin	NM Natural
					HN Honey
					CL Caramel
					TF Truffle
					AC Autumn
					MC Amber
					CW Cordovan
					DW Judicial
					MH Mocha
CLN2472CBVW	77SN	G14LR		R	AC

For details and product specifications, see pages 170-171 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Entertainment Credenza	**CLN2472CBVW**	Wood	**$ 5050**	25½	73¾	34 13/16	—	—	275 lbs.	37.8
	CLN2472CBVLW	Laminate/Wood	**5050**	25½	73¾	34 13/16	—	—	275 lbs.	37.8



- Cutouts in back panel for venting
- Unfinished back panel
- Features an adjustable shelf behind each set of doors
- Grommet (G14LR) available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Random lock core (KRB) and specified lock core (KS2B) available

Square Nesting Table Top	**CLN2424SQW**	Wood Top	**$ 553**	24	24	11/16	—	—	21 lbs.	0.7
	CLN2424SQLW	Laminate Top	**520**	24	24	11/16	—	—	21 lbs.	0.7



- For use with 22" disc base

Epic

Product Specification

- If specifying wood, you must specify the same finish for all options

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim/ Wood Chassis
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

25NN2448CVMSL VMH 89PL G1LR KS2S FR501 461 MH MH

Media Storage Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Softened Rim									
72"—19/16" Top Thickness									
25NN2472CVMSW	Wood	**$ 6016**	24	72	357/16	—	—	383 lbs.	36.3
25NN2472CVMSLW	Laminate/Wood	**6016**	24	72	357/16	—	—	383 lbs.	36.3
25NN2472CVMSL	Laminate	**5253**	24	72	357/16	—	—	383 lbs.	36.3
60"—19/16" Top Thickness									
25NN2460CVMSW	Wood	**$ 5826**	24	60	357/16	—	—	325 lbs.	28.9
25NN2460CVMSLW	Laminate/Wood	**5826**	24	60	357/16	—	—	325 lbs.	28.9
25NN2460CVMSL	Laminate	**5061**	24	60	357/16	—	—	325 lbs.	28.9
48"—19/16" Top Thickness									
25NN2448CVMSW	Wood	**$ 5634**	24	481/16	357/16	—	—	290 lbs.	24.7
25NN2448CVMSLW	Laminate/Wood	**5634**	24	481/16	357/16	—	—	290 lbs.	24.7
25NN2448CVMSL	Laminate	**4872**	24	481/16	357/16	—	—	290 lbs.	24.7
Knife Rim									
72"—19/16" Top Thickness									
25NN2672CVMSWK1	Wood	**$ 6261**	25½	72	357/16	—	—	383 lbs.	36.3
25NN2672CVMSLWK1	Laminate/Wood	**6261**	25½	72	357/16	—	—	383 lbs.	36.3
25NN2672CVMSLK1	Laminate	**5533**	25½	72	357/16	—	—	383 lbs.	36.3
60"—19/16" Top Thickness									
25NN2660CVMSWK1	Wood	**$ 6056**	25½	60	357/16	—	—	325 lbs.	28.9
25NN2660CVMSLWK1	Laminate/Wood	**6056**	25½	60	357/16	—	—	325 lbs.	28.9
25NN2660CVMSLK1	Laminate	**5316**	25½	60	357/16	—	—	325 lbs.	28.9
48"—19/16" Top Thickness									
25NN2648CVMSWK1	Wood	**$ 5857**	25½	481/16	357/16	—	—	290 lbs.	24.7
25NN2648CVMSLWK1	Laminate/Wood	**5857**	25½	481/16	357/16	—	—	290 lbs.	24.7
25NN2648CVMSLK1	Laminate	**5089**	25½	481/16	357/16	—	—	290 lbs.	24.7

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only, 19/16" top thickness
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the 25NN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the 25NN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the 25NN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Worksurface Sheen (wood models)
11. Veneer Chassis Finish/Laminate Chassis Color

For details and product specifications, see pages 32-35 in the Casegoods Book 2 Price List

Entertainment Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Softened Rim									
19/16" Top Thickness									
25NN2472CBVW	Wood	**$ 4743**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2472CBVLW	Laminate/Wood	**4743**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2472CBVL	Laminate	**3836**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
13/16" Top Thickness									
25N2472CBVW	Wood	**$ 4229**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2472CBVLW	Laminate/Wood	**4229**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2472CBVL	Laminate	**3419**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
Knife Rim									
19/16" Top Thickness									
25NN2672CBVWK1	Wood	**$ 4988**	25½	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2672CBVLWK1	Laminate/Wood	**4988**	25½	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2672CBVLK1	Laminate	**4117**	25½	71 15/16	35 7/16	—	—	381 lbs.	46.7
13/16" Top Thickness									
25N2672CBVWK1	Wood	**$ 4437**	25½	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2672CBVLWK1	Laminate/Wood	**4437**	25½	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2672CBVLK1	Laminate	**3635**	25½	71 15/16	35 1/16	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Epic

Product Specification

- If specifying wood, you must specify the same finish for all options

Base Model Key

W Wood Unit
LW Laminate Top/Wood Rim/ Wood Chassis
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Buffet Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Softened Rim									
19/16" Top Thickness									
25NN2472CBW	Wood	**$ 4743**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2472CBLW	Laminate/Wood	**4743**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2472CBL	Laminate	**3836**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
13/16" Top Thickness									
25N2472CBW	Wood	**$ 4229**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2472CBLW	Laminate/Wood	**4229**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2472CBL	Laminate	**3419**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
Knife Rim									
19/16" Top Thickness									
25NN2672CBWK1	Wood	**$ 4988**	25½	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2672CBLWK1	Laminate/Wood	**4988**	25½	71 15/16	35 7/16	—	—	381 lbs.	46.7
25NN2672CBLK1	Laminate	**4117**	25½	71 15/16	35 7/16	—	—	381 lbs.	46.7
13/16" Top Thickness									
25N2672CBWK1	Wood	**$ 4437**	25½	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2672CBLWK1	Laminate/Wood	**4437**	25½	71 15/16	35 1/16	—	—	381 lbs.	46.7
25N2672CBLK1	Laminate	**3635**	25½	71 15/16	35 1/16	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Worksurface Sheen (wood models)
11. Veneer Chassis Finish/Laminate Chassis Color

For details and product specifications, see pages 32-35 in the Casegoods Book 2 Price List

Media Storage Tower
Single Door



Left shown

Model No./Description				List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Left Hinged	***Right Hinged***										
25NN1880VSHLW	**25NN1880VSHRW**	Wood	$	**3079**	23 9/16	17 15/16	79 1/4	—	—	197 lbs.	31.0
25NN1880VSHLL	**25NN1880VSHRL**	Laminate		**1810**	23 9/16	17 15/16	79 1/4	—	—	197 lbs.	31.0

- Shaded shelves are adjustable one fixed and four adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

Escalade

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish
	79SN Fluid, Satin Nickel	G1C Black, Center	KRB Key Random, Black	R Standard	IM Brighton
		X No Grommet	KRS Key Random, Silver	N Matte/Satin	NM Natural
			KS1B Key Specific, Black		HN Honey
			KS1S Key Specific, Silver		CL Caramel
			KS2B Key Specific, Black		TF Truffle
			KS2S Key Specific, Silver		AC Autumn
					MC Amber
					CW Cordovan
					DW Judicial
					MH Mocha
ECN2273CBVW	79SN	G1C	KRB	N	CL

For details and product specifications, see pages 190-191 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Entertainment Credenza	**ECN2273CBVW**	Wood	**$ 4234**	22¼	72½	35 11/16	—	—	380 lbs.	45.2



- Rim and base molding on front and sides of model
- Center two doors lock
- Unfinished back panel
- Unit features three standard adjustable shelves
- Unit features a functional, non-locking drawer
- Cutouts in back panel for venting
- Grommet (G1C) available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Buffet Credenza	**ECN2273CBW**	Wood	**$ 4234**	22¼	72½	35 11/16	—	—	380 lbs.	45.2



- Rim and base molding on front and sides of model
- Center two doors lock
- Unfinished back panel
- Unit features three standard adjustable shelves
- Unit features a functional, non-locking drawer
- Grommet option not available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Entertainment Cabinet	**ECN3879VVHW**	Wood	**$ 4772**	23 7/16	38 3/16	78½	—	—	340 lbs.	48.9



- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unfinished back panel
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20 13/16 D, 34 5/8 W, 47 1/8 H
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Mobile Utility Cart	**ECN2238MUCW**	Wood	**$ 2128**	22¼	38 1/8	35 11/16	—	—	145 lbs.	24.7



- Can function as a service cart, overhead projector stand or TV cabinet
- Unit features a single adjustable shelf
- Unfinished back panel
- Four dual wheel non-locking casters are standard
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

Base Model	Finish	Laminate			
	IM Brighton	IM	Brighton	440	Cloud
	NM Natural	NM	Natural	461	Graphite
	HN Honey	HN2	Honey 2	462	Cinder
	CL Caramel	CL	Caramel	478	Platinum Grey
	TF Truffle	TF	Truffle	488	Frosty White
	AC Autumn	AC2	Autumn 2	491	Designer White Linear
	MC Amber	MC	Amber	491H	Designer White Linear Horizontal
	CW Cordovan	CW	Cordovan	492	Cinder Linear
	DW Judicial	DW	Judicial	492H	Cinder Linear Horizontal
	MH Mocha	MH	Mocha	791	Palisander
		405	Designer White	791H	Palisander Horizontal
		417	Mojave	792	Sable
		418	Mouse	792H	Sable Horizontal
		419	Wallaby	793	Acorn
		425	Shadow		
ECN0637CPCFW	NM				

For details and product specifications, see pages 190-191 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Visual Board	***Wood***									
	**NAC3639VBW**	36"	**$ 1702**	41 5/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBW	42"	**2190**	41 5/16	41 15/16	39 11/16	—	—	82 lbs.	7.1
	Laminate									
	NAC3639VBL	36"	**$ 1405**	41 5/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBL	42"	**1628**	41 5/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of four dry erase markers and an eraser are standard
- Marker board is not magnetic

Escalade Visual Board Cornice Top	**ECN0637CPCFW**	**$ 474**	5 3/4	37 7/16	31 5/16	—	—	35 lbs.	1.1
	**ECN0643CPCFW**	**547**	5 3/4	43 3/8	31 5/16	—	—	40 lbs.	1.3

- ECN0637CPCFW fits on top of NAC3639VBW
- ECN0643CPCFW fits on top of NAC4239VBW

Flourish

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Finish
	TC Fluted	83MB Curved, Black	G13LR Left & Right	KRB Key Random, Black	IM Brighton
	TD Eased	83SV Curved, Platinum Metallic	X No Grommet	KRS Key Random, Silver	NM Natural
		84MB Elongated, Black		KS1B Key Specific, Black	HN Honey
		84SV Elongated, Platinum Metallic		KS1S Key Specific, Silver	CL Caramel
				KS2B Key Specific, Black	TF Truffle
				KS2S Key Specific, Silver	AC Autumn
					MC Amber
					CW Cordovan
					DW Judicial
					MH Mocha
19N2472CSFW2	TC	83MB		KRB	NM

For details and product specifications, see pages 214-215 in the Casegoods Book 1 Price List

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Storage Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Q19N2472CSFW2	Wood Top	**$ 2565**	239/16	72¼	29	7/16	—	320 lbs.	34.4
19N2472CSFW2	Wood Top	**2515**	239/16	72¼	29	7/16	—	320 lbs.	34.4
19N2472CSFLW2	TFL Top	**2301**	239/16	72¼	29	7/16	—	320 lbs.	34.4
19N2467CSFW2	Wood Top	**$ 2395**	239/16	66½	29	7/16	—	299 lbs.	31.1
19N2467CSFLW2	TFL Top	**2183**	239/16	66½	29	7/16	—	299 lbs.	31.1

- Features an adjustable shelf measuring 12" deep, 32¾" wide, and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Double Door Unit



19N2436PFHW	Wood Top	**$ 1392**	239/16	36	29	—	—	156 lbs.	17.0
19N2436PFHLW	TFL Top	**1336**	239/16	36	29	—	—	156 lbs.	17.0

- Unit features an adjustable shelf
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen	Finish
	T1 Taper	1MB Triangle, Cinder	G13LR Black, Left & Right	KRB Key Random, Black	R Standard	IM Brighton
	T2 Pillar	1PL Triangle, Platinum Metallic	G13C Black, Center	KRS Key Random, Silver	N Matte/Satin	NM Natural
	T3 Reed	2MB Crescent, Cinder	X No Grommet	KS1B Key Specific, Black		HN Honey
		2PL Crescent, Platinum Metallic		KS1S Key Specific, Silver		CL Caramel
		3MB Bar, Cinder		KS2B Key Specific, Black		TF Truffle
		3PL Bar, Platinum Metallic		KS2S Key Specific, Silver		AC Autumn
						MC Amber
						CW Cordovan
						DW Judicial
						MH Mocha
35N2172CSFW2	T2	1PL	G13LR	KRB	R	CL

For details and product specifications, see pages 226-227 in the Casegoods Book 1 Price List

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Storage Credenza	**35N2172CSFW2**	Wood	**$ 2947**	21	71¾	29½	1/16	—	309 lbs.	36.4
	**35N2166CSFW2**	Wood	**2690**	21	66	29½	1/16	—	308 lbs.	33.6

- Features an adjustable shelf which measures 12" deep, 32¾" wide and 1" thick
- Grommet (G13LR) available
- Unfinished back panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Double Door Unit	**35N2136PFHW**	Wood	**$ 1451**	21	35¾	29½	1/16	—	138 lbs.	15.6
										

- Double door unit features an adjustable shelf
- Grommet option not available
- Unfinished back panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Entertainment Cabinet (Shown on Double Door Unit)	**35N3636V0VHW**	Wood	**$ 2557**	21	35 25/32	36	—	—	144 lbs.	19.1
	Inside Dimensions			18 11/32	34 7/32	34 1/16				

- Entertainment cabinet can sit on top of double door unit
- Entertainment cabinet has one adjustable shelf
- From top of bottom panel to bottom of shelf (in its lowest position), the height is 31 1/16; from top of shelf (in its lowest position) to bottom of top panel, the height is 29 1/8; height between the shelf holes is 2½"; each time a shelf is moved, the 31 1/16 and 29 1/8 dimensions will increase/decrease 2½"; there are 10 adjustment holes
- Unit has an unfinished back
- Unit doors have a 170° hinge
- Do not specify sheen option; features standard sheen
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Printer/Telephone Stand	**35N2430PTW**	Wood	**$ 1196**	23¾	29¾	29½	1/16	27 3/8	94 lbs.	18.7
	**MPK-4**	Set of 4 Casters	**65**	For use as a mobile unit					1 lbs.	0.2

- Open back
- Grommet (G13C) available

Roosevelt

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	82AB Antique Brass	G13LR Left & Right	KRB Key Random, Black	R Standard	TF Truffle
	82CN Classic Nickel	G13C Center	KS2B Key Specific, Black	N Matte/Satin	CW Cordovan
		X No Grommet			DW Judicial
					MH Mocha
51N2172CSFW2	82AB	X	KRB	N	MH

For details and product specifications, see pages 240-241 in the Casegoods Book 1 Price List

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Storage Credenza	**51N2172CSFW2**	Wood Top	$ **2584**	21	71¾	29½	—	—	340 lbs.	36.4
	Q51N2172CSFLW2	Laminate Top	**2444**	21	71¾	29½	—	—	340 lbs.	36.4
	51N2172CSFLW2	Laminate Top	**2394**	21	71¾	29½	—	—	340 lbs.	36.4



- Features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet (G13LR) available
- Unfinished back panel
- Random lock core (KRB) and specified lock core (KS2B) available

Printer/Telephone Stand	**51N2430PTW**	Wood Top	$ **1380**	23¾	29¾	30	—	—	81 lbs.	18.7
	51N2430PTLW	Laminate Top	**1352**	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	**65**	For use as a mobile unit					4 lbs.	0.2



- Grommet (G13C) available
- Fixed shelf is 12" deep, 26⅛ wide and ¾" thick
- Height between shelves is 18 3/16
- Open back

Universal

UNIVERSAL SPECIFICATIONS

MEDIA WALL

- Internal construction is extruded aluminum
- Four access panels are removable for cord and wire management
- Can be wall mounted, suspended or ganged with WaveWorks media towers and WaveWorks media credenzas
- Maximum TV/Flat panel load not to exceed 200 lbs
- Flat panel mount kit is set for screens weighing 75–125 lbs; if screen weighs less than 75 lbs or more than 125 lbs, an adjustment will be necessary
- Note: It is the responsibility of the installer and/or contractor to select and install the proper fasteners in the structural wall to support the media wall. National does not furnish fasteners or assume liability for their use

MEDIA SHELF

- Sized to coincide with the media walls
- Clear glass shelf (½" thick) on 63⅜ clear anodized aluminum stanchions attached to veneer base
- Can be mounted to underside of media wall or set on a credenza for additional storage space

FLAT SCREEN MOUNT KIT

Fixed

- Tilt range up to 20° (depending on screen size)
- 180° portrait-to-landscape rotation – easy to level
- Lateral shift of 12" (6" left or right)
- No buttons or knobs to adjust
- VESA compliant
- Bolts can be loosened to vertical wall track to allow for easy centering
- Variety of fasteners and spacers included to accommodate most flat panels
- Supports screen sizes 37" to 65" up to 200 lbs
- Flat screen mount kit is set for screens weighing 75–125 lbs; if screen weighs less than 75 lbs or more than 125 lbs, an adjustment will be necessary

Articulating

- 180° portrait-to-landscape rotation – easy to level
- Extension range 20" from wall when fully extended
- 5" from wall in retracted position (from back of TV)
- Tilts up to 30°
- Pans left/right up to 90°
- 90° of horizontal shift left and right
- No buttons or knobs to adjust
- VESA compliant
- Bolts can be loosened to vertical wall track to allow for easy centering
- Clip on mounting feature allows for easy installation of flat panel
- Supports screen sizes 37" to 65" up to 200 lbs
- Flat panel mount kit is set for screens weighing 75–125 lbs; if screen weighs less than 75 lbs or more than 125 lbs, an adjustment will be necessary

VISUAL BOARD

- Tackable black fabric on inside of each door
- A set of 4 dry erase markers and an eraser are included
- Equipped with 165° hinges
- All installation hardware included
- Frame of visual board is black
- Visual board includes pegs to hang flip chart paper

CORD MANAGEMENT

- See individual models for cord management information

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water base high-performance wood finish that meets or exceeds indoor air quality standards

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 600 in the Casegoods Book 2 Price List

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 3

FSC

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Wood Finish	Laminates (laminate/wood only)				Rim Finish (laminate/wood only)
	A Radius	6MB Nantucket, Cinder	G1LR Black, Left & Right	R Standard	IM Brighton	IM Brighton		462 Cinder		IM Brighton
	D Bullnose		X No Grommet	N Matte/Satin	NM Natural	NM Natural		478 Platinum Grey		NM Natural
	F Softened				HN Honey	HN2 Honey 2		488 Frosty White		HN Honey
	M Reed				CL Caramel	CL Caramel		491 Des. White Linear		CL Caramel
	J Self (wood only)				TF Truffle	TF Truffle		492 Cinder Linear		TF Truffle
					AC Autumn	AC2 Autumn 2		791 Palisander		AC Autumn
					MC Amber	MC Amber		792 Sable		MC Amber
					CW Cordovan	CW Cordovan		793 Acorn		CW Cordovan
					DW Judicial	DW Judicial		809 Tungsten Evolv		DW Judicial
					MH Mocha	MH Mocha		814 White Tigris		MH Mocha
						405 Designer White		818 Crisp Linen		
						417 Mojave		819 Flax Gauze		
						418 Mouse		820 Paloma Bisque		
						419 Wallaby		821 Elemen. Concrete		
						425 Shadow		822 Smoke Quarstone		
						440 Cloud		874 Bronze Legacy		
						461 Graphite				
CCW2472CBVW	A	6MB	G1LR	R	AC					

Entertainment Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16 Top Thickness									
CCW2472CBVW	Wood-J	**$ 3239**	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVW	Wood-A,D,F,M	**3779**	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVLW	Laminate/Wood-A,D,F,M	**3779**	24	72	35	—	—	320 lbs.	43.0

- Rim and chassis must be the same finish
- Cutouts in back panel for venting
- Grommet (G1LR) available $50 list upcharge
- Features WaveWorks Nantucket pulls in cinder
- Unfinished back panel
- Features an adjustable shelf behind each set of double doors
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Unit is non-locking

Buffet Credenza



19/16 Top Thickness									
CCW2472CBW	Wood-J	**$ 3239**	24	72	35	—	—	381 lbs.	49.0
CCW2472CBW	Wood-A,D,F,M	**3779**	24	72	35	—	—	381 lbs.	49.0
CCW2472CBLW	Laminate/Wood-A,D,F,M	**3779**	24	72	35	—	—	381 lbs.	49.0

- Rim and chassis must be the same finish
- Features WaveWorks Nantucket pulls in cinder
- Unfinished back panel
- Features an adjustable shelf behind each set of double doors
- Grommet option not available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Unit is non-locking

Universal

Product Specification

- WALL MOUNTED SOLUTION – Order wall mounted media wall – media wall will be attached to wall and will not be ganged between media storage towers
- GANGING/WALL MOUNTED SOLUTION – Order ganging/storage mounted media wall – media wall to be mounted to wall but ganged between two media storage towers (page 267) – all ganging bolts to attach to credenza and towers are included
- GANGING/SUSPENDED SOLUTION – Order ganging/storage mounted media wall – media wall to be suspended and attached to media storage towers (page 267). Media storage towers must attach to media credenza (page 266) – all ganging bolts to attach to credenza and towers are included
- For detailed specifications see page 258

Base Model Key

W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Media Wall



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood—Wall Mounted									
10N5046MWMW	48"	**$ 4035**	4	50 5/16	46 3/16	—	—	72 lbs.	4.9
10N6246MWMW	60"	**4148**	4	62 5/16	46 3/16	—	—	80 lbs.	5.3
10N7446MWMW	72"	**4262**	4	74 5/16	46 3/16	—	—	96 lbs.	5.8
Wood—Ganging/Storage Mounted									
10N4844MWSW	48"	**$ 4035**	4	47 15/16	43 13/16	—	—	72 lbs.	4.9
10N6044MWSW	60"	**4148**	4	59 15/16	43 13/16	—	—	80 lbs.	5.3
10N7244MWSW	72"	**4262**	4	71 15/16	43 13/16	—	—	96 lbs.	5.8
Laminate—Wall Mounted									
10N5046MWML	48"	**$ 3808**	4	50 5/16	46 3/16	—	—	72 lbs.	4.9
10N6246MWML	60"	**3921**	4	62 5/16	46 3/16	—	—	80 lbs.	5.3
10N7446MWML	72"	**4035**	4	74 5/16	46 3/16	—	—	96 lbs.	5.8
Laminate—Ganging/Storage Mounted									
10N4844MWSL	48"	**$ 3808**	4	47 15/16	43 13/16	—	—	72 lbs.	4.9
10N6044MWSL	60"	**3921**	4	59 15/16	43 13/16	—	—	80 lbs.	5.3
10N7244MWSL	72"	**4035**	4	71 15/16	43 13/16	—	—	96 lbs.	5.8

- Flat screen mount kit is included with media wall – customer must specify fixed (F) or articulating (A) option, articulating option is $750 list upcharge to the media wall list price
- Media wall can only be suspended when mounted to two media towers and a media credenza
- TV NOT included
- Mounting, suspending or exceeding weight limit on any of the above regulations will result in the warranty being null and void
- Accent margins between panels and around unit are clear anodized aluminum

Media Shelf



10N1848SHGW	48"	**$ 2272**	18	48	7¼	—	—	40 lbs.	1.6
10N1860SHGW	60"	**2388**	18	60	7¼	—	—	48 lbs.	2.0
10N1872SHGW	72"	**2501**	18	72	7¼	—	—	56 lbs.	2.3

- Specify finish only
- Set-on surface or media wall mounted
- Media shelf cannot be used when media wall is suspended/ganged to storage credenza and storage towers
- Glass shelf is 13 13/16" deep; wood base is 18" deep
- Stanchions are 63/8 high
- Weight limits: 48" wide–72 lbs, 60" wide–90 lbs and 72" wide–108 lbs

Specify selections, left to right:

Base Model

10N6246MWMW

Flat Screen Mount Kit (media wall)

F Fixed
A Articulating (+$750 list)

F

Finish (wood only)

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

HN

Laminates (laminate only)

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal
791 Palisander
791H Palisander Horizontal
792 Sable
792H Sable Horizontal
793 Acorn

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Visual Board	***Wood***									
	**NAC3639VBW**	36"	$ **1702**	41 5/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBW	42"	**2190**	41 5/16	41 15/16	39 11/16	—	—	82 lbs.	7.1
	Laminate									
	NAC3639VBL	36"	$ **1405**	41 5/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBL	42"	**1628**	41 5/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of four dry erase markers and an eraser are standard
- Marker board is not magnetic

Marker Board	**NAC3048MBW**		$ **391**	½	47 7/8	30	—	—	35 lbs.	1.4



- Installation hardware included
- Specify model number only

Universal Mobile Marker Board Flip Chart Holder	**10N3372MBFCHB**	Cinder	$ **1586**	23 5/8	32 5/8	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHS	Platinum Metallic	**1586**	23 5/8	32 5/8	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHN	Satin Nickel Metallic	**1586**	23 5/8	32 5/8	71¼	—	—	50 lbs.	8.6



- Some assembly required
- High gloss, white laminate marker board
- 4 locking casters
- Adjustable brackets to hang flip chart
- Casters are black on the Cinder and Satin Nickel Metallic models; Platinum Metallic models have casters that are black with silver hubcaps

Personal Pull-up Table	**10N1622RTPUW**	Wood	$ **927**	13¾	22	28½	—	—	32 lbs.	9.25
	10N1622RTPUL	Laminate	**927**	13¾	22	28½	—	—	32 lbs.	9.25



- 50 lb. weight limit
- Specify metal finish (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Specify laminate or wood finish; **Laminates** (NM) Natural, (HN2) Honey 2, (CL) Caramel, (TF) Truffle, (AC2) Autumn 2, (MC) Amber, (CW) Cordovan, (DW) Judicial, (MH) Mocha, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; **Wood Finishes** (NM) Natural, (HN) Honey, (CL) Caramel, (TF) Truffle, (AC) Autumn, (MC) Amber, (CW) Cordovan, (DW) Judicial, (MH) Mocha, (405) Designer White, (462) Cinder, (792) Sable, or (793) Acorn

Universal

Specify selections, left to right:

Base Model

Locking

KRB	Key Random, Black
KRS	Key Random, Silver
KS1B	Key Specific, Black
KS1S	Key Specific, Silver

Finish (wood only)

IM	Brighton
NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC	Autumn
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
792	Sable

Laminates (laminate only)

IM	Brighton	440	Cloud
NM	Natural	461	Graphite
HN2	Honey 2	462	Cinder
CL	Caramel	478	Platinum Grey
TF	Truffle	488	Frosty White
AC2	Autumn 2	491	Designer White Linear
MC	Amber	491H	Designer White Linear Horizontal
CW	Cordovan	492	Cinder Linear
DW	Judicial	492H	Cinder Linear Horizontal
MH	Mocha	791	Palisander
405	Designer White	791H	Palisander Horizontal
417	Mojave	792	Sable
418	Mouse	792H	Sable Horizontal
419	Wallaby	793	Acorn
425	Shadow		

10N2427MUCW KRB CW

Lecterns

Set-on Surface



Set-on Surface

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
10N2712LCW	Wood	**$ 2040**	24	27	12	—	—	45 lbs.	5.9
10N2712LCL	Laminate	**1648**	24	27	12	—	—	45 lbs.	5.9

- Tilted writing surface and trim are Platinum Metallic color, specify 501
- For use on conference tops or any top for impromptu meetings

Basic



Basic

10N2746LCW	Wood	**$ 3409**	24	27	46	—	—	160 lbs.	26.2
10N2746LCL	Laminate	**3125**	24	27	46	—	—	160 lbs.	26.2

- Tilted writing surface and trim are Platinum Metallic color, specify 501
- Adjustable shelf
- Back panels are fully finished

Deluxe



Deluxe

10N2746LC2W	Wood	**$ 5398**	24	27	46	—	—	175 lbs.	26.2
10N2746LC2L	Laminate	**4657**	24	27	46	—	—	175 lbs.	26.2

- Tilted writing surface, slide out shelf, step stool and trim are Platinum Metallic color, specify 501
- Included with the deluxe lectern is a microphone, light, slide out shelf and slide out step stool
- Adjustable shelf
- Convenience outlet NAC0902EL5C is included in the deluxe model
- Back panels are fully finished and hinged to allow for wire access
- Slide out shelf dimensions: 127/8 D x 197/8 W and has a weight limit of 30 lbs
- Slide out step stool has a weight limit of 250 lbs
- Features two dual wheel casters
- Microphone does not include speakers, must be wired to customer's sound system
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Mobile Lectern

10N2142LCML	Laminate	**$ 876**	169/16	211/8	423/8	—	—	30 lbs.	3.5

- HPL writing surface
- Pencil ledge is only available in black
- No CSL on lectern top
- Four double wheel locking casters standard
- Specify Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503) base
- 12° slope for top; not adjustable
- Some assembly required

Multi-Functional Cart



10N2427MUCW	Wood	**$ 2472**	24	27	341 1/16	—	—	145 lbs.	24.7
10N2427MUCL	Laminate	**2131**	24	27	341 1/16	—	—	145 lbs.	24.7

- Top surface is Platinum Metallic color, specify 501
- Back panel is fully finished and hinged for easy access to wiring
- Features adjustable shelf
- Grommet standard in top
- Four double wheel non-locking casters standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS MEDIA STORAGE SPECIFICATIONS

WORKSURFACES

- Veneer surfaces are 19/16" slipmatched cherry and maple and bookmatched walnut veneer
- Laminate surfaces are 19/16" HPL (high pressure laminate)
- Veneer surfaces feature wood rim which is shaped on front side, with six rim profile options
- Laminate surfaces feature a 3mm PVC rim or a wood rim
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- ¾" thick modesty panels
- End panels and support panels are 11/8" thick
- Laminate modesty panels have horizontal grain direction unless noted
- Wood modesty panels have vertical grain direction unless noted
- Back panels are fully finished unless noted

DRAWERS

- Drawers feature five-sided construction allowing for easy removal of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain

DRAWER PULLS

- Available in sixteen pull styles

DRAWER SUSPENSION

- Box drawers are equipped with ¾ extension slides with ball bearing rollers
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

CORD MANAGEMENT

- Refer to page 265 for grommet options

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 600 in the Casegoods Book 2 Price List

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WaveWorks

WaveWorks Media Storage Options

RIM PROFILE OPTIONS


Softened Wood (F)


Reed Wood (R)


Cove Wood (P)


Zip Wood (Z)

Concave Wood (C)

Step Wood (T)


Softened PVC (V)


Reed PVC (N)

PVC REED RIM

NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

WOOD RIM

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

PVC SOFTENED RIM

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
793 Acorn

WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE WORKSURFACES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
*791 Palisander
792 Sable
*793 Acorn

*Not available on laminate/wood models

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
791H Palisander Horizontal
792 Sable
792H Sable Horizontal
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

Glass Door Aluminum Frame Colors

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

• CSL available; see page 7 in the Casegoods Book 2 Price List for program details and upcharge

WaveWorks Media Storage Options

PULL OPTIONS

Nantucket (6)
6SN Satin Nickel Metallic
6MB Cinder
6PL Platinum Metallic
(Boring Pattern 128mm)

Malibu (7)
7SN Satin Nickel Metallic
7MB Cinder
7PL Platinum Metallic
(Boring Pattern 128mm)

Newport (75)
75SN Satin Nickel Metallic
75MB Cinder
75PL Platinum Metallic
(Boring Pattern 44.5mm)



Laguna (76)
76SN Satin Nickel Metallic
76MB Cinder
76PL Platinum Metallic
(Boring Pattern 128mm)

Summit (70)
70SN Satin Nickel Metallic
70MB Cinder
70PL Platinum Metallic
(Boring Pattern 128mm)

Spiral (71)
71SN Satin Nickel Metallic
71MB Cinder
71PL Platinum Metallic
(Boring Pattern 128mm)



Balance (72)
72SN Satin Nickel Metallic
72MB Cinder
72PL Platinum Metallic
(Boring Pattern 128mm)

Sweep (73)
73SN Satin Nickel Metallic
73MB Cinder
73PL Platinum Metallic
(Boring Pattern 128mm)

Groove (74)
74SN Satin Nickel Metallic
74MB Cinder
74PL Platinum Metallic
(Boring Pattern 128mm)

Beam (87)
87SN Satin Nickel Metallic
87PL Platinum Metallic
87MB Cinder
(Boring Pattern 128mm)

Level (88)
88SN Satin Nickel Metallic
88MB Cinder
88PL Platinum Metallic
(Boring Pattern 128mm for large and 32mm for small)

Waterfall (89)
89SN Satin Nickel Metallic
89MB Cinder
89PL Platinum Metallic
(Boring Pattern 96mm for large and 32mm for small)



Horizon (91)
91SN Satin Nickel Metallic
91MB Cinder
91PL Platinum Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front

Triangle (1)
1MB Cinder
1PL Platinum Metallic
(Boring Pattern 32mm)

Crescent (2)
2MB Cinder
2PL Platinum Metallic
(Boring Pattern 32mm)

Bar (3)
3MB Cinder
3PL Platinum Metallic
(Boring Pattern 32mm)

Boca (8)
8MB Cinder
8PL Platinum Metallic
(Boring Pattern 128mm)

Marina (9)
9MB Cinder
9PL Platinum Metallic
(Boring Pattern 128mm)



Allure (78)
78MB Cinder
78PL Platinum Metallic
(Boring Pattern 96mm)

Curved (83)
83MB Black
83PL Platinum Metallic
(Boring Pattern 128mm)



Elongated (84)
84MB Black
84PL Platinum Metallic
(Boring Pattern 128mm)

Keen (77)
77SN Satin Nickel
(Boring Pattern 96mm)

GROMMET OPTIONS

Media storage credenzas and entertainment credenzas are available with optional grommets
If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon

$25 list for each grommet

G1LR Left & Right

Racetrack Grommet

$30 list for each grommet

G11SNLR Satin Nickel Metallic Left & Right
G11PLLR Platinum Metallic Left & Right
G11MBLR Cinder Left & Right

LOCKING

Key Random

KRB Black
KRS Silver

Key Specific

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit

Unit list price will be reduced by $14 per lock when selecting Key Specific option. Must order specific lock cores separately ($14 list each). See page 600 in the Casegoods Book 2 Price List for Key Specific model numbers.

WaveWorks

Product Specification

- If specifying wood, you must specify the same finish for all options

Base Model Key

W	Wood Unit
LW	Wood Unit/Laminate Top
L	Laminate Unit
LL	TFL Unit
GW	Glass Door/Wood Unit
GL	Glass Door/Laminate Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

WWN2448CVMSL	N462	7MB	X	462	462
WWN2448CVMSW	Z	7MB	G1LR	N	MH
WWN1880VSHLGW	462	MH			

Media Storage Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48"—19/16" Top Thickness									
WWN2448CVMSW	Wood	**$ 5031**	24	48 1/16	35 7/16	—	—	290 lbs.	24.7
WWN2448CVMSLW	Laminate/Wood	**5031**	24	48 1/16	35 7/16	—	—	290 lbs.	24.7
WWN2448CVMSL	Laminate	**4349**	24	48 1/16	35 7/16	—	—	290 lbs.	24.7
60"—19/16" Top Thickness									
WWN2460CVMSW	Wood	**$ 5202**	24	60	35 7/16	—	—	325 lbs.	28.9
WWN2460CVMSLW	Laminate/Wood	**5202**	24	60	35 7/16	—	—	325 lbs.	28.9
WWN2460CVMSL	Laminate	**4520**	24	60	35 7/16	—	—	325 lbs.	28.9
72"—19/16" Top Thickness									
WWN2472CVMSW	Wood	**$ 5371**	24	72	35 7/16	—	—	383 lbs.	36.3
WWN2472CVMSLW	Laminate/Wood	**5371**	24	72	35 7/16	—	—	383 lbs.	36.3
WWN2472CVMSL	Laminate	**4691**	24	72	35 7/16	—	—	383 lbs.	36.3

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only, 19/16" thick worksurface available
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Entertainment Credenza



19/16" Top Thickness									
WWN2472CBVW	Wood	**$ 4235**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
WWN2472CBVLW	Laminate/Wood	**4235**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
WWN2472CBVL	Laminate	**3426**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
13/16" Top Thickness									
WW2472CBVW	Wood	**$ 3776**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
WW2472CBVLW	Laminate/Wood	**3776**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
WW2472CBVL	Laminate	**3052**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
WW2472CBVLL	TFL	**2442**	24	71 15/16	35	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

To Order, Specify:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Top Finish (laminate/combo models)
8. Laminate Drawer/Door Color (laminate models)
9. Top Sheen (wood models)
10. Frame Color (glass models only)
11. Veneer Chassis Finish/Laminate Chassis Color

For options, see pages 264-265

Buffet Credenza



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16" Top Thickness									
WWN2472CBW	Wood	**$ 4235**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
WWN2472CBLW	Laminate/Wood	**4235**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
WWN2472CBL	Laminate	**3426**	24	71 15/16	35 7/16	—	—	381 lbs.	46.7
13/16" Top Thickness									
WW2472CBW	Wood	**$ 3776**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
WW2472CBLW	Laminate/Wood	**3776**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
WW2472CBL	Laminate	**3052**	24	71 15/16	35 1/16	—	—	381 lbs.	46.7
WW2472CBLL	TFL	**2442**	24	71 15/16	35	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front and sides only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Media Storage Tower Single Door



Left shown

Left Hinge	*Right Hinge*		List Price	D	W	H	A	KW	Cartoned Weight	Cubic Feet
WWN1880VSHLW	**WWN1880VSHRW**	Wood	**$ 2748**	23 9/16	17 15/16	79¼	—	—	197 lbs.	31.0
WWN1880VSHLL	**WWN1880VSHRL**	Laminate	**1616**	23 9/16	17 15/16	79¼	—	—	197 lbs.	31.0
WWN1880VSHLGW	**WWN1880VSHRGW**	Glass/Wood	**3530**	23 9/16	17 15/16	79¼	—	—	197 lbs.	31.0
WWN1880VSHLGL	**WWN1880VSHRGL**	Glass/Lam	**2305**	23 9/16	17 15/16	79¼	—	—	197 lbs.	31.0

- Glass units feature opaque glass with aluminum frame
- Shaded shelves are adjustable one fixed and four adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WaveWorks

Product Specifications

- Wood and laminate chassis and doors available; refer to page 264 for options
- Pedestal locking is standard
- If specifying wood, you must specify the same finish for all options

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Rim/ Wood Chassis
L	Laminate Unit
LL	TFL Unit
WWL	Wood Top/Wood Drawer Fronts/ Laminate Chassis
LWL	Laminate Top/Wood Rim/ Laminate Chassis
GW	Glass Door/Wood Unit
GL	Glass Door/Laminate Unit
WL	Wood Doors/Laminate Chassis

Sample Model Numbers:

WWN2436MUCW	F	7MB	G1C	KRB	R	MC
WWN2436MUCLW	F	7MB	G1C	KRB	420	MC
WWN2436MUCLWL	F	7MB	G1C	KRB	420	MC
420						

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Mobile Utility Cart	***19/16" Top Thickness***									
	WWN2436MUCW	Wood	$ **1934**	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	WWN2436MUCLW	Laminate/Wood	**1934**	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	WWN2436MUCL	Laminate	**1436**	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	WWN2436MUCWWL	Wood/Wood/Laminate	**1643**	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	WWN2436MUCLWL	Laminate/Wood/Laminate	**1643**	26 7/16	36 1/16	34 7/8	—	—	155 lbs.	17.1
	13/16" Top Thickness									
	WW2436MUCW	Wood	$ **1758**	26 7/16	36 1/16	34½	—	—	155 lbs.	17.1
	WW2436MUCLW	Laminate/Wood	**1758**	26 7/16	36 1/16	34½	—	—	155 lbs.	17.1
	WW2436MUCL	Laminate	**1305**	26 7/16	36 1/16	34½	—	—	155 lbs.	17.1
	WW2436MUCLL	TFL	**1044**	26 7/16	36 1/16	34 7/16	—	—	155 lbs.	17.1
	WW2436MUCWWL	Wood/Wood/Laminate	**1495**	26 7/16	36 1/16	34½	—	—	155 lbs.	17.1
	WW2436MUCLWL	Laminate/Wood/Laminate	**1495**	26 7/16	36 1/16	34½	—	—	155 lbs.	17.1

- Can function as a serving cart or media cart
- One adjustable shelf behind hinged doors
- Four double wheel non-locking casters standard
- Center grommet option available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Mobile Computer Cart	**WW2436MCCW**	Wood	$ **2219**	27 3/16	36 1/8	43¼	—	—	85 lbs.	24.5
	WW2436MCCL	Laminate	**1758**	27 3/16	36 1/8	43¼	—	—	85 lbs.	24.5

- Do not specify pull, grommet or door finish
- Mesh cord manager included
- Power director included in worksurface
- Four double wheel locking casters standard
- Worksurface height is 28 15/16"
- This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color

To Order, Specify:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Door Frame Color (glass units only)
8. Drawer Finish (laminate units only)
9. Sheen (wood units only)
10. Chassis Finish

For options, see pages 264-265

Double Door Unit



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
19/16" Top Thickness									
WWN2436PFHW	Wood	**$ 2154**	24	36 1/16	29 3/8	—	—	130 lbs.	22.2
WWN2436PFHLW	Laminate/Wood	**2154**	24	36 1/16	29 3/8	—	—	130 lbs.	22.2
WWN2436PFHL	Laminate	**1242**	24	36 1/16	29 3/8	—	—	130 lbs.	22.2
13/16" Top Thickness									
WW2436PFHW	Wood	**$ 1957**	24	36 1/16	28 15/16	—	—	130 lbs.	22.2
WW2436PFHLW	Laminate/Wood	**1957**	24	36 1/16	28 15/16	—	—	130 lbs.	22.2
WW2436PFHL	Laminate	**1130**	24	36 1/16	28 15/16	—	—	130 lbs.	22.2
WW2436PFHLL	TFL	**904**	24	36 1/16	28 7/8	—	—	130 lbs.	22.2

- Features an adjustable shelf
- Unit features a 110° door hinge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Entertainment Cabinet



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
50" High									
WW3650V0VHGW	Glass/Wood	**$ 2658**	23 9/16	35 7/8	50	—	—	299 lbs.	48.0
WW3650V0VHGL	Glass/Laminate	**1568**	23 9/16	35 7/8	50	—	—	299 lbs.	48.0
WW3650V0VHW	Wood	**2293**	23 9/16	35 7/8	50	—	—	299 lbs.	48.0
WW3650V0VHWL	Wood/Laminate	**1951**	23 9/16	35 7/8	50	—	—	299 lbs.	48.0
WW3650V0VHL	Laminate	**1214**	23 9/16	35 7/8	50	—	—	299 lbs.	48.0
38" High									
WW3638V0VHGW	Glass/Wood	**$ 2154**	23 9/16	35 7/8	38 9/16	—	—	145 lbs.	37.9
WW3638V0VHGL	Glass/Laminate	**1274**	23 9/16	35 7/8	38 9/16	—	—	145 lbs.	37.9
WW3638V0VHW	Wood	**1848**	23 9/16	35 7/8	38 9/16	—	—	145 lbs.	37.9
WW3638V0VHWL	Wood/Laminate	**1572**	23 9/16	35 7/8	38 9/16	—	—	145 lbs.	37.9
WW3638V0VHL	Laminate	**980**	23 9/16	35 7/8	38 9/16	—	—	145 lbs.	37.9

- Top of unit is finished with flat edge detail and has no profile shape
- Features standard fixed shelf
- Unit doors have 165˚ hinges
- Unit includes black fabric tack boards on inside of wood or laminate doors
- For set-on surface application only
- Includes grommets in back panel for wire access and venting
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WaveWorks

Mio™

Collaborative Tables

MIO PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 13/1'6 HPL (high pressure laminate) and feature a softened 3mm PVC rim or a PVC knife rim profile
- Veneer surfaces are 13/1'6 plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surface available on three sides
- Refer to page 274 for rim profiles and colors

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen.
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

TAPERED BASES

- MDF material available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Adjustable glides are standard
- Features removable panels for wire access

TECHNOLOGY WALL

- Walls available in laminate or veneer
- Wall features aluminum powder coated trim; available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Features removable panels for wire access in the same paint color as the wall trim
- Marker board walls are available in HPL marker board material

EXHIBIT TV MOUNT INSERT

- Fabric insert is not tackable; see page 273 for fabric options
- Laminate, veneer, or fabric inserts; TV mount included with insert

VERTICAL CABLE MANAGER

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet
- Available in fabric, laminate, or veneer to match the insert

POWER/DATA ELECTRICAL SPECIFICATIONS

ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)

- UL Listed
- To be ordered with G15 cutout options
- Must be inserted and installed into CUT-G15C cutout in field
- One touch door remains open during use
- Silver or black anodized aluminum available
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) Two power outlets (110 volts each), two blank communication ports, one port with two charging USB, and one HDMI
- Corded units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Hardwire units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable
- For more specification information: www.byrne-electrical.com

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into CUT-G16C cutout in field
- Silver or black powder coat available
- Power/Data Oasis (G162) unit will feature six power receptacles with two 108" power cords and molded plugs rated at 12 Amps 120 volts, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature six power receptacles with one 72" long hardwire conduit covered pigtail cable on one end which carries two 20 Amp 120 volt circuits to power two sides of the Power/Data Oasis, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Standard units have cords that are 9 ft. long rated at 15 Amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 Amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

MARINA™ HDMI COLLABORATIVE MEETING TECHNOLOGY SOLUTION (G26)

- ETL Listed
- Must be inserted and installed into CUT-G26C cutout in field
- HDMI switcher
- Four HDMI Show Me cables, 6 ft.
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 3.0, 2.1 Amp USB ports
- Two blank telecom plates
- 72" power cord
- Graphite Gray powder coat interior
- Powder coat bezel with sliding doors; available in silver or black
- For more specification information: www.electri-cable.com

GETAWAY™ PORTABLE MEETING TECHNOLOGY SOLUTION (G26 MOBILE)

- ETL Listed
- Freestanding portable unit
- HDMI 4 power switcher
- Four 6 ft. Show Me cables
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 2.1 Amp USB ports
- 108" power cord
- Carrying case
- Powder coat finish; available in silver or black
- For more specification information: www.electri-cable.com

SCScertified INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 2

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

SINGLE SIDED WALL - TV MOUNT

S1 Single TV Mount, 1 Side

DOUBLE SIDED WALL - TV MOUNT

S2 Single TV Mount, 2 Sides

SINGLE SIDED WALL - BACK SIDE EXTENSION

1F462 Full Epicenter Mount, Cinder
1F501 Full Epicenter Mount, Platinum Metallic
1F503 Full Epicenter Mount, Satin Nickel Metallic
1U462 Upper Epicenter Mount, Cinder
1U501 Upper Epicenter Mount, Platinum Metallic
1U503 Upper Epicenter Mount, Satin Nickel Metallic
X No Back Side Extension

DOUBLE SIDED WALL - BACK SIDE EXTENSION

E Surface Extension
X No Back Side Extension

ACCESS PANEL

T Taper

WALL ACCESS PANEL/ TRIM PAINT COLOR

405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

WALL, TV MOUNT EXHIBIT INSERT, AND VERTICAL WIRE MANAGER FINISHES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Veneer Wood Finishes

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

FABRIC TV MOUNT EXHIBIT INSERT AND VERTICAL WIRE MANAGER OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8604 Kamelos
8606 Pebble
8607 Gecho
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness
8621 Golden

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3705 Willow
3709 Java
3713 Stainless
3715 Almond
3721 Reed
3726 Kiwi
3737 Sisal
3744 Tawny
3753 Steel
3766 Wicker
3775 Grey Green
3782 Honeycomb
3785 Blue Grass
3792 Spa
3799 Cornflower

COM (Grade B)

Flax (Grade B)
49% Pre-Consumer Recycled Polyester, 38% Repreve® Polyester (Post-Consumer Recycled Polyester), 13% Polyester

22801 Bark
22802 Daffodil
22803 Earth
22804 Iris
22805 Lake
22806 Leaf
22807 Lily
22808 Rain
22809 Seed
22810 Sunset
22811 Tulip
22812 Wheat

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
25408 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

MDF TAPER BASE PAINT COLORS

405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



6 STD Channel Height

G15 and G16 Grommet Channel
(6" deep)



8 G26 Marina™ Channel Height

G26 Grommet Channel
(8" deep)

TOP SHAPES AND SIZES

Square

48" x 48"
60" x 60"



Rectangle

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

Wedge

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

U-Shaped

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

TOP LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)



Knife (K)

Woodgrain PVC Rim

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid PVC Rim

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GROMMET CUTOUT OPTIONS

Mio tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout

CUT-G15C Center



- Reference below for cutout locations of CUT-G15C



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15C option
- Reference page 319 for the pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout

CUT-G16C Center



- Reference below for cutout locations of CUT-G16C



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16C option
- Reference page 319 for pricing and details

Cutout Option for Marina™ HDMI Collaborative Meeting Technology Solution

$25 list upcharge per cutout

CUT-G26C Center



- Reference below for cutout locations of CUT-G26C



NACG26ELB and NACG26ELS (Sold Separately)

- Must order model NACG26ELB or NACG26ELS to fit into CUT-G26C option
- Reference page 319 for pricing and details

WORKSURFACE WIRE MANAGER OPTIONS

Only available on Exhibit mount tops

If no wire manager is desired, specify an X (No Wire Manager)

Specify location and color option
Comes attached to worksurface

Locations:

X	No Wire Manager	
NT1	Notch with Sleeve	$25 list upcharge
D1B	Back	$40 list upcharge



Colors:
403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

Notch



WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Woodgrains	
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
NM Natural	403 Chamois 419 Wallaby
HN2 Honey 2	403 Chamois 419 Wallaby
CL Caramel	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
MH Mocha	485 Dark Chocolate
791 Palisander	462 Cinder 485 Dark Chocolate
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Solid Laminates	
405 Designer White	405 Designer White
417 Mojave	419 Wallaby
418 Mouse	478 Platinum Grey
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Pattern Laminates	
809 Tungsten Evolv	403 Chamois 425 Shadow
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
820 Paloma Bisque	419 Wallaby 425 Shadow
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite
874 Bronze Legacy	425 Shadow

Table Lengths

Grommet or Notch Wire Manager Location/Options	48"	54"	60"	66"
CUT-G15C CUT-G16C CUT-G26C NT1 Center				

Table Lengths

Grommet or Notch Wire Manager Location/Options	72"	78"	84"
CUT-G15C CUT-G16C CUT-G26C NT1 Center			

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SHAPES

TOP SIZES	Square	Rectangle	Wedge	U-Shaped
48" x 48"	4	N/A	3–4	4
60" x 60"	4–6	N/A	4–5	4–6
48" x 54"	N/A	5	4	4
48" x 60"	N/A	5	5	5
48" x 66"	N/A	5–6	5–6	5–6
48" x 72"	N/A	6	6	6
48" x 78"	N/A	6–7	6–7	6–7
48" x 84"	N/A	7–8	7	7
60" x 48"	N/A	4	4	4
60" x 54"	N/A	6	5	5
60" x 66"	N/A	5–6	5–6	5–6
60" x 72"	N/A	6	6	6
60" x 78"	N/A	6–7	6–7	6–7
60" x 84"	N/A	7–8	7	7

Mio - Wall, Top, and Base Guide

WALL	TOP					BASE
Size	Mio Top Size	Square	Rectangle	Wedge	U-Shaped	
48" Desk Height 	48" x 48"	✔		✔	✔	4828
	48" x 54"		✔	✔	✔	5428
	48" x 60"		✔	✔	✔	6028
	48" x 66"			✔	✔	6628
	48" x 72"			✔	✔	7228
	48" x 78"			✔		7828
	48" x 84"			✔		8428
60" Desk Height 	60" x 48"		✔	✔	✔	4828
	60" x 54"		✔	✔	✔	5428
	60" x 60"	✔		✔	✔	6028
	60" x 66"			✔	✔	6628
	60" x 72"			✔	✔	7228
	60" x 78"			✔		7828
	60" x 84"			✔		8428
48" Bar Height 	48" x 48"	✔		✔	✔	4840
	48" x 54"		✔	✔	✔	5440
	48" x 60"		✔	✔	✔	6040
	48" x 66"			✔	✔	6640
	48" x 72"			✔	✔	7240
60" Bar Height 	60" x 48"		✔	✔	✔	4840
	60" x 54"		✔	✔	✔	5440
	60" x 60"	✔		✔	✔	6040
	60" x 66"			✔	✔	6640
	60" x 72"			✔	✔	7240

✔ denotes the size of top that goes with each wall and the corresponding base size

• Customer determines the size of the Exhibit TV Mount Insert; no restrictions

MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
Top Size	Square	Rectangle	Wedge	U-Shaped	
48" x 48"	✔		✔	✔	4828
48" x 54"		✔	✔	✔	5428
48" x 60"		✔	✔	✔	6028
48" x 66"		✔	✔	✔	6628
48" x 72"		✔	✔	✔	7228
48" x 78"		✔	✔	✔	7828
48" x 84"		✔	✔	✔	8428
60" x 48"		✔	✔	✔	4828
60" x 54"		✔	✔	✔	5428
60" x 60"	✔	✔	✔	✔	6028
60" x 66"		✔	✔	✔	6628
60" x 72"		✔	✔	✔	7228
60" x 78"		✔	✔	✔	7828
60" x 84"		✔	✔	✔	8428
48" x 48"	✔	✔	✔	✔	4840
48" x 54"		✔	✔	✔	5440
48" x 60"		✔	✔	✔	6040
48" x 66"		✔	✔	✔	6640
48" x 72"		✔	✔	✔	7240
48" x 78"		✔	✔	✔	7840
48" x 84"		✔	✔	✔	8440
60" x 48"		✔	✔	✔	4840
60" x 54"		✔	✔	✔	5440
60" x 60"	✔	✔	✔	✔	6040
60" x 66"		✔	✔	✔	6640
60" x 72"		✔	✔	✔	7240
60" x 78"		✔	✔	✔	7840
60" x 84"		✔	✔	✔	8440

✔ denotes the size of top that goes with each corresponding base size

60" Wide Desk Height Double Sided Mio Wall with a 72" Wedge Top

- Achieved by specifying a 60" wide, desk height, double sided Mio wall

  Mio models:
  1 – 15N6067MWT2__; specified with (S2) single TV mount, 2 sides, (T) access panel, and (X) for no back side extension
  1 – 15N6072WG__; specified with a (CUT-G26C) grommet cutout
  1 – 15N7228TPBP; specified with an (8) G26 Marina™ channel height to fit with the G26 grommet in the Mio top



Part Number	Part Description	Quantity	Ext List
15N6067MWT2L	Mio, 60W x 67H, Media Height, Double Side, Laminate	1	$ 4442
S2	Single TV Mount, 2 Sides		
T	Taper		
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N6072WGLK	Mio, 60D x 72W, Conference Top, Wedge, Laminate	1	$ 2855
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	$ 2344
—	*Skipped Option*		
—	*Skipped Option*		
Total			$ 9641

- Example of cord routing through the base into the Mio wall



Cords route from base under worksurface into the wall above the access panel

Cords can be routed through the bottom channel of the base or under the bottom of the wall

48" Wide Bar Height Single Sided Marker Board Mio Wall with a 66" Wedge Top

- Achieved by specifying a 48" wide, bar height, single sided marker board Mio wall

  Mio models:
  1 – 15N4879MWT1MB__; specified with (S1) single TV mount, 1 side, and (T) access panel
  1 – 15N4866WG__; specified with a (CUT-G16C) grommet cutout
  1 – 15N6640TPBP; specified with a (6) STD channel height to fit with the G16 grommet in the Mio top



Front View

Back View

Part Number	Part Description	Quantity	Ext List
15N4866WGLK	Mio, 48D x 66W, Conference Top, Wedge, Laminate, Knife Rim	1	$ 2277
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N4879MWTIMBL	Mio, 48W x 79H, Media Wall, Bar Height, Single	1	$ 4703
S1	Single TV Mount, 1 Side		
T	Taper		
—	*Skipped Option*		
—	*Skipped Option*		
15N6640TPBP	Mio, 66W x 40H, Taper Base, Bar Height, Paint	1	$ 2508
—	*Skipped Option*		
—	*Skipped Option*		
Total			$ 9488

48" Wide Bar Height Single Sided Mio Wall with a 60" Rectangular Top and Epicenter Extension

- Achieved by specifying a 48" wide, bar height, single sided wall with an Upper Epicenter back extension

  Mio models:
  1 – 15N4879MWT1__; specified with (S1) single TV mount, 1 side, (T) access panel, and (1U__) Upper Epicenter mount
  1 – 15N4860RT__; specified with a (CUT-G26C) grommet cutout
  1 – 15N6040TPBP; specified with an (8) G26 Marina™ channel height to fit with the G26 grommet in the Mio top



Part Number	Part Description	Quantity	Ext List
15N4860RTL	Mio, 48D x 60W, Conference Top, Rectangle, Laminate	1	$ 1514
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N4879MWT1L	Mio, 48W x 79H, Media Wall, Bar Height, Single Side, Laminate	1	$ 4311
S1	Single TV Mount, 1 Side		
T	Taper		
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N6040TPBP	Mio, 60W x 40H, Taper Base, Bar Height, Paint	1	$ 2440
—	*Skipped Option*		
—	*Skipped Option*		
Total			$ 8265

60" Wide Desk Height TV Mount Exhibit Insert with a 60" Wedge Top

- Achieved by specifying a 60" wide TV mount Exhibit insert, top and base, with the combination of existing Exhibit product

  Mio models:
  1 – 11N6049TV__
  1 – 15N6060WGD__; specified with (X) no grommet cutout, (X) no wire manager
  1 – 15N6028TPOBP; specified with a (6) STD channel height



Part Number	Part Description	Quantity	Ext List
11N6049TVL	TV Mount Exhibit Insert	1	$ 1907
—	*Skipped Option*		
15N6060WGDLK	Mio, 60D x 60W, Conference Top, Wedge, Knife Rim, Laminate	1	$ 2551
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N6028TPOBP	Mio, 60W x 28H, Taper Base, Desk Height, Paint	1	$ 2551
—	*Skipped Option*		
—	*Skipped Option*		
Total			$ 7009

Product Specifications

- Single Sided TV Mount Wall is available with TV mount on one side and can be configured to have an Epicenter, or no extension off the back side; Epicenter is only available in Cinder, Platinum Metallic, and Satin Nickel Metallic
- Single Sided TV Mount Wall with Marker Board is available with TV mount on one side and marker board on the back side
- TV Mount included with wall, but will ship in separate carton
- Double Sided TV Mount Wall is available with TV mounts on both sides and can be configured to have a top or no top off the back side
- TV not included; not recommended that TV overall width be greater than Mio wall width
- For detailed specifications, see page 273

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Freestanding Wall
Single Sided TV Mount



Bar Height



Desk Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Bar Height									
15N6079MWT1W	Wood	**$ 4697**	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MWT1L	Laminate	**4440**	3	60⅜	78¼	—	—	235 lbs.	14.6
15N4879MWT1W	Wood	**$ 4568**	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MWT1L	Laminate	**4311**	3	48⅛	78¼	—	—	185 lbs.	11.8
Bar Height with Marker Board on Back									
15N6079MWT1MBW	Wood	**$ 5124**	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MWT1MBL	Laminate	**4843**	3	60⅜	78¼	—	—	235 lbs.	14.6
15N4879MWT1MBW	Wood	**$ 4984**	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MWT1MBL	Laminate	**4703**	3	48⅛	78¼	—	—	185 lbs.	11.8
Desk Height									
15N6067MWT1W	Wood	**$ 4495**	3	60⅜	66⅜	—	—	215 lbs.	12.5
15N6067MWT1L	Laminate	**4249**	3	60⅜	66⅜	—	—	215 lbs.	12.5
15N4867MWT1W	Wood	**$ 4372**	3	48⅛	66⅜	—	—	170 lbs.	10.2
15N4867MWT1L	Laminate	**4126**	3	48⅛	66⅜	—	—	170 lbs.	10.2
Desk Height with Marker Board on Back									
15N6067MWT1MBW	Wood	**$ 4903**	3	60⅜	66⅜	—	—	215 lbs.	12.5
15N6067MWT1MBL	Laminate	**4635**	3	60⅜	66⅜	—	—	215 lbs.	12.5
15N4867MWT1MBW	Wood	**$ 4769**	3	48⅛	66⅜	—	—	170 lbs.	10.2
15N4867MWT1MBL	Laminate	**4501**	3	48⅛	66⅜	—	—	170 lbs.	10.2

- Grain direction runs vertically
- Laminate wall is LPL; marker board wall is non-magnetic white HPL
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment

To Order, Specify:

1. Model Number
2. TV Mount
3. Access Panel
4. Back Side Extension (non-marker board models)
5. Trim Paint Color
6. Finish/Laminate Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6079MWT1W	S1	T	X	405	MC
15N6079MWT1MBW	S1	T	405	MC	
15N6079MWT2W	S2	T	X	405	MC

Freestanding Wall Double Sided TV Mount



Bar Height



Desk Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Bar Height									
15N6079MWT2W	Wood	**$ 4910**	3	60⅜	78¼	—	—	255 lbs.	14.6
15N6079MWT2L	Laminate	**4642**	3	60⅜	78¼	—	—	255 lbs.	14.6
15N4879MWT2W	Wood	**$ 4776**	3	48⅛	78¼	—	—	210 lbs.	11.8
15N4879MWT2L	Laminate	**4507**	3	48⅛	78¼	—	—	210 lbs.	11.8
Desk Height									
15N6067MWT2W	Wood	**$ 4699**	3	60⅜	66⅜	—	—	240 lbs.	12.5
15N6067MWT2L	Laminate	**4442**	3	60⅜	66⅜	—	—	240 lbs.	12.5
15N4867MWT2W	Wood	**$ 4570**	3	48⅛	66⅜	—	—	195 lbs.	10.2
15N4867MWT2L	Laminate	**4313**	3	48⅛	66⅜	—	—	195 lbs.	10.2

- Grain direction runs vertically
- Laminate wall is LPL
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 278 for wall, top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Square Top Softened Rim	***48" Square***									
	**15N4848SQW**	Wood	**$ 1849**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQL	Laminate	**1298**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQW	Wood	**$ 2274**	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQL	Laminate	**1817**	58 5/8	60	13/16	—	—	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

Square Top Knife Rim	***48" Square***									
	**15N4848SQWK**	Wood	**$ 2404**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQLK	Laminate	**1687**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQWK	Wood	**$ 2957**	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQLK	Laminate	**2362**	58 5/8	60	13/16	—	—	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6060SQW	F	CUT-G15C	N	MC
15N6060SQLK	K425	CUT-G15C	425	

Rectangle Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 54"									
15N4854RTW	Wood	**$ 1957**	48	54	13⁄16	—	—	92 lbs.	5.5
15N4854RTL	Laminate	**1406**	48	54	13⁄16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTW	Wood	**$ 2065**	48	60	13⁄16	—	—	110 lbs.	6.2
15N4860RTL	Laminate	**1514**	48	60	13⁄16	—	—	110 lbs.	6.2
60" x 48"									
15N6048RTW	Wood	**$ 2065**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
15N6048RTL	Laminate	**1514**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTW	Wood	**$ 2119**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5
15N6054RTL	Laminate	**1568**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

Rectangle Top Knife Rim



48" x 54"									
15N4854RTWK	Wood	**$ 2544**	48	54	13⁄16	—	—	92 lbs.	5.5
15N4854RTLK	Laminate	**1828**	48	54	13⁄16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTWK	Wood	**$ 2685**	48	60	13⁄16	—	—	110 lbs.	6.2
15N4860RTLK	Laminate	**1968**	48	60	13⁄16	—	—	110 lbs.	6.2
60" x 48"									
15N6048RTWK	Wood	**$ 2685**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
15N6048RTLK	Laminate	**1968**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTWK	Wood	**$ 2755**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5
15N6054RTLK	Laminate	**2038**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 278 for wall, top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Wedge Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848WGW	Wood	**$ 1997**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848WGL	Laminate	**1402**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGW	Wood	**$ 2114**	48	54	13/16	—	—	92 lbs.	5.5
15N4854WGL	Laminate	**1518**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGW	Wood	**$ 2230**	48	60	13/16	—	—	110 lbs.	6.2
15N4860WGL	Laminate	**1635**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGW	Wood	**$ 2347**	48	66	13/16	—	—	135 lbs.	7.5
15N4866WGL	Laminate	**1752**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGW	Wood	**$ 2463**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872WGL	Laminate	**1868**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGW	Wood	**$ 2580**	48	77 15/16	13/16	—	—	180 lbs.	8.3
15N4878WGL	Laminate	**1985**	48	77 15/16	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGW	Wood	**$ 2697**	48	83 15/16	13/16	—	—	210 lbs.	10.0
15N4884WGL	Laminate	**2102**	48	83 15/16	13/16	—	—	210 lbs.	10.0

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399
- Wedge end dimension is 30" on a 48" top and 42" on a 60" top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048WGL 478 CUT-G15C 478
15N6048WGW F CUT-G15C N CW

Wedge Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048WGW	Wood	**$ 2230**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048WGL	Laminate	**1635**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGW	Wood	**$ 2289**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054WGL	Laminate	**1693**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGW	Wood	**$ 2456**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060WGL	Laminate	**1963**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGW	Wood	**$ 2573**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066WGL	Laminate	**2079**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGW	Wood	**$ 2689**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072WGL	Laminate	**2196**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGW	Wood	**$ 2806**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
15N6078WGL	Laminate	**2312**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGW	Wood	**$ 2923**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8
15N6084WGL	Laminate	**2429**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399
- Wedge end dimension is 30" on a 48" top and 42" on a 60" top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 278 for wall, top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Wedge Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848WGWK	Wood	**$ 2596**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848WGLK	Laminate	**1822**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGWK	Wood	**$ 2748**	48	54	13/16	—	—	92 lbs.	5.5
15N4854WGLK	Laminate	**1974**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGWK	Wood	**$ 2899**	48	60	13/16	—	—	110 lbs.	6.2
15N4860WGLK	Laminate	**2126**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGWK	Wood	**$ 3051**	48	66	13/16	—	—	135 lbs.	7.5
15N4866WGLK	Laminate	**2277**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGWK	Wood	**$ 3203**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872WGLK	Laminate	**2429**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGWK	Wood	**$ 3354**	48	77 15/16	13/16	—	—	180 lbs.	8.3
15N4878WGLK	Laminate	**2581**	48	77 15/16	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGWK	Wood	**$ 3506**	48	83 15/16	13/16	—	—	210 lbs.	10.0
15N4884WGLK	Laminate	**2732**	48	83 15/16	13/16	—	—	210 lbs.	10.0

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399
- Wedge end dimension is 30" on a 48" top and 42" on a 60" top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048WGWK	K	CUT-G16C	R	AC
15N6048WGLK	K405	CUT-G16C	461	

Wedge Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048WGWK	Wood	**$ 2899**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048WGLK	Laminate	**2126**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGWK	Wood	**$ 2975**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054WGLK	Laminate	**2201**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGWK	Wood	**$ 3193**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060WGLK	Laminate	**2551**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGWK	Wood	**$ 3345**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066WGLK	Laminate	**2703**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGWK	Wood	**$ 3496**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072WGLK	Laminate	**2855**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGWK	Wood	**$ 3648**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
15N6078WGLK	Laminate	**3006**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGWK	Wood	**$ 3800**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8
15N6084WGLK	Laminate	**3158**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399
- Wedge end dimension is 30" on a 48" top and 42" on a 60" top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 278 for wall, top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

U-Shaped Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848UW	Wood	**$ 2017**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848UL	Laminate	**1416**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UW	Wood	**$ 2135**	48	54	13/16	—	—	92 lbs.	5.5
15N4854UL	Laminate	**1534**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UW	Wood	**$ 2253**	48	60	13/16	—	—	110 lbs.	6.2
15N4860UL	Laminate	**1651**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UW	Wood	**$ 2370**	48	66	13/16	—	—	135 lbs.	7.5
15N4866UL	Laminate	**1769**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UW	Wood	**$ 2488**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872UL	Laminate	**1887**	48	71 15/16	13/16	—	—	158 lbs.	7.9

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Number:

15N6048UW F X R AC

U-Shaped Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048UW	Wood	**$ 2253**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048UL	Laminate	**1651**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UW	Wood	**$ 2311**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054UL	Laminate	**1710**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UW	Wood	**$ 2481**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060UL	Laminate	**1982**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UW	Wood	**$ 2599**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066UL	Laminate	**2100**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UW	Wood	**$ 2716**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072UL	Laminate	**2218**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 278 for wall, top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

U-Shaped Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848UWK	Wood	**$ 2622**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848ULK	Laminate	**1841**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UWK	Wood	**$ 2775**	48	54	13/16	—	—	92 lbs.	5.5
15N4854ULK	Laminate	**1994**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UWK	Wood	**$ 2928**	48	60	13/16	—	—	110 lbs.	6.2
15N4860ULK	Laminate	**2147**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UWK	Wood	**$ 3081**	48	66	13/16	—	—	135 lbs.	7.5
15N4866ULK	Laminate	**2300**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UWK	Wood	**$ 3235**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872ULK	Laminate	**2453**	48	71 15/16	13/16	—	—	158 lbs.	7.9

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048UWK	K	X	R	AC
15N6048ULK	K462	X	405	

U-Shaped Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048UWK	Wood	**$ 2928**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048ULK	Laminate	**2147**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UWK	Wood	**$ 3005**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054ULK	Laminate	**2223**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UWK	Wood	**$ 3225**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060ULK	Laminate	**2577**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UWK	Wood	**$ 3378**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066ULK	Laminate	**2730**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UWK	Wood	**$ 3531**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072ULK	Laminate	**2883**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 399

Product Specifications

- STD channel height is 6" tall and should be specified when using the G15, G16, or no grommet
- G26 Marina™ channel height is 8" tall and should be specified when using the G26 Marina™ grommet
- Taper base shipped in three separate cartons

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Taper Base Bar Height



STD Channel Height



G26 Marina™ Channel Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
15N4840TPBP	Painted	$ **2309**	12	36 1/16	39¾	—	—	105 lbs.	12.9
15N5440TPBP	Painted	**2374**	12	42	39¾	—	—	115 lbs.	14.3
15N6040TPBP	Painted	**2440**	12	48	39¾	—	—	125 lbs.	15.6
15N6640TPBP	Painted	**2508**	12	54	39¾	—	—	135 lbs.	17.0
15N7240TPBP	Painted	**2579**	12	59 15/16	39¾	—	—	145 lbs.	18.3

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/16; desk height bottom channel inside dimension is 53 1/32; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 93 1/16; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 278 for wall, top and base guide

To Order, Specify:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

• See pages 273-276 for all options available in Mio

Sample Model Number:

15N4828TPBP 6 405

Taper Base Desk Height



STD Channel Height



G26 Marina™ Channel Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
15N4828TPBP	Painted	$ **2099**	12	36 1/16	27¼	—	—	95 lbs.	11.7
15N5428TPBP	Painted	**2158**	12	42	27¼	—	—	105 lbs.	13.5
15N6028TPBP	Painted	**2218**	12	48	27¼	—	—	115 lbs.	14.5
15N6628TPBP	Painted	**2280**	12	54	27¼	—	—	125 lbs.	15.7
15N7228TPBP	Painted	**2344**	12	59 15/16	27¼	—	—	135 lbs.	17.5
15N7828TPBP	Painted	**2410**	12	65 15/16	27¼	—	—	145 lbs.	18.5
15N8428TPBP	Painted	**2477**	12	71 15/16	27¼	—	—	155 lbs.	19.7

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/16"; desk height bottom channel inside dimension is 53 1/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 93 1/16"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 278 for wall, top and base guide

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 396
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Fabric TV Mount Exhibit Inserts



Model No./Description		Grade A	Grade B/COM	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Fabric TV Mount Exhibit Inserts											
11N3634TVFA	Railroad	$ 1246	$ 1288		½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634TVF	Standard	1242	1277		½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234TVFA	Railroad	$ 1247	$ 1289		½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234TVF	Standard	1243	1278		½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834TVFA	Railroad	$ 1368	$ 1417		½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834TVF	Standard	1364	1399		½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434TVFA	Railroad	$ 1490	$ 1546		½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434TVF	Standard	1486	1521		½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034TVFA	Railroad	$ 1624	$ 1680		½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034TVF	Standard	1620	1655		½	59 15/16	34 1/8	—	—	71 lbs.	3.9
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Fabric TV Mount Exhibit Inserts											
11N3636TVFA	Railroad	$ 1261	$ 1303		½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVF	Standard	1257	1292		½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVFA	Railroad	$ 1263	$ 1305		½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVF	Standard	1259	1294		½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVFA	Railroad	$ 1386	$ 1435		½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVF	Standard	1382	1417		½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVFA	Railroad	$ 1509	$ 1565		½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436TVF	Standard	1505	1540		½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036TVFA	Railroad	$ 1645	$ 1701		½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVF	Standard	1641	1676		½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

• See pages 273-276 for all options available in Mio

Sample Model Number:

11N3637TVFA B 25413





Shaded rectangle portrays a railroaded insert.

Fabric TV Mount Exhibit Inserts (continued)



Model No./Description		Grade A	Grade B/COM	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H Fabric TV Mount Exhibit Inserts											
11N3637TVFA	Railroad	$ 1261	$ 1303		½	35 15/16	37	—	—	51 lbs.	3.4
11N3637TVF	Standard	1257	1292		½	35 15/16	37	—	—	51 lbs.	3.4
11N4237TVFA	Railroad	$ 1263	$ 1305		½	41 15/16	37	—	—	57 lbs.	3.6
11N4237TVF	Standard	1259	1294		½	41 15/16	37	—	—	57 lbs.	3.6
11N4837TVFA	Railroad	$ 1386	$ 1435		½	47 15/16	37	—	—	62 lbs.	3.9
11N4837TVF	Standard	1382	1417		½	47 15/16	37	—	—	62 lbs.	3.9
11N5437TVFA	Railroad	$ 1509	$ 1565		½	53 7/8	37	—	—	68 lbs.	4.1
11N5437TVF	Standard	1505	1540		½	53 7/8	37	—	—	68 lbs.	4.1
11N6037TVFA	Railroad	$ 1645	$ 1701		½	59 15/16	37	—	—	74 lbs.	4.3
11N6037TVF	Standard	1641	1676		½	59 15/16	37	—	—	74 lbs.	4.3
Compatible with WaveWorks 79" High WW Models 48"H Fabric TV Mount Exhibit Inserts											
11N3648TVFA	Railroad	$ 1461	$ 1503		½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648TVF	Standard	1457	1499		½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N4248TVFA	Railroad	$ 1463	$ 1505		½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248TVF	Standard	1459	1501		½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4848TVFA	Railroad	$ 1607	$ 1656		½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848TVF	Standard	1603	1645		½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N5448TVFA	Railroad	$ 1753	$ 1809		½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448TVF	Standard	1749	1791		½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N6048TVFA	Railroad	$ 1912	$ 1968		½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048TVF	Standard	1908	1950		½	59 15/16	48 3/8	—	—	101 lbs.	6.1

• TV mount included; some assembly required; VESA mounting compliant
• Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
• Two trim channels included with each fabric insert in the same fabric
• Maximum TV weight is 120 lbs.

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 396
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Fabric TV Mount Exhibit Inserts (continued)



Compatible with WaveWorks 80" High WWN Models
49"H Fabric TV Mount Exhibit Inserts

Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
11N3649TVFA	Railroad	**$ 1461**	**$ 1503**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVF	Standard	**1457**	**1499**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVFA	Railroad	**$ 1463**	**$ 1505**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVF	Standard	**1459**	**1501**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVFA	Railroad	**$ 1607**	**$ 1656**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVF	Standard	**1603**	**1645**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVFA	Railroad	**$ 1753**	**$ 1809**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449TVF	Standard	**1749**	**1791**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N6049TVFA	Railroad	**$ 1912**	**$ 1968**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVF	Standard	**1908**	**1950**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Finish/Laminate Color (veneer/laminate insert only)
3. Fabric Grade (fabric insert only)
4. Fabric Color (fabric insert only)

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

11N3649TVFA B 25413
11N3634TVL 462
11N3634TVW MC





Shaded rectangle portrays a railroaded insert.

TV Mount Exhibit Inserts



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H TV Mount Exhibit Inserts									
11N3634TVW	Wood	$ **1732**	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634TVL	Laminate	**1241**	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234TVW	Wood	$ **1733**	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234TVL	Laminate	**1242**	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834TVW	Wood	$ **1909**	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834TVL	Laminate	**1363**	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434TVW	Wood	$ **2085**	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434TVL	Laminate	**1485**	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034TVW	Wood	$ **2279**	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034TVL	Laminate	**1619**	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H TV Mount Exhibit Inserts									
11N3636TVW	Wood	$ **1754**	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVL	Laminate	**1256**	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVW	Wood	$ **1757**	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVL	Laminate	**1258**	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVW	Wood	$ **1935**	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVL	Laminate	**1381**	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVW	Wood	$ **2113**	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436TVL	Laminate	**1504**	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036TVW	Wood	$ **2310**	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVL	Laminate	**1640**	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 396
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

TV Mount Exhibit Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H TV Mount Exhibit Inserts									
11N3637TVW	Wood	$ **1754**	½	35 15/16	37	—	—	51 lbs.	3.4
11N3637TVL	Laminate	**1256**	½	35 15/16	37	—	—	51 lbs.	3.4
11N4237TVW	Wood	$ **1757**	½	41 15/16	37	—	—	57 lbs.	3.6
11N4237TVL	Laminate	**1258**	½	41 15/16	37	—	—	57 lbs.	3.6
11N4837TVW	Wood	$ **1935**	½	47 15/16	37	—	—	62 lbs.	3.9
11N4837TVL	Laminate	**1381**	½	47 15/16	37	—	—	62 lbs.	3.9
11N5437TVW	Wood	$ **2113**	½	53 7/8	37	—	—	68 lbs.	4.1
11N5437TVL	Laminate	**1504**	½	53 7/8	37	—	—	68 lbs.	4.1
11N6037TVW	Wood	$ **2310**	½	59 15/16	37	—	—	74 lbs.	4.3
11N6037TVL	Laminate	**1640**	½	59 15/16	37	—	—	74 lbs.	4.3
Compatible with WaveWorks 79" High WW Models 48"H TV Mount Exhibit Inserts									
11N3648TVW	Wood	$ **2044**	½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648TVL	Laminate	**1456**	½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N4248TVW	Wood	$ **2047**	½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248TVL	Laminate	**1458**	½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4848TVW	Wood	$ **2256**	½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848TVL	Laminate	**1602**	½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N5448TVW	Wood	$ **2468**	½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448TVL	Laminate	**1748**	½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N6048TVW	Wood	$ **2699**	½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048TVL	Laminate	**1907**	½	59 15/16	48 3/8	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Finish/Laminate Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

11N3637TVL 462
11N3637TVW MC

TV Mount Exhibit Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H TV Mount Exhibit Inserts									
11N3649TVW	Wood	$ **2044**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVL	Laminate	**1456**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVW	Wood	$ **2047**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVL	Laminate	**1458**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVW	Wood	$ **2256**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVL	Laminate	**1602**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVW	Wood	$ **2468**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449TVL	Laminate	**1748**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	$ **2699**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVL	Laminate	**1907**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 279 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Exhibit Mount Square Top Softened Rim	***48" Square***									
	15N4848SQDW	Wood	**$ 1849**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQDL	Laminate	**1298**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQDW	Wood	**$ 2274**	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQDL	Laminate	**1817**	58 5/8	60	13/16	—	—	150 lbs.	8.3



- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit Mount Square Top Knife Rim	***48" Square***									
	15N4848SQDWK	Wood	**$ 2404**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQDLK	Laminate	**1687**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQDWK	Wood	**$ 2957**	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQDLK	Laminate	**2362**	58 5/8	60	13/16	—	—	150 lbs.	8.3



- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6060SQDL	V425	CUT-G15C	NT1	425	
15N6060SQDW	F	X	NT1	N	MC

Exhibit Mount Rectangle Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 54"									
15N4854RTDW	Wood	**$ 1957**	48	54	13⁄16	—	—	92 lbs.	5.5
15N4854RTDL	Laminate	**1406**	48	54	13⁄16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTDW	Wood	**$ 2065**	48	60	13⁄16	—	—	110 lbs.	6.2
15N4860RTDL	Laminate	**1514**	48	60	13⁄16	—	—	110 lbs.	6.2
48" x 66"									
15N4866RTDW	Wood	**$ 2173**	48	66	13⁄16	—	—	135 lbs.	7.5
15N4866RTDL	Laminate	**1622**	48	66	13⁄16	—	—	135 lbs.	7.5
48" x 72"									
15N4872RTDW	Wood	**$ 2281**	48	72	13⁄16	—	—	158 lbs.	7.9
15N4872RTDL	Laminate	**1730**	48	72	13⁄16	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDW	Wood	**$ 2389**	48	78	13⁄16	—	—	180 lbs.	8.3
15N4878RTDL	Laminate	**1838**	48	78	13⁄16	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDW	Wood	**$ 2497**	48	84	13⁄16	—	—	210 lbs.	10.0
15N4884RTDL	Laminate	**1946**	48	84	13⁄16	—	—	210 lbs.	10.0
60" x 48"									
15N6048RTDW	Wood	**$ 2065**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
15N6048RTDL	Laminate	**1514**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDW	Wood	**$ 2119**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5
15N6054RTDL	Laminate	**1568**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 279 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount Rectangle Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 66"									
15N6066RTDW	Wood	**$ 2382**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066RTDL	Laminate	**1925**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDW	Wood	**$ 2490**	58 5/8	72	13 1/16	—	—	210 lbs.	9.6
15N6072RTDL	Laminate	**2033**	58 5/8	72	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDW	Wood	**$ 2598**	58 5/8	78	13 1/16	—	—	245 lbs.	10.0
15N6078RTDL	Laminate	**2141**	58 5/8	78	13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDW	Wood	**$ 2706**	58 5/8	84	13 1/16	—	—	270 lbs.	10.8
15N6084RTDL	Laminate	**2249**	58 5/8	84	13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit Mount Rectangle Top Knife Rim



48" x 54"									
15N4854RTDWK	Wood	**$ 2544**	48	54	13 1/16	—	—	92 lbs.	5.5
15N4854RTDLK	Laminate	**1828**	48	54	13 1/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTDWK	Wood	**$ 2685**	48	60	13 1/16	—	—	110 lbs.	6.2
15N4860RTDLK	Laminate	**1968**	48	60	13 1/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866RTDWK	Wood	**$ 2825**	48	66	13 1/16	—	—	135 lbs.	7.5
15N4866RTDLK	Laminate	**2109**	48	66	13 1/16	—	—	135 lbs.	7.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N4854RTDWK	K	CUT-G26C	D1B425	R	AC
15N4854RTDLK	K425	CUT-G26C	D1B425	AC2	

Exhibit Mount Rectangle Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 72"									
15N4872RTDWK	Wood	$ **2965**	48	72	13/16	—	—	158 lbs.	7.9
15N4872RTDLK	Laminate	**2249**	48	72	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDWK	Wood	$ **3106**	48	78	13/16	—	—	180 lbs.	8.3
15N4878RTDLK	Laminate	**2389**	48	78	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDWK	Wood	$ **3246**	48	84	13/16	—	—	210 lbs.	10.0
15N4884RTDLK	Laminate	**2530**	48	84	13/16	—	—	210 lbs.	10.0
60" x 48"									
15N6048RTDWK	Wood	$ **2685**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048RTDLK	Laminate	**1968**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDWK	Wood	$ **2755**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054RTDLK	Laminate	**2038**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 66"									
15N6066RTDWK	Wood	$ **3097**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066RTDLK	Laminate	**2503**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDWK	Wood	$ **3237**	58 5/8	72	13/16	—	—	210 lbs.	9.6
15N6072RTDLK	Laminate	**2643**	58 5/8	72	13/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDWK	Wood	$ **3378**	58 5/8	78	13/16	—	—	245 lbs.	10.0
15N6078RTDLK	Laminate	**2784**	58 5/8	78	13/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDWK	Wood	$ **3518**	58 5/8	84	13/16	—	—	270 lbs.	10.8
15N6084RTDLK	Laminate	**2924**	58 5/8	84	13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 279 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount Wedge Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848WGDW	Wood	**$ 1997**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848WGDL	Laminate	**1402**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGDW	Wood	**$ 2114**	48	54	13/16	—	—	92 lbs.	5.5
15N4854WGDL	Laminate	**1518**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDW	Wood	**$ 2230**	48	60	13/16	—	—	110 lbs.	6.2
15N4860WGDL	Laminate	**1635**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDW	Wood	**$ 2347**	48	66	13/16	—	—	135 lbs.	7.5
15N4866WGDL	Laminate	**1752**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDW	Wood	**$ 2463**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872WGDL	Laminate	**1868**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDW	Wood	**$ 2580**	48	77 15/16	13/16	—	—	180 lbs.	8.3
15N4878WGDL	Laminate	**1985**	48	77 15/16	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDW	Wood	**$ 2697**	48	83 15/16	13/16	—	—	210 lbs.	10.0
15N4884WGDL	Laminate	**2102**	48	83 15/16	13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048WGDL	V478	CUT-G15C	NT1	478	
15N6048WGDW	F	CUT-G15C	NT1	N	CW

Exhibit Mount Wedge Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048WGDW	Wood	$ **2230**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
15N6048WGDL	Laminate	**1635**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDW	Wood	$ **2289**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
15N6054WGDL	Laminate	**1693**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDW	Wood	$ **2456**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
15N6060WGDL	Laminate	**1963**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGDW	Wood	$ **2573**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066WGDL	Laminate	**2079**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDW	Wood	$ **2689**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
15N6072WGDL	Laminate	**2196**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDW	Wood	$ **2806**	58 5/8	77 15/16	13 1/16	—	—	245 lbs.	10.0
15N6078WGDL	Laminate	**2312**	58 5/8	77 15/16	13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDW	Wood	$ **2923**	58 5/8	83 15/16	13 1/16	—	—	270 lbs.	10.8
15N6084WGDL	Laminate	**2429**	58 5/8	83 15/16	13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 279 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount Wedge Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848WGDWK	Wood	**$ 2596**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848WGDLK	Laminate	**1822**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGDWK	Wood	**$ 2748**	48	54	13/16	—	—	92 lbs.	5.5
15N4854WGDLK	Laminate	**1974**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDWK	Wood	**$ 2899**	48	60	13/16	—	—	110 lbs.	6.2
15N4860WGDLK	Laminate	**2126**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDWK	Wood	**$ 3051**	48	66	13/16	—	—	135 lbs.	7.5
15N4866WGDLK	Laminate	**2277**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDWK	Wood	**$ 3203**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872WGDLK	Laminate	**2429**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDWK	Wood	**$ 3354**	48	77 15/16	13/16	—	—	180 lbs.	8.3
15N4878WGDLK	Laminate	**2581**	48	77 15/16	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDWK	Wood	**$ 3506**	48	83 15/16	13/16	—	—	210 lbs.	10.0
15N4884WGDLK	Laminate	**2732**	48	83 15/16	13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048WGDWK K CUT-G16C X R AC
15N6048WGDLK K405 CUT-G16C X 461

Exhibit Mount Wedge Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048WGDWK	Wood	**$ 2899**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048WGDLK	Laminate	**2126**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDWK	Wood	**$ 2975**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054WGDLK	Laminate	**2201**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDWK	Wood	**$ 3193**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060WGDLK	Laminate	**2551**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGDWK	Wood	**$ 3345**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066WGDLK	Laminate	**2703**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDWK	Wood	**$ 3496**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072WGDLK	Laminate	**2855**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDWK	Wood	**$ 3648**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
15N6078WGDLK	Laminate	**3006**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDWK	Wood	**$ 3800**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8
15N6084WGDLK	Laminate	**3158**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 279 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount U-Shaped Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848UDW	Wood	**$ 2017**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848UDL	Laminate	**1416**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDW	Wood	**$ 2135**	48	54	13/16	—	—	92 lbs.	5.5
15N4854UDL	Laminate	**1534**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UDW	Wood	**$ 2253**	48	60	13/16	—	—	110 lbs.	6.2
15N4860UDL	Laminate	**1651**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDW	Wood	**$ 2370**	48	66	13/16	—	—	135 lbs.	7.5
15N4866UDL	Laminate	**1769**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDW	Wood	**$ 2488**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872UDL	Laminate	**1887**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDW	Wood	**$ 2606**	48		13/16	—	—	180 lbs.	8.3
15N4878UDL	Laminate	**2005**	48		13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDW	Wood	**$ 2724**	48		13/16	—	—	210 lbs.	10.0
15N4884UDL	Laminate	**2123**	48		13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048UDW	F	X	NT1	R	AC
15N6048UDL	V462	X	NT1	405	

Exhibit Mount U-Shaped Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048UDW	Wood	**$ 2253**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048UDL	Laminate	**1651**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UDW	Wood	**$ 2311**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054UDL	Laminate	**1710**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UDW	Wood	**$ 2481**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060UDL	Laminate	**1982**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UDW	Wood	**$ 2599**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066UDL	Laminate	**2100**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UDW	Wood	**$ 2716**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072UDL	Laminate	**2218**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDW	Wood	**$ 2834**	58 5/8		13/16	—	—	245 lbs.	10.0
15N6078UDL	Laminate	**2336**	58 5/8		13/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDW	Wood	**$ 2952**	58 5/8		13/16	—	—	270 lbs.	10.8
15N6084UDL	Laminate	**2453**	58 5/8		13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 275 for grommet and cutout locations
- Reference page 279 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount U-Shaped Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848UDWK	Wood	**$ 2622**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848UDLK	Laminate	**1841**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDWK	Wood	**$ 2775**	48	54	13/16	—	—	92 lbs.	5.5
15N4854UDLK	Laminate	**1994**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UDWK	Wood	**$ 2928**	48	60	13/16	—	—	110 lbs.	6.2
15N4860UDLK	Laminate	**2147**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDWK	Wood	**$ 3081**	48	66	13/16	—	—	135 lbs.	7.5
15N4866UDLK	Laminate	**2300**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDWK	Wood	**$ 3235**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872UDLK	Laminate	**2453**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDWK	Wood	**$ 3388**	48		13/16	—	—	180 lbs.	8.3
15N4878UDLK	Laminate	**2606**	48		13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDWK	Wood	**$ 3541**	48		13/16	—	—	210 lbs.	10.0
15N4884UDLK	Laminate	**2760**	48		13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 273-276 for all options available in Mio

Sample Model Numbers:

15N6048UDWK	K	X	X	R	AC
15N6048UDLK	K462	X	X	405	

Exhibit Mount U-Shaped Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048UDWK	Wood	**$ 2928**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
15N6048UDLK	Laminate	**2147**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UDWK	Wood	**$ 3005**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
15N6054UDLK	Laminate	**2223**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UDWK	Wood	**$ 3225**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
15N6060UDLK	Laminate	**2577**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UDWK	Wood	**$ 3378**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066UDLK	Laminate	**2730**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UDWK	Wood	**$ 3531**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
15N6072UDLK	Laminate	**2883**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDWK	Wood	**$ 3684**	58 5/8		13 1/16	—	—	245 lbs.	10.0
15N6078UDLK	Laminate	**3036**	58 5/8		13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDWK	Wood	**$ 3838**	58 5/8		13 1/16	—	—	270 lbs.	10.8
15N6084UDLK	Laminate	**3189**	58 5/8		13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 316-317
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 275 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 275 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 318
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- STD channel height is 6" tall and should be specified when using the G15, G16, or no grommet
- G26 Marina™ channel height is 8" tall and should be specified when using the G26 Marina™ grommet
- Taper base shipped in three separate cartons

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Taper Base Bar Height Exhibit Mount



STD Channel Height



G26 Marina™ Channel Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
15N4840TPOBP	Painted	$ **2655**	12	36 1/16	39¾	—	—	105 lbs.	18.1
15N5440TPOBP	Painted	**2730**	12	42	39¾	—	—	115 lbs.	20.7
15N6040TPOBP	Painted	**2806**	12	48	39¾	—	—	125 lbs.	23.3
15N6640TPOBP	Painted	**2884**	12	54	39¾	—	—	135 lbs.	25.9
15N7240TPOBP	Painted	**2966**	12	59 15/16	39¾	—	—	145 lbs.	28.5
15N7840TPOBP	Painted	**3046**	12	65 15/16	39¾	—	—	155 lbs.	31.1
15N8440TPOBP	Painted	**3126**	12	71 15/16	39¾	—	—	165 lbs.	33.7

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/16"; desk height bottom channel inside dimension is 53 1/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 93 1/16"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 279 for top and base guide

To Order, Specify:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

• See pages 273-276 for all options available in Mio

Sample Model Number:

15N4828TPOBP 6 405

Taper Base Desk Height Exhibit Mount



STD Channel Height



G26 Marina™ Channel Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
15N4828TPOBP	Painted	$ **2414**	12	36 1/16	27¼	—	—	95 lbs.	13.0
15N5428TPOBP	Painted	**2482**	12	42	27¼	—	—	105 lbs.	14.8
15N6028TPOBP	Painted	**2551**	12	48	27¼	—	—	115 lbs.	16.7
15N6628TPOBP	Painted	**2622**	12	54	27¼	—	—	125 lbs.	18.6
15N7228TPOBP	Painted	**2696**	12	59 15/16	27¼	—	—	135 lbs.	20.4
15N7828TPOBP	Painted	**2772**	12	65 15/16	27¼	—	—	145 lbs.	22.3
15N8428TPOBP	Painted	**2849**	12	71 15/16	27¼	—	—	155 lbs.	24.2

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/16; desk height bottom channel inside dimension is 53 1/32; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 93 1/16; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 279 for top and base guide





Shaded rectangle portrays a railroaded wire manager.

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Exhibit Wall Rail and Faceplate	***Wall Rail and Faceplate***									
	**11N72EXFP2**	Set of Two	$ **241**	7/8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of Two	**344**	7/8	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of One	$ **139**	7/8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of One	**191**	7/8	144	1¾	—	—	12 lbs.	1.4

- Set of two includes two rails, two faceplates, and four alignment brackets
- Set of one includes one rail, one faceplate, and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic

Exhibit Wall Rail	***Wall Rail***		
	**11N72EXP1**	One Rail/No faceplate	$ **83**
	11N144EXP1	One Rail/No faceplate	**121**

- Includes one wall rail and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

			Grade A	Grade B/COM	D	W	H	A	KW	Cartoned Weight	Cubic Feet
Exhibit TV Mount Vertical Wire Manager											
	11N0615WMVW	Wood	$ **300**		1½	53/8	157/16	—	—	8 lbs.	0.6
	11N0615WMVL	Laminate	**200**		1½	53/8	157/16	—	—	8 lbs.	0.6
	11N0615WMVFA	Fabric, Railroad	**300**	$ **307**	1½	53/8	157/16	—	—	8 lbs.	0.6
	11N0615WMVF	Fabric, Standard	**300**	**307**	1½	53/8	157/16	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

Worksurface Wire Manager Filler	**NAC01WMFM**	$ **14**	1	1	1	—	—	1 lbs.	0.5
									

- Specify paint color
- Paint options and recommendations are listed on page 276

To Order, Specify:

1. Model Number
2. Paint Color

• See pages 273-276 for all options available in Mio

Sample Model Number:

NAC01WMFM 501

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
One Touch Double Pivoting Power Grommet (G15)	**NACG15EL**	Silver	**$ 818**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELB	Black	**818**	8	9¾	1½	—	—	4 lbs.	0.4
	NACG15ELH	Silver/Hardwire	**818**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELHB	Black/Hardwire	**818**	8	9¾	1½	—	—	4 lbs.	0.4
NACG15EL										
	NACG152ELS	Silver	**$ 1185**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELB	Black	**1185**	8	9¾	1½	—	—	4 lbs.	0.4
	NACG152ELHS	Silver/Hardwire	**1185**	8	9¾	1½	—	—	5 lbs.	0.4
NACG152ELS	**NACG152ELHB**	Black/Hardwire	**1185**	8	9¾	1½	—	—	4 lbs.	0.4
	• See page 272 for detailed specifications									
Power/Data Oasis (G162)	**NACG162ELS**	Silver Powder Coat	**$ 2163**	9	15	4	—	—	8 lbs.	1.2
	NACG162ELB	Black Powder Coat	**2163**	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHS	Silver Powder Coat/Hardwire	**2524**	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHB	Black Powder Coat/Hardwire	**2524**	9	15	4	—	—	8 lbs.	1.2
	• See page 272 for detailed specifications									
Marina™ HDMI Collaborative Meeting Technology Solution	**NACG26ELB**	Black	**$ 7000**	8	14	715/16	—	—	20 lbs.	2.4
	NACG26ELS	Silver	**7000**	8	14	715/16	—	—	20 lbs.	2.4
	• See page 272 for detailed specifications									
Getaway™ Portable Meeting Technology Solution	**NACG26ELMB**	Black	**$ 7500**	12	147/8	4	—	—	18 lbs.	1.2
	NACG26ELMS	Silver	**7500**	12	147/8	4	—	—	18 lbs.	1.2
	• See page 272 for detailed specifications									

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Architectural Wall Mount Kit	**15NTVMAS**	Black	**$ 300**	15¾-47¼		15¾-31¼		—	25 lbs.	2.0



- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
- Black powder coat
- VESA mounting compliant

Universal Mobile Marker Board Flip Chart Holder	**10N3372MBFCHB**	Cinder	**$ 1586**	23⅝	32⅝	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHS	Platinum Metallic	**1586**	23⅝	32⅝	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHN	Satin Nickel Metallic	**1586**	23⅝	32⅝	71¼	—	—	50 lbs.	8.6



- Some assembly required
- High gloss, white laminate marker board
- 4 locking casters
- Adjustable brackets to hang flip chart
- Casters are black on the Cinder and Satin Nickel Metallic models; Platinum Metallic model has black casters with silver hubcaps

Universal Mobile Media Cart	**10N3661MMCM**	Gun Metal Grey	**$ 4400**	26	36¼	61	—	—	80 lbs.	9.1



- Some assembly required
- Supports one plasma or LCD screen 37" to 70"; includes mounting bracket, one adjustable height shelf, wire management in rear, adjustable camera platform, and six port power module
- Gun Metal Grey powder coat
- 5" dual wheel casters; 2 locking

Camera Shelf	**NAC0711SHM**	Powder Coated	**$ 250**	7	11	1¼	—	—	10 lbs.	1.5



- Available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- 20 lb. maximum weight capacity
- Only intended for use with the Mio Wall or Exhibit TV mount insert

COM (Customer's Own Material)

Select casegoods can be upholstered with appropriate material furnished by the customer. Prices are listed under grade B.

Grade B tack board fabric – Epicenter, Exhibit and tack boards

Customer's Own Leather (COL) is not available on casegoods.

COM is not available on Quick Delivery tack board models.

COM yardage requirements for Epicenter, Exhibit and tack boards in this price list are based on the use of non-directional fabric 54" and 66" wide. The model number will determine if the fabric is cut "up the roll" or "railroad".

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference page 441 for COM yardage requirements

COM Disposal

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

COM Decorative/Directional Fabrics

Exhibit:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Fabric will be wrapped on panel based upon the model number selected – standard or railroad
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered.

Flammability

- Tack boards meet Universal Building Code requirement of ASTM-E84 Class C when specifying fabric that is 100% polyester (recycled polyester allowed), light or no backing, no finish, weight less/equal to 12.96 oz./lin. yd.
- If ASTM-E84 Class A is requested, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

COM Evaluation

National reserves the right to inspect, approve or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability or warranty on the part of National as to appearance, behavior, durability or tailoring of COM.

Confirm COM Application

Visit www.NationalOfficeFurniture.com to see if your COM has already been evaluated for application.

If the COM has not been evaluated prior to placing an order, please send the test fabric to the following locations depending upon model type.

Exhibit:
Test yardage needs to be sent to two locations:

2.25 yards	1 yard
Kimball Office - Jasper	Echo Solutions
Attn: National COM Testing	Attn: National COM Testing
1037 E 15th Street	462 Lincoln Avenue
Dock 21/22	Dock R
Jasper, IN 47549	Holland, MI 49423

Rarely, but occasionally, really light colored fabrics may allow the tackable substrate to telegraph through the material. We do not approve/reject based upon color. If you are concerned about a light color, make sure you send in that color for application evaluation. If the pattern is already listed in the COM Approval Listing, ask Customer Service if that color was evaluated. If that color was not evaluated, a memo needs to be sent to the two addresses listed above for color-only evaluation.

All COM orders must:

1. Include fabric supplier's name, fabric name/number and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

1. Dealer Name and Purchase Order Number
2. National Model Numbers
3. Ship Prepaid to

Exhibit Combo Slat/Tack Inserts (Exhibit Tack Board Inserts excluded)

Kimball Office - Jasper
Attn: NOF COM Department
1037 E 15th Street
Dock 21/22
Jasper, IN 47549

Exhibit Tack Board Inserts (Exhibit Combo Slat/Tack Inserts excluded), Vertical Cable Managers and Fabric Wrapped Trim Channels, Exhibit TV Mount Inserts, and Edge Mount/Set-On Privacy Screen models

Echo Solutions
Attn: NOF COM Department
462 Lincoln Avenue
Dock R
Holland, MI 49423

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

How to Order National Casegoods with COM

Specify:

1. Model Number
2. Fabric Manufacturer
3. Pattern Name and/or Number
4. Color Name and/or Number

Sample Order Numbers:

Following is a sample order number for a Model 11N1834TB

11N1834TB—Exhibit Tack Board insert upholstered in Designtex Circuit in 5121 101 Pebble color

11N1834TB	/	COM	/	Designtex	/	Circuit	/	5121 101 Pebble
Model		Grade		Manufacturer		Pattern		Color

Exhibit™

Wall Rail Solution

PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 13/16" HPL (high pressure laminate) and feature a softened 3mm PVC rim or a PVC knife rim profile
- Veneer surfaces are 13/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surface available on three sides
- Refer to page 327 for rim profiles and colors

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen.
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of one or two and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align two adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD/TACK BOARD/SLAT WALL/ORGANIZER SHELF INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include two trim channels
- Tack board insert is available in fabric, see page 326 for fabric options
- Slat wall inserts are powder coated aluminum and available in Cinder, Platinum Metallic or Satin Nickel Metallic
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

EXHIBIT TV MOUNT INSERT

- Fabric insert is not tackable; see page 326 for fabric options
- Laminate, veneer, or fabric inserts; TV mount included with insert

TAPERED BASES

- MDF material available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Adjustable glides are standard
- Features removable panels for wire access

TRIM CHANNELS

- Quantity of two is standard with each board/insert
- Available in powder coat paint or fabric; Paint options of White, Cinder, Platinum Metallic or Satin Nickel Metallic and in the same fabric option as the tack board inserts
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet
- Available in fabric to match tack board insert or black plastic

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet
- Available in fabric, laminate, or veneer to match the insert

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

POWER/DATA ELECTRICAL SPECIFICATIONS

ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)

- UL Listed
- To be ordered with G15 cutout options
- Must be inserted and installed into CUT-G15C cutout in field
- One touch door remains open during use
- Silver or black anodized aluminum available
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) Two power outlets (110 volts each), two blank communication ports, one port with two charging USB, and one HDMI
- Corded units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Hardwire units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable
- For more specification information: www.byrne-electrical.com

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into CUT-G16C cutout in field
- Silver or black powder coat available
- Power/Data Oasis (G162) unit will feature six power receptacles with two 108" power cords and molded plugs rated at 12 Amps 120 volts, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature six power receptacles with one 72" long hardwire conduit covered pigtail cable on one end which carries two 20 Amp 120 volt circuits to power two sides of the Power/Data Oasis, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Standard units have cords that are 9 ft. long rated at 15 Amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 Amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

MARINA™ HDMI COLLABORATIVE MEETING TECHNOLOGY SOLUTION (G26)

- ETL Listed
- Must be inserted and installed into CUT-G26C cutout in field
- HDMI switcher
- Four HDMI Show Me cables, 6 ft.
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 3.0, 2.1 Amp USB ports
- Two blank telecom plates
- 72" power cord
- Graphite Gray powder coat interior
- Powder coat bezel with sliding doors; available in silver or black
- For more specification information: www.electri-cable.com

GETAWAY™ PORTABLE MEETING TECHNOLOGY SOLUTION (G26 MOBILE)

- ETL Listed
- Freestanding portable unit
- HDMI 4 power switcher
- Four 6 ft. Show Me cables
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 2.1 Amp USB ports
- 108" power cord
- Carrying case
- Powder coat finish; available in silver or black
- For more specification information: www.electri-cable.com

SCScertified™ INDOOR AIR QUALITY Indoor Advantage | Furniture GOLD

level 2

For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

TRIM CHANNEL PAINT COLORS

401 White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

END TRIM/END CAP PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

TACK BOARD INSERT/TRIM CHANNEL/WIRE MANAGER FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8604 Kamelos
8606 Pebble
8607 Gecho
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness
8621 Golden

Repetition (Grade A)
100% Pre-Consumer
Recycled Polyester

3700 Ash
3705 Willow
3709 Java
3713 Stainless
3715 Almond
3721 Reed
3726 Kiwi
3737 Sisal
3744 Tawny
3753 Steel
3766 Wicker
3775 Grey Green
3782 Honeycomb
3785 Blue Grass
3792 Spa
3799 Cornflower

COM (Grade B)

Flax (Grade B)
49% Pre-Consumer Recycled Polyester,
38% Repreve® Polyester (Post-Consumer Recycled Polyester),
13% Polyester

22801 Bark
22802 Daffodil
22803 Earth
22804 Iris
22805 Lake
22806 Leaf
22807 Lily
22808 Rain
22809 Seed
22810 Sunset
22811 Tulip
22812 Wheat

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
25408 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

Exhibit

EXHIBIT COMPONENTS



WOOD FINISHES (Organizer Shelf Insert)

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

LAMINATE COLORS (Organizer Shelf Insert)

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander*
791H Palisander Horizontal*
792 Sable
792H Sable Horizontal
793 Acorn*

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Not available on laminate/wood models

MDF TAPER BASE PAINT COLORS

405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



6 STD Channel Height

G15 and G16 Grommet Channel (6" deep)



8 G26 Marina™ Channel Height

G26 Grommet Channel (8" deep)

TOP SHAPES AND SIZES

Square

48" x 48"
60" x 60"



Rectangle

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

Wedge

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

U-Shaped

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

TOP LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

Exhibit

RIM PROFILE OPTIONS



Softened Wood (F) (wood tops only)



Softened PVC (V) (laminate tops only)



Knife (K)

Woodgrain PVC Rim

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid PVC Rim

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

SH6 ORGANIZER SHELF HEIGHT OPTIONS FOR 36"/37"/48"/49" HIGH MODELS

A Align with 13H Overhead
B Align with 18H Overhead
C Align with 30H Overhead*
*48"/49" high models only

GROMMET CUTOUT OPTIONS

Mio Exhibit tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout

CUT-G15C Center



- Reference below for cutout locations of CUT-G15C



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15C option
- Reference page 404 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout

CUT-G16C Center



- Reference below for cutout locations of CUT-G16C



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16C option
- Reference page 404 for pricing and details

Cutout Option for Marina™ HDMI Collaborative Meeting Technology Solution

$25 list upcharge per cutout

CUT-G26C Center



- Reference below for cutout locations of CUT-G26C



NACG26ELB and NACG26ELS (Sold Separately)

- Must order model NACG26ELB or NACG26ELS to fit into CUT-G26C option
- Reference page 404 for pricing and details

WORKSURFACE WIRE MANAGER OPTIONS

Only available on Exhibit mount tops

If no wire manager is desired, specify an X (No Wire Manager)

Specify location and color option
Comes attached to worksurface

Locations:

X	No Wire Manager	
NT1	Notch with Sleeve	$25 list upcharge
D1B	Back	$40 list upcharge



Colors:

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

Notch



WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Woodgrains	
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
NM Natural	403 Chamois 419 Wallaby
HN2 Honey 2	403 Chamois 419 Wallaby
CL Caramel	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
MH Mocha	485 Dark Chocolate
791 Palisander	462 Cinder 485 Dark Chocolate
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Solid Laminates	
405 Designer White	405 Designer White
417 Mojave	419 Wallaby
418 Mouse	478 Platinum Grey
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Pattern Laminates	
809 Tungsten Evolv	403 Chamois 425 Shadow
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
820 Paloma Bisque	419 Wallaby 425 Shadow
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite
874 Bronze Legacy	425 Shadow

Grommet Locations

Grommet or Notch Wire Manager Location/Options	Table Lengths 48"	54"	60"	66"
CUT-G15C CUT-G16C CUT-G26C NT1 Center				

Grommet or Notch Wire Manager Location/Options	Table Lengths 72"	78"	84"
CUT-G15C CUT-G16C CUT-G26C NT1 Center			

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SIZES	TOP SHAPES Square	Rectangle	Wedge	U-Shaped
48" x 48"	4	N/A	3–4	4
60" x 60"	4–6	N/A	4–5	4–6
48" x 54"	N/A	5	4	4
48" x 60"	N/A	5	5	5
48" x 66"	N/A	5–6	5–6	5–6
48" x 72"	N/A	6	6	6
48" x 78"	N/A	6–7	6–7	6–7
48" x 84"	N/A	7–8	7	7
60" x 48"	N/A	4	4	4
60" x 54"	N/A	6	5	5
60" x 66"	N/A	5–6	5–6	5–6
60" x 72"	N/A	6	6	6
60" x 78"	N/A	6–7	6–7	6–7
60" x 84"	N/A	7–8	7	7

• Customer determines the size of the Exhibit TV Mount Insert; no restrictions

MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
Top Size	Square	Rectangle	Wedge	U-Shaped	
48" x 48"	✔		✔	✔	4828
48" x 54"		✔	✔	✔	5428
48" x 60"		✔	✔	✔	6028
48" x 66"		✔	✔	✔	6628
48" x 72"		✔	✔	✔	7228
48" x 78"		✔	✔	✔	7828
48" x 84"		✔	✔	✔	8428
60" x 48"		✔	✔	✔	4828
60" x 54"		✔	✔	✔	5428
60" x 60"	✔	✔	✔	✔	6028
60" x 66"		✔	✔	✔	6628
60" x 72"		✔	✔	✔	7228
60" x 78"		✔	✔	✔	7828
60" x 84"		✔	✔	✔	8428
48" x 48"	✔	✔	✔	✔	4840
48" x 54"		✔	✔	✔	5440
48" x 60"		✔	✔	✔	6040
48" x 66"		✔	✔	✔	6640
48" x 72"		✔	✔	✔	7240
48" x 78"		✔	✔	✔	7840
48" x 84"		✔	✔	✔	8440
60" x 48"		✔	✔	✔	4840
60" x 54"		✔	✔	✔	5440
60" x 60"	✔	✔	✔	✔	6040
60" x 66"		✔	✔	✔	6640
60" x 72"		✔	✔	✔	7240
60" x 78"		✔	✔	✔	7840
60" x 84"		✔	✔	✔	8440

✔ denotes the size of top that goes with each corresponding base size

Overview

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

Exhibit with WaveWorks and Epic Models

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



Application Guidelines

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	
Wood Studs (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
Solid Masonry Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
Masonry Block Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends 7/8" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts



36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the five heights to achieve the customer's needs.

Exhibit

Product Specifications

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align two sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 396-399

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Exhibit Wall Rail and Faceplate	***Wall Rail and Faceplate***									
	**11N72EXFP2**	Set of Two	**$ 241**	7/8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of Two	**344**	7/8	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of One	**$ 139**	7/8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of One	**191**	7/8	144	1¾	—	—	12 lbs.	1.4

- Set of two includes two rails, two faceplates, and four alignment brackets
- Set of one includes one rail, one faceplate, and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic

Exhibit Wall Rail	***Wall Rail***									
	**11N72EXP1**	One Rail/No faceplate	**$ 83**	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1	One Rail/No faceplate	**121**	¾	144	1¾	—	—	12 lbs.	1.4

- Includes one wall rail and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

To Order, Specify:

1. Model Number
2. Paint Color
3. Fabric Grade (tack board insert only)
4. Fabric Color (tack board insert only)

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N72EXFP2 462
11N1834TB B 25413





Shaded rectangle portrays a railroaded tack board.

Tack Board Inserts



Model No./Description		Grade A	Grade B/COM	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Tack Board Inserts											
11N1834TBA	Railroad	$ 203	$ 238		½	18	34⅛	—	—	3 lbs.	0.5
11N1834TB	Standard	197	232		½	18	34⅛	—	—	3 lbs.	0.5
11N2434TBA	Railroad	$ 212	$ 247		½	24	34⅛	—	—	4 lbs.	0.6
11N2434TB	Standard	207	242		½	24	34⅛	—	—	4 lbs.	0.6
11N3034TBA	Railroad	$ 248	$ 283		½	30	34⅛	—	—	5 lbs.	0.8
11N3034TB	Standard	243	278		½	30	34⅛	—	—	5 lbs.	0.8
11N3634TBA	Railroad	$ 260	$ 302		½	36	34⅛	—	—	6 lbs.	0.9
11N3634TB	Standard	249	284		½	36	34⅛	—	—	6 lbs.	0.9
11N4234TBA	Railroad	$ 267	$ 309		½	42	34⅛	—	—	7 lbs.	1.0
11N4234TB	Standard	255	290		½	42	34⅛	—	—	7 lbs.	1.0
11N4834TBA	Railroad	$ 286	$ 335		½	48	34⅛	—	—	8 lbs.	1.2
11N4834TB	Standard	264	299		½	48	34⅛	—	—	8 lbs.	1.2
11N5434TBA	Railroad	$ 325	$ 381		½	54	34⅛	—	—	9 lbs.	1.3
11N5434TB	Standard	293	328		½	54	34⅛	—	—	9 lbs.	1.3
11N6034TBA	Railroad	$ 327	$ 383		½	60	34⅛	—	—	10 lbs.	1.4
11N6034TB	Standard	294	329		½	60	34⅛	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Tack Board Inserts (continued)



Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Tack Board Inserts										
11N1836TBA	Railroad	$ 216	$ 251	½	18	36 9/16	—	—	3 lbs.	0.5
11N1836TB	Standard	211	246	½	18	36 9/16	—	—	3 lbs.	0.5
11N2436TBA	Railroad	$ 226	$ 261	½	24	36 9/16	—	—	4 lbs.	0.6
11N2436TB	Standard	220	255	½	24	36 9/16	—	—	4 lbs.	0.6
11N3036TBA	Railroad	$ 262	$ 297	½	30	36 9/16	—	—	5 lbs.	0.8
11N3036TB	Standard	256	291	½	30	36 9/16	—	—	5 lbs.	0.8
11N3636TBA	Railroad	$ 277	$ 319	½	36	36 9/16	—	—	6 lbs.	0.9
11N3636TB	Standard	266	301	½	36	36 9/16	—	—	6 lbs.	0.9
11N4236TBA	Railroad	$ 284	$ 326	½	42	36 9/16	—	—	7 lbs.	1.0
11N4236TB	Standard	274	309	½	42	36 9/16	—	—	7 lbs.	1.0
11N4836TBA	Railroad	$ 304	$ 353	½	48	36 9/16	—	—	8 lbs.	1.2
11N4836TB	Standard	282	317	½	48	36 9/16	—	—	8 lbs.	1.2
11N5436TBA	Railroad	$ 344	$ 400	½	54	36 9/16	—	—	9 lbs.	1.3
11N5436TB	Standard	312	347	½	54	36 9/16	—	—	9 lbs.	1.3
11N6036TBA	Railroad	$ 347	$ 403	½	60	36 9/16	—	—	10 lbs.	1.4
11N6036TB	Standard	314	349	½	60	36 9/16	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N6036TB A 8600





Shaded rectangle portrays a railroaded tack board.

Tack Board Inserts (continued)



Compatible with WaveWorks 69" High WWN Models
37"H Tack Board Inserts

Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
11N1837TBA	Railroad	**$ 216**	**$ 251**	½	18	37	—	—	3 lbs.	0.5
11N1837TB	Standard	**211**	**246**	½	18	37	—	—	3 lbs.	0.5
11N2437TBA	Railroad	**$ 226**	**$ 261**	½	24	37	—	—	4 lbs.	0.6
11N2437TB	Standard	**220**	**255**	½	24	37	—	—	4 lbs.	0.6
11N3037TBA	Railroad	**$ 262**	**$ 297**	½	30	37	—	—	5 lbs.	0.8
11N3037TB	Standard	**256**	**291**	½	30	37	—	—	5 lbs.	0.8
11N3637TBA	Railroad	**$ 277**	**$ 319**	½	36	37	—	—	6 lbs.	0.9
11N3637TB	Standard	**266**	**301**	½	36	37	—	—	6 lbs.	0.9
11N4237TBA	Railroad	**$ 284**	**$ 326**	½	42	37	—	—	7 lbs.	1.0
11N4237TB	Standard	**274**	**309**	½	42	37	—	—	7 lbs.	1.0
11N4837TBA	Railroad	**$ 304**	**$ 353**	½	48	37	—	—	8 lbs.	1.2
11N4837TB	Standard	**282**	**317**	½	48	37	—	—	8 lbs.	1.2
11N5437TBA	Railroad	**$ 344**	**$ 400**	½	54	37	—	—	9 lbs.	1.3
11N5437TB	Standard	**312**	**347**	½	54	37	—	—	9 lbs.	1.3
11N6037TBA	Railroad	**$ 347**	**$ 403**	½	60	37	—	—	10 lbs.	1.4
11N6037TB	Standard	**314**	**349**	½	60	37	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Tack Board Inserts (continued)



Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Tack Board Inserts										
11N1848TBA	Railroad	$ 248	$ 290	½	18	48 3/8	—	—	4 lbs.	1.2
11N1848TB	Standard	243	285	½	18	48 3/8	—	—	4 lbs.	1.2
11N2448TBA	Railroad	$ 259	$ 301	½	24	48 3/8	—	—	5 lbs.	1.3
11N2448TB	Standard	253	295	½	24	48 3/8	—	—	5 lbs.	1.3
11N3048TBA	Railroad	$ 302	$ 344	½	30	48 3/8	—	—	6 lbs.	1.7
11N3048TB	Standard	296	338	½	30	48 3/8	—	—	6 lbs.	1.7
11N3648TBA	Railroad	$ 307	$ 349	½	36	48 3/8	—	—	7 lbs.	2.0
11N3648TB	Standard	302	344	½	36	48 3/8	—	—	7 lbs.	2.0
11N4248TBA	Railroad	$ 318	$ 360	½	42	48 3/8	—	—	8 lbs.	2.3
11N4248TB	Standard	313	355	½	42	48 3/8	—	—	8 lbs.	2.3
11N4848TBA	Railroad	$ 333	$ 382	½	48	48 3/8	—	—	9 lbs.	2.7
11N4848TB	Standard	322	364	½	48	48 3/8	—	—	9 lbs.	2.7
11N5448TBA	Railroad	$ 380	$ 436	½	54	48 3/8	—	—	10 lbs.	3.0
11N5448TB	Standard	358	400	½	54	48 3/8	—	—	10 lbs.	3.0
11N6048TBA	Railroad	$ 383	$ 439	½	60	48 3/8	—	—	11 lbs.	3.3
11N6048TB	Standard	361	403	½	60	48 3/8	—	—	11 lbs.	3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N6049TB A 8600





Shaded rectangle portrays a railroaded tack board.

Tack Board Inserts (continued)



Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Tack Board Inserts										
11N1849TBA	Railroad	$ 248	$ 290	½	18	48	13/16	—	4 lbs.	1.2
11N1849TB	Standard	243	285	½	18	48	13/16	—	4 lbs.	1.2
11N2449TBA	Railroad	$ 259	$ 301	½	24	48	13/16	—	5 lbs.	1.3
11N2449TB	Standard	253	295	½	24	48	13/16	—	5 lbs.	1.3
11N3049TBA	Railroad	$ 302	$ 344	½	30	48	13/16	—	6 lbs.	1.7
11N3049TB	Standard	296	338	½	30	48	13/16	—	6 lbs.	1.7
11N3649TBA	Railroad	$ 307	$ 349	½	36	48	13/16	—	7 lbs.	2.0
11N3649TB	Standard	302	344	½	36	48	13/16	—	7 lbs.	2.0
11N4249TBA	Railroad	$ 318	$ 360	½	42	48	13/16	—	8 lbs.	2.3
11N4249TB	Standard	313	355	½	42	48	13/16	—	8 lbs.	2.3
11N4849TBA	Railroad	$ 333	$ 382	½	48	48	13/16	—	9 lbs.	2.7
11N4849TB	Standard	322	364	½	48	48	13/16	—	9 lbs.	2.7
11N5449TBA	Railroad	$ 380	$ 436	½	54	48	13/16	—	10 lbs.	3.0
11N5449TB	Standard	358	400	½	54	48	13/16	—	10 lbs.	3.0
11N6049TBA	Railroad	$ 383	$ 439	½	60	48	13/16	—	11 lbs.	3.3
11N6049TB	Standard	361	403	½	60	48	13/16	—	11 lbs.	3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Marker Board Inserts



Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Marker Board Inserts										
HPL		***Porcelain***								
11N2434MB	$ 377	**11N2434MBP**	$ 393	½	24	34 1/8	—	—	14 lbs.	0.6
11N3034MB	378	**11N3034MBP**	397	½	30	34 1/8	—	—	18 lbs.	0.8
11N3634MB	424	**11N3634MBP**	458	½	36	34 1/8	—	—	22 lbs.	0.9
11N4234MB	456	**11N4234MBP**	459	½	42	34 1/8	—	—	25 lbs.	1.0
11N4834MB	557	**11N4834MBP**	637	½	48	34 1/8	—	—	29 lbs.	1.2
11N5434MB	558	**11N5434MBP**	643	½	54	34 1/8	—	—	32 lbs.	1.3
11N6034MB	560	**11N6034MBP**	649	½	60	34 1/8	—	—	36 lbs.	1.4
Compatible with WaveWorks 68" High WW and Epic 68" High Models										
36"H Marker Board Inserts										
HPL		***Porcelain***								
11N2436MB	$ 391	**11N2436MBP**	$ 409	½	24	36 9/16	—	—	14 lbs.	0.6
11N3036MB	392	**11N3036MBP**	411	½	30	36 9/16	—	—	18 lbs.	0.8
11N3636MB	440	**11N3636MBP**	474	½	36	36 9/16	—	—	22 lbs.	0.9
11N4236MB	472	**11N4236MBP**	476	½	42	36 9/16	—	—	25 lbs.	1.0
11N4836MB	575	**11N4836MBP**	655	½	48	36 9/16	—	—	29 lbs.	1.2
11N5436MB	577	**11N5436MBP**	661	½	54	36 9/16	—	—	32 lbs.	1.3
11N6036MB	580	**11N6036MBP**	668	½	60	36 9/16	—	—	36 lbs.	1.4
Compatible with WaveWorks 69" High WWN Models										
37"H Marker Board Inserts										
HPL		***Porcelain***								
11N2437MB	$ 391	**11N2437MBP**	$ 409	½	24	37	—	—	14 lbs.	0.6
11N3037MB	392	**11N3037MBP**	411	½	30	37	—	—	18 lbs.	0.8
11N3637MB	440	**11N3637MBP**	474	½	36	37	—	—	22 lbs.	0.9
11N4237MB	472	**11N4237MBP**	476	½	42	37	—	—	25 lbs.	1.0
11N4837MB	575	**11N4837MBP**	655	½	48	37	—	—	29 lbs.	1.2
11N5437MB	577	**11N5437MBP**	661	½	54	37	—	—	32 lbs.	1.3
11N6037MB	580	**11N6037MBP**	668	½	60	37	—	—	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

To Order, Specify:

1. Model Number

Sample Model Number:

11N2434MB

Marker Board Inserts (continued)



Model No./Description		List Price			Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models											
48"H Marker Board Inserts											
HPL			***Porcelain***								
11N2448MB	**$**	**457**	**11N2448MBP**	**$ 499**	½	24	48 3/8	—	—	16 lbs.	1.3
11N3048MB		**458**	**11N3048MBP**	**501**	½	30	48 3/8	—	—	20 lbs.	1.7
11N3648MB		**510**	**11N3648MBP**	**575**	½	36	48 3/8	—	—	24 lbs.	2.0
11N4248MB		**554**	**11N4248MBP**	**632**	½	42	48 3/8	—	—	27 lbs.	2.3
11N4848MB		**670**	**11N4848MBP**	**788**	½	48	48 3/8	—	—	31 lbs.	2.7
11N5448MB		**673**	**11N5448MBP**	**940**	½	54	48 3/8	—	—	34 lbs.	3.0
11N6048MB		**679**	**11N6048MBP**	**1027**	½	60	48 3/8	—	—	38 lbs.	3.3
Compatible with WaveWorks 80" High WWN Models											
49"H Marker Board Inserts											
HPL			***Porcelain***								
11N2449MB	**$**	**457**	**11N2449MBP**	**$ 499**	½	24	48 13/16	—	—	16 lbs.	1.3
11N3049MB		**458**	**11N3049MBP**	**501**	½	30	48 13/16	—	—	20 lbs.	1.7
11N3649MB		**510**	**11N3649MBP**	**575**	½	36	48 13/16	—	—	24 lbs.	2.0
11N4249MB		**554**	**11N4249MBP**	**632**	½	42	48 13/16	—	—	27 lbs.	2.3
11N4849MB		**670**	**11N4849MBP**	**788**	½	48	48 13/16	—	—	31 lbs.	2.7
11N5449MB		**673**	**11N5449MBP**	**940**	½	54	48 13/16	—	—	34 lbs.	3.0
11N6049MB		**679**	**11N6049MBP**	**1027**	½	60	48 13/16	—	—	38 lbs.	3.3

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Slat Wall Inserts



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Full Slat								
11N2434SW	$ 979	½	24	34⅛	—	—	45 lbs.	1.2
11N3034SW	984	½	30	34⅛	—	—	57 lbs.	1.4
11N3634SW	1124	½	36	34⅛	—	—	69 lbs.	1.7
11N4234SW	1125	½	42	34⅛	—	—	79 lbs.	2.0
11N4834SW	1249	½	48	34⅛	—	—	91 lbs.	2.3
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Full Slat								
11N2436SW	$ 992	½	24	36 9/16	—	—	48 lbs.	1.2
11N3036SW	998	½	30	36 9/16	—	—	60 lbs.	1.4
11N3636SW	1139	½	36	36 9/16	—	—	72 lbs.	1.7
11N4236SW	1141	½	42	36 9/16	—	—	82 lbs.	2.0
11N4836SW	1268	½	48	36 9/16	—	—	94 lbs.	2.3
Compatible with WaveWorks 69" High WWN Models 37"H Full Slat								
11N2437SW	$ 992	½	24	37	—	—	48 lbs.	1.2
11N3037SW	998	½	30	37	—	—	60 lbs.	1.4
11N3637SW	1139	½	36	37	—	—	72 lbs.	1.7
11N4237SW	1141	½	42	37	—	—	82 lbs.	2.0
11N4837SW	1268	½	48	37	—	—	94 lbs.	2.3
Compatible with WaveWorks 79" High WW Models 48"H Full Slat								
11N2448SW	$ 1170	½	24	48⅜	—	—	63 lbs.	1.6
11N3048SW	1178	½	30	48⅜	—	—	80 lbs.	1.9
11N3648SW	1345	½	36	48⅜	—	—	97 lbs.	2.0
11N4248SW	1347	½	42	48⅜	—	—	111 lbs.	2.2
11N4848SW	1496	½	48	48⅜	—	—	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 400-403

To Order, Specify:

1. Model Number
2. Paint Color

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N2434SW 462

Slat Wall Inserts (continued)



Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Full Slat								
11N2449SW	**$ 1170**	½	24	48	13/16 —	—	63 lbs.	1.6
11N3049SW	**1178**	½	30	48	13/16 —	—	80 lbs.	1.9
11N3649SW	**1345**	½	36	48	13/16 —	—	97 lbs.	2.0
11N4249SW	**1347**	½	42	48	13/16 —	—	111 lbs.	2.2
11N4849SW	**1496**	½	48	48	13/16 —	—	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 400-403

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Slat Wall Inserts
Combo Slat/Tack



Model No./Description					List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
23"H Slat with 11"H Tack												
Fabric Trim	***Painted Trim***		**Grade A**	**Grade B/COM**								
11N2434SWTBFA	**11N2434SWTBPA**	Railroad	**$ 886**	**$ 907**		½	24	34 1/8	—	—	32 lbs.	1.2
11N2434SWTBF	**11N2434SWTBP**	Standard	**881**	**895**		½	24	34 1/8	—	—	32 lbs.	1.2
11N3034SWTBFA	**11N3034SWTBPA**	Railroad	**$ 889**	**$ 915**		½	30	34 1/8	—	—	41 lbs.	1.4
11N3034SWTBF	**11N3034SWTBP**	Standard	**884**	**898**		½	30	34 1/8	—	—	41 lbs.	1.4
11N3634SWTBFA	**11N3634SWTBPA**	Railroad	**$ 1015**	**$ 1045**		½	36	34 1/8	—	—	50 lbs.	1.7
11N3634SWTBF	**11N3634SWTBP**	Standard	**1009**	**1023**		½	36	34 1/8	—	—	50 lbs.	1.7
11N4234SWTBFA	**11N4234SWTBPA**	Railroad	**$ 1016**	**$ 1051**		½	42	34 1/8	—	—	59 lbs.	2.0
11N4234SWTBF	**11N4234SWTBP**	Standard	**1010**	**1024**		½	42	34 1/8	—	—	59 lbs.	2.0
11N4834SWTBFA	**11N4834SWTBPA**	Railroad	**$ 1129**	**$ 1169**		½	48	34 1/8	—	—	68 lbs.	2.3
11N4834SWTBF	**11N4834SWTBP**	Standard	**1124**	**1138**		½	48	34 1/8	—	—	68 lbs.	2.3
Compatible with WaveWorks 68" High WW and Epic 68" High Models												
23"H Slat with 13"H Tack												
Fabric Trim	***Painted Trim***		**Grade A**	**Grade B/COM**								
11N2436SWTBFA	**11N2436SWTBPA**	Railroad	**$ 900**	**$ 921**		½	24	36 9/16	—	—	35 lbs.	1.2
11N2436SWTBF	**11N2436SWTBP**	Standard	**895**	**909**		½	24	36 9/16	—	—	35 lbs.	1.2
11N3036SWTBFA	**11N3036SWTBPA**	Railroad	**$ 905**	**$ 931**		½	30	36 9/16	—	—	44 lbs.	1.4
11N3036SWTBF	**11N3036SWTBP**	Standard	**899**	**913**		½	30	36 9/16	—	—	44 lbs.	1.4
11N3636SWTBFA	**11N3636SWTBPA**	Railroad	**$ 1030**	**$ 1060**		½	36	36 9/16	—	—	53 lbs.	1.7
11N3636SWTBF	**11N3636SWTBP**	Standard	**1025**	**1039**		½	36	36 9/16	—	—	53 lbs.	1.7
11N4236SWTBFA	**11N4236SWTBPA**	Railroad	**$ 1032**	**$ 1067**		½	42	36 9/16	—	—	62 lbs.	2.0
11N4236SWTBF	**11N4236SWTBP**	Standard	**1027**	**1041**		½	42	36 9/16	—	—	62 lbs.	2.0
11N4836SWTBFA	**11N4836SWTBPA**	Railroad	**$ 1145**	**$ 1185**		½	48	36 9/16	—	—	71 lbs.	2.3
11N4836SWTBF	**11N4836SWTBP**	Standard	**1140**	**1154**		½	48	36 9/16	—	—	71 lbs.	2.3

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 400-403
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N2434SWTBF A 8600 501





Shaded rectangle portrays a railroaded tack board.

Slat Wall Inserts Combo Slat/Tack (continued)



Model No./Description				List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 23"H Slat with 14"H Tack											
Fabric Trim	***Painted Trim***		**Grade A**	**Grade B/COM**							
11N2437SWTBFA	**11N2437SWTBPA**	Railroad	**$ 900**	**$ 921**	½	24	37	—	—	35 lbs.	1.2
11N2437SWTBF	**11N2437SWTBP**	Standard	**895**	**913**	½	24	37	—	—	35 lbs.	1.2
11N3037SWTBFA	**11N3037SWTBPA**	Railroad	**$ 905**	**$ 931**	½	30	37	—	—	44 lbs.	1.4
11N3037SWTBF	**11N3037SWTBP**	Standard	**899**	**917**	½	30	37	—	—	44 lbs.	1.4
11N3637SWTBFA	**11N3637SWTBPA**	Railroad	**$ 1030**	**$ 1060**	½	36	37	—	—	53 lbs.	1.7
11N3637SWTBF	**11N3637SWTBP**	Standard	**1025**	**1043**	½	36	37	—	—	53 lbs.	1.7
11N4237SWTBFA	**11N4237SWTBPA**	Railroad	**$ 1032**	**$ 1067**	½	42	37	—	—	62 lbs.	2.0
11N4237SWTBF	**11N4237SWTBP**	Standard	**1027**	**1045**	½	42	37	—	—	62 lbs.	2.0
11N4837SWTBFA	**11N4837SWTBPA**	Railroad	**$ 1145**	**$ 1185**	½	48	37	—	—	71 lbs.	2.3
11N4837SWTBF	**11N4837SWTBP**	Standard	**1140**	**1158**	½	48	37	—	—	71 lbs.	2.3
Compatible with WaveWorks 79" High WW Models 23"H Slat with 25"H Tack											
Fabric Trim	***Painted Trim***		**Grade A**	**Grade B/COM**							
11N2448SWTBFA	**11N2448SWTBPA**	Railroad	**$ 1061**	**$ 1082**	½	24	48⅜	—	—	45 lbs.	1.4
11N2448SWTBF	**11N2448SWTBP**	Standard	**1056**	**1077**	½	24	48⅜	—	—	45 lbs.	1.4
11N3048SWTBFA	**11N3048SWTBPA**	Railroad	**$ 1066**	**$ 1092**	½	30	48⅜	—	—	58 lbs.	1.7
11N3048SWTBF	**11N3048SWTBP**	Standard	**1061**	**1082**	½	30	48⅜	—	—	58 lbs.	1.7
11N3648SWTBFA	**11N3648SWTBPA**	Railroad	**$ 1214**	**$ 1244**	½	36	48⅜	—	—	71 lbs.	2.1
11N3648SWTBF	**11N3648SWTBP**	Standard	**1209**	**1230**	½	36	48⅜	—	—	71 lbs.	2.1
11N4248SWTBFA	**11N4248SWTBPA**	Railroad	**$ 1216**	**$ 1251**	½	42	48⅜	—	—	83 lbs.	2.5
11N4248SWTBF	**11N4248SWTBP**	Standard	**1211**	**1232**	½	42	48⅜	—	—	83 lbs.	2.5
11N4848SWTBFA	**11N4848SWTBPA**	Railroad	**$ 1351**	**$ 1391**	½	48	48⅜	—	—	96 lbs.	2.9
11N4848SWTBF	**11N4848SWTBP**	Standard	**1346**	**1367**	½	48	48⅜	—	—	96 lbs.	2.9

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 400-403
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Slat Wall Inserts Combo Slat/Tack (continued)



Model No./Description					List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 23"H Slat with 26"H Tack												
Fabric Trim	***Painted Trim***		**Grade A**	**Grade B/COM**								
11N2449SWTBFA	**11N2449SWTBPA**	Railroad	**$ 1061**	**$ 1082**		½	24	48 13/16	—	—	45 lbs.	1.4
11N2449SWTBF	**11N2449SWTBP**	Standard	**1056**	**1077**		½	24	48 13/16	—	—	45 lbs.	1.4
11N3049SWTBFA	**11N3049SWTBPA**	Railroad	**$ 1066**	**$ 1092**		½	30	48 13/16	—	—	58 lbs.	1.7
11N3049SWTBF	**11N3049SWTBP**	Standard	**1061**	**1082**		½	30	48 13/16	—	—	58 lbs.	1.7
11N3649SWTBFA	**11N3649SWTBPA**	Railroad	**$ 1214**	**$ 1244**		½	36	48 13/16	—	—	71 lbs.	2.1
11N3649SWTBF	**11N3649SWTBP**	Standard	**1209**	**1230**		½	36	48 13/16	—	—	71 lbs.	2.1
11N4249SWTBFA	**11N4249SWTBPA**	Railroad	**$ 1216**	**$ 1251**		½	42	48 13/16	—	—	83 lbs.	2.5
11N4249SWTBF	**11N4249SWTBP**	Standard	**1211**	**1232**		½	42	48 13/16	—	—	83 lbs.	2.5
11N4849SWTBFA	**11N4849SWTBPA**	Railroad	**$ 1351**	**$ 1391**		½	48	48 13/16	—	—	96 lbs.	2.9
11N4849SWTBF	**11N4849SWTBP**	Standard	**1346**	**1367**		½	48	48 13/16	—	—	96 lbs.	2.9

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 400-403
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3634SH1W MH
11N3634SH1LW 462 CW
11N3634SH1L 405 478





Shaded rectangle portrays a railroaded tack board.

Organizer Shelf Inserts





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Organizer Shelf Inserts									
11N3634SH1W	Wood	$ **1629**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634SH1LW	Laminate Shelves, Wood Wall	**1629**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634SH1L	Laminate	**1124**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634SH1WL	Wood Shelves, Laminate Wall	**1629**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234SH1W	Wood	$ **1630**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234SH1LW	Laminate Shelves, Wood Wall	**1630**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234SH1L	Laminate	**1125**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234SH1WL	Wood Shelves, Laminate Wall	**1630**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834SH1W	Wood	$ **1812**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834SH1LW	Laminate Shelves, Wood Wall	**1812**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834SH1L	Laminate	**1249**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834SH1WL	Wood Shelves, Laminate Wall	**1812**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434SH1W	Wood	$ **1993**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434SH1LW	Laminate Shelves, Wood Wall	**1993**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434SH1L	Laminate	**1375**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434SH1WL	Wood Shelves, Laminate Wall	**1993**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034SH1W	Wood	$ **2193**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034SH1LW	Laminate Shelves, Wood Wall	**2193**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034SH1L	Laminate	**1513**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034SH1WL	Wood Shelves, Laminate Wall	**2193**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Organizer Shelf Inserts (continued)									
11N3634SH2W	Wood	$ **1629**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634SH2LW	Laminate Shelves, Wood Wall	**1629**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634SH2L	Laminate	**1124**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634SH2WL	Wood Shelves, Laminate Wall	**1629**	10½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234SH2W	Wood	$ **1630**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234SH2LW	Laminate Shelves, Wood Wall	**1630**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234SH2L	Laminate	**1125**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234SH2WL	Wood Shelves, Laminate Wall	**1630**	10½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834SH2W	Wood	$ **1812**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834SH2LW	Laminate Shelves, Wood Wall	**1812**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834SH2L	Laminate	**1249**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834SH2WL	Wood Shelves, Laminate Wall	**1812**	10½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434SH2W	Wood	$ **1993**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434SH2LW	Laminate Shelves, Wood Wall	**1993**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434SH2L	Laminate	**1375**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434SH2WL	Wood Shelves, Laminate Wall	**1993**	10½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034SH2W	Wood	$ **2193**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034SH2LW	Laminate Shelves, Wood Wall	**2193**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034SH2L	Laminate	**1513**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034SH2WL	Wood Shelves, Laminate Wall	**2193**	10½	59 15/16	34 1/8	—	—	71 lbs.	3.9



- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3634SH3W MH
11N3634SH3WL MH 405
11N3634SH3L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Organizer Shelf Inserts (continued)									
11N3634SH3W	Wood	$ **1385**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N3634SH3LW	Laminate Shelves, Wood Wall	**1385**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N3634SH3L	Laminate	**955**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N3634SH3WL	Wood Shelves, Laminate Wall	**1385**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N4234SH3W	Wood	$ **1386**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4234SH3LW	Laminate Shelves, Wood Wall	**1386**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4234SH3L	Laminate	**956**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4234SH3WL	Wood Shelves, Laminate Wall	**1386**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4834SH3W	Wood	$ **1540**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N4834SH3LW	Laminate Shelves, Wood Wall	**1540**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N4834SH3L	Laminate	**1062**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N4834SH3WL	Wood Shelves, Laminate Wall	**1540**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N5434SH3W	Wood	$ **1694**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N5434SH3LW	Laminate Shelves, Wood Wall	**1694**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N5434SH3L	Laminate	**1169**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N5434SH3WL	Wood Shelves, Laminate Wall	**1694**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N6034SH3W	Wood	$ **1864**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3
11N6034SH3LW	Laminate Shelves, Wood Wall	**1864**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3
11N6034SH3L	Laminate	**1286**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3
11N6034SH3WL	Wood Shelves, Laminate Wall	**1864**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3

• Some assembly required
• "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
• Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
• Each horizontal shelf has a 50 lb. maximum limit

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Organizer Shelf Inserts (continued)									
11N3634SH4W	Wood	**$ 1417**	10½	35 15/16	34 1/8	—	—	49 lbs.	3.3
11N3634SH4LW	Laminate Shelves, Wood Wall	**1417**	10½	35 15/16	34 1/8	—	—	49 lbs.	3.3
11N3634SH4L	Laminate	**978**	10½	35 15/16	34 1/8	—	—	49 lbs.	3.3
11N3634SH4WL	Wood Shelves, Laminate Wall	**1417**	10½	35 15/16	34 1/8	—	—	49 lbs.	3.3
11N4234SH4W	Wood	**$ 1418**	10½	41 15/16	34 1/8	—	—	57 lbs.	3.8
11N4234SH4LW	Laminate Shelves, Wood Wall	**1418**	10½	41 15/16	34 1/8	—	—	57 lbs.	3.8
11N4234SH4L	Laminate	**979**	10½	41 15/16	34 1/8	—	—	57 lbs.	3.8
11N4234SH4WL	Wood Shelves, Laminate Wall	**1418**	10½	41 15/16	34 1/8	—	—	57 lbs.	3.8
11N4834SH4W	Wood	**$ 1576**	10½	47 15/16	34 1/8	—	—	65 lbs.	4.3
11N4834SH4LW	Laminate Shelves, Wood Wall	**1576**	10½	47 15/16	34 1/8	—	—	65 lbs.	4.3
11N4834SH4L	Laminate	**1087**	10½	47 15/16	34 1/8	—	—	65 lbs.	4.3
11N4834SH4WL	Wood Shelves, Laminate Wall	**1576**	10½	47 15/16	34 1/8	—	—	65 lbs.	4.3
11N5434SH4W	Wood	**$ 1734**	10½	53 7/8	34 1/8	—	—	73 lbs.	4.8
11N5434SH4LW	Laminate Shelves, Wood Wall	**1734**	10½	53 7/8	34 1/8	—	—	73 lbs.	4.8
11N5434SH4L	Laminate	**1196**	10½	53 7/8	34 1/8	—	—	73 lbs.	4.8
11N5434SH4WL	Wood Shelves, Laminate Wall	**1734**	10½	53 7/8	34 1/8	—	—	73 lbs.	4.8
11N6034SH4W	Wood	**$ 1908**	10½	59 15/16	34 1/8	—	—	81 lbs.	5.3
11N6034SH4LW	Laminate Shelves, Wood Wall	**1908**	10½	59 15/16	34 1/8	—	—	81 lbs.	5.3
11N6034SH4L	Laminate	**1316**	10½	59 15/16	34 1/8	—	—	81 lbs.	5.3
11N6034SH4WL	Wood Shelves, Laminate Wall	**1908**	10½	59 15/16	34 1/8	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3634SH6W MH
11N3634SH6WL MH 405
11N3634SH6L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Organizer Shelf Inserts (continued)									
11N3634SH6W	Wood	$ **1385**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N3634SH6LW	Laminate Shelves, Wood Wall	**1385**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N3634SH6L	Laminate	**955**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N3634SH6WL	Wood Shelves, Laminate Wall	**1385**	10½	35 15/16	34 1/8	—	—	41 lbs.	3.3
11N4234SH6W	Wood	$ **1386**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4234SH6LW	Laminate Shelves, Wood Wall	**1386**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4234SH6L	Laminate	**956**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4234SH6WL	Wood Shelves, Laminate Wall	**1386**	10½	41 15/16	34 1/8	—	—	48 lbs.	3.8
11N4834SH6W	Wood	$ **1540**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N4834SH6LW	Laminate Shelves, Wood Wall	**1540**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N4834SH6L	Laminate	**1062**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N4834SH6WL	Wood Shelves, Laminate Wall	**1540**	10½	47 15/16	34 1/8	—	—	54 lbs.	4.3
11N5434SH6W	Wood	$ **1694**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N5434SH6LW	Laminate Shelves, Wood Wall	**1694**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N5434SH6L	Laminate	**1169**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N5434SH6WL	Wood Shelves, Laminate Wall	**1694**	10½	53 7/8	34 1/8	—	—	59 lbs.	4.8
11N6034SH6W	Wood	$ **1864**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3
11N6034SH6LW	Laminate Shelves, Wood Wall	**1864**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3
11N6034SH6L	Laminate	**1286**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3
11N6034SH6WL	Wood Shelves, Laminate Wall	**1864**	10½	59 15/16	34 1/8	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have one shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Organizer Shelf Inserts									
11N3636SH1W	Wood	$ **1652**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH1LW	Laminate Shelves, Wood Wall	**1652**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH1L	Laminate	**1139**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH1WL	Wood Shelves, Laminate Wall	**1652**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236SH1W	Wood	$ **1655**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH1LW	Laminate Shelves, Wood Wall	**1655**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH1L	Laminate	**1141**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH1WL	Wood Shelves, Laminate Wall	**1655**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836SH1W	Wood	$ **1839**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH1LW	Laminate Shelves, Wood Wall	**1839**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH1L	Laminate	**1268**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH1WL	Wood Shelves, Laminate Wall	**1839**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436SH1W	Wood	$ **2022**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436SH1LW	Laminate Shelves, Wood Wall	**2022**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436SH1L	Laminate	**1395**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436SH1WL	Wood Shelves, Laminate Wall	**2022**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036SH1W	Wood	$ **2225**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH1LW	Laminate Shelves, Wood Wall	**2225**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH1L	Laminate	**1535**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH1WL	Wood Shelves, Laminate Wall	**2225**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3636SH2W MH
11N3636SH2WL MH 405
11N3636SH2L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Organizer Shelf Inserts (continued)									
11N3636SH2W	Wood	$ **1652**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH2LW	Laminate Shelves, Wood Wall	**1652**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH2L	Laminate	**1139**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH2WL	Wood Shelves, Laminate Wall	**1652**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236SH2W	Wood	$ **1655**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH2LW	Laminate Shelves, Wood Wall	**1655**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH2L	Laminate	**1141**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH2WL	Wood Shelves, Laminate Wall	**1655**	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836SH2W	Wood	$ **1839**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH2LW	Laminate Shelves, Wood Wall	**1839**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH2L	Laminate	**1268**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH2WL	Wood Shelves, Laminate Wall	**1839**	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436SH2W	Wood	$ **2022**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436SH2LW	Laminate Shelves, Wood Wall	**2022**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436SH2L	Laminate	**1395**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436SH2WL	Wood Shelves, Laminate Wall	**2022**	10½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036SH2W	Wood	$ **2225**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH2LW	Laminate Shelves, Wood Wall	**2225**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH2L	Laminate	**1535**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH2WL	Wood Shelves, Laminate Wall	**2225**	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Organizer Shelf Inserts (continued)									
11N3636SH3W	Wood	$ **1404**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH3LW	Laminate Shelves, Wood Wall	**1404**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH3L	Laminate	**968**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH3WL	Wood Shelves, Laminate Wall	**1404**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N4236SH3W	Wood	$ **1407**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH3LW	Laminate Shelves, Wood Wall	**1407**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH3L	Laminate	**970**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH3WL	Wood Shelves, Laminate Wall	**1407**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4836SH3W	Wood	$ **1563**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH3LW	Laminate Shelves, Wood Wall	**1563**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH3L	Laminate	**1078**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH3WL	Wood Shelves, Laminate Wall	**1563**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N5436SH3W	Wood	$ **1719**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N5436SH3LW	Laminate Shelves, Wood Wall	**1719**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N5436SH3L	Laminate	**1186**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N5436SH3WL	Wood Shelves, Laminate Wall	**1719**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N6036SH3W	Wood	$ **1891**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH3LW	Laminate Shelves, Wood Wall	**1891**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH3L	Laminate	**1305**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH3WL	Wood Shelves, Laminate Wall	**1891**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3636SH4W MH
11N3636SH4WL MH 405
11N3636SH4L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Organizer Shelf Inserts (continued)									
11N3636SH4W	Wood	$ **1437**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4LW	Laminate Shelves, Wood Wall	**1437**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4L	Laminate	**991**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4WL	Wood Shelves, Laminate Wall	**1437**	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N4236SH4W	Wood	$ **1440**	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4LW	Laminate Shelves, Wood Wall	**1440**	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4L	Laminate	**993**	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4WL	Wood Shelves, Laminate Wall	**1440**	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4836SH4W	Wood	$ **1600**	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4LW	Laminate Shelves, Wood Wall	**1600**	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4L	Laminate	**1103**	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4WL	Wood Shelves, Laminate Wall	**1600**	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N5436SH4W	Wood	$ **1759**	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N5436SH4LW	Laminate Shelves, Wood Wall	**1759**	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N5436SH4L	Laminate	**1214**	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N5436SH4WL	Wood Shelves, Laminate Wall	**1759**	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N6036SH4W	Wood	$ **1936**	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4LW	Laminate Shelves, Wood Wall	**1936**	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4L	Laminate	**1335**	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4WL	Wood Shelves, Laminate Wall	**1936**	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6

- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Organizer Shelf Inserts (continued)									
11N3636SH6W	Wood	$ **1404**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6LW	Laminate Shelves, Wood Wall	**1404**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6L	Laminate	**968**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6WL	Wood Shelves, Laminate Wall	**1404**	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N4236SH6W	Wood	$ **1407**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6LW	Laminate Shelves, Wood Wall	**1407**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6L	Laminate	**970**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6WL	Wood Shelves, Laminate Wall	**1407**	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4836SH6W	Wood	$ **1563**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6LW	Laminate Shelves, Wood Wall	**1563**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6L	Laminate	**1078**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6WL	Wood Shelves, Laminate Wall	**1563**	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N5436SH6W	Wood	$ **1719**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N5436SH6LW	Laminate Shelves, Wood Wall	**1719**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N5436SH6L	Laminate	**1186**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N5436SH6WL	Wood Shelves, Laminate Wall	**1719**	10½	53 7/8	36 9/16	—	—	63 lbs.	5.1
11N6036SH6W	Wood	$ **1891**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6LW	Laminate Shelves, Wood Wall	**1891**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6L	Laminate	**1305**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6WL	Wood Shelves, Laminate Wall	**1891**	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6

- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3637SH1W MH
11N3637SH1WL MH 405
11N3637SH1L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts									
11N3637SH1W	Wood	$ **1652**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH1LW	Laminate Shelves, Wood Wall	**1652**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH1L	Laminate	**1139**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH1WL	Wood Shelves, Laminate Wall	**1652**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N4237SH1W	Wood	$ **1655**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH1LW	Laminate Shelves, Wood Wall	**1655**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH1L	Laminate	**1141**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH1WL	Wood Shelves, Laminate Wall	**1655**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4837SH1W	Wood	$ **1839**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH1LW	Laminate Shelves, Wood Wall	**1839**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH1L	Laminate	**1268**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH1WL	Wood Shelves, Laminate Wall	**1839**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N5437SH1W	Wood	$ **2022**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N5437SH1LW	Laminate Shelves, Wood Wall	**2022**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N5437SH1L	Laminate	**1395**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N5437SH1WL	Wood Shelves, Laminate Wall	**2022**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N6037SH1W	Wood	$ **2225**	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH1LW	Laminate Shelves, Wood Wall	**2225**	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH1L	Laminate	**1535**	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH1WL	Wood Shelves, Laminate Wall	**2225**	10½	59 15/16	37	—	—	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts (continued)									
11N3637SH2W	Wood	$ **1652**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH2LW	Laminate Shelves, Wood Wall	**1652**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH2L	Laminate	**1139**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH2WL	Wood Shelves, Laminate Wall	**1652**	10½	35 15/16	37	—	—	51 lbs.	3.4
11N4237SH2W	Wood	$ **1655**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH2LW	Laminate Shelves, Wood Wall	**1655**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH2L	Laminate	**1141**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH2WL	Wood Shelves, Laminate Wall	**1655**	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4837SH2W	Wood	$ **1839**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH2LW	Laminate Shelves, Wood Wall	**1839**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH2L	Laminate	**1268**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH2WL	Wood Shelves, Laminate Wall	**1839**	10½	47 15/16	37	—	—	62 lbs.	3.9
11N5437SH2W	Wood	$ **2022**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N5437SH2LW	Laminate Shelves, Wood Wall	**2022**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N5437SH2L	Laminate	**1395**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N5437SH2WL	Wood Shelves, Laminate Wall	**2022**	10½	53 7/8	37	—	—	68 lbs.	4.1
11N6037SH2W	Wood	$ **2225**	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH2LW	Laminate Shelves, Wood Wall	**2225**	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH2L	Laminate	**1535**	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH2WL	Wood Shelves, Laminate Wall	**2225**	10½	59 15/16	37	—	—	74 lbs.	4.3



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3637SH3W MH
11N3637SH3WL MH 405
11N3637SH3L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible fwith WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts (continued)									
11N3637SH3W	Wood	$ **1404**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3LW	Laminate Shelves, Wood Wall	**1404**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3L	Laminate	**968**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3WL	Wood Shelves, Laminate Wall	**1404**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH3W	Wood	$ **1407**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3LW	Laminate Shelves, Wood Wall	**1407**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3L	Laminate	**970**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3WL	Wood Shelves, Laminate Wall	**1407**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH3W	Wood	$ **1563**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3LW	Laminate Shelves, Wood Wall	**1563**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3L	Laminate	**1078**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3WL	Wood Shelves, Laminate Wall	**1563**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH3W	Wood	$ **1719**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N5437SH3LW	Laminate Shelves, Wood Wall	**1719**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N5437SH3L	Laminate	**1186**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N5437SH3WL	Wood Shelves, Laminate Wall	**1719**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N6037SH3W	Wood	$ **1891**	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3LW	Laminate Shelves, Wood Wall	**1891**	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3L	Laminate	**1305**	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3WL	Wood Shelves, Laminate Wall	**1891**	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts (continued)									
11N3637SH4W	Wood	$ **1437**	10½	35 15/16	37	—	—	51 lbs.	3.6
11N3637SH4LW	Laminate Shelves, Wood Wall	**1437**	10½	35 15/16	37	—	—	51 lbs.	3.6
11N3637SH4L	Laminate	**991**	10½	35 15/16	37	—	—	51 lbs.	3.6
11N3637SH4WL	Wood Shelves, Laminate Wall	**1437**	10½	35 15/16	37	—	—	51 lbs.	3.6
11N4237SH4W	Wood	$ **1440**	10½	41 15/16	37	—	—	60 lbs.	4.1
11N4237SH4LW	Laminate Shelves, Wood Wall	**1440**	10½	41 15/16	37	—	—	60 lbs.	4.1
11N4237SH4L	Laminate	**993**	10½	41 15/16	37	—	—	60 lbs.	4.1
11N4237SH4WL	Wood Shelves, Laminate Wall	**1440**	10½	41 15/16	37	—	—	60 lbs.	4.1
11N4837SH4W	Wood	$ **1600**	10½	47 15/16	37	—	—	68 lbs.	4.6
11N4837SH4LW	Laminate Shelves, Wood Wall	**1600**	10½	47 15/16	37	—	—	68 lbs.	4.6
11N4837SH4L	Laminate	**1103**	10½	47 15/16	37	—	—	68 lbs.	4.6
11N4837SH4WL	Wood Shelves, Laminate Wall	**1600**	10½	47 15/16	37	—	—	68 lbs.	4.6
11N5437SH4W	Wood	$ **1759**	10½	53 7/8	37	—	—	77 lbs.	5.1
11N5437SH4LW	Laminate Shelves, Wood Wall	**1759**	10½	53 7/8	37	—	—	77 lbs.	5.1
11N5437SH4L	Laminate	**1214**	10½	53 7/8	37	—	—	77 lbs.	5.1
11N5437SH4WL	Wood Shelves, Laminate Wall	**1759**	10½	53 7/8	37	—	—	77 lbs.	5.1
11N6037SH4W	Wood	$ **1936**	10½	59 15/16	37	—	—	85 lbs.	5.7
11N6037SH4LW	Laminate Shelves, Wood Wall	**1936**	10½	59 15/16	37	—	—	85 lbs.	5.7
11N6037SH4L	Laminate	**1335**	10½	59 15/16	37	—	—	85 lbs.	5.7
11N6037SH4WL	Wood Shelves, Laminate Wall	**1936**	10½	59 15/16	37	—	—	85 lbs.	5.7

- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3637SH6W MH
11N3637SH6WL MH 405
11N3637SH6L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts (continued)									
11N3637SH6W	Wood	$ **1404**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6LW	Laminate Shelves, Wood Wall	**1404**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6L	Laminate	**968**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6WL	Wood Shelves, Laminate Wall	**1404**	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH6W	Wood	$ **1407**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6LW	Laminate Shelves, Wood Wall	**1407**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6L	Laminate	**970**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6WL	Wood Shelves, Laminate Wall	**1407**	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH6W	Wood	$ **1563**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6LW	Laminate Shelves, Wood Wall	**1563**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6L	Laminate	**1078**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6WL	Wood Shelves, Laminate Wall	**1563**	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH6W	Wood	$ **1719**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N5437SH6LW	Laminate Shelves, Wood Wall	**1719**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N5437SH6L	Laminate	**1186**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N5437SH6WL	Wood Shelves, Laminate Wall	**1719**	10½	53 7/8	37	—	—	63 lbs.	5.1
11N6037SH6W	Wood	$ **1891**	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6LW	Laminate Shelves, Wood Wall	**1891**	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6L	Laminate	**1305**	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6WL	Wood Shelves, Laminate Wall	**1891**	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts									
11N3648SH1W	Wood	$ **1951**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648SH1LW	Laminate Shelves, Wood Wall	**1951**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648SH1L	Laminate	**1345**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648SH1WL	Wood Shelves, Laminate Wall	**1951**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N4248SH1W	Wood	$ **1954**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248SH1LW	Laminate Shelves, Wood Wall	**1954**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248SH1L	Laminate	**1347**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248SH1WL	Wood Shelves, Laminate Wall	**1954**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4848SH1W	Wood	$ **2169**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848SH1LW	Laminate Shelves, Wood Wall	**2169**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848SH1L	Laminate	**1496**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848SH1WL	Wood Shelves, Laminate Wall	**2169**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N5448SH1W	Wood	$ **2388**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448SH1LW	Laminate Shelves, Wood Wall	**2388**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448SH1L	Laminate	**1646**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448SH1WL	Wood Shelves, Laminate Wall	**2388**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N6048SH1W	Wood	$ **2625**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048SH1LW	Laminate Shelves, Wood Wall	**2625**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048SH1L	Laminate	**1810**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048SH1WL	Wood Shelves, Laminate Wall	**2625**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1



- Some assembly required
- 48" and 49" high shelf inserts have five shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3648SH2W MH
11N3648SH2WL MH 405
11N3648SH2L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
11N3648SH2W	Wood	$ **1951**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648SH2LW	Laminate Shelves, Wood Wall	**1951**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648SH2L	Laminate	**1345**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648SH2WL	Wood Shelves, Laminate Wall	**1951**	10½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N4248SH2W	Wood	$ **1954**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248SH2LW	Laminate Shelves, Wood Wall	**1954**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248SH2L	Laminate	**1347**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248SH2WL	Wood Shelves, Laminate Wall	**1954**	10½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4848SH2W	Wood	$ **2169**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848SH2LW	Laminate Shelves, Wood Wall	**2169**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848SH2L	Laminate	**1496**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848SH2WL	Wood Shelves, Laminate Wall	**2169**	10½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N5448SH2W	Wood	$ **2388**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448SH2LW	Laminate Shelves, Wood Wall	**2388**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448SH2L	Laminate	**1646**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448SH2WL	Wood Shelves, Laminate Wall	**2388**	10½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N6048SH2W	Wood	$ **2625**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048SH2LW	Laminate Shelves, Wood Wall	**2625**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048SH2L	Laminate	**1810**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048SH2WL	Wood Shelves, Laminate Wall	**2625**	10½	59 15/16	48 3/8	—	—	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
11N3648SH3W	Wood	$ **1658**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N3648SH3LW	Laminate Shelves, Wood Wall	**1658**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N3648SH3L	Laminate	**1143**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N3648SH3WL	Wood Shelves, Laminate Wall	**1658**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N4248SH3W	Wood	$ **1661**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4248SH3LW	Laminate Shelves, Wood Wall	**1661**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4248SH3L	Laminate	**1145**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4248SH3WL	Wood Shelves, Laminate Wall	**1661**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4848SH3W	Wood	$ **1844**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N4848SH3LW	Laminate Shelves, Wood Wall	**1844**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N4848SH3L	Laminate	**1272**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N4848SH3WL	Wood Shelves, Laminate Wall	**1844**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N5448SH3W	Wood	$ **2030**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N5448SH3LW	Laminate Shelves, Wood Wall	**2030**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N5448SH3L	Laminate	**1399**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N5448SH3WL	Wood Shelves, Laminate Wall	**2030**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N6048SH3W	Wood	$ **2231**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2
11N6048SH3LW	Laminate Shelves, Wood Wall	**2231**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2
11N6048SH3L	Laminate	**1539**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2
11N6048SH3WL	Wood Shelves, Laminate Wall	**2231**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2



- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3648SH4W MH
11N3648SH4WL MH 405
11N3648SH4L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
11N3648SH4W	Wood	$ **1697**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N3648SH4LW	Laminate Shelves, Wood Wall	**1697**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N3648SH4L	Laminate	**1170**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N3648SH4WL	Wood Shelves, Laminate Wall	**1697**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N4248SH4W	Wood	$ **1700**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4248SH4LW	Laminate Shelves, Wood Wall	**1700**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4248SH4L	Laminate	**1172**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4248SH4WL	Wood Shelves, Laminate Wall	**1700**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4848SH4W	Wood	$ **1887**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N4848SH4LW	Laminate Shelves, Wood Wall	**1887**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N4848SH4L	Laminate	**1302**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N4848SH4WL	Wood Shelves, Laminate Wall	**1887**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N5448SH4W	Wood	$ **2078**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N5448SH4LW	Laminate Shelves, Wood Wall	**2078**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N5448SH4L	Laminate	**1432**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N5448SH4WL	Wood Shelves, Laminate Wall	**2078**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N6048SH4W	Wood	$ **2284**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2
11N6048SH4LW	Laminate Shelves, Wood Wall	**2284**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2
11N6048SH4L	Laminate	**1575**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2
11N6048SH4WL	Wood Shelves, Laminate Wall	**2284**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2

- Some assembly required
- "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
11N3648SH5W	Wood	$ **1756**	10½	35 15/16	48 3/8	—	—	69 lbs.	4.5
11N3648SH5LW	Laminate Shelves, Wood Wall	**1756**	10½	35 15/16	48 3/8	—	—	69 lbs.	4.5
11N3648SH5L	Laminate	**1211**	10½	35 15/16	48 3/8	—	—	69 lbs.	4.5
11N3648SH5WL	Wood Shelves, Laminate Wall	**1756**	10½	35 15/16	48 3/8	—	—	69 lbs.	4.5
11N4248SH5W	Wood	$ **1759**	10½	41 15/16	48 3/8	—	—	81 lbs.	5.2
11N4248SH5LW	Laminate Shelves, Wood Wall	**1759**	10½	41 15/16	48 3/8	—	—	81 lbs.	5.2
11N4248SH5L	Laminate	**1212**	10½	41 15/16	48 3/8	—	—	81 lbs.	5.2
11N4248SH5WL	Wood Shelves, Laminate Wall	**1759**	10½	41 15/16	48 3/8	—	—	81 lbs.	5.2
11N4848SH5W	Wood	$ **1952**	10½	47 15/16	48 3/8	—	—	92 lbs.	5.9
11N4848SH5LW	Laminate Shelves, Wood Wall	**1952**	10½	47 15/16	48 3/8	—	—	92 lbs.	5.9
11N4848SH5L	Laminate	**1346**	10½	47 15/16	48 3/8	—	—	92 lbs.	5.9
11N4848SH5WL	Wood Shelves, Laminate Wall	**1952**	10½	47 15/16	48 3/8	—	—	92 lbs.	5.9
11N5448SH5W	Wood	$ **2149**	10½	53 7/8	48 3/8	—	—	104 lbs.	6.5
11N5448SH5LW	Laminate Shelves, Wood Wall	**2149**	10½	53 7/8	48 3/8	—	—	104 lbs.	6.5
11N5448SH5L	Laminate	**1481**	10½	53 7/8	48 3/8	—	—	104 lbs.	6.5
11N5448SH5WL	Wood Shelves, Laminate Wall	**2149**	10½	53 7/8	48 3/8	—	—	104 lbs.	6.5
11N6048SH5W	Wood	$ **2363**	10½	59 15/16	48 3/8	—	—	115 lbs.	7.2
11N6048SH5LW	Laminate Shelves, Wood Wall	**2363**	10½	59 15/16	48 3/8	—	—	115 lbs.	7.2
11N6048SH5L	Laminate	**1629**	10½	59 15/16	48 3/8	—	—	115 lbs.	7.2
11N6048SH5WL	Wood Shelves, Laminate Wall	**2363**	10½	59 15/16	48 3/8	—	—	115 lbs.	7.2

- Some assembly required
- "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3648SH6W MH A
11N3648SH6WL MH 405 B
11N3648SH6L 405 478 C

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
11N3648SH6W	Wood	$ **1658**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N3648SH6LW	Laminate Shelves, Wood Wall	**1658**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N3648SH6L	Laminate	**1143**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N3648SH6WL	Wood Shelves, Laminate Wall	**1658**	10½	35 15/16	48 3/8	—	—	53 lbs.	4.5
11N4248SH6W	Wood	$ **1661**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4248SH6LW	Laminate Shelves, Wood Wall	**1661**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4248SH6L	Laminate	**1145**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4248SH6WL	Wood Shelves, Laminate Wall	**1661**	10½	41 15/16	48 3/8	—	—	61 lbs.	5.2
11N4848SH6W	Wood	$ **1844**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N4848SH6LW	Laminate Shelves, Wood Wall	**1844**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N4848SH6L	Laminate	**1272**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N4848SH6WL	Wood Shelves, Laminate Wall	**1844**	10½	47 15/16	48 3/8	—	—	69 lbs.	5.9
11N5448SH6W	Wood	$ **2030**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N5448SH6LW	Laminate Shelves, Wood Wall	**2030**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N5448SH6L	Laminate	**1399**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N5448SH6WL	Wood Shelves, Laminate Wall	**2030**	10½	53 7/8	48 3/8	—	—	77 lbs.	6.5
11N6048SH6W	Wood	$ **2231**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2
11N6048SH6LW	Laminate Shelves, Wood Wall	**2231**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2
11N6048SH6L	Laminate	**1539**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2
11N6048SH6WL	Wood Shelves, Laminate Wall	**2231**	10½	59 15/16	48 3/8	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18" or 30" high overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
11N3648SH7W	Wood	$ **1697**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N3648SH7LW	Laminate Shelves, Wood Wall	**1697**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N3648SH7L	Laminate	**1170**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N3648SH7WL	Wood Shelves, Laminate Wall	**1697**	10½	35 15/16	48 3/8	—	—	60 lbs.	4.5
11N4248SH7W	Wood	$ **1700**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4248SH7LW	Laminate Shelves, Wood Wall	**1700**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4248SH7L	Laminate	**1172**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4248SH7WL	Wood Shelves, Laminate Wall	**1700**	10½	41 15/16	48 3/8	—	—	71 lbs.	5.2
11N4848SH7W	Wood	$ **1887**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N4848SH7LW	Laminate Shelves, Wood Wall	**1887**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N4848SH7L	Laminate	**1302**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N4848SH7WL	Wood Shelves, Laminate Wall	**1887**	10½	47 15/16	48 3/8	—	—	81 lbs.	5.9
11N5448SH7W	Wood	$ **2078**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N5448SH7LW	Laminate Shelves, Wood Wall	**2078**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N5448SH7L	Laminate	**1432**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N5448SH7WL	Wood Shelves, Laminate Wall	**2078**	10½	53 7/8	48 3/8	—	—	90 lbs.	6.5
11N6048SH7W	Wood	$ **2284**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2
11N6048SH7LW	Laminate Shelves, Wood Wall	**2284**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2
11N6048SH7L	Laminate	**1575**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2
11N6048SH7WL	Wood Shelves, Laminate Wall	**2284**	10½	59 15/16	48 3/8	—	—	100 lbs.	7.2



- Some assembly required
- "SH7" models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3649SH1W MH
11N3649SH1WL MH 405
11N3649SH1L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts									
11N3649SH1W	Wood	$ **1951**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649SH1LW	Laminate Shelves, Wood Wall	**1951**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649SH1L	Laminate	**1345**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649SH1WL	Wood Shelves, Laminate Wall	**1951**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249SH1W	Wood	$ **1954**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249SH1LW	Laminate Shelves, Wood Wall	**1954**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249SH1L	Laminate	**1347**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249SH1WL	Wood Shelves, Laminate Wall	**1954**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849SH1W	Wood	$ **2169**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849SH1LW	Laminate Shelves, Wood Wall	**2169**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849SH1L	Laminate	**1496**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849SH1WL	Wood Shelves, Laminate Wall	**2169**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449SH1W	Wood	$ **2388**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449SH1LW	Laminate Shelves, Wood Wall	**2388**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449SH1L	Laminate	**1646**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449SH1WL	Wood Shelves, Laminate Wall	**2388**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N6049SH1W	Wood	$ **2625**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049SH1LW	Laminate Shelves, Wood Wall	**2625**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049SH1L	Laminate	**1810**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049SH1WL	Wood Shelves, Laminate Wall	**2625**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have five shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
11N3649SH2W	Wood	$ **1951**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649SH2LW	Laminate Shelves, Wood Wall	**1951**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649SH2L	Laminate	**1345**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649SH2WL	Wood Shelves, Laminate Wall	**1951**	10½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249SH2W	Wood	$ **1954**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249SH2LW	Laminate Shelves, Wood Wall	**1954**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249SH2L	Laminate	**1347**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249SH2WL	Wood Shelves, Laminate Wall	**1954**	10½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849SH2W	Wood	$ **2169**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849SH2LW	Laminate Shelves, Wood Wall	**2169**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849SH2L	Laminate	**1496**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849SH2WL	Wood Shelves, Laminate Wall	**2169**	10½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449SH2W	Wood	$ **2388**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449SH2LW	Laminate Shelves, Wood Wall	**2388**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449SH2L	Laminate	**1646**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449SH2WL	Wood Shelves, Laminate Wall	**2388**	10½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N6049SH2W	Wood	$ **2625**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049SH2LW	Laminate Shelves, Wood Wall	**2625**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049SH2L	Laminate	**1810**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049SH2WL	Wood Shelves, Laminate Wall	**2625**	10½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3649SH3W MH
11N3649SH3WL MH 405
11N3649SH3L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
11N3649SH3W	Wood	$ **1658**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH3LW	Laminate Shelves, Wood Wall	**1658**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH3L	Laminate	**1143**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH3WL	Wood Shelves, Laminate Wall	**1658**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N4249SH3W	Wood	$ **1661**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH3LW	Laminate Shelves, Wood Wall	**1661**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH3L	Laminate	**1145**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH3WL	Wood Shelves, Laminate Wall	**1661**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4849SH3W	Wood	$ **1844**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH3LW	Laminate Shelves, Wood Wall	**1844**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH3L	Laminate	**1272**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH3WL	Wood Shelves, Laminate Wall	**1844**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N5449SH3W	Wood	$ **2030**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N5449SH3LW	Laminate Shelves, Wood Wall	**2030**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N5449SH3L	Laminate	**1399**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N5449SH3WL	Wood Shelves, Laminate Wall	**2030**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N6049SH3W	Wood	$ **2231**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH3LW	Laminate Shelves, Wood Wall	**2231**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH3L	Laminate	**1539**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH3WL	Wood Shelves, Laminate Wall	**2231**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
11N3649SH4W	Wood	$ **1697**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH4LW	Laminate Shelves, Wood Wall	**1697**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH4L	Laminate	**1170**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH4WL	Wood Shelves, Laminate Wall	**1697**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N4249SH4W	Wood	$ **1700**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH4LW	Laminate Shelves, Wood Wall	**1700**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH4L	Laminate	**1172**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH4WL	Wood Shelves, Laminate Wall	**1700**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4849SH4W	Wood	$ **1887**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH4LW	Laminate Shelves, Wood Wall	**1887**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH4L	Laminate	**1302**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH4WL	Wood Shelves, Laminate Wall	**1887**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N5449SH4W	Wood	$ **2078**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N5449SH4LW	Laminate Shelves, Wood Wall	**2078**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N5449SH4L	Laminate	**1432**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N5449SH4WL	Wood Shelves, Laminate Wall	**2078**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N6049SH4W	Wood	$ **2284**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH4LW	Laminate Shelves, Wood Wall	**2284**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH4L	Laminate	**1575**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH4WL	Wood Shelves, Laminate Wall	**2284**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2



- Some assembly required
- "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3649SH5W MH
11N3649SH5WL MH 405
11N3649SH5L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
11N3649SH5W	Wood	$ **1756**	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5LW	Laminate Shelves, Wood Wall	**1756**	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5L	Laminate	**1211**	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5WL	Wood Shelves, Laminate Wall	**1756**	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N4249SH5W	Wood	$ **1759**	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5LW	Laminate Shelves, Wood Wall	**1759**	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5L	Laminate	**1212**	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5WL	Wood Shelves, Laminate Wall	**1759**	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4849SH5W	Wood	$ **1952**	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5LW	Laminate Shelves, Wood Wall	**1952**	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5L	Laminate	**1346**	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5WL	Wood Shelves, Laminate Wall	**1952**	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N5449SH5W	Wood	$ **2149**	10½	53 7/8	48 13/16	—	—	104 lbs.	6.6
11N5449SH5LW	Laminate Shelves, Wood Wall	**2149**	10½	53 7/8	48 13/16	—	—	104 lbs.	6.6
11N5449SH5L	Laminate	**1481**	10½	53 7/8	48 13/16	—	—	104 lbs.	6.6
11N5449SH5WL	Wood Shelves, Laminate Wall	**2149**	10½	53 7/8	48 13/16	—	—	104 lbs.	6.6
11N6049SH5W	Wood	$ **2363**	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5LW	Laminate Shelves, Wood Wall	**2363**	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5L	Laminate	**1629**	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5WL	Wood Shelves, Laminate Wall	**2363**	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2

- Some assembly required
- "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Organizer Shelf Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
11N3649SH6W	Wood	$ **1658**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH6LW	Laminate Shelves, Wood Wall	**1658**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH6L	Laminate	**1143**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH6WL	Wood Shelves, Laminate Wall	**1658**	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N4249SH6W	Wood	$ **1661**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH6LW	Laminate Shelves, Wood Wall	**1661**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH6L	Laminate	**1145**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH6WL	Wood Shelves, Laminate Wall	**1661**	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4849SH6W	Wood	$ **1844**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH6LW	Laminate Shelves, Wood Wall	**1844**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH6L	Laminate	**1272**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH6WL	Wood Shelves, Laminate Wall	**1844**	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N5449SH6W	Wood	$ **2030**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N5449SH6LW	Laminate Shelves, Wood Wall	**2030**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N5449SH6L	Laminate	**1399**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N5449SH6WL	Wood Shelves, Laminate Wall	**2030**	10½	53 7/8	48 13/16	—	—	78 lbs.	6.6
11N6049SH6W	Wood	$ **2231**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH6LW	Laminate Shelves, Wood Wall	**2231**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH6L	Laminate	**1539**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH6WL	Wood Shelves, Laminate Wall	**2231**	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2



- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18", or 30" high overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3649SH7W MH
11N3649SH7WL MH 405
11N3649SH7L 405 478

Organizer Shelf Inserts (continued)





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
11N3649SH7W	Wood	$ **1697**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH7LW	Laminate Shelves, Wood Wall	**1697**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH7L	Laminate	**1170**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH7WL	Wood Shelves, Laminate Wall	**1697**	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N4249SH7W	Wood	$ **1700**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH7LW	Laminate Shelves, Wood Wall	**1700**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH7L	Laminate	**1172**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH7WL	Wood Shelves, Laminate Wall	**1700**	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4849SH7W	Wood	$ **1887**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH7LW	Laminate Shelves, Wood Wall	**1887**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH7L	Laminate	**1302**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH7WL	Wood Shelves, Laminate Wall	**1887**	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N5449SH7W	Wood	$ **2078**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N5449SH7LW	Laminate Shelves, Wood Wall	**2078**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N5449SH7L	Laminate	**1432**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N5449SH7WL	Wood Shelves, Laminate Wall	**2078**	10½	53 7/8	48 13/16	—	—	91 lbs.	6.6
11N6049SH7W	Wood	$ **2284**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH7LW	Laminate Shelves, Wood Wall	**2284**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH7L	Laminate	**1575**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH7WL	Wood Shelves, Laminate Wall	**2284**	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2

- Some assembly required
- "SH7" models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 396
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Fabric TV Mount Exhibit Inserts



Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H Fabric TV Mount Exhibit Inserts										
11N3634TVFA	Railroad	$ 1246	$ 1287	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634TVF	Standard	1242	1276	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234TVFA	Railroad	$ 1247	$ 1288	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234TVF	Standard	1243	1277	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834TVFA	Railroad	$ 1368	$ 1415	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834TVF	Standard	1364	1398	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434TVFA	Railroad	$ 1490	$ 1544	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434TVF	Standard	1486	1520	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034TVFA	Railroad	$ 1624	$ 1678	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034TVF	Standard	1620	1654	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Fabric TV Mount Exhibit Inserts										
11N3636TVFA	Railroad	$ 1261	$ 1302	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVF	Standard	1257	1291	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVFA	Railroad	$ 1263	$ 1304	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVF	Standard	1259	1293	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVFA	Railroad	$ 1386	$ 1433	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVF	Standard	1382	1416	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVFA	Railroad	$ 1509	$ 1563	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436TVF	Standard	1505	1539	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036TVFA	Railroad	$ 1645	$ 1699	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVF	Standard	1641	1675	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

• See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N3637TVFA B 25413





Shaded rectangle portrays a railroaded insert.

Fabric TV Mount Exhibit Inserts (continued)



Compatible with WaveWorks 69" High WWN Models
37"H Fabric TV Mount Exhibit Inserts

Model No./Description		Grade A	Grade B/COM	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
11N3637TVFA	Railroad	$ 1261	$ 1302		½	35 15/16	37	—	—	51 lbs.	3.4
11N3637TVF	Standard	1257	1291		½	35 15/16	37	—	—	51 lbs.	3.4
11N4237TVFA	Railroad	$ 1263	$ 1304		½	41 15/16	37	—	—	57 lbs.	3.6
11N4237TVF	Standard	1259	1293		½	41 15/16	37	—	—	57 lbs.	3.6
11N4837TVFA	Railroad	$ 1386	$ 1433		½	47 15/16	37	—	—	62 lbs.	3.9
11N4837TVF	Standard	1382	1416		½	47 15/16	37	—	—	62 lbs.	3.9
11N5437TVFA	Railroad	$ 1509	$ 1563		½	53 7/8	37	—	—	68 lbs.	4.1
11N5437TVF	Standard	1505	1539		½	53 7/8	37	—	—	68 lbs.	4.1
11N6037TVFA	Railroad	$ 1645	$ 1699		½	59 15/16	37	—	—	74 lbs.	4.3
11N6037TVF	Standard	1641	1675		½	59 15/16	37	—	—	74 lbs.	4.3

Compatible with WaveWorks 79" High WW Models
48"H Fabric TV Mount Exhibit Inserts

11N3648TVFA	Railroad	$ 1461	$ 1502		½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648TVF	Standard	1457	1498		½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N4248TVFA	Railroad	$ 1463	$ 1504		½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248TVF	Standard	1459	1500		½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4848TVFA	Railroad	$ 1607	$ 1654		½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848TVF	Standard	1603	1644		½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N5448TVFA	Railroad	$ 1753	$ 1807		½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448TVF	Standard	1749	1790		½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N6048TVFA	Railroad	$ 1912	$ 1966		½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048TVF	Standard	1908	1949		½	59 15/16	48 3/8	—	—	101 lbs.	6.1

• TV mount included; some assembly required; VESA mounting compliant
• Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
• Two trim channels included with each fabric insert in the same fabric
• Maximum TV weight is 120 lbs.

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 396
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Fabric TV Mount Exhibit Inserts (continued)



Model No./Description		List Price Grade A	List Price Grade B/COM	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 80" High WWN Models 49"H Fabric TV Mount Exhibit Inserts										
11N3649TVFA	Railroad	**$ 1461**	**$ 1502**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVF	Standard	**1457**	**1498**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVFA	Railroad	**$ 1463**	**$ 1504**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVF	Standard	**1459**	**1500**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVFA	Railroad	**$ 1607**	**$ 1654**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVF	Standard	**1603**	**1644**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVFA	Railroad	**$ 1753**	**$ 1807**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449TVF	Standard	**1749**	**1790**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N6049TVFA	Railroad	**$ 1912**	**$ 1966**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVF	Standard	**1908**	**1949**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Finish/Laminate Color (veneer/laminate insert only)
3. Fabric Grade (fabric insert only)
4. Fabric Color (fabric insert only)

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3649TVFA B 25413
11N3634TVL 462
11N3634TVW MC





Shaded rectangle portrays a railroaded insert.

TV Mount Exhibit Inserts



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
34"H TV Mount Exhibit Inserts									
11N3634TVW	Wood	$ **1732**	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634TVL	Laminate	**1241**	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234TVW	Wood	$ **1733**	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234TVL	Laminate	**1242**	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834TVW	Wood	$ **1909**	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834TVL	Laminate	**1363**	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434TVW	Wood	$ **2085**	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434TVL	Laminate	**1485**	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034TVW	Wood	$ **2279**	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034TVL	Laminate	**1619**	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H TV Mount Exhibit Inserts									
11N3636TVW	Wood	$ **1754**	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVL	Laminate	**1256**	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVW	Wood	$ **1757**	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVL	Laminate	**1258**	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVW	Wood	$ **1935**	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVL	Laminate	**1381**	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVW	Wood	$ **2113**	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436TVL	Laminate	**1504**	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036TVW	Wood	$ **2310**	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVL	Laminate	**1640**	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 396
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

TV Mount Exhibit Inserts (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Compatible with WaveWorks 69" High WWN Models 37"H TV Mount Exhibit Inserts									
11N3637TVW	Wood	$ **1754**	½	35 15/16	37	—	—	51 lbs.	3.4
11N3637TVL	Laminate	**1256**	½	35 15/16	37	—	—	51 lbs.	3.4
11N4237TVW	Wood	$ **1757**	½	41 15/16	37	—	—	57 lbs.	3.6
11N4237TVL	Laminate	**1258**	½	41 15/16	37	—	—	57 lbs.	3.6
11N4837TVW	Wood	$ **1935**	½	47 15/16	37	—	—	62 lbs.	3.9
11N4837TVL	Laminate	**1381**	½	47 15/16	37	—	—	62 lbs.	3.9
11N5437TVW	Wood	$ **2113**	½	53 7/8	37	—	—	68 lbs.	4.1
11N5437TVL	Laminate	**1504**	½	53 7/8	37	—	—	68 lbs.	4.1
11N6037TVW	Wood	$ **2310**	½	59 15/16	37	—	—	74 lbs.	4.3
11N6037TVL	Laminate	**1640**	½	59 15/16	37	—	—	74 lbs.	4.3
Compatible with WaveWorks 79" High WW Models 48"H TV Mount Exhibit Inserts									
11N3648TVW	Wood	$ **2044**	½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N3648TVL	Laminate	**1456**	½	35 15/16	48 3/8	—	—	69 lbs.	5.0
11N4248TVW	Wood	$ **2047**	½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4248TVL	Laminate	**1458**	½	41 15/16	48 3/8	—	—	77 lbs.	5.2
11N4848TVW	Wood	$ **2256**	½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N4848TVL	Laminate	**1602**	½	47 15/16	48 3/8	—	—	85 lbs.	5.5
11N5448TVW	Wood	$ **2468**	½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N5448TVL	Laminate	**1748**	½	53 7/8	48 3/8	—	—	93 lbs.	5.8
11N6048TVW	Wood	$ **2699**	½	59 15/16	48 3/8	—	—	101 lbs.	6.1
11N6048TVL	Laminate	**1907**	½	59 15/16	48 3/8	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Finish/Laminate Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N3637TVL 462
11N3637TVW MC

TV Mount Exhibit Inserts (continued)



Compatible with WaveWorks 80" High WWN Models
49"H TV Mount Exhibit Inserts

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
11N3649TVW	Wood	**$ 2044**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVL	Laminate	**1456**	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVW	Wood	**$ 2047**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVL	Laminate	**1458**	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVW	Wood	**$ 2256**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVL	Laminate	**1602**	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVW	Wood	**$ 2468**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N5449TVL	Laminate	**1748**	½	53 7/8	48 13/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	**$ 2699**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVL	Laminate	**1907**	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

Exhibit TV Mount Vertical Wire Manager



		Grade A	Grade B/COM	D	W	H	A	KW	Cartoned Weight	Cubic Feet
11N0615WMVW	Wood	**$ 300**		1½	53/8	157/16	—	—	8 lbs.	0.6
11N0615WMVL	Laminate	**200**		1½	53/8	157/16	—	—	8 lbs.	0.6
11N0615WMVFA	Fabric, Railroad	**300**	**$ 307**	1½	53/8	157/16	—	—	8 lbs.	0.6
11N0615WMVF	Fabric, Standard	**300**	**307**	1½	53/8	157/16	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 328 for grommet and cutout locations
- Reference page 331 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Exhibit Mount Square Top Softened Rim	***48" Square***									
	15N4848SQDW	Wood	**$ 1849**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQDL	Laminate	**1298**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQDW	Wood	**$ 2274**	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQDL	Laminate	**1817**	58 5/8	60	13/16	—	—	150 lbs.	8.3



- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit Mount Square Top Knife Rim	***48" Square***									
	15N4848SQDWK	Wood	**$ 2404**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQDLK	Laminate	**1687**	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQDWK	Wood	**$ 2957**	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQDLK	Laminate	**2362**	58 5/8	60	13/16	—	—	150 lbs.	8.3



- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

15N6060SQDL	V425	CUT-G15C	NT1	425	
15N6060SQDW	F	X	NT1	N	MC

Exhibit Mount Rectangle Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 54"									
15N4854RTDW	Wood	**$ 1957**	48	54	13⁄16	—	—	92 lbs.	5.5
15N4854RTDL	Laminate	**1406**	48	54	13⁄16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTDW	Wood	**$ 2065**	48	60	13⁄16	—	—	110 lbs.	6.2
15N4860RTDL	Laminate	**1514**	48	60	13⁄16	—	—	110 lbs.	6.2
48" x 66"									
15N4866RTDW	Wood	**$ 2173**	48	66	13⁄16	—	—	135 lbs.	7.5
15N4866RTDL	Laminate	**1622**	48	66	13⁄16	—	—	135 lbs.	7.5
48" x 72"									
15N4872RTDW	Wood	**$ 2281**	48	72	13⁄16	—	—	158 lbs.	7.9
15N4872RTDL	Laminate	**1730**	48	72	13⁄16	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDW	Wood	**$ 2389**	48	78	13⁄16	—	—	180 lbs.	8.3
15N4878RTDL	Laminate	**1838**	48	78	13⁄16	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDW	Wood	**$ 2497**	48	84	13⁄16	—	—	210 lbs.	10.0
15N4884RTDL	Laminate	**1946**	48	84	13⁄16	—	—	210 lbs.	10.0
60" x 48"									
15N6048RTDW	Wood	**$ 2065**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
15N6048RTDL	Laminate	**1514**	58⁄8	481⁄16	13⁄16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDW	Wood	**$ 2119**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5
15N6054RTDL	Laminate	**1568**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 328 for grommet and cutout locations
- Reference page 331 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount Rectangle Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 66"									
15N6066RTDW	Wood	**$ 2382**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066RTDL	Laminate	**1925**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDW	Wood	**$ 2490**	58 5/8	72	13 1/16	—	—	210 lbs.	9.6
15N6072RTDL	Laminate	**2033**	58 5/8	72	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDW	Wood	**$ 2598**	58 5/8	78	13 1/16	—	—	245 lbs.	10.0
15N6078RTDL	Laminate	**2141**	58 5/8	78	13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDW	Wood	**$ 2706**	58 5/8	84	13 1/16	—	—	270 lbs.	10.8
15N6084RTDL	Laminate	**2249**	58 5/8	84	13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit Mount Rectangle Top Knife Rim



48" x 54"									
15N4854RTDWK	Wood	**$ 2544**	48	54	13 1/16	—	—	92 lbs.	5.5
15N4854RTDLK	Laminate	**1828**	48	54	13 1/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTDWK	Wood	**$ 2685**	48	60	13 1/16	—	—	110 lbs.	6.2
15N4860RTDLK	Laminate	**1968**	48	60	13 1/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866RTDWK	Wood	**$ 2825**	48	66	13 1/16	—	—	135 lbs.	7.5
15N4866RTDLK	Laminate	**2109**	48	66	13 1/16	—	—	135 lbs.	7.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

15N4854RTDWK	K	CUT-G26C	D1B425	R	AC
15N4854RTDLK	K425	CUT-G26C	D1B425	AC2	

Exhibit Mount Rectangle Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 72"									
15N4872RTDWK	Wood	**$ 2965**	48	72	13⁄16	—	—	158 lbs.	7.9
15N4872RTDLK	Laminate	**2249**	48	72	13⁄16	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDWK	Wood	**$ 3106**	48	78	13⁄16	—	—	180 lbs.	8.3
15N4878RTDLK	Laminate	**2389**	48	78	13⁄16	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDWK	Wood	**$ 3246**	48	84	13⁄16	—	—	210 lbs.	10.0
15N4884RTDLK	Laminate	**2530**	48	84	13⁄16	—	—	210 lbs.	10.0
60" x 48"									
15N6048RTDWK	Wood	**$ 2685**	58⁄8	48 1⁄16	13⁄16	—	—	121 lbs.	6.9
15N6048RTDLK	Laminate	**1968**	58⁄8	48 1⁄16	13⁄16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDWK	Wood	**$ 2755**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5
15N6054RTDLK	Laminate	**2038**	58⁄8	54	13⁄16	—	—	135 lbs.	7.5
60" x 66"									
15N6066RTDWK	Wood	**$ 3097**	58⁄8	66	13⁄16	—	—	182 lbs.	9.1
15N6066RTDLK	Laminate	**2503**	58⁄8	66	13⁄16	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDWK	Wood	**$ 3237**	58⁄8	72	13⁄16	—	—	210 lbs.	9.6
15N6072RTDLK	Laminate	**2643**	58⁄8	72	13⁄16	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDWK	Wood	**$ 3378**	58⁄8	78	13⁄16	—	—	245 lbs.	10.0
15N6078RTDLK	Laminate	**2784**	58⁄8	78	13⁄16	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDWK	Wood	**$ 3518**	58⁄8	84	13⁄16	—	—	270 lbs.	10.8
15N6084RTDLK	Laminate	**2924**	58⁄8	84	13⁄16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 328 for grommet and cutout locations
- Reference page 331 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount Wedge Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848WGDW	Wood	**$ 1997**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848WGDL	Laminate	**1402**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGDW	Wood	**$ 2114**	48	54	13/16	—	—	92 lbs.	5.5
15N4854WGDL	Laminate	**1518**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDW	Wood	**$ 2230**	48	60	13/16	—	—	110 lbs.	6.2
15N4860WGDL	Laminate	**1635**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDW	Wood	**$ 2347**	48	66	13/16	—	—	135 lbs.	7.5
15N4866WGDL	Laminate	**1752**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDW	Wood	**$ 2463**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872WGDL	Laminate	**1868**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDW	Wood	**$ 2580**	48	77 15/16	13/16	—	—	180 lbs.	8.3
15N4878WGDL	Laminate	**1985**	48	77 15/16	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDW	Wood	**$ 2697**	48	83 15/16	13/16	—	—	210 lbs.	10.0
15N4884WGDL	Laminate	**2102**	48	83 15/16	13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

15N6048WGDL	V478	CUT-G15C	NT1	478	
15N6048WGDW	F	CUT-G15C	NT1	N	CW

Exhibit Mount Wedge Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048WGDW	Wood	**$ 2230**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
15N6048WGDL	Laminate	**1635**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDW	Wood	**$ 2289**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
15N6054WGDL	Laminate	**1693**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDW	Wood	**$ 2456**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
15N6060WGDL	Laminate	**1963**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGDW	Wood	**$ 2573**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066WGDL	Laminate	**2079**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDW	Wood	**$ 2689**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
15N6072WGDL	Laminate	**2196**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDW	Wood	**$ 2806**	58 5/8	77 15/16	13 1/16	—	—	245 lbs.	10.0
15N6078WGDL	Laminate	**2312**	58 5/8	77 15/16	13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDW	Wood	**$ 2923**	58 5/8	83 15/16	13 1/16	—	—	270 lbs.	10.8
15N6084WGDL	Laminate	**2429**	58 5/8	83 15/16	13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 328 for grommet and cutout locations
- Reference page 331 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount Wedge Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848WGDWK	Wood	**$ 2596**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848WGDLK	Laminate	**1822**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGDWK	Wood	**$ 2748**	48	54	13/16	—	—	92 lbs.	5.5
15N4854WGDLK	Laminate	**1974**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDWK	Wood	**$ 2899**	48	60	13/16	—	—	110 lbs.	6.2
15N4860WGDLK	Laminate	**2126**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDWK	Wood	**$ 3051**	48	66	13/16	—	—	135 lbs.	7.5
15N4866WGDLK	Laminate	**2277**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDWK	Wood	**$ 3203**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872WGDLK	Laminate	**2429**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDWK	Wood	**$ 3354**	48	77 15/16	13/16	—	—	180 lbs.	8.3
15N4878WGDLK	Laminate	**2581**	48	77 15/16	13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDWK	Wood	**$ 3506**	48	83 15/16	13/16	—	—	210 lbs.	10.0
15N4884WGDLK	Laminate	**2732**	48	83 15/16	13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

15N6048WGDWK	K	CUT-G16C	X	R	AC
15N6048WGDLK	K405	CUT-G16C	X	461	

Exhibit Mount Wedge Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048WGDWK	Wood	**$ 2899**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
15N6048WGDLK	Laminate	**2126**	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDWK	Wood	**$ 2975**	58 5/8	54	13/16	—	—	135 lbs.	7.5
15N6054WGDLK	Laminate	**2201**	58 5/8	54	13/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDWK	Wood	**$ 3193**	58 5/8	60	13/16	—	—	150 lbs.	8.3
15N6060WGDLK	Laminate	**2551**	58 5/8	60	13/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGDWK	Wood	**$ 3345**	58 5/8	66	13/16	—	—	182 lbs.	9.1
15N6066WGDLK	Laminate	**2703**	58 5/8	66	13/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDWK	Wood	**$ 3496**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
15N6072WGDLK	Laminate	**2855**	58 5/8	71 15/16	13/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDWK	Wood	**$ 3648**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
15N6078WGDLK	Laminate	**3006**	58 5/8	77 15/16	13/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDWK	Wood	**$ 3800**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8
15N6084WGDLK	Laminate	**3158**	58 5/8	83 15/16	13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 328 for grommet and cutout locations
- Reference page 331 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount U-Shaped Top Softened Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848UDW	Wood	**$ 2017**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848UDL	Laminate	**1416**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDW	Wood	**$ 2135**	48	54	13/16	—	—	92 lbs.	5.5
15N4854UDL	Laminate	**1534**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UDW	Wood	**$ 2253**	48	60	13/16	—	—	110 lbs.	6.2
15N4860UDL	Laminate	**1651**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDW	Wood	**$ 2370**	48	66	13/16	—	—	135 lbs.	7.5
15N4866UDL	Laminate	**1769**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDW	Wood	**$ 2488**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872UDL	Laminate	**1887**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDW	Wood	**$ 2606**	48		13/16	—	—	180 lbs.	8.3
15N4878UDL	Laminate	**2005**	48		13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDW	Wood	**$ 2724**	48		13/16	—	—	210 lbs.	10.0
15N4884UDL	Laminate	**2123**	48		13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

15N6048UDW	F	X	NT1	R	AC
15N6048UDL	V462	X	NT1	405	

Exhibit Mount U-Shaped Top Softened Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048UDW	Wood	**$ 2253**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
15N6048UDL	Laminate	**1651**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UDW	Wood	**$ 2311**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
15N6054UDL	Laminate	**1710**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UDW	Wood	**$ 2481**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
15N6060UDL	Laminate	**1982**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UDW	Wood	**$ 2599**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066UDL	Laminate	**2100**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UDW	Wood	**$ 2716**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
15N6072UDL	Laminate	**2218**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDW	Wood	**$ 2834**	58 5/8		13 1/16	—	—	245 lbs.	10.0
15N6078UDL	Laminate	**2336**	58 5/8		13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDW	Wood	**$ 2952**	58 5/8		13 1/16	—	—	270 lbs.	10.8
15N6084UDL	Laminate	**2453**	58 5/8		13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 328 for grommet and cutout locations
- Reference page 331 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Exhibit Mount U-Shaped Top Knife Rim



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
48" x 48"									
15N4848UDWK	Wood	**$ 2622**	48	48 1/16	13/16	—	—	59 lbs.	4.5
15N4848UDLK	Laminate	**1841**	48	48 1/16	13/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDWK	Wood	**$ 2775**	48	54	13/16	—	—	92 lbs.	5.5
15N4854UDLK	Laminate	**1994**	48	54	13/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UDWK	Wood	**$ 2928**	48	60	13/16	—	—	110 lbs.	6.2
15N4860UDLK	Laminate	**2147**	48	60	13/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDWK	Wood	**$ 3081**	48	66	13/16	—	—	135 lbs.	7.5
15N4866UDLK	Laminate	**2300**	48	66	13/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDWK	Wood	**$ 3235**	48	71 15/16	13/16	—	—	158 lbs.	7.9
15N4872UDLK	Laminate	**2453**	48	71 15/16	13/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDWK	Wood	**$ 3388**	48		13/16	—	—	180 lbs.	8.3
15N4878UDLK	Laminate	**2606**	48		13/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDWK	Wood	**$ 3541**	48		13/16	—	—	210 lbs.	10.0
15N4884UDLK	Laminate	**2760**	48		13/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

15N6048UDWK	K	X	X	R	AC
15N6048UDLK	K462	X	X	405	

Exhibit Mount U-Shaped Top Knife Rim (continued)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
60" x 48"									
15N6048UDWK	Wood	**$ 2928**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
15N6048UDLK	Laminate	**2147**	58 5/8	48 1/16	13 1/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UDWK	Wood	**$ 3005**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
15N6054UDLK	Laminate	**2223**	58 5/8	54	13 1/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UDWK	Wood	**$ 3225**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
15N6060UDLK	Laminate	**2577**	58 5/8	60	13 1/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UDWK	Wood	**$ 3378**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
15N6066UDLK	Laminate	**2730**	58 5/8	66	13 1/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UDWK	Wood	**$ 3531**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
15N6072UDLK	Laminate	**2883**	58 5/8	71 15/16	13 1/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDWK	Wood	**$ 3684**	58 5/8		13 1/16	—	—	245 lbs.	10.0
15N6078UDLK	Laminate	**3036**	58 5/8		13 1/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDWK	Wood	**$ 3838**	58 5/8		13 1/16	—	—	270 lbs.	10.8
15N6084UDLK	Laminate	**3189**	58 5/8		13 1/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 394-395
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 328 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318
- Notch cutout option available on back side, see page 328 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 381
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Product Specifications

- STD channel height is 6" tall and should be specified when using the G15, G16, or no grommet
- G26 Marina™ channel height is 8" tall and should be specified when using the G26 Marina™ grommet
- Taper base shipped in three separate cartons

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Taper Base Bar Height Exhibit Mount



STD Channel Height



G26 Marina™ Channel Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
15N4840TPOBP	Painted	$ **2655**	12	36 1/16	39¾	—	—	105 lbs.	18.1
15N5440TPOBP	Painted	**2730**	12	42	39¾	—	—	115 lbs.	20.7
15N6040TPOBP	Painted	**2806**	12	48	39¾	—	—	125 lbs.	23.3
15N6640TPOBP	Painted	**2884**	12	54	39¾	—	—	135 lbs.	25.9
15N7240TPOBP	Painted	**2966**	12	59 15/16	39¾	—	—	145 lbs.	28.5
15N7840TPOBP	Painted	**3046**	12	65 15/16	39¾	—	—	155 lbs.	31.1
15N8440TPOBP	Painted	**3126**	12	71 15/16	39¾	—	—	165 lbs.	33.7

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/16"; desk height bottom channel inside dimension is 53 1/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9 3/16"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 331 for top and base guide

To Order, Specify:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

• See pages 326-329 for all options available in Exhibit

Sample Model Number:

15N4828TPOBP 6 405

Taper Base Desk Height Exhibit Mount



STD Channel Height



G26 Marina™ Channel Height

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
15N4828TPOBP	Painted	$ **2414**	12	36 1/16	27¼	—	—	95 lbs.	13.0
15N5428TPOBP	Painted	**2482**	12	42	27¼	—	—	105 lbs.	14.8
15N6028TPOBP	Painted	**2551**	12	48	27¼	—	—	115 lbs.	16.7
15N6628TPOBP	Painted	**2622**	12	54	27¼	—	—	125 lbs.	18.6
15N7228TPOBP	Painted	**2696**	12	59 15/16	27¼	—	—	135 lbs.	20.4
15N7828TPOBP	Painted	**2772**	12	65 15/16	27¼	—	—	145 lbs.	22.3
15N8428TPOBP	Painted	**2849**	12	71 15/16	27¼	—	—	155 lbs.	24.2

• Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
• Adjustable glides standard; 1½" glide adjustment
• Bases have wire access and removable panels for access to floor mounted electrical
• Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/16; desk height bottom channel inside dimension is 53 1/32; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 93 1/16; top channel bottom inside dimension for G26 Marina™ is 8¾"
• Reference page 331 for top and base guide

Exhibit

Product Specifications

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Full End Trim

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
For use with 34"H Inserts									
11N37ETP	Powder Coated	$ 66	11/16	1½	37 1/8	—	—	1 lbs.	0.2
Compatible with WaveWorks 68" High WW and Epic 68" High Models For use with 36"H Inserts									
11N39ETP	Powder Coated	$ 70	11/16	1½	39 7/16	—	—	1 lbs.	0.3
Compatible with WaveWorks 69" High WW Models For use with 37"H Inserts									
11N40ETP	Powder Coated	$ 70	11/16	1½	39 7/8	—	—	1 lbs.	0.3
Compatible with WaveWorks 79" High WW Models For use with 48"H Inserts									
11N51ETP	Powder Coated	$ 80	11/16	1½	51¼	—	—	1 lbs.	0.3
Compatible with WaveWorks 80" High WW Models For use with 49"H Inserts									
11N52ETP	Powder Coated	$ 80	11/16	1½	51 11/16	—	—	1 lbs.	0.4

- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed
- Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail
- Available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)

Vertical Cable Manager



		Grade A	Grade B/COM							
11N20WMV	Black Plastic	$ 25		1	1	20	—	—	1 lbs.	0.5
11N20WMVFA	Fabric, Railroad	35	$ 42	1	1	20	—	—	1 lbs.	0.5
11N20WMVF	Fabric, Standard	33	36	1	1	20	—	—	1 lbs.	0.5

- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

		Grade A	Grade B/COM							
11N31WMV	Black Plastic	$ 34		1	1	31	—	—	2 lbs.	0.6
11N31WMVFA	Fabric, Railroad	43	$ 50	1	1	31	—	—	2 lbs.	0.6
11N31WMVF	Fabric, Standard	41	44	1	1	31	—	—	2 lbs.	0.6

- For use with 48" or 49" inserts when a single height cabinet is attached
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 326-329 for all options available in Exhibit

Sample Model Numbers:

11N37ETP 501
11N34TCF B 25413



Shaded rectangle portrays a railroaded cable manager.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Single End Cap	**11N01ETP**		$ 31	1/8	13/8	13/8	—	—	1 lbs.	0.3



- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

Fabric Wrapped Trim Channels

34"H Trim Channels

		Grade A	Grade B/COM	D	W	H	A	KW	Cartoned Weight	Cubic Feet
11N34TCFA	Fabric, Railroad	$ 41	$ 48	½	¾	34 1/8	—	—	1 lbs.	0.3
11N34TCF	Fabric, Standard	39	42	½	¾	34 1/8	—	—	1 lbs.	0.3
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Trim Channels										
11N36TCFA	Fabric, Railroad	$ 42	$ 49	½	¾	36 9/16	—	—	1 lbs.	0.3
11N36TCF	Fabric, Standard	40	43	½	¾	36 9/16	—	—	1 lbs.	0.3
Compatible with WaveWorks 69" High WW Models 37"H Trim Channels										
11N37TCFA	Fabric, Railroad	$ 42	$ 49	½	¾	37	—	—	1 lbs.	0.3
11N37TCF	Fabric, Standard	40	43	½	¾	37	—	—	1 lbs.	0.3
Compatible with WaveWorks 79" High WW Models 48"H Trim Channels										
11N48TCFA	Fabric, Railroad	$ 48	$ 55	½	¾	48 3/8	—	—	1 lbs.	0.3
11N48TCF	Fabric, Standard	46	50	½	¾	48 3/8	—	—	1 lbs.	0.3
Compatible with WaveWorks 80" High WW Models 49"H Trim Channels										
11N49TCFA	Fabric, Railroad	$ 48	$ 55	½	¾	48 13/16	—	—	1 lbs.	0.3
11N49TCF	Fabric, Standard	46	50	½	¾	48 13/16	—	—	1 lbs.	0.3

- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Product Specifications

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Painted Trim Channels	**34"H Trim Channels**									
	11N34TCP	Powder Coated	**$ 34**	½	¾	34 1/8	—	—	1 lbs.	0.3
	Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Trim Channels									
	11N36TCP	Powder Coated	**$ 36**	½	¾	36 9/16	—	—	1 lbs.	0.3
	Compatible with WaveWorks 69" High WW Models 37"H Trim Channels									
	11N37TCP	Powder Coated	**$ 36**	½	¾	37	—	—	1 lbs.	0.3
	Compatible with WaveWorks 79" High WW Models 48"H Trim Channels									
	11N48TCP	Powder Coated	**$ 43**	½	¾	48 3/8	—	—	1 lbs.	0.3
	Compatible with WaveWorks 80" High WW Models 49"H Trim Channels									
	11N49TCP	Powder Coated	**$ 43**	½	¾	48 13/16	—	—	1 lbs.	0.3

- Available in White (401), Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered

To Order, Specify:

1. Model Number
2. Wood/Laminate Finish

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

11N34TCP 462

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Worksurface Mounting Bracket	**11NBRS**	Single Bracket	**$ 11**	2	3	½	—	—	1 lbs.	0.3



- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

Filler Strips



For Exhibit mount overheads

11NCPFSW	Wood	**$ 45**	1	3	27¼	—	—	1 lbs.	0.3
11NCPFSL	Laminate	**23**	1	3	27¼	—	—	1 lbs.	0.3

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Not required for WaveWorks metal overhead units
- Available in: Brighton (IM), Natural (NM), Honey/Honey 2 (HN/HN2), Caramel (CL), Truffle (TF), Autumn/Autumn 2 (AC/AC2), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH), Designer White (405), Mojave (417), Mouse (418), Wallaby (419), Shadow (425), Cloud (440), Graphite (461), Cinder (462), Platinum Grey (478), Frosty White (488), Designer White Linear (491), Cinder Linear (492), Palisander (791), Sable (792), Acorn (793)

Product Specifications

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Metal Work Tools

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Shelf 	**NAC0924SHM**	Powder Coated	$ **90**	9 1/8	24	2 1/4	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	**101**	9 1/8	30	2 1/4	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	**112**	9 1/8	36	2 1/4	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	**125**	9 1/8	42	2 1/4	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	**136**	9 1/8	48	2 1/4	—	—	9 lbs.	1.4
Single Side Tray 	**NAC1217SPTM**	Single Tray	$ **81**	11 5/8	17	2 3/8	—	—	5 lbs.	0.7
Double Side Tray 	**NAC1217DPTM**	Double Tray	$ **112**	11 5/8	17	5	—	—	9 lbs.	1.0
Pocket Organizer 	**NAC16POM**	Single Pocket	$ **69**	1 1/8	15 5/8	7 1/4	—	—	4 lbs.	1.1
Slant Sorter	**NAC1212SSM**	Polished Aluminum Dividers	$ **81**	11 3/4	12	7 3/4	—	—	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets									
Marker Holder 	**NACMRHM**		$ **79**	21 5/16	6 15/16	4	—	—	1 lbs.	0.1

To Order, Specify:

1. Model Number
2. Paint Color

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

NAC0924SHM 462

Metal Work Tools

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Binder Shelf	**NAC0905SHBM**	**$ 50**	91/8	5	81/16	—	—	3 lbs.	0.5
	• Not recommended for use under Epicenter mounted overhead storage cabinets								
Pencil Tray	**NAC0510PTB**	**$ 59**	5	10	1	—	—	1 lbs.	0.1
	• Available in Black only • Specify model number only								

Metal Tools Operating Load Capacities

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

Product Specification

- For use with WaveWorks slat walls, Chameleon slat zone, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Plastic Work Tools

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Pencil Cup	**NACCP**	Black Plastic	$ **34**	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	**34**	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
Legal Paper Tray	**NAC1115SPT**	Black Plastic	$ **50**	10½	15	2	—	—	1 lbs.	0.1
	**NAC1115SPTC**	Clear Plastic	**50**	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
Accessory Tray	**NAC1010AT**	Black Plastic	$ **45**	10	9½	2	—	—	1 lbs.	0.2
	**NAC1010ATC**	Clear Plastic	**45**	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
Phone Holder	**NACPH**	Black Plastic	$ **45**	9½	8½	2	—	—	1 lbs.	0.1
	NACPHC	Clear Plastic	**45**	9½	8½	2	—	—	1 lbs.	0.1
	• Holds telephone									
Binder Shelf	**NACBS**	Black Plastic	$ **37**	10½	5	9	—	—	1 lbs.	0.3
	• Holds binders and folders • Not recommended for use under Epicenter mounted overhead storage cabinets									
Slant Sorter	**NACSS**	Black Plastic	$ **52**	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	**52**	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

To Order, Specify:

1. Model Number

Sample Model Number:

NACCP

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Intuitive Monitor Arm Slat Wall Mount	**NACMAPSMB**	Black	**$ 504**	29½	2½	1311/16	—	—	12 lbs.	2.7
	NACMAPSMS	Silver	**504**	29½	2½	1311/16	—	—	12 lbs.	2.7



- Weight capacity: 13 pounds
- One monitor arm every 24" on slat wall and only one monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper four slats of a full slat wall and slat wall combo insert

Monitor Arm Information

National Model:	NACMAPSMB/S
Description:	slat wall mount black/silver
Monitor Rotation:	port/landscape 30° each side
Monitor Extension:	12"
Monitor Tilt Adjustment:	25° + or –
Arm Height Adjustment:	10" dynamic
Monitor Weight Capacity (maximum approved weight):	arm: 20 lbs., slat rail: 13 lbs.
Mounting Option:	slat wall mount
Pole Height:	N/A
Maximum Width Per Monitor:	no maximum width
Worksurface Requirements—Desk Clamp:	N/A
Worksurface Requirements—Grommet Mount:	N/A

Exhibit

To Order, Specify:

1. Model Number

- See pages 326-329 for all options available in Exhibit

Sample Model Number:

NACG15EL

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
One Touch Double Pivoting Power Grommet (G15)	**NACG15EL**	Silver	$ 818	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELB	Black	818	8	9¾	1½	—	—	4 lbs.	0.4
	NACG15ELH	Silver/Hardwire	818	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELHB	Black/Hardwire	818	8	9¾	1½	—	—	4 lbs.	0.4
NACG15EL										
	NACG152ELS	Silver	$ 1185	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELB	Black	1185	8	9¾	1½	—	—	4 lbs.	0.4
NACG152ELS	**NACG152ELHS**	Silver/Hardwire	1185	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELHB	Black/Hardwire	1185	8	9¾	1½	—	—	4 lbs.	0.4
	• See page 325 for detailed specifications									
Power/Data Oasis (G162)	**NACG162ELS**	Silver Powder Coat	$ 2163	9	15	4	—	—	8 lbs.	1.2
	NACG162ELB	Black Powder Coat	2163	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHS	Silver Powder Coat/Hardwire	2524	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHB	Black Powder Coat/Hardwire	2524	9	15	4	—	—	8 lbs.	1.2
	• See page 325 for detailed specifications									
Marina™ HDMI Collaborative Meeting Technology Solution	**NACG26ELB**	Black	$ 7000	8	14	7 15/16	—	—	20 lbs.	2.4
	NACG26ELS	Silver	7000	8	14	7 15/16	—	—	20 lbs.	2.4
	• See page 325 for detailed specifications									
Getaway™ Portable Meeting Technology Solution	**NACG26ELMB**	Black	$ 7500	12	14 7/8	4	—	—	18 lbs.	1.2
	NACG26ELMS	Silver	7500	12	14 7/8	4	—	—	18 lbs.	1.2
	• See page 325 for detailed specifications									

Occasional Tables

Arrowood Occasional Tables

To Order, Specify:

1. Model Number
2. Finish/Laminate Color

Sample Model Number:

31N2040MGLW HN

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description			List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Arrowood Magazine Table Panel Legs	**31N2040MGLW**	HPL Top	$	**676**	19¾	39½	16	¼	—	67 lbs.	12.2



- Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 49 in the Casegoods Book 1 Price List

Arrowood End Table Panel Legs	**31N2424ENLW**	HPL Top	$	**616**	23¾	23½	19	¼	—	63 lbs.	11.0



- Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 49 in the Casegoods Book 1 Price List

Arrowood Magazine Table Turned Legs	**Q31N2040MGPLW**	HPL Top	$	**980**	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	31N2040MGPLW	HPL Top		**980**	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0



- Some assembly required
- Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 49 in the Casegoods Book 1 Price List

Arrowood End Table Turned Legs	**Q31N2424ENPLW**	HPL Top	$	**918**	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	31N2424ENPLW	HPL Top		**918**	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2



- Some assembly required
- Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 49 in the Casegoods Book 1 Price List

To Order, Specify:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color

Sample Model Numbers:

50N2040MGW R DW
50N2040MGQW N MH

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Barrington Magazine Table	**Q50N2040MGW**	Wood Top	$ **945**	19¾	39¾	18 5/16	—	—	42 lbs.	3.0
	50N2040MGW	Wood Top	**945**	19¾	39¾	18 5/16	—	—	42 lbs.	3.0
	50N2040MGLW	HPL Top	**821**	19¾	39¾	18 5/16	—	—	42 lbs.	3.0



- Some assembly required
- HPL top tables have veneer legs/bases
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73 in the Casegoods Book 1 Price List

Barrington End Table	**Q50N2424ENW**	Wood Top	$ **832**	23¾	23¾	22 5/16	—	—	38 lbs.	2.8
	50N2424ENW	Wood Top	**832**	23¾	23¾	22 5/16	—	—	38 lbs.	2.8
	50N2424ENLW	HPL Top	**730**	23¾	23¾	22 5/16	—	—	38 lbs.	2.8



- Some assembly required
- HPL top tables have veneer legs/bases
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73 in the Casegoods Book 1 Price List

Barrington Queen Anne Magazine Table	**50N2040MGQW**	Wood Top	$ **1304**	19¾	39¾	18 5/16	—	—	36 lbs.	3.0



- Some assembly required
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73 in the Casegoods Book 1 Price List

Barrington Queen Anne End Table	**50N2424ENQW**	Wood Top	$ **1226**	23¾	23¾	22 5/16	—	—	32 lbs.	3.3

- Some assembly required
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73 in the Casegoods Book 1 Price List

Captivate Occasional Tables

To Order, Specify:

1. Model Number
2. Rim Profile
3. Sheen
4. Finish

Sample Model Number:

36N2448MGW TA R CL

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Captivate Magazine Table	**36N2448MGW**	Wood Top	**$ 1496**	24	48	16	—	—	57 lbs.	5.5



- Features a functional, non-locking center drawer without a pull
- Some assembly required
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97 in the Casegoods Book 1 Price List

Captivate End Table	**36N2424ENW**	Wood Top	**$ 1371**	24	24	20½	—	—	38 lbs.	3.5

- Some assembly required
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97 in the Casegoods Book 1 Price List

Captivate Console Table	**36N2048CSW**	Wood Top	**$ 1797**	20	48	28¾	—	—	66 lbs.	5.6



- Features a functional, non-locking center drawer without a pull
- Some assembly required
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97 in the Casegoods Book 1 Price List

To Order, Specify:

1. Model Number
2. Façade Profile (wood only)
3. Sheen
4. Finish
5. Paint Color (painted only)

Sample Model Numbers:

38N2448MGW FL R CL
38N2448MGWP R CL 503

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Casbah Magazine Table	**38N2448MGW**	Wood Façade	**$ 1478**	24	48 1/16	16 15/16	—	—	77 lbs.	19.1
	38N2448MGWP	Painted Façade	**1478**	24	48 1/16	16 15/16	—	—	77 lbs.	19.1



- Some assembly required
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125 in the Casegoods Book 1 Price List

Casbah End Table	**38N2424ENW**	Wood Façade	**$ 1342**	24	24	21	—	—	55 lbs.	12.6
	38N2424ENWP	Painted Façade	**1342**	24	24	21	—	—	55 lbs.	12.6



- Some assembly required
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125 in the Casegoods Book 1 Price List

Casbah Console Table	**38N1848CSW**	Wood Façade	**$ 1870**	18 1/8	48 1/16	29 3/4	—	—	74 lbs.	24.1
	38N1848CSWP	Painted Façade	**1870**	18 1/8	48 1/16	29 3/4	—	—	74 lbs.	24.1



- Some assembly required
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125 in the Casegoods Book 1 Price List

Clever Occasional Tables

To Order, Specify:

1. Model Number
2. Sheen
3. Finish

Sample Model Number:

CLN2040MGW R TF

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Clever Magazine Table	**QCLN2040MGW**	Wood Top	**$ 1029**	20	40	171/16	—	—	40 lbs.	2.4
	CLN2040MGW	Wood Top	**1029**	20	40	171/16	—	—	40 lbs.	2.4



- Some assembly required
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169 in the Casegoods Book 1 Price List

Clever End Table	**QCLN2424ENW**	Wood Top	**$ 966**	24	24	205/16	—	—	29 lbs.	1.9
	CLN2424ENW	Wood Top	**966**	24	24	205/16	—	—	29 lbs.	1.9



- Some assembly required
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169 in the Casegoods Book 1 Price List

To Order, Specify:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

Sample Model Number:

N78SNW MC 462

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Confide End Table	**N78SNW**	Wood	**$ 984**	21¼	22	16 9/16	—	—	15 lbs.	6.8
	N78SNL	Laminate	**984**	21¼	22	16 9/16	—	—	15 lbs.	6.8



- Soft glide option available for a $26 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering starting on page 83 in the Seating Price List

Confide Magazine Table	**N78SMW**	Wood	**$ 1530**	21¼	44	16 9/16	—	—	24 lbs.	14.2
	N78SML	Laminate	**1530**	21¼	44	16 9/16	—	—	24 lbs.	14.2



- Soft glide option available for a $26 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering starting on page 83 in the Seating Price List

Eloquence Occasional Tables

To Order, Specify:

1. Model Number
2. Finish/Laminate Color

Sample Model Number:

85N2024EN CL

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Eloquence End Table	**85N2024EN**	Wood Top	$ **811**	24 9/16	21 1/32	20 1/8	—	—	19 lbs.	1.4
	85N2024ENLW	Laminate Top	**811**	24 9/16	21 1/32	20 1/8	—	—	19 lbs.	1.4



- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering starting on page 119 in the Seating Price List

Eloquence Magazine Table	**85N2040MG**	Wood Top	$ **934**	19 21/32	39 7/8	18 5/32	—	—	26 lbs.	2.2
	85N2040MGLW	Laminate Top	**934**	19 21/32	39 7/8	18 5/32	—	—	26 lbs.	2.2



- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering starting on page 119 in the Seating Price List

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

Sample Model Number:

25N2424ENW X X 462 MC

Epic End Table





Optional Surface and Side Grommet Locations

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
25N2424ENW	Wood	**$ 1406**	24	24	18 5/8	—	—	55 lbs.	12.6
25N2424ENL	Laminate	**1209**	24	24	18 5/8	—	—	55 lbs.	12.6

- Features metal base and feet in three color options
- Wood tables feature matte/satin sheen
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G12 cutout (+$25 list)
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional glass and solid surface kits available; reference page 430
- Reference Epic for detailed product information, finishes and entire Epic offering starting on page 31 in the Casegoods Book 2 Price List

Epic Magazine Table





Optional Surface and Side Grommet Locations

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
25N2448MGW	Wood	**$ 1506**	24	48	14 3/4	—	—	77 lbs.	19.1
25N2448MGL	Laminate	**1313**	24	48	14 3/4	—	—	77 lbs.	19.1

- Features metal base and feet in three color options
- Wood tables feature matte/satin sheen
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G12 cutout (+$25 list)
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional glass and solid surface kits available; reference page 430
- Reference Epic for detailed product information, finishes and entire Epic offering starting on page 31 in the Casegoods Book 2 Price List

Epic Coffee Table





Optional Surface and Side Grommet Locations

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
25N3636MGW	Wood	**$ 1567**	36	36	14 11/16	—	—	65 lbs.	15.0
25N3636MGL	Laminate	**1375**	36	36	14 11/16	—	—	65 lbs.	15.0

- Features metal base and feet in three color options
- Wood tables feature matte/satin sheen
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G12 cutout (+$25 list)
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional glass and solid surface kits available; reference page 430
- Reference Epic for detailed product information, finishes and entire Epic offering starting on page 31 in the Casegoods Book 2 Price List

Escalade Occasional Tables

To Order, Specify:

1. Model Number
2. Sheen
3. Finish

Sample Model Number:

ECN2040MGW R MC

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Escalade Magazine Table	**QECN2040MGW**	**$ 1329**	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW	**1329**	19¾	39¾	18	—	—	70 lbs.	4.3



- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189 in the Casegoods Book 1 Price List

Escalade End Table	**QECN2424ENW**	**$ 1248**	23 13/16	23 13/16	24	—	—	40 lbs.	3.9
	ECN2424ENW	**1248**	23 13/16	23 13/16	24	—	—	40 lbs.	3.9



- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189 in the Casegoods Book 1 Price List

Escalade Console Table	**ECN1948CSW**	**$ 1486**	18 9/16	48	28½	—	—	85 lbs.	4.9



- Rim detail on three sides of unit
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189 in the Casegoods Book 1 Price List

Occasional Tables

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

Sample Model Number:

91NB2424ENW X X MH 501

Myriad Box



End Table



Optional Surface and Side Grommet Locations



Console Table

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
91NB2424ENW	End Table	**$ 1327**	24	24	20½	—	—	55 lbs.	12.6
91NB1850CSW	Console Table	**1808**	18	50	31½	—	—	75 lbs.	20.2
91NB2448MGW	Magazine Table	**1420**	24	48	16½	—	—	77 lbs.	19.1
91NB3636MGW	Coffee Table	**1478**	36	36	16½	—	—	65 lbs.	15.0
Laminate									
91NB2424ENL	End Table	**$ 1099**	24	24	20½	—	—	55 lbs.	12.6
91NB1850CSL	Console Table	**1580**	18	50	31½	—	—	75 lbs.	20.2
91NB2448MGL	Magazine Table	**1194**	24	48	16½	—	—	77 lbs.	19.1
91NB3636MGL	Coffee Table	**1249**	36	36	16½	—	—	65 lbs.	15.0

- Optional glass and solid surface kits available; reference page 430
- Features an aluminum base in three color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Grommet option not available on console table
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Wood tables feature matte/satin sheen
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 379 in the Casegoods Book 1 Price List



Magazine Table



Optional Surface and Side Grommet Locations



Coffee Table



Optional Surface and Side Grommet Locations

Myriad Occasional Tables

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet (Cubes Only)
4. Finish/Laminate Color

Sample Model Numbers:

91NA2424CUW X X MH
91NA2424CYW X NM

Myriad Cylinder

End Table



Coffee Table

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood			**DI**		**H**				
91NA2424CYW	End Table	**$ 966**	24	—	20½	—	—	35 lbs.	11.0
91NA3636MGYW	Coffee Table	**1301**	36 11/16	—	16½	—	—	55 lbs.	18.6
Laminate									
91NA2424CYL	End Table	**$ 591**	24	—	20½	—	—	35 lbs.	11.0
91NA3636MGYL	Coffee Table	**883**	36 11/16	—	16½	—	—	55 lbs.	18.6

- Optional glass and solid surface kits available; reference page 430
- Optional surface center grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Wood tables feature matte/satin sheen
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 379 in the Casegoods Book 1 Price List

Myriad Cube



End Table



Optional Surface and Side Grommet Locations

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wood									
91NA2424CUW	End Table	**$ 966**	24	24	20½	—	—	33 lbs.	11.1
91NA2448MGTW	Magazine Table	**1222**	24	48	16½	—	—	66 lbs.	17.2
91NA3636MGUW	Coffee Table	**1222**	36	36	16½	—	—	55 lbs.	18.9
Laminate									
91NA2424CUL	End Table	**$ 591**	24	24	20½	—	—	33 lbs.	11.1
91NA2448MGTL	Magazine Table	**815**	24	48	16½	—	—	66 lbs.	17.2
91NA3636MGUL	Coffee Table	**815**	36	36	16½	—	—	55 lbs.	18.9

- Optional glass and solid surface kits available; reference page 430
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Wood tables feature matte/satin sheen
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 379 in the Casegoods Book 1 Price List



Magazine Table



Optional Surface and Side Grommet Locations



Coffee Table



Optional Surface and Side Grommet Locations

To Order, Specify:

1. Model Number
2. Glass
3. Metal Color

Sample Model Number:

91NC2424ENG 3 462

Myriad Floating Top



End Table



Console Table



Magazine Table



Coffee Table

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Glass Tops									
91NC2424ENG	End Table	**$ 1564**	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSG	Console Table	**2023**	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGG	Magazine Table	**1818**	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGG	Coffee Table	**1818**	36	36	16½	—	—	50 lbs.	3.5

- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base in four color options
- Glass is 3⁄8 thick
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 379 in the Casegoods Book 1 Price List

Myriad Occasional Tables

To Order, Specify:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

Sample Model Number:

91NC2424ENW MH 501

Myriad Floating Top



End Table



Console Table



Magazine Table



Coffee Table

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Veneer Tops									
91NC2424ENW	End Table	$ **1302**	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSW	Console Table	**1648**	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGW	Magazine Table	**1478**	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGW	Coffee Table	**1478**	36	36	16½	—	—	50 lbs.	3.5
Laminate Tops									
91NC2424ENL	End Table	$ **1073**	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSL	Console Table	**1420**	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGL	Magazine Table	**1249**	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGL	Coffee Table	**1249**	36	36	16½	—	—	50 lbs.	3.5

- Floating top style with laminate tops are available in a CSL; reference page 7 in the Casegoods Book 1 Price List for program details
- Features an aluminum base in four color options
- Grommet not available on floating top styles
- Floating top is 3⁄8 thick
- Veneer tables feature matte/satin sheen
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 379 in the Casegoods Book 1 Price List

To Order, Specify:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color
4. Paint Color

Sample Model Number:

81N3636MGW R MH 501

Pegos Magazine Table





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round									
81N3636MGW	Wood Top	**$ 1309**	36	36	18	—	—	33 lbs.	4.3
81N3636MGLW	Laminate Top	**1200**	36	36	18	—	—	33 lbs.	4.3
Square									
81N2040MGSQW	Wood Top	**$ 1309**	20	40	18	—	—	33 lbs.	4.3
81N2040MGSQLW	Laminate Top	**1200**	20	40	18	—	—	33 lbs.	4.3

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- 11/1"6tops with knife edge
- Some assembly required
- Reference Pegos for detailed product information, finishes and entire Pegos offering starting on page 385 in the Casegoods Book 1 Price List

Pegos End Table





Round									
81N2424ENW	Wood Top	**$ 1230**	24	24	20	—	—	17 lbs.	3.9
81N2424ENLW	Laminate Top	**1121**	24	24	20	—	—	17 lbs.	3.9
Square									
81N2424ENSQW	Wood Top	**$ 1230**	24	24	20	—	—	17 lbs.	3.9
81N2424ENSQLW	Laminate Top	**1121**	24	24	20	—	—	17 lbs.	3.9

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- 11/1"6tops with knife edge
- Some assembly required
- Reference Pegos for detailed product information, finishes and entire Pegos offering starting on page 385 in the Casegoods Book 1 Price List

Pegos Console Table



81N1842CSW	Wood Top	**$ 1521**	18	42	30	—	—	35 lbs.	4.9
81N1842CSLW	Laminate Top	**1412**	18	42	30	—	—	35 lbs.	4.9

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- Bottom shelf standard in veneer
- 11/1"6tops with knife edge
- Some assembly required
- Reference Pegos for detailed product information, finishes and entire Pegos offering starting on page 385 in the Casegoods Book 1 Price List

Reno Occasional Tables

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

Sample Model Number:

N32T24ENW X 462 MH

Reno End Table



Optional Surface Grommet Location



Optional Surface and Side Grommet Locations

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round			**DI**		**H**				
N32T24ENW	Wood	**$ 1273**	24	—	20 15/16	—	—	35 lbs.	11.0
N32T24ENL	Laminate	**1072**	24	—	20 15/16	—	—	35 lbs.	11.0

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)

Square			**D**	**W**	**H**				
N32T2424ENW	Wood	**$ 1273**	24	24	20 15/16	—	—	55 lbs.	12.6
N32T2424ENL	Laminate	**1072**	24	24	20 15/16	—	—	55 lbs.	12.6

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout on square table available in G23 cutout (+$25 list)

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional glass and solid surface kits available; reference page 430
- Reference Reno for detailed product information, finishes and entire Reno offering starting on page 301 in the Seating Price List

Reno Magazine Table





Optional Surface and Side Grommet Locations

Square									
N32T2448MGW	Wood	**$ 1364**	24	48	16 15/16	—	—	77 lbs.	19.1
N32T2448MGL	Laminate	**1167**	24	48	16 15/16	—	—	77 lbs.	19.1

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional glass and solid surface kits available; reference page 430
- Reference Reno for detailed product information, finishes and entire Reno offering starting on page 301 in the Seating Price List

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

Sample Model Number:

N32T36MGW X 462 MH

Reno Coffee Table





Optional Surface Grommet Location





Optional Surface and Side Grommet Locations

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round			**DI**		**H**				
N32T36MGW	Wood	**$ 1418**	36 11/16	—	16 15/16	—	—	55 lbs.	18.6
N32T36MGL	Laminate	**1224**	36 11/16	—	16 15/16	—	—	55 lbs.	18.6

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)

Square			**D**	**W**	**H**				
N32T3636MGW	Wood	**$ 1418**	36	36	16 15/16	—	—	65 lbs.	15
N32T3636MGL	Laminate	**1224**	36	36	16 15/16	—	—	65 lbs.	15

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional glass and solid surface kits available; reference page 430
- Reference Reno for detailed product information, finishes and entire Reno offering starting on page 301 in the Seating Price List

Roosevelt Occasional Tables

To Order, Specify:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color

Sample Model Number:

51N2040MGW R MH

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Roosevelt Magazine Table	**51N2040MGW**	Wood Top	$ **925**	19¾	39¾	18 5/16	—	—	42 lbs.	3.0
	Q51N2040MGLW	Laminate Top	**796**	19¾	39¾	18 5/16	—	—	42 lbs.	3.0
	51N2040MGLW	Laminate Top	**796**	19¾	39¾	18 5/16	—	—	46 lbs.	3.0



- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239 in the Casegoods Book 1 Price List

Roosevelt End Table	**51N2424ENW**	Wood Top	$ **796**	23¾	23¾	22 5/16	—	—	38 lbs.	2.8
	Q51N2424ENLW	Laminate Top	**707**	23¾	23¾	22 5/16	—	—	38 lbs.	2.8
	51N2424ENLW	Laminate Top	**707**	23¾	23¾	22 5/16	—	—	38 lbs.	2.8



- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239 in the Casegoods Book 1 Price List

To Order, Specify:

1. Model Number
2. Finish/Laminate Color
3. Paint

Sample Model Number:

82N3636MGRDW MH 462

Staccato Coffee Table





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round			**DI**		**H**				
82N3636MGRDW	Wood	**$ 1818**	36 11/16	—	17 15/16	—	—	97 lbs.	9.6
82N3636MGRDL	Laminate	**1585**	36 11/16	—	17 15/16	—	—	97 lbs.	9.6
Soft Square			**D**	**W**	**H**				
82N3636MGSQW	Wood	**$ 1924**	36	36	17 15/16	—	—	97 lbs.	9.6
82N3636MGSQL	Laminate	**1691**	36	36	17 15/16	—	—	97 lbs.	9.6

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 430
- 3" column base
- Glide adjustment of +/– 1/8
- 41/8 height top
- Reference Staccato for detailed product information, finishes and entire Staccato offering starting on page 389 in the Casegoods Book 1 Price List

Staccato End Table





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round			**DI**		**H**				
82N2424MGRDW	Wood	**$ 1564**	23 5/8	—	20 13/16	—	—	64 lbs.	7.3
82N2424MGRDL	Laminate	**1331**	23 5/8	—	20 13/16	—	—	64 lbs.	7.3
Soft Square			**D**	**W**	**H**				
82N2424MGSQW	Wood	**$ 1670**	24	24	20 13/16	—	—	64 lbs.	7.3
82N2424MGSQL	Laminate	**1437**	24	24	20 13/16	—	—	64 lbs.	7.3

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 430
- 3" column base
- Glide adjustment of +/– 1/8
- 41/8 height top
- Reference Staccato for detailed product information, finishes and entire Staccato offering starting on page 389 in the Casegoods Book 1 Price List

Swift Occasional Tables

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

Sample Model Numbers:

N95PPW X X CL 497
N95PPL X X MC 501

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Swift Small End Table	**N95PPW**	Wood	**$ 1165**	28	14	16½	—	—	31.8 lbs.	7.5
	N95PPL	Laminate	**1080**	28	14	16½	—	—	31.8 lbs.	7.5





Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 337 in the Seating Price List

Swift Coffee Table	**N95RRW**	Wood	**$ 1818**	36	36	13¼	—	—	70 lbs.	16.8
	N95RRL	Laminate	**1733**	36	36	13¼	—	—	70 lbs.	16.8



- Power grommet option not available
- Wood table features matte/satin sheen
- Frosted 3⁄8 thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 337 in the Seating Price List

Swift Console Table	**N95SSW**	Wood	**$ 1943**	18	50	33½	—	—	74.2 lbs.	26.4
	N95SSL	Laminate	**1858**	18	50	33½	—	—	74.2 lbs.	26.4



- Power grommet option not available
- Wood table features matte/satin sheen
- Frosted 3⁄8 thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 337 in the Seating Price List

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

Sample Model Numbers:

N95KKW X X CW 462
N95KKL X X 462 501

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Swift 30° Table	**N95KKW**	Wood	$ **1392**	30¼	25	16½	—	—	40 lbs.	12.6
	N95KKL	Laminate	**1307**	30¼	25	16½	—	—	40 lbs.	12.6





Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 337 in the Seating Price List

Swift 45° Table	**N95LLW**	Wood	$ **1506**	32¼	31½	16½	—	—	45.2 lbs.	16.3
	N95LLL	Laminate	**1420**	32¼	31½	16½	—	—	45.2 lbs.	16.3





Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 337 in the Seating Price List

Swift 90° Table	**N95NNW**	Wood	$ **1563**	28	28	16½	—	—	47.8 lbs.	13.1
	N95NNL	Laminate	**1478**	28	28	16½	—	—	47.8 lbs.	13.1





Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 433, 436-437, and 440 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 337 in the Seating Price List

Tag Occasional Tables

To Order, Specify:

1. Model Number
2. Finish/Laminate Color
3. Frame Color

Sample Model Number:

N60SGW MC 462

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Tag End Table	**N60SGW**	Wood Top	$ **519**	18	20	17¾	—	—	15 lbs.	6.1
	N60SGL	Laminate Top	**437**	18	20	17¾	—	—	15 lbs.	6.1



- Platinum Metallic option available for a $33 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering starting on page 363 in the Seating Price List

Tag Corner Table	**N60SHW**	Wood Top	$ **732**	28	28	17¾	—	—	24 lbs.	11.5
	N60SHL	Laminate Top	**650**	28	28	17¾	—	—	24 lbs.	11.5



- Platinum Metallic option available for a $33 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering starting on page 363 in the Seating Price List

Tag Magazine Table	**N60SKW**	Wood Top	$ **711**	19⅝	39⅞	16	—	—	24 lbs.	10.7
	N60SKL	Laminate Top	**628**	19⅝	39⅞	16	—	—	24 lbs.	10.7



- Platinum Metallic option available for a $33 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering starting on page 363 in the Seating Price List

To Order, Specify:

1. Model Number
2. Laminate Color

Sample Model Number:

88-3333TP 480

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Triumph Corner Table Gangable	**88-3333TP**	Laminate Top	**$ 722**	32¾	32¾	17⅝	—	—	52 lbs.	5.85
	• Two ganging brackets are recommended for each ganged connection • Black edge banding is standard on the table tops • Reference Triumph for detailed product information, finishes and entire Triumph offering starting on page 409 in the Seating Price List									
Triumph Center/End Table Gangable 	**88-2424TP**	Laminate Top	**$ 559**	23¾	23¾	17⅝	—	—	40 lbs.	2.95
	• Two ganging brackets are recommended for each ganged connection • Black edge banding is standard on the table tops • Reference Triumph for detailed product information, finishes and entire Triumph offering starting on page 409 in the Seating Price List									

Universal

To Order, Specify:

1. Model Number

Sample Model Number:

10N3636RDG

Universal Glass Top





Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round			**DI**		**H**				
10N3636RDG	White Back Painted Glass	**$ 1829**	36⅞	—	1½	—	—	65 lbs.	4.7
10N2424RDG	White Back Painted Glass	**1340**	23⅞	—	1½	—	—	31 lbs.	1.9
Soft Square									
10N3636SQG	White Back Painted Glass	**$ 1829**	35⅝	35⅝	1½	—	—	69 lbs.	4.7
10N2424SQG	White Back Painted Glass	**1340**	23⅝	23⅝	1½	—	—	28 lbs.	1.9

- 24" top for use with 22" occasional height or collaborative height disc or soft square base on page 429
- 36" top for use with 27" occasional height disc or soft square base on page 429
- Not recommended to be used with other bases or heights
- 1½" thickness includes the glass and substrate

Universal Corian® Round Top





Round		Grade A	Grade B	Grade C	DI		H				
10N36RDS	Corian Solid Surface	**$ 2275**	**$ 2482**	**$ 2761**	36	—	1½	—	—	59 lbs.	2.7
10N24RDS	Corian Solid Surface	**1428**	**1520**	**1644**	24	—	1½	—	—	26 lbs.	1.3
Soft Square		**Grade A**	**Grade B**	**Grade C**							
10N3636SSQS	Corian Solid Surface	**$ 2275**	**$ 2482**	**$ 2761**	36	36	1½	—	—	79 lbs.	2.7
10N2424SSQS	Corian Solid Surface	**1428**	**1520**	**1644**	24	24	1½	—	—	38 lbs.	1.3

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade B), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases
- 24" top for use with 22" occasional height or collaborative height disc or soft square base on page 429
- 36" top for use with 27" occasional height disc or soft square base on page 429

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Disc Base Occasional Table Height	**CBV2715DB**	Cinder	$ **648**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715DS	Platinum Metallic	**648**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715DN	Satin Nickel Metallic	**648**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2215DB	Cinder	$ **489**	3	22	16	—	—	43 lbs.	1.9
	CBV2215DS	Platinum Metallic	**489**	3	22	16	—	—	43 lbs.	1.9
	CBV2215DN	Satin Nickel Metallic	**489**	3	22	16	—	—	43 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Disc Base Collaborative Table Height	**CBV2219DB**	Cinder	$ **624**	3	22	191/3	—	—	45 lbs.	2.3
	CBV2219DS	Platinum Metallic	**624**	3	22	191/3	—	—	45 lbs.	2.3
	CBV2219DN	Satin Nickel Metallic	**624**	3	22	191/3	—	—	45 lbs.	2.3



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Soft Square Base Occasional Table Height	**CBV2715SQDB**	Cinder	$ **754**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715SQDS	Platinum Metallic	**754**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2715SQDN	Satin Nickel Metallic	**754**	3	273/16	16	—	—	60 lbs.	1.9
	CBV2215SQDB	Cinder	$ **595**	3	22	16	—	—	50 lbs.	1.9
	CBV2215SQDS	Platinum Metallic	**595**	3	22	16	—	—	50 lbs.	1.9
	CBV2215SQDN	Satin Nickel Metallic	**595**	3	22	16	—	—	50 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Soft Square Base Collaborative Table Height	**CBV2219SQB**	Cinder	$ **724**	3	22	191/3	—	—	45 lbs.	2.3
	CBV2219SQS	Platinum Metallic	**724**	3	22	191/3	—	—	45 lbs.	2.3
	CBV2219SQN	Satin Nickel Metallic	**724**	3	22	191/3	—	—	45 lbs.	2.3



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8

Universal

To Order, Specify:

1. Model Number
2. Sheen
3. Solid Surface Grade
4. Solid Surface Color

Sample Model Number:

10N2424SQSK N A 7101

Universal Corian® Solid Surface Kits







Model No./Description		Grade A	Grade B	Grade C	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Square/Rectangular												
10N2424SQSK	End Table Kit	$ 1039	$ 1131	$ 1255		24	24	38	—	—	25 lbs.	1.05
10N2448RTSK	Magazine Table Kit	1530	1714	1962		24	48	38	—	—	47 lbs.	2.0
10N3636SQSK	Coffee Table Kit	1530	1737	2016		36	36	38	—	—	52 lbs.	2.2
10N1850RTSK	Console Table Kit	1530	1674	1868		18	50	38	—	—	38 lbs.	1.6
Soft Square												
10N2424SSQSK	End Table Kit	$ 1023	$ 1115	$ 1239		24	24	38	—	—	25 lbs.	1.1
10N3636SSQSK	Coffee Table Kit	1585	1792	2071		36	36	38	—	—	52 lbs.	2.2
Round						**DI**		**H**				
10N2424RDSK	End Table Kit	$ 1023	$ 1115	$ 1239		24	—	38	—	—	23 lbs.	1.1
10N3636RDSK	Coffee Table Kit	1585	1792	2071		36	—	38	—	—	49 lbs.	2.2

- For use on box, cylinder, soft square and cube styles on pages 413, 415-416, 420-421, and 423
- Solid surface is available with a beveled rim in four different colors: 7101 Bisque (Grade A), 7201 Glacier White (Grade B), 7301 Concrete (Grade C), and 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen

Universal Glass Kits







Square/Rectangular											
10N2424SQGK	End Table Kit	$ 569	24	24	38	—	—	55 lbs.	12.6
10N2448RTGK	Magazine Table Kit	796	24	48	38	—	—	77 lbs.	19.1
10N3636SQGK	Coffee Table Kit	796	36	36	38	—	—	75 lbs.	20.2
10N1850RTGK	Console Table Kit	796	18	50	38	—	—	65 lbs.	15.0
Soft Square											
10N2424SSQGK	End Table Kit	$ 796	24	—	24	—	—	22 lbs.	1.0
10N3636SSQGK	Coffee Table Kit	1194	24	—	36	—	—	49 lbs.	2.1
Round			**DI**		**H**				
10N2424RDGK	End Table Kit	$ 796	24	—	38	—	—	18 lbs.	1.0
10N3636RDGK	Coffee Table Kit	1194	36	—	38	—	—	37 lbs.	2.1

- For use on box, cylinder, soft square and cube styles on pages 413, 415-416, 420-421, and 423
- Specify model number only
- Glass is clear with beveled rim
- Glass comes with stanchions for easy attachment to table
- Square kits feature square stanchions and soft square/round kits feature round stanchions

Power/Data Electrical

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 Amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- Eight adapter plates are provided

ONE TOUCH PIVOTING POWER GROMMET (G12 AND G122)

- Field installable
- One touch door remains open during use
- Clear or black anodized aluminum
- (G12) Two power outlets and two blank ports can accommodate one of eight provided adapter plates
- (G122) Two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates
- Hardwire solution must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Specify model number only
- Standard units have 10 ft. cords and hardwire cords have 6 ft. cords
- UL Listed

ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)

- UL Listed
- To be ordered with G15 cutouts
- Must be inserted and installed into cutouts in field
- Fits into CUT-G15C, CUT-G15E, CUT-G15LR, CUT-G15A, and CUT-G15CE options
- One touch door remains open during use
- Clear or black anodized aluminum available
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Corded units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Hardwire units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Cord is 6 ft. long
- Field installable
- For more specification information: www.byrne-electrical.com

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat available
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature six power receptacles with two 108" power cords and molded plugs rated at 12 Amps 120 volts, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature six power receptacles with one 72" long hardwire conduit covered pigtail cable on one end which carries two 20 Amp 120 volt circuits to power two sides of the Power/Data Oasis, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Standard units have cords that are 9 ft. long rated at 15 Amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 Amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adapter kit to accept couplers and jacks when required
- UL Listed

POWER GROMMET (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two power outlets and two power USB ports
- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

To Order, Specify:

1. Model Number

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round Grommet (G10)	**NACG10EL**	Electrical Grommet	$ 393	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Grommet	63	4¼	4¼	17⁄8	—	—	1 lbs.	0.12
One Touch Pivoting Power Grommet (G12)	**NACG12ELS**	Clear Anodized Aluminum	$ 409	43⁄8	83⁄8	1½	—	—	2 lbs.	0.2
	NACG12ELB	Black	409	43⁄8	83⁄8	1½	—	—	2 lbs.	0.2
	NACG12ELHS	Hardwire, Clear Anodized Aluminum	409	43⁄8	83⁄8	1½	—	—	3 lbs.	0.2
	NACG12ELHB	Hardwire, Black	409	43⁄8	83⁄8	1½	—	—	2 lbs.	0.2
	NACG122ELS	Clear Anodized Aluminum	$ 510	43⁄8	83⁄8	1½	—	—	2 lbs.	0.2
	NACG122ELB	Black	510	43⁄8	83⁄8	1½	—	—	2 lbs.	0.2
	NACG122ELHS	Hardwire, Clear Anodized Aluminum	510	43⁄8	83⁄8	1½	—	—	3 lbs.	0.2
	NACG122ELHB	Hardwire, Black	510	43⁄8	83⁄8	1½	—	—	2 lbs.	0.2
Byrne Training Table Interlink IQ System (G12)	**NACELIQPPG18**	Full Set 1-8	$ 3525	43⁄8	8¼	1½	—	—	25 lbs.	4.0
	NACELIQPPG1	Interlink Starter	575	43⁄8	8¼	1½	—	—	3 lbs.	3.0
	NACELIQPPG	Interlink Add-on	443	43⁄8	8¼	1½	—	—	3 lbs.	3.0
	NACELIQJ	Interlink IQ Jumper	74	—	60	—	—	—	3 lbs.	0.15
	NACELIQ2PPG18	Full Set 1-8	$ 4393	43⁄8	8¼	1½	—	—	25 lbs.	4.0
	NACELIQ2PPG1	Interlink Starter	917	43⁄8	8¼	1½	—	—	3 lbs.	3.0
	NACELIQ2PPG	Interlink Add-on	497	43⁄8	8¼	1½	—	—	3 lbs.	3.0

NACG10EL NACG10



NACG12EL



NACG122ELS



NACELIQPPG18



NACELIQ2PPG18

- Each power grommet includes two power outlets and two blank ports that can accommodate one of eight provided adapter plates

- Each power grommet includes two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates

- Non-sequential "Daisy chain" solution for flip/nest training tables
- When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet
- When Interlink solution is ordered, use table ganging brackets shown below
- Specify model number only
- Interlink cord with plug is 120" in length
- Length of cord from coupler to unit on all units is 14"
- Length from coupler to coupler is 60"
- Only available in clear anodized aluminum

Power/Data Electrical

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACG12EL

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
One Touch Double Pivoting Power Grommet (G15)	**NACG15EL**	Clear Anodized Aluminum	$ **818**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELB	Black	**818**	8	9¾	1½	—	—	4 lbs.	0.4
	NACG15ELH	Clear Anodized Aluminum/Hardwire	**818**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELHB	Black/Hardwire	**818**	8	9¾	1½	—	—	4 lbs.	0.4
	NACG152ELS	Clear Anodized Aluminum	$ **1185**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELB	Black	**1185**	8	9¾	1½	—	—	4 lbs.	0.4
	NACG152ELHS	Clear Anodized Aluminum/Hardwire	**1185**	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELHB	Black/Hardwire	**1185**	8	9¾	1½	—	—	4 lbs.	0.4
Power/Data Oasis (G162)	**NACG162ELS**	Silver Powder Coat	$ **2163**	9	15	4	—	—	8 lbs.	1.2
	NACG162ELB	Black Powder Coat	**2163**	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHS	Silver Powder Coat/Hardwire	**2524**	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHB	Black Powder Coat/Hardwire	**2524**	9	15	4	—	—	8 lbs.	1.2



NACG15EL



NACG152ELS



• The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

To Order, Specify:

1. Model Number

Hardwire Power/Data Oasis Daisy Chain Kits (G16)



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Silver Powder Coat	*Black Powder Coat*								
NACG162ELHS120LR	**NACG162ELHB120LR**	$ **5150**	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS144LR	**NACG162ELHB144LR**	**5150**	9	15	4	—	—	42 lbs.	5.4
NACG162ELHS168LR	**NACG162ELHB168LR**	**5150**	9	15	4	—	—	42 lbs.	5.4
NACG162ELHS168A	**NACG162ELHB168A**	**8008**	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS168CE	**NACG162ELHB168CE**	**5150**	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS192LR	**NACG162ELHB192LR**	**5150**	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS192A	**NACG162ELHB192A**	**8008**	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS192CE	**NACG162ELHB192CE**	**5150**	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS216LR	**NACG162ELHB216LR**	**5150**	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS216A	**NACG162ELHB216A**	**8008**	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS216CE	**NACG162ELHB216CE**	**5150**	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS240LR	**NACG162ELHB240LR**	**5150**	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS240A	**NACG162ELHB240A**	**8008**	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS240CE	**NACG162ELHB240CE**	**5150**	9	15	4	—	—	41 lbs.	5.4

- Example Model: NACG162ELHS**120LR** (**120** - designates size of table top; **LR** - designates grommet locations); see pages 16-17 for details
- G16 Grommet CUTOUTS must be specified in the conference top in which the Power/Data Oasis units will be installed
- Kits include jumper cables and hardwire starter cable required to daisy chain the Power/Data Oasis units
- "LR" models include 2 Oasis units, "A" models include 3 Oasis units and "CE" models include 2 Oasis units

Power/Data Electrical

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACG17ELB

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
One Touch Pivoting Power/Data Grommet (G17)	**NACG17ELB**	Black Powder Coat	$ **284**	4¼	5¼	2½	—	—	1 lbs.	0.2
	NACG17ELS	Silver Powder Coat	**284**	4¼	5¼	2½	—	—	1 lbs.	0.2
	• Includes one power outlet and one blank voice/data port									
One Touch Pivoting Power Grommet (G172)	**NACG172ELB**	Black Powder Coat	$ **289**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELS	Silver Powder Coat	**289**	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes two power outlets									
One Touch Pivoting Power Grommet (G173)	**NACG173ELB**	Black Powder Coat	$ **296**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG173ELS	Silver Powder Coat	**296**	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes one power outlet and two charging USB (2.1)									

To Order, Specify:

1. Model Number

Byrne Interlink IQ System (G17)



G17 Unit



G172 Unit

Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Full Set of Eight Units									
NACG17ELIQB18	Black - G17	**$ 2304**	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17ELIQS18	Silver - G17	**2304**	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG172ELIQB18	Black - G172	**2436**	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG172ELIQS18	Silver - G172	**2436**	4¼	5¼	2½	—	—	19 lbs.	1.55
Interlink Starter Units									
NACG17ELIQB1	Black - G17	**$ 354**	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17ELIQS1	Silver - G17	**354**	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQB1	Black - G172	**370**	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQS1	Silver - G172	**370**	4¼	5¼	2½	—	—	3 lbs.	0.15
Interlink Add-on Units									
NACG17ELIQB	Black - G17	**$ 279**	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17ELIQS	Silver - G17	**279**	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQB	Black - G172	**295**	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQS	Silver - G172	**295**	4¼	5¼	2½	—	—	3 lbs.	0.15
Interlink IQ Starter and Jumper									
NACELIQ1	Interlink IQ starter plug	**$ 177**	—	120	—	—	—	3 lbs.	0.15
NACELIQJ	Interlink IQ Jumper	**74**	—	60	—	—	—	3 lbs.	0.15

- UL Recognized
- Non-sequential “Daisy chain” solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- Refer to page 649 in the Casegoods Book 2 Price List for electrical loading standards

Configuration of Byrne IQ System for 72" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run

6 Power Units



Item	Qty
Starter	1
Add-on	5
Jumper	2

5 Power Units



Item	Qty
Starter	1
Add-on	4
Jumper	2

4 Power Units



Item	Qty
Starter	1
Add-on	3
Jumper	1

3 Power Units



Item	Qty
Starter	1
Add-on	2
Jumper	1

2 Power Units



Item	Qty
Starter	1
Add-on	1

Configuration of Byrne IQ System for 66" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run

6 Power Units



Item	Qty
Starter	1
Add-on	5
Jumper	1

5 Power Units



Item	Qty
Starter	1
Add-on	4
Jumper	1

4 Power Units



Item	Qty
Starter	1
Add-on	3
Jumper	1

3 Power Units



Item	Qty
Starter	1
Add-on	2

2 Power Units



Item	Qty
Starter	1
Add-on	1

Configuration of Byrne IQ System for 60" WaveWorks Training Tables - Max of 8 Byrne IQ Units per run

8 Power Units



Item	Qty
Starter	1
Add-on	7

7 Power Units



Item	Qty
Starter	1
Add-on	6

6 Power Units



Item	Qty
Starter	1
Add-on	5

5 Power Units



Item	Qty
Starter	1
Add-on	4

4 Power Units



Item	Qty
Starter	1
Add-on	3

3 Power Units



Item	Qty
Starter	1
Add-on	2

2 Power Units



Item	Qty
Starter	1
Add-on	1

Power/Data Electrical

To Order, Specify:

1. Model Number

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACG23ELB

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Power Grommet (G23)	**NACG23ELB**	Black	**$ 418**	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	**418**	2½	4½	3¼	—	—	2.3 lbs.	0.2



- Not intended for use on conference tables
- Includes two power outlets and two power USB ports

COM YARDAGE REQUIREMENTS (54" or 66" Width – Cut up the roll)

For railroaded models, contact customer service 800-482-1717 for ydg requirements

Tackable	54" Wide Roll	66" Wide Roll
11N0615WMVF	1.00	1.00
11N0615WMVFA	1.00	1.00
11N1834TB	1.25	1.25
11N1834TBA	1.00	1.00
11N1836TB	1.25	1.25
11N1836TBA	1.00	1.00
11N1837TB	1.25	1.25
11N1837TBA	1.00	1.00
11N1848TB	1.50	1.50
11N1848TBA	1.00	1.00
11N1849TB	1.50	1.50
11N1849TBA	1.00	1.00
11N20WMVF	0.75	0.75
11N20WMVFA	0.25	0.25
11N2434SWTBF	1.10	1.10
11N2434SWTBFA	1.50	1.50
11N2434SWTBP	0.50	0.50
11N2434SWTBPA	0.80	0.80
11N2434TB	1.25	1.25
11N2434TBA	1.00	1.00
11N2436SWTBF	1.10	1.10
11N2436SWTBFA	1.30	1.30
11N2436SWTBP	0.50	0.50
11N2436SWTBPA	0.80	0.80
11N2436TB	1.25	1.25
11N2436TBA	1.00	1.00
11N2437SWTBF	1.20	1.20
11N2437SWTBFA	1.30	1.30
11N2437SWTBP	0.50	0.50
11N2437SWTBPA	0.80	0.80
11N2437TB	1.25	1.25
11N2437TBA	1.00	1.00
11N2448SWTBF	1.50	1.50
11N2448SWTBFA	1.10	1.10
11N2448SWTBP	0.90	0.90
11N2448SWTBPA	0.80	0.80
11N2448TB	1.50	1.50
11N2448TBA	1.00	1.00
11N2449SWTBF	1.50	1.50
11N2449SWTBFA	1.10	1.10
11N2449SWTBP	0.90	0.90
11N2449SWTBPA	0.80	0.80
11N2449TB	1.50	1.50
11N2449TBA	1.00	1.00
11N3034SWTBF	1.10	1.10
11N3034SWTBFA	1.60	1.60
11N3034SWTBP	0.50	0.50
11N3034SWTBPA	1.00	1.00
11N3034TB	1.25	1.25
11N3034TBA	1.25	1.25
11N3036SWTBF	1.10	1.10
11N3036SWTBFA	1.50	1.50
11N3036SWTBP	0.50	0.50
11N3036SWTBPA	1.00	1.00
11N3036TB	1.25	1.25
11N3036TBA	1.25	1.25
11N3037SWTBF	1.20	1.20
11N3037SWTBFA	1.50	1.50
11N3037SWTBP	0.50	0.50
11N3037SWTBPA	1.00	1.00
11N3037TB	1.25	1.25
11N3037TBA	1.25	1.25
11N3048SWTBF	1.50	1.50
11N3048SWTBFA	1.30	1.30
11N3048SWTBP	0.90	0.90
11N3048SWTBPA	1.00	1.00
11N3048TB	1.50	1.50
11N3048TBA	1.25	1.25
11N3049SWTBF	1.50	1.50
11N3049SWTBFA	1.30	1.30
11N3049SWTBP	0.90	0.90
11N3049SWTBPA	1.00	1.00
11N3049TB	1.50	1.50
11N3049TBA	1.25	1.25
11N31WMVF	1.00	1.00
11N31WMVFA	0.25	0.25
11N34TCF	1.00	1.00
11N34TCFA	0.25	0.25
11N3634SWTBF	1.10	1.10
11N3634SWTBFA	1.80	1.80
11N3634SWTBP	0.50	0.50
11N3634SWTBPA	1.10	1.10
11N3634TB	1.25	1.25
11N3634TBA	1.50	1.50
11N3634TVF	1.25	1.25
11N3634TVFA	1.50	1.50
11N3636SWTBF	1.10	1.10
11N3636SWTBFA	1.60	1.60
11N3636SWTBP	0.50	0.50
11N3636SWTBPA	1.10	1.10
11N3636TB	1.25	1.25
11N3636TBA	1.50	1.50
11N3636TVF	1.25	1.25
11N3636TVFA	1.50	1.50
11N3637SWTBF	1.20	1.20
11N3637SWTBFA	1.60	1.60
11N3637SWTBP	0.50	0.50
11N3637SWTBPA	1.10	1.10
11N3637TB	1.25	1.25
11N3637TBA	1.50	1.50
11N3637TVF	1.25	1.25
11N3637TVFA	1.50	1.50
11N3648SWTBF	1.50	1.50
11N3648SWTBFA	1.50	1.50
11N3648SWTBP	0.90	0.90
11N3648SWTBPA	1.10	1.10

COM Yardage Requirements

Tackable	54" Wide Roll	66" Wide Roll
11N3648TB	1.50	1.50
11N3648TBA	1.50	1.50
11N3648TVF	1.50	1.50
11N3648TVFA	1.50	1.50
11N3649SWTBF	1.50	1.50
11N3649SWTBFA	1.50	1.50
11N3649SWTBP	0.90	0.90
11N3649SWTBPA	1.10	1.10
11N3649TB	1.50	1.50
11N3649TBA	1.50	1.50
11N3649TVF	1.50	1.50
11N3649TVFA	1.50	1.50
11N36TCF	1.25	1.25
11N36TCFA	0.25	0.25
11N37TCF	1.25	1.25
11N37TCFA	0.25	0.25
11N4234SWTBF	1.10	1.10
11N4234SWTBFA	2.00	2.00
11N4234SWTBP	0.50	0.50
11N4234SWTBPA	1.30	1.30
11N4234TB	1.25	1.25
11N4234TBA	1.50	1.50
11N4234TVF	1.25	1.25
11N4234TVFA	1.50	1.50
11N4236SWTBF	1.10	1.10
11N4236SWTBFA	1.80	1.80
11N4236SWTBP	0.50	0.50
11N4236SWTBPA	1.30	1.30
11N4236TB	1.25	1.25
11N4236TBA	1.50	1.50
11N4236TVF	1.25	1.25
11N4236TVFA	1.50	1.50
11N4237SWTBF	1.20	1.20
11N4237SWTBFA	1.80	1.80
11N4237SWTBP	0.50	0.50
11N4237SWTBPA	1.30	1.30
11N4237TB	1.25	1.25
11N4237TBA	1.50	1.50
11N4237TVF	1.25	1.25
11N4237TVFA	1.50	1.50
11N4248SWTBF	1.50	1.50
11N4248SWTBFA	1.60	1.60
11N4248SWTBP	0.90	0.90
11N4248SWTBPA	1.30	1.30
11N4248TB	1.50	1.50
11N4248TBA	1.50	1.50
11N4248TVF	1.50	1.50
11N4248TVFA	1.50	1.50
11N4249SWTBF	1.50	1.50
11N4249SWTBFA	1.60	1.60
11N4249SWTBP	0.90	0.90
11N4249SWTBPA	1.30	1.30
11N4249TB	1.50	1.50
11N4249TBA	1.50	1.50
11N4249TVF	1.50	1.50
11N4249TVFA	1.50	1.50
11N4834SWTBF	1.10	1.10

Tackable	54" Wide Roll	66" Wide Roll
11N4834SWTBFA	2.10	2.10
11N4834SWTBP	0.50	0.50
11N4834SWTBPA	1.50	1.50
11N4834TB	1.25	1.25
11N4834TBA	1.75	1.75
11N4834TVF	1.25	1.25
11N4834TVFA	1.75	1.75
11N4836SWTBF	1.10	1.10
11N4836SWTBFA	2.00	2.00
11N4836SWTBP	0.50	0.50
11N4836SWTBPA	1.50	1.50
11N4836TB	1.25	1.25
11N4836TBA	1.75	1.75
11N4836TVF	1.25	1.25
11N4836TVFA	1.75	1.75
11N4837SWTBF	1.20	1.20
11N4837SWTBFA	2.00	2.00
11N4837SWTBP	0.50	0.50
11N4837SWTBPA	1.50	1.50
11N4837TB	1.25	1.25
11N4837TBA	1.75	1.75
11N4837TVF	1.25	1.25
11N4837TVFA	1.75	1.75
11N4848SWTBF	1.50	1.50
11N4848SWTBFA	1.80	1.80
11N4848SWTBP	0.90	0.90
11N4848SWTBPA	1.50	1.50
11N4848TB	1.50	1.50
11N4848TBA	1.75	1.75
11N4848TVF	1.50	1.50
11N4848TVFA	1.75	1.75
11N4849SWTBF	1.50	1.50
11N4849SWTBFA	1.80	1.80
11N4849SWTBP	0.90	0.90
11N4849SWTBPA	1.50	1.50
11N4849TB	1.50	1.50
11N4849TBA	1.75	1.75
11N4849TVF	1.50	1.50
11N4849TVFA	1.75	1.75
11N48TCF	1.50	1.50
11N48TCFA	0.25	0.25
11N49TCF	1.50	1.50
11N49TCFA	0.25	0.25
11N5434TB	N/A	1.25
11N5434TBA	2.00	2.00
11N5434TVF	N/A	1.25
11N5434TVFA	2.00	2.00
11N5436TB	N/A	1.25
11N5436TBA	2.00	2.00
11N5436TVF	N/A	1.25
11N5436TVFA	2.00	2.00
11N5437TB	N/A	1.25
11N5437TBA	2.00	2.00
11N5437TVF	N/A	1.25
11N5437TVFA	2.00	2.00
11N5448TB	N/A	1.50
11N5448TBA	2.00	2.00

Tackable	54" Wide Roll	66" Wide Roll
11N5448TVF	N/A	1.50
11N5448TVFA	2.00	2.00
11N5449TB	N/A	1.50
11N5449TBA	2.00	2.00
11N5449TVF	N/A	1.50
11N5449TVFA	2.00	2.00
11N6034TB	N/A	1.25
11N6034TBA	2.00	2.00
11N6034TVF	N/A	1.25
11N6034TVFA	2.00	2.00
11N6036TB	N/A	1.25
11N6036TBA	2.00	2.00
11N6036TVF	N/A	1.25

Tackable	54" Wide Roll	66" Wide Roll
11N6036TVFA	2.00	2.00
11N6037TB	N/A	1.25
11N6037TBA	2.00	2.00
11N6037TVF	N/A	1.25
11N6037TVFA	2.00	2.00
11N6048TB	N/A	1.50
11N6048TBA	2.00	2.00
11N6048TVF	N/A	1.50
11N6048TVFA	2.00	2.00
11N6049TB	N/A	1.50
11N6049TBA	2.00	2.00
11N6049TVF	N/A	1.50
11N6049TVFA	2.00	2.00

COM Yardage Requirements

Strassa™

Collaborative Tables

STRASSA PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 3/16" HPL (high pressure laminate) or 1 1/8" TFL (thermally fused laminate), and feature a softened 3mm PVC rim
- Veneer surfaces are 1 3/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim
- Refer to page 3a for rim profile and colors
- Grain direction runs left-to-right
- Work table size modifications available at no upcharge; the work tables can be cut down in 6" increments
- See page 5a for modified size options

FINISH APPLICATION

- Veneer tops that are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels are 1 1/8" thick
- Laminate modesty panels have horizontal grain direction unless otherwise noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (Palisander Horizontal 791H, Sable Horizontal 792H, Designer White Linear Horizontal 491H, Cinder Linear Horizontal 492H) will always have horizontal grain direction

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 Amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- Eight adapter plates are provided

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adapter kit to accept couplers and jacks when required
- UL Listed

BYRNE INTERLINK IQ SYSTEM (G17)

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- Refer to page 649 in the Casegoods Book 2 Price List for electrical loading standards

POWER GROMMET (G23)

- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

DAISY LINK (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two power outlets and two power USB ports
- 72" single circuit power cord for plugged starter unit
- 72 3/8" multi-circuit power cord for hardwire starter unit
- Add-on unit does not include any jumper or power cords
- Jumper cable is 60 3/8" metal conduit with female to female ends for connecting 2 daisy link power grommets
- ETL listed to UL962A Standard

STRASSA SIZES



Standard Height (29")

36" x 48", 60", 72", 84", 96", 108" and 120"
42" x 48", 60", 72", 84", 96", 108" and 120"
48" x 48", 60", 72", 84", 96", 108" and 120"



Counter Height (35")

36" x 48", 60", 72", 84", 96", 108" and 120"
42" x 48", 60", 72", 84", 96", 108" and 120"
48" x 48", 60", 72", 84", 96", 108" and 120"



Bar Height (41")

36" x 48", 60", 72", 84", 96", 108" and 120"
42" x 48", 60", 72", 84", 96", 108" and 120"
48" x 48", 60", 72", 84", 96", 108" and 120"

TOP/END PANEL/ MODESTY PANEL WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

TOP LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander*
792 Sable
793 Acorn*

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

*Not available on laminate/wood models

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)

PVC Softened Rim

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

END PANEL/MODESTY PANEL LAMINATE COLORS

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
791H Palisander Horizontal
792 Sable
792H Sable Horizontal
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

END PANEL GROMMET

If no grommet is desired, specify an X (No Grommet)

Round Grommet,
Black Plastic
$25 list for each grommet

GE1L Left
GE1R Right
GE1LR Left & Right



GROMMET CUTOUT OPTIONS

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 6a-7a for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 21a for pricing and details

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17LC Left & Center
CUT-G17RC Right & Center
CUT-G17A Left, Right & Center



- Reference page 8a-9a for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 21a for the pricing and details

Cutout Option for G23 Power Grommet

$25 list upcharge per cutout

- CUT-G23C Cutout only for G23 Power Grommet (+$25 list)

CUT-G23C Center
CUT-G23E End
CUT-G23LR Left, Right
CUT-G23A All
CUT-G23CE Center, End



- Reference page 10a-11a for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 22a for the pricing and details

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size.

TOP SIZES	
36"/42"/48" x 48"	2
36"/42"/48" x 60"	4
36"/42"/48" x 72"	4
36"/42"/48" x 84"	4
36"/42"/48" x 96"	6
36"/42"/48" x 108"	6
36"/42"/48" x 120"	8

TOP SIZE MODIFICATIONS

- Size modifications (cut downs) are available at no upcharge
- The tops can be cut down in 6" increments on the width
- Available cut down sizes are noted in the chart below

	DEPTH			
WIDTH	**36"**	**42"**	**48"**	**Number of Pieces**
120"	•	•	•	1
114"	—	—	—	1
108"	•	•	•	1
102"	—	—	—	1
96"	•	•	•	1
90"	—	—	—	1
84"	•	•	•	1
78"	—	—	—	1
72"	•	•	•	1
66"	—	—	—	1

• Standard size
— Modified size

Strassa - Grommet Locations on Tops Including Modified Sizing

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute fo G10 grommet, if desired



Table Length (in)

Grommet Location/Options	48"					60"					72"					84"				
G10C Center		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—	84"	—	42"	—	—
		—			—	54"	—	27"	—	—	66"	—	33"	—	—	78"	—	39"	—	—
G10E End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	—	60"	15"	—	—	—	72"	17¼"	—	—	—	84"	20"	—	—	—
			—		—	54"	13½"	—	—	—	66"	15¾"	—	—	—	78"	18½"	—	—	—
G10LR Left, Right		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	17¼"	—	—	54¾"	84"	20"	—	—	63¾"
			—			54"	13½"	—	—	40½"	66"	15¾"	—	—	50¼"	78"	18½"	—	—	59¼"
G10A All		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	—	60"	—	—	—	—	72"	17¼"	36"	—	54¾"	84"	20"	42"	—	63¾"
		—	—	—	—	54"	—	—	—	—	66"	15¾"	33"	—	50¼"	78"	18½"	39"	—	59¼"
G10CE Center, End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	17¼"	36"	—	—	84"	20"	42"	—	—
				—		54"	13½"	27"	—	—	66"	15¾"	33"	—	—	78"	18½"	39"	—	—

Grommet Locations on Tops Including Modified Sizing - Strassa

• G10 Round Grommet

	96"					108"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	—	48"	—	—	108"	—	54"	—	—	120"	—	60"	—	—
	90"	—	45"	—	—	102"	—	51"	—	—	114"	—	57"	—	—
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23"	—	—	—	108"	26"	—	—	—	120"	29"	—	—	—
	90"	21½"	—	—	—	102"	24½"	—	—	—	114"	27½"	—	—	—
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23"	—	—	72¾"	108"	26"	—	—	81¾"	120"	29"	—	—	90¾
	90"	21½"	—	—	68¼"	102"	24½"	—	—	77¼"	114"	27½"	—	—	86¼
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23"	48"	—	72¾"	108"	26"	54"	—	81¾"	120"	29"	60"	—	90¾
	90"	21½"	45"	—	68¼"	102"	24½"	51"	—	77¼"	114"	27½"	57"	—	86¼
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23"	48"	—	—	108"	26"	54"	—	—	120"	29"	60"	—	—
	90"	21½"	45"	—	—	102"	24½"	51"	—	—	114"	27½"	57"	—	—

Strassa - Grommet Locations on Tops Including Modified Sizing

- All grommets are centered on the table top depth
- For G17, the center grommet location consists of two grommet cutouts (upcharge will reflect two grommet cutouts)



Table Length (in)

Grommet Location/Options	48"					60"					72"					84"				
G17C Center		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	20"	28"	—	60"	—	26"	34"	—	72"	—	32"	40"	—	84"	—	38"	46"	—
		—			—	54"	—	23"	31"	—	66"	—	29"	37"	—	78"	—	35"	43"	—
G17E End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	—	—	—	60"	6"	—	—	—	72"	6"	—	—	—	84"	6"	—	—	—
			—	—	—	54"	6"	—	—	—	66"	6"	—	—	—	78"	6"	—	—	—
G17LR Left, Right		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	—	—	42"	60"	6"	—	—	54"	72"	6"	—	—	66"	84"	6"	—	—	78"
			—	—		54"	6"	—	—	48"	66"	6"	—	—	60"	78"	6"	—	—	72"
G17A All		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	—	60"	—	—	—	—	72"	—	—	—	—	84"	—	—	—	—
		—	—	—	—	54"	—	—	—	—	66"	—	—	—	—	78"	—	—	—	—
G17CE Center, End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	20"	28"	—	60"	6"	26"	34"	—	72"	6"	32"	40"	—	84"	6"	38"	46"	—
					—	54"	6"	23"	31"	—	66"	6"	29"	37"	—	78"	6"	35"	43"	—

• CUT-G17 option



	96"					108"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	—	44"	52"	—	108"	—	50"	57¾"	—	120"	—	56"	63¾"	—
	90"	—	41"	49"	—	102"	—	47"	55"	—	114"	—	53"	60¾"	—
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	—	—	—	108"	6"	—	—	—	120"	6"	—	—	—
	90"	6"	—	—	—	102"	6"	—	—	—	114"	6"	—	—	—
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	—	—	90"	108"	6"	—	—	102"	120"	6"	—	—	113¾
	90"	6"	—	—	84"	102"	6"	—	—	96"	114"	6"	—	—	107¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	44"	52"	90"	108"	6"	50"	57¾"	102"	120"	6"	56"	63¾"	113¾
	90"	6"	41"	49"	84"	102"	6"	47"	55"	96"	114"	6"	53"	60¾"	107¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	44"	52"	—	108"	6"	50"	57¾"	—	120"	6"	56"	63¾"	—
	90"	6"	41"	49"	—	102"	6"	47"	55"	—	114"	6"	53"	60¾"	—

Strassa - Grommet Locations on Tops Including Modified Sizing

• All grommets are centered on the table top depth



Table Length (in)

Grommet Location/Options	48"					60"					72"					84"				
G23C Center		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—	84"	—	42"	—	—
		—			—	54"	—	27"	—	—	66"	—	33"	—	—	78"	—	39"	—	—
G23E End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	—	60"	15"	—	—	—	72"	16¾"	—	—	—	84"	19¾"	—	—	—
			—		—	54"	13½"	—	—	—	66"	15¼"	—	—	—	78"	18¼"	—	—	—
G23LR Left, Right		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	16¾"	—	—	55¼"	84"	19¾"	—	—	64¼"
			—			54"	13½"	—	—	40½"	66"	15¼"	—	—	50¾"	78"	18¼"	—	—	59¾"
G23A All		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	—	—	—	—	60"	—	—	—	—	72"	16¾"	36"	—	55¼"	84"	19¾"	42"	—	64¼"
		—	—	—	—	54"	—	—	—	—	66"	15¼"	33"	—	50¾"	78"	18¼"	39"	—	59¾"
G23CE Center, End		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16¾"	36"	—	—	84"	19¾"	42"	—	—
					—	54"	13½"	27"	—	—	66"	15¼"	33"	—	—	78"	18¼"	39"	—	—

Grommet Locations on Tops Including Modified Sizing - Strassa

• CUT-G23 option



	96"					108"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	—	48"	—	—	108"	—	54"	—	—	120"	—	60"	—	—
	90"	—	45"	—	—	102"	—	51"	—	—	114"	—	57"	—	—
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	—	—	—	108"	25¾"	—	—	—	120"	28¾"	—	—	—
	90"	21¼"	—	—	—	102"	24¼"	—	—	—	114"	27¼"	—	—	—
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	—	—	73¼"	108"	25¾"	—	—	82¼"	120"	28¾"	—	—	91¼
	90"	21¼"	—	—	68¾"	102"	24¼"	—	—	77¾"	114"	27¼"	—	—	86¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	48"	—	73¼"	108"	25¾"	54"	—	82¼"	120"	28¾"	60"	—	91¼
	90"	21¼"	45"	—	68¾"	102"	24¼"	51"	—	77¾"	114"	27¼"	57"	—	86¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	48"	—	—	108"	25¾"	54"	—	—	120"	28¾"	60"	—	—
	90"	21¼"	45"	—	—	102"	24¼"	51"	—	—	114"	27¼"	57"	—	—

Strassa

Product Specifications

- Reference pages 6a-11a for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Chassis
L	Laminate Unit
LL	TFL Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Worksurface Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N364829WKF2W	Wood	$ **3013**	36 1/16	48 1/16	28 7/8	—	14 1/16	15.2
86N364829WKF2LW	Laminate/Wood	**2403**	36 1/16	48 1/16	28 7/8	—	14 1/16	15.2
86N364829WKF2L	Laminate	**1201**	36 1/16	48 1/16	28 7/8	—	14 1/16	15.2
86N364829WKF2LL	TFL	**1062**	36 1/16	48 1/16	28 7/8	—	14 1/16	15.2
86N366029WKF2W	Wood	$ **3138**	36 1/16	60	28 7/8	—	14 1/16	18.1
86N366029WKF2LW	Laminate/Wood	**2556**	36 1/16	60	28 7/8	—	14 1/16	18.1
86N366029WKF2L	Laminate	**1278**	36 1/16	60	28 7/8	—	14 1/16	18.1
86N366029WKF2LL	TFL	**1130**	36 1/16	60	28 7/8	—	14 1/16	18.1
86N367229WKF2W	Wood	$ **3269**	36 1/16	71 15/16	28 7/8	—	14 1/16	20.9
86N367229WKF2LW	Laminate/Wood	**2719**	36 1/16	71 15/16	28 7/8	—	14 1/16	20.9
86N367229WKF2L	Laminate	**1360**	36 1/16	71 15/16	28 7/8	—	14 1/16	20.9
86N367229WKF2LL	TFL	**1202**	36 1/16	71 15/16	28 7/8	—	14 1/16	20.9
86N368429WKF2W	Wood	$ **3405**	36 1/16	83 15/16	28 7/8	—	14 1/16	23.8
86N368429WKF2LW	Laminate/Wood	**2893**	36 1/16	83 15/16	28 7/8	—	14 1/16	23.8
86N368429WKF2L	Laminate	**1446**	36 1/16	83 15/16	28 7/8	—	14 1/16	23.8
86N368429WKF2LL	TFL	**1279**	36 1/16	83 15/16	28 7/8	—	14 1/16	23.8
86N369629WKF2W	Wood	$ **3547**	36 1/16	95 7/8	28 7/8	—	14 1/16	26.6
86N369629WKF2LW	Laminate/Wood	**3078**	36 1/16	95 7/8	28 7/8	—	14 1/16	26.6
86N369629WKF2L	Laminate	**1539**	36 1/16	95 7/8	28 7/8	—	14 1/16	26.6
86N369629WKF2LL	TFL	**1360**	36 1/16	95 7/8	28 7/8	—	14 1/16	26.6
86N3610829WKF2W	Wood	$ **4520**	36 1/16	107 7/8	28 7/8	—	14 1/16	29.5
86N3610829WKF2LW	Laminate/Wood	**3760**	36 1/16	107 7/8	28 7/8	—	14 1/16	29.5
86N3610829WKF2L	Laminate	**1880**	36 1/16	107 7/8	28 7/8	—	14 1/16	29.5
86N3610829WKF2LL	TFL	**1662**	36 1/16	107 7/8	28 7/8	—	14 1/16	29.5
86N3612029WKF2W	Wood	$ **5062**	36 1/16	119 13/16	28 7/8	—	14 1/16	32.4
86N3612029WKF2LW	Laminate/Wood	**4211**	36 1/16	119 13/16	28 7/8	—	14 1/16	32.4
86N3612029WKF2L	Laminate	**2106**	36 1/16	119 13/16	28 7/8	—	14 1/16	32.4
86N3612029WKF2LL	TFL	**1861**	36 1/16	119 13/16	28 7/8	—	14 1/16	32.4

- Kneespace on 36" deep top is 14 1/16"
- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 3a-4a for all options available in Strassa

Sample Model Numbers:

86N424829WKF2W	F	X	X	N	MC	
86N424829WKF2L	V462	X	X	MC	MC	MC
86N424829WKF2LW	V462	X	X	462	MC	

Worksurface Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N424829WKF2W	Wood	$ **3138**	42 1/16	48 1/16	28 7/8	—	17 1/16	16.1
86N424829WKF2LW	Laminate/Wood	**2556**	42 1/16	48 1/16	28 7/8	—	17 1/16	16.1
86N424829WKF2L	Laminate	**1278**	42 1/16	48 1/16	28 7/8	—	17 1/16	16.1
86N424829WKF2LL	TFL	**1130**	42 1/16	48 1/16	28 7/8	—	17 1/16	16.1
86N426029WKF2W	Wood	$ **3269**	42 1/16	60	28 7/8	—	17 1/16	19.1
86N426029WKF2LW	Laminate/Wood	**2719**	42 1/16	60	28 7/8	—	17 1/16	19.1
86N426029WKF2L	Laminate	**1360**	42 1/16	60	28 7/8	—	17 1/16	19.1
86N426029WKF2LL	TFL	**1202**	42 1/16	60	28 7/8	—	17 1/16	19.1
86N427229WKF2W	Wood	$ **3405**	42 1/16	71 15/16	28 7/8	—	17 1/16	22.0
86N427229WKF2LW	Laminate/Wood	**2893**	42 1/16	71 15/16	28 7/8	—	17 1/16	22.0
86N427229WKF2L	Laminate	**1446**	42 1/16	71 15/16	28 7/8	—	17 1/16	22.0
86N427229WKF2LL	TFL	**1279**	42 1/16	71 15/16	28 7/8	—	17 1/16	22.0
86N428429WKF2W	Wood	$ **3547**	42 1/16	83 15/16	28 7/8	—	17 1/16	25.0
86N428429WKF2LW	Laminate/Wood	**3078**	42 1/16	83 15/16	28 7/8	—	17 1/16	25.0
86N428429WKF2L	Laminate	**1539**	42 1/16	83 15/16	28 7/8	—	17 1/16	25.0
86N428429WKF2LL	TFL	**1360**	42 1/16	83 15/16	28 7/8	—	17 1/16	25.0
86N429629WKF2W	Wood	$ **3695**	42 1/16	95 7/8	28 7/8	—	17 1/16	27.9
86N429629WKF2LW	Laminate/Wood	**3274**	42 1/16	95 7/8	28 7/8	—	17 1/16	27.9
86N429629WKF2L	Laminate	**1637**	42 1/16	95 7/8	28 7/8	—	17 1/16	27.9
86N429629WKF2LL	TFL	**1447**	42 1/16	95 7/8	28 7/8	—	17 1/16	27.9
86N4210829WKF2W	Wood	$ **4708**	42 1/16	107 7/8	28 7/8	—	17 1/16	31.0
86N4210829WKF2LW	Laminate/Wood	**4000**	42 1/16	107 7/8	28 7/8	—	17 1/16	31.0
86N4210829WKF2L	Laminate	**2000**	42 1/16	107 7/8	28 7/8	—	17 1/16	31.0
86N4210829WKF2LL	TFL	**1768**	42 1/16	107 7/8	28 7/8	—	17 1/16	31.0
86N4212029WKF2W	Wood	$ **5273**	42 1/16	119 13/16	28 7/8	—	17 1/16	34.0
86N4212029WKF2LW	Laminate/Wood	**4480**	42 1/16	119 13/16	28 7/8	—	17 1/16	34.0
86N4212029WKF2L	Laminate	**2240**	42 1/16	119 13/16	28 7/8	—	17 1/16	34.0
86N4212029WKF2LL	TFL	**1980**	42 1/16	119 13/16	28 7/8	—	17 1/16	34.0

• Modesty panel is removable on one side to allow wire management access
• Optional end panel grommets available

Strassa

Product Specifications

- Reference pages 6a-11a for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Chassis
L	Laminate Unit
LL	TFL Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Worksurface Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N484829WKF2W	Wood	$ **3269**	48 1/16	48 1/16	28 7/8	—	20 1/16	17.0
86N484829WKF2LW	Laminate/Wood	**2719**	48 1/16	48 1/16	28 7/8	—	20 1/16	17.0
86N484829WKF2L	Laminate	**1360**	48 1/16	48 1/16	28 7/8	—	20 1/16	17.0
86N484829WKF2LL	TFL	**1202**	48 1/16	48 1/16	28 7/8	—	20 1/16	17.0
86N486029WKF2W	Wood	$ **3405**	48 1/16	60	28 7/8	—	20 1/16	20.1
86N486029WKF2LW	Laminate/Wood	**2893**	48 1/16	60	28 7/8	—	20 1/16	20.1
86N486029WKF2L	Laminate	**1446**	48 1/16	60	28 7/8	—	20 1/16	20.1
86N486029WKF2LL	TFL	**1279**	48 1/16	60	28 7/8	—	20 1/16	20.1
86N487229WKF2W	Wood	$ **3547**	48 1/16	71 15/16	28 7/8	—	20 1/16	23.2
86N487229WKF2LW	Laminate/Wood	**3078**	48 1/16	71 15/16	28 7/8	—	20 1/16	23.2
86N487229WKF2L	Laminate	**1539**	48 1/16	71 15/16	28 7/8	—	20 1/16	23.2
86N487229WKF2LL	TFL	**1360**	48 1/16	71 15/16	28 7/8	—	20 1/16	23.2
86N488429WKF2W	Wood	$ **3695**	48 1/16	83 15/16	28 7/8	—	20 1/16	26.3
86N488429WKF2LW	Laminate/Wood	**3274**	48 1/16	83 15/16	28 7/8	—	20 1/16	26.3
86N488429WKF2L	Laminate	**1637**	48 1/16	83 15/16	28 7/8	—	20 1/16	26.3
86N488429WKF2LL	TFL	**1447**	48 1/16	83 15/16	28 7/8	—	20 1/16	26.3
86N489629WKF2W	Wood	$ **3849**	48 1/16	95 7/8	28 7/8	—	20 1/16	29.3
86N489629WKF2LW	Laminate/Wood	**3483**	48 1/16	95 7/8	28 7/8	—	20 1/16	29.3
86N489629WKF2L	Laminate	**1742**	48 1/16	95 7/8	28 7/8	—	20 1/16	29.3
86N489629WKF2LL	TFL	**1539**	48 1/16	95 7/8	28 7/8	—	20 1/16	29.3
86N4810829WKF2W	Wood	$ **4904**	48 1/16	107 7/8	28 7/8	—	20 1/16	32.5
86N4810829WKF2LW	Laminate/Wood	**4255**	48 1/16	107 7/8	28 7/8	—	20 1/16	32.5
86N4810829WKF2L	Laminate	**2128**	48 1/16	107 7/8	28 7/8	—	20 1/16	32.5
86N4810829WKF2LL	TFL	**1881**	48 1/16	107 7/8	28 7/8	—	20 1/16	32.5
86N4812029WKF2W	Wood	$ **5493**	48 1/16	119 13/16	28 7/8	—	20 1/16	35.6
86N4812029WKF2LW	Laminate/Wood	**4766**	48 1/16	119 13/16	28 7/8	—	20 1/16	35.6
86N4812029WKF2L	Laminate	**2383**	48 1/16	119 13/16	28 7/8	—	20 1/16	35.6
86N4812029WKF2LL	TFL	**2106**	48 1/16	119 13/16	28 7/8	—	20 1/16	35.6

- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

- See pages 3a-4a for all options available in Strassa

Sample Model Numbers:

86N364835WKF2W	F	X	X	N	MC	
86N364835WKF2L	V462	X	X	MC	MC	MC
86N364835WKF2LW	V462	X	X	462	MC	

Counter Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N364835WKF2W	Wood	$ **3347**	36 1/16	48 1/16	35 3/16	—	14 1/16	17.4
86N364835WKF2LW	Laminate/Wood	**2670**	36 1/16	48 1/16	35 3/16	—	14 1/16	17.4
86N364835WKF2L	Laminate	**1335**	36 1/16	48 1/16	35 3/16	—	14 1/16	17.4
86N364835WKF2LL	TFL	**1180**	36 1/16	48 1/16	35 3/16	—	14 1/16	17.4
86N366035WKF2W	Wood	$ **3487**	36 1/16	60	35 3/16	—	14 1/16	20.7
86N366035WKF2LW	Laminate/Wood	**2840**	36 1/16	60	35 3/16	—	14 1/16	20.7
86N366035WKF2L	Laminate	**1420**	36 1/16	60	35 3/16	—	14 1/16	20.7
86N366035WKF2LL	TFL	**1255**	36 1/16	60	35 3/16	—	14 1/16	20.7
86N367235WKF2W	Wood	$ **3632**	36 1/16	71 15/16	35 3/16	—	14 1/16	23.9
86N367235WKF2LW	Laminate/Wood	**3021**	36 1/16	71 15/16	35 3/16	—	14 1/16	23.9
86N367235WKF2L	Laminate	**1511**	36 1/16	71 15/16	35 3/16	—	14 1/16	23.9
86N367235WKF2LL	TFL	**1335**	36 1/16	71 15/16	35 3/16	—	14 1/16	23.9
86N368435WKF2W	Wood	$ **3783**	36 1/16	83 15/16	35 3/16	—	14 1/16	27.2
86N368435WKF2LW	Laminate/Wood	**3214**	36 1/16	83 15/16	35 3/16	—	14 1/16	27.2
86N368435WKF2L	Laminate	**1607**	36 1/16	83 15/16	35 3/16	—	14 1/16	27.2
86N368435WKF2LL	TFL	**1421**	36 1/16	83 15/16	35 3/16	—	14 1/16	27.2
86N369635WKF2W	Wood	$ **3941**	36 1/16	95 7/8	35 3/16	—	14 1/16	30.5
86N369635WKF2LW	Laminate/Wood	**3420**	36 1/16	95 7/8	35 3/16	—	14 1/16	30.5
86N369635WKF2L	Laminate	**1710**	36 1/16	95 7/8	35 3/16	—	14 1/16	30.5
86N369635WKF2LL	TFL	**1511**	36 1/16	95 7/8	35 3/16	—	14 1/16	30.5
86N3610835WKF2W	Wood	$ **4708**	36 1/16	107 7/8	35 3/16	—	14 1/16	33.7
86N3610835WKF2LW	Laminate/Wood	**4000**	36 1/16	107 7/8	35 3/16	—	14 1/16	33.7
86N3610835WKF2L	Laminate	**2000**	36 1/16	107 7/8	35 3/16	—	14 1/16	33.7
86N3610835WKF2LL	TFL	**1768**	36 1/16	107 7/8	35 3/16	—	14 1/16	33.7
86N3612035WKF2W	Wood	$ **5273**	36 1/16	119 13/16	35 3/16	—	14 1/16	37.0
86N3612035WKF2LW	Laminate/Wood	**4480**	36 1/16	119 13/16	35 3/16	—	14 1/16	37.0
86N3612035WKF2L	Laminate	**2240**	36 1/16	119 13/16	35 3/16	—	14 1/16	37.0
86N3612035WKF2LL	TFL	**1980**	36 1/16	119 13/16	35 3/16	—	14 1/16	37.0

- Kneespace on 36" deep top is 14 1/16"
- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

Strassa

Product Specifications

- Reference pages 6a-11a for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

Base Model Key

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Counter Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N424835WKF2W	Wood	$ **3487**	42 1/16	48 1/16	35 3/16	—	17 1/16	18.4
86N424835WKF2LW	Laminate/Wood	**2840**	42 1/16	48 1/16	35 3/16	—	17 1/16	18.4
86N424835WKF2L	Laminate	**1420**	42 1/16	48 1/16	35 3/16	—	17 1/16	18.4
86N424835WKF2LL	TFL	**1255**	42 1/16	48 1/16	35 3/16	—	17 1/16	18.4
86N426035WKF2W	Wood	$ **3632**	42 1/16	60	35 3/16	—	17 1/16	21.8
86N426035WKF2LW	Laminate/Wood	**3021**	42 1/16	60	35 3/16	—	17 1/16	21.8
86N426035WKF2L	Laminate	**1511**	42 1/16	60	35 3/16	—	17 1/16	21.8
86N426035WKF2LL	TFL	**1335**	42 1/16	60	35 3/16	—	17 1/16	21.8
86N427235WKF2W	Wood	$ **3783**	42 1/16	71 15/16	35 3/16	—	17 1/16	25.1
86N427235WKF2LW	Laminate/Wood	**3214**	42 1/16	71 15/16	35 3/16	—	17 1/16	25.1
86N427235WKF2L	Laminate	**1607**	42 1/16	71 15/16	35 3/16	—	17 1/16	25.1
86N427235WKF2LL	TFL	**1421**	42 1/16	71 15/16	35 3/16	—	17 1/16	25.1
86N428435WKF2W	Wood	$ **3941**	42 1/16	83 15/16	35 3/16	—	17 1/16	28.5
86N428435WKF2LW	Laminate/Wood	**3420**	42 1/16	83 15/16	35 3/16	—	17 1/16	28.5
86N428435WKF2L	Laminate	**1710**	42 1/16	83 15/16	35 3/16	—	17 1/16	28.5
86N428435WKF2LL	TFL	**1511**	42 1/16	83 15/16	35 3/16	—	17 1/16	28.5
86N429635WKF2W	Wood	$ **4105**	42 1/16	95 7/8	35 3/16	—	17 1/16	31.9
86N429635WKF2LW	Laminate/Wood	**3638**	42 1/16	95 7/8	35 3/16	—	17 1/16	31.9
86N429635WKF2L	Laminate	**1819**	42 1/16	95 7/8	35 3/16	—	17 1/16	31.9
86N429635WKF2LL	TFL	**1608**	42 1/16	95 7/8	35 3/16	—	17 1/16	31.9
86N4210835WKF2W	Wood	$ **4904**	42 1/16	107 7/8	35 3/16	—	17 1/16	35.3
86N4210835WKF2LW	Laminate/Wood	**4255**	42 1/16	107 7/8	35 3/16	—	17 1/16	35.3
86N4210835WKF2L	Laminate	**2128**	42 1/16	107 7/8	35 3/16	—	17 1/16	35.3
86N4210835WKF2LL	TFL	**1881**	42 1/16	107 7/8	35 3/16	—	17 1/16	35.3
86N4212035WKF2W	Wood	$ **5493**	42 1/16	119 13/16	35 3/16	—	17 1/16	38.7
86N4212035WKF2LW	Laminate/Wood	**4766**	42 1/16	119 13/16	35 3/16	—	17 1/16	38.7
86N4212035WKF2L	Laminate	**2383**	42 1/16	119 13/16	35 3/16	—	17 1/16	38.7
86N4212035WKF2LL	TFL	**2106**	42 1/16	119 13/16	35 3/16	—	17 1/16	38.7

- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 3a-4a for all options available in Strassa

Sample Model Numbers:

86N484835WKF2W	F	X	X	N	MC	
86N484835WKF2L	V462	X	X	MC	MC	MC
86N484835WKF2LW	V462	X	X	462	MC	

Counter Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N484835WKF2W	Wood	$ **3632**	48 1/16	48 1/16	35 3/16	—	20 1/16	19.4
86N484835WKF2LW	Laminate/Wood	**3021**	48 1/16	48 1/16	35 3/16	—	20 1/16	19.4
86N484835WKF2L	Laminate	**1511**	48 1/16	48 1/16	35 3/16	—	20 1/16	19.4
86N484835WKF2LL	TFL	**1335**	48 1/16	48 1/16	35 3/16	—	20 1/16	19.4
86N486035WKF2W	Wood	$ **3783**	48 1/16	60	35 3/16	—	20 1/16	22.9
86N486035WKF2LW	Laminate/Wood	**3214**	48 1/16	60	35 3/16	—	20 1/16	22.9
86N486035WKF2L	Laminate	**1607**	48 1/16	60	35 3/16	—	20 1/16	22.9
86N486035WKF2LL	TFL	**1421**	48 1/16	60	35 3/16	—	20 1/16	22.9
86N487235WKF2W	Wood	$ **3941**	48 1/16	71 15/16	35 3/16	—	20 1/16	26.4
86N487235WKF2LW	Laminate/Wood	**3420**	48 1/16	71 15/16	35 3/16	—	20 1/16	26.4
86N487235WKF2L	Laminate	**1710**	48 1/16	71 15/16	35 3/16	—	20 1/16	26.4
86N487235WKF2LL	TFL	**1511**	48 1/16	71 15/16	35 3/16	—	20 1/16	26.4
86N488435WKF2W	Wood	$ **4105**	48 1/16	83 15/16	35 3/16	—	20 1/16	29.9
86N488435WKF2LW	Laminate/Wood	**3638**	48 1/16	83 15/16	35 3/16	—	20 1/16	29.9
86N488435WKF2L	Laminate	**1819**	48 1/16	83 15/16	35 3/16	—	20 1/16	29.9
86N488435WKF2LL	TFL	**1608**	48 1/16	83 15/16	35 3/16	—	20 1/16	29.9
86N489635WKF2W	Wood	$ **4276**	48 1/16	95 7/8	35 3/16	—	20 1/16	33.4
86N489635WKF2LW	Laminate/Wood	**3870**	48 1/16	95 7/8	35 3/16	—	20 1/16	33.4
86N489635WKF2L	Laminate	**1935**	48 1/16	95 7/8	35 3/16	—	20 1/16	33.4
86N489635WKF2LL	TFL	**1710**	48 1/16	95 7/8	35 3/16	—	20 1/16	33.4
86N4810835WKF2W	Wood	$ **5109**	48 1/16	107 7/8	35 3/16	—	20 1/16	36.9
86N4810835WKF2LW	Laminate/Wood	**4527**	48 1/16	107 7/8	35 3/16	—	20 1/16	36.9
86N4810835WKF2L	Laminate	**2264**	48 1/16	107 7/8	35 3/16	—	20 1/16	36.9
86N4810835WKF2LL	TFL	**2001**	48 1/16	107 7/8	35 3/16	—	20 1/16	36.9
86N4812035WKF2W	Wood	$ **5722**	48 1/16	119 13/16	35 3/16	—	20 1/16	40.4
86N4812035WKF2LW	Laminate/Wood	**5070**	48 1/16	119 13/16	35 3/16	—	20 1/16	40.4
86N4812035WKF2L	Laminate	**2535**	48 1/16	119 13/16	35 3/16	—	20 1/16	40.4
86N4812035WKF2LL	TFL	**2241**	48 1/16	119 13/16	35 3/16	—	20 1/16	40.4

• Modesty panel is removable on one side to allow wire management access
• Optional end panel grommets available

Strassa

Product Specifications

- Reference pages 6a-11a for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

Base Model Key

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Bar Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N364841WKF2W	Wood	$ **3719**	36 1/16	48 1/16	41 1/2	—	14 1/16	19.5
86N364841WKF2LW	Laminate/Wood	**2966**	36 1/16	48 1/16	41 1/2	—	14 1/16	19.5
86N364841WKF2L	Laminate	**1483**	36 1/16	48 1/16	41 1/2	—	14 1/16	19.5
86N364841WKF2LL	TFL	**1311**	36 1/16	48 1/16	41 1/2	—	14 1/16	19.5
86N366041WKF2W	Wood	$ **3874**	36 1/16	60	41 1/2	—	14 1/16	23.1
86N366041WKF2LW	Laminate/Wood	**3156**	36 1/16	60	41 1/2	—	14 1/16	23.1
86N366041WKF2L	Laminate	**1578**	36 1/16	60	41 1/2	—	14 1/16	23.1
86N366041WKF2LL	TFL	**1395**	36 1/16	60	41 1/2	—	14 1/16	23.1
86N367241WKF2W	Wood	$ **4036**	36 1/16	71 15/16	41 1/2	—	14 1/16	26.8
86N367241WKF2LW	Laminate/Wood	**3357**	36 1/16	71 15/16	41 1/2	—	14 1/16	26.8
86N367241WKF2L	Laminate	**1679**	36 1/16	71 15/16	41 1/2	—	14 1/16	26.8
86N367241WKF2LL	TFL	**1484**	36 1/16	71 15/16	41 1/2	—	14 1/16	26.8
86N368441WKF2W	Wood	$ **4204**	36 1/16	83 15/16	41 1/2	—	14 1/16	30.4
86N368441WKF2LW	Laminate/Wood	**3572**	36 1/16	83 15/16	41 1/2	—	14 1/16	30.4
86N368441WKF2L	Laminate	**1786**	36 1/16	83 15/16	41 1/2	—	14 1/16	30.4
86N368441WKF2LL	TFL	**1578**	36 1/16	83 15/16	41 1/2	—	14 1/16	30.4
86N369641WKF2W	Wood	$ **4379**	36 1/16	95 7/8	41 1/2	—	14 1/16	34.0
86N369641WKF2LW	Laminate/Wood	**3799**	36 1/16	95 7/8	41 1/2	—	14 1/16	34.0
86N369641WKF2L	Laminate	**1900**	36 1/16	95 7/8	41 1/2	—	14 1/16	34.0
86N369641WKF2LL	TFL	**1679**	36 1/16	95 7/8	41 1/2	—	14 1/16	34.0
86N3610841WKF2W	Wood	$ **4904**	36 1/16	107 7/8	41 1/2	—	14 1/16	37.7
86N3610841WKF2LW	Laminate/Wood	**4255**	36 1/16	107 7/8	41 1/2	—	14 1/16	37.7
86N3610841WKF2L	Laminate	**2128**	36 1/16	107 7/8	41 1/2	—	14 1/16	37.7
86N3610841WKF2LL	TFL	**1881**	36 1/16	107 7/8	41 1/2	—	14 1/16	37.7
86N3612041WKF2W	Wood	$ **5493**	36 1/16	119 13/16	41 1/2	—	14 1/16	41.3
86N3612041WKF2LW	Laminate/Wood	**4766**	36 1/16	119 13/16	41 1/2	—	14 1/16	41.3
86N3612041WKF2L	Laminate	**2383**	36 1/16	119 13/16	41 1/2	—	14 1/16	41.3
86N3612041WKF2LL	TFL	**2106**	36 1/16	119 13/16	41 1/2	—	14 1/16	41.3

- Kneespace on 36" deep top is 14 1/16"
- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 3a-4a for all options available in Strassa

Sample Model Numbers:

86N424841WKF2W	F	X	X	N	MC	
86N424841WKF2L	V462	X	X	MC	MC	MC
86N424841WKF2LW	V462	X	X	462	MC	

Bar Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N424841WKF2W	Wood	$ **3874**	42 1/16	48 1/16	41 1/2	—	17 1/16	20.6
86N424841WKF2LW	Laminate/Wood	**3156**	42 1/16	48 1/16	41 1/2	—	17 1/16	20.6
86N424841WKF2L	Laminate	**1578**	42 1/16	48 1/16	41 1/2	—	17 1/16	20.6
86N424841WKF2LL	TFL	**1395**	42 1/16	48 1/16	41 1/2	—	17 1/16	20.6
86N426041WKF2W	Wood	$ **4036**	42 1/16	60	41 1/2	—	17 1/16	24.3
86N426041WKF2LW	Laminate/Wood	**3357**	42 1/16	60	41 1/2	—	17 1/16	24.3
86N426041WKF2L	Laminate	**1679**	42 1/16	60	41 1/2	—	17 1/16	24.3
86N426041WKF2LL	TFL	**1484**	42 1/16	60	41 1/2	—	17 1/16	24.3
86N427241WKF2W	Wood	$ **4204**	42 1/16	71 15/16	41 1/2	—	17 1/16	28.1
86N427241WKF2LW	Laminate/Wood	**3572**	42 1/16	71 15/16	41 1/2	—	17 1/16	28.1
86N427241WKF2L	Laminate	**1786**	42 1/16	71 15/16	41 1/2	—	17 1/16	28.1
86N427241WKF2LL	TFL	**1578**	42 1/16	71 15/16	41 1/2	—	17 1/16	28.1
86N428441WKF2W	Wood	$ **4379**	42 1/16	83 15/16	41 1/2	—	17 1/16	31.8
86N428441WKF2LW	Laminate/Wood	**3799**	42 1/16	83 15/16	41 1/2	—	17 1/16	31.8
86N428441WKF2L	Laminate	**1900**	42 1/16	83 15/16	41 1/2	—	17 1/16	31.8
86N428441WKF2LL	TFL	**1679**	42 1/16	83 15/16	41 1/2	—	17 1/16	31.8
86N429641WKF2W	Wood	$ **4561**	42 1/16	95 7/8	41 1/2	—	17 1/16	35.5
86N429641WKF2LW	Laminate/Wood	**4042**	42 1/16	95 7/8	41 1/2	—	17 1/16	35.5
86N429641WKF2L	Laminate	**2021**	42 1/16	95 7/8	41 1/2	—	17 1/16	35.5
86N429641WKF2LL	TFL	**1786**	42 1/16	95 7/8	41 1/2	—	17 1/16	35.5
86N4210841WKF2W	Wood	$ **5109**	42 1/16	107 7/8	41 1/2	—	17 1/16	39.4
86N4210841WKF2LW	Laminate/Wood	**4527**	42 1/16	107 7/8	41 1/2	—	17 1/16	39.4
86N4210841WKF2L	Laminate	**2264**	42 1/16	107 7/8	41 1/2	—	17 1/16	39.4
86N4210841WKF2LL	TFL	**2001**	42 1/16	107 7/8	41 1/2	—	17 1/16	39.4
86N4212041WKF2W	Wood	$ **5722**	42 1/16	119 13/16	41 1/2	—	17 1/16	43.1
86N4212041WKF2LW	Laminate/Wood	**5070**	42 1/16	119 13/16	41 1/2	—	17 1/16	43.1
86N4212041WKF2L	Laminate	**2535**	42 1/16	119 13/16	41 1/2	—	17 1/16	43.1
86N4212041WKF2LL	TFL	**2241**	42 1/16	119 13/16	41 1/2	—	17 1/16	43.1

• Modesty panel is removable on one side to allow wire management access
• Optional end panel grommets available

Strassa

Product Specifications

- Reference pages 6a-11a for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

Base Model Key

W	Wood Unit
LW	Laminate Top/Wood Chassis
L	Laminate Unit
LL	TFL Unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Bar Height



Model No./Description		List Price	Dimensions D	W	H	A	KW	Cubic Feet
86N484841WKF2W	Wood	**$ 4036**	48 1/16	48 1/16	41 1/2	—	20 1/16	21.7
86N484841WKF2LW	Laminate/Wood	**3357**	48 1/16	48 1/16	41 1/2	—	20 1/16	21.7
86N484841WKF2L	Laminate	**1679**	48 1/16	48 1/16	41 1/2	—	20 1/16	21.7
86N484841WKF2LL	TFL	**1484**	48 1/16	48 1/16	41 1/2	—	20 1/16	21.7
86N486041WKF2W	Wood	**$ 4204**	48 1/16	60	41 1/2	—	20 1/16	25.5
86N486041WKF2LW	Laminate/Wood	**3572**	48 1/16	60	41 1/2	—	20 1/16	25.5
86N486041WKF2L	Laminate	**1786**	48 1/16	60	41 1/2	—	20 1/16	25.5
86N486041WKF2LL	TFL	**1578**	48 1/16	60	41 1/2	—	20 1/16	25.5
86N487241WKF2W	Wood	**$ 4379**	48 1/16	71 15/16	41 1/2	—	20 1/16	29.5
86N487241WKF2LW	Laminate/Wood	**3799**	48 1/16	71 15/16	41 1/2	—	20 1/16	29.5
86N487241WKF2L	Laminate	**1900**	48 1/16	71 15/16	41 1/2	—	20 1/16	29.5
86N487241WKF2LL	TFL	**1679**	48 1/16	71 15/16	41 1/2	—	20 1/16	29.5
86N488441WKF2W	Wood	**$ 4561**	48 1/16	83 15/16	41 1/2	—	20 1/16	33.3
86N488441WKF2LW	Laminate/Wood	**4042**	48 1/16	83 15/16	41 1/2	—	20 1/16	33.3
86N488441WKF2L	Laminate	**2021**	48 1/16	83 15/16	41 1/2	—	20 1/16	33.3
86N488441WKF2LL	TFL	**1786**	48 1/16	83 15/16	41 1/2	—	20 1/16	33.3
86N489641WKF2W	Wood	**$ 4752**	48 1/16	95 7/8	41 1/2	—	20 1/16	37.1
86N489641WKF2LW	Laminate/Wood	**4300**	48 1/16	95 7/8	41 1/2	—	20 1/16	37.1
86N489641WKF2L	Laminate	**2150**	48 1/16	95 7/8	41 1/2	—	20 1/16	37.1
86N489641WKF2LL	TFL	**1900**	48 1/16	95 7/8	41 1/2	—	20 1/16	37.1
86N4810841WKF2W	Wood	**$ 5322**	48 1/16	107 7/8	41 1/2	—	20 1/16	41.1
86N4810841WKF2LW	Laminate/Wood	**4816**	48 1/16	107 7/8	41 1/2	—	20 1/16	41.1
86N4810841WKF2L	Laminate	**2408**	48 1/16	107 7/8	41 1/2	—	20 1/16	41.1
86N4810841WKF2LL	TFL	**2128**	48 1/16	107 7/8	41 1/2	—	20 1/16	41.1
86N4812041WKF2W	Wood	**$ 5960**	48 1/16	119 13/16	41 1/2	—	20 1/16	44.9
86N4812041WKF2LW	Laminate/Wood	**5394**	48 1/16	119 13/16	41 1/2	—	20 1/16	44.9
86N4812041WKF2L	Laminate	**2697**	48 1/16	119 13/16	41 1/2	—	20 1/16	44.9
86N4812041WKF2LL	TFL	**2384**	48 1/16	119 13/16	41 1/2	—	20 1/16	44.9

- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

To Order, Specify:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

- See pages 3a-4a for all options available in Strassa

Sample Model Numbers:

86N484841WKF2W	F	X	X	N	MC	
86N484841WKF2L	V462	X	X	MC	MC	MC
86N484841WKF2LW	V462	X	X	462	MC	

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Round Grommet (G10)	**NACG10EL**	Electrical Grommet	$ **393**	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Grommet	**63**	4¼	4¼	1⅞	—	—	1 lbs.	0.12
One Touch Pivoting Power/Data Grommet (G17)	**NACG17ELB**	Black Powder Coat	$ **284**	4¼	5¼	2½	—	—	1 lbs.	0.2
	NACG17ELS	Silver Powder Coat	**284**	4¼	5¼	2½	—	—	1 lbs.	0.2
	• Includes one power outlet and one blank voice/data port									
One Touch Pivoting Power Grommet (G172)	**NACG172ELB**	Black Powder Coat	$ **289**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELS	Silver Powder Coat	**289**	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes two power outlets									
One Touch Pivoting Power Grommet (G173)	**NACG173ELB**	Black Powder Coat	$ **296**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG173ELS	Silver Powder Coat	**296**	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes one power outlet and two charging USB ports (2.1)									
Byrne Interlink IQ System (G17)	***Interlink Starter Units***									
	NACG17ELIQB1	Black - G17	$ **354**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17ELIQS1	Silver - G17	**354**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELIQB1	Black - G172	**370**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELIQS1	Silver - G172	**370**	4¼	5¼	2½	—	—	3 lbs.	0.15
	Interlink Add-on Units									
	NACG17ELIQB	Black - G17	$ **279**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17ELIQS	Silver - G17	**279**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELIQB	Black - G172	**295**	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELIQS	Silver - G172	**295**	4¼	5¼	2½	—	—	3 lbs.	0.15
	Interlink IQ Jumper									
	NACELIQJ	Interlink IQ Jumper	$ **74**	—	60	—	—	—	3 lbs.	0.15
	• Jumper needed between each add-on unit									

NACG10EL NACG10









G17 Unit



G172 Unit

Strassa

To Order, Specify:

1. Model Number

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACG23ELB

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Power Grommet (G23)	**NACG23ELB**	Black	$ **418**	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	**418**	2½	4½	3¼	—	—	2.3 lbs.	0.2



• Includes two power outlets and two power USB ports (2.1)

Daisy Link (G23)



Plugged Starter Unit



Hardwire Starter Unit

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
	Daisy Link Starter Units									
	NACG23ELDLB1	Black - G23, Plugged	$ **476**	2½	4½	3¼	—	—	4.1 lbs.	0.4
	NACG23ELDLS1	Silver - G23, Plugged	**476**	2½	4½	3¼	—	—	4.1 lbs.	0.4
	NACG23ELDLHB1	Black - G23, Hardwire	**476**	2½	4½	3¼	—	—	3.7 lbs.	0.4
	NACG23ELDLHS1	Silver - G23, Hardwire	**476**	2½	4½	3¼	—	—	3.7 lbs.	0.4
	Daisy Link Add-on Units									
	NACG23ELDLB	Black - G23	$ **400**	2½	4½	3¼	—	—	2.3 lbs.	0.4
	NACG23ELDLS	Silver - G23	**400**	2½	4½	3¼	—	—	2.3 lbs.	0.4
	Daisy Link Jumper (60")									
	NACELDLJ	Daisy Chain Jumper	$ **100**	2½	4½	3¼	—	—	2.0 lbs.	0.4

• Jumper needed between each starter to add-on unit and between each add-on unit

Model	Page
10N120PNKL	169
10N120PNKW	169
10N144PNKL	169
10N144PNKW	169
10N1622RTPUL	261
10N1622RTPUW	261
10N1628CYBL	162
10N1628CYBW	162
10N1628SQBL	164
10N1628SQBW	164
10N1628SQBXL	163
10N1628SQBXW	163
10N168PNKL	169
10N168PNKW	169
10N1828CYBL	162
10N1828CYBW	162
10N1828PNL	167
10N1828PNW	167
10N1828SQBL	164
10N1828SQBW	164
10N1828SQBXL	163
10N1828SQBXW	163
10N1848SHGW	260
10N1850RTGK	430
10N1850RTSK	430
10N1860SHGW	260
10N1872SHGW	260
10N192PNKL	169
10N192PNKW	169
10N2142LCML	262
10N216PNKL	169
10N216PNKW	169
10N240PNKL	169
10N240PNKW	169
10N2424RDG	428
10N2424RDGK	430
10N2424RDSK	430
10N2424SQG	428
10N2424SQGK	430
10N2424SQSK	430
10N2424SSQGK	430
10N2424SSQS	131, 428
10N2424SSQSK	430
10N2427MUCL	262
10N2427MUCW	262
10N2428CYBL	162
10N2428CYBW	162
10N2428PNL	167
10N2428PNW	167
10N2428SQBL	164
10N2428SQBW	164
10N2428SQBXL	163
10N2428SQBXW	163
10N2448RTGK	430
10N2448RTSK	430
10N24RDS	129, 428
10N2712LCL	262
10N2712LCW	262
10N2746LC2L	262
10N2746LC2W	262
10N2746LCL	262
10N2746LCW	262
10N3030SSQS	131
10N30RDS	129
10N3372MBFCHB	261, 320
10N3372MBFCHN	261, 320
10N3372MBFCHS	261, 320
10N3636RDG	428
10N3636RDGK	430
10N3636RDSK	430
10N3636SQG	428
10N3636SQGK	430
10N3636SQSK	430
10N3636SSQGK	430
10N3636SSQS	131, 428
10N3636SSQSK	430
10N3661MMCM	320
10N36RDS	129, 428
10N4242SSQS	131
10N42RDS	129
10N4844MWSL	260
10N4844MWSW	260
10N4848SSQS	131
10N48RDS	129
10N5046MWML	260
10N5046MWMW	260
10N5454SSQS	131
10N54RDS	129
10N60144PNKL	171
10N60144PNKW	171
10N60168PNKL	171
10N60168PNKW	171
10N60192PNKL	171
10N60192PNKW	171
10N60216PNKL	171
10N60216PNKW	171
10N60240PNKL	171
10N60240PNKW	171
10N6044MWSL	260
10N6044MWSW	260
10N6060SSQS	131
10N60RDS	129
10N6246MWML	260
10N6246MWMW	260
10N7244MWSL	260
10N7244MWSW	260
10N72PNKL	169
10N72PNKW	169
10N7446MWML	260
10N7446MWMW	260
10N84PNKL	169
10N84PNKW	169
10N96PNKL	169
10N96PNKW	169
11N01ETP	397
11N0615WMVF	318, 381
11N0615WMVFA	318, 381
11N0615WMVL	318, 381
11N0615WMVW	318, 381
11N144EXFP1	318, 334
11N144EXFP2	318, 334
11N144EXP1	318, 334
11N1834TB	335
11N1834TBA	335
11N1836TB	336
11N1836TBA	336
11N1837TB	337
11N1837TBA	337
11N1848TB	338
11N1848TBA	338
11N1849TB	339
11N1849TBA	339
11N20WMV	396
11N20WMVF	396
11N20WMVFA	396
11N2434MB	340
11N2434MBP	340
11N2434SW	342
11N2434SWTBF	344
11N2434SWTBFA	344
11N2434SWTBP	344
11N2434SWTBPA	344
11N2434TB	335
11N2434TBA	335
11N2436MB	340
11N2436MBP	340
11N2436SW	342
11N2436SWTBF	344
11N2436SWTBFA	344
11N2436SWTBP	344
11N2436SWTBPA	344
11N2436TB	336
11N2436TBA	336
11N2437MB	340
11N2437MBP	340
11N2437SW	342
11N2437SWTBF	345
11N2437SWTBFA	345
11N2437SWTBP	345
11N2437SWTBPA	345
11N2437TB	337
11N2437TBA	337
11N2448MB	341
11N2448MBP	341
11N2448SW	342
11N2448SWTBF	345
11N2448SWTBFA	345
11N2448SWTBP	345
11N2448SWTBPA	345
11N2448TB	338
11N2448TBA	338
11N2449MB	341
11N2449MBP	341
11N2449SW	343
11N2449SWTBF	346
11N2449SWTBFA	346
11N2449SWTBP	346
11N2449SWTBPA	346
11N2449TB	339
11N2449TBA	339
11N3034MB	340
11N3034MBP	340
11N3034SW	342
11N3034SWTBF	344
11N3034SWTBFA	344
11N3034SWTBP	344
11N3034SWTBPA	344
11N3034TB	335
11N3034TBA	335
11N3036MB	340
11N3036MBP	340
11N3036SW	342
11N3036SWTBF	344
11N3036SWTBFA	344
11N3036SWTBP	344
11N3036SWTBPA	344
11N3036TB	336
11N3036TBA	336
11N3037MB	340
11N3037MBP	340
11N3037SW	342
11N3037SWTBF	345
11N3037SWTBFA	345
11N3037SWTBP	345
11N3037SWTBPA	345
11N3037TB	337
11N3037TBA	337
11N3048MB	341
11N3048MBP	341
11N3048SW	342
11N3048SWTBF	345
11N3048SWTBFA	345
11N3048SWTBP	345
11N3048SWTBPA	345
11N3048TB	338
11N3048TBA	338
11N3049MB	341
11N3049MBP	341
11N3049SW	343
11N3049SWTBF	346
11N3049SWTBFA	346
11N3049SWTBP	346
11N3049SWTBPA	346
11N3049TB	339
11N3049TBA	339
11N31WMV	396
11N31WMVF	396
11N31WMVFA	396
11N34TCF	397
11N34TCFA	397
11N34TCP	398
11N3634MB	340
11N3634MBP	340
11N3634SH1L	347
11N3634SH1LW	347
11N3634SH1W	347
11N3634SH1WL	347
11N3634SH2L	348
11N3634SH2LW	348
11N3634SH2W	348
11N3634SH2WL	348
11N3634SH3L	349
11N3634SH3LW	349
11N3634SH3W	349
11N3634SH3WL	349
11N3634SH4L	350
11N3634SH4LW	350
11N3634SH4W	350
11N3634SH4WL	350
11N3634SH6L	351
11N3634SH6LW	351
11N3634SH6W	351
11N3634SH6WL	351
11N3634SW	342
11N3634SWTBF	344
11N3634SWTBFA	344
11N3634SWTBP	344
11N3634SWTBPA	344
11N3634TB	335
11N3634TBA	335
11N3634TVF	298, 376
11N3634TVFA	298, 376
11N3634TVL	301, 379
11N3634TVW	301, 379
11N3636MB	340
11N3636MBP	340
11N3636SH1L	352
11N3636SH1LW	352
11N3636SH1W	352
11N3636SH1WL	352
11N3636SH2L	353
11N3636SH2LW	353
11N3636SH2W	353
11N3636SH2WL	353
11N3636SH3L	354
11N3636SH3LW	354
11N3636SH3W	354
11N3636SH3WL	354
11N3636SH4L	355
11N3636SH4LW	355
11N3636SH4W	355
11N3636SH4WL	355
11N3636SH6L	356
11N3636SH6LW	356
11N3636SH6W	356
11N3636SH6WL	356
11N3636SW	342
11N3636SWTBF	344
11N3636SWTBFA	344
11N3636SWTBP	344
11N3636SWTBPA	344
11N3636TB	336
11N3636TBA	336
11N3636TVF	298, 376
11N3636TVFA	298, 376
11N3636TVL	301, 379

Index

Model	Page
11N3636TVW	301, 379
11N3637MB	340
11N3637MBP	340
11N3637SH1L	357
11N3637SH1LW	357
11N3637SH1W	357
11N3637SH1WL	357
11N3637SH2L	358
11N3637SH2LW	358
11N3637SH2W	358
11N3637SH2WL	358
11N3637SH3L	359
11N3637SH3LW	359
11N3637SH3W	359
11N3637SH3WL	359
11N3637SH4L	360
11N3637SH4LW	360
11N3637SH4W	360
11N3637SH4WL	360
11N3637SH6L	361
11N3637SH6LW	361
11N3637SH6W	361
11N3637SH6WL	361
11N3637SW	342
11N3637SWTBF	345
11N3637SWTBFA	345
11N3637SWTBP	345
11N3637SWTBPA	345
11N3637TB	337
11N3637TBA	337
11N3637TVF	299, 377
11N3637TVFA	299, 377
11N3637TVL	302, 380
11N3637TVW	302, 380
11N3648MB	341
11N3648MBP	341
11N3648SH1L	362
11N3648SH1LW	362
11N3648SH1W	362
11N3648SH1WL	362
11N3648SH2L	363
11N3648SH2LW	363
11N3648SH2W	363
11N3648SH2WL	363
11N3648SH3L	364
11N3648SH3LW	364
11N3648SH3W	364
11N3648SH3WL	364
11N3648SH4L	365
11N3648SH4LW	365
11N3648SH4W	365
11N3648SH4WL	365
11N3648SH5L	366
11N3648SH5LW	366
11N3648SH5W	366
11N3648SH5WL	366
11N3648SH6L	367
11N3648SH6LW	367
11N3648SH6W	367
11N3648SH6WL	367
11N3648SH7L	368
11N3648SH7LW	368
11N3648SH7W	368
11N3648SH7WL	368
11N3648SW	342
11N3648SWTBF	345
11N3648SWTBFA	345
11N3648SWTBP	345
11N3648SWTBPA	345
11N3648TB	338
11N3648TBA	338
11N3648TVF	299, 377
11N3648TVFA	299, 377
11N3648TVL	302, 380
11N3648TVW	302, 380
11N3649MB	341
11N3649MBP	341
11N3649SH1L	369
11N3649SH1LW	369
11N3649SH1W	369
11N3649SH1WL	369
11N3649SH2L	370
11N3649SH2LW	370
11N3649SH2W	370
11N3649SH2WL	370
11N3649SH3L	371
11N3649SH3LW	371
11N3649SH3W	371
11N3649SH3WL	371
11N3649SH4L	372
11N3649SH4LW	372
11N3649SH4W	372
11N3649SH4WL	372
11N3649SH5L	373
11N3649SH5LW	373
11N3649SH5W	373
11N3649SH5WL	373
11N3649SH6L	374
11N3649SH6LW	374
11N3649SH6W	374
11N3649SH6WL	374
11N3649SH7L	375
11N3649SH7LW	375
11N3649SH7W	375
11N3649SH7WL	375
11N3649SW	343
11N3649SWTBF	346
11N3649SWTBFA	346
11N3649SWTBP	346
11N3649SWTBPA	346
11N3649TB	339
11N3649TBA	339
11N3649TVF	300, 378
11N3649TVFA	300, 378
11N3649TVL	303, 381
11N3649TVW	303, 381
11N36TCF	397
11N36TCFA	397
11N36TCP	398
11N37ETP	396
11N37TCF	397
11N37TCFA	397
11N37TCP	398
11N39ETP	396
11N40ETP	396
11N4234MB	340
11N4234MBP	340
11N4234SH1L	347
11N4234SH1LW	347
11N4234SH1W	347
11N4234SH1WL	347
11N4234SH2L	348
11N4234SH2LW	348
11N4234SH2W	348
11N4234SH2WL	348
11N4234SH3L	349
11N4234SH3LW	349
11N4234SH3W	349
11N4234SH3WL	349
11N4234SH4L	350
11N4234SH4LW	350
11N4234SH4W	350
11N4234SH4WL	350
11N4234SH6L	351
11N4234SH6LW	351
11N4234SH6W	351
11N4234SH6WL	351
11N4234SW	342
11N4234SWTBF	344
11N4234SWTBFA	344
11N4234SWTBP	344
11N4234SWTBPA	344
11N4234TB	335
11N4234TBA	335
11N4234TVF	298, 376
11N4234TVFA	298, 376
11N4234TVL	301, 379
11N4234TVW	301, 379
11N4236MB	340
11N4236MBP	340
11N4236SH1L	352
11N4236SH1LW	352
11N4236SH1W	352
11N4236SH1WL	352
11N4236SH2L	353
11N4236SH2LW	353
11N4236SH2W	353
11N4236SH2WL	353
11N4236SH3L	354
11N4236SH3LW	354
11N4236SH3W	354
11N4236SH3WL	354
11N4236SH4L	355
11N4236SH4LW	355
11N4236SH4W	355
11N4236SH4WL	355
11N4236SH6L	356
11N4236SH6LW	356
11N4236SH6W	356
11N4236SH6WL	356
11N4236SW	342
11N4236SWTBF	344
11N4236SWTBFA	344
11N4236SWTBP	344
11N4236SWTBPA	344
11N4236TB	336
11N4236TBA	336
11N4236TVF	298, 376
11N4236TVFA	298, 376
11N4236TVL	301, 379
11N4236TVW	301, 379
11N4237MB	340
11N4237MBP	340
11N4237SH1L	357
11N4237SH1LW	357
11N4237SH1W	357
11N4237SH1WL	357
11N4237SH2L	358
11N4237SH2LW	358
11N4237SH2W	358
11N4237SH2WL	358
11N4237SH3L	359
11N4237SH3LW	359
11N4237SH3W	359
11N4237SH3WL	359
11N4237SH4L	360
11N4237SH4LW	360
11N4237SH4W	360
11N4237SH4WL	360
11N4237SH6L	361
11N4237SH6LW	361
11N4237SH6W	361
11N4237SH6WL	361
11N4237SW	342
11N4237SWTBF	345
11N4237SWTBFA	345
11N4237SWTBP	345
11N4237SWTBPA	345
11N4237TB	337
11N4237TBA	337
11N4237TVF	299, 377
11N4237TVFA	299, 377
11N4237TVL	302, 380
11N4237TVW	302, 380
11N4248MB	341
11N4248MBP	341
11N4248SH1L	362
11N4248SH1LW	362
11N4248SH1W	362
11N4248SH1WL	362
11N4248SH2L	363
11N4248SH2LW	363
11N4248SH2W	363
11N4248SH2WL	363
11N4248SH3L	364
11N4248SH3LW	364
11N4248SH3W	364
11N4248SH3WL	364
11N4248SH4L	365
11N4248SH4LW	365
11N4248SH4W	365
11N4248SH4WL	365
11N4248SH5L	366
11N4248SH5LW	366
11N4248SH5W	366
11N4248SH5WL	366
11N4248SH6L	367
11N4248SH6LW	367
11N4248SH6W	367
11N4248SH6WL	367
11N4248SH7L	368
11N4248SH7LW	368
11N4248SH7W	368
11N4248SH7WL	368
11N4248SW	342
11N4248SWTBF	345
11N4248SWTBFA	345
11N4248SWTBP	345
11N4248SWTBPA	345
11N4248TB	338
11N4248TBA	338
11N4248TVF	299, 377
11N4248TVFA	299, 377
11N4248TVL	302, 380
11N4248TVW	302, 380
11N4249MB	341
11N4249MBP	341
11N4249SH1L	369
11N4249SH1LW	369
11N4249SH1W	369
11N4249SH1WL	369
11N4249SH2L	370
11N4249SH2LW	370
11N4249SH2W	370
11N4249SH2WL	370
11N4249SH3L	371
11N4249SH3LW	371
11N4249SH3W	371
11N4249SH3WL	371
11N4249SH4L	372
11N4249SH4LW	372
11N4249SH4W	372
11N4249SH4WL	372
11N4249SH5L	373
11N4249SH5LW	373
11N4249SH5W	373
11N4249SH5WL	373
11N4249SH6L	374
11N4249SH6LW	374
11N4249SH6W	374
11N4249SH6WL	374
11N4249SH7L	375
11N4249SH7LW	375
11N4249SH7W	375
11N4249SH7WL	375
11N4249SW	343

Model	Page
11N4249SWTBF	346
11N4249SWTBFA	346
11N4249SWTBP	346
11N4249SWTBPA	346
11N4249TB	339
11N4249TBA	339
11N4249TVF	300, 378
11N4249TVFA	300, 378
11N4249TVL	303, 381
11N4249TVW	303, 381
11N4834MB	340
11N4834MBP	340
11N4834SH1L	347
11N4834SH1LW	347
11N4834SH1W	347
11N4834SH1WL	347
11N4834SH2L	348
11N4834SH2LW	348
11N4834SH2W	348
11N4834SH2WL	348
11N4834SH3L	349
11N4834SH3LW	349
11N4834SH3W	349
11N4834SH3WL	349
11N4834SH4L	350
11N4834SH4LW	350
11N4834SH4W	350
11N4834SH4WL	350
11N4834SH6L	351
11N4834SH6LW	351
11N4834SH6W	351
11N4834SH6WL	351
11N4834SW	342
11N4834SWTBF	344
11N4834SWTBFA	344
11N4834SWTBP	344
11N4834SWTBPA	344
11N4834TB	335
11N4834TBA	335
11N4834TVF	298, 376
11N4834TVFA	298, 376
11N4834TVL	301, 379
11N4834TVW	301, 379
11N4836MB	340
11N4836MBP	340
11N4836SH1L	352
11N4836SH1LW	352
11N4836SH1W	352
11N4836SH1WL	352
11N4836SH2L	353
11N4836SH2LW	353
11N4836SH2W	353
11N4836SH2WL	353
11N4836SH3L	354
11N4836SH3LW	354
11N4836SH3W	354
11N4836SH3WL	354
11N4836SH4L	355
11N4836SH4LW	355
11N4836SH4W	355
11N4836SH4WL	355
11N4836SH6L	356
11N4836SH6LW	356
11N4836SH6W	356
11N4836SH6WL	356
11N4836SW	342
11N4836SWTBF	344
11N4836SWTBFA	344
11N4836SWTBP	344
11N4836SWTBPA	344
11N4836TB	336
11N4836TBA	336
11N4836TVF	298, 376
11N4836TVFA	298, 376
11N4836TVL	301, 379
11N4836TVW	301, 379
11N4837MB	340
11N4837MBP	340
11N4837SH1L	357
11N4837SH1LW	357
11N4837SH1W	357
11N4837SH1WL	357
11N4837SH2L	358
11N4837SH2LW	358
11N4837SH2W	358
11N4837SH2WL	358
11N4837SH3L	359
11N4837SH3LW	359
11N4837SH3W	359
11N4837SH3WL	359
11N4837SH4L	360
11N4837SH4LW	360
11N4837SH4W	360
11N4837SH4WL	360
11N4837SH6L	361
11N4837SH6LW	361
11N4837SH6W	361
11N4837SH6WL	361
11N4837SW	342
11N4837SWTBF	345
11N4837SWTBFA	345
11N4837SWTBP	345
11N4837SWTBPA	345
11N4837TB	337
11N4837TBA	337
11N4837TVF	299, 377
11N4837TVFA	299, 377
11N4837TVL	302, 380
11N4837TVW	302, 380
11N4848MB	341
11N4848MBP	341
11N4848SH1L	362
11N4848SH1LW	362
11N4848SH1W	362
11N4848SH1WL	362
11N4848SH2L	363
11N4848SH2LW	363
11N4848SH2W	363
11N4848SH2WL	363
11N4848SH3L	364
11N4848SH3LW	364
11N4848SH3W	364
11N4848SH3WL	364
11N4848SH4L	365
11N4848SH4LW	365
11N4848SH4W	365
11N4848SH4WL	365
11N4848SH5L	366
11N4848SH5LW	366
11N4848SH5W	366
11N4848SH5WL	366
11N4848SH6L	367
11N4848SH6LW	367
11N4848SH6W	367
11N4848SH6WL	367
11N4848SH7L	368
11N4848SH7LW	368
11N4848SH7W	368
11N4848SH7WL	368
11N4848SW	342
11N4848SWTBF	345
11N4848SWTBFA	345
11N4848SWTBP	345
11N4848SWTBPA	345
11N4848TB	338
11N4848TBA	338
11N4848TVF	299, 377
11N4848TVFA	299, 377
11N4848TVL	302, 380
11N4848TVW	302, 380
11N4849MB	341
11N4849MBP	341
11N4849SH1L	369
11N4849SH1LW	369
11N4849SH1W	369
11N4849SH1WL	369
11N4849SH2L	370
11N4849SH2LW	370
11N4849SH2W	370
11N4849SH2WL	370
11N4849SH3L	371
11N4849SH3LW	371
11N4849SH3W	371
11N4849SH3WL	371
11N4849SH4L	372
11N4849SH4LW	372
11N4849SH4W	372
11N4849SH4WL	372
11N4849SH5L	373
11N4849SH5LW	373
11N4849SH5W	373
11N4849SH5WL	373
11N4849SH6L	374
11N4849SH6LW	374
11N4849SH6W	374
11N4849SH6WL	374
11N4849SH7L	375
11N4849SH7LW	375
11N4849SH7W	375
11N4849SH7WL	375
11N4849SW	343
11N4849SWTBF	346
11N4849SWTBFA	346
11N4849SWTBP	346
11N4849SWTBPA	346
11N4849TB	339
11N4849TBA	339
11N4849TVF	300, 378
11N4849TVFA	300, 378
11N4849TVL	303, 381
11N4849TVW	303, 381
11N48TCF	397
11N48TCFA	397
11N48TCP	398
11N49TCF	397
11N49TCFA	397
11N49TCP	398
11N51ETP	396
11N52ETP	396
11N5434MB	340
11N5434MBP	340
11N5434SH1L	347
11N5434SH1LW	347
11N5434SH1W	347
11N5434SH1WL	347
11N5434SH2L	348
11N5434SH2LW	348
11N5434SH2W	348
11N5434SH2WL	348
11N5434SH3L	349
11N5434SH3LW	349
11N5434SH3W	349
11N5434SH3WL	349
11N5434SH4L	350
11N5434SH4LW	350
11N5434SH4W	350
11N5434SH4WL	350
11N5434SH6L	351
11N5434SH6LW	351
11N5434SH6W	351
11N5434SH6WL	351
11N5434TB	335
11N5434TBA	335
11N5434TVF	298, 376
11N5434TVFA	298, 376
11N5434TVL	301, 379
11N5434TVW	301, 379
11N5436MB	340
11N5436MBP	340
11N5436SH1L	352
11N5436SH1LW	352
11N5436SH1W	352
11N5436SH1WL	352
11N5436SH2L	353
11N5436SH2LW	353
11N5436SH2W	353
11N5436SH2WL	353
11N5436SH3L	354
11N5436SH3LW	354
11N5436SH3W	354
11N5436SH3WL	354
11N5436SH4L	355
11N5436SH4LW	355
11N5436SH4W	355
11N5436SH4WL	355
11N5436SH6L	356
11N5436SH6LW	356
11N5436SH6W	356
11N5436SH6WL	356
11N5436TB	336
11N5436TBA	336
11N5436TVF	298, 376
11N5436TVFA	298, 376
11N5436TVL	301, 379
11N5436TVW	301, 379
11N5437MB	340
11N5437MBP	340
11N5437SH1L	357
11N5437SH1LW	357
11N5437SH1W	357
11N5437SH1WL	357
11N5437SH2L	358
11N5437SH2LW	358
11N5437SH2W	358
11N5437SH2WL	358
11N5437SH3L	359
11N5437SH3LW	359
11N5437SH3W	359
11N5437SH3WL	359
11N5437SH4L	360
11N5437SH4LW	360
11N5437SH4W	360
11N5437SH4WL	360
11N5437SH6L	361
11N5437SH6LW	361
11N5437SH6W	361
11N5437SH6WL	361
11N5437TB	337
11N5437TBA	337
11N5437TVF	299, 377
11N5437TVFA	299, 377
11N5437TVL	302, 380
11N5437TVW	302, 380
11N5448MB	341
11N5448MBP	341
11N5448SH1L	362
11N5448SH1LW	362
11N5448SH1W	362
11N5448SH1WL	362
11N5448SH2L	363
11N5448SH2LW	363
11N5448SH2W	363
11N5448SH2WL	363
11N5448SH3L	364
11N5448SH3LW	364
11N5448SH3W	364

Index

Model	Page
11N5448SH3WL	364
11N5448SH4L	365
11N5448SH4LW	365
11N5448SH4W	365
11N5448SH4WL	365
11N5448SH5L	366
11N5448SH5LW	366
11N5448SH5W	366
11N5448SH5WL	366
11N5448SH6L	367
11N5448SH6LW	367
11N5448SH6W	367
11N5448SH6WL	367
11N5448SH7L	368
11N5448SH7LW	368
11N5448SH7W	368
11N5448SH7WL	368
11N5448TB	338
11N5448TBA	338
11N5448TVF	299, 377
11N5448TVFA	299, 377
11N5448TVL	302, 380
11N5448TVW	302, 380
11N5449MB	341
11N5449MBP	341
11N5449SH1L	369
11N5449SH1LW	369
11N5449SH1W	369
11N5449SH1WL	369
11N5449SH2L	370
11N5449SH2LW	370
11N5449SH2W	370
11N5449SH2WL	370
11N5449SH3L	371
11N5449SH3LW	371
11N5449SH3W	371
11N5449SH3WL	371
11N5449SH4L	372
11N5449SH4LW	372
11N5449SH4W	372
11N5449SH4WL	372
11N5449SH5L	373
11N5449SH5LW	373
11N5449SH5W	373
11N5449SH5WL	373
11N5449SH6L	374
11N5449SH6LW	374
11N5449SH6W	374
11N5449SH6WL	374
11N5449SH7L	375
11N5449SH7LW	375
11N5449SH7W	375
11N5449SH7WL	375
11N5449TB	339
11N5449TBA	339
11N5449TVF	300, 378
11N5449TVFA	300, 378
11N5449TVL	303, 381
11N5449TVW	303, 381
11N6034MB	340
11N6034MBP	340
11N6034SH1L	347
11N6034SH1LW	347
11N6034SH1W	347
11N6034SH1WL	347
11N6034SH2L	348
11N6034SH2LW	348
11N6034SH2W	348
11N6034SH2WL	348
11N6034SH3L	349
11N6034SH3LW	349
11N6034SH3W	349
11N6034SH3WL	349
11N6034SH4L	350
11N6034SH4LW	350
11N6034SH4W	350
11N6034SH4WL	350
11N6034SH6L	351
11N6034SH6LW	351
11N6034SH6W	351
11N6034SH6WL	351
11N6034TB	335
11N6034TBA	335
11N6034TVF	298, 376
11N6034TVFA	298, 376
11N6034TVL	301, 379
11N6034TVW	301, 379
11N6036MB	340
11N6036MBP	340
11N6036SH1L	352
11N6036SH1LW	352
11N6036SH1W	352
11N6036SH1WL	352
11N6036SH2L	353
11N6036SH2LW	353
11N6036SH2W	353
11N6036SH2WL	353
11N6036SH3L	354
11N6036SH3LW	354
11N6036SH3W	354
11N6036SH3WL	354
11N6036SH4L	355
11N6036SH4LW	355
11N6036SH4W	355
11N6036SH4WL	355
11N6036SH6L	356
11N6036SH6LW	356
11N6036SH6W	356
11N6036SH6WL	356
11N6036TB	336
11N6036TBA	336
11N6036TVF	298, 376
11N6036TVFA	298, 376
11N6036TVL	301, 379
11N6036TVW	301, 379
11N6037MB	340
11N6037MBP	340
11N6037SH1L	357
11N6037SH1LW	357
11N6037SH1W	357
11N6037SH1WL	357
11N6037SH2L	358
11N6037SH2LW	358
11N6037SH2W	358
11N6037SH2WL	358
11N6037SH3L	359
11N6037SH3LW	359
11N6037SH3W	359
11N6037SH3WL	359
11N6037SH4L	360
11N6037SH4LW	360
11N6037SH4W	360
11N6037SH4WL	360
11N6037SH6L	361
11N6037SH6LW	361
11N6037SH6W	361
11N6037SH6WL	361
11N6037TB	337
11N6037TBA	337
11N6037TVF	299, 377
11N6037TVFA	299, 377
11N6037TVL	302, 380
11N6037TVW	302, 380
11N6048MB	341
11N6048MBP	341
11N6048SH1L	362
11N6048SH1LW	362
11N6048SH1W	362
11N6048SH1WL	362
11N6048SH2L	363
11N6048SH2LW	363
11N6048SH2W	363
11N6048SH2WL	363
11N6048SH3L	364
11N6048SH3LW	364
11N6048SH3W	364
11N6048SH3WL	364
11N6048SH4L	365
11N6048SH4LW	365
11N6048SH4W	365
11N6048SH4WL	365
11N6048SH5L	366
11N6048SH5LW	366
11N6048SH5W	366
11N6048SH5WL	366
11N6048SH6L	367
11N6048SH6LW	367
11N6048SH6W	367
11N6048SH6WL	367
11N6048SH7L	368
11N6048SH7LW	368
11N6048SH7W	368
11N6048SH7WL	368
11N6048TB	338
11N6048TBA	338
11N6048TVF	299, 377
11N6048TVFA	299, 377
11N6048TVL	302, 380
11N6048TVW	302, 380
11N6049MB	341
11N6049MBP	341
11N6049SH1L	369
11N6049SH1LW	369
11N6049SH1W	369
11N6049SH1WL	369
11N6049SH2L	370
11N6049SH2LW	370
11N6049SH2W	370
11N6049SH2WL	370
11N6049SH3L	371
11N6049SH3LW	371
11N6049SH3W	371
11N6049SH3WL	371
11N6049SH4L	372
11N6049SH4LW	372
11N6049SH4W	372
11N6049SH4WL	372
11N6049SH5L	373
11N6049SH5LW	373
11N6049SH5W	373
11N6049SH5WL	373
11N6049SH6L	374
11N6049SH6LW	374
11N6049SH6W	374
11N6049SH6WL	374
11N6049SH7L	375
11N6049SH7LW	375
11N6049SH7W	375
11N6049SH7WL	375
11N6049TB	339
11N6049TBA	339
11N6049TVF	300, 378
11N6049TVFA	300, 378
11N6049TVL	283, 303, 381
11N6049TVW	303, 381
11N72EXFP1	318, 334
11N72EXFP2	318, 334
11N72EXP1	318, 334
11NBRS	399
11NCPFSL	399
11NCPFSW	399
15N4828TPBP	297
15N4828TPOBP	317, 395
15N4840TPBP	296
15N4840TPOBP	316, 394
15N4848SQDL	304, 382
15N4848SQDLK	304, 382
15N4848SQDW	304, 382
15N4848SQDWK	304, 382
15N4848SQL	286
15N4848SQLK	286
15N4848SQW	286
15N4848SQWK	286
15N4848UDL	312, 390
15N4848UDLK	314, 392
15N4848UDW	312, 390
15N4848UDWK	314, 392
15N4848UL	292
15N4848ULK	294
15N4848UW	292
15N4848UWK	294
15N4848WGDL	308, 386
15N4848WGDLK	310, 388
15N4848WGDW	308, 386
15N4848WGDWK	310, 388
15N4848WGL	288
15N4848WGLK	290
15N4848WGW	288
15N4848WGWK	290
15N4854RTDL	305, 383
15N4854RTDLK	306, 384
15N4854RTDW	305, 383
15N4854RTDWK	306, 384
15N4854RTL	287
15N4854RTLK	287
15N4854RTW	287
15N4854RTWK	287
15N4854UDL	312, 390
15N4854UDLK	314, 392
15N4854UDW	312, 390
15N4854UDWK	314, 392
15N4854UL	292
15N4854ULK	294
15N4854UW	292
15N4854UWK	294
15N4854WGDL	308, 386
15N4854WGDLK	310, 388
15N4854WGDW	308, 386
15N4854WGDWK	310, 388
15N4854WGL	288
15N4854WGLK	290
15N4854WGW	288
15N4854WGWK	290
15N4860RTDL	305, 383
15N4860RTDLK	306, 384
15N4860RTDW	305, 383
15N4860RTDWK	306, 384
15N4860RTL	282, 287
15N4860RTLK	287
15N4860RTW	287
15N4860RTWK	287
15N4860UDL	312, 390
15N4860UDLK	314, 392
15N4860UDW	312, 390
15N4860UDWK	314, 392
15N4860UL	292
15N4860ULK	294
15N4860UW	292
15N4860UWK	294
15N4860WGDL	308, 386
15N4860WGDLK	310, 388
15N4860WGDW	308, 386
15N4860WGDWK	310, 388
15N4860WGL	288
15N4860WGLK	290
15N4860WGW	288

Model	Page
15N4860WGWK	290
15N4866RTDL	305, 383
15N4866RTDLK	306, 384
15N4866RTDW	305, 383
15N4866RTDWK	306, 384
15N4866UDL	312, 390
15N4866UDLK	314, 392
15N4866UDW	312, 390
15N4866UDWK	314, 392
15N4866UL	292
15N4866ULK	294
15N4866UW	292
15N4866UWK	294
15N4866WGDL	308, 386
15N4866WGDLK	310, 388
15N4866WGDW	308, 386
15N4866WGDWK	310, 388
15N4866WGL	288
15N4866WGLK	281, 290
15N4866WGW	288
15N4866WGWK	290
15N4867MWT1L	284
15N4867MWT1MBL	284
15N4867MWT1MBW	284
15N4867MWT1W	284
15N4867MWT2L	285
15N4867MWT2W	285
15N4872RTDL	305, 383
15N4872RTDLK	307, 385
15N4872RTDW	305, 383
15N4872RTDWK	307, 385
15N4872UDL	312, 390
15N4872UDLK	314, 392
15N4872UDW	312, 390
15N4872UDWK	314, 392
15N4872UL	292
15N4872ULK	294
15N4872UW	292
15N4872UWK	294
15N4872WGDL	308, 386
15N4872WGDLK	310, 388
15N4872WGDW	308, 386
15N4872WGDWK	310, 388
15N4872WGL	288
15N4872WGLK	290
15N4872WGW	288
15N4872WGWK	290
15N4878RTDL	305, 383
15N4878RTDLK	307, 385
15N4878RTDW	305, 383
15N4878RTDWK	307, 385
15N4878UDL	312, 390
15N4878UDLK	314, 392
15N4878UDW	312, 390
15N4878UDWK	314, 392
15N4878WGDL	308, 386
15N4878WGDLK	310, 388
15N4878WGDW	308, 386
15N4878WGDWK	310, 388
15N4878WGL	288
15N4878WGLK	290
15N4878WGW	288
15N4878WGWK	290
15N4879MWT1L	282, 284
15N4879MWT1MBL	284
15N4879MWT1MBW	284
15N4879MWT1W	284
15N4879MWT2L	285
15N4879MWT2W	285
15N4879MWTIMBL	281
15N4884RTDL	305, 383
15N4884RTDLK	307, 385
15N4884RTDW	305, 383
15N4884RTDWK	307, 385
15N4884UDL	312, 390
15N4884UDLK	314, 392
15N4884UDW	312, 390
15N4884UDWK	314, 392
15N4884WGDL	308, 386
15N4884WGDLK	310, 388
15N4884WGDW	308, 386
15N4884WGDWK	310, 388
15N4884WGL	288
15N4884WGLK	290
15N4884WGW	288
15N4884WGWK	290
15N5428TPBP	297
15N5428TPOBP	317, 395
15N5440TPBP	296
15N5440TPOBP	316, 394
15N6028TPBP	297
15N6028TPOBP	283, 317, 395
15N6040TPBP	282, 296
15N6040TPOBP	316, 394
15N6048RTDL	305, 383
15N6048RTDLK	307, 385
15N6048RTDW	305, 383
15N6048RTDWK	307, 385
15N6048RTL	287
15N6048RTLK	287
15N6048RTW	287
15N6048RTWK	287
15N6048UDL	313, 391
15N6048UDLK	315, 393
15N6048UDW	313, 391
15N6048UDWK	315, 393
15N6048UL	293
15N6048ULK	295
15N6048UW	293
15N6048UWK	295
15N6048WGDL	309, 387
15N6048WGDLK	311, 389
15N6048WGDW	309, 387
15N6048WGDWK	311, 389
15N6048WGL	289
15N6048WGLK	291
15N6048WGW	289
15N6048WGWK	291
15N6054RTDL	305, 383
15N6054RTDLK	307, 385
15N6054RTDW	305, 383
15N6054RTDWK	307, 385
15N6054RTL	287
15N6054RTLK	287
15N6054RTW	287
15N6054RTWK	287
15N6054UDL	313, 391
15N6054UDLK	315, 393
15N6054UDW	313, 391
15N6054UDWK	315, 393
15N6054UL	293
15N6054ULK	295
15N6054UW	293
15N6054UWK	295
15N6054WGDL	309, 387
15N6054WGDLK	311, 389
15N6054WGDW	309, 387
15N6054WGDWK	311, 389
15N6054WGL	289
15N6054WGLK	291
15N6054WGW	289
15N6054WGWK	291
15N6060SQDL	304, 382
15N6060SQDLK	304, 382
15N6060SQDW	304, 382
15N6060SQDWK	304, 382
15N6060SQL	286
15N6060SQLK	286
15N6060SQW	286
15N6060SQWK	286
15N6060UDL	313, 391
15N6060UDLK	315, 393
15N6060UDW	313, 391
15N6060UDWK	315, 393
15N6060UL	293
15N6060ULK	295
15N6060UW	293
15N6060UWK	295
15N6060WGDL	309, 387
15N6060WGDLK	283, 311, 389
15N6060WGDW	309, 387
15N6060WGDWK	311, 389
15N6060WGL	289
15N6060WGLK	291
15N6060WGW	289
15N6060WGWK	291
15N6066RTDL	306, 384
15N6066RTDLK	307, 385
15N6066RTDW	306, 384
15N6066RTDWK	307, 385
15N6066UDL	313, 391
15N6066UDLK	315, 393
15N6066UDW	313, 391
15N6066UDWK	315, 393
15N6066UL	293
15N6066ULK	295
15N6066UW	293
15N6066UWK	295
15N6066WGDL	309, 387
15N6066WGDLK	311, 389
15N6066WGDW	309, 387
15N6066WGDWK	311, 389
15N6066WGL	289
15N6066WGLK	291
15N6066WGW	289
15N6066WGWK	291
15N6067MWT1L	284
15N6067MWT1MBL	284
15N6067MWT1MBW	284
15N6067MWT1W	284
15N6067MWT2L	280, 285
15N6067MWT2W	285
15N6072RTDL	306, 384
15N6072RTDLK	307, 385
15N6072RTDW	306, 384
15N6072RTDWK	307, 385
15N6072UDL	313, 391
15N6072UDLK	315, 393
15N6072UDW	313, 391
15N6072UDWK	315, 393
15N6072UL	293
15N6072ULK	295
15N6072UW	293
15N6072UWK	295
15N6072WGDL	309, 387
15N6072WGDLK	311, 389
15N6072WGDW	309, 387
15N6072WGDWK	311, 389
15N6072WGL	289
15N6072WGLK	280, 291
15N6072WGW	289
15N6072WGWK	291
15N6078RTDL	306, 384
15N6078RTDLK	307, 385
15N6078RTDW	306, 384
15N6078RTDWK	307, 385
15N6078UDL	313, 391
15N6078UDLK	315, 393
15N6078UDW	313, 391
15N6078UDWK	315, 393
15N6078WGDL	309, 387
15N6078WGDLK	311, 389
15N6078WGDW	309, 387
15N6078WGDWK	311, 389
15N6078WGL	289
15N6078WGLK	291
15N6078WGW	289
15N6078WGWK	291
15N6079MWT1L	284
15N6079MWT1MBL	284
15N6079MWT1MBW	284
15N6079MWT1W	284
15N6079MWT2L	285
15N6079MWT2W	285
15N6084RTDL	306, 384
15N6084RTDLK	307, 385
15N6084RTDW	306, 384
15N6084RTDWK	307, 385
15N6084UDL	313, 391
15N6084UDLK	315, 393
15N6084UDW	313, 391
15N6084UDWK	315, 393
15N6084WGDL	309, 387
15N6084WGDLK	311, 389
15N6084WGDW	309, 387
15N6084WGDWK	311, 389
15N6084WGL	289
15N6084WGLK	291
15N6084WGW	289
15N6084WGWK	291
15N6628TPBP	297
15N6628TPOBP	317, 395
15N6640TPBP	281, 296
15N6640TPOBP	316, 394
15N7228TPBP	280, 297
15N7228TPOBP	317, 395
15N7240TPBP	296
15N7240TPOBP	316, 394
15N7828TPBP	297
15N7828TPOBP	317, 395
15N7840TPOBP	316, 394
15N8428TPBP	297
15N8428TPOBP	317, 395
15N8440TPOBP	316, 394
15NTVMAS	320
19N2436PFHLW	254
19N2436PFHW	254
19N2467CSFLW2	254
19N2467CSFW2	254
19N2472CSFLW2	254
19N2472CSFW2	254
19N42RDLW	118
19N42RDW	118
21N2430PTL	242
21N3030SQL	55
21N3636SQL	55
21N4242SQL	55
21N4848SQL	55
25N120PNKL	168
25N120PNKW	168
25N144PNKL	168
25N144PNKW	168
25N1628SQBL	164
25N1628SQBW	164
25N1628SQBXL	163
25N1628SQBXW	163
25N168PNKL	168
25N168PNKW	168
25N1828PNL	166
25N1828PNW	166
25N1828SQBL	164
25N1828SQBW	164
25N1828SQBXL	163
25N1828SQBXW	163
25N192PNKL	168
25N192PNKW	168

Index

Model	Page
25N216PNKL	168
25N216PNKW	168
25N240PNKL	168
25N240PNKW	168
25N2424ENL	413
25N2424ENW	413
25N2428PNL	166
25N2428PNW	166
25N2428SQBL	164
25N2428SQBW	164
25N2428SQBXL	163
25N2428SQBXW	163
25N2430WSSVL	227
25N2430WSSVLW	227
25N2430WSSVW	227
25N2436WSSVL	227
25N2436WSSVLW	227
25N2436WSSVW	227
25N2448MGL	413
25N2448MGW	413
25N2472CBL	250
25N2472CBLW	250
25N2472CBVL	249
25N2472CBVLW	249
25N2472CBVW	249
25N2472CBW	250
25N2630WSSVLK1	227
25N2630WSSVLWK1	227
25N2630WSSVWK1	227
25N2636WSSVLK1	227
25N2636WSSVLWK1	227
25N2636WSSVWK1	227
25N2672CBLK1	250
25N2672CBLWK1	250
25N2672CBVLK1	249
25N2672CBVLWK1	249
25N2672CBVWK1	249
25N2672CBWK1	250
25N3030SQL	93
25N3030SQLK	95
25N3030SQLW	93
25N3030SQLWK	95
25N3030SQW	93
25N3030SQWK	95
25N30RDL	89
25N30RDLK	91
25N30RDLW	89
25N30RDLWK	91
25N30RDW	89
25N30RDWK	91
25N3636MGL	413
25N3636MGW	413
25N3636SQL	93
25N3636SQLK	95
25N3636SQLW	93
25N3636SQLWK	95
25N3636SQW	93
25N3636SQWK	95
25N3660WSCELL2	224
25N3660WSCELL2K1	224
25N3660WSCELLW2	224
25N3660WSCELLW2K1	224
25N3660WSCELW2	224
25N3660WSCELW2K1	224
25N3660WSCERL2	224
25N3660WSCERL2K1	224
25N3660WSCERLW2	224
25N3660WSCERLW2K1	224
25N3660WSCERW2	224
25N3660WSCERW2K1	224
25N3666WSCELL2	224
25N3666WSCELL2K1	224
25N3666WSCELLW2	224
25N3666WSCELLW2K1	224
25N3666WSCELW2	224
25N3666WSCELW2K1	224
25N3666WSCERL2	224
25N3666WSCERL2K1	224
25N3666WSCERLW2	224
25N3666WSCERLW2K1	224
25N3666WSCERW2	224
25N3666WSCERW2K1	224
25N3672WSCELL2	224
25N3672WSCELL2K1	224
25N3672WSCELLW2	224
25N3672WSCELLW2K1	224
25N3672WSCELW2	224
25N3672WSCELW2K1	224
25N3672WSCERL2	224
25N3672WSCERL2K1	224
25N3672WSCERLW2	224
25N3672WSCERLW2K1	224
25N3672WSCERW2	224
25N3672WSCERW2K1	224
25N36RDL	89
25N36RDLK	91
25N36RDLW	89
25N36RDLWK	91
25N36RDW	89
25N36RDWK	91
25N3860WSCELL2K2	225
25N3860WSCELLW2K2	225
25N3860WSCELW2K2	225
25N3860WSCERL2K2	225
25N3860WSCERLW2K2	225
25N3860WSCERW2K2	225
25N3866WSCELL2K2	225
25N3866WSCELLW2K2	225
25N3866WSCELW2K2	225
25N3866WSCERL2K2	225
25N3866WSCERLW2K2	225
25N3866WSCERW2K2	225
25N3872WSCELL2K2	225
25N3872WSCELLW2K2	225
25N3872WSCELW2K2	225
25N3872WSCERL2K2	225
25N3872WSCERLW2K2	225
25N3872WSCERW2K2	225
25N4242SQL	93
25N4242SQLK	95
25N4242SQLW	93
25N4242SQLWK	95
25N4242SQW	93
25N4242SQWK	95
25N42RDL	89
25N42RDLK	91
25N42RDLW	89
25N42RDLWK	91
25N42RDW	89
25N42RDWK	91
25N4848SQL	93
25N4848SQLK	95
25N4848SQLW	93
25N4848SQLWK	95
25N4848SQW	93
25N4848SQWK	95
25N48RDL	89
25N48RDLK	91
25N48RDLW	89
25N48RDLWK	91
25N48RDW	89
25N48RDWK	91
25N60144PNKL	170
25N60144PNKW	170
25N60168PNKL	170
25N60168PNKW	170
25N60192PNKL	170
25N60192PNKW	170
25N60216PNKL	170
25N60216PNKW	170
25N60240PNKL	170
25N60240PNKW	170
25N72PNKL	168
25N72PNKW	168
25N84PNKL	168
25N84PNKW	168
25N96PNKL	168
25N96PNKW	168
25NN1880VSHLL	251
25NN1880VSHLW	251
25NN1880VSHRL	251
25NN1880VSHRW	251
25NN2448CVMSL	248
25NN2448CVMSLW	248
25NN2448CVMSW	248
25NN2460CVMSL	248
25NN2460CVMSLW	248
25NN2460CVMSW	248
25NN2472CBL	250
25NN2472CBLW	250
25NN2472CBVL	249
25NN2472CBVLW	249
25NN2472CBVW	249
25NN2472CBW	250
25NN2472CVMSL	248
25NN2472CVMSLW	248
25NN2472CVMSW	248
25NN2648CVMSLK1	248
25NN2648CVMSLWK1	248
25NN2648CVMSWK1	248
25NN2660CVMSLK1	248
25NN2660CVMSLWK1	248
25NN2660CVMSWK1	248
25NN2672CBLK1	250
25NN2672CBLWK1	250
25NN2672CBVLK1	249
25NN2672CBVLWK1	249
25NN2672CBVWK1	249
25NN2672CBWK1	250
25NN2672CVMSLK1	248
25NN2672CVMSLWK1	248
25NN2672CVMSWK1	248
25NN3030SQL	92
25NN3030SQLK	94
25NN3030SQLW	92
25NN3030SQLWK	94
25NN3030SQW	92
25NN3030SQWK	94
25NN30RDL	88
25NN30RDLK	90
25NN30RDLW	88
25NN30RDLWK	90
25NN30RDW	88
25NN30RDWK	90
25NN3636SQL	92
25NN3636SQLK	94
25NN3636SQLW	92
25NN3636SQLWK	94
25NN3636SQW	92
25NN3636SQWK	94
25NN3672BTL	100
25NN3672BTLK	102
25NN3672BTLW	100
25NN3672BTLWK	102
25NN3672BTW	100
25NN3672BTWK	102
25NN3672RCL	104
25NN3672RCLK	106
25NN3672RCLW	104
25NN3672RCLWK	106
25NN3672RCW	104
25NN3672RCWK	106
25NN3672RTL	96
25NN3672RTLK	98
25NN3672RTLW	96
25NN3672RTLWK	98
25NN3672RTW	96
25NN3672RTWK	98
25NN36RDL	88
25NN36RDLK	90
25NN36RDLW	88
25NN36RDLWK	90
25NN36RDW	88
25NN36RDWK	90
25NN4242SQL	92
25NN4242SQLK	94
25NN4242SQLW	92
25NN4242SQLWK	94
25NN4242SQW	92
25NN4242SQWK	94
25NN4284BTL	100
25NN4284BTLK	102
25NN4284BTLW	100
25NN4284BTLWK	102
25NN4284BTW	100
25NN4284BTWK	102
25NN4284RCL	104
25NN4284RCLK	106
25NN4284RCLW	104
25NN4284RCLWK	106
25NN4284RCW	104
25NN4284RCWK	106
25NN4284RTL	96
25NN4284RTLK	98
25NN4284RTLW	96
25NN4284RTLWK	98
25NN4284RTW	96
25NN4284RTWK	98
25NN42RDL	88
25NN42RDLK	90
25NN42RDLW	88
25NN42RDLWK	90
25NN42RDW	88
25NN42RDWK	90
25NN48120BTL	100
25NN48120BTLK	102
25NN48120BTLW	100
25NN48120BTLWK	102
25NN48120BTW	100
25NN48120BTWK	102
25NN48120RCL	104
25NN48120RCLK	106
25NN48120RCLW	104
25NN48120RCLWK	106
25NN48120RCW	104
25NN48120RCWK	106
25NN48120RTL	96
25NN48120RTLK	98
25NN48120RTLW	96
25NN48120RTLWK	98
25NN48120RTW	96
25NN48120RTWK	98
25NN48144BTL	100
25NN48144BTLK	102
25NN48144BTLW	100
25NN48144BTLWK	102
25NN48144BTW	100
25NN48144BTWK	102
25NN48144RCL	104
25NN48144RCLK	106
25NN48144RCLW	104
25NN48144RCLWK	106
25NN48144RCW	104
25NN48144RCWK	106
25NN48144RTL	96
25NN48144RTLK	98

Model	Page
25NN48144RTLW	96
25NN48144RTLWK	98
25NN48144RTW	96
25NN48144RTWK	98
25NN48168BTL	100
25NN48168BTLK	102
25NN48168BTLW	100
25NN48168BTLWK	102
25NN48168BTW	100
25NN48168BTWK	102
25NN48168RCL	104
25NN48168RCLK	106
25NN48168RCLW	104
25NN48168RCLWK	106
25NN48168RCW	104
25NN48168RCWK	106
25NN48168RTL	96
25NN48168RTLK	98
25NN48168RTLW	96
25NN48168RTLWK	98
25NN48168RTW	96
25NN48168RTWK	98
25NN48192BTL	100
25NN48192BTLK	102
25NN48192BTLW	100
25NN48192BTLWK	102
25NN48192BTW	100
25NN48192BTWK	102
25NN48192RCL	104
25NN48192RCLK	106
25NN48192RCLW	104
25NN48192RCLWK	106
25NN48192RCW	104
25NN48192RCWK	106
25NN48192RTL	96
25NN48192RTLK	98
25NN48192RTLW	96
25NN48192RTLWK	98
25NN48192RTW	96
25NN48192RTWK	98
25NN48216BTL	101
25NN48216BTLK	103
25NN48216BTLW	101
25NN48216BTLWK	103
25NN48216BTW	101
25NN48216BTWK	103
25NN48216RCL	105
25NN48216RCLK	107
25NN48216RCLW	105
25NN48216RCLWK	107
25NN48216RCW	105
25NN48216RCWK	107
25NN48216RTL	97
25NN48216RTLK	99
25NN48216RTLW	97
25NN48216RTLWK	99
25NN48216RTW	97
25NN48216RTWK	99
25NN48240BTL	101
25NN48240BTLK	103
25NN48240BTLW	101
25NN48240BTLWK	103
25NN48240BTW	101
25NN48240BTWK	103
25NN48240RCL	105
25NN48240RCLK	107
25NN48240RCLW	105
25NN48240RCLWK	107
25NN48240RCW	105
25NN48240RCWK	107
25NN48240RTL	97
25NN48240RTLK	99
25NN48240RTLW	97
25NN48240RTLWK	99
25NN48240RTW	97
25NN48240RTWK	99
25NN4848SQL	92
25NN4848SQLK	94
25NN4848SQLW	92
25NN4848SQLWK	94
25NN4848SQW	92
25NN4848SQWK	94
25NN4896BTL	100
25NN4896BTLK	102
25NN4896BTLW	100
25NN4896BTLWK	102
25NN4896BTW	100
25NN4896BTWK	102
25NN4896RCL	104
25NN4896RCLK	106
25NN4896RCLW	104
25NN4896RCLWK	106
25NN4896RCW	104
25NN4896RCWK	106
25NN4896RTL	96
25NN4896RTLK	98
25NN4896RTLW	96
25NN4896RTLWK	98
25NN4896RTW	96
25NN4896RTWK	98
25NN48RDL	88
25NN48RDLK	90
25NN48RDLW	88
25NN48RDLWK	90
25NN48RDW	88
25NN48RDWK	90
25NN5454SQL	92
25NN5454SQLK	94
25NN5454SQLW	92
25NN5454SQLWK	94
25NN5454SQW	92
25NN5454SQWK	94
25NN54RDL	88
25NN54RDLK	90
25NN54RDLW	88
25NN54RDLWK	90
25NN54RDW	88
25NN54RDWK	90
25NN60144BTL	101
25NN60144BTLK	103
25NN60144BTLW	101
25NN60144BTLWK	103
25NN60144BTW	101
25NN60144BTWK	103
25NN60144RCL	105
25NN60144RCLK	107
25NN60144RCLW	105
25NN60144RCLWK	107
25NN60144RCW	105
25NN60144RCWK	107
25NN60144RTL	97
25NN60144RTLK	99
25NN60144RTLW	97
25NN60144RTLWK	99
25NN60144RTW	97
25NN60144RTWK	99
25NN60168BTL	101
25NN60168BTLK	103
25NN60168BTLW	101
25NN60168BTLWK	103
25NN60168BTW	101
25NN60168BTWK	103
25NN60168RCL	105
25NN60168RCLK	107
25NN60168RCLW	105
25NN60168RCLWK	107
25NN60168RCW	105
25NN60168RCWK	107
25NN60168RTL	97
25NN60168RTLK	99
25NN60168RTLW	97
25NN60168RTLWK	99
25NN60168RTW	97
25NN60168RTWK	99
25NN60192BTL	101
25NN60192BTLK	103
25NN60192BTLW	101
25NN60192BTLWK	103
25NN60192BTW	101
25NN60192BTWK	103
25NN60192RCL	105
25NN60192RCLK	107
25NN60192RCLW	105
25NN60192RCLWK	107
25NN60192RCW	105
25NN60192RCWK	107
25NN60192RTL	97
25NN60192RTLK	99
25NN60192RTLW	97
25NN60192RTLWK	99
25NN60192RTW	97
25NN60192RTWK	99
25NN60216BTL	101
25NN60216BTLK	103
25NN60216BTLW	101
25NN60216BTLWK	103
25NN60216BTW	101
25NN60216BTWK	103
25NN60216RCL	105
25NN60216RCLK	107
25NN60216RCLW	105
25NN60216RCLWK	107
25NN60216RCW	105
25NN60216RCWK	107
25NN60216RTL	97
25NN60216RTLK	99
25NN60216RTLW	97
25NN60216RTLWK	99
25NN60216RTW	97
25NN60216RTWK	99
25NN60240BTL	101
25NN60240BTLK	103
25NN60240BTLW	101
25NN60240BTLWK	103
25NN60240BTW	101
25NN60240BTWK	103
25NN60240RCL	105
25NN60240RCLK	107
25NN60240RCLW	105
25NN60240RCLWK	107
25NN60240RCW	105
25NN60240RCWK	107
25NN60240RTL	97
25NN60240RTLK	99
25NN60240RTLW	97
25NN60240RTLWK	99
25NN60240RTW	97
25NN60240RTWK	99
25NN6060SQL	92
25NN6060SQLK	94
25NN6060SQLW	92
25NN6060SQLWK	94
25NN6060SQW	92
25NN6060SQWK	94
25NN60RDL	88
25NN60RDLK	90
25NN60RDLW	88
25NN60RDLWK	90
25NN60RDW	88
25NN60RDWK	90
31N2040MGLW	406
31N2040MGPLW	406
31N2424ENLW	406
31N2424ENPLW	406
31N2430PTLW	242
31N2472CBVLW	242
31N2472CBVW	242
31N3030SQLW	55
31N3030SQW	55
31N3636SQLW	55
31N3636SQW	55
31N4242SQLW	55
31N4242SQW	55
31N4848SQLW	55
31N4848SQW	55
31NN3030SQLW	54
31NN3030SQW	54
31NN3636SQLW	54
31NN3636SQW	54
31NN3672RTLW	56
31NN3672RTW	56
31NN4242SQLW	54
31NN4242SQW	54
31NN4284RTLW	56
31NN4284RTW	56
31NN48120RTLW	56
31NN48120RTW	56
31NN48144RTLW	56
31NN48144RTW	56
31NN48168RTLW	56
31NN48168RTW	56
31NN48192RTLW	56
31NN48192RTW	56
31NN48216RTLW	56
31NN48216RTW	56
31NN48240RTLW	56
31NN48240RTW	56
31NN4848SQLW	54
31NN4848SQW	54
31NN4896RTLW	56
31NN4896RTW	56
31NN5454SQLW	54
31NN5454SQW	54
31NN60144RTLW	57
31NN60144RTW	57
31NN60168RTLW	57
31NN60168RTW	57
31NN60192RTLW	57
31NN60192RTW	57
31NN60216RTLW	57
31NN60216RTW	57
31NN60240RTLW	57
31NN60240RTW	57
31NN6060SQLW	54
31NN6060SQW	54
35N2136PFHW	255
35N2166CSFW2	255
35N2172CSFW2	255
35N2430PTW	255
35N30RDW	122
35N3636VOVHW	255
35N36RDW	122
35N42RDW	122
35N48RDW	122
36N2048CSW	408
36N2424ENW	408
36N2448MGW	408
36N2473CBLW	245
36N2473CBVLW	245
36N2473CBVW	245
36N2473CBW	245
36N3030SQ2LW	68
36N3030SQ2W	68
36N3030SQLW	69
36N3030SQW	69
36N3636SQ2LW	68

Index

Model	Page
36N3636SQ2W	68
36N3636SQLW	69
36N3636SQW	69
36N3672RTLW	70
36N3672RTW	70
36N3773VVHW	245
36N4242SQ2LW	68
36N4242SQ2W	68
36N4242SQLW	69
36N4242SQW	69
36N4284RTLW	70
36N4284RTW	70
36N48120RTLW	70
36N48120RTW	70
36N48144RTLW	70
36N48144RTW	70
36N48168RTLW	70
36N48168RTW	70
36N48192RTLW	70
36N48192RTW	70
36N48216RTLW	70
36N48216RTW	70
36N48240RTLW	70
36N48240RTW	70
36N4848SQ2LW	68
36N4848SQ2W	68
36N4848SQLW	69
36N4848SQW	69
36N4896RTLW	70
36N4896RTW	70
36N5454SQ2LW	68
36N5454SQ2W	68
36N60144RTLW	71
36N60144RTW	71
36N60168RTLW	71
36N60168RTW	71
36N60192RTLW	71
36N60192RTW	71
36N60216RTLW	71
36N60216RTW	71
36N60240RTLW	71
36N60240RTW	71
36N6060SQ2LW	68
36N6060SQ2W	68
38N1848CSW	409
38N1848CSWP	409
38N2424ENW	409
38N2424ENWP	409
38N2448MGW	409
38N2448MGWP	409
38N2472CBVW	246
38N2472CBVWP	246
38N2472CBW	246
38N2472CBWP	246
38N2490CBVW	246
38N2490CBVWP	246
38N2490CBW	246
38N2490CBWP	246
38N3668VVHW	246
38N3672RT2W	75
38N3672RT2WP	75
38N3680VVHW	246
38N4242SQW	74
38N4242SQWP	74
38N4284RT2W	75
38N4284RT2WP	75
38N48120RT2W	75
38N48120RT2WP	75
38N48144RT2W	75
38N48144RT2WP	75
38N48168RT2W	75
38N48168RT2WP	75
38N48192RT2W	75
38N48192RT2WP	75
38N48216RT2W	75
38N48216RT2WP	75
38N48240RT2W	75
38N48240RT2WP	75
38N4848SQW	74
38N4848SQWP	74
38N4896RT2W	75
38N4896RT2WP	75
40N2430PTL	244
50N2040MGLW	407
50N2040MGQW	407
50N2040MGW	407
50N2172CBLW	243
50N2172CBVLW	243
50N2172CBVW	243
50N2172CBW	243
50N2421PTHLW	243
50N2421PTHW	243
50N2424ENLW	407
50N2424ENQW	407
50N2424ENW	407
50N2430PTLW	244
50N2430PTW	244
50N4240VBW	244
50NN3030SQLW	61
50NN3030SQW	61
50NN30RDLW	60
50NN30RDW	60
50NN3636SQLW	61
50NN3636SQW	61
50NN3672BTLW	64
50NN3672BTW	64
50NN3672RTLW	62
50NN3672RTW	62
50NN36RDLW	60
50NN36RDW	60
50NN4242SQLW	61
50NN4242SQW	61
50NN4284BTLW	64
50NN4284BTW	64
50NN4284RTLW	62
50NN4284RTW	62
50NN42RDLW	60
50NN42RDW	60
50NN48120BTLW	64
50NN48120BTW	64
50NN48120RTLW	62
50NN48120RTW	62
50NN48144BTLW	64
50NN48144BTW	64
50NN48144RTLW	62
50NN48144RTW	62
50NN48168BTLW	64
50NN48168BTW	64
50NN48168RTLW	62
50NN48168RTW	62
50NN48192BTLW	64
50NN48192BTW	64
50NN48192RTLW	62
50NN48192RTW	62
50NN48216BTLW	64
50NN48216BTW	64
50NN48216RTLW	62
50NN48216RTW	62
50NN48240BTLW	64
50NN48240BTW	64
50NN48240RTLW	62
50NN48240RTW	62
50NN4848SQLW	61
50NN4848SQW	61
50NN4896BTLW	64
50NN4896BTW	64
50NN4896RTLW	62
50NN4896RTW	62
50NN48RDLW	60
50NN48RDW	60
50NN5454SQLW	61
50NN5454SQW	61
50NN54RDLW	60
50NN54RDW	60
50NN60144BTLW	65
50NN60144BTW	65
50NN60144RTLW	63
50NN60144RTW	63
50NN60168BTLW	65
50NN60168BTW	65
50NN60168RTLW	63
50NN60168RTW	63
50NN60192BTLW	65
50NN60192BTW	65
50NN60192RTLW	63
50NN60192RTW	63
50NN60216BTLW	65
50NN60216BTW	65
50NN60216RTLW	63
50NN60216RTW	63
50NN60240BTLW	65
50NN60240BTW	65
50NN60240RTLW	63
50NN60240RTW	63
50NN6060SQLW	61
50NN6060SQW	61
50NN60RDLW	60
50NN60RDW	60
51N2040MGLW	422
51N2040MGW	422
51N2172CSFLW2	256
51N2172CSFW2	256
51N2424ENLW	422
51N2424ENW	422
51N2430PTLW	256
51N2430PTW	256
61N2430CCFMVL	238
61N2430CCFMYL	238
61N2460RTFMVL	239
61N2460RTFMYL	239
61NGB1	239
81N1842CSLW	419
81N1842CSW	419
81N2040MGSQLW	419
81N2040MGSQW	419
81N2424ENLW	419
81N2424ENSQLW	419
81N2424ENSQW	419
81N2424ENW	419
81N3636MGLW	419
81N3636MGW	419
82N2424MGRDL	423
82N2424MGRDW	423
82N2424MGSQL	423
82N2424MGSQW	423
82N3636MGRDL	423
82N3636MGRDW	423
82N3636MGSQL	423
82N3636MGSQW	423
85N2024EN	412
85N2024ENLW	412
85N2040MG	412
85N2040MGLW	412
88-2424TP	427
88-3333TP	427
91NA2424CUL	416
91NA2424CUW	416
91NA2424CYL	416
91NA2424CYW	416
91NA2448MGTL	416
91NA2448MGTW	416
91NA3636MGUL	416
91NA3636MGUW	416
91NA3636MGYL	416
91NA3636MGYW	416
91NB1850CSL	415
91NB1850CSW	415
91NB2424ENL	415
91NB2424ENW	415
91NB2448MGL	415
91NB2448MGW	415
91NB3636MGL	415
91NB3636MGW	415
91NC1850CSG	417
91NC1850CSL	418
91NC1850CSW	418
91NC2424ENG	417
91NC2424ENL	418
91NC2424ENW	418
91NC2448MGG	417
91NC2448MGL	418
91NC2448MGW	418
91NC3636MGG	417
91NC3636MGL	418
91NC3636MGW	418
B1-29MB	172
B34-29MB	173
B4-29MB	173
BP-16	162
BP-18	162
BP-24	162
BP-2427C	165
BP-2427S	165
BW-16	162
BW-1616	162
BW-18	162
BW-24	162
BW-2427S	165
BW-4	173
CBV2128CL1	207
CBV2128CL2B	207
CBV2128CL2N	207
CBV2128CL2S	207
CBV2128CLA2B	208
CBV2128CLA2N	208
CBV2128CLA2S	208
CBV2128CLM1	208
CBV2128CLM2B	207
CBV2128CLM2N	207
CBV2128CLM2S	207
CBV2128T1	209
CBV2128TF	209
CBV2128TL2B	208
CBV2128TL2N	208
CBV2128TL2S	208
CBV2128TLM2B	208
CBV2128TLM2N	208
CBV2128TLM2S	208
CBV2128TM1	209
CBV2215DB	177, 429
CBV2215DN	177, 429
CBV2215DS	177, 429
CBV2215SQDB	177, 429
CBV2215SQDN	177, 429
CBV2215SQDS	177, 429
CBV2228DB	177
CBV2228DN	177
CBV2228DS	177
CBV2228SQDB	178
CBV2228SQDN	178
CBV2228SQDS	178
CBV2235DB	178
CBV2235DN	178
CBV2235DS	178
CBV2235SQDB	178
CBV2235SQDN	178

Model	Page
CBV2235SQDS	178
CBV2240DB	179
CBV2240DN	179
CBV2240DS	179
CBV2240SQDB	179
CBV2240SQDN	179
CBV2240SQDS	179
CBV2448ABCB	211
CBV2448ABCN	211
CBV2448ABCS	211
CBV2448ABEB	210
CBV2448ABEN	210
CBV2448ABES	210
CBV2460ABCB	211
CBV2460ABCN	211
CBV2460ABCS	211
CBV2460ABEB	210
CBV2460ABEN	210
CBV2460ABES	210
CBV2466ABCB	211
CBV2466ABCN	211
CBV2466ABCS	211
CBV2466ABEB	210
CBV2466ABEN	210
CBV2466ABES	210
CBV2472ABCB	211
CBV2472ABCN	211
CBV2472ABCS	211
CBV2472ABEB	210
CBV2472ABEN	210
CBV2472ABES	210
CBV2628CLA2B	208
CBV2628CLA2N	208
CBV2628CLA2S	208
CBV2715DB	177, 429
CBV2715DN	177, 429
CBV2715DS	177, 429
CBV2715SQDB	177, 429
CBV2715SQDN	177, 429
CBV2715SQDS	177, 429
CBV2728CL1	207
CBV2728CL2B	207
CBV2728CL2N	207
CBV2728CL2S	207
CBV2728CLM1	208
CBV2728CLM2B	207
CBV2728CLM2N	207
CBV2728CLM2S	207
CBV2728DB	177
CBV2728DN	177
CBV2728DS	177
CBV2728SQDB	178
CBV2728SQDN	178
CBV2728SQDS	178
CBV2728U4MB	176
CBV2728U4MN	176
CBV2728U4MS	176
CBV2728U4SB	176
CBV2728U4SN	176
CBV2728U4SS	176
CBV2728XB	173
CBV2728XMB	174
CBV2728XMN	174
CBV2728XMS	174
CBV2728XN	173
CBV2728XS	173
CBV2735DB	178
CBV2735DN	178
CBV2735DS	178
CBV2735SQDB	178
CBV2735SQDN	178
CBV2735SQDS	178
CBV2735XBB	174
CBV2735XBN	174
CBV2735XBS	174
CBV2740DB	179
CBV2740DN	179
CBV2740DS	179
CBV2740SQDB	179
CBV2740SQDN	179
CBV2740SQDS	179
CBV2741XBB	175
CBV2741XBN	175
CBV2741XBS	175
CBV2742U4AMB	176
CBV2742U4AMN	176
CBV2742U4AMS	176
CBV2802C	172, 206
CBV2802CM	172, 206
CBV2802CMN	172, 206
CBV2802CMS	172, 206
CBV2802CN	172, 206
CBV2802CPAB	206
CBV2802CPAMB	206
CBV2802CPAMN	206
CBV2802CPAMS	206
CBV2802CPAN	206
CBV2802CPAS	206
CBV2802CS	172, 206
CBV3048ABCB	211
CBV3048ABCN	211
CBV3048ABCS	211
CBV3048ABEB	210
CBV3048ABEN	210
CBV3048ABES	210
CBV3060ABCB	211
CBV3060ABCN	211
CBV3060ABCS	211
CBV3060ABEB	210
CBV3060ABEN	210
CBV3060ABES	210
CBV3066ABCB	211
CBV3066ABCN	211
CBV3066ABCS	211
CBV3066ABEB	210
CBV3066ABEN	210
CBV3066ABES	210
CBV3072ABCB	211
CBV3072ABCN	211
CBV3072ABCS	211
CBV3072ABEB	210
CBV3072ABEN	210
CBV3072ABES	210
CBV3226XBAB	175
CBV3226XBAN	175
CBV3226XBAS	175
CBV3228X	173
CBV3228XM	174
CBV3228XMN	174
CBV3228XMS	174
CBV3228XN	173
CBV3228XS	173
CBV3235XBB	174
CBV3235XBN	174
CBV3235XBS	174
CBV3241XBB	175
CBV3241XBN	175
CBV3241XBS	175
CBV3828X	173
CBV3828XM	174
CBV3828XMN	174
CBV3828XMS	174
CBV3828XN	173
CBV3828XS	173
CBV4728XB	174
CBV4728XN	174
CBV4728XS	174
CBV4847TBA	209
CBV6047TBA	209
CBV6066ALBCB	217
CBV6066ALBCN	217
CBV6066ALBCS	217
CBV6066ALBEB	216
CBV6066ALBEN	216
CBV6066ALBES	216
CBV6072ALBCB	217
CBV6072ALBCN	217
CBV6072ALBCS	217
CBV6072ALBEB	216
CBV6072ALBEN	216
CBV6072ALBES	216
CBV6666ALBCB	217
CBV6666ALBCN	217
CBV6666ALBCS	217
CBV6666ALBEB	216
CBV6666ALBEN	216
CBV6666ALBES	216
CBV7266ALBCB	217
CBV7266ALBCN	217
CBV7266ALBCS	217
CBV7266ALBEB	216
CBV7266ALBEN	216
CBV7266ALBES	216
CBV7272ALBCB	217
CBV7272ALBCN	217
CBV7272ALBCS	217
CBV7272ALBEB	216
CBV7272ALBEN	216
CBV7272ALBES	216
CBW3428H	172
CBW3428TT	172
CCW2472CBLW	259
CCW2472CBVLW	259
CCW2472CBVW	259
CCW2472CBW	259
CCW3030SQLW	130
CCW3030SQW	130
CCW3030WSSQW	131
CCW30RD2LW	128
CCW30RD2W	128
CCW30WSRNW	129
CCW3636SQLW	130
CCW3636SQW	130
CCW3636WSSQW	131
CCW3672BTLW	136
CCW3672BTW	136
CCW3672RC2LW	140
CCW3672RC2W	140
CCW3672RT2LW	132
CCW3672RT2W	132
CCW36RD2LW	128
CCW36RD2W	128
CCW36WSRNW	129
CCW4242SQLW	130
CCW4242SQW	130
CCW4242WSSQW	131
CCW4284BTLW	136
CCW4284BTW	136
CCW4284RC2LW	140
CCW4284RC2W	140
CCW4284RT2LW	132
CCW4284RT2W	132
CCW42RD2LW	128
CCW42RD2W	128
CCW42WSRNW	129
CCW48120BTLW	136
CCW48120BTW	136
CCW48120RC2LW	140
CCW48120RC2W	140
CCW48120RT2LW	132
CCW48120RT2W	132
CCW48144BTLW	136
CCW48144BTW	136
CCW48144RC2LW	140
CCW48144RC2W	140
CCW48144RT2LW	132
CCW48144RT2W	132
CCW48168BTLW	137
CCW48168BTW	137
CCW48168RC2LW	141
CCW48168RC2W	141
CCW48168RT2LW	133
CCW48168RT2W	133
CCW48192BTLW	137
CCW48192BTW	137
CCW48192RC2LW	141
CCW48192RC2W	141
CCW48192RT2LW	133
CCW48192RT2W	133
CCW48216BTLW	137
CCW48216BTW	137
CCW48216RC2LW	141
CCW48216RC2W	141
CCW48216RT2LW	133
CCW48216RT2W	133
CCW48240BTLW	137
CCW48240BTW	137
CCW48240RC2LW	141
CCW48240RC2W	141
CCW48240RT2LW	133
CCW48240RT2W	133
CCW4848SQLW	130
CCW4848SQW	130
CCW4848WSSQW	131
CCW4896BTLW	136
CCW4896BTW	136
CCW4896RC2LW	140
CCW4896RC2W	140
CCW4896RT2LW	132
CCW4896RT2W	132
CCW48RD2LW	128
CCW48RD2W	128
CCW48WSRNW	129
CCW5454SQLW	130
CCW5454SQW	130
CCW54RD2LW	128
CCW54RD2W	128
CCW60144BTLW	138
CCW60144BTW	138
CCW60144RC2LW	142
CCW60144RC2W	142
CCW60144RT2LW	134
CCW60144RT2W	134
CCW60168BTLW	138
CCW60168BTW	138
CCW60168RC2LW	142
CCW60168RC2W	142
CCW60168RT2LW	134
CCW60168RT2W	134
CCW60192BTLW	138
CCW60192BTW	138
CCW60192RC2LW	142
CCW60192RC2W	142
CCW60192RT2LW	134
CCW60192RT2W	134
CCW60216BTLW	138
CCW60216BTW	138
CCW60216RC2LW	142
CCW60216RC2W	142
CCW60216RT2LW	134
CCW60216RT2W	134
CCW60240BTLW	138
CCW60240BTW	138
CCW60240RC2LW	142
CCW60240RC2W	142
CCW60240RT2LW	134

Index

Model	Page
CCW60240RT2W	134
CCW6060SQLW	130
CCW6060SQW	130
CCW60RD2LW	128
CCW60RD2W	128
CLN2040MGW	410
CLN2424ENW	410
CLN2424SQLW	247
CLN2424SQW	247
CLN2472CBVLW	247
CLN2472CBVW	247
CLN30RDLW	78
CLN30RDW	78
CLN36RDLW	78
CLN36RDW	78
CLN42RDLW	78
CLN42RDW	78
CLN48RDLW	78
CLN48RDW	78
CLNN3030SQW	79
CLNN30RDW	78
CLNN3636SQW	79
CLNN3672BTW	82
CLNN3672RCW	84
CLNN3672RTW	80
CLNN36RDW	78
CLNN4242SQW	79
CLNN4284BTW	82
CLNN4284RCW	84
CLNN4284RTW	80
CLNN42RDW	78
CLNN48120BTW	82
CLNN48120RCW	84
CLNN48120RTW	80
CLNN48144BTW	82
CLNN48144RCW	84
CLNN48144RTW	80
CLNN48168BTW	82
CLNN48168RCW	84
CLNN48168RTW	80
CLNN48192BTW	82
CLNN48192RCW	84
CLNN48192RTW	80
CLNN48216BTW	82
CLNN48216RCW	84
CLNN48216RTW	80
CLNN48240BTW	82
CLNN48240RCW	84
CLNN48240RTW	80
CLNN4848SQW	79
CLNN4896BTW	82
CLNN4896RCW	84
CLNN4896RTW	80
CLNN48RDW	78
CLNN5454SQW	79
CLNN54RDW	78
CLNN60144BTW	83
CLNN60144RCW	85
CLNN60144RTW	81
CLNN60168BTW	83
CLNN60168RCW	85
CLNN60168RTW	81
CLNN60192BTW	83
CLNN60192RCW	85
CLNN60192RTW	81
CLNN60216BTW	83
CLNN60216RCW	85
CLNN60216RTW	81
CLNN60240BTW	83
CLNN60240RCW	85
CLNN60240RTW	81
CLNN6060SQW	79
CLNN60RDW	78
CP-30E	128
CP-36E	128
CP-42E	128
CP-48E	128
CP-54E	128
CP-60E	128
CP-B120E	136
CP-B144E	136
CP-B168E	137
CP-B192E	137
CP-B216E	137
CP-B240E	137
CP-B60144E	138
CP-B60168E	138
CP-B60192E	138
CP-B60216E	138
CP-B60240E	138
CP-B72E	136
CP-B84E	136
CP-B96E	136
CP-R120E	140
CP-R144E	140
CP-R168E	141
CP-R192E	141
CP-R216E	141
CP-R240E	141
CP-R60144E	142
CP-R60168E	142
CP-R60192E	142
CP-R60216E	142
CP-R60240E	142
CP-R72E	140
CP-R84E	140
CP-R96E	140
CP-S120E	132
CP-S144E	132
CP-S168E	133
CP-S192E	133
CP-S216E	133
CP-S240E	133
CP-S60144E	134
CP-S60168E	134
CP-S60192E	134
CP-S60216E	134
CP-S60240E	134
CP-S72E	132
CP-S84E	132
CP-S96E	132
CP-SQ30E	130
CP-SQ36E	130
CP-SQ42E	130
CP-SQ48E	130
CP-SQ54E	130
CP-SQ60E	130
CP-WS30E	129
CP-WS36E	129
CP-WS42E	129
CP-WS48E	129
CP-WSSQ30E	131
CP-WSSQ36E	131
CP-WSSQ42E	131
CP-WSSQ48E	131
CUT-G12C	183
CUT-G17C	183
ECN0637CPCFW	253
ECN0643CPCFW	253
ECN1948CSW	414
ECN2040MGW	414
ECN2238MUCW	252
ECN2273CBVW	252
ECN2273CBW	252
ECN2424ENW	414
ECN3030SQW	111
ECN30RDW	110
ECN3636SQW	111
ECN3672BTW	114
ECN3672RTW	112
ECN36RDW	110
ECN3879VVHW	252
ECN4242SQW	111
ECN4284BTW	114
ECN4284RTW	112
ECN42RDW	110
ECN48120BTW	114
ECN48120RTW	112
ECN48144BTW	114
ECN48144RTW	112
ECN48168BTW	114
ECN48168RTW	112
ECN48192BTW	114
ECN48192RTW	112
ECN48216BTW	114
ECN48216RTW	112
ECN48240BTW	114
ECN48240RTW	112
ECN4848SQW	111
ECN4896BTW	114
ECN4896RTW	112
ECN48RDW	110
ECN5454SQW	111
ECN60144BTW	115
ECN60144RTW	113
ECN60168BTW	115
ECN60168RTW	113
ECN60192BTW	115
ECN60192RTW	113
ECN60216BTW	115
ECN60216RTW	113
ECN60240BTW	115
ECN60240RTW	113
ECN6060SQW	111
G1C	183, 237
MPK-4	242, 244, 255-256
N32T2424ENL	420
N32T2424ENW	420
N32T2448MGL	420
N32T2448MGW	420
N32T24ENL	420
N32T24ENW	420
N32T3636MGL	421
N32T3636MGW	421
N32T36MGL	421
N32T36MGW	421
N60SGL	426
N60SGW	426
N60SHL	426
N60SHW	426
N60SKL	426
N60SKW	426
N78SML	411
N78SMW	411
N78SNL	411
N78SNW	411
N95KKL	425
N95KKW	425
N95LLL	425
N95LLW	425
N95NNL	425
N95NNW	425
N95PPL	424
N95PPW	424
N95RRL	424
N95RRW	424
N95SSL	424
N95SSW	424
NAC01WMFM	318
NAC0236SUR	212
NAC0248SUR	212
NAC0318WMM	187, 212
NAC0318WMV	187, 212
NAC0318WMVN	187, 212
NAC0318WMVS	187, 212
NAC0403WM	187, 212
NAC0510PTB	401
NAC0711SHM	320
NAC0905SHBM	401
NAC0924SHM	400
NAC0930SHM	400
NAC0936SHM	400
NAC0942SHM	400
NAC0948SHM	400
NAC1010AT	402
NAC1010ATC	402
NAC1115SPT	402
NAC1115SPTC	402
NAC1212SSM	400
NAC1217DPTM	400
NAC1217SPTM	400
NAC16POM	400
NAC17WMH	233
NAC18LGB	188
NAC2124PVC2PF	230
NAC2124PVC2PFA	230
NAC2124PVCP	229
NAC2124PVCTP	229
NAC2132PVMC2PF	232
NAC2132PVMC2PFA	232
NAC2132PVMCP	231
NAC2412MP2M	187, 228
NAC2412MPA	186, 228
NAC2412MPTA	186, 228
NAC2424PVC2PF	230
NAC2424PVC2PFA	230
NAC2424PVCP	229
NAC2424PVCTP	229
NAC2432PVMC2PF	232
NAC2432PVMC2PFA	232
NAC2432PVMCP	231
NAC24LGB	188
NAC24WMH	233
NAC2724PVC2PF	230
NAC2724PVC2PFA	230
NAC2724PVCP	229
NAC2724PVCTP	229
NAC2732PVMC2PF	232
NAC2732PVMC2PFA	232
NAC2732PVMCP	231
NAC3012MP2M	187, 228
NAC3012MPA	186, 228
NAC3012MPTA	186, 228
NAC3024PVC2PF	230
NAC3024PVC2PFA	230
NAC3024PVCP	229
NAC3024PVCTP	229
NAC3032PVMC2PF	232
NAC3032PVMC2PFA	232
NAC3032PVMCP	231
NAC3048MBW	261
NAC30WMV	233
NAC3612MP2M	187, 228
NAC3612MPA	186, 228
NAC3612MPTA	186, 228
NAC3624PVC2PF	230
NAC3624PVC2PFA	230
NAC3624PVCP	229
NAC3624PVCTP	229
NAC3632PVMC2PF	232
NAC3632PVMC2PFA	232
NAC3632PVMCP	231
NAC3639VBL	253, 261
NAC3639VBW	253, 261
NAC4208MPM	213
NAC4212MP2M	187, 228

Model	Page
NAC4212MPA	186, 228
NAC4212MPTA	186, 228
NAC4224PVC2PF	230
NAC4224PVC2PFA	230
NAC4224PVCP	229
NAC4224PVCTP	229
NAC4232PVMC2PF	232
NAC4232PVMC2PFA	232
NAC4232PVMCP	231
NAC4239VBL	253, 261
NAC4239VBW	253, 261
NAC4808MPM	213
NAC4812MP2M	187, 228
NAC4812MPA	186, 228
NAC4812MPTA	186, 228
NAC4824PVC2PF	230
NAC4824PVC2PFA	230
NAC4824PVCP	229
NAC4824PVCTP	229
NAC4832PVMC2PF	232
NAC4832PVMC2PFA	232
NAC4832PVMCP	231
NAC5408MPM	213
NAC5412MP2M	187, 228
NAC5412MPA	186, 228
NAC5412MPTA	186, 228
NAC5424PVC2PF	230
NAC5424PVC2PFA	230
NAC5424PVCP	229
NAC5424PVCTP	229
NAC5432PVMC2PF	232
NAC5432PVMC2PFA	232
NAC5432PVMCP	231
NAC6012MP2M	187, 228
NAC6012MPA	186, 228
NAC6012MPTA	186, 228
NAC6024PVC2PF	230
NAC6024PVC2PFA	230
NAC6024PVCP	229
NAC6024PVCTP	229
NAC6032PVMC2PF	232
NAC6032PVMC2PFA	232
NAC6032PVMCP	231
NAC6624PVC2PFA	230
NAC6624PVCP	229
NAC6624PVCTP	229
NAC6632PVMC2PFA	232
NAC6632PVMCP	231
NAC7224PVC2PFA	230
NAC7224PVCP	229
NAC7224PVCTP	229
NAC7232PVMC2PFA	232
NAC7232PVMCP	231
NACBS	402
NACCP	402
NACCPC	402
NACELIQ1	437
NACELIQ2PPG	433
NACELIQ2PPG1	433
NACELIQ2PPG18	433
NACELIQJ	433, 437
NACELIQPPG	433
NACELIQPPG1	433
NACELIQPPG18	433
NACG10	433
NACG10EL	433
NACG122ELB	433
NACG122ELHB	433
NACG122ELHS	433
NACG122ELS	433
NACG12ELB	433
NACG12ELHB	433
NACG12ELHS	433
NACG12ELS	433
NACG152ELB	319, 404, 434
NACG152ELHB	319, 404, 434
NACG152ELHS	319, 404, 434
NACG152ELS	319, 404, 434
NACG15EL	319, 404, 434
NACG15ELB	319, 404, 434
NACG15ELH	319, 404, 434
NACG15ELHB	319, 404, 434
NACG162ELB	319, 404, 434
NACG162ELHB	319, 404, 434
NACG162ELHB120LR	435
NACG162ELHB144LR	435
NACG162ELHB168A	435
NACG162ELHB168CE	435
NACG162ELHB168LR	435
NACG162ELHB192A	435
NACG162ELHB192CE	435
NACG162ELHB192LR	435
NACG162ELHB216A	435
NACG162ELHB216CE	435
NACG162ELHB216LR	435
NACG162ELHB240A	435
NACG162ELHB240CE	435
NACG162ELHB240LR	435
NACG162ELHS	319, 404, 434
NACG162ELHS120LR	435
NACG162ELHS144LR	435
NACG162ELHS168A	435
NACG162ELHS168CE	435
NACG162ELHS168LR	435
NACG162ELHS192A	435
NACG162ELHS192CE	435
NACG162ELHS192LR	435
NACG162ELHS216A	435
NACG162ELHS216CE	435
NACG162ELHS216LR	435
NACG162ELHS240A	435
NACG162ELHS240CE	435
NACG162ELHS240LR	435
NACG162ELS	319, 404, 434
NACG172ELB	436
NACG172ELIQB	437
NACG172ELIQB1	437
NACG172ELIQB18	437
NACG172ELIQS	437
NACG172ELIQS1	437
NACG172ELIQS18	437
NACG172ELS	436
NACG173ELB	436
NACG173ELS	436
NACG17ELB	436
NACG17ELIQB	437
NACG17ELIQB1	437
NACG17ELIQB18	437
NACG17ELIQS	437
NACG17ELIQS1	437
NACG17ELIQS18	437
NACG17ELS	436
NACG23ELB	440
NACG23ELS	440
NACG26ELB	319, 404
NACG26ELMB	319, 404
NACG26ELMS	319, 404
NACG26ELS	319, 404
NACGBT2	188, 233
NACMAPSMB	403
NACMAPSMS	403
NACMRHM	400
NACPH	402
NACPHC	402
NACSS	402
NACSSC	402
Q19N2472CSFW2	254
Q31N2040MGPLW	406
Q31N2424ENPLW	406
Q50N2040MGW	407
Q50N2424ENW	407
Q51N2040MGLW	422
Q51N2172CSFLW2	256
Q51N2424ENLW	422
QBP-18	162
QBP-2427S	165
QBW-18	162
QBW-2427S	165
QCCW42RD2W	128
QCCW4896RC2W	140
QCLN2040MGW	410
QCLN2424ENW	410
QCP-42E	128
QCP-R96E	140
QECN2040MGW	414
QECN2424ENW	414
TB-4P	165
TBW-4	165
WW1830WSSDLL	194
WW1830WSSL	194
WW1830WSSLW	194
WW1830WSST	194
WW1830WSSW	194
WW1836WSSDLL	194
WW1836WSSL	194
WW1836WSSLW	194
WW1836WSST	194
WW1836WSSW	194
WW1842WSSDLL	194
WW1842WSSL	194
WW1842WSSLW	194
WW1842WSST	194
WW1842WSSW	194
WW1848RTFML	184
WW1848RTFMLL	185
WW1848RTFMT	185
WW1848RTFMW	184
WW1848WSSDLL	193
WW1848WSSL	193
WW1848WSSLW	193
WW1848WSST	193
WW1848WSSW	193
WW1854WSSDLL	193
WW1854WSSL	193
WW1854WSSLW	193
WW1854WSST	193
WW1854WSSW	193
WW1860RTFML	184
WW1860RTFMLL	185
WW1860RTFMT	185
WW1860RTFMW	184
WW1860WSSDLL	193
WW1860WSSL	193
WW1860WSSLW	193
WW1860WSST	193
WW1860WSSW	193
WW1866WSSDLL	193
WW1866WSSL	193
WW1866WSSLW	193
WW1866WSST	193
WW1866WSSW	193
WW1872RTFML	184
WW1872RTFMLL	185
WW1872RTFMT	185
WW1872RTFMW	184
WW1872WSSDLL	193
WW1872WSSL	193
WW1872WSSLW	193
WW1872WSST	193
WW1872WSSW	193
WW2424WSQRL	203
WW2424WSQRLL	203
WW2424WSQRLW	203
WW2424WSQRT	203
WW2424WSQRW	203
WW2430WSQRL	203
WW2430WSQRLL	203
WW2430WSQRLW	203
WW2430WSQRW	203
WW2430WSSDLL	197
WW2430WSSL	197
WW2430WSSLW	197
WW2430WSST	197
WW2430WSSVDL	226
WW2430WSSVDLL	226
WW2430WSSVDLW	226
WW2430WSSVDW	226
WW2430WSSW	197
WW2436MCCL	268
WW2436MCCW	268
WW2436MUCL	268
WW2436MUCLL	268
WW2436MUCLW	268
WW2436MUCLWL	268
WW2436MUCW	268
WW2436MUCWWL	268
WW2436PFHL	269
WW2436PFHLL	269
WW2436PFHLW	269
WW2436PFHW	269
WW2436WSSDLL	197
WW2436WSSL	197
WW2436WSSLW	197
WW2436WSST	197
WW2436WSSVDL	226
WW2436WSSVDLL	226
WW2436WSSVDLW	226
WW2436WSSVDW	226
WW2436WSSW	197
WW2442WSSDLL	197
WW2442WSSL	197
WW2442WSSLW	197
WW2442WSST	197
WW2442WSSW	197
WW2448RTFML	184
WW2448RTFMLL	185
WW2448RTFMT	185
WW2448RTFMW	184
WW2448WSSDLL	197
WW2448WSSL	197
WW2448WSSLW	197
WW2448WSST	197
WW2448WSSW	197
WW2454WSSDLL	196
WW2454WSSL	196
WW2454WSSLW	196
WW2454WSST	196
WW2454WSSW	196
WW2460RTFML	184
WW2460RTFMLL	185
WW2460RTFMT	185
WW2460RTFMW	184
WW2460WSCCRDLL	200
WW2460WSCCRL	200
WW2460WSCCRLW	200
WW2460WSCCRW	200
WW2460WSSDLL	196
WW2460WSSL	196
WW2460WSSLW	196
WW2460WSST	196
WW2460WSSW	196
WW2466WSCCRDLL	200
WW2466WSCCRL	200
WW2466WSCCRLW	200
WW2466WSCCRW	200
WW2466WSSDLL	196

Index

Model	Page
WW2466WSSL	196
WW2466WSSLW	196
WW2466WSST	196
WW2466WSSW	196
WW2472CBL	267
WW2472CBLL	267
WW2472CBLW	267
WW2472CBVL	266
WW2472CBVLL	266
WW2472CBVLW	266
WW2472CBVW	266
WW2472CBW	267
WW2472RTFML	184
WW2472RTFMLL	185
WW2472RTFMT	185
WW2472RTFMW	184
WW2472WSCCRDLL	200
WW2472WSCCRL	200
WW2472WSCCRLW	200
WW2472WSCCRW	200
WW2472WSSDLL	196
WW2472WSSL	196
WW2472WSSLW	196
WW2472WSST	196
WW2472WSSW	196
WW3024WSQRL	203
WW3024WSQRLL	203
WW3024WSQRLW	203
WW3024WSQRW	203
WW3030SQL	151
WW3030SQLW	151
WW3030SQT	151
WW3030SQW	151
WW3030WSQRL	203
WW3030WSQRLL	203
WW3030WSQRLW	203
WW3030WSQRW	203
WW3048RTFML	184
WW3048RTFMLL	185
WW3048RTFMT	185
WW3048RTFMW	184
WW3048WSSDLL	199
WW3048WSSL	199
WW3048WSSLW	199
WW3048WSST	199
WW3048WSSW	199
WW3054WSSDLL	199
WW3054WSSL	199
WW3054WSSLW	199
WW3054WSST	199
WW3054WSSW	199
WW3060RTFML	184
WW3060RTFMLL	185
WW3060RTFMT	185
WW3060RTFMW	184
WW3060WSSDLL	199
WW3060WSSL	199
WW3060WSSLW	199
WW3060WSST	199
WW3060WSSW	199
WW3066WSSDLL	199
WW3066WSSL	199
WW3066WSSLW	199
WW3066WSST	199
WW3066WSSW	199
WW3072RTFML	184
WW3072RTFMLL	185
WW3072RTFMT	185
WW3072RTFMW	184
WW3072WSSDLL	199
WW3072WSSL	199
WW3072WSSLW	199
WW3072WSST	199
WW3072WSSW	199
WW30RDL	149
WW30RDLW	149
WW30RDT	149
WW30RDW	149
WW3636SQL	151
WW3636SQLW	151
WW3636SQT	151
WW3636SQW	151
WW3638VOVHGL	269
WW3638VOVHGW	269
WW3638VOVHL	269
WW3638VOVHW	269
WW3638VOVHWL	269
WW3650VOVHGL	269
WW3650VOVHGW	269
WW3650VOVHL	269
WW3650VOVHW	269
WW3650VOVHWL	269
WW3660WSCEDLL2	223
WW3660WSCEDLLL2	223
WW3660WSCEDLLW2	223
WW3660WSCEDLW2	223
WW3660WSCEDRL2	223
WW3660WSCEDRLL2	223
WW3660WSCEDRLW2	223
WW3660WSCEDRW2	223
WW3666WSCEDLL2	223
WW3666WSCEDLLL2	223
WW3666WSCEDLLW2	223
WW3666WSCEDLW2	223
WW3666WSCEDRL2	223
WW3666WSCEDRLL2	223
WW3666WSCEDRLW2	223
WW3666WSCEDRW2	223
WW3672WSCEDLL2	223
WW3672WSCEDLLL2	223
WW3672WSCEDLLW2	223
WW3672WSCEDLW2	223
WW3672WSCEDRL2	223
WW3672WSCEDRLL2	223
WW3672WSCEDRLW2	223
WW3672WSCEDRW2	223
WW36RDL	149
WW36RDLW	149
WW36RDT	149
WW36RDW	149
WW4011MPA9	186
WW4242SQL	151
WW4242SQLW	151
WW4242SQT	151
WW4242SQW	151
WW42RDL	149
WW42RDLW	149
WW42RDT	149
WW42RDW	149
WW4848SQL	151
WW4848SQLW	151
WW4848SQW	151
WW48RDL	149
WW48RDLW	149
WW48RDT	149
WW48RDW	149
WW48WSHRDLL	201
WW48WSHRL	201
WW48WSHRLW	201
WW48WSHRT	201
WW48WSHRW	201
WW5211MPA9	186
WW60WSHRDLL	201
WW60WSHRL	201
WW60WSHRLW	201
WW60WSHRT	201
WW60WSHRW	201
WW6411MPA9	186
WWN1830WSSL	192
WWN1830WSSLW	192
WWN1830WSSW	192
WWN1836WSSL	192
WWN1836WSSLW	192
WWN1836WSSW	192
WWN1842WSSL	192
WWN1842WSSLW	192
WWN1842WSSW	192
WWN1848WSSL	192
WWN1848WSSLW	192
WWN1848WSSW	192
WWN1854WSSL	192
WWN1854WSSLW	192
WWN1854WSSW	192
WWN1860WSSL	192
WWN1860WSSLW	192
WWN1860WSSW	192
WWN1866WSSL	192
WWN1866WSSLW	192
WWN1866WSSW	192
WWN1872WSSL	192
WWN1872WSSLW	192
WWN1872WSSW	192
WWN1880VSHLGL	267
WWN1880VSHLGW	267
WWN1880VSHLL	267
WWN1880VSHLW	267
WWN1880VSHRGL	267
WWN1880VSHRGW	267
WWN1880VSHRL	267
WWN1880VSHRW	267
WWN2424WSQRL	202
WWN2424WSQRLW	202
WWN2424WSQRW	202
WWN2430WSQRL	202
WWN2430WSQRLW	202
WWN2430WSQRW	202
WWN2430WSSL	195
WWN2430WSSLW	195
WWN2430WSSVDL	226
WWN2430WSSVDLW	226
WWN2430WSSVDW	226
WWN2430WSSW	195
WWN2436MUCL	268
WWN2436MUCLW	268
WWN2436MUCLWL	268
WWN2436MUCW	268
WWN2436MUCWWL	268
WWN2436PFHL	269
WWN2436PFHLW	269
WWN2436PFHW	269
WWN2436WSSL	195
WWN2436WSSLW	195
WWN2436WSSVDL	226
WWN2436WSSVDLW	226
WWN2436WSSVDW	226
WWN2436WSSW	195
WWN2442WSSL	195
WWN2442WSSLW	195
WWN2442WSSW	195
WWN2448CVMSL	266
WWN2448CVMSLW	266
WWN2448CVMSW	266
WWN2448WSSL	195
WWN2448WSSLW	195
WWN2448WSSW	195
WWN2454WSSL	195
WWN2454WSSLW	195
WWN2454WSSW	195
WWN2460CVMSL	266
WWN2460CVMSLW	266
WWN2460CVMSW	266
WWN2460WSCCRL	200
WWN2460WSCCRLW	200
WWN2460WSCCRW	200
WWN2460WSSL	195
WWN2460WSSLW	195
WWN2460WSSW	195
WWN2466WSCCRL	200
WWN2466WSCCRLW	200
WWN2466WSCCRW	200
WWN2466WSSL	195
WWN2466WSSLW	195
WWN2466WSSW	195
WWN2472CBL	267
WWN2472CBLW	267
WWN2472CBVL	266
WWN2472CBVLW	266
WWN2472CBVW	266
WWN2472CBW	267
WWN2472CVMSL	266
WWN2472CVMSLW	266
WWN2472CVMSW	266
WWN2472WSCCRL	200
WWN2472WSCCRLW	200
WWN2472WSCCRW	200
WWN2472WSSL	195
WWN2472WSSLW	195
WWN2472WSSW	195
WWN3024WSQRL	202
WWN3024WSQRLW	202
WWN3024WSQRW	202
WWN3030SQL	150
WWN3030SQLW	150
WWN3030SQW	150
WWN3030WSQRL	202
WWN3030WSQRLW	202
WWN3030WSQRW	202
WWN3048WSSL	198
WWN3048WSSLW	198
WWN3048WSSW	198
WWN3054WSSL	198
WWN3054WSSLW	198
WWN3054WSSW	198
WWN3060WSSL	198
WWN3060WSSLW	198
WWN3060WSSW	198
WWN3066WSSL	198
WWN3066WSSLW	198
WWN3066WSSW	198
WWN3072WSSL	198
WWN3072WSSLW	198
WWN3072WSSW	198
WWN30RDL	148
WWN30RDLW	148
WWN30RDW	148
WWN3636SQL	150
WWN3636SQLW	150
WWN3636SQW	150
WWN3660WSCEDLL2	222
WWN3660WSCEDLLW2	222
WWN3660WSCEDLW2	222
WWN3660WSCEDRL2	222
WWN3660WSCEDRLW2	222
WWN3660WSCEDRW2	222
WWN3666WSCEDLL2	222
WWN3666WSCEDLLW2	222
WWN3666WSCEDLW2	222
WWN3666WSCEDRL2	222
WWN3666WSCEDRLW2	222
WWN3666WSCEDRW2	222
WWN3672BTL	154
WWN3672BTLW	154
WWN3672BTW	154
WWN3672RC2L	156
WWN3672RC2LW	156
WWN3672RC2W	156

Model	Page
WWN3672RT2L	152
WWN3672RT2LW	152
WWN3672RT2W	152
WWN3672WSCEDLL2	222
WWN3672WSCEDLLW2	222
WWN3672WSCEDLW2	222
WWN3672WSCEDRL2	222
WWN3672WSCEDRLW2	222
WWN3672WSCEDRW2	222
WWN36RDL	148
WWN36RDLW	148
WWN36RDW	148
WWN4242SQL	150
WWN4242SQLW	150
WWN4242SQW	150
WWN4284BTL	154
WWN4284BTLW	154
WWN4284BTW	154
WWN4284RC2L	156
WWN4284RC2LW	156
WWN4284RC2W	156
WWN4284RT2L	152
WWN4284RT2LW	152
WWN4284RT2W	152
WWN42RDL	148
WWN42RDLW	148
WWN42RDW	148
WWN48120BTL	154
WWN48120BTLW	154
WWN48120BTW	154
WWN48120RC2L	156
WWN48120RC2LW	156
WWN48120RC2W	156
WWN48120RT2L	152
WWN48120RT2LW	152
WWN48120RT2W	152
WWN48144BTL	154
WWN48144BTLW	154
WWN48144BTW	154
WWN48144RC2L	156
WWN48144RC2LW	156
WWN48144RC2W	156
WWN48144RT2L	152
WWN48144RT2LW	152
WWN48144RT2W	152
WWN48168BTL	154
WWN48168BTLW	154
WWN48168BTW	154
WWN48168RC2L	156
WWN48168RC2LW	156
WWN48168RC2W	156
WWN48168RT2L	152
WWN48168RT2LW	152
WWN48168RT2W	152
WWN48192BTL	154
WWN48192BTLW	154
WWN48192BTW	154
WWN48192RC2L	156
WWN48192RC2LW	156
WWN48192RC2W	156
WWN48192RT2L	152
WWN48192RT2LW	152
WWN48192RT2W	152
WWN48216BTL	155
WWN48216BTLW	155
WWN48216BTW	155
WWN48216RC2L	157
WWN48216RC2LW	157
WWN48216RC2W	157
WWN48216RT2L	153
WWN48216RT2LW	153
WWN48216RT2W	153
WWN48240BTL	155
WWN48240BTLW	155
WWN48240BTW	155
WWN48240RC2L	157
WWN48240RC2LW	157
WWN48240RC2W	157
WWN48240RT2L	153
WWN48240RT2LW	153
WWN48240RT2W	153
WWN4848SQL	150
WWN4848SQLW	150
WWN4848SQW	150
WWN4896BTL	154
WWN4896BTLW	154
WWN4896BTW	154
WWN4896RC2L	156
WWN4896RC2LW	156
WWN4896RC2W	156
WWN4896RT2L	152
WWN4896RT2LW	152
WWN4896RT2W	152
WWN48RDL	148
WWN48RDLW	148
WWN48RDW	148
WWN48WSHRL	201
WWN48WSHRLW	201
WWN48WSHRW	201
WWN5454SQL	150
WWN5454SQLW	150
WWN5454SQW	150
WWN54RDL	148
WWN54RDLW	148
WWN54RDW	148
WWN60144BTL	155
WWN60144BTLW	155
WWN60144BTW	155
WWN60144RC2L	157
WWN60144RC2LW	157
WWN60144RC2W	157
WWN60144RT2L	153
WWN60144RT2LW	153
WWN60144RT2W	153
WWN60168BTL	155
WWN60168BTLW	155
WWN60168BTW	155
WWN60168RC2L	157
WWN60168RC2LW	157
WWN60168RC2W	157
WWN60168RT2L	153
WWN60168RT2LW	153
WWN60168RT2W	153
WWN60192BTL	155
WWN60192BTLW	155
WWN60192BTW	155
WWN60192RC2L	157
WWN60192RC2LW	157
WWN60192RC2W	157
WWN60192RT2L	153
WWN60192RT2LW	153
WWN60192RT2W	153
WWN60216BTL	155
WWN60216BTLW	155
WWN60216BTW	155
WWN60216RC2L	157
WWN60216RC2LW	157
WWN60216RC2W	157
WWN60216RT2L	153
WWN60216RT2LW	153
WWN60216RT2W	153
WWN60240BTL	155
WWN60240BTLW	155
WWN60240BTW	155
WWN60240RC2L	157
WWN60240RC2LW	157
WWN60240RC2W	157
WWN60240RT2L	153
WWN60240RT2LW	153
WWN60240RT2W	153
WWN6060SQL	150
WWN6060SQLW	150
WWN6060SQW	150
WWN60RDL	148
WWN60RDLW	148
WWN60RDW	148
WWN60WSHRL	201
WWN60WSHRLW	201
WWN60WSHRW	201

Notes

Notes

Notes

Notes

For more information about our products and services or to find a certified National® dealer near you, please visit us at www.NationalOfficeFurniture.com or contact our Customer Service Team at 800.482.1717.

Intellectual Property

Acquaint®, Admire®, Arlington™, Arrowood™, Aurora®, Barrington®, Captivate®, Casbah®, Chameleon™, Cinch®, Clever®, Confide®, Davari®, Ditto™, Eloquence®, Epic™, Epicenter®, Escalade®, Esssay™, Exhibit™, Flourish®, Fold™, Fuel®, Fringe®, Gotcha™, Hiland™, IntegraClear®, Jewel™, Jiminy®, Lavoro™, Medalist™, Mio™, Mix-it®, Monterrey™, Myriad™, Pegos®, Pennant™, Remedy®, Renegade™, Reno®, Respect®, Result®, Roosevelt™, Staccato®, Swift™, Tag®, Timberlane™, Triumph™, Toss™, and Wander™, WaveWorks®, and Whimsy™, are registered trademarks of National Office Furniture. Trademarks of other parties are identified wherever possible and National acknowledges their rights.

BLOCKaide™ and Terratex® are registered trademarks of Interface, Inc.

Brisa®, Brisa® Distressed, Promessa® and Ultraleather™ are registered trademarks of Ultrafabrics, LLC.

Byrne Interlink® is a registered trademark of Byrne Electrical Specialists, Inc.

Corian® is a registered trademark of E.I. du Pont Nemours and Company.

Cradle to Cradle™ is a registered trademark of McDonough Braungart Design Chemistry, LLC.

Crypton®, Crypton® Green and INCASE™ are registered trademarks of Crypton, Inc.

Hi-Loft™, Hi-Loft^{2}™, PERMABLOK^{3}®, SILVERGUARD® and Silvertex™ are registered trademarks of Spradling Holdings, Inc.

Hilti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

At National, sustainability is embedded throughout the professional and personal fabric of our lives. That extends from our products and processes to the materials we provide you showcasing our solutions, such as this price list. It is printed on paper and is certified by the Forest Stewardship Council (FSC®), which lends the assurance of being sourced from sustainably managed forests.

This price list is available in printed form; however, we encourage you to conserve natural resources with us and consult the online version at www.NationalOfficeFurniture.com/Resources.

Perhaps we've sent you more copies than you find necessary, or you no longer wish to receive our mailings. If so, please email us at Service@NationalOfficeFurniture.com. And as always, when you no longer have a need for this catalog, please recycle it.

Read more about our journey to create a better tomorrow at www.NationalOfficeFurniture.com/Sustainability.

At National Office Furniture, we see our legacy as more than quality furniture.

It is also a reverence for nature, which inspires our resolve to protect, nurture and preserve nature's gifts.

NATIONAL® | Furniture with Personality®

www.NationalOfficeFurniture.com

1610 Royal Street, Jasper, IN 47549
800.482.1717 Fax 812.482.8800
©Kimball International, Inc. 2015
Printed in the USA
Form No. NPLT4 Ver. 15
A Unit of Kimball International