

MISSISSIPPI DEPARTMENT OF CORRECTIONS

Jackson, Mississippi 39202



INVITATION TO BID

MS DEPT. OF CORRECTIONS
PURCHASING DEPARTMENT
633 N STATE STREET
JACKSON, MS 39202
PHONE: (601) 359-5606

**IFBD NO. 16-300/ RFX # 3160001018
AGENCY CONTRACT FOR OFFICER
CLOTHING ITEMS**

**BIDS WILL BE OPENED
June 3, 2016 @ 2:00 P.M.**

GENERAL CONDITIONS

Prices must be entered ONLINE IN MAGIC, WITHIN INDICATED FIELDS.

MAGIC ALLOWS A MAXIMUM OF TWO DECIMAL PLACES WHEN ENTERING PRICES. PRICES SUBMITTED IN ANY OTHER FASHION WILL NOT BE ACCEPTED. ALL PRICES SUBMITTED MUST BE ROUNDED TO THE NEAREST CENT (TWO DECIMAL PLACES) TO BE ACCEPTABLE.

THE MISSISSIPPI DEPARTMENT OF CORRECTIONS RESERVES THE RIGHT TO ACCEPT OR REJECT ANY AND ALL BIDS DEPENDING ON THE AVAILABILITY OF FUNDS OR TO END THE BID PROCESS IF IT IS IN THE BEST INTEREST OF THE STATE OF MISSISSIPPI.

1. PRICES, TERMS AND PAYMENT: Firm prices shall be bid and include all packing, handling, shipping charges and delivery to the destination shown herein.

(a) TAXES: Mississippi Department of Corrections is a tax exempt entity. Our tax exemption number is 64-74-0123-K.

(b) DISCOUNTS: Cash discounts for prompt payment shall not be considered in determining the lowest net cost for bid evaluation purposes.

(c) MISTAKES: Bidders are expected to examine the specifications, delivery schedule, bid prices, extensions and all instructions pertaining to supplies and service. Failure to do so will be at bidder's risk. In case of mistake in extension, the unit price will govern.

(d) CONDITIONS AND PACKAGING: It is understood and agreed that any item offered or shipped as a result of this bid shall be a new, current standard production model available at the time of the bid. All containers shall be suitable for storage or shipment, and all prices shall include standard commercial packaging.

(e) SAFETY STANDARDS: Unless otherwise stipulated in the bid, all manufactured items and fabric Occupational Safety and Health Act and any standards thereunder.

f) INVOICING AND PAYMENT: The contractor shall be paid upon submission of properly certified invoices to the purchaser at the prices stipulated on the contract at the time the order is placed, after delivery and acceptance of goods, less deductions if any as provided. Invoices shall contain in the contract number, purchase order number and the contractor's Federal Employer Identification Number. An original and one (1) copy of the invoice shall be submitted. Failure to follow these instructions may result in delay in processing invoice for payment.

(g) ANNUAL APPROPRIATIONS: It shall be understood that any contracts entered into as a result of this bid that shall be in effect subsequent to June 30 of any calendar year is subject to the terms of the non-appropriation clause. This clause provides that any contract which extends past June 30 of any calendar year may be canceled for lack of funds. If this should become necessary MS Department of Corrections is not obligated to order or pay for any item which is not covered by a purchase order dated prior to June 30.

2. DELIVERY: Unless actual date is specified (or if specified delivery cannot be met), show number of days required to make delivery after receipt of purchase order in space provided. Delivery time may become a basis for making an award (see Special Conditions). Delivery shall be within the normal working hours of the user, Monday through Friday unless otherwise specified.

3. ADDITIONAL TERMS AND CONDITIONS: No additional terms and conditions included with the bid response shall be evaluated or considered and any and all such additional terms and conditions shall have no force and effect and are inapplicable to this bid. If submitted either purposely through intent or design or inadvertently appearing separately in transmittal letters, specifications, literature, price lists or warranties, it is understood and agreed the general and special conditions in this bid solicitation are the only conditions applicable to this bid and the bidder's authorized signature affixed to the bidder acknowledgment form attests to this.

4. MANUFACTURERS' NAME AND APPROVED EQUIVALENTS:

Any manufacturers' name, trade names, information and/or catalog numbers listed in specification are for information and not intended to limit competition. The bidder may offer any brand for which he is an authorized representative, which meets or exceeds the specifications for any item(s). **MEASUREMENTS:** Customary measurements appearing in these specifications are not intended to preclude bids for commodities with metric measurements. If bids are based on equivalent products, indicate on the bid form the manufacturer's name and number Bidder shall submit with his bid, cut sketches, and descriptive literature and/or complete specifications. Reference to literature submitted with a previous bid will not satisfy this provision. The State of Mississippi reserves the right to determine acceptance of item(s) as an approved equivalent. Bids which do not comply with these requirements are subject to rejection. Bids lacking any written indication of intent to bid an alternate brand will be received and considered in compliance with the specifications as listed on the bid form. The purchaser is to be notified of any proposed changes in (a) materials used, (b) manufacturing process, or (c) construction. However, changes shall not be binding upon the State unless evidenced by a Change of Notice issued and signed by the State.

5. INTERPRETATIONS/DISPUTES: Any questions concerning conditions and specifications shall be directed in writing to this office for receipt no later than five (5) days prior to the bid opening must reference the date of bid opening and bid number.

6. AMBIGUOUS BIDS: Ambiguous bids which are uncertain as to terms, delivery, quantity, or compliance with specifications may be rejected or otherwise disregarded.

7. AWARDS: As the best interest of the State may require, the right is reserved to make award(s) by individual item, group of items, all or none, or a combination thereof. When it is determined there is competition to the lowest responsible bidder, evaluation of other bids is not required. Bidders are cautioned to make no assumptions unless their bid has been evaluated as being responsive. All awards made as a result of this bid shall conform to applicable MS Statutes.

8. SAMPLE: Samples of items, when called for, must be furnished free of expense on or before bid opening time and date, and if not destroyed may upon request be returned at the bidder's expense. Each individual sample must be labeled with bidder's name, manufacturer's brand name and number, bid number and item reference. Request for return of samples shall be accompanied by instructions which include shipping authorization and name of carrier and must be received within 90 days after bid opening date. If instructions are not received within this time, the commodities shall be disposed of by the MS Department of Corrections. Bidder should be aware that in the process of evaluation, samples may be severely damaged. If this occurs, the MS Department of Corrections is not responsible to the vendor for reimbursement.

9. NONCONFORMANCE TO CONTRACT

CONDITIONS: Items may be tested for compliance with specifications. The data derived from any tests for compliance with specifications are public records and open to examination. Items delivered not conforming to specifications will be rejected and returned at vendor's expense. These items and items not delivered as per delivery date in bid and/or purchase order may result in bidder being found in default in which event any and all procurement costs may be charged against the defaulting contractor. Any violation of these stipulations will also result in:

- (a) Suppliers name being removed from the vendor mailing list.
- (b) The State Office of Purchasing and Travel shall be notified of such action taken.

10. INSPECTION, ACCEPTANCE AND TITLE:

Inspection and acceptance will be destination unless otherwise provided. Title and risk of loss or damage to all items shall be the responsibility of the supplier until accepted by the ordering agency, unless loss or damage results from negligence by the ordering agency. The contract supplier shall be responsible for filing, processing and collecting all damage claims. However, to assist him in the expeditious handling of damage claims, the ordering agency will:

- a) Record any evidence of visible damage on all copies of the delivering carrier's Bill of Lading.
- b) Report damage (visible and concealed) to the carrier and contract supplier, confirming such reports, in writing, within 5 days of delivery, requesting that the carrier inspect the damaged merchandise.
- c) Retain the item and its shipping container, including inner packing material, until inspection is performed by the carrier, and disposition given by the contract supplier.
- d) Provide the contract supplier with a copy of the carrier's Bill of Lading and damage inspection report.

11. SERVICE AND WARRANTY:

Unless otherwise specified, the bidder shall define any warranty service and replacement that will be provided during and subsequent to this contract. Bidder must explain on an attachment sheet to what extent warranty and service facilities are provided.

12. PATENTS AND ROYALTIES:

The bidder, without exception, shall indemnify and save harmless the purchaser and its employees from liability of any nature or kind, including cost and expense for or on account of any copyrighted, patented, or unpatented invention, process, or article manufactured by the bidder.

13. ASSIGNMENT:

Any purchase order issued pursuant to this bid invitation and the monies which may become due hereunder are not assignable except with the prior written approval of the Ordering Agency.

14. LIABILITY:

The supplier shall hold and save the State of Mississippi, its officers, agents and employees harmless against claims by third parties resulting from the supplier's breach of this contract or the supplier's negligence.

15. FACILITIES:

The State reserves the right to inspect the bidder's facilities at any reasonable time with prior notice.

NOTE: Any and all special conditions and specifications attached hereto which vary from these general conditions shall have precedence.

ITEM	QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL NET PRICE
THE MISSISSIPPI DEPARTMENT OF CORRECTIONS IS REQUESTING BIDS FOR AN AGENCY CONTRACT FOR OFFICER CLOTHING ITEMS				
FRUITS/JELLIES/GELATINS				
1	4,440 EA	Unisex Short Sleeve Officer Shirts (SEE ATTACHED SPECS.) Horace Small HX1451B or Equal Navy in color MSP 1,902 CMCF 1,545 SMCI 993		
2	4,440 EA	Unisex Long Sleeve Offrcer Shirts (SEE ATTACHED SPECS.) Horace Small ID(1450B or Equal Navy in color MSP 1,902 CMCF 1,545 SMCI 993		
3	1,590 PR	Men's Officer Trouser (SEE ATTACHED SPECS.) Horace Small HX2604B or Equal Silver Tan in color MSP 612 CMCF 591 SMCI 387		
4	2,850 PR	Women's Officer Trouser (SEE ATTACHED SPECS.) Horace Small HX2605B or Equal Silver Tan in color MSP 1,290 CMCF 954 SMCI 606		
Use of a brand name is for the purpose of describing the standard of quality, performance, and characteristics desired and is not intended to limit or restrict competition.				
<p>ALL QUANTITIES ARE ESTIMATES F.O.B.: MSP - Hwy 49 West, parchman, MS 38738 CMCF -3794 Hwy 468, pearl, MS 39205 SMCI - 22689 Hwy 463 North, Leakesville, MS 39451 Samples must be provides by June 3,2016. Send samples to: MDOC Attn:Dell Lemley 633 N. State St. Jackson, MS 39202</p>				

Unisex Short Sleeve Shirt

Specifications

FABRIC

Fabric is a Poplin rip stop, 65% Polyester 35% Cotton blend, 4.20 oz. per square yard.

CREASING

There shall be two sewn military style creases on each front centered with the pocket and three sewn military style creases on the back with the middle one centered on the back of the shirt and the other two centered with the shoulder.

FRONT

The left front has a self-fabric center pleat $1\frac{3}{8}$ " wide extending from collar band to bottom of shirt. It has two rows of stitching $\frac{7}{8}$ " apart. The center pleat is interlined with 100% polyester, 250 denier. A self-lined button stand $\frac{7}{8}$ " wide is on the right side and extends from collar band to bottom of shirt. There are six front buttons and one collar band button.

COLLAR

The collar is banded. The back of the stand measures $1\frac{1}{2}$ ". The points are 3" in length and top stitched $\frac{3}{16}$ " from the edge. The interlinings are 50% polyester and 50% cotton for the collar and 100% cotton for the collar band lining. The inside collar band is self-goods. Permanent collar stays of proper length are sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with one button.

YOKE

Two piece yoke of self-goods with concealed shoulder join seam.

SLEEVES

Sleeve setting and closing are sewn with an over edge and safety stitch. They shall have a $\frac{5}{8}$ " double turned hem.

POCKETS

Two breast pockets finishing $5\frac{1}{2}$ " wide and $5\frac{1}{2}$ " long with mitered corners. Both pockets have a $1\frac{1}{4}$ " box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall $1\frac{3}{8}$ " wide. Woven hook fastener $\frac{1}{2}$ " wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.

FLAPS

Flaps are scalloped, finishing $5\frac{5}{8}$ " in width, $2\frac{3}{4}$ " in length at the center and $2\frac{1}{2}$ " at each side. Flaps are placed with a $\frac{1}{2}$ " space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening $1\frac{3}{8}$ " in width. Woven loop fastener $\frac{1}{2}$ " wide and 1" long is placed on the edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining.

BADGE TAB

Inside sling type of self-goods approximately $1\frac{1}{2}$ " wide extends from joining seam to pocket of left front. To have two small, uncut buttonholes $1\frac{1}{4}$ " apart with the lower buttonhole $1\frac{1}{2}$ " above the flap.

Unisex Short Sleeve Shirt Specifications

EPAULETS

Sewn into sleeve head seam and measure approximately 1 $\frac{7}{8}$ " tapering to 1 $\frac{1}{2}$ " with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2 $\frac{1}{2}$ " from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.

SHIRT LABELING

Each garment is identified by permanent size label, style number, cut number, manufacturing RN number, care, content and country of origin labeling.

BUTTONS

19-Ligne polyester buttons dyed to match the fabric color.

Dark Navy has melamine buttons

PACKING

Shirts are individually polybagged.

EMBLEMS

Shirts will have Mississippi Department of Corrections shoulder patches sewn on each sleeve. Shoulder emblems are to be provided by MDOC.

Unisex Long Sleeve Shirt

Specifications

FABRIC

Fabric is a Poplin rip stop, 65% Polyester 35% Cotton blend, 4.20 oz. per square yard.

CREASING

There shall be two sewn military style creases on each front centered with the pocket and three sewn military style creases on the back with the middle one centered on the back of the shirt and the other two centered with the shoulder.

FRONT

The left front has a self-fabric center pleat $1\frac{3}{8}$ " wide extending from collar band to bottom of shirt. It has two rows of stitching $\frac{7}{8}$ " apart. The center pleat is interlined with 100% polyester, 250 denier. A self-lined button stand $\frac{7}{8}$ " wide is on the right side and extends from collar band to bottom of shirt. There are six front buttons and one collar band button.

COLLAR

The collar is banded. The back of the stand measures $1\frac{1}{2}$ ". The points are 3" in length and top stitched $\frac{3}{16}$ " from the edge. The interlinings are 50% polyester and 50% cotton for the collar and 100% cotton for the collar band lining. The inside collar band is self-goods. Permanent collar stays of proper length are sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with one button.

YOKE

Two piece yoke of self-goods with concealed shoulder join seam.

SLEEVES

Each sleeve has a one piece pointed placket, 1" wide both top and bottom. Sleeve setting and closing are sewn with an over edge and safety stitch. Cuffs close with two buttons and buttonholes, are $2\frac{3}{4}$ " wide and have $\frac{1}{4}$ " gauge topstitching on the edge. Cuffs are interlined.

POCKETS

Two breast pockets finishing $5\frac{1}{2}$ " wide and $5\frac{1}{2}$ " long with mitered corners. Both pockets have a $1\frac{1}{4}$ " box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall $1\frac{3}{8}$ " wide. Woven hook fastener $\frac{1}{2}$ " wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.

FLAPS

Flaps are scalloped, finishing $5\frac{5}{8}$ " in width, $2\frac{3}{4}$ " in length at the center and $2\frac{1}{2}$ " at each side. Flaps are placed with a $\frac{1}{2}$ " space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening $1\frac{3}{8}$ " in width. Woven loop fastener $\frac{1}{2}$ " wide and 1" long is placed on the edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining.

BADGE TAB

Inside sling type of self-goods approximately $1\frac{1}{2}$ " wide extends from joining seam to pocket of left front. To have two small, uncut buttonholes $1\frac{1}{4}$ " apart with the lower buttonhole $1\frac{1}{2}$ " above the flap.

Unisex Long Sleeve Shirt Specifications

EPAULETS

Sewn into sleeve head seam and measure approximately 1 $\frac{7}{8}$ " tapering to 1 $\frac{1}{2}$ " with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2 $\frac{1}{2}$ " from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.

SHIRT LABELING

Each garment is identified by permanent size label, style number, cut number, manufacturing RN number, care, content and country of origin labeling.

BUTTONS

19-Ligne polyester buttons dyed to match the fabric color.
Dark Navy has melamine buttons

PACKING

Shirts are individually polybagged.

EMBLEMS

Shirts will have Mississippi Department of Corrections shoulder patches sewn on each sleeve. Shoulder emblems are to be provided by MDOC.

Men's 4-Pocket Trousers

Specifications

FABRIC

6.5 oz. / sq. yd. 65% polyester / 35% cotton, rip-stop with Teflon finish.

DESIGN

Made on a relaxed uniform pattern, having a plain front with quarter top front pockets and two back pockets.

POCKETS

The front pockets will have a minimum opening of 6½" and be 6" deep from the bottom of the opening. They are stitched, turned, and re-stitched. The inside front pocket facing is to be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep. Sizes 29 and smaller will have a 5" opening. They are to be made with a PW automatic machine and finished on the outside with an exposed top and bottom cord. Both back pockets are to have a tab to button closure. The front pockets will each have a straight bar tack at the top of the opening, and a triangular bar tack at the bottom of the opening. The back pockets are to have triangular bar tacks at each end of the pocket openings.

POCKETING

The pocketing is to be black, 70% polyester / 30% cotton plain weave, minimum 3.2 ounces per square yard.

WAISTBAND:

The waistband is to finish 2" wide and will be closed with two crush-proof hooks and eyes, the eyes being bar tacked for stability. The band is attached to a 2 ½" Cool Flex® curtain or equal with two silicone beads along the full length of the band as well as Ban-Rol Sofflex™ elastic or equal, ¾" wide. The waistband is to be set on and stitched below the lower edge through the outer fabric and the waistband curtain. The Comfort Cool Flex® or equal band allows stretch of 2" - 4" depending on the size of the trouser. The trousers are to be made with a continuous closed waistband having center back outlet for tailoring.

INSIDE TRIM

The right fly and crotch linings are to be made from the same fabric and color as the pocketing. The right fly lining is sewn to the left fly below the zipper and extends 1" beyond the crotch joining seam. The crotch shall be lined in all four quarters with a double thickness of the pocketing material. A separate French fly made of the outer fabric is to be sewn to the inside right fly and attaches to a button on the left front waistband curtain.

BELT LOOPS

There will be a minimum of five (5) belt loops on waist sizes 30 and smaller, seven (7) belt loops on waist sizes 31 - 48, and a minimum of nine (9) on sizes 50 and larger. Each loop is to be ¾" wide, of double thickness, interlined with a non-woven fusible interlining, and stitched on the face side with a two-needle machine. All belt loops are bar tacked to the top of the waistband, turned down over the bar tack, and bar tacked to the trouser below the waistband. The minimum belt loop opening is 2 ¼".

Men's 4-Pocket Trousers

Specifications

ZIPPER

The trousers are to be closed with a YKK or equal brass zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. The inside left fly is reinforced with Pellon under the zipper stitching. A straight bar tack is sewn through from the outside of the trouser to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left flies and the right fly lining. The right and left flies are joined by an additional bar tack on the inside of the trouser.

CREASING

The front and rear creases in the trouser legs must incorporate a permanent modified silicone crease.

BUTTONS

The buttons are to be 22-ligne melamine 4-hole style, tan color.

SEAMING

The entire trouser is to be seamed with polyester core thread. The seat seam is stitched with a tandem needle seat seaming machine. All exposed inside seams of the trouser are to be serged.

LABELING

Trousers are to be labeled with the following information: style number, size, fiber content, care instructions, WPL number and country of origin.

FINISHING AND PRESSING

All loose threads must be removed. The trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open.

HEMMING

Trousers are to be hemmed and pressed completely and properly as per lengths provided by Mississippi Department of Corrections. (Trousers may also be left unfinished if requested by MDOC)

Women's Officer Trousers Specifications

FABRIC

6.5 oz. / sq. yd. 65% polyester / 35% cotton, rip-stop with Teflon finish.

DESIGN

Shall be made on a modified ladies uniform pattern with quarter top front pockets and two back pockets. Lowered rise front with modest rise back allows comfortable fit while in the patrol car or on foot pursuit. Positioning the duty belt at the natural waist gives support and comfort. Comfort stretch waistband enables custom fit to many different body types allowing wearer to adjust waist band up and down the torso for comfort. Comfort stretch also eliminates unsightly gaping at the back. Generous fit through hips, seat and thigh increases comfort and mobility.

POCKETS

The front pockets will have a minimum opening of 6" and be 5½" deep from the bottom of the opening. They will be stitched, turned, and re-stitched. The inside front pocket facing is to be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep on sizes 14 and larger. On sizes 12 and smaller, the minimum opening will be 5" wide and 6" deep. They are to be made with a PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket is to have a tab to button closure. The front pockets will each have a straight bar tack at the top of the opening, and a triangular bar tack at the bottom of the opening. The back pockets are to have triangular bar tacks at each end of the pocket openings.

POCKETING

The pocketing is to be black, 70% polyester / 30% cotton plain weave, minimum 3.20 ounces per square yard.

WAISTBAND

The waistband is to finish 2" wide and will be closed with two crush-proof hooks and eyes, the eyes being bar tacked for stability. The band is attached to a 2½" Cool Flex or equal curtain with two silicone beads along the full length of the band as well as Ban-Rol Sofflex or equal elastic, ¾" wide. The waistband is to be set on and stitched below the lower edge through the outer fabric and the waistband curtain. The waistband allows stretch of 2" - 4" depending on the size of the trouser. The trousers are to be made with a continuous closed waistband having center back outlet for tailoring.

INSIDE TRIM

The right fly lining is to be made from the same fabric and color as the pocketing. The right fly lining is sewn to the left fly below the zipper and extends 1" beyond the crotch joining seam.

BELT LOOPS

There will be a minimum of five (5) belt loops on sizes 12 and smaller, and a minimum of seven (7) on sizes 14 and larger. Each loop is to be ¾" wide, of double thickness, interlined with a non-woven fusible interlining, and stitched on the face side with a two-needle machine. All belt loops are bar tacked to the top of the waistband, turned down over the bar tack, and bar tacked to the trouser below the waistband. The minimum belt loop opening is 2¼".

Women's Officer Trousers Specifications

ZIPPER

The trousers are to be closed with a YKK or equal brass zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. The inside left fly is reinforced with Pellon under the zipper stitching. A straight bar tack is sewn through from the outside of the trouser to the inside at the bottom of the fly. It is sewn through the zipper tape, the right and left flies and the right fly lining. The right and left flies are joined by an additional bar tack on the inside of the trouser.

CREASING

The front and rear creases in the trouser legs must incorporate a permanent modified silicone crease.

BUTTONS

The buttons are to be 22-ligne melamine 4-hole style, dyed to match the fabric color.

SEAMING

The entire trouser is to be seamed with polyester core thread. The seat seam is stitched with a tandem needle seat seaming machine. All exposed inside seams of the trouser are to be serged.

LABELING

Trousers are to be labeled with the following information: style number, size, fiber content, care instructions, WPL number and country of origin.

FINISHING AND PRESSING

All loose threads must be removed. The trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open, and oven cured for crease retention.

HEMMING

Trousers are to be hemmed and pressed completely and properly as per lengths provided by Mississippi Department of Corrections. (Trousers may also be left unfinished if requested by MDOC)

NOTICE TO BIDDERS

THE MISSISSIPPI DEPARTMENT OF CORRECTIONS RESERVES THE RIGHT TO ACCEPT OR REJECT ANY AND ALL BIDS DEPENDING ON THE AVAILABILITY OF FUNDS

DIRECT QUESTIONS CONCERNING THIS BID OPENING TO:

**DELL LEMLEY
601-359-5625**