

PRICING EFFECTIVE  
**JAN 2016**


**TRIO™**

*Price & Specification Guide*

Gunlocke®


## WOOD FINISH

- A. Natural Maple
- B. Honey Maple
- C. Wheat Cherry
- D. Light Cherry
- E. Canyon Cherry
- F. Cinnamon Cherry
- G. Burnished Cherry
- H. Medium Brown Cherry
- I. Chestnut Cherry
- J. Medium Red Cherry
- K. Dark Red Cherry
- L. Chicory Cherry
- M. Light Walnut
- N. Coffee Walnut
- O. Sumatra Walnut
- P. Charcoal Grey Walnut
- Q. Dark Roast Walnut



## PAINTED WOOD

- A. Soft White
- B. Muslin
- C. Loft



## LAMINATE OPTIONS

- A. Laminate Designer White
- B. Laminate Whitestone
- C. Laminate Greystone
- D. Laminate Williamsburg Cherry
- E. Laminate Biltmore Cherry
- F. Laminate Mahogany Cherry
- G. Laminate Bourbon Cherry
- H. Laminate Natural Maple



**ORDERING OPTION CODES** (OVER)

# ORDERING OPTION CODES

TRIO  
01/16

## WOOD FINISH

### SELECT VENEERS

#### NATURAL PLAIN SLICED CHERRY

Medium Brown Cherry	NC215
Cinnamon Cherry	NC260
Chicory Cherry	NC284
Chestnut Cherry	NC293
Dark Red Cherry	NC511
Medium Red Cherry	NC512
Light Cherry	NC701
Wheat Cherry	NC706
Canyon Cherry	NC744
Burnished Cherry	NC777

#### NATURAL PLAIN SLICED MAPLE

Natural Maple	NE800
Honey Maple	NE873

#### NATURAL PLAIN SLICED WALNUT

Light Walnut	NT601
Coffee Walnut	NT615
Charcoal Grey Walnut	NT637
Dark Roast Walnut	NT684
Sumatra Walnut	NT693

## PAINTED FINISH

Soft White	WPSW
Muslin	WPML
Loft	WPLF

## LAMINATE OPTIONS

### WOOD GRAIN

Laminate Williamsburg Cherry	PL215
Laminate Biltmore Cherry	PL260
Laminate Mahogany Cherry	PL511
Laminate Bourbon Cherry	PL701
Laminate Natural Maple	PL800

### SOLID

Laminate Designer White	PLWH
Laminate Whitestone	PLML
Laminate Greystone	PLLF

## PERSONAL CORNER

Black Leather	CBL
White Leather	CWH
Chocolate Leather	CCH

## EDGE DETAILS

Square*	SQ
Double Reed	DR
Channel	CH

\*Laminate tops available with square edge only

## PULLS

Linear - Silver	LES
Linear - Black	LEB
Sweep - Silver	SWS
Sweep - Black	SWB
Bar - Silver	BRS
Bar - Black	BRB

## MODESTY PANEL

Modesty Panel Included	MY
No Modesty Panel (deduct \$194)	MN

## LEG COLOR

Leg - Silver	LS
Leg - Black	LB

## COLUMN COLOR

Column - Silver	CS
Column - Black	CB

## LOCKS

Locks Yes (+\$140)	LY
Locks No	LN

## KEYING

Field Installed Locks	FL
-----------------------	----

### FACTORY-INSTALLED

Random Key Numbers	
Silver	RMS
Black	RMB

Designated Key Numbers

Specify a number between:

Silver	FT100TAS - FT150TAS
Black	FT100TA - FT150TA

## UV TOP FINISH

Open Pore Low Sheen	OP
Full Fill ClearTech™	FF
Full Fill Top ≤ 120" Length (+\$75)	
Full Fill Top > 120" Length (+\$150)	

## EDGE DETAILS

A. Square



B. Channel




C. Double Reed




## PULLS


A. Linear - Silver




B. Linear - Black




C. Sweep - Silver




D. Sweep - Black



E. Bar - Silver




F. Bar - Black




## GROMMETS

A. Grommet - Silver





B. Grommet - Black




## POWER/DATA UNITS

A. Power/Data Unit - Silver



B. Power/Data Unit - Black



Conditions of Sale . . . . . 2  
GSA Terms & Conditions . . . . . 3-4  
Warranty . . . . . 5  
Delivery Information . . . . . 6  
Veneers, Finishes, Laminates . . . . . 7  
Edge Details & Pulls . . . . . 8  
Pedestal Legend . . . . . 9  
Filing & Keying . . . . . 10-11  
Wire Management . . . . . 12-13  
Product Reference . . . . . 19-40  
Typicals . . . . . 41-70  
Desking . . . . . 71-102  
    Double Pedestal Desks . . . . . 72  
    Table Desks . . . . . 73  
    Single Pedestal Desks . . . . . 74-77  
    Conferencing Extensions . . . . . 78-79  
    Desking Runoffs . . . . . 80-85  
    Single Pedestal Credenzas . . . . . 86-87  
    Double Pedestal Credenzas . . . . . 88  
    Full Storage Credenzas . . . . . 89  
    Returns . . . . . 90-91  
    Bridges . . . . . 92  
    Modular Worksurfaces . . . . . 93  
    Modular Pedestals . . . . . 94  
    Modular Support Panels . . . . . 95-98  
    Height Adjustable Desk . . . . . 99-102  
Freestanding Storage . . . . . 103-114  
    Mobile Pedestals . . . . . 104-105  
    Hinged Door Cabinets . . . . . 106  
    Bookcases . . . . . 107  
    Lateral Files . . . . . 108  
    Closets . . . . . 109-110  
    Utility Cabinets . . . . . 111  
    Storage Box . . . . . 112-113  
Overhead Storage . . . . . 115-129  
    Surface Mount Cabinets . . . . . 115-118  
    Towers . . . . . 119-122  
    Wall Mount Cabinets . . . . . 123-126  
    Tackboards . . . . . 127-128  
    LED Tasklights . . . . . 129  
Accessories . . . . . 130-140  
Tables . . . . . 141-149  
    Grommet Locations . . . . . 142  
    Table and Base Matrix . . . . . 143  
    Round Tops . . . . . 144  
    Rectangular Tops . . . . . 145  
    Table Bases . . . . . 146-147  
    Power / Data Units and Grommets . . . . . 148  
    Buffet Credenzas . . . . . 149  
Fabric Grade Pricing . . . . . 150-151  
Weights, Cubes & # of Locks . . . . . 153-158

**INTRODUCTION**

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

**PRICING**

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include cartoning and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

**ORDERING**

To expedite order entry and to assure proper service, email or fax all orders directly to:

**The Gunlocke Company**  
Attn: Order Entry  
One Gunlocke Drive  
Wayland, New York 14572  
585-728-5111  
585-728-8350 FAX  
800-828-6300  
[www.gunlocke.com](http://www.gunlocke.com)

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

**ACKNOWLEDGEMENT**

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgement for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgement is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

**SPECIFICATION CHANGES**

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

**ORDER CHANGES**

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgement may result in re-scheduling of product.

**RETURNED MERCHANDISE**

No merchandise may be returned without prior authorization.

**SHOWROOMS****Chicago**

222 Merchandise Mart Plaza  
Space 1126  
Chicago, IL 60654  
312-923-1133  
312-222-1162 FAX

**Dallas**

150 Turtle Creek Blvd.  
Suite 104-E  
Dallas, TX 75207  
214-912-4727

**New York**

257 Park Avenue South  
14th Floor  
New York, NY 10010  
212-473-8300  
212-473-8409 FAX

**CANCELLATIONS**

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

**STORAGE**

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

**TERMS**

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

**San Francisco**

2 Embarcadero Center  
Promenade Level  
San Francisco, CA 94111  
415-362-3131  
415-362-3134 FAX

**Washington DC**

1331 F Street, NW  
9th Floor  
Washington, DC 20004  
202-393-5070  
202-393-5075 FAX

## ORDERING INFORMATION

**1a.** Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

**Grade 1** All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

**Grade 2** Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

**Grade 3** Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennsington, Credentials, and all tables are grade 3.

**Grade 4** Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

- 1a. **Trio SIN #711-8 Grade 4**  
on pages 62-124  
**Trio Tables SIN #711-9 Grade 4**  
on pages 125-133.
- 1b. **Lowest priced units:**  
711-8 ACFLR15-M \$22 List  
711-9 ACUG-BP \$48 List
- 2. **Maximum order:** \$442,000 NET
- 3. **Minimum order:** \$100 List
- 4. **Geographic coverage:** 48 contiguous states and DC
- 5. **Points of production:**  
Wayland, NY, Steuben County, USA
- 6. **Discount from list:**

\$100 to \$100,000 list	60.1% off
\$100,001 to \$300,000 list	61.1% off
\$300,001 to \$500,000 list	61.8% off
\$500,001 to \$700,000 list	62.9% off
\$700,001 to \$1,227,778 list	64% off

\* These discounts apply to single purchase orders, shipping to the same place in the same time period.
- 7. **Quantity Discount:** See above
- 8. **Prompt payment terms:**  
Net 30 days
- 9a. **Credit card Acceptance:**  
**Government credit card is accepted at or below the micro - purchase threshold.**
- 9b. **Credit card Acceptance:**  
**Government credit card is accepted above the micro - purchase threshold.**
- 10. **Foreign items:** None
- 11a. **Time of delivery:** 90 days ARO
- 11b. **Expedited delivery:** Not available
- 11c. **Overnight and 2-day delivery:**  
Not available
- 11d. **Urgent requirements:**  
Not available
- 12. **FOB point(s):** Destination
- 13. **Ordering address(es):**  
The Gunlocke Company  
c/o Authorized Gunlocke GSA Dealer  
One Gunlocke Drive  
Wayland, NY 14572  
Phone: (800) 828-6300  
Fax: (585) 728-8350
- 14. **Payment address(es):**  
The Gunlocke Company LLC  
13367 Collections Center Drive  
Chicago, IL 60693
- 15. **Warranty provision:**  
See warranty on page 5
- 16. **Export packing charges:** Write for quotation on export packaging.
- 17. **Terms and conditions of Government commercial credit card acceptance:**  
Credit Cards are accepted.
- 18. **Terms and conditions of rental, maintenance, and repair:**  
Not applicable
- 19. **Project Management:**  
(SIN #711-91) \$65 Per Hour
- 20. **Design/Layout Services:**  
(SIN #711-94) \$65 Per Hour
- 21. **Terms and conditions of installation:**  
(SIN #711-95) Installation services will be charged at a rate of 15% of the net price of the purchase order for non-union rates (with a minimum charge of \$100), and 20% of the net price of the purchase order for union rates (with a minimum charge of \$150), for installation projects up to \$500. Installation projects in excess of \$500 will be negotiated on a case-by-case basis.
- 22. **Terms and conditions of repair:**  
Parts indicating date of parts price lists and any discounts from list prices: Not applicable
- 23. **List of service and distribution:**  
Points: Not applicable
- 24. **Participating dealers:**  
A list of participating dealers will be supplied to any government agency upon request or is available on our website at www.gunlocke.com.
- 25. **Preventative maintenance:** Not applicable. Instruction sheets available upon request.
- 26. **Environmental attributes:**  
Gunlocke has an active environmental program. Please call (800) 828-6300 for details.
- 27. **Data universal number system:**  
(DUNS) number is 1999 36550
- 28. **CCR registration/Cage Code:**  
The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574
- 29. **Returns:**  
No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.
- 30. **Cancellations:**  
No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
- 31. **Inside Delivery:**  
Contact the Gunlocke Company Traffic Department at (800) 828-6300 for a quotation on inside delivery.
- 32. **Federal Tax ID # 22 3887942**

## 12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warranted. This includes Fluorescent Tasklights.
- **LED tasklights** are warranted for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warranted for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warranted for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

## WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website. [www.gunlocke.com/productservice/](http://www.gunlocke.com/productservice/)

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$2,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$2,000 list will be subject to a \$100 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgement. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

## LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

## FILING OF CLAIMS

All claims for damage or loss must be submitted via our website at: [www.gunlocke.com/productservices](http://www.gunlocke.com/productservices) within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

### For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

### For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

### For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

### For Damage or Loss of Parcel Post or UPS Shipment

Notify the Gunlocke traffic department immediately at 585-728-8268.

## NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 3 hours to be unloaded, an additional charge will be billed at \$100/hour. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke cannot guarantee specific delivery times. If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

## WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

## DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

## INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

## SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services. Gunlocke will make every effort to meet the appointed time, however Gunlocke will not be responsible for any additional charges for late deliveries beyond our control.

## DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102". If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

veneer 1 (select)

- Cherry
- Maple
- Walnut

Paint Finishes

- Paints

UV TOP FINISH

Worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

UV finish options

<b>Full-fill Cleartech (upcharge)</b>	<b>FF</b>
<b>Open Pore Low Sheen</b>	<b>OP</b>
Full-fill Top ≤ 120" Length	<b>(+\$75)</b>
Full-fill Top > 120" Length	<b>(+\$150)</b>

TRIO CASEGOODS

Veneers

Trio is offered in three select veneers. All exposed surfaces utilize select plain sliced Cherry, Maple, or Walnut veneers.

Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

**Note:** See Gunlocke Advantage website for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.

**Note:** This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

**FSC Option:** For FSC Certified Product add "FSC" to beginning of finish option code. Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.

laminate 1	Description	Option Code	Supplier Name	Supplier Code	Gunlocke Finish Match*
<b>WOODGRAIN</b>	Natural Maple	<b>PL800</b>	Wilsonart	11021-38	<b>NE800</b>
	Bourbon Cherry	<b>PL701</b>	Wilsonart	11034-07	<b>NC701</b>
	Biltmore Cherry	<b>PL260</b>	Wilsonart	7924K-07	<b>NC260</b>
	Williamsburg Cherry	<b>PL215</b>	Wilsonart	7936K-07	<b>NC215</b>
	Mahogany Cherry	<b>PL511</b>	Wilsonart	7122K-07	<b>NC511</b>
<b>SOLID</b>	Designer White	<b>PLWH</b>	Wilsonart	D354-60	<b>WPSW</b>
	Whitestone	<b>PLML</b>	Wilsonart	10809-60	<b>WPML</b>
	Greystone	<b>PLLF</b>	Wilsonart	10811-60	<b>WPFL</b>

\*See cross reference above for Gunlocke wood / paint finish match. Although these are good matches, they are not exact matches. Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above

Note

Gunlocke Trio's standard offering of plastic laminates include 5 wood grain laminates and 3 solid color laminates. These laminates have been selected because they are good matches to specific Gunlocke standard finishes. See cross reference shown above. Although these are good matches they are not exact matches. **Note: Gunlocke does not guarantee an exact finish match to the plastic laminates listed above.**

**WOOD EDGE DETAILS - 1 3/16 THICK TOP**



SQUARE



CHANNEL



DOUBLE  
REED

**LAMINATE EDGE DETAILS - 1 3/16 THICK TOP**



SQUARE


**PULLS - ALL PULLS 6" IN LENGTH**



LINEAR




SWEEP




BAR

PEDESTAL LEGEND

Spec Tip: always specify pedestal location left to right from user seated position.




2




3

2 | FILE | FILE

3 | BOX | BOX | FILE




4



5


4 | LATERAL FILE

5 | HINGED DOOR




6

6 | BOX | FILE



MFL



MFR

MFL | MULTIFILE LEFT


MFR | MULTIFILE RIGHT

**STANDARD FILING OPTIONS  
WOOD PEDESTALS**


**15 wide file pedestal**

File rails included: 1 per drawer


- A. Letter-front to back
- B. Legal-side to side with file rail
- C. Letter-side to side with file rail,



**A**



**B**




**C**


**Lateral 30 wide x 24 deep pedestal**

File rails included: 1 per drawer


- D. Legal-side to side
- E. Letter-side to side with file rail
- F. 2 rows letter front to back with file rail



**D**



**E**




**F**


**Lateral 36 wide x 24 deep pedestal**

File rails included: 1 per drawer


- G. Letter-side to side
- H. 2 rows letter front to back with file rail
- I. Legal-side to side
- J. 2 rows legal front to back with file rail




**G**



**H**



**I**



**J**

**INSIDE DRAWER DIMENSIONS**

**WOOD DRAWERS**

Pedestal width	Drawer type	D	W	H
15 letter width	box	18 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>16</sub>	3 <sup>3</sup> / <sub>8</sub>
	file	18 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>8</sub>
30 width	lateral	15 <sup>1</sup> / <sub>8</sub>	26 <sup>1</sup> / <sub>2</sub>	9 <sup>1</sup> / <sub>8</sub>
36 width	lateral	15 <sup>1</sup> / <sub>8</sub>	32 <sup>1</sup> / <sub>2</sub>	9 <sup>1</sup> / <sub>8</sub>

**LOCKS & KEYING**

Locks are standard on all below worksurface storage units. Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

factory installed locks option code

Option 1

**SILVER RANDOM KEYS RMS**

**BLACK RANDOM KEYS RMB**

Option 2 Specify a number between

**SILVER DESIGNATED KEY 100TAS-150TAS**

**BLACK DESIGNATED KEYS 100TA - 150TA**

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

Field installed lock core set, specify model # and key number (add \$5 list per core)

model number Specify a number between



**SILVER DESIGNATED KEYS **ACLCKFLD** 100TAS - 200TAS**

**BLACK DESIGNATED KEYS **ACLCKFLD** 100TA - 200TA**

**NOTE:** Add \$5 list per lock core.


See index on pages 153-158 for # of locks required for field installation.

**GROMMET LOCATIONS**




Wire management grommets are optional.  
All grommets are plastic, available in black or silver.


**Rectangular Desks**




**Bow Front Desks**




**Extended Rectangular Desks (LH shown)**




**Extended Racetrack Extensions (LH shown)**





**Racetrack Extensions (LH shown)**



**b / d Extensions (LH shown)**




**GROMMET LOCATIONS** — Grommets included with top




Wire management grommets are optional.  
All grommets are plastic, available in black or silver.


**Rectangular Runoffs (LH shown)**




**Racetrack / J Runoffs (LH shown)**




**Bridges**



**Credenzas**



**Returns (LH shown)**













Product Reference .....19-40  
    Features & Advantages ..... 20-21  
    Technical Specifications ..... 22-24  
    Height Reference ..... 26  
    Product Reference ..... 27-36

# FEATURES & ADVANTAGES

TRIO  
01/16

ATTRIBUTE	FEATURE	ADVANTAGE
<b>GUNLOCKE ADVANTAGE</b>	<p>Veneer selection                      High quality manufacturing processes                      Cleartech Finish                      Project Management                      Custom Capabilities                      Customer Service                      Leadtimes                      COT / Dependability</p>	<p>Consistent with Gunlocke Performance Brand.</p>
<b>STYLE / DESIGN</b>	<p>3 Species                      11 Finishes                      3 Paint colors                      8 Laminate colors                      3 Edge details                      3 Pulls                      Glass overhead doors</p>	<p>Mixed material options create numerous aesthetic options appropriate for a broad range of applications from traditional style to transitional to contemporary</p>
<b>FLEXIBILITY</b>	<p>Price</p> <p>Planning</p> <p>Storage</p> <p>Aesthetic</p>	<p>Painted overheads and laminate tops provide price flexibility to meet various budget requirements</p> <p>Unitized and modular components, overheads and credenza sizes in 6" increments from 60" to 108" can be combined to meet numerous footprint requirements.                      Components can be combined to create freestanding desk stations, U-stations, L-stations, double stations, and workwalls</p> <p>Full range of storage solutions including bookcases, lateral files, closets, utility cabinets, storage boxes and modular pedestals to meet all storage needs.</p> <p>Mixed Materials                      Variety of desk, extension, and runoff shapes                      Traditional to Transitional to Contemporary Styling</p>

ATTRIBUTE	FEATURE	ADVANTAGE
<b>GREEN</b>	<b>Designed for the Environment</b>	FSC certified products available LEED IEQ 4.5 compliant finish Cleartech finish on worksurfaces Aquatech finish on chassis High percentage of recycled content: 84.7% post industrial and 1.8% post consumer, yielding a RC value factor of 44%. Energy efficient LED task lighting
<b>DURABILITY</b>	<b>Cleartech™ Finish</b>	Cured finish on worksurfaces - durable top coat Chemical, heat, scratch, and mar resistant Passes the "pizza test" Full-filled finish, smooth to touch robotic sprayer - uniformity of finish Depth, clarity, color consistency, and durability
	<b>Laminate tops</b>	Provides additional durability for life of product
	<b>High grade suspensions</b>	Lifetime warranty Steel ball bearing suspensions Smooth quiet ride, easy to operate Full extension box (100 lbs) and file (150 lbs) drawer suspensions Allows maximum use of drawer Meets BIFMA standards
	<b>12-Year Warranty</b>	Backed by Gunlocke's 12-year warranty
<b>PRICE / VALUE</b>	<b>Budget flexibility</b>	Pricing flexibility without compromising design integrity Painted product and laminate provides flexibility to meet various budget requirements
	<b>Value</b>	12-year warranty Quality / value built into product throughout the manufacturing process
	<b>Competitively priced</b>	Priced to compete against key competitors

## veneers

All exposed wood surfaces utilize natural select plain sliced Cherry, Maple and Walnut veneers. These veneers are carefully selected and slip matched to assure balance and consistency.

## WOOD TOPS

Wood veneer tops feature a balanced 3-ply construction and are 1 3/16" thick. Each top has a 3/32" thick natural solid external hardwood band on user sides. See below:

	3/32" Profiled Edge	1 mm Square (Non-Profiled)
Desk tops	User & approach	Ends
Extensions tops	User & approach	Ends
Runoff tops	User & approach	Ends
Bridge tops	User	Back & ends
Credenza tops	User	Back & ends
Return tops	User	Back & ends

Three standard edge profiles are available: square, channel, and double reed.

Wood tops are constructed of 45 lb particleboard. Tops connect to the chassis with wood screws through the inset top panel of the pedestals and steel angle brackets.

## LAMINATE TOPS

All laminate tops are 0.030" thick Type 335 high pressure vertical grade Wilsonart Laminate. Gunlocke's standard offering of plastic laminates include 5 wood grain laminates and 3 solid color laminates. These laminates have been selected because they are good matches to specific Gunlocke standard finishes. Although these are good matches they are not exact matches. Gunlocke does not guarantee an exact finish match to the plastic laminates.

All laminate tops have a 2mm matching vinyl edgeband on all sides.

Laminate tops are balanced 3-ply construction and are made with 45lb particleboard. Tops connect to the chassis with wood screws through the inset top panel of the pedestals and steel angle brackets.

For complete Wilsonart technical specifications please refer to the Wilsonart website at <http://www.wilsonartcontract.com/technical/>.

## CHASSIS & PEDESTAL CONSTRUCTION

All wood pedestals are made with veneer end panels and fronts which are constructed with 3/4" thick balanced 3-ply panels. End panels are connected with an inset top, back, and bottom panel which is made of 1 1/16" thick 45 lb particleboard. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. A threaded steel glide plate is attached to the inset bottom panel to provide a durable connection between the glide and the bottom of pedestal. The glide plate is 10-gauge or 0.134" thick steel.

Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to bottom of unit end panel.

Each unit is equipped with a minimum of four adjustable glides.

## OVERHEAD / STORAGE CONSTRUCTION

All wood panels are constructed with 3/4" thick balanced 3-ply panels. The top, end, and bottom panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. All units have inset back panels which are unfinished with a gatorply back. Inset back panels are connected using pocket bores and wood screws.

All painted panels are constructed with 3/4" thick premium grade MDF. The top, end and bottom panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. All units have inset back panels with an unfinished back. Inset back panels are connected using pocket bores and wood screws.

All surface mount cabinets connect to worksurface with double-sided adhesive tape.

Wall mount cabinets are mounted to the wall with a spade and "z" bracket attachment method. Steel barrel nuts and spade brackets are securely mounted through

the back of wall mount cabinets. All units ship with a steel z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

All overhead cabinets with doors include 95° self-closing hinges. Hinges are fully adjustable.

## GLIDES

Glides provide 1 1/8" of vertical leveling adjustment. Glide bottom is durable non-rust nylon.

## TACKBOARDS

Tackboards are 3-ply construction comprised of a 1/2" thick material pressed between a polyback material on the face and back. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

## DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. Optional pencil tray is available for order on page 123.

The drawer side material is 3-ply 12mm vinyl wrapped particleboard in a natural cherry color. The drawers are miterfold construction and are fastened together with dowel joinery for maximum drawer strength. The bottom material is a 3-ply substrate consisting of vinyl wrapped high density fiberboard core.

## SUSPENSIONS

All Gunlocke casegoods utilize silver, steel, roll-formed, zinc plated, high-grade drawer suspensions. All suspensions are warranted for the lifetime of the product. Suspensions feature positive dampened start/stop fully progressive actions. Box and file drawers are full extension, featuring precision steel ball bearings for a smoother quieter range of motion and are load rated for 100 lbs. Lateral file suspensions are load rated for 150 lbs and include an anti-tip mechanism that prevents more than one drawer from being opened at the same time.

**HINGES**

Units with doors include 95° self-closing hinges. Hinges are fully adjustable.

**FILING**

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a route on the top of the drawer. The plastic extrusion and steel folder rails allow side to side and front to back filing in file and lateral file drawers. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions.)

**LOCKS**

Silver or black face locks are standard on all desks, runoffs, credenzas, returns, modular pedestals, lateral files, storage box, and utility cabinets. Locks are optional on all closets, surface mount cabinets, towers, and wall mount cabinets. Each pedestal is independently locked. Doors below the worksurface, and glass doors do not lock.

Lock plugs are either factory or field installed.

**KEYING**

Keying is available either factory or field installed.

Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS - 150TAS for silver lock cores and 100TA - 150TA for black lock cores. All keys are solid brass.

When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit.

**WIRE MANAGEMENT**

Wire management capabilities include optional worksurface grommets. Double pedestal desk chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.

**GROMMET**

2 1/4"D x 3 7/8"W rectangular 2-piece plastic grommet. Grommet is inset in a plastic sleeve. Grommet is available in silver or black plastic finish.

**LIGHTING**

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug. Fused cord is built into light.

Product specs are listed below:

- Frosted diffuser creates a softer light & eliminates hot spots
- Rocker switch
- 120V AC with built-in power supply
- Removable power cord can be plugged into either end of light
- Can be "Daisy-Chained" together
- Average life of 50,000 hours

Size	Voltage	Wattage (W)	Luminous Flux (Lm)
24" Light	AC 100-240V	9	1150
36" Light	AC 100-240V	12	2100
48" Light	AC 100-240V	16	2760
60" Light	AC 100-240V	21	3060

**MONITOR ARM**

Monitor arm is EVO model 5545. Monitor arm is satin chrome finish. Monitor arm can be mounted inside grommet hole, desktop trough, or clamped to edge of desk.

Product specs are listed below:

- Vertical range: +/- 5" from horizontal
- Horizontal range: 16"
- Rotation: 360 degrees at three joints
- Monitor tilt: 185 degrees
- Monitor pivot: Landscape to portrait
- Monitor compatibility: VESA-monitor compatible - 75mm & 100mm VESA adapters included.
- Cable management: Cables are managed beneath arm
- Mounting options: Desk clamp, grommet mount, or trough mount

**PERSONAL CORNER**

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. All personal corners are wrapped in leather. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36"W x 12 1/2"D. Units are designed to fit over 1 5/16" thick worksurfaces.

**ALUMINUM FRAME FROSTED GLASS DOORS**

Extruded aluminum mitered frame is clear anodized silver aluminum. Frame is 7/8" thick and 1 3/4" high. Frosted glass is inset within the frame.

**WOOD CYLINDER BASES**

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" popular cross band. This 2-ply face material is attached

to the cylinder core with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screw and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

## SINGLE FLIP TOP POWER/DATA UNIT

Unit is required when a single flip top grommet opening is specified. Unit includes a 6'-ft. standard plug

in power cord, (4) electrical outlets 15 amp 125V with circuit breaker, (2) RJ 11, (2) RJ 45 data communication jacks and a self closing lid with (2) 1" diameter wire ways on each side. Unit is field installed.

Product specs are listed below:

- Unit is ECA INTERFACE I TT
- Includes a 6 ft standard plug in power cord
- (4) electrical outlets 15 amp, 125V with circuit breaker
- (2) RJ 11
- (2) RJ 45
- Additional telecom plates can be ordered separately through ECA at [www.electri-cable.com](http://www.electri-cable.com) or Phone 1-800-521-3175.

## FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations.

Worksurfaces, desktops, and tabletops are protected by one of the world's most advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the EPA's stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity.

Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish.

All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

For the technical specifications see the Finish System Guide & Technical specifications available at [www.gunlocke.com/finishsystem](http://www.gunlocke.com/finishsystem).

## CLEANING FINISH

Regular dusting and occasional cleaning are recommended to maintain your wood finish. To clean, dampen a soft cloth with luke warm water and gently wipe the wood in the direction of the grain. A mild solution of Murphy's oil soap and water may also be used. Avoid cleaners with oil, waxes, or silicones as they may create a hazy look.

## CLEANING LAMINATE TOPS

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. For complete Wilsonart Care and Maintenance instructions please refer to the Wilsonart website at <http://www.wilsonartcontract.com/Technical/>.

## CLEANING FROSTED GLASS

All frosted glass should be cleaned with a soft lint free cloth and non-ammonia based cleaner only.

### HEIGHT ADJUSTABLE WORKSURFACES


Worksurfaces are actual widths. A 1" clearance gap is required for any height adjustable top on all sides. Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table. Please contact Gunlocke's Tailored Solutions department (GUNTS) for special worksurface size requirements if standard models do not provide 1" gaps. Adjacent worksurfaces need to be self supporting. A wall mount bracket may be used, see page 136.

### HEIGHT ADJUSTABLE BASE


Electric height adjustable base unit is available in a 2-Stage lifting column with an offset C-Leg design. The height adjustable base is a compact 2-part lifting column. A lifting column is an electric linear actuator integrated into a stable guide. The sophisticated motor system is completely hidden inside the column. 2-Stage models travel at 1.5" per second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again. The control box is powered by 110-120V /60Hz /4A. Standby power is < 0.1 Watts. Standard plug power cords are 10' length. Load capacity is 300 pounds for 2-leg height adjustable models, including weight of worksurface. Pedestals taller than 24 1/2" when placed under the height adjustable table will limit range in lowest position. Footplate is 1/2" thick by 3" wide steel and is bolted to the lifting column. All tables have adjustable glides providing 1/2" adjustment.

### MEMORY CONTROL


The memory handset has a modern design. The up and down buttons are "user-friendly" as they are shaped according to the function, meaning that the user can feel the difference and it is not necessary to look at the control when operating the system. The memory handset allows for 3 programmable user heights. The handset has a digital display for height read out in either centimeters or inches. To save power the display switches off when not in use, putting the memory control into standby mode.




## HEIGHT REFERENCE



**1-high overhead side profile**



**2-high overhead side profile**



**Pedestal front view**

**DOUBLE PEDESTAL DESKS**

(see page 72)

**Primary use:** Freestanding units

**Specification tips:**

- Specify storage pedestal from user seated position

**Key product information:**

- Available in wood or laminate top
- Edge profile user and approach side only, ends flat
- Laminate tops square edge only all sides
- Unit ships assembled

**2 top shapes**

- Rectangular
- Bow front

**Kneespace between pedestals**

60" width desk = 30"


66" width desk = 36"

72" width desk = 42"


**Technology information &**

**wire management:**


- Optional grommet available
- Wire access holes on inside of kneewell panels for horizontal wire management




**User Side**



**Approach side**



**Rectangular**



**Bow Front**

**SINGLE PEDESTAL DESKS**

(see pages 74-77)

**Primary use:**

To create U shape or L shape workstations

**Specification tips:**


- Specify storage pedestal from user seated position
- Left-hand single pedestal desks to be specified with right-hand return units
- Right-hand single pedestal desks to be specified with left-hand return units

**Key product information:**


- Available in wood or laminate top
- Edge profile user and approach side only, ends flat
- Laminate tops square edge only all sides
- Unit ships assembled
- 3 top shapes  
Rectangular  
Bow front  
Extended Rectangular
- Kneespace between pedestals  
60" width desk = 45"  
66" width desk = 51"  
72" width desk = 57"

**Technology information & wire management:**


- Optional grommet available




**User Side**




**Approach side**



**Rectangular**



**Bow Front**



**Extended Rectangular**

**CONFERENCE EXTENSIONS**

(see pages 78-79)

**Primary use:**

Creating forward facing U or L shape workstations. Not to be used as freestanding units.

**Specification tips:**


- Specify column from user seated position
- Left-hand conference extensions to be specified with right-hand return units
- Right-hand conference extensions to be specified with left-hand return units

**Key product information:**


- Available in wood or laminate top
- Edge profile user and approach side only, ends flat
- Laminate tops square edge only all sides
- Standard 3" dia. column offered in black or silver
- Available with full height or 1/2 height modesty panel
- Unit ships assembled

**Technology information & wire management:**


- Optional grommet available




**User Side LH**




**User side RH**




**Racetrack**




**Extended**



**b/d Shape (b shown)**



**Full Modesty**



**1/2 Modesty**

**DESKING RUNOFFS**

(see pages 80-85)

**Primary use:**

Creating L shape or workwall workstations. Not to be used as freestanding units.

**Specification tips:**


- Specify column, pedestal, or metal leg from user seated position
- Attaches perpendicular to credenza units

**Key product information:**


- Available in wood or laminate top
- Edge profile user and approach side only, ends flat
- Laminate tops square edge only all sides
- Available in pedestal, column, or metal leg
- 3" dia. column offered in black or silver
- Metal legs available in black or silver
- Available in widths of 54,60
- Pedestal units available with full height or No modesty panel
- Column and metal leg units available with 1/2 or No modesty panel
- Unit ships unassembled, field assembly required

**Technology information & wire management:**


- Optional grommet available




**Example: RH Runoff, LH Credenza**



**Rectangular**



**Racetrack**



**J-Shape**

**Note: Laminate tops will be long grain standard**

**CREDENZAS**  
(see pages 86-89)

**Primary use:**

Freestanding units, creating U shape or L shape workstations

**Specification tips:**

- Specify storage pedestal from user seated position
- Units have an unfinished back panel. Modular components have a finished back panel.

**Key product information:**

- Available in wood or laminate top
- Edge profile user side only, ends & back flat
- Laminate tops square edge only all sides
- Unit ships assembled
- Units with no back panel and unsupported area of 48" and greater will include an intermediate T-support panel

**Technology information & wire management:**

- Optional grommet available
- Can be specified with full modesty or no modesty panel

**Creating Modular Credenzas:**


Note: for no modesty specify pedestal back panel or filler strip

**Single Pedestal**


- A. T3AMWR2472-W
- B. T3MPW2415-2W
- C. T3MEP24-W
- D. T3MCF72-W

**Double Pedestal**


- A. T3MWR2472-W
- B. T3MPW2415-2W
- C. T3MPW2415-2W
- D. T3MCF72-W




**Single Pedestal**




**Double Pedestal**




**Storage**



**Top View**



**Single Pedestal**



**Double Pedestal**

**\*\*Trio modular components will not accommodate modular full storage credenza applications**

**RETURNS**

(see pages 90-91)

**Primary use:**

To create U shape or L shape workstations

**Specification tips:**

- Specify storage pedestal from user seated position
- Left-hand returns to be specified with right-hand single pedestal desks and extension units
- Right-hand returns to be specified with left-hand single pedestal desks and extension units
- Units have a finished back. Modular components have a finished back panel.

**Key product information:**

- Available in wood or laminate top
- Edge Profile - user side only, ends & back flat
- Laminate tops square edge only all sides
- Unit ships assembled
- Units with no back panel and unsupported area of 48" and greater will include an intermediate T-support panel

**Technology information & wire management:**

- Optional grommet available
- Can be specified with full modesty or no modesty panel


**Creating Modular Returns:**

Note: for no modesty specify pedestal back panel or filler strip


- A. T3MWR2448-W
- B. T3MPW2415-2W
- C. T3MRF48-W



**Left hand**




**Right hand**



**Top view**

**Note: Laminate tops will be long grain standard**



## BRIDGE UNITS

(see page 92)

### Primary use:

To create U shape workstations

### Specification tips:


- Utilized between single pedestal desks or extension units and credenza units to create U shape workstations

### Key product information:


- Available in wood or laminate top
- Edge Profile - user side only, ends & back flat
- Laminate tops square edge only all sides
- Unit ships unassembled, field assembly required
- Units with no back panel and unsupported area of 48" and greater will include an intermediate T-support panel

### Technology information & wire management:

- Optional grommet available
- Can be specified with full modesty or no modesty panel



User Side



Top view

**Note: Laminate tops will be long grain standard**

**SURFACE MOUNT CABINETS**

(see pages 115-118)

**Primary use:**

Provide additional storage above the worksurface

**Specification tips:**

Can be specified on:


- Credenza units
- Desk - return combinations
- Extension - return combinations
- Desk - bridge - credenza combinations
- Extension - bridge - credenza combinations

**Key product information:**


- Units available in wood or paint
- Units have an unfinished back
- Door options include: wood doors, and aluminum frame frosted glass doors
- Single height 42 1/4" and double height 55 5/8" available
- Double height cabinets include standard fixed shelf
- Inside dimensions: (width varies with cabinet)
  - 1 high standard - D = 13 3/16", H = 12 1/4"
  - 2 high standard - D = 13 3/16", H = 25 1/8"
- Distance from bottom of cabinet to worksurface is 24 1/2" on all units
- Connect to worksurface with double-sided adhesive tape
- Lighting option available
- Unit ships assembled

**Technology information & wire management:**


- Back panel grommet standard
- Located in upper right-hand and left-hand corner, provides task light cord access to wall outlets




**Tasklight Cord Grommet Location**




**1 High Wood Doors**



**2 High Wood Doors**



**1 High Glass Doors**



**2 High Glass Doors**

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet must have vertical support beneath the worksurface using intermediate supports located on page 85.

**Recommended Support Examples**

**Inadequate Support Examples**

When specifying surface mount storage across multiple units, careful consideration must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.

**Recommended Support Examples**

**Inadequate Support Examples**

**TOWERS**

(see pages 119-122)

**Primary use:**

Provide additional storage above the worksurface

**Specification tips:**


- Can be specified in combination with surface mount cabinets to create a variety of storage combinations and widths.

**Key product information:**


- Units available in wood or paint
- Units have an unfinished back
- Door options include; wood doors, and aluminum frame frosted glass doors, and no doors
- Single height 42 1/4" and double height 55 5/8" available
- Units include standard fixed shelves
- Connect to worksurface with double-sided adhesive tape
- Unit ships assembled



**1 High Wood Doors**




**2 High Wood Doors**



**1 High Glass Doors**



**2 High Glass Doors**



**1 High No Doors**



**2 High No Doors**

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet must have vertical support beneath the worksurface using intermediate supports located on page 85.

**Recommended Support Examples**

**Inadequate Support Examples**

When specifying surface mount storage across multiple units, careful consideration must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.

**Recommended Support Examples**

**Inadequate Support Examples**

**WALL MOUNT CABINETS**

(see pages 123-126)

**Primary use:**

Provide additional storage above the worksurface


**Specification tips:**

Can be specified to span over:


- Credenza units
- Desk - return combinations
- Extension - return combinations
- Desk - bridge - credenza combinations
- Extension - bridge - credenza combinations

**Key product information:**


- Units available in wood or paint
- Units have an unfinished back
- Door options include: wood doors, and aluminum frame frosted glass doors
- Single height 14-11/16" and double height 27 5/8" available
- Double height cabinets include standard fixed shelf
- Inside dimensions: (width varies with cabinet)
  - 1 high standard - D = 13 3/16", H = 12 1/4"
  - 2 high standard - D = 13 3/16", H = 25 1/8"
- Connect to wall with steel spade and "z" clip method
- Installers responsible for selecting and providing appropriate fasteners for wall conditions
- Lighting option available
- Unit ships assembled




**1 High Wood Doors**



**2 High Wood Doors**



**1 High Glass Doors**



**2 High Glass Doors**











Typicals ..... 41-70  
    Freestanding desk office layouts ..... 42-45  
    U-Station office layouts ..... 46-53  
    L-Station office layouts ..... 54-57  
    Workwall office layouts ..... 58-65  
    Height Adjustable layouts ..... 66-67


**TYPICAL 1** Freestanding Desk  
12' x 12' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	73	<b>T3TDR3672-WW</b>	T3 36x72 Table Dsk - Legs w/ Glides, Wd Top	2,439	2,316
B	93	<b>T3MWR2490-W</b>	T3 Modular Wksf 24x90, Wd	916	824
C	94	<b>T3MPW2415-2W</b>	T3 Modular Ped 24x15 FF, Wd	1,170	1,170
D	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170
E	98	<b>T3MCF90-W</b>	T3 Modular Cred Mod Pnl 90, Wd	630	630
F	118	<b>T3SMC2H90-WG</b>	T3 Srf Mnt Cab 90 2H - Wd, 6 Alum Frame Glass Drs	4,494	4,268
G	111	<b>T3UTC6H24L-WW</b>	T3 Utility Cab 6H 24, Dr Hngd LH, Dr/FF RH, Wd	4,516	4,516
H	111	<b>T3UTC6H24R-WW</b>	T3 Utility Cab 6H 24, Dr Hngd RH, Dr/FF LH, Wd	4,516	4,516
I	127	<b>T3TKS90</b>	T3 Srf Mnt Tckbd 90	494	494
J	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>20,684</b>	<b>20,243</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.	
A	73	<b>T3TDR3672-WW</b>	T3 36x72 Table Dsk - Legs w/ Glides, Wd Top	2,439	2,316	
B	88	<b>T3DPC2472-22WW</b>	T3 24x72 Dbl Ped Cred FF/FF, Wd Top, Wd Chassis	2,803	2,662	
C	115	<b>T3SMC1H72-WW</b>	T3 Srf Mnt Cab 72 1H - Wd, 4 Wd Drs	2,478	2,356	
D	113	<b>T3SBS5H15L-WW</b>	T3 Stor Box 5H 15 FF LH, Wd	2,562	2,562	
E	113	<b>T3SBS5H15R-WW</b>	T3 Stor Box 5H 15 FF LH, Wd	2,562	2,562	
F	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449	
G	129	<b>ACLE60</b>	Tasklight LED 60	339	339	
				<b>Total</b>	<b>13,632</b>	<b>13,246</b>

\*Model shown is veneer.



**TYPICAL 3** Freestanding Desk  
12' x 12' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	72	<b>T3DRO3672-32WW</b>	T3 36x72 Dbl Ped Dsk Rect FF/BBF, Wd Top, Wd Chassis	3,003	2,854
B	89	<b>T3FSC2472-44WW</b>	T3 24x72 Full Bank Cred LF/LF, Wd Top, Wd Chassis	3,747	3,561
C	116	<b>T3SMC2H72-WW</b>	T3 Srf Mnt Cab 72 2H - Wd, 4 Wd Drs	3,100	2,944
D	109	<b>T3CLS6H18L-WW</b>	T3 Clst 6H 18, Coat Rod, Hngd LH, Wd	2,429	2,429
E	109	<b>T3CLS6H18R-WW</b>	T3 Clst 6H 18, Coat Rod, Hngd RH, Wd	2,429	2,429
F	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
G	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>15,496</b>	<b>15,005</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	72	<b>T3DRO3672-32WW</b>	T3 36x72 Dbl Ped Dsk Rect FF/BBF, Wd Top, Wd Chassis	3,003	2,854
B	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24x9108, Wd	1,263	1,136
C	94	<b>T3MPW2436-5W</b>	T3 Modular Ped 24x36 HD, Wd	1,336	1,336
D	94	<b>T3MPW2436-5W</b>	T3 Modular Ped 24x36 HD, Wd	1,336	1,336
E	98	<b>T3MCF108-W</b>	T3 Modular Cred Mod Pnl 108, Wd	954	954
F	120	<b>T3STF2H18L-WW</b>	T3 Tower 18 2H - Wd, Dr Hngd LH	1,373	1,304
G	120	<b>T3STF2H18R-WW</b>	T3 Tower 18 2H - Wd, Dr Hngd RH	1,373	1,304
H	116	<b>T3SMC2H72-WW</b>	T3 Srf Mnt Cab 72 2H - Wd, 4 Wd Drs	3,100	2,944
I	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
J	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>14,526</b>	<b>13,956</b>

\*Model shown is veneer.



**TYPICAL 5** U Station  
12' x 10' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	81	<b>T3RRO3054R-3WW</b>	T3 30x54 Run Rect BBF RH, Wd Top, Wd Chassis	2,076	1,972
B	90	<b>T3RTN2454L-4WW</b>	T3 24x54 Ret LF LH, Wd Top, Wd Chassis	2,266	2,154
C	94	<b>T3MPW2415-2W</b>	T3 Modular Ped 24x15 FF, Wd	1,170	1,170
D	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24x108, Wd	1,263	1,136
E	95	<b>T3MLS24-W</b>	T3 Modular L Support 24, Wd	519	519
F	95	<b>T3MLS24-W</b>	T3 Modular L Support 24, Wd	519	519
G	95	<b>T3MSPT13-W</b>	T3 Modular Intermediate Support T For No Mod, Wd	311	311
H	95	<b>T3MSPT13-W</b>	T3 Modular Intermediate Support T For No Mod, Wd	311	311
I	124	<b>T3WMC2H36-WW</b>	T3 Wall Mnt Cab 36 2H - Wd, 2 Wd Drs	1,607	1,525
J	124	<b>T3WMC2H72-WW</b>	T3 Wall Mnt Cab 72 2H - Wd, 4 Wd Drs	2,872	2,728
K	112	<b>T3SBD6H30-WW</b>	T3 Stor Box 6H 30 LF/Hngd Drs, Wd	4,156	4,156
L	128	<b>T3TKW108</b>	T3 Wall Mnt Tckbd 108 2-piece	737	737
M	129	<b>ACLE60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>18,146</b>	<b>17,577</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	79	<b>T3XRHX4272R-WW</b>	T3 42x72 Ext Rctk Clmn RH, 1/2 Mod, Wd Top, Wd Chassis	2,650	2,517
B	92	<b>T3BRG2436-WW</b>	T3 24x36 Brdg, Wd Top, Wd Chassis	876	831
C	86	<b>T3SPC2472L-2WW</b>	T3 24x72 Sng Ped Cred FF LH, Wd Top, Wd Chassis	2,355	2,237
D	104	<b>T3MPD2415-6WW</b>	T3 Mobile Ped BF, Wd Top, Wd Chassis	1,298	1,232
E	105	<b>T3MPD-CUSH</b>	T3 Mobile Ped Cushion	270	270
F	117	<b>T3SMC1H72-WG</b>	T3 Srf Mnt Cab 72 1H - Wd, 4 Alum Frame Glass Drs	2,776	2,639
G	111	<b>T3UTC5H24L-WW</b>	T3 Clst 5H 24, Dr Hngd LH, Dr/FF RH, Wd	3,949	3,949
H	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
I	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>14,962</b>	<b>14,463</b>

\*Model shown is veneer.



**TYPICAL 7** U Station  
10' x 12' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	75	<b>T3DRO3672R-3WW</b>	T3 36x72 Sng Ped Dsk Rect BBF RH, Wd Top, Wd Chassis	2,710	2,575
B	92	<b>T3BRG2448-WW</b>	T3 24x48 Brdg, Wd Top, Wd Chassis	940	892
C	86	<b>T3SPC2472L-4WW</b>	T3 24x72 Sng Ped Cred LF LH, Wd Top, Wd Chassis	2,782	2,643
D	115	<b>T3SMC1H72-WW</b>	T3 Srf Mnt Cab 72 1H - Wd, 4 Wd Drs	2,478	2,356
E	109	<b>T3CLS5H15L-WW</b>	T3 Clst 5H 15, Coat Rod, Hngd LH, Wd	2,115	2,115
F	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
G	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
H	131	<b>SACORNER</b>	Personal Corner	587	587
<b>Total</b>				<b>12,400</b>	<b>11,956</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	78	<b>T3XDH3072-WW</b>	T3 30x72 Ext d Clmn, 1/2 Mod, Wd Top, Wd Chassis	2,415	2,295
B	92	<b>T3BRG2448-WW</b>	T3 24x48 Brdg, Wd Top, Wd Chassis	940	892
C	93	<b>T3MWR24102-W</b>	T3 Modular Wksf 24x102, Wd	1,096	986
D	94	<b>T3MPW2430-MFRW</b>	T3 Modular Ped 24x30 MFR, Wd	1,466	1,466
E	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
F	98	<b>T3MCF102-W</b>	T3 Modular Cred Mod Pnl 102, Wd	796	796
G	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170
H	118	<b>T3SMC2H72-WG</b>	T3 Srf Mnt Cab 72 2H - Wd, 4 Alum Frame Glass Drs	3,470	3,297
I	122	<b>T3STN2H30-WN</b>	T3 Tower 30 2H - Wd Drs	1,564	1,487
J	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
K	129	<b>ACLE60</b>	Tasklight LED 60	339	339
L	131	<b>SACORNER</b>	Personal Corner	587	587
<b>Total</b>				<b>14,608</b>	<b>14,080</b>

\*Model shown is veneer.



**TYPICAL 9** U Station  
10' x 12' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	73	<b>T3TDR3672-W</b>	T3 36x72 Table Dsk - Legs w/ Glides, Wd Top	2,439	2,316
B	92	<b>T3BRG2448-WW</b>	T3 24x48 Brdg, Wd Top, No Modesty	940	892
C	87	<b>T3SPC2490R-4WW</b>	T3 24x90 Sng Ped Cred LF RH, Wd Top, Wd Chassis	3,283	3,119
D	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170
E	123	<b>T3WMC1H90-WW</b>	T3 Wall Mnt Cab 90 1H - Wd, 6 Wd Drs	2,814	2,673
F	110	<b>T3CLD5H30-DW</b>	T3 Clst 5H 30, Coat Rod / Divider / Shelves	3,447	3,4478
G	128	<b>T3TKW90</b>	T3 Wall Mnt Tckbd 90	494	494
H	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
				<b>Total 14,926</b>	<b>14,4501</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	74	<b>T3DRO3672L-3WW</b>	T3 36x72 Sng Ped Dsk Rect BBF LH, Wd Top, Wd Chassis	2,710	2,575
B	92	<b>T3BRG2448-WW</b>	T3 24x48 Brdg, Wd Top, Wd Chassis	940	892
C	87	<b>T3SPC2490R-4WW</b>	T3 24x90 Sng Ped Cred LF RH, Wd Top, Wd Chassis	3,283	3,119
D	116	<b>T3SMC2H72-WW</b>	T3 Srf Mnt Cab 72 2H - Wd, 4 Wd Drs	3,100	2,944
E	120	<b>T3STF2H18R-WW</b>	T3 Tower 18 2H - Wd, 1 Wd Dr Hngd RH	1,373	1,304
F	112	<b>T3SBD6H30-WN</b>	T3 Stor Box 6H 30W, Wd	3,908	3,908
G	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
H	129	<b>ACLE60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>16,102</b>	<b>15,530</b>

\*Model shown is veneer.



**TYPICAL 11** U Station  
10' x 12' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	78	<b>T3XRH3072L-WW</b>	T3 30x72 Ext Rctk Clmn LH, 1/2 Mod, Wd Top, Wd Chassis	1,955	1,856
B	92	<b>T3BRG2448-WW</b>	T3 24x48 Brdg, Wd Top, Wd Chassis	940	892
C	87	<b>T3SPC2472R-4WW</b>	T3 24x72 Sng Ped Cred LF RH, Wd Top, Wd Chassis	2,782	2,643
D	115	<b>T3SMC1H72-WW</b>	T3 Srf Mnt Cab 72 1H - Wd, 4 Wd Drs	2,478	2,356
E	112	<b>T3SBD5H30-WN</b>	T3 Stor Box 5H 30 LF/No Drs, Wd	3,414	3,414
F	104	<b>T3MPD2415-6WW</b>	T3 Mobile Ped BF, Wd Top, Wd Chassis	1,298	1,232
G	105	<b>T3MPD-CUSH</b>	T3 Mobile Ped Cushion	270	270
H	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
I	129	<b>ACLE60</b>	Tasklight LED 60	339	339
J	131	<b>SACORNER</b>	Personal Corner	587	587
<b>Total</b>				<b>14,512</b>	<b>14,038</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	84	<b>T3RRL3054L-WW</b>	T3 30x54 Run Rect w/ Legs LH, 1/2 Mod, Wd Top, Wd Chassis	1,563	1,486
B	91	<b>T3RTN2454R-4WW</b>	T3 24x54 Ret LF RH, Wd Top, Wd Chassis	2,266	2,154
C	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24x108, Wd	1,263	1,136
D	95	<b>T3MLS24-W</b>	T3 Modular L Support 24, Wd	519	519
E	95	<b>T3MLS24-W</b>	T3 Modular L Support 24, Wd	519	519
F	95	<b>T3MSPT13-W</b>	T3 Modular Intermediate Support T For No Mod, Wd	311	311
G	95	<b>T3MSPT13-W</b>	T3 Modular Intermediate Support T For No Mod, Wd	311	311
H	125	<b>T3WMC1H108-WG</b>	T3 Wall Mnt Cab 108 1H - Wd, 6 Glass Drs	3,613	3,433
I	108	<b>T3LFS5H36-4WW</b>	T3 Lat File 5H 36, Wd	4,152	4,152
J	128	<b>T3TKW108</b>	T3 Wall Mnt Tckbd 108 2-piece	737	737
K	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>15,593</b>	<b>15,097</b>

\*Model shown is veneer.



**TYPICAL 13** L Station  
12' x 12' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	86	<b>T3SPC2490L-4WW</b>	T3 24x90 Sng Ped Cred LF LH, Wd Top, Wd Chassis	3,283	3,119
B	93	<b>T3MWR2460-W</b>	T3 Modular Wksf 24x60, Wd	678	610
C	94	<b>T3MPW2430-MFRW</b>	T3 Modular Ped 24x30 MFR, Wd	1,466	1,466
D	97	<b>T3MRF60-W</b>	T3 Modular Ret Mod Pnl 60, Wd	480	480
E	124	<b>T3WMC2H90-WW</b>	T3 Wall Mnt Cab 90 2H - Wd, 6 Wd Drs	3,799	3,608
F	109	<b>T3CLS6H18L-WW</b>	T3 Clst 6H 18, Coat Rod, Hngd LH, Wd	2,429	2,429
G	128	<b>T3TKW90</b>	T3 WallMnt Tckbd 90	494	494
H	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
I	144	<b>T3TRD42-W</b>	T3 Rnd Tbl 42 Dia, Wd	1,441	1,298
J	147	<b>BSMDISC24-LD</b>	Table Disc Base 24	876	876
K	131	<b>SACORNER</b>	Personal Corner	587	587
<b>Total</b>				<b>15,872</b>	<b>15,306</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR24102-W</b>	T3 Modular Wksf 24x102, Wd	1,096	986
B	94	<b>T3MPW2430-MFLW</b>	T3 Modular Ped 24x30 MFL, Wd	1,466	1,466
C	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
D	98	<b>T3MCF102-W</b>	T3 Modular Cred Mod Pnl 102, Wd	796	796
E	91	<b>T3RTN2460R-2WW</b>	T3 24x60 Ret FF RH, Wd Top, Wd Chassis	2,031	1,930
F	116	<b>T3SMC2H72-WW</b>	T3 Srf Mnt Cab 72 2H - Wd, 4 Wd Drs	3,100	2,944
G	122	<b>T3STN2H30-WN</b>	T3 Tower 30 2H - Wd, No Drs	1,564	1,487
H	110	<b>T3CLD6H30-DW</b>	T3 Clst 6H 30, Coat Rod / Divider / Shelves, Wd	4,277	4,277
I	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
J	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>15,434</b>	<b>14,990</b>

\*Model shown is veneer.



**TYPICAL 15** L Station  
12' x 10' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	87	<b>T3SPC2490R-4WW</b>	T3 24x90 Sng Ped Cred LF RH, Wd Top, Wd Chassis	3,283	3,119
B	84	<b>T3RRL3054L-WW</b>	T3 30x54 Run Rect w/ Legs LH, 1/2 Mod, Wd Top, Wd Chassis	1,563	1,486
C	125	<b>T3WMC1H90-WG</b>	T3 Wall Mnt Cab 90 1H - Wd, 6 Alum Frame Glass Drs	3,151	2,993
D	113	<b>T3SBS5H15R-WW</b>	T3 Stor Box 5H 15 FF, Wd Drs	2,562	2,562
E	128	<b>T3TKW90</b>	T3 Wall Mnt Tckbd 90	494	494
F	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>11,392</b>	<b>10,993</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	87	<b>T3SPC2472R-2WW</b>	T3 24x72 Sng Ped Cred FF RH, Wd Top, Wd Chassis	2,355	2,237
B	93	<b>T3MWR2454-W</b>	T3 Modular Wksf 24x54, Wd	633	571
C	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170
D	97	<b>T3MRF54-W</b>	T3 Modular Ret Mod Pnl 54, Wd	455	455
E	123	<b>T3WMC1H72-WW</b>	T3 Wall Mnt Cab 72 1H - Wd, 4 Wd Drs	2,297	2,183
F	128	<b>T3TKW72</b>	T3 Wall Mnt Tckbd 72	449	449
G	129	<b>ACLE60</b>	Tasklight LED 60	339	339
H	111	<b>T3UTC5H24R-WW</b>	T3 Clst 5H 24, Dr Hngd RH, Dr/FF LH, Wd	3,949	3,949
I	111	<b>T3UTC5H24L-WW</b>	T3 Clst 5H 24, Dr Hngd LH, Dr/FF RH, Wd	3,949	3,949
J	86	<b>T3SPC2472L-2WW</b>	T3 24x72 Sng Ped Cred FF LH, Wd Top, Wd Chassis	2,355	2,237
K	93	<b>T3MWR2454-W</b>	T3 Modular Wksf 24x54, Wd	633	571
L	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170
M	97	<b>T3MRF54-W</b>	T3 Modular Ret Mod Pnl 54, Wd	455	455
N	123	<b>T3WMC1H72-WW</b>	T3 Wall Mnt Cab 72 1H - Wd, 4 Wd Drs	2,297	2,183
O	128	<b>T3TKW72</b>	T3 Wall Mnt Tckbd 72	449	449
P	129	<b>ACLE60</b>	Tasklight LED 60	339	339
Q	144	<b>T3TRD42-W</b>	T3 Rnd Tbl 42 Dia, Wd	1,441	1,298
R	147	<b>BSMDISC24-LD</b>	Table Disc Base 24	876	876
<b>Total</b>				<b>25,611</b>	<b>24,880</b>

\*Model shown is veneer.



**TYPICAL 17** Workwall  
12' x 10' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR2490-W</b>	T3 Modular Wksf 24x90, Wd	916	824
B	94	<b>T3MPW2430-MFRW</b>	T3 Modular Ped 24x30 MFR, Wd	1,466	1,466
C	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
D	98	<b>T3MCF90-W</b>	T3 Modular Cred Mod Pnl 90, Wd	630	630
E	82	<b>T3RRH3054L-WW</b>	T3 30x54 Run Rctk Clmn LH, 1/2 Mod, Wd Top, Wd Chassis	1,389	1,320
F	124	<b>T3WMC2H90-WW</b>	T3 Wall Mnt Cab 90 2H - Wd, 6 Wd Drs	3,799	3,608
G	110	<b>T3CLD6H30-DW</b>	T3 Clst 6H 30, Coat Rod / Divider / Shelves, Wd	4,277	4,277
H	128	<b>T3TKW90</b>	T3 Wall Mnt Tckbd 90	494	494
I	129	<b>ACLE60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>13,626</b>	<b>13,274</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.	
A	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24x108, Wd	1,263	1,136	
B	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170	
C	94	<b>T3MPW2415-2W</b>	T3 Modular Ped 24x15 FF, Wd	1,170	1,170	
D	95	<b>T3MSPT13-W</b>	T3 Modular Intermediate Support T For No Mod, Wd	311	311	
E	95	<b>T3MLS24-W</b>	T3 Modular L Support 24, Wd	519	519	
F	84	<b>T3RRL3054L-WW</b>	T3 30x54 Run Rect w/ Legs LH, 1/2 Mod, Wd Top, Wd Chassis	1,563	1,486	
G	123	<b>T3WMC1H108-WW</b>	T3 Wall Mnt Cab 108 1H - Wd, 6 Wd Drs	3,226	3,065	
H	111	<b>T3UTC5H24L-WW</b>	T3 Clst 5H 24, Dr Hngd LH, Dr/FF RH, Wd	3,949	3,949	
I	128	<b>T3TKW108</b>	T3 Wall Mnt Tckbd 108 2-piece	737	737	
J	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339	
				<b>Total</b>	<b>14,247</b>	<b>13,882</b>

\*Model shown is veneer.



**TYPICAL 19** Workwall  
12' x 10' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR2472-W</b>	T3 Modular Wksf 24x72, Wd	732	661
B	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24x15 BBF, Wd	1,170	1,170
C	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
D	98	<b>T3MCF72-W</b>	T3 Modular Cred Mod Pnl 72, Wd	519	519
E	82	<b>T3RJH3060L-WW</b>	T3 30x60 Run J Clmn LH, No Mod, Wd Top, Wd Chassis	1,529	1,452
F	115	<b>T3SMC1H72-WW</b>	T3 Srf Mnt Cab 72 1H - Wd, 4 Wd Drs	2,478	2,356
G	109	<b>T3CLS5H15L-WW</b>	T3 Clst 5H 15, Coat Rod, Hngd LH, Wd	2,115	2,115
H	113	<b>T3SBS5H15R-WW</b>	T3 Stor Box 5H 15 FF Wd Drs	2,562	2,562
I	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
J	129	<b>ACLEDD60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>12,209</b>	<b>11,939</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	87	<b>T3SPC2490R-4WW</b>	T3 24x90 Sng Ped Cred LF RH, Wd Top, Wd Chassis	3,283	3,119
B	80	<b>T3RRO3054L-3WW</b>	T3 30x54 Run Rect BBF LH, Wd Top, Wd Chassis	2,076	1,972
C	118	<b>T3SMC2H72-WG</b>	T3 Srf Mnt Cab 72 2H - Wd, 4 Alum Frame Glass Drs	3,470	3,297
D	122	<b>T3STN2H18-WN</b>	T3 Tower 18 2H - Wd, No Drs	1,155	1,097
E	109	<b>T3CLS6H18R-WW</b>	T3 Clst 6H 18, Coat Rod, Hngd RH, Wd	2,429	2,429
F	112	<b>T3SBD6H30-WN</b>	T3 Stor Box 6H 18 LH Hngd Dr Btm/No Dr Top, Wd	3,908	3,908
G	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	449	449
H	129	<b>ACLE60</b>	Tasklight LED 60	339	339
I	131	<b>SACORNER</b>	Personal Corner	587	587
<b>Total</b>				<b>17,696</b>	<b>17,197</b>

\*Model shown is veneer.



**TYPICAL 21** Workwall  
12' x 10' office

**TRIO**  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24x108, Wd	1,263	1,136
B	94	<b>T3MPW2430-MFLW</b>	T3 Modular Ped 24x30 MFL, Wd	1,466	1,466
C	94	<b>T3MPW2430-5W</b>	T3 Modular Ped 24x30 HD, Wd	1,160	1,160
D	98	<b>T3MCF108-W</b>	T3 Modular Cred Mod Pnl 108, Wd	954	954
E	85	<b>T3RRL3054R-WW</b>	T3 30x54 Run Rect w/ Legs RH, 1/2 Mod, Wd Top, Wd Chassis	1,563	1,486
F	111	<b>T3UTC5H24L-WW</b>	T3 Clst 5H 24, Dr Hngd LH, Dr/FF RH, Wd	3,949	3,949
<b>Total</b>				<b>10,355</b>	<b>10,151</b>

\*Model shown is veneer.





item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR2490-W</b>	T3 Modular Wksf 24x90, Wd	916	824
B	94	<b>T3MPW2430-MFRW</b>	T3 Modular Ped 24x30 MFR, Wd	1,466	1,466
C	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
D	98	<b>T3MCF90-W</b>	T3 Modular Cred Mod Pnl 90, Wd	630	630
E	82	<b>T3RRH3054L-WW</b>	T3 30x54 Run Rctk Clmn LH, 1/2 Mod, Wd Top, Wd Chassis	1,389	1,320
F	113	<b>T3SBS5H15R-WW</b>	T3 Stor Box 5H 15 FF/Dr Hngd RH, Wd	2,562	2,562
G	128	<b>T3TKW90</b>	T3 Wall Mnt Tckbd 90	494	494
<b>Total</b>				<b>7,773</b>	<b>7,612</b>

\*Model shown is veneer.

# TYPICAL 23 Workwall



12' x 10' office

TRIO  
01/16



item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR2490-W</b>	T3 Modular Wksf 24x90, Wd	916	824
B	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
C	95	<b>T3MEP24-W</b>	T3 Modular End Panel 24, Wd	316	316
D	98	<b>T3MCF90-W</b>	T3 Modular Cred Mod Pnl 90, Wd	630	630
E	85	<b>T3RRL3054R-WW</b>	T3 30x54 Run Rect w/ Legs RH, 1/2 Mod, Wd Top, Wd Chassis	1,563	1,486
F	104	<b>T3MPD2415-6WW</b>	T3 Mobile Ped BF, Wd Top, Wd Chassis	1,298	1,232
G	105	<b>T3MPD-CUSH</b>	T3 Mobile Ped Cushion	270	270
H	125	<b>T3WMC1H60-WG</b>	T3 Wall Mnt Cab 60 1H - Wd, 4 Alum Frame Glass Drs	2,225	2,113
I	112	<b>T3SBD5H30-WW</b>	T3 Stor Box 5H 30 LF/Hngd Drs, Wd	3,694	3,694
J	129	<b>ACLE48</b>	Tasklight LED 48	297	297
K	131	<b>SACORNER</b>	Personal Corner	587	587
<b>Total</b>				<b>12,112</b>	<b>11,765</b>

\*Model shown is veneer.




item	page	model number	description	veneer 1	paint / lam.
A	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24x108, Wd	1,263	1,136
B	94	<b>T3MPW2430-5W</b>	T3 Modular Ped 24x30 HD, Wd	1,160	1,160
C	94	<b>T3MPW2430-4W</b>	T3 Modular Ped 24x30 LF, Wd	1,293	1,293
D	98	<b>T3MCF108-W</b>	T3 Modular Cred Mod Pnl 108, Wd	954	954
E	82	<b>T3RJH3060L-WW</b>	T3 30x60 Run J Clmn LH, 1/2 Mod, Wd Top, Wd Chassis	1,529	1,452
F	123	<b>T3WMC1H108-WW</b>	T3 Wall Mnt Cab 108 1H - Wd, 6 Wd Drs	3,226	3,065
G	128	<b>T3TKW108</b>	T3 Wall Mnt Tckbd 108 2-piece	737	737
H	129	<b>ACLE60</b>	Tasklight LED 60	339	339
<b>Total</b>				<b>10,501</b>	<b>10,136</b>

\*Model shown is veneer.

**TYPICAL 25** Height Adjustable  
12' x 12' Office


**TRIO**  
01/16



item	page	model number	description	qty	unit list	ext list
A	129	<b>ACLED60</b>	Open Mkt- Tasklight LED 60	1	339	339
B	99	<b>BSHAT2772</b>	Hgt Adj Base for use with 30"/36" x 72" tops	1	1,970	1,970
C	102	<b>T3DMHA72-W</b>	T3 10" Modesty Panel 72" width, Wd	1	610	610
D	95	<b>T3MLS24-W</b>	T3 Modular L Support 24, Wd	1	519	519
E	94	<b>T3MPW2415-2W</b>	T3 Modular Ped 24 x 15 FF, Wd	1	1,170	1,170
F	94	<b>T3MPW2415-3W</b>	T3 Modular Ped 24 x 15 BBF, Wd	1	1,170	1,170
G	95	<b>T3MSPT13-W</b>	T3 Modular Intermediate Support T for No Mod, Wd	1	311	311
H	93	<b>T3MWR24108-W</b>	T3 Modular Wksf 24 x 108, Wd	1	1,263	1,263
I	128	<b>T3TKW108</b>	T3 Wall Mnt Tckbd 108, 2-piece	1	737	737
J	111	<b>T3UTC5H24L-WW</b>	T3 Utility Cab 5h 24, Dr Hngd LH, Dr/FF RH, Wd	1	3,949	3,949
K	123	<b>T3WMC1H108-WW</b>	T3 Wall Mnt Cab 108 1h - Wd, 6 Wd Drs	1	3,226	3,226
L	101	<b>T3DWRA3072-W</b>	T3 Modular Wksf for Hgt Adj 30 x 72, Wd	1	791	791

**16,055**

Note: option upcharges are not included in list prices shown



item	page	model number	description	qty	unit list	ext list
A	129	<b>ACLE60</b>	Open Mkt- Tasklight LED 60	1	339	339
B	109	<b>T3CLS5H15L-WW</b>	T3 Clst 5h 15, Coat Rod, Hngd LH, Wd	1	2,115	2,115
C	72	<b>T3DRO3672-3WW</b>	T3 36 x 72 Sng Ped Dsk Rect BBF RH, Wd Top, Wd Chassis	1	2,710	2,710
D	100	<b>T3DWRA2448-W</b>	T3 Modular Wksf for Hgt Adj 24 x 48, Wd	1	593	593
E	115	<b>T3SMC1H72-WW</b>	T3 Srf Mnt Cab 72 1h - Wd, 4 Wd Drs	1	2,478	2,478
F	86	<b>T3SPC2472L-4WW</b>	T3 24 X 72 Sng Ped Cred LF LH, Wd Top, Wd Chassis	1	2,782	2,782
G	127	<b>T3TKS72</b>	T3 Srf Mnt Tckbd 72	1	449	449
H	99	<b>BSHAT2148</b>	Hgt Adj Base for 24" x 48" tops	1	1,910	1,910
					<b>13,376</b>	

Note: option upcharges are not included in list prices







Desking .....71-102


- Double Pedestal Desks ..... 72
- Table Desks ..... 73
- Single Pedestal Desks ..... 74-77
- Conferencing Extensions ..... 78-79
- Desking Runoffs .....80-85
- Single Pedestal Credenzas..... 86-87
- Double Pedestal Credenzas..... 88
- Full Storage Credenzas..... 89
- Returns ..... 90-91
- Bridges ..... 92
- Modular Worksurfaces ..... 93
- Modular Pedestals ..... 94
- Modular Support Panels .....95-98
- Height Adjustable Desks..... 99-102

# DOUBLE PEDESTAL DESKS

TRIO  
01/16

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b>	36	72	29 1/8	<b>T3DRO3672-32</b> <input type="checkbox"/>	2,854	3,003


BOX | BOX | FILE  
FILE | FILE



- 6" overhang
- 30" depth pedestals
- Single piece modesty panel

<b>BOW FRONT</b>	36	72	29 1/8	<b>T3DBO3672-32</b> <input type="checkbox"/>	3,424	3,603
------------------	----	----	--------	----------------------------------------------	-------	-------

BOX | BOX | FILE  
FILE | FILE



- 6" overhang center, flush on ends
- 30" depth pedestals
- Single piece modesty panel

## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**
- GROMMET**
- KEYING**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

### Grommet Set #1 (Add \$70 each)

No Grommet	---	GN
Left	Silver	GPLS
Left	Black	GPLB
Right	Silver	GPRS
Right	Black	GPRB
Left & Right	Silver	GPBS
Left & Right	Black	GPBB



See inside front cover for required option codes

### Example

T3DRO3672-32WW.NC701.FF.SQ.LES.GN.RMS

T3DRO3672-32WW	NC701	FF	SQ	LES	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	KEYING

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b> 4 METAL LEGS	36	72	29 1/8	<b>T3TDR3672-</b> <input type="checkbox"/>	2,316	2,439
	30	72	29 1/8	<b>T3TDR3072-</b> <input type="checkbox"/>	2,198	2,313
	30	66	29 1/8	<b>T3TDR3066-</b> <input type="checkbox"/>	2,126	2,237



- 6" overhang
- If using in U-Station applications, bridge must be selected with no modesty panel option.

**PRODUCT INFO**

Edge detail user and approach sides only

Laminate tops are square SQ edge only

All tops long grain standard

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- |    |                          |                                        |
|----|--------------------------|----------------------------------------|
| 1. | <input type="checkbox"/> | <b>MODEL NUMBER + TYPE</b>             |
| 2. | <input type="checkbox"/> | <b>LAMINATE COLOR (LW models only)</b> |
| 3. | <input type="checkbox"/> | <b>FINISH</b>                          |
| 4. | <input type="checkbox"/> | <b>TOP UV FINISH (WW models only)</b>  |
| 5. | <input type="checkbox"/> | <b>EDGE</b>                            |
| 6. | <input type="checkbox"/> | <b>GROMMET</b>                         |
| 7. | <input type="checkbox"/> | <b>LEG COLOR</b>                       |

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #1 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB  
Right Silver GPRS  
Right Black GPRB  
Left & Right Silver GPBS  
Left & Right Black GPBB

See inside front cover for required option codes

**Example**





T3TDR3672-WW.NC701.FF.SQ.GN.LS  

T3TDR3672-WW	NC701	FF	SQ	GN	LS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	GROMMET	LEG COLOR

# SINGLE PEDESTAL DESKS

TRIO  
01/16

left hand

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b> BOX   BOX   FILE  	36	72	29 1/8	<b>T3DRO3672L-3</b> <input type="checkbox"/>	2,575	2,710
				<ul style="list-style-type: none"> <li>• 6" overhang</li> <li>• 30" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>		
	30	72	29 1/8	<b>T3DRO3072L-3</b> <input type="checkbox"/>	2,443	2,571
			<ul style="list-style-type: none"> <li>• 6" overhang</li> <li>• 24" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>			
	30	66	29 1/8	<b>T3DRO3066L-3</b> <input type="checkbox"/>	2,362	2,486
			<ul style="list-style-type: none"> <li>• 6" overhang</li> <li>• 24" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>			
<b>BOW FRONT</b> BOX   BOX   FILE  	36	72	29 1/8	<b>T3DBO3672L-3</b> <input type="checkbox"/>	2,992	3,150
				<ul style="list-style-type: none"> <li>• 6" overhang center, flush on ends</li> <li>• 30" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>		

## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**
- GROMMET**
- KEYING**



= Type must be specified as part of model number.  
 LW = Laminate Top, Wood Veneer Chassis  
 WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #2 (Add \$70 each)**  
 No Grommet --- GN  
 Right Silver GPRS  
 Right Black GPRB

See inside front cover for required option codes



### Example

T3DRO3672L-3WW.NC701.FF.SQ.LES.GN.RMS  
 MODEL NUMBER + TYPE FINISH TOP UV FINISH EDGE PULL GROMMET KEYING

	D	W	H	model number + type	laminate 1 top	veneer 1 top	
<b>RECTANGULAR</b> BOX   BOX   FILE  	36	72	29 1/8	<b>T3DRO3672R-3</b> <input type="checkbox"/>	2,575	2,710	
	<ul style="list-style-type: none"> <li>• 6" overhang</li> <li>• 30" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>						
	30	72	29 1/8	<b>T3DRO3072R-3</b> <input type="checkbox"/>	2,443	2,571	
<ul style="list-style-type: none"> <li>• 6" overhang</li> <li>• 24" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>							
	30	66	29 1/8	<b>T3DRO3066R-3</b> <input type="checkbox"/>	2,362	2,486	
<ul style="list-style-type: none"> <li>• 6" overhang</li> <li>• 24" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>							

**BOW FRONT**

BOX | BOX | FILE



36	72	29 1/8	<b>T3DBO3672R-3</b> <input type="checkbox"/>	2,992	3,150	
<ul style="list-style-type: none"> <li>• 6" overhang center, flush on ends</li> <li>• 30" depth pedestals</li> <li>• Single piece modesty panel</li> </ul>						

**PRODUCT INFO**

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **FINISH**
4.  **TOP UV FINISH (WW models only)**
5.  **EDGE**
6.  **PULL**
7.  **GROMMET**
8.  **KEYING**

= Type must be specified as part of model number.  
 LW = Laminate Top, Wood Veneer Chassis  
 WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #3 (Add \$70 each)**  
 No Grommet --- GN  
 Left Silver GPLS  
 Left Black GPLB

See inside front cover for required option codes

**Example**

T3DRO3672R-3WW.NC701.FF.SQ.LES.GN.RMS  
 T3DRO3672R-3WW NC701 FF SQ LES GN RMS  
 MODEL NUMBER + TYPE FINISH TOP UV FINISH EDGE PULL GROMMET KEYING

# EXTENDED SINGLE PEDESTAL DESKS



TRIO  
01/16

left hand

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>CURVED USER SIDE</b>	42	72	29 1/8	<b>T3DROX4272L-3</b> <input type="checkbox"/>	2,960	3,116

BOX | BOX | FILE

- 6" overhang
- 24" depth pedestals
- Single piece modesty panel



## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

Not to be used as freestanding unit

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**
- GROMMET**
- KEYING**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

### Grommet Set #2 (Add \$70 each)

No Grommet	---	GN
Right	Silver	GPRS
Right	Black	GPRB

See inside front cover for required option codes



### Example

T3DROX4272L-3WW.NC701.FF.SQ.LES.GN.RMS

T3DROX4272L-3WW	NC701	FF	SQ	LES	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	KEYING

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>CURVED USER SIDE</b>	42	72	29 1/8	<b>T3DROX4272R-3</b> 	2,960	3,116

BOX | BOX | FILE



- 6" overhang
- 24" depth pedestals
- Single piece modesty panel

**PRODUCT INFO**

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

Not to be used as freestanding unit

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- |    |                                                                                     |                                        |
|----|-------------------------------------------------------------------------------------|----------------------------------------|
| 1. |  | <b>MODEL NUMBER + TYPE</b>             |
| 2. |                                                                                     | <b>LAMINATE COLOR (LW models only)</b> |
| 3. |                                                                                     | <b>FINISH</b>                          |
| 4. |                                                                                     | <b>TOP UV FINISH (WW models only)</b>  |
| 5. |                                                                                     | <b>EDGE</b>                            |
| 6. |                                                                                     | <b>PULL</b>                            |
| 7. |                                                                                     | <b>GROMMET</b>                         |
| 8. |                                                                                     | <b>KEYING</b>                          |

 = Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #3 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB

See inside front cover for required option codes

**Example**






T3DROX4272R-3WW.NC701.FF.SQ.LES.GN.RMS

T3DROX4272R-3WW	NC701	FF	SQ	LES	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	KEYING

# CONFERENCING EXTENSIONS

TRIO  
01/16

left hand

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RACETRACK</b> 1/2 MODESTY 	30	72	29 1/8	<b>T3XRH3072L-</b> <input type="checkbox"/>	1,856	1,955
				• 6" overhang		
<b>RACETRACK</b> FULL MODESTY 	30	72	29 1/8	<b>T3XRF3072L-</b> <input type="checkbox"/>	2,189	2,304
				• 6" overhang		
<b>EXTENDED RACETRACK</b> 1/2 MODESTY 	42	72	29 1/8	<b>T3XRHX4272L-</b> <input type="checkbox"/>	2,517	2,650
				• 6" overhang		
<b>d SHAPE</b> 1/2 MODESTY 	30	72	29 1/8	<b>T3XDH3072-</b> <input type="checkbox"/>	2,295	2,415
				• 6" overhang		
<b>d SHAPE</b> FULL MODESTY 	30	72	29 1/8	<b>T3XDF3072-</b> <input type="checkbox"/>	2,542	2,677
				• 6" overhang		

NOTE: Extensions NOT to be used as freestanding unit.  
Must attach to return with pedestal or bridge.

## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify column location from user seated position

All tops long grain standard

Not to be used as freestanding unit

3" Diameter column leg

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE
- LAMINATE COLOR (LW models only)
- FINISH
- TOP UV FINISH (WW models only)
- EDGE
- GROMMET
- COLUMN COLOR






= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #2 (Add \$70 each)**  
No Grommet --- GN  
Right Silver GPRS  
Right Black GPRB

See inside front cover for required option codes

### Example

T3XRH3072L-WW.NC701.FF.SQ.GN.CS  
 T3XR2072L-WW    NC701    FF    SQ    GN    CS  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    GROMMET    COLUMN COLOR

	D	W	H	model number + type	laminates 1 top	veneers 1 top
<b>RACETRACK</b> 1/2 MODESTY 	30	72	29 1/8	<b>T3XRH3072R-</b> <input type="checkbox"/>	1,856	1,955
				• 6" overhang		
<b>RACETRACK</b> FULL MODESTY 	30	72	29 1/8	<b>T3XRF3072R-</b> <input type="checkbox"/>	2,189	2,304
				• 6" overhang		
<b>EXTENDED RACETRACK</b> 1/2 MODESTY 	42	72	29 1/8	<b>T3XRHX4272R-</b> <input type="checkbox"/>	2,517	2,650
				• 6" overhang		
<b>b SHAPE</b> 1/2 MODESTY 	30	72	29 1/8	<b>T3XBH3072-</b> <input type="checkbox"/>	2,295	2,415
				• 6" overhang		
<b>b SHAPE</b> FULL MODESTY 	30	72	29 1/8	<b>T3XBF3072-</b> <input type="checkbox"/>	2,542	2,677
				• 6" overhang		

NOTE: Extensions NOT to be used as freestanding unit.  
Must attach to return with pedestal or bridge.

PRODUCT INFO

Edge detail user and approach sides only

Laminates tops are square SQ edge only

Specify column location from user seated position

All tops long grain standard

Not to be used as freestanding unit

3" Diameter column leg

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER + TYPE
2.  LAMINATE COLOR (LW models only)
3.  FINISH
4.  TOP UV FINISH (WW models only)
5.  EDGE
6.  GROMMET
7.  COLUMN COLOR

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #3 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB

See inside front cover for required option codes

Example


T3XRH3072R-WW.NC701.FF.SQ.GN.CS  
 T3XRH3072R-WW    NC701    FF    SQ    GN    CS  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    GROMMET    COLUMN COLOR

# DESKING RUNOFFS


TRIO  
01/16

left hand




PEDESTALS	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b>	30	54	29 1/8	<b>T3RRO3054L-3</b> 	1,972	2,076
BOX   BOX   FILE	30	60	29 1/8	<b>T3RRO3060L-3</b> 	2,076	2,187



NO MODESTY - MN



FULL MODESTY - MY



- 6" overhang
- 24" depth pedestals
- When specified with full height modesty panel -MY the modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel.

## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

Lam. tops - long grain standard  
Wood tops - short grain standard

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

-  **MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**
- MODESTY (MN option deduct -\$194)**
- GROMMET**
- KEYING**

 = Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #2 (Add \$70 each)**  
No Grommet --- GN  
Right Silver GPRS  
Right Black GPRB



See inside front cover for required option codes

### Example


T3RRO3054L-3WW.NC701.FF.SQ.LES.MY.GN.RMS  

T3RRO3054L-3WW	NC701	FF	SQ	LES	MY	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	MODESTY	GROMMET	KEYING



PEDESTALS	D	W	H	model number + type	laminates 1 top	veneers 1 top
<b>RECTANGULAR</b>	30	54	29 1/8	<b>T3RRO3054R-3</b> 	1,972	2,076
BOX   BOX   FILE						
	30	60	29 1/8	<b>T3RRO3060R-3</b> 	2,076	2,187



NO MODESTY - MN



FULL MODESTY - MY



- 6" overhang
- 24" depth pedestals
- When specified with full height modesty panel -MY the modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel.

PRODUCT INFO

Edge detail user and approach sides only

Laminates tops are square SQ edge only

Specify pedestal location from user seated position

Lam. tops - long grain standard  
Wood tops - short grain standard

TO ORDER PLEASE SPECIFY THE FOLLOWING:

-  **MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**
- MODESTY (MN option deduct -\$194)**
- GROMMET**
- KEYING**

 = Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #3 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB

See inside front cover for required option codes

Example

T3RRO3054R-3WW.NC701.FF.SQ.LES.MY.GN.RMS  
 MODEL NUMBER + TYPE FINISH TOP UV FINISH EDGE PULL MODESTY GROMMET KEYING

# CONFERRING RUNOFFS

TRIO  
01/16

left hand

COLUMN LEG	D	W	H	model number + type	laminate 1 top	veneer 1 top
------------	---	---	---	---------------------	----------------	--------------

## RACETRACK



NO MODESTY - MN




1/2 MODESTY - MY


30	54	29 1/8	<b>T3RRH3054L-</b> <input type="checkbox"/>	1,320	1,389
30	60	29 1/8	<b>T3RRH3060L-</b> <input type="checkbox"/>	1,383	1,457

• 6" overhang on modesty option

## J SHAPE



NO MODESTY - MN



1/2 MODESTY - MY

30	60	29 1/8	<b>T3RJH3060L-</b> <input type="checkbox"/>	1,452	1,529
30	66	29 1/8	<b>T3RJH3066L-</b> <input type="checkbox"/>	1,537	1,618

• 6" overhang on modesty option

## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify column location from user seated position

Lam. tops - long grain standard

Wood tops - short grain standard

3" Diameter column leg

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE
- LAMINATE COLOR (LW models only)
- MODESTY (MN option deduct -\$194)
- FINISH\*
- TOP UV FINISH (WW models only)
- EDGE
- GROMMET
- COLUMN COLOR

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

### Grommet Set #2 (Add \$70 each)

No Grommet	---	GN
Right	Silver	GPRS
Right	Black	GPRB

\*Finish not required for laminate tops with No Modesty (MN) option

See inside front cover for required option codes

### Example

T3RRH3054L-WW.MY.NC701.FF.SQ.GN.CS						
T3RRH3054L-WW	MY	NC701	FF	SQ	GN	CS
MODEL NUMBER + TYPE	MODESTY	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR

COLUMN LEG	D	W	H	model number + type	laminates 1 top	veneers 1 top
<b>RACETRACK</b>	30	54	29 1/8	<b>T3RRH3054R-</b> [ ]	1,320	1,389
	30	60	29 1/8	<b>T3RRH3060R-</b> [ ]	1,383	1,457



NO MODESTY - MN




1/2 MODESTY - MY

• 6" overhang on modesty option

**J SHAPE**



NO MODESTY - MN



1/2 MODESTY - MY

30	60	29 1/8	<b>T3RJH3060R-</b> [ ]	1,452	1,529
30	66	29 1/8	<b>T3RJH3066R-</b> [ ]	1,537	1,618

• 6" overhang on modesty option

**PRODUCT INFO**

Edge detail user and approach sides only

Laminates tops are square SQ edge only

Specify column location from user seated position

Lam. tops - long grain standard  
Wood tops - short grain standard

3" Diameter column leg

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1. [ ] **MODEL NUMBER + TYPE**
2. [ ] **LAMINATE COLOR (LW models only)**
3. [ ] **MODESTY (MN option deduct -\$194)**
4. [ ] **FINISH\***
5. [ ] **TOP UV FINISH (WW models only)**
6. [ ] **EDGE**
7. [ ] **GROMMET**
8. [ ] **COLUMN COLOR**

[ ] = Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #3 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB

\*Finish not required for laminate tops with No Modesty (MN) option

See inside front cover for required option codes

**Example**

T3RRH3054R-WW.MY.NC701.FF.SQ.GN.CS  
 T3RRH3054R-WW MY NC701 FF SQ GN CS  
 MODEL NUMBER + TYPE MODESTY FINISH TOP UV FINISH EDGE GROMMET COLUMN COLOR


# CONFERRING RUNOFFS

TRIO  
01/16


left hand

METAL LEGS	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b>	30	54	29 1/8	<b>T3RRL3054L-</b> <input type="text"/>	1,486	1,563
	30	60	29 1/8	<b>T3RRL3060L-</b> <input type="text"/>	1,556	1,639

• 6" overhang on modesty option



NO MODESTY - MN



1/2 MODESTY - MY

## PRODUCT INFO

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify metal leg location from user seated position

Lam. tops - long grain standard  
Wood tops - short grain standard

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **MODESTY (MN option deduct -\$194)**
4.  **FINISH\***
5.  **TOP UV FINISH (WW models only)**
6.  **EDGE**
7.  **GROMMET**
8.  **LEG COLOR**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #2 (Add \$70 each)**  
No Grommet --- GN  
Right Silver GPRS  
Right Black GPRB

\*Finish not required for laminate tops with No Modesty (MN) option

See inside front cover for required option codes

Example

T3RRL3054L-WW.MY.NC701.FF.SQ.GN.LS

T3RRL3054L-WW	MY	NC701	FF	SQ	GN	LS
MODEL NUMBER + TYPE	MODESTY	FINISH	TOP UV FINISH	EDGE	GROMMET	LEG COLOR

METAL LEGS	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b>	30	54	29 1/8	<b>T3RRL3054R-</b> <input type="text"/>	1,486	1,563
	30	60	29 1/8	<b>T3RRL3060R-</b> <input type="text"/>	1,556	1,639



• 6" overhang on modesty option

NO MODESTY - MN



1/2 MODESTY - MY

**PRODUCT INFO**

Edge detail user and approach sides only

Laminate tops are square SQ edge only

Specify metal leg location from user seated position

Lam. tops - long grain standard  
Wood tops - short grain standard

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **MODESTY (MN option deduct -\$194)**
4.  **FINISH\***
5.  **TOP UV FINISH (WW models only)**
6.  **EDGE**
7.  **GROMMET**
8.  **LEG COLOR**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #3 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB

\*Finish not required for laminate tops with No Modesty (MN) option

See inside front cover for required option codes

Example

T3RRL3054R-WW.MY.NC701.FF.SQ.GN.LS


T3RRL3054R-WW	MY	NC701	FF	SQ	GN	LS
MODEL NUMBER + TYPE	MODESTY	FINISH	TOP UV FINISH	EDGE	GROMMET	LEG COLOR

# SINGLE PEDESTAL CREDENZAS


TRIO  
01/16

left hand

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>FILE   FILE</b>	24	66	29 1/8	<b>T3SPC2466L-2</b> <input type="checkbox"/>	2,098	2,209
	24	72	29 1/8	<b>T3SPC2472L-2</b> <input type="checkbox"/>	2,237	2,355



<b>LATERAL FILE</b>	24	72	29 1/8	<b>T3SPC2472L-4</b> <input type="checkbox"/>	2,643	2,782
	24	78	29 1/8	<b>T3SPC2478L-4</b> <input type="checkbox"/>	2,754	2,900
	24	84	29 1/8	<b>T3SPC2484L-4</b> <input type="checkbox"/>	2,963	3,119
	24	90	29 1/8	<b>T3SPC2490L-4</b> <input type="checkbox"/>	3,119	3,283
	24	96	29 1/8	<b>T3SPC2496L-4</b> <input type="checkbox"/>	3,281	3,454



• 30" width lateral file

## PRODUCT INFO

Edge detail user side only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

All backs are unfinished

Unsupported worksurfaces of 48" or greater include T support

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **FINISH**
4.  **TOP UV FINISH (WW models only)**
5.  **EDGE**
6.  **PULL**
7.  **MODESTY (MN option deduct -\$194)**
8.  **GROMMET**
9.  **KEYING**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

### Grommet Set #6 (Add \$70 each)

No Grommet	---	GN
Right	Silver	GPRS
Right	Black	GPRB
Center	Silver	GPCS
Center	Black	GPCB


See inside front cover for required option codes

### Example


T3SPC2466L-2WW.NC701.FF.SQ.LES.MY.GN.RMS

T3SPC2466L-2WW	NC701	FF	SQ	LES	MY	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	MODESTY	GROMMET	KEYING

	D	W	H	model number + type	lamine 1 top	veneer 1 top
<b>FILE   FILE</b>	24	66	29 1/8	<b>T3SPC2466R-2</b> <input type="checkbox"/>	2,098	2,209
	24	72	29 1/8	<b>T3SPC2472R-2</b> <input type="checkbox"/>	2,237	2,355



<b>LATERAL FILE</b>	24	72	29 1/8	<b>T3SPC2472R-4</b> <input type="checkbox"/>	2,643	2,782
	24	78	29 1/8	<b>T3SPC2478R-4</b> <input type="checkbox"/>	2,754	2,900
	24	84	29 1/8	<b>T3SPC2484R-4</b> <input type="checkbox"/>	2,963	3,119
	24	90	29 1/8	<b>T3SPC2490R-4</b> <input type="checkbox"/>	3,119	3,283
	24	96	29 1/8	<b>T3SPC2496R-4</b> <input type="checkbox"/>	3,281	3,454



• 30" width lateral file

**PRODUCT INFO**

Edge detail user side only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

All backs are unfinished

Unsupported worksurfaces of 48" or greater include T support

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **FINISH**
4.  **TOP UV FINISH (WW models only)**
5.  **EDGE**
6.  **PULL**
7.  **MODESTY (MN option deduct -\$194)**
8.  **GROMMET**
9.  **KEYING**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #7 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB  
Center Silver GPCS  
Center Black GPCB

See inside front cover for required option codes


**Example**

T3SPC2466R-2WW.NC701.FF.SQ.LES.MY.GN.RMS  
 T3SPC2466R-2WW NC701 FF SQ LES MY GN RMS  
 MODEL NUMBER + TYPE FINISH TOP UV FINISH EDGE PULL MODESTY GROMMET KEYING

# DOUBLE PEDESTAL CREDENZAS

TRIO  
01/16

	D	W	H	model number + type	laminate 1 top	veneer 1 top
FILE   FILE FILE   FILE	24	72	29 1/8	T3DPC2472-22 <input type="checkbox"/>	2,662	2,803



## PRODUCT INFO

Edge detail user side only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

All backs are unfinished

Unsupported worksurfaces of 48" or greater include T support

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER + TYPE
2.  LAMINATE COLOR (LW models only)
3.  FINISH
4.  TOP UV FINISH (WW models only)
5.  EDGE
6.  PULL
7.  MODESTY (MN option deduct -\$194)
8.  GROMMET
9.  KEYING

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

### Grommet Set #4 (Add \$70 each)


No Grommet	---	GN
Center	Silver	GPCS
Center	Black	GPCB


See inside front cover for required option codes

### Example

T3DPC2472-22WW.NC701.FF.SQ.LES.MY.GN.RMS

T3DPC2472-22WW	NC701	FF	SQ	LES	MY	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	MODESTY	GROMMET	KEYING

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>LATERAL FILE</b> 	24	60	29 1/8	<b>T3FSC2460-44</b> <input type="checkbox"/>	3,204	3,373
	24	72	29 1/8	<b>T3FSC2472-44</b> <input type="checkbox"/>	3,561	3,747

<b>HINGED DOOR</b> 	24	60	29 1/8	<b>T3FSC2460-55</b> <input type="checkbox"/>	2,491	2,621
	24	72	29 1/8	<b>T3FSC2472-55</b> <input type="checkbox"/>	2,768	2,913

- Doors do not lock
- Keying option not required

**PRODUCT INFO**

Edge detail user side only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

All tops long grain standard

All backs are unfinished

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- |    |                          |                                        |
|----|--------------------------|----------------------------------------|
| 1. | <input type="checkbox"/> | <b>MODEL NUMBER + TYPE</b>             |
| 2. | <input type="checkbox"/> | <b>LAMINATE COLOR (LW models only)</b> |
| 3. | <input type="checkbox"/> | <b>FINISH</b>                          |
| 4. | <input type="checkbox"/> | <b>TOP UV FINISH (WW models only)</b>  |
| 5. | <input type="checkbox"/> | <b>EDGE</b>                            |
| 6. | <input type="checkbox"/> | <b>PULL</b>                            |
| 7. | <input type="checkbox"/> | <b>KEYING</b>                          |

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

See inside front cover for required option codes

**Example**

T3FSC2460-44WW.NC701.FF.SQ.LES.RMS  
 T3FSC2460-44WW    NC701    FF    SQ    LES    RMS  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    PULL    KEYING

# RETURNS

left hand

TRIO  
01/16

## FILE | FILE



D	W	H	model number + type	laminate 1 top	veneer 1 top
24	42	29 1/8	<b>T3RTN2442L-2</b> <input type="checkbox"/>	1,767	1,861
24	48	29 1/8	<b>T3RTN2448L-2</b> <input type="checkbox"/>	1,814	1,910
24	54	29 1/8	<b>T3RTN2454L-2</b> <input type="checkbox"/>	1,868	1,967
24	60	29 1/8	<b>T3RTN2460L-2</b> <input type="checkbox"/>	1,930	2,031

## LATERAL FILE



24	54	29 1/8	<b>T3RTN2454L-4</b> <input type="checkbox"/>	2,154	2,266
24	60	29 1/8	<b>T3RTN2460L-4</b> <input type="checkbox"/>	2,264	2,382

- 30" width lateral file

## PRODUCT INFO

Edge detail user side only

Laminate tops are square SQ edge only

Specify pedestal location from user seated position

Lam. tops - long grain standard  
Wood tops - short grain standard

Finished back standard

Unsupported worksurfaces of 48" or greater include T support

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**
- MODESTY (MN option deduct -\$194)**
- GROMMET**
- KEYING**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

### Grommet Set #2 (Add \$70 each)

No Grommet	---	GN
Right	Silver	GPRS
Right	Black	GPRB


See inside front cover for required option codes

### Example

T3RTN2442L-2WW.NC701.FF.SQ.LES.MY.GN.RMS


T3RTN2442L-22WW	NC701	FF	SQ	LES	MY	GN	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	MODESTY	GROMMET	KEYING

FILE | FILE



D	W	H	model number + type	laminated 1 top	veneer 1 top
24	42	29 1/8	T3RTN2442R-2 <input type="checkbox"/>	1,767	1,861
24	48	29 1/8	T3RTN2448R-2 <input type="checkbox"/>	1,814	1,910
24	54	29 1/8	T3RTN2454R-2 <input type="checkbox"/>	1,868	1,967
24	60	29 1/8	T3RTN2460R-2 <input type="checkbox"/>	1,930	2,031

LATERAL FILE



24	54	29 1/8	T3RTN2454R-4 <input type="checkbox"/>	2,154	2,266
24	60	29 1/8	T3RTN2460R-4 <input type="checkbox"/>	2,264	2,382

• 30" width lateral file

PRODUCT INFO

- Edge detail user side only
- Laminate tops are square SQ edge only
- Specify pedestal location from user seated position
- Lam. tops - long grain standard
- Wood tops - short grain standard
- Finished back standard
- Unsupported worksurfaces of 48" or greater include T support

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE
- LAMINATE COLOR (LW models only)
- FINISH
- TOP UV FINISH (WW models only)
- EDGE
- PULL
- MODESTY (MN option deduct -\$194)
- GROMMET
- KEYING

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis


**Grommet Set #3 (Add \$70 each)**  
No Grommet --- GN  
Left Silver GPLS  
Left Black GPLB

See inside front cover for required option codes

Example


T3RTN2442R-2WW.NC701.FF.SQ.LES.MY.GN.RMS  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    PULL    MODESTY    GROMMET    KEYING

**BRIDGES**



D	W	H	model number + type	laminate 1 top	veneer 1 top
24	36	29 1/8	<b>T3BRG2436</b> - <input type="checkbox"/>	831	876
24	42	29 1/8	<b>T3BRG2442</b> - <input type="checkbox"/>	857	902
24	48	29 1/8	<b>T3BRG2448</b> - <input type="checkbox"/>	892	940

• Modesty panel is inset 3/4" and overlaps end panels of desk and credenza by 3"



**PRODUCT INFO**

Edge detail user side only

Laminate tops are square SQ edge only

Lam. tops - long grain standard

Wood tops - short grain standard

Finished back standard

Unsupported worksurfaces of 48" or greater include T support

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **MODESTY (MN option deduct -\$194)**
4.  **FINISH\***
5.  **TOP UV FINISH (WW models only)**
6.  **EDGE**
7.  **GROMMET**

= Type must be specified as part of model number.  
 LW = Laminate Top, Wood Veneer Chassis  
 WW = Wood Veneer Top, Wood Veneer Chassis

**Grommet Set #4 (Add \$70 each)**  
 No Grommet --- GN  
 Center Silver GPCS  
 Center Black GPCB

\*Finish not required for laminate tops with No Modesty (MN) option

See inside front cover for required option codes

**Example**

T3BRG2436-WW.MY.NC701.FF.SQ.GN  

T3BRG2436-WW	MY	NC701	FF	SQ	GN
MODEL NUMBER + TYPE	MODESTY	FINISH	TOP UV FINISH	EDGE	GROMMET

# MODULAR CREDENZA AND RETURN WORKSURFACES

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b> 	24	30	1 1/8	<b>T3MWR2430</b> - <input type="checkbox"/>	466	517
	24	36	1 1/8	<b>T3MWR2436</b> - <input type="checkbox"/>	482	537
	24	42	1 1/8	<b>T3MWR2442</b> - <input type="checkbox"/>	497	553
	24	48	1 1/8	<b>T3MWR2448</b> - <input type="checkbox"/>	536	593
	24	54	1 1/8	<b>T3MWR2454</b> - <input type="checkbox"/>	571	633
	24	60	1 1/8	<b>T3MWR2460</b> - <input type="checkbox"/>	610	678
	24	66	1 1/8	<b>T3MWR2466</b> - <input type="checkbox"/>	632	701
	24	72	1 1/8	<b>T3MWR2472</b> - <input type="checkbox"/>	661	732
	24	78	1 1/8	<b>T3MWR2478</b> - <input type="checkbox"/>	721	800
	24	84	1 1/8	<b>T3MWR2484</b> - <input type="checkbox"/>	782	869
	24	90	1 1/8	<b>T3MWR2490</b> - <input type="checkbox"/>	824	916
	24	96	1 1/8	<b>T3MWR2496</b> - <input type="checkbox"/>	864	961
	24	102	1 1/8	<b>T3MWR24102</b> - <input type="checkbox"/>	986	1,096
24	108	1 1/8	<b>T3MWR24108</b> - <input type="checkbox"/>	1,136	1,263	

- T3MWR2430 not for use with a multifile pedestal
- Grommets should not be specified over modular pedestals

**MODULAR WORKSURFACE CONNECTION BRACKET**



- Modular tops do NOT include flat brackets to connect adjoining worksurfaces. MDWBRK must be ordered separately. No options required.

list  
70

**PRODUCT INFO**

Edge detail user side only

Laminate tops are square SQ edge only

All tops long grain standard

MDWBRK must be ordered separately. Not included.

Unsupported worksurfaces of 48" or greater require T support

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (L models only)**
- FINISH WOOD TOP (W models only)**
- TOP UV FINISH (W models only)**
- EDGE**
- GROMMET**

= Type must be specified as part of model number.

L = Laminate Top  
W = Wood Veneer Top

**Grommet Set #8 (Add \$70 each)**

No Grommet	---	GN
Left	Silver	GPLS
Left	Black	GPLB
Right	Silver	GPRS
Right	Black	GPRB
Center	Silver	GPCS
Center	Black	GPCB

See inside front cover for required option codes

**Example**

T3MWR2430-W.NC701.FF.SQ.GN  
 T3MWR2430-W    NC701    FF    SQ    GN  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    GROMMET

# MODULAR PEDESTALS

TRIO  
01/16

24" DEPTH	D	W	H	model number	veneer 1
<b>FILE   FILE</b>	23 1/8	15 11/16	27 15/16	<b>T3MPW2415-2W</b>	1,170
					
<b>BOX   BOX   FILE</b>	23 1/8	15 11/16	27 15/16	<b>T3MPW2415-3W</b>	1,170
					
<b>LATERAL FILE</b>	23 1/8	30	27 15/16	<b>T3MPW2430-4W</b>	1,293
					
	23 1/8	36	27 15/16	<b>T3MPW2436-4W</b>	1,470
<b>HINGED DOOR</b>	23 1/8	30	27 15/16	<b>T3MPW2430-5W</b>	1,160
					
	23 1/8	36	27 15/16	<b>T3MPW2436-5W</b>	1,336
	• Doors do not lock				
<b>MULTIFILE LEFT</b>	23 1/8	31 7/16	27 15/16	<b>T3MPW2430-MFLW</b>	1,466
					
<b>MULTIFILE RIGHT</b>	23 1/8	31 7/16	27 15/16	<b>T3MPW2430-MFRW</b>	1,466
					

## PRODUCT INFO

Modular pedestals will NOT accommodate full storage credenzas

Hinged door cabinets do not lock

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER
2.  FINISH
3.  PULL
4.  KEYING

See inside front cover for required option codes

### Example

T3MPW2415-2W.NC701.LES.RMS  
 T3MPW2415-2W      NC701    LES    RMS  
 MODEL NUMBER      FINISH    PULL    KEYING

	D	W	H	model number	veneer 1
<b>L SUPPORT NON-HANDED</b> 	23 7/8	15 11/16	27 15/16	<b>T3MLS24-W</b>	519
	• Intended to be used in No Modesty Panel applications				
<b>END PANEL</b> 	23 1/8	3/4	27 15/16	<b>T3MEP24-W</b>	316
	• Required to be used with Full Modesty Panels				
<b>T INTERMEDIATE SUPPORT FOR USE WITHOUT MODESTY PANEL</b> 	12 3/4	8	27 15/16	<b>T3MSPT13-W</b>	311
	• Required when a worksurface WITHOUT a modesty panel is unsupported for a distance of 48" or greater				
<b>INTERMEDIATE SUPPORT FOR USE WITH MODESTY PANEL</b> 	12	3/4	27 15/16	<b>T3MSP12-W</b>	171
	• Required when a worksurface WITH a modesty panel is unsupported for a distance of 48" or greater				
<b>WORKSURFACE JUNCTION SUPPORT</b> 	18	29 7/8	27 15/16	<b>T3MSJ24-W</b>	489
<b>WORKSURFACE WALL MOUNT BRACKET</b> 	2 1/2	19	1 1/4	<b>MDWLBK24</b>	list 72
	2 1/2	25	1 1/4	<b>MDWLBK30</b>	78
	• Finish option NOT required for wall mount brackets				

**PRODUCT INFO**

Unsupported worksurfaces of 48" or greater require T support

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- MODEL NUMBER
- FINISH

Note: Finish not required for MDWLBK24 and MDWLBK30

See inside front cover for required option codes

Example

T3MLS24-W.NC701  
T3MLS24-W      NC701  
MODEL NUMBER      FINISH

# MODULAR PEDESTAL BACK PANELS

TRIO  
01/16

	D	W	H	model number	veneer 1
<b>15" PEDESTAL BACK PANEL</b>	$\frac{3}{4}$	15 $\frac{11}{16}$	27 $\frac{15}{16}$	<b>T3MBP15-W</b>	321
					
<b>30" PEDESTAL BACK PANEL</b>	$\frac{3}{4}$	30	27 $\frac{15}{16}$	<b>T3MBP30-W</b>	340
					
<b>MF PEDESTAL BACK PANEL</b>	$\frac{3}{4}$	31 $\frac{7}{16}$	27 $\frac{15}{16}$	<b>T3MBP30-MFW</b>	340
					
<b>36" PEDESTAL BACK PANEL</b>	$\frac{3}{4}$	36	27 $\frac{15}{16}$	<b>T3MBP36-W</b>	370
					
<b>FILLER STRIP</b>	$\frac{3}{4}$	7 $\frac{1}{2}$	27 $\frac{15}{16}$	<b>T3MPF-W</b>	58
					

## PRODUCT INFO

Filler strip suggested to be used when pedestal is used against wall without back panel. Strip fills gap between pedestal and wall.

Finished back panel standard


## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER
- FINISH

See inside front cover for required option codes

### Example

T3MBP15-W.NC701  
 T3MBP15-W MODEL NUMBER NC701 FINISH

	D	W	H	model number	veneer 1
<b>RETURN MODESTY PANELS</b>  	3/4	41 15/16	27 15/16	<b>T3MRF42-W</b>	412
	3/4	47 15/16	27 15/16	<b>T3MRF48-W</b>	433
	3/4	53 15/16	27 15/16	<b>T3MRF54-W</b>	455
	3/4	59 15/16	27 15/16	<b>T3MRF60-W</b>	480
	3/4	65 15/16	27 15/16	<b>T3MRF66-W</b>	493
	3/4	71 15/16	27 15/16	<b>T3MRF72-W</b>	519

**PRODUCT INFO**

For use in modular return applications only

Finished back panel standard

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **FINISH**

See inside front cover for required option codes

**Example**

T3MRF42-W.NC701  
 T3MRF42-W                      NC701  
 MODEL NUMBER                      FINISH

# MODULAR CREDENZA MODESTY PANELS

TRIO  
01/16

	D	W	H	model number	veneer 1
<b>CREDENZA MODESTY</b>	$\frac{3}{4}$	59 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF60-W</b>	468
	$\frac{3}{4}$	65 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF66-W</b>	493
	$\frac{3}{4}$	71 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF72-W</b>	519
	$\frac{3}{4}$	77 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF78-W</b>	546
	$\frac{3}{4}$	83 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF84-W</b>	573
	$\frac{3}{4}$	89 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF90-W</b>	630
	$\frac{3}{4}$	95 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF96-W</b>	692
	$\frac{3}{4}$	101 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF102-W</b>	796
	$\frac{3}{4}$	107 $\frac{7}{8}$	27 $\frac{15}{16}$	<b>T3MCF108-W</b>	954

## PRODUCT INFO

For use in modular credenza applications only.

Finished back panel standard

## TO ORDER PLEASE SPECIFY THE FOLLOWING:


1.  MODEL NUMBER
2.  FINISH

See inside front cover for required option codes

### Example

T3MCF60-W.NC701  
 T3MCF60-W                      NC701  
 MODEL NUMBER                      FINISH


	for use with top sizes	D	W	H	model number	list
<b>BASES</b>	24 x 42	21	36	26	<b>BSHAT2142</b>	1,900
	24 x 48	21	42	26	<b>BSHAT2148</b>	1,910
	24 x 54	21	48	26	<b>BSHAT2154</b>	1,920
	24 x 60	21	54	26	<b>BSHAT2160</b>	1,930
	24 x 66	21	60	26	<b>BSHAT2166</b>	1,940
	24 x 72	21	66	26	<b>BSHAT2172</b>	1,950



30/36 x 48	27	42	26	<b>BSHAT2748</b>	1,930
30/36 x 54	27	48	26	<b>BSHAT2754</b>	1,940
30/36 x 60	27	54	26	<b>BSHAT2760</b>	1,950
30/36 x 66	27	60	26	<b>BSHAT2766</b>	1,960
30/36 x 72	27	66	26	<b>BSHAT2772</b>	1,970



Base at lowest height setting



Base at tallest height setting

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER
- BASE COLOR

BASE COLOR OPTIONS:

- BK** Black
- SV** Silver

See inside front cover for required option codes

Example

BSHAT2760.BK  
 BSHAT2760 \_\_\_\_\_ BK \_\_\_\_\_  
 MODEL NUMBER BASE COLOR

# HEIGHT ADJUSTABLE TOPS

TRIO  
01/16

	D	W	H	model number	veneer 1	laminate 1
<b>24" TOPS</b>	24	42	1 <sup>3</sup> / <sub>16</sub>	<b>T3DWRA2442-</b> <input type="checkbox"/>	553	497
	24	48	1 <sup>3</sup> / <sub>16</sub>	<b>T3DWRA2448-</b> <input type="checkbox"/>	593	536
	24	54	1 <sup>3</sup> / <sub>16</sub>	<b>T3DWRA2454-</b> <input type="checkbox"/>	633	571
	24	60	1 <sup>3</sup> / <sub>16</sub>	<b>T3DWRA2460-</b> <input type="checkbox"/>	678	610
	24	66	1 <sup>3</sup> / <sub>16</sub>	<b>T3DWRA2466-</b> <input type="checkbox"/>	701	632
	24	72	1 <sup>3</sup> / <sub>16</sub>	<b>T3DWRA2472-</b> <input type="checkbox"/>	732	661

## PRODUCT INFO

### TO ORDER PLEASE SPECIFY THE FOLLOWING:

- |                             |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
|-----------------------------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|-------------|-------------------------|------------|-------------------------|---------------|-------------------------|--------------|-------------------------|--------------|-------------------------|-------------|-------------------------|---------------------|--------------------------|----------------------|--------------------------|
| 1. <input type="checkbox"/> | MODEL NUMBER + TYPE                 | <input type="checkbox"/> Type must be specified as part of model number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| 2. <input type="checkbox"/> | FINISH                              | L = Laminate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| 3. <input type="checkbox"/> | TOP UV FINISH TYPE (WOOD TOPS ONLY) | W = Wood Veneer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| 4. <input type="checkbox"/> | GRAIN DIRECTION                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| 5. <input type="checkbox"/> | EDGE                                | See set 1 below for grommet option codes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| 6. <input type="checkbox"/> | GROMMET                             | <table border="0"> <tr> <td>No Grommet</td> <td><b>GN</b></td> </tr> <tr> <td>Left Silver</td> <td><b>GPLS</b> (Add +\$70)</td> </tr> <tr> <td>Left Black</td> <td><b>GPLB</b> (Add +\$70)</td> </tr> <tr> <td>Center Silver</td> <td><b>GPCS</b> (Add +\$70)</td> </tr> <tr> <td>Center Black</td> <td><b>GPCB</b> (Add +\$70)</td> </tr> <tr> <td>Right Silver</td> <td><b>GPRS</b> (Add +\$70)</td> </tr> <tr> <td>Right Black</td> <td><b>GPRB</b> (Add +\$70)</td> </tr> <tr> <td>Left &amp; Right Silver</td> <td><b>GPBS</b> (Add +\$140)</td> </tr> <tr> <td>Left and Right Black</td> <td><b>GPBB</b> (Add +\$140)</td> </tr> </table> | No Grommet | <b>GN</b> | Left Silver | <b>GPLS</b> (Add +\$70) | Left Black | <b>GPLB</b> (Add +\$70) | Center Silver | <b>GPCS</b> (Add +\$70) | Center Black | <b>GPCB</b> (Add +\$70) | Right Silver | <b>GPRS</b> (Add +\$70) | Right Black | <b>GPRB</b> (Add +\$70) | Left & Right Silver | <b>GPBS</b> (Add +\$140) | Left and Right Black | <b>GPBB</b> (Add +\$140) |
| No Grommet                  | <b>GN</b>                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Left Silver                 | <b>GPLS</b> (Add +\$70)             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Left Black                  | <b>GPLB</b> (Add +\$70)             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Center Silver               | <b>GPCS</b> (Add +\$70)             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Center Black                | <b>GPCB</b> (Add +\$70)             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Right Silver                | <b>GPRS</b> (Add +\$70)             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Right Black                 | <b>GPRB</b> (Add +\$70)             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Left & Right Silver         | <b>GPBS</b> (Add +\$140)            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |
| Left and Right Black        | <b>GPBB</b> (Add +\$140)            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |           |             |                         |            |                         |               |                         |              |                         |              |                         |             |                         |                     |                          |                      |                          |

See inside front cover for required option codes

#### Example

T3DWRA2442-W.NC701.FF.VLG.SQ.GN

T3DWRA2442-W	NC215	FF	VLG	SQ	GN
MODEL NUMBER	FINISH	TOP UV FINISH	GRAIN DIRECTION	EDGE	GROMMET

	D	W	H	model number	veneer 1	lamine 1
<b>30" TOPS</b> 	30	48	1 3/16	<b>T3DWRA3048-</b> <input type="checkbox"/>	680	584
	30	54	1 3/16	<b>T3DWRA3054-</b> <input type="checkbox"/>	707	608
	30	60	1 3/16	<b>T3DWRA3060-</b> <input type="checkbox"/>	723	622
	30	66	1 3/16	<b>T3DWRA3066-</b> <input type="checkbox"/>	769	661
	30	72	1 3/16	<b>T3DWRA3072-</b> <input type="checkbox"/>	791	680

<b>36" TOPS</b> 	36	48	1 3/16	<b>T3DWRA3648-</b> <input type="checkbox"/>	753	648
	36	54	1 3/16	<b>T3DWRA3654-</b> <input type="checkbox"/>	788	677
	36	60	1 3/16	<b>T3DWRA3660-</b> <input type="checkbox"/>	827	711
	36	66	1 3/16	<b>T3DWRA3666-</b> <input type="checkbox"/>	890	766
	36	72	1 3/16	<b>T3DWRA3672-</b> <input type="checkbox"/>	910	782

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- |    |                          |                                     |                                                                                                                                                                                                                                                                                  |
|----|--------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | <input type="checkbox"/> | MODEL NUMBER + TYPE                 | <input type="checkbox"/> Type must be specified as part of model number.                                                                                                                                                                                                         |
| 2. |                          | FINISH                              | L = Lamine                                                                                                                                                                                                                                                                       |
| 3. |                          | TOP UV FINISH TYPE (WOOD TOPS ONLY) | W = Wood Veneer                                                                                                                                                                                                                                                                  |
| 4. |                          | GRAIN DIRECTION                     |                                                                                                                                                                                                                                                                                  |
| 5. |                          | EDGE                                | See set 1 below for grommet option codes                                                                                                                                                                                                                                         |
| 6. |                          | GROMMET                             | No Grommet <b>GN</b><br>Left Silver <b>GPLS</b> (Add +\$70)<br>Left Black <b>GPLB</b> (Add +\$70)<br>Right Silver <b>GPRS</b> (Add +\$70)<br>Right Black <b>GPB</b> (Add +\$70)<br>Left & Right Silver <b>GPBS</b> (Add +\$140)<br>Left and Right Black <b>GPBB</b> (Add +\$140) |

See inside front cover for required option codes

Example

T3DWRA3060-W.NC701.FF.VLG.SQ.GN  
 T3DWRA3060-W    NC215    FF    VLG    SQ    GN  
 MODEL NUMBER    FINISH    TOP UV FINISH    GRAIN DIRECTION    EDGE    GROMMET

# HEIGHT ADJUSTABLE MODESTY PANEL

TRIO  
01/16

Optional

	D	W	H	model number	paint	veneer 1
<b>MODESTY PANELS</b> 	3/4	42	10	<b>T3DMHA48-</b> <input type="text"/>	424	499
	3/4	48	10	<b>T3DMHA54-</b> <input type="text"/>	447	526
	3/4	54	10	<b>T3DMHA60-</b> <input type="text"/>	471	555
	3/4	60	10	<b>T3DMHA66-</b> <input type="text"/>	499	586
	3/4	66	10	<b>T3DMHA72-</b> <input type="text"/>	521	610

- Optional 10" height modesty panel with 6" overhang

**PRODUCT INFO**

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**  Type must be specified as part of model number.

2.  **FINISH** **P = Paint**  
**W = Wood Veneer**

See inside front cover for required option codes

Example

---

T3DMHA60-W.NC215  
T3DMHA60-W  NC215  
MODEL NUMBER  FINISH

Freestanding Storage. . . . . 103-114  
    Mobile Pedestals. . . . . 104-105  
    Hinged Door Cabinets. . . . . 106  
    Bookcases. . . . . 107  
    Lateral Files . . . . . 108  
    Closets. . . . . 109-110  
    Utility Cabinets . . . . . 111  
    Storage Box . . . . . 112-113  
Overhead Storage. . . . . 115-129  
    Surface Mount Cabinets . . . . . 115-118  
    Towers. . . . . 119-122  
    Wall Mount Cabinets . . . . . 123-126  
    Tackboards. . . . . 127-128  
    LED Tasklights. . . . . 129  
Accessories. . . . . 130-135

	D	W	H	model number + type	laminite 1 top	veneer 1 top
<b>MOBILE PEDESTAL</b>	21 3/4	15 1/2	22 1/8	<b>T3MPD2415-6</b> <input type="text"/>	1,232	1,298



## PRODUCT INFO

Edge detail user side only

Laminite tops are square SQ edge only

Casters:  
2" black casters  
(2) Locking casters  
(2) Non-locking casters

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (LW models only)**
3.  **FINISH**
4.  **TOP UV FINISH (WW models only)**
5.  **EDGE**
6.  **PULL**
7.  **KEYING**

= Type must be specified as part of model number.  
LW = Laminite Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

See inside front cover for required option codes

### Example

T3MPD2415-6WW.NC701.FF.SQ.LES.RMS

T3MPD2415-6WW	NC701	FF	SQ	LES	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	PULL	KEYING

	D	W	H	model number	fabric grades COM / 1 2 3 4			
<b>CUSHION</b>	21 1/2	15 1/4	3/4	<b>T3MPD-CUSH</b>	270	281	293	305



• See page 150-151 for fabric grade pricing

**PRODUCT INFO**

For use with mobile pedestals

COM fabric requirement	
Model Number	Yards
T3MPD-CUSH	1.00

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **FABRIC**

**COM FABRIC REQUIREMENT**  
All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

\*See product info for yardage requirements

See inside front cover for required option codes

**Example**

T3MPD-CUSH.FABRIC  
 T3MPD-CUSH                      FABRIC  
 MODEL NUMBER                      FABRIC

# HINGED DOOR CABINETS

TRIO  
01/16

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>30" AND 36" WIDE</b>	24	30 1/8	29 1/8	<b>T3SCF2430-5</b> <input type="checkbox"/>	1,387	1,461
	24	36 1/8	29 1/8	<b>T3SCF2436-5</b> <input type="checkbox"/>	1,431	1,504



## PRODUCT INFO

- Edge detail user side only
- Laminate tops are square SQ edge only
- Doors do not lock
- Includes (1) fixed shelf
- All units have an unfinished back

## TO ORDER PLEASE SPECIFY THE FOLLOWING:


- MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**

= Type must be specified as part of model number.  
LW = Laminate Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

See inside front cover for required option codes

### Example

T3SCF2430-5WW.NC701.FF.SQ.LES  
 T3SCF2430-5WW    NC701    FF    SQ    LES  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    PULL

	D	W	H	model number	veneer 1
<b>30" AND 36" WIDE</b>	14 1/8	30 1/8	29 1/8	<b>T3BKN2H30-WW</b>	1,066
 2 HIGH	14	30	41 11/16	<b>T3BKN3H30-WW</b>	1,148
 3 HIGH	14	30	55 3/8	<b>T3BKN4H30-WW</b>	1,460
 4 HIGH	14	30	68 1/4	<b>T3BKN5H30-WW</b>	1,712
 5 HIGH	14 1/8	36 1/8	29 1/8	<b>T3BKN2H36-WW</b>	1,118
 6 HIGH	14	36	41 11/16	<b>T3BKN3H36-WW</b>	1,310
 7 HIGH	14	36	55 3/8	<b>T3BKN4H36-WW</b>	1,626
 8 HIGH	14	36	68 1/4	<b>T3BKN5H36-WW</b>	1,893
 9 HIGH	14	36	81 1/4	<b>T3BKN6H36-WW</b>	2,062

**PRODUCT INFO**

All shelves are fixed

All 6-high bookcases must be attached to wall

All units have an unfinished back

Square edge user side only on 2-high bookcases

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  MODEL NUMBER
2.  FINISH
3.  TOP UV FINISH (WW models only)

NOTE: Top UV Finish option applies to 2H bookcases only.




See inside front cover for required option codes

Example

T3BKN2H30-WW.NC701.FF  
 T3BKN2H30-WW    NC701    FF  
 MODEL NUMBER    FINISH    TOP UV FINISH

# LATERAL FILES

TRIO  
01/16

	D	W	H	model number + type	laminite 1 top	veneer 1 top
<b>30" AND 36" WIDE</b>	24	30 1/8	29 1/8	<b>T3LFS2H30-4</b> <input type="checkbox"/>	1,617	1,703
 2 HIGH	24	36 1/8	29 1/8	<b>T3LFS2H36-4</b> <input type="checkbox"/>	1,862	1,960
<b>30" AND 36" WIDE</b>	23 15/16	30	41 11/16	<b>T3LFS3H30-4WW</b>	2,364	
 3 HIGH	23 15/16	30	55 3/8	<b>T3LFS4H30-4WW</b>	2,948	
	23 15/16	30	68 1/4	<b>T3LFS5H30-4WW</b>	4,046	
 4 HIGH	23 15/16	30	81 1/4	<b>T3LFS6H30-4WW</b>	4,548	
	23 15/16	36	41 11/16	<b>T3LFS3H36-4WW</b>	2,646	
 5 HIGH	23 15/16	36	55 3/8	<b>T3LFS4H36-4WW</b>	3,031	
	23 15/16	36	68 1/4	<b>T3LFS5H36-4WW</b>	4,152	
 6 HIGH	23 15/16	36	81 1/4	<b>T3LFS6H36-4WW</b>	4,585	

## PRODUCT INFO

Edge detail user side only  
Laminite tops are square SQ edge only  
All units have an unfinished back  
6 high includes (1) fixed shelf behind doors  
Doors do not lock  
Inside dimensions 5 high  
D = 21 13/16, H = 12 3/16"  
Inside dimensions 6 high  
D = 21 13/16, H = 25 1/8"

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE
- LAMINATE COLOR (LW models only)
- FINISH
- TOP UV FINISH (WW models only)
- EDGE (2 highs only)
- PULL
- KEYING

= Type must be specified as part of model number.  
LW = Laminite Top, Wood Veneer Chassis  
WW = Wood Veneer Top, Wood Veneer Chassis

See inside front cover for required option codes

### Example

T3LFS2H30-4WW.NC701.FF.SQ.LES.RMS  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    PULL    KEYING

	D	W	H	model number	veneer 1
<b>5 HIGH X 15 WIDE</b> DOOR HINGED LEFT COAT ROD	23 15/16	15 11/16	68 1/4	<b>T3CLS5H15L-WW</b>	2,115

DOOR HINGED RIGHT COAT ROD	23 15/16	15 11/16	68 1/4	<b>T3CLS5H15R-WW</b>	2,115
-------------------------------	----------	----------	--------	----------------------	-------



<b>5 HIGH X 18 WIDE</b> DOOR HINGED LEFT COAT ROD	23 15/16	18 11/16	68 1/4	<b>T3CLS5H18L-WW</b>	2,167
---------------------------------------------------------	----------	----------	--------	----------------------	-------

DOOR HINGED RIGHT COAT ROD	23 15/16	18 11/16	68 1/4	<b>T3CLS5H18R-WW</b>	2,167
-------------------------------	----------	----------	--------	----------------------	-------



<b>6 HIGH X 18 WIDE</b> DOOR HINGED LEFT COAT ROD   1 SHELF	23 15/16	18 11/16	81 1/4	<b>T3CLS6H18L-WW</b>	2,429
-------------------------------------------------------------------	----------	----------	--------	----------------------	-------

DOOR HINGED RIGHT COAT ROD   1 SHELF	23 15/16	18 11/16	81 1/4	<b>T3CLS6H18R-WW</b>	2,429
-----------------------------------------	----------	----------	--------	----------------------	-------



**PRODUCT INFO**

Locking optional

All units have an unfinished back

All shelves are fixed

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**


- |    |                      |                                             |
|----|----------------------|---------------------------------------------|
| 1. | <input type="text"/> | <b>MODEL NUMBER</b>                         |
| 2. | <input type="text"/> | <b>FINISH</b>                               |
| 3. | <input type="text"/> | <b>PULL</b>                                 |
| 4. | <input type="text"/> | <b>LOCKS (Add \$140 for lock option LY)</b> |
| 5. | <input type="text"/> | <b>KEYING</b>                               |

See inside front cover for required option codes

**Example**

T3CLS5H15L-WW.NC701.LES.LY.RMS  
 T3CLS5H15L-WW    NC701    LES    LY    RMS  
 MODEL NUMBER    FINISH    PULL    LOCKS    KEYING

	D	W	H	model number	vener 1
<b>5 HIGH X 30 WIDE</b>					
15" COAT ROD   DIVIDER 15" SHELVES - QTY 4	23 15/16	30	68 1/4	<b>T3CLD5H30-DW</b>	3,447



<b>6 HIGH X 30 WIDE</b>					
15" COAT ROD   DIVIDER 15" SHELVES - QTY 6	23 15/16	30	81 1/4	<b>T3CLD6H30-DW</b>	4,277



**PRODUCT INFO**

Locking optional

All units have an unfinished back

All shelves are fixed

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **FINISH**
3.  **PULL**
4.  **LOCKS (Add \$140 for lock option LY)**
5.  **KEYING**

See inside front cover for required option codes

**Example**

T3CLD5H30-DW.NC701.LES.LY.RMS  
 T3CLD5H30-DW    NC701    LES    LY    RMS  
 MODEL NUMBER    FINISH    PULL    LOCKS    KEYING

	D	W	H	model number	veneer 1
<b>5 HIGH X 24 WIDE</b> DOOR HINGED LEFT DOOR   FILE-FILE RIGHT	23 <sup>15</sup> / <sub>16</sub>	24	68 <sup>1</sup> / <sub>4</sub>	<b>T3UTC5H24L-WW</b>	3,949



<b>5 HIGH X 24 WIDE</b> DOOR HINGED RIGHT DOOR   FILE-FILE LEFT	23 <sup>15</sup> / <sub>16</sub>	24	68 <sup>1</sup> / <sub>4</sub>	<b>T3UTC5H24R-WW</b>	3,949
-----------------------------------------------------------------------	----------------------------------	----	--------------------------------	----------------------	-------



<b>6 HIGH X 24 WIDE</b> DOOR HINGED LEFT DOOR   FILE-FILE RIGHT	23 <sup>15</sup> / <sub>16</sub>	24	81 <sup>1</sup> / <sub>4</sub>	<b>T3UTC6H24L-WW</b>	4,516
-----------------------------------------------------------------------	----------------------------------	----	--------------------------------	----------------------	-------



<b>6 HIGH X 24 WIDE</b> DOOR HINGED RIGHT DOOR   FILE-FILE LEFT	23 <sup>15</sup> / <sub>16</sub>	24	81 <sup>1</sup> / <sub>4</sub>	<b>T3UTC6H24R-WW</b>	4,516
-----------------------------------------------------------------------	----------------------------------	----	--------------------------------	----------------------	-------



**PRODUCT INFO**

5 high units include (2) fixed shelves behind upper hinged door and coat rod behind full height door

6 high units include (3) fixed shelves behind upper hinged door and coat rod behind full height door

All units have an unfinished back

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- |    |                      |                     |
|----|----------------------|---------------------|
| 1. | <input type="text"/> | <b>MODEL NUMBER</b> |
| 2. | <input type="text"/> | <b>FINISH</b>       |
| 3. | <input type="text"/> | <b>PULL</b>         |
| 4. | <input type="text"/> | <b>KEYING</b>       |

See inside front cover for required option codes

**Example**

T3UTC5H24L-WW.NC701.LES.RMS  
 T3UTC5H24L-WW    NC701    LES    RMS  
 MODEL NUMBER    FINISH    PULL    KEYING

	D	W	H	model number	veneer 1
<b>5 HIGH X 30 WIDE</b> (2) FIXED SHELVES BEHIND DOORS 	23 <sup>15</sup> / <sub>16</sub>	30	68 <sup>1</sup> / <sub>4</sub>	<b>T3SBD5H30-WW</b>	3,694
NO DOORS (2) FIXED SHELVES 	23 <sup>15</sup> / <sub>16</sub>	30	68 <sup>1</sup> / <sub>4</sub>	<b>T3SBD5H30-WN</b>	3,414
<b>6 HIGH X 30 WIDE</b> (3) FIXED SHELVES BEHIND DOORS 	23 <sup>15</sup> / <sub>16</sub>	30	81 <sup>1</sup> / <sub>4</sub>	<b>T3SBD6H30-WW</b>	4,156
NO DOORS (3) FIXED SHELVES 	23 <sup>15</sup> / <sub>16</sub>	30	81 <sup>1</sup> / <sub>4</sub>	<b>T3SBD6H30-WN</b>	3,908

**PRODUCT INFO**

All units have an unfinished back

All shelves are fixed

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **FINISH**
3.  **PULL**
4.  **KEYING**

See inside front cover for required option codes

**Example**

T3SBD5H30-WW.NC701.LES.RMS  
 T3SBD5H30-WW    NC701    LES    RMS  
 MODEL NUMBER    FINISH    PULL    KEYING

	D	W	H	model number	veneer 1
<b>5 HIGH X 15 WIDE</b> DOOR HINGED LEFT (2) FIXED SHELVES BEHIND DOORS	23 <sup>15</sup> / <sub>16</sub>	15 <sup>11</sup> / <sub>16</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>T3SBS5H15L-WW</b>	2,562



DOOR HINGED RIGHT (2) FIXED SHELVES BEHIND DOORS	23 <sup>15</sup> / <sub>16</sub>	15 <sup>11</sup> / <sub>16</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>T3SBS5H15R-WW</b>	2,562
--------------------------------------------------------	----------------------------------	----------------------------------	--------------------------------	----------------------	-------



**PRODUCT INFO**

All units have an unfinished back

All shelves are fixed

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- |    |                      |                     |
|----|----------------------|---------------------|
| 1. | <input type="text"/> | <b>MODEL NUMBER</b> |
| 2. | <input type="text"/> | <b>FINISH</b>       |
| 3. | <input type="text"/> | <b>PULL</b>         |
| 4. | <input type="text"/> | <b>KEYING</b>       |

See inside front cover for required option codes


Example

T3SBS5H15L-WW.NC701.LES.RMS

T3SBS5H15L-WW	NC701	LES	RMS
MODEL NUMBER	FINISH	PULL	KEYING



**WOOD OR PAINT DOORS**



D	W	H	model number + type	paint	veneer 1
14 3/4	59 7/8	39 1/8	<b>T3SMC1H60</b> - <input type="text"/>	2,038	2,143
14 3/4	65 7/8	39 1/8	<b>T3SMC1H66</b> - <input type="text"/>	2,191	2,306
14 3/4	71 7/8	39 1/8	<b>T3SMC1H72</b> - <input type="text"/>	2,356	2,478
14 3/4	77 7/8	39 1/8	<b>T3SMC1H78</b> - <input type="text"/>	2,519	2,653
14 3/4	83 7/8	39 1/8	<b>T3SMC1H84</b> - <input type="text"/>	2,772	2,918
14 3/4	89 7/8	39 1/8	<b>T3SMC1H90</b> - <input type="text"/>	3,049	3,209
14 3/4	95 7/8	39 1/8	<b>T3SMC1H96</b> - <input type="text"/>	3,354	3,530
14 3/4	101 7/8	39 1/8	<b>T3SMC1H102</b> - <input type="text"/>	3,522	3,708
14 3/4	107 7/8	39 1/8	<b>T3SMC1H108</b> - <input type="text"/>	3,662	3,856

**PRODUCT INFO**

Door widths:  
 60" = (4) 14 15/16" doors  
 66" = (4) 16 7/16" doors  
 72" = (4) 17 15/16" doors  
 78" = (4) 19 7/16" doors  
 84" = (6) 13 15/16" doors  
 90" = (6) 14 15/16" doors  
 96" = (6) 15 15/16" doors  
 102" = (6) 16 15/16" doors  
 108" = (6) 17 15/16" doors

All units have an unfinished back

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **FINISH**
3.  **LOCKS (Add \$140 for lock option LY)**
4.  **KEYING**

= Type must be specified as part of model number.  
 PP = Painted Cabinet, Painted Doors  
 WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

**Example**


T3SMC1H60-WW.NC701.LY.RMS  
 T3SMC1H60-WW    NC701    LY    RMS  
 MODEL NUMBER + TYPE    FINISH    LOCKS    KEYING

# SURFACE MOUNT CABINETS

TRIO  
01/16

double high

## WOOD OR PAINT DOORS



D	W	H	model number + type	paint	veneer 1
14 3/4	59 7/8	52 1/16	<b>T3SMC2H60</b> - <input type="text"/>	2,546	2,680
14 3/4	65 7/8	52 1/16	<b>T3SMC2H66</b> - <input type="text"/>	2,738	2,882
14 3/4	71 7/8	52 1/16	<b>T3SMC2H72</b> - <input type="text"/>	2,944	3,100
14 3/4	77 7/8	52 1/16	<b>T3SMC2H78</b> - <input type="text"/>	3,150	3,317
14 3/4	83 7/8	52 1/16	<b>T3SMC2H84</b> - <input type="text"/>	3,465	3,648
14 3/4	89 7/8	52 1/16	<b>T3SMC2H90</b> - <input type="text"/>	3,812	4,013

## PRODUCT INFO

Door widths:  
 60" = (4) 14 15/16" doors  
 66" = (4) 16 7/16" doors  
 72" = (4) 17 15/16" doors  
 78" = (4) 19 7/16" doors  
 84" = (6) 13 15/16" doors  
 90" = (6) 14 15/16" doors

All units have an unfinished back

1 fixed shelf behind each set of doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- FINISH**
- LOCKS (Add \$140 for lock option LY)**
- KEYING**


= Type must be specified as part of model number.  
 PP = Painted Cabinet, Painted Doors  
 WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

### Example

T3SMC2H60-WW.NC701.LY.RMS  
 T3SMC2H60-WW    NC701    LY    RMS  
 MODEL NUMBER + TYPE    FINISH    LOCKS    KEYING

**GLASS DOORS**



D	W	H	model number + type	paint	veneer 1
14 3/4	59 7/8	39 1/8	<b>T3SMC1H60-</b> <input type="checkbox"/>	2,281	2,402
14 3/4	71 7/8	39 1/8	<b>T3SMC1H72-</b> <input type="checkbox"/>	2,639	2,776
14 3/4	89 7/8	39 1/8	<b>T3SMC1H90-</b> <input type="checkbox"/>	3,414	3,596
14 3/4	107 7/8	39 1/8	<b>T3SMC1H108-</b> <input type="checkbox"/>	4,102	4,319

**PRODUCT INFO**

Door widths:  
60" = (4) 14 15/16" doors  
72" = (4) 17 15/16" doors  
90" = (6) 14 15/16" doors  
108" = (6) 17 15/16" doors

All units have an unfinished back

Anodized aluminum frame with frosted glass insert

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- MODEL NUMBER + TYPE**
- FINISH**

= Type must be specified as part of model number.  
PG = Painted Cabinet, Glass Doors  
WG = Wood Veneer Cabinet, Glass Doors

See inside front cover for required option codes

**Example**


T3SMC1H60-WG.NC701  
T3SMC1H60-WG      NC701  
MODEL NUMBER + TYPE      FINISH

# SURFACE MOUNT CABINETS

TRIO  
01/16

double high

## GLASS DOORS



D	W	H	model number + type	paint	veneer 1
14 3/4	59 7/8	52 1/16	<b>T3SMC2H60</b> -[ ]	2,852	3,001
14 3/4	71 7/8	52 1/16	<b>T3SMC2H72</b> -[ ]	3,297	3,470
14 3/4	89 7/8	52 1/16	<b>T3SMC2H90</b> -[ ]	4,268	4,494

## PRODUCT INFO

Door widths:  
60" = (4) 14 15/16" doors  
72" = (4) 17 15/16" doors  
90" = (6) 14 15/16" doors

All units have an unfinished back

1 fixed shelf behind each set of doors

Anodized aluminum frame with frosted glass insert

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  **MODEL NUMBER + TYPE**
2.  **FINISH**

[ ] = Type must be specified as part of model number.  
PG = Painted Cabinet, Glass Doors  
WG = Wood Veneer Cabinet, Glass Doors

See inside front cover for required option codes

### Example

T3SMC2H60-WG.NC701  
T3SMC2H60-WG      NC701  
MODEL NUMBER + TYPE      FINISH

<b>WOOD OR PAINT DOORS</b>	D	W	H	model number + type	paint	veneer 1
DOOR HINGED LEFT 	14 3/4	17 15/16	39 1/8	<b>T3STF1H18L-</b> <input type="text"/>	932	980
DOOR HINGED RIGHT 	14 3/4	17 15/16	39 1/8	<b>T3STF1H18R-</b> <input type="text"/>	932	980
HINGED DOORS 	14 3/4	29 15/16	39 1/8	<b>T3STF1H30-</b> <input type="text"/>	1,370	1,442
HINGED DOORS 	14 3/4	35 15/16	39 1/8	<b>T3STF1H36-</b> <input type="text"/>	1,497	1,576

**PRODUCT INFO**

All units have an unfinished back  
2 fixed shelves behind doors

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **FINISH**
3.  **PULL**
4.  **LOCKS (Add \$140 for lock option LY)**
5.  **KEYING**

= Type must be specified as part of model number.  
PP = Painted Cabinet, Painted Doors  
WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes



**Example**

T3STF1H18L-WW.NC701.LES.LY.RMS  
 T3STF1H18L-WW    NC701    LES    LY    RMS  
 MODEL NUMBER + TYPE    FINISH    PULL    LOCKS    KEYING

# TOWERS

double high

**TRIO**  
01/16

WOOD OR PAINT DOORS	D	W	H	model number + type	paint	veneer 1
DOOR HINGED LEFT 	14 3/4	17 15/16	52 1/16	<b>T3STF2H18L-</b> <input type="text"/>	1,304	1,373
DOOR HINGED RIGHT 	14 3/4	17 15/16	52 1/16	<b>T3STF2H18R-</b> <input type="text"/>	1,304	1,373
HINGED DOORS 	14 3/4	29 15/16	52 1/16	<b>T3STF2H30-</b> <input type="text"/>	1,589	1,673
HINGED DOORS 	14 3/4	35 15/16	52 1/16	<b>T3STF2H36-</b> <input type="text"/>	1,736	1,827

## PRODUCT INFO

All units have an unfinished back

3 fixed shelves behind doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  **MODEL NUMBER + TYPE**
2.  **FINISH**
3.  **PULL**
4.  **LOCKS (Add \$140 for lock option LY)**
5.  **KEYING**

= Type must be specified as part of model number.  
PP = Painted Cabinet, Painted Doors  
WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

### Example

T3STF2H18L-WW.NC701.LES.LY.RMS

T3STF2H18L-WW	NC701	LES	LY	RMS
MODEL NUMBER + TYPE	FINISH	PULL	LOCKS	KEYING

<b>NO DOORS</b>	D	W	H	model number + type	paint	veneer 1
	14	17 15/16	39 1/8	<b>T3STN1H18-</b> <input type="text"/>	878	923
	14	29 15/16	39 1/8	<b>T3STN1H30-</b> <input type="text"/>	1,189	1,250
	14	35 15/16	39 1/8	<b>T3STN1H36-</b> <input type="text"/>	1,278	1,346

**PRODUCT INFO**

All units have an unfinished back

2 fixed shelves

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER + TYPE**
2.  **FINISH**

= Type must be specified as part of model number.  
PN = Painted Cabinet, No Doors  
WN = Wood Veneer Cabinet, No Doors

See inside front cover for required option codes

**Example**

T3STN1H18-WN.NC701  
 T3STN1H18-WN      NC701  
 MODEL NUMBER + TYPE      FINISH

# TOWERS

double high

**TRIO**  
01/16

**NO DOORS**

D	W	H	model number + type	paint	veneer 1
---	---	---	---------------------	-------	----------



14	17 15/16	52 1/16	<b>T3STN2H18-</b> <input type="text"/>	1,097	1,155
----	----------	---------	----------------------------------------	-------	-------



14	29 15/16	52 1/16	<b>T3STN2H30-</b> <input type="text"/>	1,487	1,564
----	----------	---------	----------------------------------------	-------	-------



14	35 15/16	52 1/16	<b>T3STN2H36-</b> <input type="text"/>	1,598	1,682
----	----------	---------	----------------------------------------	-------	-------

**PRODUCT INFO**

All units have an unfinished back

3 fixed shelves

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- MODEL NUMBER + TYPE**
- FINISH**


= Type must be specified as part of model number.  
 PN = Painted Cabinet, No Doors  
 WN = Wood Veneer Cabinet, No Doors

See inside front cover for required option codes

**Example**

T3STN2H18-WN.NC701	
T3STN2H18-WN	NC701
MODEL NUMBER + TYPE	FINISH

WOOD OR PAINT DOORS



D	W	H	model number + type	paint	veneer 1
14 3/4	36	14 11/16	T3WMC1H36- <input type="text"/>	1,220	1,284
14 3/4	60	14 11/16	T3WMC1H60- <input type="text"/>	1,887	1,987
14 3/4	66	14 11/16	T3WMC1H66- <input type="text"/>	2,029	2,136
14 3/4	72	14 11/16	T3WMC1H72- <input type="text"/>	2,183	2,297
14 3/4	78	14 11/16	T3WMC1H78- <input type="text"/>	2,335	2,458
14 3/4	84	14 11/16	T3WMC1H84- <input type="text"/>	2,499	2,630
14 3/4	90	14 11/16	T3WMC1H90- <input type="text"/>	2,673	2,814
14 3/4	96	14 11/16	T3WMC1H96- <input type="text"/>	2,833	2,983
14 3/4	102	14 11/16	T3WMC1H102- <input type="text"/>	2,947	3,102
14 3/4	108	14 11/16	T3WMC1H108- <input type="text"/>	3,065	3,226

PRODUCT INFO

Door widths:  
 36" = (2) 17 15/16" doors  
 60" = (4) 14 15/16" doors  
 66" = (4) 16 7/16" doors  
 72" = (4) 17 15/16" doors  
 78" = (4) 19 7/16" doors  
 84" = (6) 13 15/16" doors  
 90" = (6) 14 15/16" doors  
 96" = (6) 15 15/16" doors  
 102" = (6) 16 15/16" doors  
 108" = (6) 17 15/16" doors

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER + TYPE
2.  FINISH
4.  LOCKS (Add \$140 for lock option LY)
5.  KEYING

= Type must be specified as part of model number.  
 PP = Painted Cabinet, Painted Doors  
 WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes


Example

T3WMC1H60-WW.NC701.LY.RMS  
 T3WMC1H60-WW    NC701    LY    RMS  
 MODEL NUMBER + TYPE    FINISH    LOCKS    KEYING

# WALL MOUNT CABINETS

TRIO  
01/16

double high

WOOD OR PAINT DOORS	D	W	H	model number + type	paint	veneer 1
	14 3/4	36	27 5/8	<b>T3WMC2H36-</b> <input type="text"/>	1,525	1,607
	14 3/4	60	27 5/8	<b>T3WMC2H60-</b> <input type="text"/>	2,359	2,484
	14 3/4	66	27 5/8	<b>T3WMC2H66-</b> <input type="text"/>	2,537	2,671
	14 3/4	72	27 5/8	<b>T3WMC2H72-</b> <input type="text"/>	2,728	2,872
	14 3/4	78	27 5/8	<b>T3WMC2H78-</b> <input type="text"/>	3,034	3,195
	14 3/4	84	27 5/8	<b>T3WMC2H84-</b> <input type="text"/>	3,323	3,497
	14 3/4	90	27 5/8	<b>T3WMC2H90-</b> <input type="text"/>	3,608	3,799

## PRODUCT INFO

Door widths:  
 36" = (2) 17 15/16" doors  
 60" = (4) 14 15/16" doors  
 66" = (4) 16 7/16" doors  
 72" = (4) 17 15/16" doors  
 78" = (4) 19 7/16" doors  
 84" = (6) 13 15/16" doors  
 90" = (6) 14 15/16" doors

All units have an unfinished back

1 fixed shelf behind each set of doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- FINISH**
- LOCKS (Add \$140 for lock option LY)**
- KEYING**


= Type must be specified as part of model number.  
 PP = Painted Cabinet, Painted Doors  
 WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

### Example

T3WMC2H60-WW.NC701.LY.RMS  
 T3WMC2H60-WW    NC701    LY    RMS  
 MODEL NUMBER + TYPE    FINISH    LOCKS    KEYING

GLASS DOORS



D	W	H	model number + type	paint	veneer 1
14 3/4	36	14 11/16	T3WMC1H36- <input type="text"/>	1,366	1,439
14 3/4	60	14 11/16	T3WMC1H60- <input type="text"/>	2,113	2,225
14 3/4	72	14 11/16	T3WMC1H72- <input type="text"/>	2,443	2,572
14 3/4	90	14 11/16	T3WMC1H90- <input type="text"/>	2,993	3,151
14 3/4	108	14 11/16	T3WMC1H108- <input type="text"/>	3,433	3,613

PRODUCT INFO

Door widths:  
 36" = (2) 17 15/16" doors  
 60" = (4) 14 15/16" doors  
 72" = (4) 17 15/16" doors  
 90" = (6) 14 15/16" doors  
 108" = (6) 17 15/16" doors

All units have an unfinished back

Anodized aluminum frame with frosted glass insert

TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE
- FINISH

= Type must be specified as part of model number.  
 PG = Painted Cabinet, Glass Doors  
 WG = Wood Veneer Cabinet, Glass Doors

See inside front cover for required option codes


Example

T3WMC1H60-WG.NC701  
 T3WMC1H60-WG      NC701  
 MODEL NUMBER + TYPE      FINISH

# WALL MOUNT CABINETS

double high

TRIO  
01/16

GLASS DOORS	D	W	H	model number + type	paint	veneer 1
	14 3/4	36	27 5/8	<b>T3WMC2H36-</b> <input type="text"/>	1,709	1,798
	14 3/4	60	27 5/8	<b>T3WMC2H60-</b> <input type="text"/>	2,642	2,780
	14 3/4	72	27 5/8	<b>T3WMC2H72-</b> <input type="text"/>	3,054	3,217
	14 3/4	90	27 5/8	<b>T3WMC2H90-</b> <input type="text"/>	4,042	4,256

## PRODUCT INFO

Door widths:  
 36" = (2) 17 15/16" doors  
 60" = (4) 14 15/16" doors  
 72" = (4) 17 15/16" doors  
 90" = (6) 14 15/16" doors

All units have an unfinished back

1 fixed shelf behind each set of doors

Anodized aluminum frame with frosted glass insert

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER + TYPE**
- FINISH**

= Type must be specified as part of model number.  
 PG = Painted Cabinet, Glass Doors  
 WG = Wood Veneer Cabinet, Glass Doors

See inside front cover for required option codes

### Example

T3WMC2H60-WG.NC701  
 T3WMC2H60-WG      NC701  
 MODEL NUMBER + TYPE      FINISH



2 - PIECE  
2 - PIECE

D	W	H	model number	fabric grades			
				COM / 1	2	3	4
5/8	58 3/16	23 7/8	<b>T3TKS60</b>	424	454	486	518
5/8	64 3/16	23 7/8	<b>T3TKS66</b>	432	462	494	526
5/8	70 3/16	23 7/8	<b>T3TKS72</b>	449	483	519	555
5/8	76 3/16	23 7/8	<b>T3TKS78</b>	466	504	544	584
5/8	82 3/16	23 7/8	<b>T3TKS84</b>	474	512	552	592
5/8	88 3/16	23 7/8	<b>T3TKS90</b>	494	535	579	623
5/8	94 3/16	23 7/8	<b>T3TKS96</b>	517	562	610	658
5/8	100 3/16	23 7/8	<b>T3TKS102</b>	713	762	814	866
5/8	106 3/16	23 7/8	<b>T3TKS108</b>	737	790	846	902

• See page 150-151 for fabric grade pricing

Product Specifications:

**STANDARD**



The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

**SPECIAL**

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations



**PRODUCT INFO**

For use with surface mounted cabinets

COM fabric requirement	
Model Number	Yards
T3TKS60	2.00
T3TKS66	2.00
T3TKS72	2.25
T3TKS78	2.50
T3TKS84	2.50
T3TKS90	2.75
T3TKS96	3.00
T3TKS102	3.25
T3TKS108	3.50

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **FABRIC**

**COM FABRIC REQUIREMENT**  
All COM must be shipped prepaid to Gunlocke with package side marked with:  
• Dealer Name  
• Dealer Purchase Order Number  
• Gunlocke Pattern Number

\*See product info for yardage requirements

See inside front cover for required option codes

Example

T3TKS60.FABRIC  
T3TKS60 \_\_\_\_\_ FABRIC  
MODEL NUMBER                      FABRIC



	D	W	H	model number	fabric grades			
					COM / 1	2	3	4
	5/8	36	24 3/8	<b>T3TKW36</b>	366	385	405	425
	5/8	60	24 3/8	<b>T3TKW60</b>	424	454	486	518
	5/8	66	24 3/8	<b>T3TKW66</b>	432	462	494	526
	5/8	72	24 3/8	<b>T3TKW72</b>	449	483	519	555
	5/8	78	24 3/8	<b>T3TKW78</b>	466	504	544	584
	5/8	84	24 3/8	<b>T3TKW84</b>	474	512	552	592
	5/8	90	24 3/8	<b>T3TKW90</b>	494	535	579	623
	5/8	96	24 3/8	<b>T3TKW96</b>	517	562	610	658
2 - PIECE	5/8	102	24 3/8	<b>T3TKW102</b>	713	762	814	866
2 - PIECE	5/8	108	24 3/8	<b>T3TKW108</b>	737	790	846	902

• See page 150-151 for fabric grade pricing

**Product Specifications:**

**STANDARD**



The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

**SPECIAL**

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations



**PRODUCT INFO**

For use with wall mounted cabinets  
COM fabric requirement

Model Number	Yards
T3TKW36	1.25
T3TKW60	2.00
T3TKW66	2.00
T3TKW72	2.25
T3TKW78	2.50
T3TKW84	2.50
T3TKW90	2.75
T3TKW96	3.00
T3TKW102	3.25
T3TKW108	3.50

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **FABRIC**

**COM FABRIC REQUIREMENT**  
All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

\*See product info for yardage requirements

See inside front cover for required option codes

**Example**

T3TKW60.FABRIC  
T3TKW60 \_\_\_\_\_ FABRIC  
MODEL NUMBER                      FABRIC

	D	W	H	model number	list
	3	24	1	<b>ACLED24</b>	245
	3	36	1	<b>ACLED36</b>	265
	3	48	1	<b>ACLED48</b>	297
	3	60	1	<b>ACLED60</b>	339

**Product Specifications:**

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug.

Note: Fused cord is built into light.

- Frosted diffuser creates a softer light & eliminates hot spots
- Rocker switch
- 120V AC with built-in power supply
- Can be "Daisy-Chained" together
- Average life of 50,000 hours

Size	Voltage	Wattage (W)	Luminous Flux (Lm)
24" Light	AC 100-240V	9	1150
36" Light	AC 100-240V	12	2100
48" Light	AC 100-240V	16	2760
60" Light	AC 100-240V	21	3060

**PRODUCT INFO**

See product specs above

TASKLIGHT IS  
OPEN MARKET

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  MODEL NUMBER

See inside front cover for required option codes


Example

ACLED24  
ACLED24  
MODEL NUMBER


	D	W	H	model number	list
<b>SINGLE</b> FOR USE WITH MONITORS WEIGHING 4.5 - 15 LBS	3	3	15	<b>SAAT-ARM250</b>	587



<b>DUAL</b> FOR USE WITH MONITORS WEIGHING 4.5 - 15 LBS	3	3	15	<b>SAAT-ARM250D</b>	941
---------------------------------------------------------------	---	---	----	---------------------	-----



**SIDE VIEW**  
Vertical Range



**TOP VIEW**  
Horizontal Range

**CAPABILITIES**

- Vertical range . . . . . +/- 5.2" (13.2 cm) from horizontal
- Horizontal range . . . . . 18.6" (47.2 cm)
- Rotation . . . . . 360° at two joints, 180° from center
- Monitor tilt . . . . . 90° up, 20° down from center
- Monitor pivot . . . . . Landscape to portrait
- Monitor compatibility . . . . . VESA® 75mm and 100mm
- Cable management . . . . . Cables are clipped beneath arm
- Mounting options . . . . . Desk Edge, Grommet, Thru-Desk
- Monitor weight . . . . . 4.5 - 15 lbs (2.04 - 6.8 kg)

**PRODUCT INFO**

See product specs above

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**


1.  **MODEL NUMBER**

See inside front cover for required option codes

**Example**

SAAT-ARM250  
SAAT-ARM250  
MODEL NUMBER

	D	W	H	model number	list
	12 1/2	36	1 11/16	<b>SACORNER</b>	587



**PRODUCT INFO**

Fits any wksf thickness up to 1 5/16" thick

Bottom of unit is felt to protect worksurface

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  **MODEL NUMBER**
2.  **LEATHER COLOR**


**Leather Colors**  
 Black      CBL  
 White      CWH  
 Chocolate    CCH

See inside front cover for required option codes

**Example**

SACORNER.CBL  
 SACORNER      CBL  
 MODEL NUMBER      LEATHER COLOR

D	W	H	model number	list
10 1/2	20	3	<b>ACKYBRDSET</b>	600



**Product Specifications**

- Keyboard tray of 20" x 11" x 3/8" with PVC covering in graphite color
- Mouse pad is 8 1/2" diameter with a PVC covering in graphite color.
- The mouse pan both swivels 360 degrees and tilts +/- 15 degrees.
- Mouse pad can be easily changed from the standard RH to a LH Mount
- Both the tray palm rest and mouse pad are gel with a durable lycra® covering
- Adjustable mouse catcher with cord manager
- Mounting hardware and (4) keyboard adhesive backed anti skid pads included

**PRODUCT INFO**

See product specs above

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**


1.  **MODEL NUMBER**

See inside front cover for required option codes

Example

ACKYBRDSET  
ACKYBRDSET  
MODEL NUMBER

	D	W	H	model number	list
<b>3" DIA. COLUMN LEG</b>	3 DIA.		28	<b>BSCOLUMN3</b>	184



<b>TABLE LEG</b>	2 1/4	2 1/4	28	<b>BSLEGMTL-LD</b>	209
------------------	-------	-------	----	--------------------	-----



**PRODUCT INFO**

Units are powder coat black or silver.

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  MODEL NUMBER
2.  COLUMN / LEG COLOR

**Column Color (Column only)**

Column Silver CS  
Column Black CB

**Leg Color (Table leg only)**

Leg Silver LS  
Leg Black LB



See inside front cover for required option codes

**Example**

BSCOLUMN3.CS	
BSCOLUMN3	CS
MODEL NUMBER	COLUMN COLOR

# MISCELLANEOUS ACCESSORIES

TRIO  
01/16

	D	W	H	model number	list
<b>CENTER DRAWER</b> 	22	26	2 1/4	<b>ACCD26</b>	494
<b>PENCIL TRAY</b> 	3	12 3/32	11 1/4	<b>ACPT15-T3</b>	67
<b>FILING RAILS</b> 15"W FILE DRAWERS SIDE TO SIDE 	1/8	15	1	<b>ACFLR15-M</b>	22
30"W LATERAL FILES 	1/8	30	1	<b>ACFLR30-M</b>	27
36"W LATERAL FILES 	1/8	36	1	<b>ACFLR36-M</b>	30
<b>BENEATH WORKSURFACE            WIRE MANAGER</b> 	3 1/4	30	1	<b>ACWM</b>	65
<b>OPTIONAL FILE DRAWER            REINFORCEMENT BAR</b> 	1 1/2	1 9/16	12 3/16	<b>ACDRB-FILEM</b>	40
<b>OPTIONAL LATERAL FILE            DRAWER REINFORCEMENT            BAR</b> 	1 1/2	1 9/16	15 1/8	<b>ACDRB-LATM</b>	40

• NOTE: File and Lateral File Drawer Reinforcement Bars are OPTIONAL, and are only required when excessive stacking of paper occurs in bottom of drawers. Drawer Reinforcement Bars are oriented side-to-side on file drawers and front-to-back on lateral file drawers.

## PRODUCT INFO

### TO ORDER PLEASE SPECIFY THE FOLLOWING:

- MODEL NUMBER
- FINISH (Center drawer only)

See inside front cover for required option codes

#### Example

ACCD26.NC701  
 ACCD26 MODEL NUMBER NC701 FINISH

	D	W	H	model number	list
<b>GROMMET &amp; SLEEVE</b>					
SILVER	2 1/4	3 7/8	1	<b>ACUG-SV</b>	48
BLACK	2 1/4	3 7/8	1	<b>ACUG-BP</b>	48



- Grommets included when specified in top. Additional grommets can be ordered separately for field installation.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER

See inside front cover for required option codes

Example

ACUG-SV  
ACUG-SV  
MODEL NUMBER

# WALL MOUNT BRACKET

TRIO  
01/16


	D	W	H	model number	list
<b>WALL MOUNT BRACKET</b>	3 1/8	20 3/16	7 1/8	<b>ACWCB20</b>	145

• For use with 24" tops to provide support on an end condition



	3 1/8	15 3/16	7 1/8	<b>ACWCB15</b>	135
--	-------	---------	-------	----------------	-----

• For use with 24" tops to provide support on center as an alternative to a T-bracket



## PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER

See inside front cover for required option codes

Example

ACWCB20  
ACWCB20  
MODEL NUMBER










Tables .....141-149  
Grommet Locations ..... 142  
Table and Base Matrix ..... 143  
Round Tops .....144  
Rectangular Tops .....145  
Table Bases..... 146-147  
Power / Data Units and Grommets ..... 148  
Buffet Credenzas ..... 149

# WIRE MANAGEMENT

reference


TRIO  
01/16

**POWER/DATA LOCATIONS** - Power/Data units ACFTS-S and ACFTS are ordered separately



Power/Data Unit Location Guide			
Width	Length	Dim. B	Center
48	96	24	48
48	120	24	60
48	144	24	72

## Rectangular Tops




**GROMMET LOCATIONS** - Grommets optional with upcharge.




Grommet Location Guide			
Width	Length	Dim. B	Center
48	96	24	48
48	120	24	60
48	144	24	72

## Rectangular Tops



## Round Tops





	Estimated Seating	X Base	X Base	Metal Table Legs	Disc Base 18	Disc Base 24	Cylinder Base 18
		<b>BSMTL33X-LD</b>	<b>BSMTL38X-LD</b>	<b>BSLEGMTL-LD</b>	<b>BSMDISC18-LD</b>	<b>BSMDISC24-LD</b>	<b>BSWCYL18</b>
Round							
36 dia.	2-3	1		4	1		1
42 dia.	3-4	1		4		1	1
48 dia.	4-5		1	4		1	1
Rectangular							
48x96	6-8						2
48x120	8-10						3
48x144	10-12						3

# ROUND TOPS

TRIO  
01/16

	DIA.	H	model number + type	laminate 1 top	veneer 1 top
<b>ROUND</b> 	36	1 1/8	<b>T3TRD36-</b> <input type="text"/>	1,136	1,263
	42	1 1/8	<b>T3TRD42-</b> <input type="text"/>	1,298	1,441
	48	1 1/8	<b>T3TRD48-</b> <input type="text"/>	1,545	1,716

• Grommets included when specified

## PRODUCT INFO

Laminate tops are square SQ edge only

Grommets included when specified

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  **MODEL NUMBER + TYPE**
2.  **LAMINATE COLOR (L models only)**
3.  **FINISH WOOD TOP (W models only)**
4.  **TOP UV FINISH (W models only)**
5.  **EDGE**
6.  **GROMMET**

### Grommet Set #4 (Add \$70 each)

No Grommet	-----	GN
Center	Silver	GPCS
Center	Black	GPCB

= Type must be specified as part of model number.  
L = Laminate  
W = Wood Veneer


See inside front cover for required option codes

### Example

T3TRD36-W.NC701.FF.SQ.GN

T3TRD36-W	NC701	FF	SQ	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	GROMMET

	D	W	H	model number + type	laminate 1 top	veneer 1 top
<b>RECTANGULAR</b>	48	96	1 1/8	<b>T3TRT4896</b> - <input type="checkbox"/>	2,049	2,276
	48	120	1 1/8	<b>T3TRT48120</b> - <input type="checkbox"/>	2,669	2,964
	48	144	1 1/8	<b>T3TRT48144</b> - <input type="checkbox"/>	3,326	3,696



- Grommets included when specified
- Power/data units MUST be ordered separately
- 48x120 and 48x144 are 2-piece tops

**GRAIN DIRECTION WOOD TOPS (W)**

- 48x96 - long grain
- 48x120 - short grain
- 48x144 - short grain

**GRAIN DIRECTION LAMINATE TOPS (L)**

- 48x96 - long grain
- 48x120 - long grain
- 48x144 - long grain

**PRODUCT INFO**

Laminate tops are square SQ edge only

Grommets included when specified

Power/data units must be ordered separately

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (L models only)**
- FINISH WOOD TOP (W models only)**
- TOP UV FINISH (W models only)**
- EDGE**
- GROMMET**

= Type must be specified as part of model number.  
L = Laminate  
W = Wood Veneer

See inside front cover for required option codes

**Grommet Set #9 (Add \$70 each)**

No Grommet	----	GN
Grommet one end	Silver	GPES
Grommet one end	Black	GPED
Grommet center	Silver	GPCS
Grommet center	Black	GPCB
Grommet left and right	Silver	GPBS
Grommet left and right	Black	GPBB
Grommet left, right, ctr	Silver	GPAS
Grommet left, right, ctr	Black	GPAB

**TECHNOLOGY CENTERS**

Single flip top one end	SE
Single flip top center	SC
Single flip top left and right	SB
Single flip top left, right, ctr	SA

**Example**


T3TRT4896-W.NC701.FF.SQ.GN

T3TRT4896-W	NC701	FF	SQ	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	EDGE	GROMMET

# CYLINDER BASES

TRIO  
01/16

	DIA.	H	model number	veneer 1
<b>CYLINDER BASE</b>	18	27 3/4	<b>BSWCYL18</b>	1,330



<b>CYLINDER BASE</b> W/ WIRE MANAGEMENT ACCESS DOOR	18	27 3/4	<b>BSWCYL18WM</b>	2,357
-----------------------------------------------------------	----	--------	-------------------	-------



## PRODUCT INFO

10" hole included on the bottom of the cylinder wire management base.

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER
2.  FINISH

See inside front cover for required option codes

### Example

BSWCYL18.NC701	
BSWCYL18.NC701	NC701
MODEL NUMBER	FINISH

	D	W	H	model number	list
<b>X BASE</b> 	33 1/4	33 1/4	27 3/4	<b>BSMTL33X-LD</b>	489
	38 1/4	38 1/4	27 3/4	<b>BSMTL38X-LD</b>	528
	• 2 1/4" diameter column				
<b>DISC BASE 18</b> 	18	18	27 3/4	<b>BSMDISC18-LD</b>	747
	• 4" diameter column				
<b>DISC BASE 24</b> 	24	24	27 3/4	<b>BSMDISC24-LD</b>	876
	• 4" diameter column				
<b>TABLE LEGS</b> 	2 1/4	2 1/4	28	<b>BSLEGMTL-LD</b>	209
	• Available in powder coat silver or powder coat black				

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER
2.  BASE COLOR

**Leg Color (Table legs only)**  
 Leg Silver LS  
 Leg Black LB

**X Base Color**  
 Silver SV  
 Black BK  
 Polished Alum PA (add \$155)


**Disc Base Color**  
 Silver SV  
 Black BK  
 Polished Chrome PC (add \$155)  
 Brushed Satin Chrome SC (add \$155)

See inside front cover for required option codes

Example

BSMTL33X-LD.SV  
 BSMTL33X      SV  
 MODEL NUMBER      BASE COLOR

	D	W	H	model number	list
<b>POWER / DATA UNITS</b>					
SILVER	7 1/2	15 1/4	2 3/4	<b>ACFTS-S</b>	1,105
BLACK	7 1/2	15 1/4	2 3/4	<b>ACFTS</b>	1,105



- Specify location in rectangular top. Order power/data unit separately from top.

**Product Specifications**

- Unit is Interface ITT
- Includes a 6 ft standard plug in power cord
- (4) electrical outlets 15 amp, 125V with circuit breaker
- (2) RJ 11
- (2) RJ 45
- Additional telecom plates can be ordered separately through ECA. [www.electri-cable.com](http://www.electri-cable.com) or 1-800-521-3175
- Unit is field installed

**PRODUCT INFO**

Grommets included when specified

Power/data units must be ordered separately


**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

1.  MODEL NUMBER

See inside front cover for required option codes

Example

ACFTS-S  
ACFTS-S  
MODEL NUMBER



D	W	H	model number + type	laminated 1 top	veneer 1 top
24	73 3/8	34 3/16	<b>T3CBF2474-</b> <input type="text"/>	3,851	4,054

**PRODUCT INFO**

- Edge detail user side only
- Laminated tops are square SQ edge only
- Doors and drawers do not lock
- Includes (1) fixed shelf behind each set of doors
- All units have an unfinished back

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

- MODEL NUMBER + TYPE**
- LAMINATE COLOR (LW models only)**
- FINISH**
- TOP UV FINISH (WW models only)**
- EDGE**
- PULL**

= Type must be specified as part of model number.  
 LW = Laminated Top, Wood Veneer Chassis  
 WW = Wood Veneer Top, Wood Veneer Chassis

See inside front cover for required option codes

**Example**

**T3CBF2474-WW.NC701.FF.SQ.LES**  
 T3CBF2474-WW    NC701    FF    SQ    LES  
 MODEL NUMBER + TYPE    FINISH    TOP UV FINISH    EDGE    PULL

# FABRIC GRADE PRICING

TRIO  
01/16

model number	COM/1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
--------------	-------	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

## Mobile Pedestal Cushion

T3MPD-CUSH	270	281	293	305	321	337	351	367	382	398	414	429	449	464	483	503
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## Surface Mount Tackboards

T3TKS60	424	454	486	518	560	602	638	680	720	762	804	844	896	936	986	1,038
T3TKS66	432	462	494	526	568	610	646	688	728	770	812	852	904	944	994	1,046
T3TKS72	449	483	519	555	602	649	690	737	782	829	876	921	980	1,025	1,081	1,140
T3TKS78	466	504	544	584	637	690	735	788	838	891	944	994	1,059	1,109	1,172	1,237
T3TKS84	474	512	552	592	645	698	743	796	846	899	952	1,002	1,067	1,117	1,180	1,245
T3TKS90	494	535	579	623	681	739	789	847	902	960	1,018	1,073	1,145	1,200	1,269	1,341
T3TKS96	517	562	610	658	721	784	838	901	961	1,024	1,087	1,147	1,225	1,285	1,360	1,438
T3TKS102	713	762	814	866	934	1,002	1,061	1,129	1,194	1,262	1,330	1,395	1,480	1,545	1,626	1,711
T3TKS108	737	790	846	902	976	1,050	1,113	1,187	1,257	1,331	1,405	1,475	1,566	1,636	1,724	1,815

## Wall Mount Tackboards

T3TKW36	366	385	405	425	451	477	500	526	551	577	603	628	661	686	717	750
T3TKW60	424	454	486	518	560	602	638	680	720	762	804	844	896	936	986	1,038
T3TKW66	432	462	494	526	568	610	646	688	728	770	812	852	904	944	994	1,046
T3TKW72	449	483	519	555	602	649	690	737	782	829	876	921	980	1,025	1,081	1,140
T3TKW78	466	504	544	584	637	690	735	788	838	891	944	994	1,059	1,109	1,172	1,237
T3TKW84	474	512	552	592	645	698	743	796	846	899	952	1,002	1,067	1,117	1,180	1,245
T3TKW90	494	535	579	623	681	739	789	847	902	960	1,018	1,073	1,145	1,200	1,269	1,341
T3TKW96	517	562	610	658	721	784	838	901	961	1,024	1,087	1,147	1,225	1,285	1,360	1,438
T3TKW102	713	762	814	866	934	1,002	1,061	1,129	1,194	1,262	1,330	1,395	1,480	1,545	1,626	1,711
T3TKW108	737	790	846	902	976	1,050	1,113	1,187	1,257	1,331	1,405	1,475	1,566	1,636	1,724	1,815

model number            17    18    19    20    21    22    23    24    25    26    27    COL    L1    L2    L3    L4    L5

**Mobile Pedestal Cushion**

T3MPD-CUSH	522	536	555	573	592	611	649	686	724	762	799	305	423	551	678	806	920
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

**Surface Mount Tackboards**

T3TKS60	1,088	1,124	1,174	1,222	1,272	1,322	1,422	1,520	1,620	1,720	1,818						
T3TKS66	1,096	1,132	1,182	1,230	1,280	1,330	1,430	1,528	1,628	1,728	1,826						
T3TKS72	1,196	1,237	1,293	1,347	1,403	1,459	1,572	1,682	1,795	1,908	2,018						
T3TKS78	1,300	1,345	1,408	1,468	1,531	1,594	1,719	1,842	1,967	2,092	2,215						
T3TKS84	1,308	1,353	1,416	1,476	1,539	1,602	1,727	1,850	1,975	2,100	2,223						
T3TKS90	1,410	1,460	1,529	1,595	1,664	1,733	1,871	2,006	2,144	2,282	2,417						
T3TKS96	1,513	1,567	1,642	1,714	1,789	1,864	2,014	2,161	2,311	2,461	2,608						
T3TKS102	1,792	1,851	1,932	2,010	2,091	2,172	2,335	2,494	2,657	2,820	2,979						
T3TKS108	1,903	1,966	2,054	2,138	2,226	2,314	2,489	2,661	2,836	3,011	3,183						

**Wall Mount Tackboards**

T3TKW36	781	804	835	865	896	927	990	1,051	1,114	1,177	1,238						
T3TKW60	1,088	1,124	1,174	1,222	1,272	1,322	1,422	1,520	1,620	1,720	1,818						
T3TKW66	1,096	1,132	1,182	1,230	1,280	1,330	1,430	1,528	1,628	1,728	1,826						
T3TKW72	1,196	1,237	1,293	1,347	1,403	1,459	1,572	1,682	1,795	1,908	2,018						
T3TKW78	1,300	1,345	1,408	1,468	1,531	1,594	1,719	1,842	1,967	2,092	2,215						
T3TKW84	1,308	1,353	1,416	1,476	1,539	1,602	1,727	1,850	1,975	2,100	2,223						
T3TKW90	1,410	1,460	1,529	1,595	1,664	1,733	1,871	2,006	2,144	2,282	2,417						
T3TKW96	1,513	1,567	1,642	1,714	1,789	1,864	2,014	2,161	2,311	2,461	2,608						
T3TKW102	1,792	1,851	1,932	2,010	2,091	2,172	2,335	2,494	2,657	2,820	2,979						
T3TKW108	1,903	1,966	2,054	2,138	2,226	2,314	2,489	2,661	2,836	3,011	3,183						



model number	weight	cubes	# locks	page
ACCD26	20 lbs .	0 .7	-	134
ACFLR15-M	1 lbs .	0 .0	-	134
ACFLR30-M	1 lbs .	0 .0	-	134
ACFLR36-M	1 lbs .	0 .0	-	134
ACFTS	1 lbs .	0 .2	-	148
ACFTS-S	1 lbs .	0 .2	-	148
ACKYBRDSET	15 lbs .	0 .4	-	132
ACLEDD24	4 lbs .	0 .0	-	129
ACLEDD36	6 lbs .	0 .1	-	129
ACLEDD48	8 lbs .	0 .1	-	129
ACLEDD60	10 lbs .	0 .1	-	129
ACUG-BP	1 lbs .	0 .0	-	135
ACUG-SV	1 lbs .	0 .0	-	135
ACWCB15	6 lbs .	0 .7	-	136
ACWCB20	8 lbs .	0 .8	-	136
ACWM	1 lbs .	0 .1	-	134
BSCOLUMN3	7 lbs .	0 .1	-	133
BSHAT2142	53 lbs .	5 .4	-	99
BSHAT2148	55 lbs .	6 .3	-	99
BSHAT2154	57 lbs .	7 .1	-	99
BSHAT2160	59 lbs .	7 .9	-	99
BSHAT2166	61 lbs .	8 .8	-	99
BSHAT2172	63 lbs .	9 .6	-	99
BSHAT2748	59 lbs .	7 .8	-	99
BSHAT2754	61 lbs .	8 .9	-	99
BSHAT2760	63 lbs .	9 .9	-	99
BSHAT2766	65 lbs .	10 .9	-	99
BSHAT2772	67 lbs .	12 .0	-	99
BSLEGMTL-LD	5 lbs .	0 .1	-	133
BSMDISC18-LD	50 lbs .	7 .8	-	147
BSMDISC24-LD	40 lbs .	10 .9	-	147
BSMTL33X-LD	30 lbs .	19 .1	-	147
BSMTL38X-LD	40 lbs .	22 .0	-	147
BSWCYL18	50 lbs .	5 .2	-	146
BSWCYL18WM	50 lbs .	5 .2	-	146
MDWBRK	1 lbs .	0 .0	-	93
MDWLBK24	2 lbs .	0 .0	-	95
MDWLBK30	2 lbs .	0 .3	-	95
SAAT-ARM250	15 lbs .	0 .1	-	130
SAAT-ARM250D	15 lbs .	0 .1	-	130
SACORNER	8 lbs .	0 .4	-	131

model number	weight	cubes	# locks	page
T3BKN2H30-WW	74 .2 lbs .	7 .2	-	107
T3BKN2H36-WW	94 .2 lbs .	8 .6	-	107
T3BKN3H30-WW	100 .5 lbs .	10 .1	-	107
T3BKN3H36-WW	120 .5 lbs .	12 .2	-	107
T3BKN4H30-WW	126 .8 lbs .	13 .5	-	107
T3BKN4H36-WW	151 .8 lbs .	16 .2	-	107
T3BKN5H30-WW	152 .1 lbs .	16 .6	-	107
T3BKN5H36-WW	177 .1 lbs .	19 .9	-	107
T3BKN6H30-WW	211 .7 lbs .	19 .7	-	107
T3BKN6H36-WW	236 .7 lbs .	23 .7	-	107
T3BRG2436-LW	59 lbs .	14 .6	-	92
T3BRG2436-WW	59 lbs .	14 .6	-	92
T3BRG2442-LW	67 lbs .	17 .0	-	92
T3BRG2442-WW	67 lbs .	17 .0	-	92
T3BRG2448-LW	75 lbs .	19 .4	-	92
T3BRG2448-WW	75 lbs .	19 .4	-	92
T3CBF2474-LW	365 lbs .	35 .1	-	149
T3CBF2474-WW	365 lbs .	35 .1	-	149
T3CLD5H30-DW	237 .6 lbs .	28 .4	1	110
T3CLD6H30-DW	286 .1 lbs .	33 .8	1	110
T3CLS5H15L-WW	121 lbs .	14 .8	1	109
T3CLS5H15R-WW	121 lbs .	14 .8	1	109
T3CLS5H18L-WW	135 lbs .	17 .7	1	109
T3CLS5H18R-WW	135 lbs .	17 .7	1	109
T3CLS6H18L-WW	158 lbs .	21 .0	1	109
T3CLS6H18R-WW	158 lbs .	21 .0	1	109
T3DBO3672-32LW	430 lbs .	43 .7	2	72
T3DBO3672-32WW	430 lbs .	43 .7	2	72
T3DBO3672L-3LW	285 lbs .	43 .7	1	74
T3DBO3672L-3WW	285 lbs .	43 .7	1	74
T3DBO3672R-3LW	285 lbs .	43 .7	1	75
T3DBO3672R-3WW	285 lbs .	43 .7	1	75
T3DMHA48-W	8 lbs .	1 .3	-	102
T3DMHA54-P	9 lbs .	1 .4	-	102
T3DMHA54-W	9 lbs .	1 .4	-	102
T3DMHA60-P	11 lbs .	1 .6	-	102
T3DMHA60-W	11 lbs .	1 .6	-	102
T3DMHA66-P	12 lbs .	1 .8	-	102
T3DMHA66-W	12 lbs .	1 .8	-	102
T3DMHA72-P	13 lbs .	1 .9	-	102
T3DMHA72-W	13 lbs .	1 .9	-	102

# WEIGHTS + CUBES

TRIO  
01/16

model number	weight	cubes	# locks	page
T3DPC2472-22LW	280 lbs .	29 .1	2	88
T3DPC2472-22WW	280 lbs .	29 .1	2	88
T3DRO3066L-3LW	280 lbs .	33 .4	1	74
T3DRO3066L-3WW	280 lbs .	33 .4	1	74
T3DRO3066R-3LW	280 lbs .	33 .4	1	75
T3DRO3066R-3WW	280 lbs .	33 .4	1	75
T3DRO3072L-3LW	300 lbs .	36 .4	1	74
T3DRO3072L-3WW	300 lbs .	36 .4	1	74
T3DRO3072R-3LW	300 lbs .	36 .4	1	75
T3DRO3072R-3WW	300 lbs .	36 .4	1	75
T3DRO3672-32LW	435 lbs .	43 .7	2	72
T3DRO3672-32WW	435 lbs .	43 .7	2	72
T3DRO3672L-3LW	290 lbs .	43 .7	1	74
T3DRO3672L-3WW	290 lbs .	43 .7	1	74
T3DRO3672R-3LW	290 lbs .	43 .7	1	75
T3DRO3672R-3WW	290 lbs .	43 .7	1	75
T3DROX4272L-3LW	310 lbs .	51 .0	1	76
T3DROX4272L-3WW	310 lbs .	51 .0	1	76
T3DROX4272R-3LW	305 lbs .	51 .0	1	77
T3DROX4272R-3WW	305 lbs .	51 .0	1	77
T3DWRA2442-L	31 lbs .	2 .9	-	100
T3DWRA2442-W	31 lbs .	2 .9	-	100
T3DWRA2448-L	36 lbs .	3 .3	-	100
T3DWRA2448-W	36 lbs .	3 .3	-	100
T3DWRA2454-L	40 lbs .	3 .7	-	100
T3DWRA2454-W	40 lbs .	3 .7	-	100
T3DWRA2460-L	44 lbs .	4 .1	-	100
T3DWRA2460-W	44 lbs .	4 .1	-	100
T3DWRA2466-L	49 lbs .	4 .5	-	100
T3DWRA2466-W	49 lbs .	4 .5	-	100
T3DWRA2472-L	53 lbs .	4 .9	-	100
T3DWRA2472-W	53 lbs .	4 .9	-	100
T3DWRA3048-L	44 lbs .	4 .1	-	101
T3DWRA3048-W	44 lbs .	4 .1	-	101
T3DWRA3054-L	50 lbs .	4 .6	-	101
T3DWRA3054-W	50 lbs .	4 .6	-	101
T3DWRA3060-L	56 lbs .	5 .0	-	101
T3DWRA3060-W	56 lbs .	5 .0	-	101
T3DWRA3066-L	61 lbs .	5 .5	-	101
T3DWRA3066-W	61 lbs .	5 .5	-	101
T3DWRA3072-L	67 lbs .	6 .0	-	101

model number	weight	cubes	# locks	page
T3DWRA3072-W	67 lbs .	6 .0	-	101
T3DWRA3648-L	44 lbs .	4 .1	-	101
T3DWRA3648-W	44 lbs .	4 .1	-	101
T3DWRA3654-L	50 lbs .	4 .6	-	101
T3DWRA3654-W	50 lbs .	4 .6	-	101
T3DWRA3660-L	67 lbs .	6 .0	-	101
T3DWRA3660-W	67 lbs .	6 .0	-	101
T3DWRA3666-L	73 lbs .	6 .5	-	101
T3DWRA3666-W	73 lbs .	6 .5	-	101
T3DWRA3672-L	80 lbs .	7 .1	-	101
T3DWRA3672-W	80 lbs .	7 .1	-	101
T3FSC2460-44LW	240 lbs .	24 .3	2	89
T3FSC2460-44WW	240 lbs .	24 .3	2	89
T3FSC2460-55LW	210 lbs .	24 .3	-	89
T3FSC2460-55WW	210 lbs .	24 .3	-	89
T3FSC2472-44LW	310 lbs .	29 .1	2	89
T3FSC2472-44WW	310 lbs .	29 .1	2	89
T3FSC2472-55LW	280 lbs .	29 .1	-	89
T3FSC2472-55WW	280 lbs .	29 .1	-	89
T3LFS2H30-4LW	155 .6 lbs .	12 .2	-	108
T3LFS2H30-4WW	155 .6 lbs .	12 .2	1	108
T3LFS2H36-4LW	179 .1 lbs .	14 .6	-	108
T3LFS2H36-4WW	179 .1 lbs .	14 .7	1	108
T3LFS3H30-4WW	200 .7 lbs .	17 .3	1	108
T3LFS3H36-4WW	229 .8 lbs .	20 .8	1	108
T3LFS4H30-4WW	245 .9 lbs .	23 .0	1	108
T3LFS4H36-4WW	280 .5 lbs .	27 .6	1	108
T3LFS5H30-4WW	290 .8 lbs .	28 .4	1	108
T3LFS5H36-4WW	331 .9 lbs .	34 .0	1	108
T3LFS6H30-4WW	336 .7 lbs .	33 .8	1	108
T3LFS6H36-4WW	386 .3 lbs .	40 .5	1	108
T3MBP15-W	7 lbs .	0 .2	-	96
T3MBP30-MFW	14 lbs .	0 .4	-	96
T3MBP30-W	14 lbs .	0 .4	-	96
T3MBP36-W	17 lbs .	0 .4	-	96
T3MCF102-W	50 lbs .	1 .2	-	98
T3MCF108-W	53 lbs .	1 .3	-	98
T3MCF60-W	29 lbs .	0 .7	-	98
T3MCF66-W	32 lbs .	0 .8	-	98
T3MCF72-W	35 lbs .	0 .9	-	98
T3MCF78-W	38 lbs .	0 .9	-	98

model number	weight	cubes	# locks	page
T3MCF84-W	41 lbs .	1.0	-	98
T3MCF90-W	44 lbs .	1.1	-	98
T3MCF96-W	47 lbs .	1.2	-	98
T3MEP24-W	11 lbs .	0.3	-	95
T3MLS24-W	25 lbs .	6.1	-	95
T3MPD2415-6LW	91.3 lbs .	4.9	1	104
T3MPD2415-6WW	91.3 lbs .	4.9	1	104
T3MPD-CUSH	5 lbs .	0.1	-	105
T3MPF-W	1 lbs .	0.5	-	96
T3MPW2415-2W	100 lbs .	6.1	1	94
T3MPW2415-3W	100 lbs .	6.1	1	94
T3MPW2430-4W	160 lbs .	11.6	1	94
T3MPW2430-5W	145 lbs .	11.6	-	94
T3MPW2430-MFLW	160 lbs .	11.6	2	94
T3MPW2430-MFRW	160 lbs .	11.6	2	94
T3MPW2436-4W	190 lbs .	13.9	1	94
T3MPW2436-5W	175 lbs .	13.9	-	94
T3MRF42-W	20 lbs .	0.5	-	97
T3MRF48-W	23 lbs .	0.6	-	97
T3MRF54-W	26 lbs .	0.7	-	97
T3MRF60-W	29 lbs .	0.7	-	97
T3MRF66-W	32 lbs .	0.8	-	97
T3MRF72-W	35 lbs .	0.9	-	97
T3MSJ24-W	20 lbs .	8.7	-	95
T3MSPI2-W	9 lbs .	0.1	-	95
T3MSPT13-W	9 lbs .	1.6	-	95
T3MWR24102-L	72 lbs .	1.7	-	93
T3MWR24102-W	72 lbs .	1.7	-	93
T3MWR24108-L	78 lbs .	1.8	-	93
T3MWR24108-W	78 lbs .	1.8	-	93
T3MWR2430-L	22 lbs .	0.5	-	93
T3MWR2430-W	22 lbs .	0.5	-	93
T3MWR2436-L	26 lbs .	0.6	-	93
T3MWR2436-W	26 lbs .	0.6	-	93
T3MWR2442-L	30 lbs .	0.7	-	93
T3MWR2442-W	30 lbs .	0.7	-	93
T3MWR2448-L	35 lbs .	0.8	-	93
T3MWR2448-W	35 lbs .	0.8	-	93
T3MWR2454-L	39 lbs .	0.9	-	93
T3MWR2454-W	39 lbs .	0.9	-	93
T3MWR2460-L	44 lbs .	1.0	-	93

model number	weight	cubes	# locks	page
T3MWR2460-W	44 lbs .	1.0	-	93
T3MWR2466-L	48 lbs .	1.1	-	93
T3MWR2466-W	48 lbs .	1.1	-	93
T3MWR2472-L	52 lbs .	1.2	-	93
T3MWR2472-W	52 lbs .	1.2	-	93
T3MWR2478-L	56 lbs .	1.3	-	93
T3MWR2478-W	56 lbs .	1.3	-	93
T3MWR2484-L	60 lbs .	1.4	-	93
T3MWR2484-W	60 lbs .	1.4	-	93
T3MWR2490-L	64 lbs .	1.5	-	93
T3MWR2490-W	64 lbs .	1.5	-	93
T3MWR2496-L	68 lbs .	1.6	-	93
T3MWR2496-W	68 lbs .	1.6	-	93
T3RJH3060L-LW	51 lbs .	30.3	-	82
T3RJH3060L-WW	51 lbs .	30.3	-	82
T3RJH3060R-LW	51 lbs .	30.3	-	83
T3RJH3060R-WW	51 lbs .	30.3	-	83
T3RJH3066L-LW	56 lbs .	33.4	-	82
T3RJH3066L-WW	56 lbs .	33.4	-	82
T3RJH3066R-LW	56 lbs .	33.4	-	83
T3RJH3066R-WW	56 lbs .	33.4	-	83
T3RRH3054L-LW	49 lbs .	27.3	-	82
T3RRH3054L-WW	49 lbs .	27.3	-	82
T3RRH3054R-LW	49 lbs .	27.3	-	83
T3RRH3054R-WW	49 lbs .	27.3	-	83
T3RRH3060L-LW	54 lbs .	30.3	-	82
T3RRH3060L-WW	54 lbs .	30.3	-	82
T3RRH3060R-LW	56 lbs .	30.3	-	83
T3RRH3060R-WW	54 lbs .	30.3	-	83
T3RRL3054L-LW	55 lbs .	27.3	-	84
T3RRL3054L-WW	55 lbs .	27.3	-	84
T3RRL3054R-LW	55 lbs .	27.3	-	85
T3RRL3054R-WW	55 lbs .	27.3	-	85
T3RRL3060L-LW	60 lbs .	30.3	-	84
T3RRL3060L-WW	60 lbs .	30.3	-	84
T3RRL3060R-LW	51 lbs .	30.3	-	85
T3RRL3060R-WW	60 lbs .	30.3	-	85
T3RRO3054L-3LW	275 lbs .	27.3	1	80
T3RRO3054L-3WW	275 lbs .	27.3	1	80
T3RRO3054R-3LW	275 lbs .	27.3	1	81
T3RRO3054R-3WW	275 lbs .	27.3	1	81

# WEIGHTS + CUBES

TRIO  
01/16

model number	weight	cubes	# locks	page
T3RRO3060L-3LW	280 lbs .	30 .3	1	80
T3RRO3060L-3WW	280 lbs .	30 .3	1	80
T3RRO3060R-3LW	280 lbs .	30 .3	1	81
T3RRO3060R-3WW	280 lbs .	30 .3	1	81
T3RTN2442L-2LW	190 lbs .	17 .0	1	90
T3RTN2442L-2WW	190 lbs .	17 .0	1	90
T3RTN2442R-2LW	190 lbs .	17 .0	1	91
T3RTN2442R-2WW	190 lbs .	17 .0	1	91
T3RTN2448L-2LW	205 lbs .	19 .4	1	90
T3RTN2448L-2WW	205 lbs .	19 .4	1	90
T3RTN2448R-2LW	205 lbs .	19 .4	1	91
T3RTN2448R-2WW	205 lbs .	19 .4	1	91
T3RTN2454L-2LW	220 lbs .	21 .8	1	90
T3RTN2454L-2WW	220 lbs .	21 .8	1	90
T3RTN2454L-4LW	260 lbs .	21 .8	1	90
T3RTN2454L-4WW	260 lbs .	21 .8	1	90
T3RTN2454R-2LW	220 lbs .	21 .8	1	91
T3RTN2454R-2WW	220 lbs .	21 .8	1	91
T3RTN2454R-4LW	260 lbs .	21 .8	1	91
T3RTN2454R-4WW	260 lbs .	21 .8	1	91
T3RTN2460L-2LW	235 lbs .	24 .3	1	90
T3RTN2460L-2WW	235 lbs .	24 .3	1	90
T3RTN2460L-4LW	275 lbs .	24 .3	1	90
T3RTN2460L-4WW	275 lbs .	24 .3	1	90
T3RTN2460R-2LW	235 lbs .	24 .3	1	91
T3RTN2460R-2WW	235 lbs .	24 .3	1	91
T3RTN2460R-4LW	275 lbs .	24 .3	1	91
T3RTN2460R-4WW	275 lbs .	24 .3	1	91
T3SBD5H30-WN	281 .7 lbs .	28 .4	1	112
T3SBD5H30-WW	296 .7 lbs .	28 .4	2	112
T3SBD6H30-WN	327 .6 lbs .	33 .8	1	112
T3SBD6H30-WW	342 .6 lbs .	33 .8	2	112
T3SBS5H15L-WW	135 .7 lbs .	14 .8	2	113
T3SBS5H15R-WW	135 .7 lbs .	14 .8	2	113
T3SCF2430-5LW	123 .4 lbs .	12 .2	-	106
T3SCF2430-5WW	123 .4 lbs .	12 .2	-	106
T3SCF2436-5LW	142 .7 lbs .	14 .6	-	106
T3SCF2436-5WW	142 .7 lbs .	14 .6	-	106
T3SMC1H102-PP	221 .4 lbs .	34 .0	3	115
T3SMC1H102-WW	221 .4 lbs .	34 .0	3	115
T3SMC1H108-PG	232 .5 lbs .	36 .0	-	117

model number	weight	cubes	# locks	page
T3SMC1H108-PP	232 .5 lbs .	36 .0	3	115
T3SMC1H108-WG	232 .5 lbs .	36 .0	-	117
T3SMC1H108-WW	232 .5 lbs .	36 .0	3	115
T3SMC1H60-PG	135 lbs .	20 .0	-	117
T3SMC1H60-PP	135 lbs .	20 .0	2	115
T3SMC1H60-WG	135 lbs .	20 .0	-	117
T3SMC1H60-WW	135 lbs .	20 .0	2	115
T3SMC1H66-PP	147 lbs .	22 .0	2	115
T3SMC1H66-WW	147 lbs .	22 .0	2	115
T3SMC1H72-PG	158 .7 lbs .	24 .0	-	117
T3SMC1H72-PP	158 .7 lbs .	24 .0	2	115
T3SMC1H72-WG	158 .7 lbs .	24 .0	-	117
T3SMC1H72-WW	158 .7 lbs .	24 .0	2	115
T3SMC1H78-PP	169 .5 lbs .	26 .0	2	115
T3SMC1H78-WW	169 .5 lbs .	26 .0	2	115
T3SMC1H84-PP	187 lbs .	28 .0	3	115
T3SMC1H84-WW	187 lbs .	28 .0	3	115
T3SMC1H90-PG	199 .4 lbs .	30 .0	-	117
T3SMC1H90-PP	199 .4 lbs .	30 .0	3	115
T3SMC1H90-WG	199 .4 lbs .	30 .0	-	117
T3SMC1H90-WW	199 .4 lbs .	30 .0	3	115
T3SMC1H96-PP	210 .4 lbs .	32 .0	3	115
T3SMC1H96-WW	210 .4 lbs .	32 .0	3	115
T3SMC2H60-PG	209 .6 lbs .	26 .6	-	118
T3SMC2H60-PP	209 .6 lbs .	26 .6	2	116
T3SMC2H60-WG	209 .6 lbs .	26 .6	-	118
T3SMC2H60-WW	209 .6 lbs .	26 .6	2	116
T3SMC2H66-PP	224 .6 lbs .	29 .3	2	116
T3SMC2H66-WW	224 .6 lbs .	29 .3	2	116
T3SMC2H72-PG	239 .6 lbs .	31 .9	-	118
T3SMC2H72-PP	239 .6 lbs .	31 .9	2	116
T3SMC2H72-WG	239 .6 lbs .	31 .9	-	118
T3SMC2H72-WW	239 .6 lbs .	31 .9	2	116
T3SMC2H78-PP	254 .6 lbs .	34 .6	2	116
T3SMC2H78-WW	254 .6 lbs .	34 .6	2	116
T3SMC2H84-PP	279 .6 lbs .	37 .3	3	116
T3SMC2H84-WW	279 .6 lbs .	37 .3	3	116
T3SMC2H90-PG	302 .1 lbs .	39 .9	-	118
T3SMC2H90-PP	302 .1 lbs .	39 .9	3	116
T3SMC2H90-WG	302 .1 lbs .	39 .9	-	118
T3SMC2H90-WW	302 .1 lbs .	39 .9	3	116

model number	weight	cubes	# locks	page
T3SPC2466L-2LW	255 lbs .	26 .7	1	86
T3SPC2466L-2WW	255 lbs .	26 .7	1	86
T3SPC2466R-2LW	255 lbs .	26 .7	1	87
T3SPC2466R-2WW	255 lbs .	26 .7	1	87
T3SPC2472L-2LW	275 lbs .	29 .1	1	86
T3SPC2472L-2WW	275 lbs .	29 .1	1	86
T3SPC2472L-4LW	315 lbs .	29 .1	1	86
T3SPC2472L-4WW	315 lbs .	29 .1	1	86
T3SPC2472R-2LW	275 lbs .	29 .1	1	87
T3SPC2472R-2WW	275 lbs .	29 .1	1	87
T3SPC2472R-4LW	315 lbs .	29 .1	1	87
T3SPC2472R-4WW	315 lbs .	29 .1	1	87
T3SPC2478L-4LW	330 lbs .	31 .6	1	86
T3SPC2478L-4WW	330 lbs .	31 .6	1	86
T3SPC2478R-4LW	330 lbs .	31 .6	1	87
T3SPC2478R-4WW	330 lbs .	31 .6	1	87
T3SPC2484L-4LW	345 lbs .	34 .0	1	86
T3SPC2484L-4WW	345 lbs .	34 .0	1	86
T3SPC2484R-4LW	345 lbs .	34 .0	1	87
T3SPC2484R-4WW	345 lbs .	34 .0	1	87
T3SPC2490L-4LW	370 lbs .	36 .4	1	86
T3SPC2490L-4WW	370 lbs .	36 .4	1	86
T3SPC2490R-4LW	370 lbs .	36 .4	1	87
T3SPC2490R-4WW	370 lbs .	36 .4	1	87
T3SPC2496L-4LW	395 lbs .	38 .8	1	86
T3SPC2496L-4WW	395 lbs .	38 .8	1	86
T3SPC2496R-4LW	395 lbs .	38 .8	1	87
T3SPC2496R-4WW	395 lbs .	38 .8	1	87
T3STF1H18L-PP	65 lbs .	6 .0	1	119
T3STF1H18L-WW	65 lbs .	6 .0	1	119
T3STF1H18R-PP	65 lbs .	6 .0	1	119
T3STF1H18R-WW	65 lbs .	6 .0	1	119
T3STF1H30-PP	100 lbs .	10 .0	1	119
T3STF1H30-WW	100 lbs .	10 .0	1	119
T3STF1H36-PP	112 lbs .	12 .0	1	119
T3STF1H36-WW	112 lbs .	12 .0	1	119
T3STF2H18L-PP	90 lbs .	8 .0	1	120
T3STF2H18L-WW	90 lbs .	8 .0	1	120
T3STF2H18R-PP	90 lbs .	8 .0	1	120
T3STF2H18R-WW	90 lbs .	8 .0	1	120
T3STF2H30-PP	126 lbs .	13 .3	1	120

model number	weight	cubes	# locks	page
T3STF2H30-WW	126 lbs .	13 .3	1	120
T3STF2H36-PP	146 lbs .	16 .0	1	120
T3STF2H36-WW	146 lbs .	16 .0	1	120
T3STN1H18-PN	56 lbs .	5 .7	-	121
T3STN1H18-WN	56 lbs .	5 .7	-	121
T3STN1H30-PN	92 lbs .	9 .5	-	121
T3STN1H30-WN	92 lbs .	9 .5	-	121
T3STN1H36-PN	100 lbs .	11 .4	-	121
T3STN1H36-WN	100 lbs .	11 .4	-	121
T3STN2H18-PN	70 lbs .	7 .6	-	122
T3STN2H18-WN	70 lbs .	7 .6	-	122
T3STN2H30-PN	97 lbs .	12 .6	-	122
T3STN2H30-WN	97 lbs .	12 .6	-	122
T3STN2H36-PN	111 lbs .	15 .2	-	122
T3STN2H36-WN	111 lbs .	15 .2	-	122
T3TDR3066-LW	164 lbs .	33 .4	-	73
T3TDR3066-WW	164 lbs .	33 .4	1	73
T3TDR3072-LW	172 lbs .	36 .4	-	73
T3TDR3072-WW	172 lbs .	36 .4	1	73
T3TDR3672-LW	180 lbs .	43 .7	-	73
T3TDR3672-WW	180 lbs .	43 .7	1	73
T3TKS102	35 .498 lbs .	0 .9	-	127
T3TKS108	37 .292 lbs .	0 .9	-	127
T3TKS60	23 lbs .	0 .5	-	127
T3TKS66	24 .734 lbs .	0 .6	-	127
T3TKS72	26 .528 lbs .	0 .6	-	127
T3TKS78	29 lbs .	0 .7	-	127
T3TKS84	30 .116 lbs .	0 .7	-	127
T3TKS90	31 .91 lbs .	0 .8	-	127
T3TKS96	33 .704 lbs .	0 .8	-	127
T3TKW102	37 .997 lbs .	0 .9	-	128
T3TKW108	39 .938 lbs .	1 .0	-	128
T3TKW36	16 lbs .	0 .3	-	128
T3TKW60	24 lbs .	0 .5	-	128
T3TKW66	26 .204 lbs .	0 .6	-	128
T3TKW72	28 .145 lbs .	0 .6	-	128
T3TKW78	30 lbs .	0 .7	-	128
T3TKW84	32 .027 lbs .	0 .7	-	128
T3TKW90	33 .968 lbs .	0 .8	-	128
T3TKW96	36 .056 lbs .	0 .9	-	128
T3TRD36-L	60 lbs .	0 .9	-	144

# WEIGHTS + CUBES

TRIO  
01/16

model number	weight	cubes	# locks	page
T3TRD36-W	60 lbs .	0 .9	-	144
T3TRD42-L	70 lbs .	1 .2	-	144
T3TRD42-W	70 lbs .	1 .2	-	144
T3TRD48-L	80 lbs .	1 .6	-	144
T3TRD48-W	80 lbs .	1 .6	-	144
T3TRT48120-L	290 lbs .	4 .0	-	145
T3TRT48120-W	290 lbs .	4 .0	-	145
T3TRT48144-L	320 lbs .	4 .8	-	145
T3TRT48144-W	320 lbs .	4 .8	-	145
T3TRT4896-L	260 lbs .	3 .2	-	145
T3TRT4896-W	260 lbs .	3 .2	-	145
T3UTC5H24L-WW	268 .6 lbs .	22 .7	3	111
T3UTC5H24R-WW	268 .6 lbs .	22 .7	3	111
T3UTC6H24L-WW	317 .4 lbs .	27 .0	3	111
T3UTC6H24R-WW	317 .4 lbs .	27 .0	3	111
T3WMC1H102-PP	149 lbs .	12 .8	3	123
T3WMC1H102-WW	149 lbs .	12 .8	3	123
T3WMC1H108-PG	157 .5 lbs .	13 .5	-	125
T3WMC1H108-PP	157 .5 lbs .	13 .5	3	123
T3WMC1H108-WG	157 .5 lbs .	13 .5	-	125
T3WMC1H108-WW	157 .5 lbs .	13 .5	3	123
T3WMC1H36-PP	52 .7 lbs .	4 .5	1	123
T3WMC1H36-WG	52 .7 lbs .	4 .5	-	125
T3WMC1H36-WW	52 .7 lbs .	4 .5	1	123
T3WMC1H60-PG	93 .7 lbs .	7 .5	-	125
T3WMC1H60-PP	85 lbs .	7 .5	2	123
T3WMC1H60-WG	93 .7 lbs .	7 .5	-	125
T3WMC1H60-WW	85 lbs .	7 .5	2	123
T3WMC1H66-PP	93 .7 lbs .	8 .3	2	123
T3WMC1H66-WW	93 .7 lbs .	8 .3	2	123
T3WMC1H72-PG	105 .2 lbs .	9 .0	-	125
T3WMC1H72-PP	105 .2 lbs .	9 .0	2	123
T3WMC1H72-WG	105 .2 lbs .	9 .0	-	125
T3WMC1H72-WW	105 .2 lbs .	9 .0	2	123
T3WMC1H78-PP	115 .4 lbs .	9 .8	2	123
T3WMC1H78-WW	115 .4 lbs .	9 .8	2	123
T3WMC1H84-PP	125 .6 lbs .	10 .5	3	123
T3WMC1H84-WW	125 .6 lbs .	10 .5	3	123
T3WMC1H90-PG	135 lbs .	11 .3	-	125
T3WMC1H90-PP	135 lbs .	11 .3	3	123
T3WMC1H90-WG	135 lbs .	11 .3	-	125

model number	weight	cubes	# locks	page
T3WMC1H90-WW	135 lbs .	11 .3	3	123
T3WMC1H96-PP	142 .3 lbs .	12 .0	3	123
T3WMC1H96-WW	142 .3 lbs .	12 .0	3	123
T3WMC2H36-PG	93 .2 lbs .	8 .5	-	126
T3WMC2H36-PP	93 .2 lbs .	8 .5	1	124
T3WMC2H36-WG	93 .2 lbs .	8 .5	0	126
T3WMC2H36-WW	93 .2 lbs .	8 .5	1	124
T3WMC2H60-PG	167 lbs .	14 .1	-	126
T3WMC2H60-PP	150 lbs .	14 .1	2	124
T3WMC2H60-WG	150 lbs .	14 .1	-	126
T3WMC2H60-WW	150 lbs .	14 .1	2	124
T3WMC2H66-PP	167 lbs .	15 .6	2	124
T3WMC2H66-WW	167 lbs .	15 .6	2	124
T3WMC2H72-PG	186 .2 lbs .	17 .0	-	126
T3WMC2H72-PP	186 .2 lbs .	17 .0	2	124
T3WMC2H72-WG	186 .2 lbs .	17 .0	-	126
T3WMC2H72-WW	186 .2 lbs .	17 .0	2	124
T3WMC2H78-PP	201 lbs .	18 .4	2	124
T3WMC2H78-WW	201 lbs .	18 .4	2	124
T3WMC2H84-PP	218 lbs .	19 .8	3	124
T3WMC2H84-WW	218 lbs .	19 .8	3	124
T3WMC2H90-PG	237 .3 lbs .	21 .2	-	126
T3WMC2H90-PP	237 .3 lbs .	21 .2	3	124
T3WMC2H90-WG	237 .3 lbs .	21 .2	-	126
T3WMC2H90-WW	237 .3 lbs .	21 .2	3	124
T3XBF3072-LW	154 lbs .	36 .4	-	79
T3XBF3072-WW	154 lbs .	36 .4	-	79
T3XBH3072-LW	154 lbs .	36 .4	-	79
T3XBH3072-WW	154 lbs .	36 .4	-	79
T3XDF3072-LW	154 lbs .	36 .4	-	78
T3XDF3072-WW	154 lbs .	36 .4	-	78
T3XDH3072-LW	154 lbs .	36 .4	-	78
T3XDH3072-WW	154 lbs .	36 .4	-	78
T3XRF3072L-LW	180 lbs .	36 .4	-	78
T3XRF3072L-WW	180 lbs .	36 .4	-	78
T3XRF3072R-LW	180 lbs .	36 .4	-	79
T3XRF3072R-WW	180 lbs .	36 .4	-	79
T3XRH3072L-LW	150 lbs .	36 .4	-	78
T3XRH3072L-WW	150 lbs .	36 .4	-	78
T3XRH3072R-LW	150 lbs .	36 .4	-	79
T3XRH3072R-WW	150 lbs .	36 .4	-	79

model number	weight	cubes	# locks	page
T3XRHX4272L-LW	205 lbs .	51.0	-	78
T3XRHX4272L-WW	205 lbs .	51.0	-	78
T3XRHX4272R-LW	205 lbs .	51.0	-	79
T3XRHX4272R-WW	205 lbs .	51.0	-	79



**TRIO™**

**The Gunlocke Company, LLC**  
One Gunlocke Drive, Wayland, NY 14572

800 828 6300 F 585 728 8350  
[www.gunlocke.com](http://www.gunlocke.com)

TRIOPL012016