



Prices effective February 5, 2018

Motia™ Sit-to-Stand Tables

Introduction	page 2
Motia™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	14
Indices	19
By Name	19
By Number	21
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 5, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable Height Table


Sit to Stand Table Bases



Rectangular Table with T-Foot

DV6ATS

Motia™ Adjustable Height Table



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.


Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Table includes stiffener located toward back of table for increased leg clearance.

See Motia™ Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

DV6AT

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size)

60 60" wide (58" surface size)

66 66" wide (64" surface size)

72 72" wide (70" surface size)

Step 5. Surface Material

L laminate top/thermoplastic edge

U laminate top/universal edge

Step 6. Mechanism

E electric standard range

D electric extended range

Prices for Steps 1-6.

		LE	LD	UE	UD
DV6ATS.	24 48	\$1831	2015	1831	2015
	54	\$1895	2073	1895	2073
	60	\$1937	2111	1937	2111
	66	\$1995	2163	1995	2163
	72	\$2051	2214	2051	2214
	30 48	\$1943	2126	1943	2126
	54	\$2021	2200	2021	2200
	60	\$2070	2243	2070	2243
	66	\$2145	2313	2145	2313
	72	\$2217	2380	2217	2380

Step 7. Switch Option

STS simple up/down touch switch +\$0

Rectangular Table with T-Foot

continued

Motia™ Adjustable Height Table

Step 8. Top Finish		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LM	mahogany <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
8Z	neutral grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
BU	black umber <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
JB	millwork cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge	+\$50

Rectangular Table with T-Foot

continued


Step 10. Base Finish		
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$0

Step 11. Glides		
57	glides <input type="checkbox"/>	+\$0

Motia™ Adjustable Height Table

Extended Corner Table with C-Foot

DV6ECS



Motia™ Adjustable Height Table

Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration and laminate top with square thermoplastic edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.


Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Table includes stiffener located toward back of table for increased leg clearance.

See Motia™ Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

DV6EC A

Step 2. Edge

S. squared-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

4260 42" wide left x 60" wide right (40" x 58" surface size) A

4272 42" wide left x 72" wide right (40" x 70" surface size) A

4860 48" wide left x 60" wide right (46" x 58" surface size) A

4872 48" wide left x 72" wide right (46" x 70" surface size) A

5454 54" wide left x 54" wide right (52" x 52" surface size) A

6042 60" wide left x 42" wide right (58" x 40" surface size) A

6048 60" wide left x 48" wide right (58" x 46" surface size) A

6060 60" wide left x 60" wide right (58" x 58" surface size) A

7242 72" wide left x 42" wide right (70" x 40" surface size) A

7248 72" wide left x 48" wide right (70" x 46" surface size) A

Step 5. Surface Material

L laminate top/thermoplastic edge A

Step 6. Mechanism

E electric standard range A

D electric extended range A

Prices for Steps 1-6.

		LE	LD
DV6ECS.	24 4260	\$3226	3577
	4272	\$3313	3671
	4860	\$3400	3768
	4872	\$3491	3866
	5454	\$3476	3523
	6042	\$3226	3577
	6048	\$3400	3768
	6060	\$3570	3618
	7242	\$3313	3671
	7248	\$3491	3866

Extended Corner Table with C-Foot

continued

30 4260	\$3371	3786
4272	\$3465	3888
4860	\$3560	3992
4872	\$3658	4099
5454	\$3794	3969
6042	\$3371	3786
6048	\$3560	3992
6060	\$3898	4078
7242	\$3465	3888
7248	\$3658	4099

Step 7. Switch Option

STS simple up/down touch switch <input type="checkbox"/>		+\$0
---	--	------

Step 8. Top Finish

76 light brown walnut <input type="checkbox"/>	+\$0
8Q folkstone grey <input type="checkbox"/>	+\$0
91 white <input type="checkbox"/>	+\$0
98 studio white <input type="checkbox"/>	+\$0
CL cool grey neutral <input type="checkbox"/>	+\$0
HF inner tone light <input type="checkbox"/>	+\$0
HM natural maple <input type="checkbox"/>	+\$0
HP light anigre <input type="checkbox"/>	+\$0
HT inner tone <input type="checkbox"/>	+\$0
HX aged cherry <input type="checkbox"/>	+\$0
HY walnut on cherry <input type="checkbox"/>	+\$0
LA light ash <input type="checkbox"/>	+\$0
LBA clear on ash <input type="checkbox"/>	+\$0
LBB oak on ash <input type="checkbox"/>	+\$0
LBC walnut on ash <input type="checkbox"/>	+\$0
LBD dark brown walnut <input type="checkbox"/>	+\$0
LBE medium red walnut <input type="checkbox"/>	+\$0
LBF neutral twill <input type="checkbox"/>	+\$0
LBG sarum twill <input type="checkbox"/>	+\$0
LBH earthen twill <input type="checkbox"/>	+\$0
LBJ graphite twill <input type="checkbox"/>	+\$0
LBK pewter mesh <input type="checkbox"/>	+\$0
LBL steel mesh <input type="checkbox"/>	+\$0
LBM crisp linen <input type="checkbox"/>	+\$0
LBN classic linen <input type="checkbox"/>	+\$0
LBP casual linen <input type="checkbox"/>	+\$0
LBQ white twill <input type="checkbox"/>	+\$0
LM mahogany <input type="checkbox"/>	+\$0
LT light tone <input type="checkbox"/>	+\$0
LU soft white <input type="checkbox"/>	+\$0
MT medium tone <input type="checkbox"/>	+\$0
WL sandstone <input type="checkbox"/>	+\$0
WN warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Edge Finish

76 light brown walnut <input type="checkbox"/>	+\$0
8Q folkstone grey <input type="checkbox"/>	+\$0
8Z neutral grey <input type="checkbox"/>	+\$0
91 white <input type="checkbox"/>	+\$0
98 studio white <input type="checkbox"/>	+\$0
BU black umber <input type="checkbox"/>	+\$0
CL cool grey neutral <input type="checkbox"/>	+\$0
HF inner tone light <input type="checkbox"/>	+\$0
HM natural maple <input type="checkbox"/>	+\$0
HP light anigre <input type="checkbox"/>	+\$0
HT inner tone <input type="checkbox"/>	+\$0

Motia™ Adjustable Height Table

Extended Corner Table with C-Foot

continued

Motia™ Adjustable Height Table

HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
JB	millwork cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0


Step 10. Base Finish

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$0

Step 11. Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Rectangular Table with C-Foot DV6ACS



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.


Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Table includes stiffener located toward back of table for increased leg clearance.

See Motia™ Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

DV6AC

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size)

60 60" wide (58" surface size)

66 66" wide (64" surface size)

72 72" wide (70" surface size)

Step 5. Surface Material

L laminate top/thermoplastic edge

U laminate top/universal edge

Step 6. Mechanism

E electric standard range

D electric extended range

Prices for Steps 1-6.

		LE	LD	UE	UD
DV6ACS.	24 48	\$1831	2015	1831	2015
	54	\$1895	2073	1895	2073
	60	\$1937	2111	1937	2111
	66	\$1995	2163	1995	2163
	72	\$2051	2214	2051	2214
	30 48	\$1943	2126	1943	2126
	54	\$2021	2200	2021	2200
	60	\$2070	2243	2070	2243
	66	\$2145	2313	2145	2313
	72	\$2217	2380	2217	2380

Step 7. Switch Option

STS simple up/down touch switch +\$0

Rectangular Table with C-Foot

continued

Motia™ Adjustable Height Table

Step 8. Top Finish		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LM	mahogany <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
8Z	neutral grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
BU	black umber <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
JB	millwork cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
<i>For laminate top/universal edge (U)</i>		
PLY	plywood edge <input type="checkbox"/>	+\$50


Rectangular Table with C-Foot

continued

Step 10. Base Finish		
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$0

Step 11. Glides		
57	glides <input type="checkbox"/>	+\$0

Height Adjustable Base Kit with DV7AT. T-Foot



Motia™ Sit to Stand Table Bases

Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Work surface stiffener included.

See Motia™ Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Specification Information

Step 1.

DV7AT.

Step 2. Depth

24 24" deep (23" actual)
30 30" deep (29" actual)

Step 3. Width

48 48" wide (46" surface size)
54 54" wide (52" surface size)
60 60" wide (58" surface size)
66 66" wide (64" surface size)
72 72" wide (70" surface size)

Step 4. Mechanism

E electric standard range
D electric extended range

Prices for Steps 1-4.

		E	D
DV7AT.	24 48	\$1602	1785
	54	\$1617	1796
	60	\$1632	1806
	66	\$1648	1816
	72	\$1663	1826
	30 48	\$1632	1816
	54	\$1648	1826
	60	\$1663	1836
	66	\$1678	1847
	72	\$1694	1857

Step 5. Switch Option

STS simple up/down touch switch +\$0

Step 6. Leg/Foot Finish


8Q folkstone grey leg with folkstone grey foot +\$0
98 studio white leg with studio white foot +\$0
CN metallic champagne leg with metallic champagne foot +\$0
WL sandstone leg with sandstone foot +\$0
91 white leg with white foot +\$0
G2 graphite satin leg with graphite satin foot +\$0
WN warm grey neutral leg with warm grey neutral foot +\$0
MS metallic silver leg with metallic silver foot +\$0

Step 7. Glides

57 glides +\$0

C-Foot 3 Leg Base Kit

DV7FC.




Product Information

Description

This description is being updated.

Dimensions



Standard Height Range

Extended Height Range

Specification Information

Step 1.

DV7FC. A

Step 2. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 3. Width

4260 42" wide left x 60" wide right (40" x 58" surface size) A

4272 42" wide left x 72" wide right (40" x 70" surface size) A

4860 48" wide left x 60" wide right (46" x 58" surface size) A

4872 48" wide left x 72" wide right (46" x 70" surface size) A

5454 54" wide left x 54" wide right (52" x 52" surface size) A

6060 60" wide left x 60" wide right (58" x 58" surface size) A

Step 4. Mechanism

E electric standard range A

D electric extended range A

Prices for Steps 1-4.

	E	D
DV7FC. 24 4260	\$2754	3060
4272	\$2754	3060
4860	\$2754	3060
4872	\$2754	3060
5454	\$2754	3060
6060	\$2754	3060
30 4260	\$2754	3060
4272	\$2754	3060
4860	\$2754	3060
4872	\$2754	3060
5454	\$2754	3060
6060	\$2754	3060

Step 5. Switch Option

STS simple up/down touch switch A +\$0

Step 6. Base Finish

8Q folkstone grey A +\$0

91 white A +\$0

98 studio white A +\$0

G2 graphite satin A +\$0

MS metallic silver A +\$0

WL sandstone A +\$0

WN warm grey neutral A +\$0


CN metallic champagne A +\$0

C-Foot 3 Leg Base Kit *continued*

Step 7. Glides		
57	glides [A]	+\$0

Motia™ Sit to Stand Table Bases

Height Adjustable Base Kit with DV7AC. C-Foot



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Work surface stiffener included.

See Motia™ Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Specification Information

Step 1.

DV7AC. A

Step 2. Depth

24 24" deep (23" surface size) A
30 30" deep (29" surface size) A

Step 3. Width

48 48" wide (46" surface size) A
54 54" wide (52" surface size) A
60 60" wide (58" surface size) A
66 66" wide (64" surface size) A
72 72" wide (70" surface size) A

Step 4. Mechanism

E electric standard range A
D electric extended range A

Prices for Steps 1-4.

	E	D
DV7AC. 24 48	\$1602	1785
54	\$1617	1796
60	\$1632	1806
66	\$1648	1816
72	\$1663	1826
30 48	\$1632	1816
54	\$1648	1826
60	\$1663	1836
66	\$1678	1847
72	\$1694	1857

Step 5. Switch Option

STS simple up/down touch switch A +\$0

Step 6. Leg/Foot Finish

8Q folkstone grey A +\$0
91 white leg with white foot A +\$0
98 studio white A +\$0
CN metallic champagne A +\$0
G2 graphite satin leg with graphite satin foot A +\$0
MS metallic silver leg with metallic silver foot A +\$0
WL sandstone A +\$0
WN warm grey neutral leg with warm grey neutral foot A +\$0

Step 7. Glides

57 glides A +\$0

Index by Product Name

Motia™ Sit-to-Stand Tables	
C-Foot 3 Leg Base Kit	page(s) 15
Extended Corner Table with C-Foot	8
Height Adjustable Base Kit with C-Foot	17
Height Adjustable Base Kit with T-Foot	14
Rectangular Table with C-Foot	11
Rectangular Table with T-Foot	5



Index by Product Number

DV6ACS Rectangular Table with C-Foot	page(s) 11
DV6ATS Rectangular Table with T-Foot	5
DV6ECS Extended Corner Table with C-Foot	8
DV7AC. Height Adjustable Base Kit with C-Foot	17
DV7AT. Height Adjustable Base Kit with T-Foot	14
DV7FC. C-Foot 3 Leg Base Kit	15



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon **A** will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an **A** are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.



Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.