

MILLENNIUM

Price List
USA 2018



logiflex



Table of Contents



Introduction	3	Tables	53	Hutches and Wall Storage	124
Update Summary	4	Left Arched Tables with End Gable	54	Cabinet Hutches	125
Product Map	6	D, P and Q Tables	56	Corner Hutches	131
Conditions of Sale	10	Extended D and P Tables	67	Adjustable Shelf Hutches	132
Manufacturing Standards	12	End Tables	75	Wall Hutches	133
How to Use the Price List	13	Hook Tables with End Gable	76	Open Hutches	141
Appendix A: Colors and Finishes	14	Corner Tables	77	Wall Shelves	157
Appendix B: Surfaces and Moulding Edges	15	Extended Corner Tables	78	Tackboards	158
Appendix C: Modesty Panels	16	Lateral Tables	82		
Appendix D: Wood Grain	16			Bookcases and Cabinets	162
Appendix E: Handle Finishes for Glass Doors	16	Pedestals and Cabinets	88	Corner Bookcases	163
Appendix F: Pedestals and File Drawers	17	Factory-Installed Pedestals	89	Bookcases	164
Appendix G: Pricing for Additional Adjustable Shelves	17	Independent Pedestals	94	Display Cases	168
Appendix H: Pricing for Desk and Table Tops	18	Mobile Pedestals	99	Wardrobes	170
Appendix I: Calculation and Use of Electrical Components	19	Combination Pedestals	101	Wardrobes with Pedestals	177
		Lateral Filing Cabinets	102	Cabinets	179
Desks	22			Pigeonhole Units	189
Shells (Empty Desks)	23	Credenzas	103	Multiple Units	191
Desks with Pedestals	24	Credenzas with Pedestals	104		
Desks with Pedestals and Convex Front	29	Credenzas with Combination Pedestals	109	Accessories	205
Extended Desks with Straight Cut and Pedestals	32	Credenzas with Lateral Filing Cabinet	113	Handles	206
Extended Desks with Rounded Cut and Pedestals	34	Credenzas with Cabinets	115	Legs	207
		Combination Credenzas	117	Keyboard Trays	211
Returns	36	Server Credenzas	120	CPU Holders	212
Empty Returns	37	Transaction Tops	121	Computer Monitor Brackets	213
Reversible Empty Returns	38			Miscellaneous Accessories	215
Returns with Pedestals	39			Electrical Accessories	217
Returns with Combination Pedestals	42				
Returns with Lateral File Drawers	46				
Returns with Cabinets	48				
Bridges	50				
Connection Tops	52				

Introduction

The Millenium furniture collection offers contemporary desks for functional and affordable workspaces. Whether for a private or semi-private office or an open space concept, the Millenium collection meets the requirements of any work environment.

The February 1, 2018 revision of the Millenium price list presents these principal modifications:

DATE	SECTION	MODIFICATION
February 1, 2018	All the Price List	All prices with the exception of Accessories have been increased by 5%.
	Typical Layouts	Typical layouts have been removed from the price list document and can be consulted uniquely on the Logiflex website in the Planning Ideas page.
	Electrical Accessories	- Addition of new junction cable 84FF lengths: 12", 18", 24", 30", 132", 144", 156", 168" and 180"; - Addition of new electrical accessory, rigid junction M/M;

Previous updates:

DATE	SECTION	MODIFICATION
December 22, 2017	Manufacturing Standards	- Drawer fronts PVC strips are now 2 mm thick; - Levelers allow for up to 1-1/4" height adjustment.
	Desks	Arched desks have been removed.
	Tables	Addition of REIO and REGO tables.
	Pedestals	For stability purposes, a counterweight has been added to CL2, PBCCL and PCBCL pedestals. A price increase has been applied.
	Credenzas	For stability purposes, a counterweight has been added to the CLCL credenza. A price increase has been applied.
	Corner Bookcases	Price correction: A price increase has been applied to the corner bookcases BBC.
	Multiple Units	Addition of BBLE, BBRE, BBLF and BBRF
	Accessories	- The wood insert color Misty has been discontinued on the Hatley leg; - WMS44 code corrected from WMS42 - Addition of MH1SN120 and MH2SN120 - Monitor bracket C-2B-1S price correction.
September 29, 2017	Tables	Hook Table legs, ARW5SN and ARW5BL are not offered.
	Accessories	- IFWF leg with locking wheel has been removed; - Addition of KBT and KBMODT, 5/8" thick keyboard trays; - Price increase on electrical accessory TELB; - Overhaul of Electrical Accessories section and addition of new products: WM41, WM44, WM81, WM84, PW41, PW44, PW81, PW84, WMS18, WMS32, WMS42, MH1B, MH1B120, MH2B, MH2B120, POR 01, POR 02, POR 03, POR 04, POR 05 and POR 06; - Price revision on 844AA.

Previous updates:


DATE	SECTION	MODIFICATION
May 15, 2017	All the price list	• Change in the positioning of pedestal locks.
	Appendix H	• Addition of 36" depth.
	Multiple Units	• Multiple Units MU23PV, MU24PV and MU24APV: Satin Nickel locks are standard on the the lateral file drawers and doors for the MU23PV and MU24PV. For the MU24APV, the lock is standard only on the lateral filing drawers and is not available for the doors. Black locks are not an option.
	Accessories	• New accessory added: MCPU50 (Miniature CPU Holder).
March 30, 2017	Appendix	• Appendix H: Desk and Table tops, price correction on programming error.
March 17, 2017	All the price list	• White nylon levelers are now standard.
	Typical Layout ML- C002	• Price correction for Item C: ML 3084 TL LR FM GRL.
	Appendix	• Two laminate colors, Misty (MI) and Coral (CR) have been removed; • Appendix H was added: Desk and Table top prices.
	Hutches	• Pre-drilled holes for wire dividers (DVD) offered as option, set of 3 wire dividers included.
	Accessories	• Legs: information concerning OVAMSN and PSQ legs heights was added; • 6 new computer monitor brackets and a grommet mount option were added. • Wire separator WE has been deleted.
November 24, 2016	Appendix A: Colors and finishes	• The following colors are available in 1-5/8" thick laminate : Legno Dark (DL), Audacity (AU), Storm (STA) and Haze (HAA).



Product Map


Desks

Shells (Empty Desks) p. 23




BV


Desks with Pedestals p. 24




BD




BDD




BEL/BFL




BER/BFR




BEF



BFE




BEE




BFF


Desks with Pedestals and Convex Front p. 29




BECX




BFCX




BEFCX



BFECX




BEECX




BFFCX


Extended Desks with Straight Cut and Pedestals p. 32




BELBL



BFLBL




BELBR




BFLBR


Extended Desks with Curved Cut and Pedestals p. 34




BERBL



BFRBL




BERBR




BFRBR

Returns

Empty and Reversible p. 37




RVL




REVL


Returns with Pedestals p. 39



RD




REL/RFL




RER/RFR


Returns with Combination Pedestals p. 42




REFL




RFEL




REFR



RFER




RCBCL




RBCCL

Returns with Lateral File Drawers p. 47




RCLL




RCLR

Returns with Cabinets p. 48




RARL




RARR

Bridges p. 50




BR



BRT

Connection Tops p. 52




TRTOP



Product Map

Tables


Arched Tables p. 54



AYL

AYR

D, P, Rectangular and Q Tables p. 56



TD

TDG

TDM

TP

TPG

TPM

REI


REIO

REG

REGO

TO

Extended D and P Tables p. 67




TDAG

TDAM

TPAG

TPAM


End Tables p. 75



T90R

T180R


Hook Tables p. 76



TCGL

TCGR


Corner Tables p. 77



CT

CTC

Extended Corner Tables p. 78




CTLL

CTLR

CTRL

CTRR

Lateral Tables p. 82



TL

TLCL


TLCR

TCVL

TCVR

Pedestals and Cabinets

Factory Installed Pedestals p. 89



DINS

EINS

FINS

ARRINS


CLINS

BCCLINS

CBCLINS

ARINS

Independent Pedestals p. 94



DIND

EIND

FIND

ARRIND

CLIND

BCCLIND

CBCLIND

ARIND

Mobile Pedestals p. 99




MOBE

MOBF

MOBXE

MOBXF


Combination Pedestals p. 101



PBCL

PCBCL

Lateral Filing Cabinets p. 102



CL2

CL3

CL4




Product Map

Credenzas


Credenzas with Pedestals

p. 104




Credenzas with Combination Pedestals

p. 109




Lateral Filing

p. 113




Cabinets

p. 115



Combination Credenzas

p. 117




Server

p. 120



Transaction Tops


p. 121



Hutches


Cabinet Hutches

p. 125




Corner Hutches

p. 131




Adjustable Shelves

p. 132




Wall Hutches

p. 133




Wall Hutches with Pigeon Hole Unit

p. 137




Desk Hutches

p. 141




Desk Hutches with Pigeon Hole Unit

p. 149




Wall Shelves

p. 157



Tackboards

p. 158






Product Map


Bookcases and Cabinets

Corner Bookcases p. 163



BBC

Bookcases p. 164



BB30



BBL30



BB36




BBL36

Display Cases p. 168




MD5



MD3AR


Wardrobes p. 170




VR




VRFL




VRPV




V



VFL




VPV




ARV


Wardrobes with Pedestals p. 177




AREV



ARFV




VARE




VARF


Cabinets p. 179




ARR




ARRFL




ARRPV



AR15




AR20



AR24




ARFL20



ARPV20



ARFL24



ARPV24

Form Holders p. 189



F5



F10




F15




F20



F30




F45




F45B


Multiple Units p. 192




BBLE



BBRE



BBLF



BBRF



MU2



MU4



MU5




MU5A




MU7


Multiple Units - (continued) p. 195




MU8




MU8A



MU10



MU11



MU11A



MU13



MU15



MU16



MU16A



MU18




MU19



MU19A




MU23



MU24

Multiple Units - (continued) p. 200



MU24A




MU23FL




MU24FL




MU24AFL



MU23PV




MU24PV




MU24APV



MU26



MU27




MU27A



MU32



MU33



MU33A



MU34



MU34A

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the ["Online Services"](#) section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the ["Online Services"](#) section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. The suggested retail prices in this list may include delivery; however, some conditions may apply. If your order is a minimum of \$10,000 net, the order can be shipped directly to your customer. In this case, a 53-foot unloading dock must be available at the time of delivery. This information must first be validated with your Logiflex customer service representative. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also result in additional charges.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables. To order these items assembled, add a \$100 list price. Contact Customer Service for details.



Conditions of Sale (continued)

Quickship Program

A wide selection of typicals and components from the Millenium series are parts of our quickship program. The icon above appears beside the codes of items offered through this program in the different sections of this price list.

Conditions

- Products are ready to deliver after 10 working days from the receipt of the order and according to our delivery schedules.
- Maximum quantity of 20 components. For larger quantity, please consult the customer service.
- Logiflex reserves the right of final approval of orders.
- No cancellation after the reception of the order.
- All prices are in U.S. currency and may be changed without notice.

Quickship program standard

- Standard handles used when included: HJAB (Black).
- Edge finish: ML
- Tackboard fabrics: Please refer to the Logiflex color chart.
- **Colors** (For surfaces and/or single color unit):

BC	Brown Cherry	CO	Cognac
LM	Light Maple	NC	Natural Cherry
PC	Coastal Pear	PO	Porto
SW	Smoked Walnut	T	Tan
TO	Tobacco	WK	Whisky
Z	Zebra		

Base colors and fronts:

B	Jet Black	C	Slate
---	-----------	---	-------

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the products' lifetime. Effective as of the date invoiced to the distributor, the warranty is valid only for products bought new from an authorized Logiflex distributor and as long as the original purchaser owns the products. The warranty period will be reduced proportionately if the products are used over a period exceeding the equivalent of a shift of 40 hours/week.

This warranty applies only to normal use of the product and is limited to the repair or replacement of said product at Logiflex's discretion. All replacement parts will be shipped to the original shipping address. Transportation and labor are not covered by this warranty. By accepting the product at its delivery, the buyer accepts these conditions.

Limited Lifetime Warranty: Access, Knockout, Level, Logilife, Manhattan, Millenium, Reception and Tables (Conference, Occasional, Multimedias)

5 Year Warranty: Academic, Soft Seating and Madrid

10 Year Warranty: Chairs

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification, transformation, repair, renovation or use of components or materials that have not been authorized by Logiflex;
- Renting to a third party;
- Natural properties of materials;
- For leather products: normal defects in leather such as: scars, marks or difference in stain within a leather skin or between different skins;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/ installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:

- 1 year warranty on electrical components and hardware;
- 5 year warranty on seat mechanisms, drawer slides and locks;
- 5 year warranty on urethane parts;
- 5 year warranty on upholstery and casters

Manufacturing Standards

Furniture Construction

- All desktops and legs are 1" thick laminate;
- Fronts, backs and modesties are 5/8" thick laminate.

Handles

Handles are included for the majority of Millenium furniture items with fronts, with the exception of hutches and D, E and F pedestals, for which handles are sold as options. The standard handle style, when included, is HJAB (black). Please refer to the Logiflex handle selection in the [Accessories](#) section at the end of this price list.

Grommets

Grommets are included for some items such as D,P and REG tables, lateral, end, corner, extended-corner and arc tables, and returns. When grommets are included, the standard style is the ELPF grommet.

Locks

LKBL (black) locks are included for some items, such as pedestals, lateral file drawers, cabinets, wardrobes, combination units and credenzas. To specify a different type of lock, please refer to the [Accessories](#) section at the end of this price list to see the different models offered by Logiflex.

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16". Type D, E and F pedestals include a black polyvinyl chloride (PVC) extrusion for easy finger grip operation (no handle).

Drawer Fronts

A PVC strip 2 mm thick is systematically applied along all drawer front edges.

Wood Grain

The wood grain is always vertical on fronts and furniture doors. Surfaces more than 96" are in two parts. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.

Hutches

All hutches have a grommet at the bottom and a round grommet at the back of the unit for light fixture wires.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

Fabric

You must specify the fabric when the item so requires. Please make your selection(s) from the Logiflex chart.

Levelers

All furniture items (except bridges) sit on 1" in diameter, white nylon levelers, allowing for up to 1-1/4" height adjustment. The standard finished height for work surfaces is 29".



How to Use the Price List

Interactive Menu

Product line → Cabinet Hutches
Product group → Hutches and Wall Storage
Product name → Desk Hutches with Doors
Product code → HP

Product image →

Product Information → **Leg Bases**

LR	LH	HR	HH
L R	L H	H R	H H
Full Legs	Half Leg on Right	Half Leg on Left	2 Half Legs

Illustrated options → **Options**

Navigation Buttons (when blue) → **Options**

Ordering instructions → **How to Order**

Standard Product Code
Details as per the price listed

Options, if desired (\$)
Always after the product code

Navigation buttons
Previous View
Previous Page
Next Page
Product Map
Table of Contents

Product-specific manufacturing standards

Additional Product Information and Notes

Series

Prices

Quickship Program Icon

Dimensions

Blue text hyperlink

Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$31 retail. For two half legs (HH), add \$62 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Prices


Dimensions	ML
A B C	ML
163037	540
163637	587
164237	634
164837	684
165437	773
166037	827
166637	877
167237	999
168437	967

How to Order

ML	AB	HP	C	TB LI	HH LR (std)	LKBL LKSN	DVD	handles (p. 215)
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 225)	dividers	
Example	ML	1636	HP	43	TB	LR	LKSN	DVD

Appendix A: Colors and Finishes

How to specify your laminate colors



Glass and Acrylic

PL	Frosted Acrylic
VS	Frosted Glass
V4	White Glass
KB	Jet Black Glass
KS	Jet Black Satin Glass
KR	Bright Red Glass
KF	Fuchsia Glass
KE	Ocean Blue Glass
KO	Overseas Blue Glass
KL	Lime Green Glass
KM	Metallic Gray Glass

Availability Chart

	Code	Color Couleur	HG Fronts Façades lustrées	Surfaces		Mouldings Moultures 1-5/8"		Knife Edge Chanfrein	Wood Components Composantes de bois	Panval Code
			5/8"	1"	1-5/8"	MAR	MAX	Z		
AURA Finish Fini	GIA	Ginger Root <i>Gingembre</i>		•				•	S	H72
	HAA	Haze <i>Brume</i>		•	•			•	P	H57
	STA	Storm <i>Tempête</i>		•	•			•	S	H58
	TUA	Tundra		•				•	P	H75
	AU	Audacity <i>Audace</i>		•	•			•	S	241
DOLOMITE Finish Fini	B	Jet Black <i>Noir intense**</i>		•	•			•	P	888 S405-CA
	BC	Brown cherry <i>Cerisier brun</i>		•	•		•	•	S	207
	C	Slate <i>Ardoise**</i>		•				•	P	801
	CA	Caramel	CAH*	•	•			•	S	G18 G18-GL
	CH	Cherry <i>Cerisier</i>		•	•	•	•	•	S	965
	CO	Cognac		•	•	•	•	•	S	260
	DL	Legno Dark <i>Legno foncé</i>		•	•			•	S	G52
	DR	Driftwood <i>Bois de rive</i>		•	•		•	•	S	744
	FI	Finesse		•				•	S	745
	G	Mink Grey <i>Gris vision</i>		•	•			•	P	805 OU-927
	GG	Grigio	GGH*	•	•			•	P	G17 G17-GL
	LL	Legno Light <i>Legno pâle</i>		•				•	S	G51
	LM	Light Maple <i>Érable clair</i>		•	•		•	•	S	992
	NC	Natural Cherry <i>Cerisier naturel</i>		•	•	•	•	•	S	239
	NM	Natural Maple <i>Érable naturel</i>		•	•	•	•	•	S	206
	PC	Coastal Pear <i>Poirier de la côte</i>	PCH*	•				•	P	G23 G23-GL
	PO	Porto		•	•	•	•	•	S	913 OU-648
	SW	Smoked Walnut <i>Noyer fumé</i>		•	•		•	•	S	G21
	T	Tan		•	•	•	•	•	S	259
	TO	Tobacco		•	•		•	•	S	205
	VA	Vanilla		•	•		•	•	P	G22
	W	Polar White <i>Blanc polaire</i>	W-H*	•	•			•	P	555 459-58 459-90
	WK	Whisky		•	•	•	•	•	S	245
	Z	Zebra		•	•	•	•	•	S	237

Quickship program | **[P]** Solid color painted wood | **[S]** Stained wood.

* Non recommended color for work surfaces. An upcharge applies on high gloss fronts.

* Non recommended color for work surfaces.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.


See our complete [Colors & Finishes Guide](#)

Appendix B: Surfaces and Moulding Edges


SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOULDING
ML		1" surface	Thermofused laminate (TFL) - 1" high-density particle board.	2 mm polyvinyl chloride (PVC)
MLL		1-1/16" surface	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	2 mm polyvinyl chloride (PVC)
		Front, back and modesty	Thermofused laminate (TFL) - 5/8" high-density particle board.	2 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.

Appendix C: Modesty Panels


Modesty Height



10" high
PM




18-1/2" high
SM




Full height
FM

Minister Modesty




Minister Front
MID




Curved Minister
MIDC


Recessed Modesty



Flush Modesty




Modesty Recess
4-5/8" for 30" desk



Modesty Recess
6" for 36" desk

Appendix D: Wood Grain

Wood grain runs lengthwise on surfaces and vertically on drawers, doors and legs. See image below for wood grain direction placements.



Appendix E: Handle Finishes for Glass Doors


PV - Glass Doors



Satin Nickel Aluminum Frame

Handles: HJA (Satin Nickel)
For handles other than the HJA standard,
please choose from the Logiflex list,
no charge (p. 206).

FL - Glass Doors




Built-in aluminum handles

Aluminum-frame door


Handles: HJA (Satin Nickel)
For handles other than the HJA standard,
please choose from the Logiflex list,
no charge (p. 206).

Appendix F: Pedestals and File Drawers

D, E and F Pedestals




Combination Pedestals




File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.




Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.



Legal and Letter formats

30" and 36" file drawers can accommodate 2 rows of files.
42" file drawers can accommodate 3 rows of files.




Appendix G: Pricing for Additional Adjustable Shelves

To find out the price for additional adjustable shelves, trace down the vertical column "A" the shelf depth to its intersection with columns "B" the shelf length.


\$		B								
		12"	15"	18"	20"	24"	30"	36"	42"	48"
A	12"	16	20	24	26	32	40	47	56	63
	15"	20	24	29	33	40	49	59	69	79
	16"	21	26	32	35	42	53	63	74	84
	20"	26	33	40	44	53	66	79	92	105
	24"	32	40	47	53	63	79	95	110	126

Appendix H: Pricing for Desk and Table Tops

To find out the price for desk and table tops, trace down the vertical column "A" the top depth to its intersection with columns "B" the top length.

Series	Preview and Description	Prices - Rectangular Surfaces											Prices - Circular Surfaces									
ML	 1" Surface Thermofused laminate (TFL) - 1" high-density particle board with 2 mm polyvinyl chloride edge.	\$	B											20"	24"	30"	36"	42"	48"	54"	60"	
			24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	76	82	128	184	250	328	414	511	
		A	20"	76	76	76	89	102	114	121	140	153	166	179								
			24"	76	76	91	107	123	138	153	168	183	198	214								
			30"	76	96	114	133	153	172	191	210	229	248	267								
		36"	109	137	164	191	218	246	273	299	327	354	381									
Note: 2 week lead time available on the following standard TFL work surface colors : B Jet Black, BC Brown Cherry, C Slate, CO Cognac, LM Light Maple, NC Natural Cherry, PC Coastal Pear, PO Porto, SW Smoked Walnut, T Tan, TO Tobacco, W Polar White, WK Whisky, Z Zebra																						
ML	 1" Surface with knife edge Thermofused laminate (TFL) - 1" high-density particle board with 2 mm polyvinyl chloride (PVC) knife-edge.	\$	B											20"	24"	30"	36"	42"	48"	54"	60"	
			24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	140	174	273	392	533	698	883	1090	
		A	20"	153	171	191	225	256	288	320	352	385	417	448								
			24"	168	191	230	269	308	345	385	423	461	500	539								
			30"	191	240	288	336	385	433	481	528	576	624	672								
		36"	242	302	362	423	483	544	604	664	723	784	844									
MLL	 1-1/16" Surface High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2 mm PVC edge.	\$	B											20"	24"	30"	36"	42"	48"	54"	60"	
			24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	102	146	227	328	445	582	736	909	
		A	20"	113	142	171	200	228	257	285	313	342	371	399								
			24"	137	171	205	239	273	308	342	376	411	444	479								
			30"	171	214	257	299	342	384	427	469	512	555	599								
		36"	205	256	308	359	411	461	512	564	615	667	718									

Appendix I: Calculation and Use of Electrical Components



An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

Note: All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.

1. Determining the Number of Amperes Required
2. Calculating the Total Amperes Per Electrical Series
3. Determining How Many Circuits You Need

STEP 1:

Determining the Number of Amperes Required

What is Amperage

An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.


Determine the Number of Amperes Required

On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.


Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.




Power Block and Simplex Capacity

An electrical series corresponds to the total number of amperes that use the same power source. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.


Each power block has a total capacity of 8 Simplex units (plugs). A Simplex can handle up to 20 amps by itself, however as the number of Simplex are added to each circuit, the amount of amps is divided between them.



A single Simplex has a maximum capacity of 20A




Each power block can hold 8 Simplex




A single power block has a maximum capacity of 80A

$$20A + 20A + 20A + 20A = 80A$$



A power block with the same circuit Simplex on both sides also has a maximum capacity of 20A

$$10A + 10A = 20A$$



The capacity of each Simplex on the same circuit is divided as additional Simplex's are added on. For example, 5 Simplex on the same circuit still holds the same 20A capacity.

Appendix I: Calculation and Use of Electrical Components

STEP 2:

Calculating the Total Amperes Per Electrical Series

Add the Amperes


Add the number of amps for each machine in the series. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.



$$2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = 21A$$

The total number of amperes used in this example equals to 21A.

Divide by 16




Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits to 16 amperes of continuous use. You must therefore divide the total number of amperes calculated by 16.


STEP 3:

Determining How Many Circuits You Need

In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the amount of current used by the system or create another system supplied by a separate power source. Continuing with our example, the 1.3A is rounded up to 2A.




Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 monitors and the printer are on Circuit #1 and the 4 CPUs are on Circuit #3 (which is the grounded circuit).



Appendix I: Calculation and Use of Electrical Components


8 Wire, 4 Circuit (3+1) Power Block

- Simplexes are interchangeable permitting any required circuit combination;
- All Simplexes located together for greater access to all power receptacles;
- Double sided blocks for single or double sided applications;
- Complies with National Electric Code;
- UL Listed/Recognized.




Blue									3 H
Green/Yellow									3 G
Green									1-2-4 G
Gray									3 N
White									1-2-4 N
Black									1 H
Red									2 H
Pink									4 H

Starter Cable with Hardwire




- 4 circuit starter cable with hardwire at one end;
- All circuits rated for 20 AMP;
- Available in lengths from 12' to 120";
- Whip end to be connected to building power by an electrician.

Starter Cable with Plug



- 1 circuit starter cable with electric plug at one end;
- Circuit rated for 20 AMP;
- Available in lengths from 12' to 120".

Junction Cable



- 4 circuit cord;
- All circuits rated for 20 AMP;
- Available in lengths from 12' to 120".

Desks

Desks

Shells

Pedestals

Pedestals - Convex Front

Extended - Straight Cut - Pedestals


Extended - Curved Cut - Pedestals

Arched - Pedestals



Shells (Empty Desks)

BV



Manufacturing Standards

- Delivered disassembled;
- Modesty;
- Height: 29".


Recessed Modesty:

4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks


If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Options


Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
3048		551	721
3060		597	790
3066		632	857
3072		663	899
3660		678	875
3666		692	933
3672		715	990

How to Order

ML MLL	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	modesty	grommet position	grommet style
Example ML	3060	FM	GRC	ELPF

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with D Pedestal

BDL



BDR



Manufacturing Standards

- One utility drawer and one file drawer on left or right;
- Lock;
- PVC extrusion for lateral opening of drawers;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order


ML MLL	D	AB	D	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	
series (Appx. B)	if pedestal on left	dimensions	if pedestal on right	modesty	grommet position	grommet style	handles (p. 206)
Example ML	D	3060		FM	GRC	ELPF	

Prices

Dimensions		
A B	ML	MLL
3048	842	1133
3060	901	1226
3066	940	1285
3072	1006	1327
3648	926	1187
3660	984	1303
3666	1037	1363
3672	1095	1424

Desks with D Pedestal on Left and Right

BDD



Manufacturing Standards

- One utility drawer and one file drawer on left and right;
- Locks;
- Modesty;
- PVC extrusion for lateral opening of drawers;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
3060		1037	1441
3066		1073	1511
3072		1149	1570
3660		1119	1484
3666		1131	1561
3672		1229	1636

How to Order

ML MLL	AB		PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)		
	D		D				
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 206)
Example	ML	D	3060	D	FM	GRC	ELPF

Desks

Shells

Pedestals

Pedestals - Convex Front

Extended - Straight Cut - Pedestals


Extended - Curved Cut - Pedestals

Arched - Pedestals




Desks with E or F Pedestal on Left

BEL



BFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of draw;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles




10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0




Minister Front
MID
\$72



Curved Minister
MIDC
\$143

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	E F	AB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	pedestal	dimensions	modesty	grommet position	grommet style	
Example ML	E	3060	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	1049	1369
3066	1090	1428
3072	1154	1471
3084	1415	1538
3660	1131	1446
3666	1184	1504
3672	1244	1563
3684	1437	1678

Desks

Shells

Pedestals

Pedestals - Convex Front

Extended - Straight Cut - Pedestals


Extended - Curved Cut - Pedestals

Arched - Pedestals




Desks with E or F Pedestal on Right

BER



BFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles




10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0




Minister Front
MID
\$72



Curved Minister
MIDC
\$143

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	AB	E F	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	dimensions	pedestal	modesty	grommet position	grommet style	
Example ML	3060	E	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	1049	1369
3066	1090	1428
3072	1154	1471
3084	1415	1538
3660	1131	1446
3666	1184	1504
3672	1244	1563
3684	1437	1678

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with E or F Pedestal on Left and Right


BEF




BFE



BEE



BFF



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	AB	E F	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	
Example ML	E	3060	E	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	1332	1938
3066	1370	1999
3072	1384	2038
3084	1535	2109
3660	1392	2014
3666	1430	2075
3672	1525	2134
3684	1675	2249

Desks

Shells
Pedestals

Pedestals - Convex Front

Extended - Straight Cut - Pedestals


Extended - Curved Cut - Pedestals

Arched - Pedestals




Desks with Convex Front and E or F Pedestal on Left

BECXL



BFCXL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles



Grommet Position



Grommet Style



ELPF
\$0

CAPF/CCPF
\$20

How to Order

ML MLL	E F	ABC	CX	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	243060	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1115	1455		
243066	1143	1489		
243072	1213	1531		
303660	1197	1531		
303666	1237	1590		
303672	1301	1634		
303684	1562	1702		
364260	1279	1610		
364266	1331	1718		
364272	1391	1727		
364284	1584	1846		

Desks

Shells
Pedestals


Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with Convex Front and E or F Pedestal on Right

BECXR



BFCXR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Serrure;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABC	E F		MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	
			CX				
series (Appx. B)	dimensions	pedestal	code	modesty	grommet position	grommet style	handles (p. 206)
Example ML	243060	F	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1115	1455		
243066	1143	1489		
243072	1213	1531		
303660	1197	1531		
303666	1237	1590		
303672	1301	1634		
303684	1562	1702		
364260	1279	1610		
364266	1331	1718		
364272	1391	1727		
364284	1584	1846		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with Convex Front and E or F Pedestals


BEFCX




BFECX



BEECX



BFFCX



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABC	E F	CX	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	left pedestal	dimensions	right pedestal	code	modesty	grommet position	grommet style	
Example ML	E	243060	E	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1420	2024		
243066	1458	2060		
243072	1520	2102		
303660	1479	2102		
303666	1518	2161		
303672	1533	2280		
303684	1682	2484		
364260	1539	2179		
364266	1578	2240		
364272	1673	2298		
364284	1823	2413		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Straight Cut and E or F Pedestal on Left

BELBL



BFLBL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABCD	LB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	30664820	LB	FM	GRR	ELPF	

Prices

Dimensions			ML	MLL
A	B	C D		
30664820	1785	2397		
30724820	1844	2489		
30784820	1904	2581		
30844820	1962	2700		
30664824	1785	2397		
30724824	1844	2489		
30784824	1904	2581		
30844824	1962	2700		
36665420	1820	2443		
36725420	1880	2534		
36785420	1939	2626		
36845420	1998	2748		
36665424	1820	2443		
36725424	1880	2534		
36785424	1939	2626		
36845424	1998	2748		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Straight Cut and E or F Pedestal on Right

BELBR



BFLBR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD	E F	LB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	20486630	E	LB	FM	GRL	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
20486630	1785	2397		
20487230	1844	2489		
20487830	1904	2581		
20488430	1962	2700		
24486630	1785	2397		
24487230	1844	2489		
24487830	1904	2581		
24488430	1962	2700		
20546636	1820	2443		
20547236	1880	2534		
20547836	1939	2626		
20548436	1998	2748		
24546636	1820	2443		
24547236	1880	2534		
24547836	1939	2626		
24548436	1998	2748		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Rounded Cut and E or F Pedestal on Left

BERBL



BFRBL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABCD	RB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	30664820	RB	FM	GRR	ELPF	


Prices

Dimensions			ML	MLL
A	B	C D		
30664820	1785	2397		
30724820	1844	2489		
30784820	1904	2581		
30844820	1962	2700		
30664824	1785	2397		
30724824	1844	2489		
30784824	1904	2581		
30844824	1962	2700		
36665420	1820	2443		
36725420	1880	2534		
36785420	1939	2626		
36845420	1998	2748		
36665424	1820	2443		
36725424	1880	2534		
36785424	1939	2626		
36845424	1998	2748		




Extended Desks with Rounded Cut and E or F Pedestal on Right

BERBR



BFRBR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks






6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles


 10" high
PM
\$0

 18-1/2" high
SM
\$0

 Full height
FM
\$0

 Minister Front
MID
\$72

 Curved Minister
MIDC
\$143

Grommet Position



Grommet Style

ELPF
\$0CAPF/CCPF
\$20

How to Order

ML MLL	ABCD	E F	RB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	20486630	E	RB	FM	GRL	ELPF	

Prices


Dimensions			ML	MLL
A	B	C D		
20486630	1785	2397		
20487230	1844	2489		
20487830	1904	2581		
20488430	1962	2700		
24486630	1785	2397		
24487230	1844	2489		
24487830	1904	2581		
24488430	1962	2700		
20546636	1820	2443		
20547236	1880	2534		
20547836	1939	2626		
20548436	1998	2748		
24546636	1820	2443		
24547236	1880	2534		
24547836	1939	2626		
24548436	1998	2748		

Returns





Empty Returns

RVL



RVR



Modesty edge is
not visible on the
side of the return

Manufacturing Standards

- Delivered disassembled;
- Centered grommet;
- Flush plates;
- Flush modesty;
- Height: 29".


Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	AB	L R	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
			29		
series (Appx. B)	dimensions	code	height	modesty	grommet position
Example ML	2060	L	29	FM	GRC
					ELPF


Prices

Dimensions		
A	B	ML
2030		377
2036		394
2042		411
2048		433
2054		464
2060		492
		MLL
2430		406
2436		424
2442		440
2448		464
2454		492
2460		522





Reversible Empty Returns

REVL



REVR



Modesty edge is visible on the side of the return

Manufacturing Standards

- Delivered disassembled;
- Centered grommet;
- Flush plates;
- Flush modesty;
- Height: 29".




Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options

Modesty

10" high
PM
\$018-1/2" high
SM
\$0Full height
FM
\$0

Grommet Position



Grommet Style

ELPF
\$0CAPF/CCPF
\$20

How to Order


ML MLL		AB	L R		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	+	CAPF CCPF ELPF (std)
				29	REV			
series (Appx. B)		dimensions	code	height	code	modesty		grommet position
Example		ML	2060	L	29	REV	FM	GRC
								ELPF

Prices


Dimensions		ML	MLL
A	B		
2030		377	448
2036		394	471
2042		411	507
2048		433	536
2054		464	575
2060		492	621
2430		406	487
2436		424	516
2442		440	545
2448		464	582
2454		492	622
2460		522	670

Returns with D Pedestal

RDL



RDR



Manufacturing Standards

- One utility drawer and one file drawer;
- Centered grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	D	AB	L R	D	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	
				29				
series (Appx. B)	if pedestal on left	dimensions	code	height	if pedestal on right	modesty	grommet position	grommet style
Example ML	D	2060	L	29		FM	GRC	ELPF


Prices

Dimensions		
A	B	MLL
2030	657	813
2036	671	843
2042	685	874
2048	722	909
2054	752	941
2060	782	971
2430	693	834
2436	709	862
2442	722	890
2448	752	920
2454	782	956
2460	810	986




Returns with E or F Pedestal on Left

REL



RFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Centered grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.




Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty


 10" high
PM
\$0

 18-1/2" high
SM
\$0

 Full height
FM
\$0

Grommet Position



Grommet Style


 ELPF
\$0

 CAPF/CCPF
\$20

How to Order


ML MLL	E F	AB			PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	
			L	29				
series (Appx. B)	pedestal	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 206)
Example ML	E	2060	L	29	FM	GRC	ELPF	

Prices


Dimensions		
A B	ML	MLL
2030	805	953
2036	820	986
2042	834	1014
2048	870	1051
2054	901	1082
2060	931	1109
2430	842	999
2436	857	1029
2442	870	1058
2448	901	1090
2454	931	1127
2460	961	1156

Returns with E or F Pedestal on Right

RER



RFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Centered grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.




Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty


 10" high
PM
\$0

 18-1/2" high
SM
\$0

 Full height
FM
\$0

Grommet Position



Grommet Style


 ELPF
\$0

 CAPF/CCPF
\$20

How to Order

ML MLL		AB		E F		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	
			R	29					
series (Appx. B)	dimensions	code	height	pedestal	modesty		grommet position	grommet style	handles (p. 206)
Example	ML	2060	R	29		FM	GRC	ELPF	


Prices

Dimensions		
A	B	
2030	805	953
2036	820	986
2042	834	1014
2048	870	1051
2054	901	1082
2060	931	1109
2430	842	999
2436	857	1029
2442	870	1058
2448	901	1090
2454	931	1127
2460	961	1156




Returns with Combination Pedestal on Left


REFL




RFEL



REEL



RFFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Grommet;
- Flush plates;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

Prices

Dimensions

A B	ML	MLL
2042	1452	1634
2048	1476	1675
2054	1489	1705
2060	1506	1737
2442	1476	1681
2448	1488	1713
2454	1509	1751
2460	1520	1784


How to Order

						+		
ML	EF				PM	NGR		
MLL	FE				SM	GRL		
	EE					GRR	CAPF	
	FF	AB			FM (std)	GLR	CCPF	HJAB (std)
			L	29			GRC (std)	ELPF (std)
series (Appx. B)	pedestal	dimensions	code	height	modesty		grommet position	grommet style
Example	ML	FE	2060	L	29	FM	GRC	ELPF
								HJAB
								handles (p. 206)




Returns with Combination Pedestal on Right


REFR




RFER



REER



RFFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Grommet;
- Flush plates;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

Prices

Dimensions

A B	ML	MLL
2042	1452	1634
2048	1476	1675
2054	1489	1705
2060	1506	1737

2442	1476	1681
2448	1488	1713
2454	1509	1751
2460	1520	1784


How to Order

ML MLL	AB			EF FE EE FF	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
		R	29					
series (Appx. B)	dimensions	code	height	pedestal	modesty	grommet position	grommet style	handles (p. 206)
Example ML	2060	R	29	EF	FM	GRC	ELPF	HJAB



Returns with Combination Pedestal on Left

RCBCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- Grommet;
- Flush plates;
- 2 crossbars;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0

Grommet Position



Grommet Style

ELPF
\$0CAPF/CCPF
\$20

How to Order

							NGR GRL GRR GLR	CAPF CCPF		
ML MLL		C	AB			PM SM FM (std)	GRC (std)	ELPF (std)	HJAB (std)	
	CBCL			L	29					
series (Appx. B)	pedestal	pedestal width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 206)	
Example	ML	CBCL	30	2060	L	29	FM	GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230	1407	1563		
204830	1437	1605		
205430	1467	1645		
206030	1506	1689		
244230	1437	1607		
244830	1467	1647		
245430	1506	1698		
246030	1535	1747		
204836	1519	1691		
205436	1549	1733		
206036	1586	1773		
244836	1549	1734		
245436	1593	1782		
246036	1637	1831		



Returns with Combination Pedestal on Right

RBCCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- Grommet;
- Flush plates;
- 2 crossbars;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL		AB		C		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
			R	29	BCCL				
series (Appx. B)	dimensions	code	height	right pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 206)
Example ML	2060	R	29	BCCL	30	FM	GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230	1407	1563		
204830	1437	1605		
205430	1467	1645		
206030	1506	1689		
244230	1437	1607		
244830	1467	1647		
245430	1506	1698		
246030	1535	1747		
204836	1519	1691		
205436	1549	1733		
206036	1586	1773		
244836	1549	1734		
245436	1593	1782		
246036	1637	1831		



Returns with Lateral File Drawers on Left

RCLL



Manufacturing Standards

- 2 lateral file drawers;
- Grommet;
- Flush plates;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.




Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty


 10" high
PM
\$0

 18-1/2" high
SM
\$0

 Full height
FM
\$0

Grommet Position



Grommet Style


 ELPF
\$0

 CAPF/CCPF
\$20

How to Order

							NGR GRL GRR GLR	CAPF CCPF	+	
ML MLL	C		AB	PM SM	FM (std)	GRC (std)	ELPF (std)	HJAB (std)		
	CL			L	29					
series (Appx. B)	pedestal	pedestal width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 206)	
Example	ML	CL	30	2060	L	29	FM	GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230			1050	1182
204830			1070	1208
205430			1084	1239
206030			1097	1281
244230			1116	1194
244830			1131	1240
245430			1147	1290
246030			1162	1330
204836			1084	1265
205436			1097	1319
206036			1116	1360
244836			1149	1320
245436			1162	1368
246036			1179	1409
205442			1116	1411
206042			1131	1453
245442			1179	1462
246042			1196	1503



Returns with Lateral File Drawers on Right

RCLR



Manufacturing Standards

- 2 lateral file drawers;
- Grommet;
- Flush plates;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL		AB		C		PM SM FM (std)		NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
ML	MLL	AB	R	29	CL					
series (Appx. B)		dimensions	code	height	pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 206)
Example	ML	2060	R	29	CL	30	FM	GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230	1050	1182		
204830	1070	1208		
205430	1084	1239		
206030	1097	1281		
244230	1116	1194		
244830	1131	1240		
245430	1147	1290		
246030	1162	1330		
204836	1084	1265		
205436	1097	1319		
206036	1116	1360		
244836	1149	1320		
245436	1162	1368		
246036	1179	1409		
205442	1116	1411		
206042	1131	1453		
245442	1179	1462		
246042	1196	1503		



Returns with Cabinet on Left

RARL



Manufacturing Standards

- 2 door cabinet;
- One adjustable shelf;
- Grommet;
- Flush plates;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Adjustable shelves (SH): see Appendix G for prices, [p. 17](#)

Options


Modesty




Grommet Position



Grommet Style



Adjustable Shelves



How to Order


							NGR GRL GRR GLR CAPF CCPF				
ML MLL		C	AB			PM SM FM (std)	GRC (std)	ELPF (std)	HJAB (std)	SH	
	AR			L	29						
Example	series (Appx. B)	cabinet	cabinet width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 206)	shelves
	ML	AR	30	2060	L	29	FM	GRC	ELPF	HJAB	SH

Prices

Dimensions			ML	MLL
A	B	C		
204230			896	1019
204830			910	1045
205430			927	1070
206030			941	1106
244230			927	1068
244830			941	1096
245430			954	1122
246030			972	1158
204836			941	1076
205436			954	1103
206036			972	1138
244836			972	1096
245436			988	1122
246036			1001	1158

Returns with Cabinet on Right

RARR



Manufacturing Standards

- 2 door cabinet;
- One adjustable shelf;
- Grommet;
- Flush plates;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Adjustable shelves (SH): see Appendix G for prices, [p. 17](#)

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0


Grommet Position



Grommet Style

ELPF
\$0CAPF/CCPF
\$20

Adjustable Shelves



SH

How to Order


ML MLL		AB		C		PM SM FM (std)		NGR GRL GRR GLR GRC (std)		CAPF CCPF ELPF (std)		HJAB (std)		SH	
series (Appx. B)	dimensions	code	height	cabinet	cabinet width	modesty		grommet position	grommet style	handles (p. 206)					
Example	ML	2060	R	29	AR	30	FM	GRC	ELPF	HJAB					

Prices

Dimensions A B C			ML	MLL
204230	896	1019		
204830	910	1045		
205430	927	1070		
206030	941	1106		
244230	927	1068		
244830	941	1096		
245430	954	1122		
246030	972	1158		
204836	941	1076		
205436	954	1103		
206036	972	1138		
244836	972	1096		
245436	988	1122		
246036	1001	1158		

Bridges with Modesty

BR



Manufacturing Standards

- Delivered disassembled;
- Grommet;
- Flush plates;
- Flush modesty.


Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

Prices

Dimensions

A	B	ML	MLL
2036		314	432
2042		329	445
2048		341	487
2436		365	478
2442		381	494
2448		424	531


How to Order

ML MLL		AB	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
		BR			
series (Appx. B)	dimensions	code	modesty	grommet position	grommet style
Example ML	2036	BR	FM	GRC	ELPF



Bridge Top

BRT




Manufacturing Standards

- Grommet;
- Flush plates.

Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options

Grommet Position



Grommet Style



ELPF

\$0

CAPF/CCPF

\$20

Prices

Dimensions			
A	B	ML	MLL
2036		105	168
2042		120	195
2048		134	219
2436		120	196
2442		134	228
2448		149	257


How to Order

			NGR GRL GRR GLR GRC (std)	 CAPF CCPF ELPF (std)	
ML MLL	AB				
		BRT			
series (Appx. B)	dimensions	code	grommet position	grommet style	
Example	ML	2036	BRT	GRC	ELPF



Connection Tops

TRTOP



Manufacturing Standards

- Flush plates.

Prices

Dimensions			
A	B	ML	MLL
1313		24	44
1818		46	82
1820		46	82
1824		51	87
1830		78	128
1836		83	137
2020		51	87
2024		60	105
2030		83	137
2036		91	152
2424		78	128
2430		91	152
2436		113	176
3030		122	200
3036		135	225
3636		168	279

How to Order

ML MLL	AB	
		TRTOP
series (Appx. B)	dimensions	code

Example ML 2020 TRTOP

Tables

Tables

Arched

D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Left Arched Tables with End Gable

AYL



Manufacturing Standards

- Delivered disassembled;
- Two 4" square black metal legs;
- End gable;
- Grommet;
- Height: 29".


Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is two 4" square black metal legs (4SQBL).

4.5BL / SN, no charge;
IFNBL / SN, subtract \$113 retail from table price;
OVASBL / SN, add \$113 retail to table price;
OVADBL / SN, add \$113 retail to table price;
HATSN / CHR, add \$133 retail to table price.

Options

Grommet Style



ELPF

\$0

CAPF/CCPF

\$20

How to Order

ML MLL		ABC		IFNBL / SN 4.5BL / SN OVASBL / SN OVADBL / SN HATSN / CHR 4SQBL (std)	NGR GRC (std)	CAPF CCPF ELPF (std)
			AYL			
series (Appx. B)	dimensions	code	legs (p. 207)			
Example ML	306042	AYL	4SQBL	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
306042			926	1178
306642			953	1236
307242			984	1288
308442			1042	1399
366048			1147	1319
366648			1054	1373
367248			1079	1429
368448			1131	1540

Tables

Arched

D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Right Arched Tables with End Gable

AYR



Manufacturing Standards

- Delivered disassembled;
- Two 4" square black metal legs;
- End gable;
- Grommet;
- Height: 29".


Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is two 4" square black metal legs (4SQBL).

4.5BL / SN, no charge;
IFNBL / SN, subtract \$113 retail from table price;
OVASBL / SN, add \$113 retail to table price;
OVADBL / SN, add \$113 retail to table price;
HATSN / CHR, add \$133 retail to table price.

Options

Grommet Style



\$0

\$20

Prices

Dimensions			ML	MLL
A	B	C		
426030			926	1178
426630			953	1236
427230			984	1288
428430			1042	1399
486036			1147	1319
486636			1054	1373
487236			1079	1429
488436			1131	1540


How to Order

ML MLL		ABC		IFNBL / SN 4.5BL / SN OVASBL / SN OVADBL / SN HATSN / CHR 4SQBL (std)	NGR GRC (std)	CAPF CCPF ELPF (std)
			AYR			
series (Appx. B)	dimensions	code	legs (p. 207)			
Example ML	426030	AYR	4SQBL	GRC	ELPF	



D Tables without End Gable

TD



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
 IFNBL / SN, subtract \$57 retail from table price;
 4SQBL / SN, add \$57 retail to table price;
 OVASBL / SN, add \$57 retail to table price;
 OVADBL / SN, add \$57 retail to table price;
 MAGSN, add \$222 retail to table price;
 MAGCHR, add \$562 retail to table price.

Prices

Dimensions		
A	B	
3054	547	603
3060	568	713
3066	587	762
3072	604	796
3660	573	796
3666	610	839
3672	650	897
3684	722	1061

How to Order

ML MLL	AB	TD	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN
series (Appx. B)	dimensions	code	legs (p. 207)

Example ML 3060 TD 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



D Tables with End Gable

TDG



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
IFNBL / SN, subtract \$57 retail from table price;
OVADBL / SN, add \$57 retail to table price.
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



\$0

\$20

Prices

Dimensions			
A	B	ML	MLL
3060		685	821
3066		709	873
3072		722	906
3084		804	990
3660		700	922
3666		738	966
3672		774	1023
3684		894	1185

How to Order

ML MLL		AB	TDG	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	legs (p. 207)	grommet position	grommet style	
Example ML	3060	TDG	4.5BL	GRC	ELPF	

Tables

Arched

D, P, R and Q

Extended D and P

End

Hook

Corner


Extended Corner

Lateral




D Tables with Modesty

TDML



TDMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.


Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Modesty



Grommet Style



Prices

Dimensions		
A B	ML	MLL
3054	734	922
3060	760	952
3066	782	995
3072	797	1033
3660	774	1029
3666	810	1082
3672	849	1139
3684	967	1284

How to Order


ML MLL	AB	TDML TDMR	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
ML	3060	TDML	SM	4.5BL	GRC	ELPF
series (Appx. B)	dimensions	code	modesty	legs (p. 207)	grommet position	grommet style



P Tables without End Gable


TPL

Left P-shaped table



TPR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Tables to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Prices

Dimensions			ML	MLL
A	B	C		
303660			642	869
303666			663	912
303672			685	957
303684			738	1132
364260			678	950
364266			715	994
364272			752	1061
364284			842	1274

How to Order

ML MLL	ABC	TPL TPR	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN
series (Appx. B)	dimensions	code	legs (p. 207)

Example ML 303660 TPL 4.5BL

Tables

Arched

D, P, R and Q

Extended D and P

End

Hook

Corner

Extended Corner


Lateral



P Tables with End Gable


TPGL

Left P-shaped table



TPGR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



How to Order

ML MLL	ABC	TPGL TPGR	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	legs (p. 207)	grommet position	grommet style
Example ML	303660	TPGL	4.5BL	GRC	ELPF

Prices

Dimensions			ML	MLL
A	B	C		
303660			760	970
303666			782	1012
303672			804	1046
303684			888	1227
364260			842	1045
364266			857	1089
364272			870	1153
364284			967	1366

Tables

Arched

D, P, R and Q

Extended D and P

End

Hook

Corner

Extended Corner


Lateral



P Tables with Modesty


TPML

Left P-shaped table



TPMR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.


Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Modesty



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
303660			834	1101
303666			857	1145
303672			880	1183
303684			1002	1341
364260			903	1171
364266			946	1221
364272			971	1290
364284			1106	1440


How to Order

ML MLL	ABC	TPML TPMR	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 207)	grommet position	grommet style
Example ML	303660	TPML	SM	4.5BL	GRC	ELPF



Rectangular Tables without End Gable

REI



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs: chrome tapered legs with wooden inserts that match the surface finish;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 2 Hatley legs.

4.5SN, no charge;
4SQBL / SN, no charge;
OVASBL / SN, no charge;
OVADBL / SN, no charge;
IFNBL / SN, subtract \$133 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Prices

Dimensions			
A	B	ML	MLL
3054		607	663
3060		628	773
3066		647	822
3072		664	856
3660		633	856
3666		670	899
3672		710	957
3684		782	1120

How to Order

ML MLL	AB		4.5BL / 4.5SN IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR HATCHR (std) / SN
		REI	
series (Appx. B)	dimensions	code	legs (p. 207)

Example ML 3060 REI HATCHR

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Rectangular Tables without End Gable

REIO



Manufacturing Standards

- Delivered disassembled;
- Flush plates;
- Square leg in Satin Nickel;
- Height: 29".

Table to be attached to the top of another freestanding item.

Prices

Dimensions			
A	B	ML	MLL
3054		607	663
3060		628	773
3066		647	822
3072		664	856
3660		633	856
3666		670	899
3672		710	957
3684		782	1120

How to Order

ML MLL	AB	REIO	SN (std)
series (Appx. B)	dimensions	code	finish

Example ML 3060 REIO SN

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Rectangular Tables with End Gable

REG



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs: chrome tapered legs with wooden inserts that match the surface finish;
- End gable;
- Grommet;
- Flush plates;
- Height: 29".


Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 2 Hatley legs.

4.5SN, no charge;
4SQBL / SN, no charge;
OVASBL / SN, no charge;
OVADBL / SN, no charge;
IFNBL / SN, subtract \$133 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Grommet Style



\$0

\$20

How to Order

ML MLL		AB	REG	4.5BL / 4.5SN IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR HATCHR (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	legs (p. 207)			
Example	ML	3060	REG	HATCHR	GRC	ELPF

Prices

Dimensions		
A	B	ML
3060	744	881
3066	769	932
3072	782	966
3084	864	1050
3660	760	982
3666	798	1026
3672	834	1083
3684	953	1245

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Rectangular Tables with End Gable

REGO




Manufacturing Standards

- Delivered disassembled;
- Square leg in Satin Nickel;
- End gable;
- Grommet;
- Flush plates;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Options

Grommet Style



\$0

\$20

How to Order

ML MLL	AB	SN (std)	NGR GRC (std)	CAPF CCPF ELPF (std)
		REGO		
series (Appx. B)	dimensions	code	finish	grommet position
Example ML	3060	REGO	SN	GRC
				ELPF


Prices

Dimensions		ML	MLL
A	B		
3060		744	881
3066		769	932
3072		782	966
3084		864	1050
3660		760	982
3666		798	1026
3672		834	1083
3684		953	1245



Q Tables without End Gable

TQ



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Tables to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
 IFNBL / SN, subtract \$57 retail from table price;
 4SQBL / SN, add \$57 retail to table price;
 OVASBL / SN, add \$57 retail to table price;
 OVADBL / SN, add \$57 retail to table price.

Prices

Dimensions				
A	B	C	ML	MLL
304260			728	950
304266			765	994
304272			807	1063
304284			887	1274
364872			928	1200
364884			968	1361

How to Order

ML MLL	ABC		IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN
		TQ	
series (Appx. B)	dimensions	code	legs (p. 207)

Example ML 304260 TQ 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables with End Gable

TDAGL



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



How to Order

				IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	⊕	
ML MLL	ABCD				NGR GRC (std)	CAPF CCPF ELPF (std)
		TDAGL				
series (Appx. B)	dimensions	code	legs (p. 207)		grommet position	grommet style
Example	ML	30604820	TDAGL	4.5BL	GRC	ELPF

Prices

Dimensions				ML	MLL
A	B	C	D		
30604820				1119	1306
30664820				1149	1376
30724820				1169	1465
30844820				1222	1570
30604824				1119	1306
30664824				1149	1376
30724824				1169	1465
30844824				1222	1570
36665420				1229	1518
36725420				1251	1584
36845420				1304	1715
36665424				1229	1518
36725424				1251	1584
36845424				1304	1715

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables with End Gable

TDAGR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



\$0

\$20

How to Order

ML MLL		ABCD		IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
			TDAGR			
series (Appx. B)	dimensions	code	legs (p. 207)	grommet position		grommet style
Example ML	20486030	TDAGR	4.5BL	GRC		ELPF

Prices

Dimensions			
A	B	C	D
ML	MLL		
20486030	1119	1306	
20486630	1149	1376	
20487230	1169	1465	
20488430	1222	1570	
24486030	1119	1306	
24486630	1149	1376	
24487230	1169	1465	
24488430	1222	1570	
20546636	1229	1518	
20547236	1251	1584	
20548436	1304	1715	
24546636	1229	1518	
24547236	1251	1584	
24548436	1304	1715	

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables with Modesty

TDAML



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Delivered disassembled;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.


Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TDAML	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 207)	grommet position	grommet style
Example ML	30604820	TDAML	SM	4.5BL	GRC	ELPF


Prices

Dimensions A B C D	ML	MLL
30604820	1327	1523
30664820	1356	1594
30724820	1377	1682
30844820	1429	1787
30604824	1327	1523
30664824	1356	1594
30724824	1377	1682
30844824	1429	1787
36665420	1436	1736
36725420	1457	1802
36845420	1511	1933
36665424	1436	1736
36725424	1457	1802
36845424	1511	1933



Extended D Tables with Modesty

TDAMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Delivered disassembled;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
 IFNBL / SN, subtract \$57 retail from table price;
 4SQBL / SN, add \$57 retail to table price;
 OVASBL / SN, add \$57 retail to table price;
 OVADBL / SN, add \$57 retail to table price;
 MAGSN, add \$222 retail to table price;
 MAGCHR, add \$562 retail to table price.


Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
		TDAMR			
series (Appx. B)	dimensions	code	modesty	legs (p. 207)	grommet position
Example ML	20486030	TDAMR	SM	4.5BL	GRC

Prices

Dimensions A B C D	ML	MLL
20486030	1327	1523
20486630	1356	1594
20487230	1377	1682
20488430	1429	1787
24486030	1327	1523
24486630	1356	1594
24487230	1377	1682
24488430	1429	1787
20546636	1436	1736
20547236	1457	1802
20548436	1511	1933
24546636	1436	1736
24547236	1457	1802
24548436	1511	1933

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables with End Gable

TPAGL



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



ELPF

\$0



CAPF/CCPF

\$20

How to Order

ML MLL		ABCD	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	legs (p. 207)	grommet position	grommet style
Example ML	30604820	TPAGL	4.5BL	GRC	ELPF

Prices

Dimensions				ML	MLL
A	B	C	D		
30604820	1221			1221	1473
30664820	1239			1239	1538
30724820	1259			1259	1603
30844820	1288			1288	1741
30604824	1221			1221	1473
30664824	1239			1239	1538
30724824	1259			1259	1603
30844824	1288			1288	1741
36665420	1300			1300	1678
36725420	1319			1319	1746
36845420	1370			1370	1883
36665424	1300			1300	1678
36725424	1319			1319	1746
36845424	1370			1370	1883

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables with End Gable

TPAGR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



\$0

\$20

How to Order

ML MLL		ABCD		IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
			TPAGR			
series (Appx. B)	dimensions	code	legs (p. 207)			
Example ML	20486030	TPAGR	4.5BL	GRC	ELPF	


Prices

Dimensions				ML	MLL
A	B	C	D		
20486030	1221	1473			
20486630	1239	1538			
20487230	1259	1603			
20488430	1288	1741			
24486030	1221	1473			
24486630	1239	1538			
24487230	1259	1603			
24488430	1288	1741			
20546636	1300	1678			
20547236	1319	1746			
20548436	1370	1883			
24546636	1300	1678			
24547236	1319	1746			
24548436	1370	1883			



Extended P Tables with Modesty

TPAML



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.


Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TPAML	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 207)	grommet position	grommet style
Example ML	30604820	TPAML	SM	4.5BL	GRC	ELPF

Prices

Dimensions A B C D				ML	MLL
30604820	1428	1691			
30664820	1447	1756			
30724820	1466	1822			
30844820	1495	1959			
30604824	1428	1691			
30664824	1447	1756			
30724824	1466	1822			
30844824	1495	1959			
36665420	1508	1896			
36725420	1525	1964			
36845420	1578	2099			
36665424	1508	1896			
36725424	1525	1964			
36845424	1578	2099			

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables with Modesty

TPAMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.


Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TPAMR	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 207)	grommet position	grommet style
Example ML	30604820	TPAMR	SM	4.5BL	GRC	ELPF


Prices

Dimensions A B C D	ML	MLL
20486030	1428	1691
20486630	1447	1756
20487230	1466	1822
20488430	1495	1959
24486030	1428	1691
24486630	1447	1756
24487230	1466	1822
24488430	1495	1959
20546636	1508	1896
20547236	1525	1964
20548436	1578	2099
24546636	1508	1896
24547236	1525	1964
24548436	1578	2099




End Tables

T90R



T180R



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Tables to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Prices

T90R

Dimensions			
A	B	ML	MLL
2020		264	320
2424		294	370
3030		323	435
3636		379	532

T180R

Dimensions			
A	B	ML	MLL
1836		288	371
2040		326	425
2448		357	491
3060		440	641

How to Order

ML MLL	AB	T90R T180R	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN
series (Appx. B)	dimensions	code	legs (p. 207)

Example ML 2040 T180R 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Hook Tables with End Gable

TCGL



TCGR




Manufacturing Standards

- Delivered disassembled;
- End gable;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Options

Grommet Style



Prices

Dimensions		
A	B	ML
3072	1101	1381
3078	1130	1431
3084	1160	1481

How to Order

ML MLL	AB	TCG	L R	ARW3BL ARW3SN (std)	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	side	leg	grommet position	grommet style
Example ML	3072	TCG	L	ARW3SN	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Corner Tables


CT




CTC



Modesties



Leg Bases



Manufacturing Standards


- Delivered disassembled;
- Corner grommet;
- Flush modesties;
- Height: 29".

Grommet Position: additional grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

CT - Corner Table Straight Cut

Dimensions			ML	MLL
A	B	C		
203620	674	851		
204220	762	977		
204820	844	1190		
244224	762	977		
244824	844	1190		
304230	762	977		
304830	844	1190		

CTC - Corner Table Curved Cut

Dimensions			ML	MLL
A	B	C		
203620	674	851		
204220	762	977		
204820	844	1190		
244224	762	977		
244824	844	1190		
304230	762	977		
304830	844	1190		

How to Order

ML MLL	ABC	CT CTC	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	203620	CT	LR	FM	FM	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Left Extended Corner Tables with Straight Cut


CTLL



Modesties



Leg Bases



Manufacturing Standards

- Corner grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices


Dimensions			
A	B	C	D
20603620	842	1094	
20663620	880	1137	
20723620	940	1226	
20604220	999	1286	
20664220	1037	1348	
20724220	1095	1431	
20604820	1154	1483	
20664820	1191	1549	
20724820	1251	1639	
24603624	842	1094	
24663624	880	1137	
24723624	940	1226	
24604224	999	1286	
24664224	1037	1348	
24724224	1095	1431	
24604824	1154	1483	
24664824	1191	1549	
24724824	1251	1639	
30604230	999	1286	
30664230	1037	1348	
30724230	1095	1431	
30604830	1154	1483	
30664830	1191	1549	
30724830	1251	1639	

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD	L	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	20603620	L	LR	FM	FM	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Right Extended Corner Tables with Straight Cut


CTLR



Modesties




Leg Bases




Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

						⊕	
ML MLL	ABCD		LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
		L					
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
ML	20366020	L	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Corner grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions A B C D	ML	MLL
20366020	842	1094
20366620	880	1137
20367220	940	1226
20426020	999	1286
20426620	1037	1348
20427220	1095	1431
20486020	1154	1483
20486620	1191	1549
20487220	1251	1639
24366024	842	1094
24366624	880	1137
24367224	940	1226
24426024	999	1286
24426624	1037	1348
24427224	1095	1431
24486024	1154	1483
24486624	1191	1549
24487224	1251	1639
30426030	999	1286
30426630	1037	1348
30427230	1095	1431
30486030	1154	1483
30486630	1191	1549
30487230	1251	1639

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral









Left Extended Corner Tables with Curved Cut

CTRL



Modesties



Full Legs

Half Leg on Right


Half Leg on Left

Half Legs


Leg Bases

Options


Modesty Styles



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	ABCD	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
		R				
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position
Example ML	20603620	R	LR	FM	FM	GRC

Manufacturing Standards

- Corner grommet;
- Height: 29".
- Flush modesties;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions A B C D	ML	MLL
20603620	870	1139
20663620	908	1202
20723620	967	1285
20604220	1028	1341
20664220	1068	1409
20724220	1126	1497
20604820	1184	1544
20664820	1222	1613
20724820	1282	1705
24603624	870	1139
24663624	908	1202
24723624	967	1285
24604224	1028	1341
24664224	1068	1409
24724224	1126	1497
24604824	1184	1544
24664824	1222	1613
24724824	1282	1705
30604230	1028	1341
30664230	1068	1409
30724230	1126	1497
30604830	1184	1544
30664830	1222	1613
30724830	1282	1705

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral





Right Extended Corner Tables with Curved Cut





CTRR



Modesties



Leg Bases



Full Legs


Half Leg on Right

Half Leg on Left


Half Legs

Options


Modesty Styles



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	ABCD	R	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	20366020	R	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Corner grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions A B C D	ML	MLL
20366020	870	1139
20366620	908	1202
20367220	967	1285
20426020	1028	1341
20426620	1068	1409
20427220	1126	1497
20486020	1184	1544
20486620	1222	1613
20487220	1282	1705
24366024	870	1139
24366624	908	1202
24367224	967	1285
24426024	1028	1341
24426624	1068	1409
24427224	1126	1497
24486024	1184	1544
24486624	1222	1613
24487224	1282	1705
30426030	1028	1341
30426630	1068	1409
30427230	1126	1497
30486030	1184	1544
30486630	1222	1613
30487230	1282	1705

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables, 20" and 24"

TL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Centered grommet for table widths less than 48";
- Left and right grommets for table widths 48" or more;
- Flush modesty;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	
2024	394	463
2030	411	479
2036	446	537
2042	470	570
2048	492	602
2054	515	646
2060	528	671
2066	558	705
2072	581	744
2078	600	768
2084	623	807

How to Order

					+			
ML MLL	AB		LR LH HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2	
		TL						
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves	
Example	ML	2072	TL	LR	FM	GRC	ELPF	SH2

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables, 30" and 36"

TL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	
3024	466	538
3030	483	596
3036	500	652
3042	515	686
3048	551	721
3054	581	764
3060	597	790
3066	632	857
3072	663	899
3078	686	926
3084	713	964

How to Order

					+		
ML			LR	PM	NGR		
MLL	AB		LH	SM	GRL	CAPF	
			HR		GRR	CCPF	SH1
			HH	FM (std)	GLR	ELPF (std)	SH2
		TL					
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example	ML	3072	TL	FM	GRC	ELPF	SH2

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Corner Cut on Left

TLCL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


- SH1:** for lateral tables 36" wide or less, add \$61 retail;
- SH2:** for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABC	THC	HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	207226	THC	HR	FM	GRC	ELPF	SH2

Prices

Dimensions			ML	MLL
A	B	C		
203626	554	686		
204226	581	714		
204826	605	749		
205426	629	792		
206026	645	817		
206626	692	881		
207226	723	924		
243630	554	686		
244230	581	714		
244830	605	749		
245430	629	792		
246030	645	817		
246630	692	881		
247230	723	924		
303636	655	765		
304236	685	801		
304836	713	836		
305436	730	878		
306036	746	906		
306636	760	941		
307236	792	984		

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Corner Cut on Right

TLCR



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
263620	554	686		
264220	581	714		
264820	605	749		
265420	629	792		
266020	645	817		
266620	692	881		
267220	723	924		
303624	554	686		
304224	581	714		
304824	605	749		
305424	629	792		
306024	645	817		
306624	692	881		
307224	723	924		
363630	655	765		
364230	685	801		
364830	713	836		
365430	730	878		
366030	746	906		
366630	760	941		
367230	792	984		

How to Order

					+			
ML MLL	ABC		LH HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2	
		TLC						
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves	
Example	ML	267220	TLC	LH	FM	GRC	ELPF	SH2

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Rounded Cut on Left

TCVL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABC	TCV	HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	207226	TCV	HR	FM	GRC	ELPF	SH2

Prices

Dimensions			ML	MLL
A	B	C		
203626	581	759		
204226	608	795		
204826	628	827		
205426	653	869		
206026	669	897		
206626	721	962		
207226	748	1002		
243630	581	759		
244230	608	795		
244830	628	827		
245430	653	869		
246030	669	897		
246630	721	962		
247230	748	1002		
303636	685	843		
304236	700	877		
304836	715	914		
305436	730	958		
306036	746	984		
306636	760	1009		
307236	792	1052		

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Rounded Cut on Right

TCVR



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

L LL	ABC	TCV	LH HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	267220	TCV	LH	FM	GRC	ELPF	SH2


Prices

Dimensions			ML	MLL
A	B	C		
263620	581	759		
264220	608	795		
264820	628	827		
265420	653	869		
266020	669	897		
266620	721	962		
267220	748	1002		
303624	581	759		
304224	608	795		
304824	628	827		
305424	653	869		
306024	669	897		
306624	721	962		
307224	748	1002		
363630	685	843		
364230	700	877		
364830	715	914		
365430	730	958		
366030	746	984		
366630	760	1009		
367230	792	1052		


Pedestals and Cabinets

Factory-Installed D, E and F Pedestals


DINS



EINS



FINS



Manufacturing Standards


- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock.

For factory installation on freestanding furniture.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Legal Size



X

How to Order

				
	DINS EINS FINS		X	
ML				
series (Appx. B)	code	legal size	handles (p. 206)	
ML	DINS	X		


Prices

Code	ML
DINS	461
DINSX	548
EINS	625
EINSX	712
FINS	625
FINSX	712

Factory-Installed Cabinet with One Door


ARLINS

Door opening to the left



ARRINS

Door opening to the right



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 1 adjustable shelf;
- HJAB handle;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
15	403
18	425

How to Order

					+
ARL ARR		A		HJAB (std)	
ML			INS		
series (Appx. B)	code	width	code	handles (p. 206)	
Example ML	ARL	15	INS	HJAB	

Factory-Installed Two Drawer Lateral Filing Cabinet

CLINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 lateral filing drawers;
- HJAB handles;
- 2 crossbars per file drawer;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
30	716
36	781
42	852



How to Order

					+
		A			HJAB (std)
ML	CL		INS		
series (Appx. B)	code	width	code		handles (p. 206)
Example ML	CL	36	INS		HJAB

Factory-Installed Combination Pedestals

BCCLINS

CBCLINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- 2 crossbars;
- Locks.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
30	1022
36	1093

How to Order

				+
BCCL CBCL		A	HJAB (std)	
ML			INS	
series (Appx. B)	code	width	code	handles (p. 206)
Example ML	BCCL	36	INS	HJAB

Factory-Installed Two Door Cabinet

ARINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 door cabinet;
- 1 adjustable shelf;
- HJAB handles;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
24	553
30	582
36	610
42	652

How to Order

				+	
A					HJAB (std)
ML	AR		INS		
series (Appx. B)	code	width	code		handles (p. 206)
Example	ML	AR	36		INS

Pedestals and Cabinets


Factory Installed
Independent
Mobile Pedestals

Combination Pedestals
Lateral Filing Cabinets




Independent D, E and F Pedestals


DIND



EIND



FIND



Manufacturing Standards


- Pedestals without tops;
- Depth of 17-3/4";
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock.

For installation by client on existing furniture.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Legal Size



X

Prices

Code	ML
DIND	526
DINDX	589
EIND	658
EINDX	716
FIND	658
FINDX	716


How to Order

				+
		DIND EIND FIND	X	
ML				
series (Appx. B)	code	legal size	handles (p. 206)	
Example ML	DIND	X		

Independent Cabinet with One Door


ARLIND

Door opening to the left



ARRIND

Door opening to the right



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 1 adjustable shelf;
- HJAB handle;
- Lock.

For installation by client on existing furniture.

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
15	448
18	468

How to Order

				+
ARL ARR		A	HJAB (std)	
ML			IND	
series (Appx. B)	code	width	code	handles (p. 206)
Example ML	ARL	15	IND	HJAB

Independent Two Drawer Lateral Filing Cabinet

CLIND



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 lateral filing drawers;
- HJAB handles;
- 2 crossbars per file drawer;
- Lock.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
30	752
36	818
42	882

How to Order


					+
		A		IND	HJAB (std)
ML	CL				
series (Appx. B)	code	width	code		handles (p. 206)
Example ML	CL	36	IND		HJAB

Independent Combination Pedestals

BCCLIND



CBCLIND



👍 Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- 2 crossbars;
- Locks.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

💰 Prices


Width	
A	ML
30	1067
36	1133

🛒 How to Order

					+
		BCCL CBCL	A		
ML				IND	
series (Appx. B)	code		width	code	handles (p. 206)
Example ML	BCCL		36	IND	HJAB

Independent Two Door Cabinet

ARIND



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 door cabinet;
- 1 adjustable shelf;
- HJAB handles;
- Lock.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
24	596
30	639
36	668
42	696

How to Order


					+
ML	AR	A	IND	HJAB (std)	
series (Appx. B)	code	width	code	handles (p. 206)	
Example ML	AR	36	IND	HJAB	

Mobile E and F Pedestals - Letter Size

MOBE



MOBF



Manufacturing Standards

- PVC extrusion for lateral opening of drawers;
- E = 2 utility drawers and 1 letter size file drawer;
- F = 2 letter size file drawers;
- Lock;
- 5 casters;
- Height: 27-3/8".

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Counterweight: A 45 lb counterweight is included for pedestals that are 18" deep. If you would like to add a 45 lb counterweight to a pedestal with a different depth, please indicate option (CPDS). Add \$142.

Prices

Depth	
A	ML
18	696
23	696
29	746



How to Order

		E F	A	CPDS	
ML	MOB				
series (Appx. B)	code	pedestal	depth	counter weight	handles (p. 206)
Example ML	MOB	E	23	CPDS	

Mobile E and F Pedestals - Legal Size

MOBXE

MOBXF



Manufacturing Standards

- PVC extrusion for lateral opening of drawers;
- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- Lock;
- 5 casters;
- Height: 27-3/8".

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Counterweight: A 45 lb counterweight is included for pedestals that are 18" deep. If you would like to add a 45 lb counterweight to a pedestal with a different depth, please indicate option (CPDS). Add \$142.

Prices


Depth	
A	ML
18	784
23	784
29	833

How to Order


					+	
		E F	A	CPDS		
ML	MOBX					
series (Appx. B)	code	pedestal	depth	counter weight	handles (p. 206)	
Example	ML	MOBX	E	23	CPDS	

Combination Pedestals

PBCCL



PCBCL



Manufacturing Standards

- BCCL/CBCL: 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- Black interlock locks;
- 2 crossbars;
- Counterweight;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices


Dimensions		
A	B	ML MLL
2030		1210 1285
2036		1243 1369
2430		1231 1347
2436		1308 1431

How to Order


ML MLL		BCCL CBCL		HJAB (std)		PSQ OVAMBL OVAMSN
	A		B			
series (Appx. B)	depth	pedestal	width	handles (p. 206)		legs
Example	ML	20	BCCL	36	HJAB	PSQ

Lateral Filing Cabinets


CL2



CL3



CL4



Manufacturing Standards

- 2, 3 or 4 lateral filing drawers;
- HJAB handles;
- Black interlock locks;
- 2 crossbars per file drawer;
- Counterweight (CL2 only).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

CL2 - 2 lateral filing drawers

Dimensions			
A	B	ML	MLL
2030		840	941
2036	⚡	910	1028
2042		990	1125

2430	897	1014
2436	967	1104
2442	1047	1200

CL3 - 3 lateral filing drawers

Dimensions		
A	B	ML
2030		1276
2036		1341
2042		1447

2430	1334
2436	1397
2442	1503

CL4 - 4 lateral filing drawers

Dimensions		
A	B	ML
2030		1638
2036		1717
2042		1796

2430	1738
2436	1815
2442	1923

How to Order


ML MLL	CL	AB	2 3 4	HJAB (std)	PSQ OVAMBL OVAMSN
series (Appx. B)	code	dimensions	drawers	handles (p. 206)	legs
Example ML	CL	2036	3	HJAB	PSQ

Credenzas




Credenzas with D Pedestals

CDL



CDR



Manufacturing Standards

- One utility drawer and one file drawer on left or right;
- Lock;
- PVC extrusion for lateral opening of drawers;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A B	ML	MLL
2054	790	950
2060	827	999
2066	864	1038
2072	894	1089
2454	834	1015
2460	864	1050
2466	894	1099
2472	925	1150


How to Order

ML MLL	D	AB	D	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	if pedestal on left	dimensions	if pedestal on right	modesty	grommet position	grommet style	
Example ML	D	2060		FM	GRC	ELPF	



Credenzas with D Pedestals

CDD



Manufacturing Standards

- One utility drawer and one file drawer on left and right;
- Locks;
- PVC extrusion for lateral opening of drawers;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	
2060	967	1361
2066	999	1402
2072	1037	1449
2460	1006	1411
2466	1037	1462
2472	1068	1511


How to Order

								+
ML MLL	AB		PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)			
	D		D					
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 206)	
Example	ML	D	2060	D	FM	GRC	ELPF	




Credenzas with E or F Pedestal on Left

CEL



CFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



Grommet Position



Grommet Style



Prices

Dimensions

A	B	ML	MLL
2054		938	1098
2060		975	1148
2066		1013	1185
2072		1044	1237
2084		1162	1327
2454		984	1167
2460		1013	1200
2466		1044	1248
2472		1073	1298
2484		1191	1388


How to Order

ML MLL	E F	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	pedestal	dimensions	modesty	grommet position	grommet style	
Example ML	E	2060	FM	GRC	ELPF	




Credenzas with E or F Pedestal on Right

CER



CFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
2054		938	1098
2060		975	1148
2066		1013	1185
2072		1044	1237
2084		1162	1327
2454		984	1167
2460		1013	1200
2466		1044	1248
2472		1073	1298
2484		1191	1388

How to Order

ML MLL	AB	E F	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	dimensions	pedestal	modesty	grommet position	grommet style	
Example ML	2060	E	FM	GRC	ELPF	

Credenzas

Pedestals

Combination Pedestals
Lateral Filing Cabinet

Cabinets


Combination
Server

Transaction Tops




Credenzas with E or F Pedestal on Left and Right


CEF




CFE



CEE



CFF



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	E F	AB	E F	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 206)
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	
Example ML	E	2060	E	FM	GRC	ELPF	


Prices

Dimensions		
A	B	ML
2060	1267	1461
2066	1296	1500
2072	1332	1550
2084	1461	1639
2460	1274	1469
2466	1304	1515
2472	1341	1565
2484	1467	1653




Credenzas with Combination Pedestal on Left


CEFL




CFEL



CEEL



CFFL



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL		EF FE EE FF	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)		pedestal	dimensions	modesty	grommet position	grommet style	handles (p. 206)
Example ML		EF	2060	FM	GRC	ELPF	HJAB


Prices

Dimensions		
A	B	
2060	1272	1461
2066	1298	1500
2072	1334	1550
2084	1395	1639
2460	1297	1512
2466	1329	1560
2472	1391	1611
2484	1422	1702




Credenzas with Combination Pedestal on Right


CEFR




CFER



CEER



CFFR



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

How to Order

ML MLL	AB	EF FE EE FF	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	dimensions	pedestal	modesty	grommet position	grommet style	handles (p. 206)
Example ML	2060	EF	FM	GRC	ELPF	HJAB


Prices

Dimensions		
A	B	ML
2060	1272	1461
2066	1298	1500
2072	1334	1550
2084	1395	1639
2460	1297	1512
2466	1329	1560
2472	1391	1611
2484	1422	1702



Credenzas with Combination Pedestal on Left

CCBCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		C		AB		PM SM FM (std)		GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	CBCL	pedestal width	dimensions	modesty	grommet position	grommet style	handles (p. 206)			
Example ML	CBCL	30	2060	FM	GRC	ELPF	HJAB			


Prices

Dimensions A B C			ML	MLL
206030	1407	1656		
206630	1447	1698		
207230	1490	1747		
208430	1572	1834		
246030	1467	1723		
246630	1506	1764		
247230	1549	1813		
248430	1641	1913		
206036	1490	1744		
206636	1525	1765		
207236	1566	1831		
208436	1654	1922		
246036	1549	1809		
246636	1589	1849		
247236	1631	1899		
248436	1721	1999		



Credenzas with Combination Pedestal on Right

CBCCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		AB	C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)		dimensions	pedestal	pedestal width	modesty	grommet position	grommet style
Example ML		2060	BCCL	30	FM	GRC	ELPF


Prices

Dimensions A B C			ML	MLL
206030	1407	1656		
206630	1447	1698		
207230	1490	1747		
208430	1572	1834		
246030	1467	1723		
246630	1506	1764		
247230	1549	1813		
248430	1641	1913		
206036	1490	1744		
206636	1525	1765		
207236	1566	1831		
208436	1654	1922		
246036	1549	1809		
246636	1589	1849		
247236	1631	1899		
248436	1721	1999		



Credenzas with Lateral Filing Cabinet on Left

CCLL



Manufacturing Standards

- 2 lateral file drawers;
- HJAB handles;
- Lock;
- 2 crossbars per file drawer;
- Flush modesty;
- Height: 29".

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Dimensions				
A	B	C	ML	MLL
206030	1119	1322		
206630	1149	1370		
207230	1178	1406		
208430	1237	1462		
246030	1178	1394		
246630	1209	1435		
247230	1237	1484		
248430	1296	1575		
206036	1131	1366		
206636	1162	1407		
207236	1191	1458		
208436	1251	1548		
246036	1191	1478		
246636	1222	1521		
247236	1251	1570		
248436	1311	1661		
206042	1265	1453		
206642	1292	1493		
207242	1328	1545		
208442	1386	1631		
246042	1347	1565		
246642	1374	1608		
247242	1406	1657		
248442	1465	1747		

Options


Modesty



Grommet Position



Grommet Style




How to Order

ML MLL		C		AB		PM SM FM (std)		GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
	CL									
series (Appx. B)	left pedestal	pedestal width	dimensions	modesty						handles (p. 206)
Example	ML	CL	30	2060	FM			GRC	ELPF	HJAB



Credenzas with Lateral Filing Cabinet on Right

CCLR



Manufacturing Standards

- 2 lateral file drawers;
- HJAB handles;
- Lock;
- 2 crossbars per file drawer;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	AB	CL	C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	dimensions	right pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 206)
Example ML	2060	CL	30	FM	GRC	ELPF	HJAB


Prices

Dimensions			ML	MLL
A	B	C		
206030	1119	1322		
206630	1149	1370		
207230	1178	1406		
208430	1237	1462		
246030	1178	1394		
246630	1209	1435		
247230	1237	1484		
248430	1296	1575		
206036	1131	1366		
206636	1162	1407		
207236	1191	1458		
208436	1251	1548		
246036	1191	1478		
246636	1222	1521		
247236	1251	1570		
248436	1311	1661		
206042	1265	1453		
206642	1292	1493		
207242	1328	1545		
208442	1386	1631		
246042	1347	1565		
246642	1374	1608		
247242	1406	1657		
248442	1465	1747		



Credenzas with Cabinet on Left

CARL



Manufacturing Standards

- 2 door cabinet;
- HJAB handles;
- Lock;
- 1 adjustable shelf;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	AR	C	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	cabinet	cabinet width	dimensions	modesty	grommet position	grommet style	handles (p. 206)
Example ML	AR	30	2060	FM	GRC	ELPF	HJAB


Prices

Dimensions			ML	MLL
A	B	C		
206030	1006	1160		
206630	1037	1204		
207230	1068	1246		
208430	1119	1327		
246030	1021	1199		
246630	1068	1258		
247230	1108	1314		
248430	1191	1426		
206036	1037	1194		
206636	1068	1236		
207236	1103	1282		
208436	1162	1366		
246036	1068	1246		
246636	1095	1287		
247236	1131	1338		
248436	1214	1428		
206042	1092	1241		
206642	1118	1282		
207242	1154	1330		
208442	1215	1423		
246042	1120	1294		
246642	1125	1317		
247242	1184	1390		
248442	1237	1482		



Credenzas with Cabinet on Right

CARR



Manufacturing Standards

- 2 door cabinet;
- HJAB handles;
- Lock;
- 1 adjustable shelf;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



Grommet Position



Grommet Style



How to Order

					+		
ML MLL	AB		C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
		AR					
series (Appx. B)	dimensions	cabinet	cabinet width	modesty	grommet position	grommet style	handles (p. 206)
ML	2060	AR	30	FM	GRC	ELPF	HJAB


Prices

Dimensions			ML	MLL
A	B	C		
206030	1006	1160		
206630	1037	1204		
207230	1068	1246		
208430	1119	1327		
246030	1021	1199		
246630	1068	1258		
247230	1108	1314		
248430	1191	1426		
206036	1037	1194		
206636	1068	1236		
207236	1103	1282		
208436	1162	1366		
246036	1068	1246		
246636	1095	1287		
247236	1131	1338		
248436	1214	1428		
206042	1092	1241		
206642	1118	1282		
207242	1154	1330		
208442	1215	1423		
246042	1120	1294		
246642	1125	1317		
247242	1184	1390		
248442	1237	1482		



Combination Credenzas with Cabinets

ARAR



Manufacturing Standards

- 2 cabinet sections;
- HJAB handles;
- Locks;
- 2 adjustable shelves;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			
A	B	ML	MLL
2060		1215	1373
2066		1251	1437
2072		1288	1487
2084		1467	1600
2460		1251	1449
2466		1288	1506
2472		1332	1562
2484		1513	1670

How to Order


ML MLL	AB	HJAB (std)	
		ARAR	
series (Appx. B)	dimensions	code	handles (p. 206)

Example ML 2060 ARAR HJAB




Combination Credenzas with Lateral File Drawers and Cabinet

ARCL



CLAR



Manufacturing Standards

- 1 lateral file drawer and 1 cabinet on left or right;
- HJAB handles;
- Locks;
- Adjustable shelf;
- 2 crossbars per file drawer;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			
A	B	ML	MLL
2060		1423	1672
2066		1453	1720
2072		1490	1778
2084		1566	1891
2460		1526	1814
2466		1560	1872
2472		1595	1931
2484		1714	2036

How to Order


ML MLL	AB	ARCL CLAR	HJAB (std)
series (Appx. B)	dimensions	code	handles (p. 206)

Example ML 2060 ARCL HJAB



Combination Credenzas with Lateral File Drawers

CLCL



Manufacturing Standards

- 2 sets of lateral file drawers;
- HJAB handles;
- Locks;
- 2 crossbars per file drawer;
- Counterweight;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions		
A	B	
2060	1618	1802
2066	1699	1897
2072	1773	1993
2084	1990	2184
2460	1773	1993
2466	1855	2088
2472	1930	2185
2484	2139	2376


How to Order

ML MLL	AB	HJAB (std)	
		CLCL	
series (Appx. B)	dimensions	code	handles (p. 206)
Example ML	2060	CLCL	HJAB



Server Credenzas

SCARAR



Manufacturing Standards

- 2 cabinet sections;
- HJAB handles;
- Locks;
- 2 adjustable shelves per cabinet;
- Height: 36".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML	MLL
A	B	C		
206036	1566	1749		
206636	1646	1845		
207236	1721	1940		
208436	1937	2132		
246036	1721	1940		
246636	1803	2036		
247236	1877	2133		
248436	2086	2324		


How to Order

					HJAB (std)
ML MLL	AB		C		
		SCARAR	36		
series (Appx. B)	dimensions	code	height	handles (p. 206)	
Example	ML	2060	SCARAR	36	HJAB



Transaction Tops

RS



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions

A	B	C	ML	MLL
126	0	13	297	406
126	6	13	314	434
127	2	13	329	458
128	4	13	358	507

How to Order


ML MLL	AB	RS	C
		RS	13
series (Appx. B)	dimensions	code	height

Example ML 1260 RS 13



Convex Transaction Tops

RSCX



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions				ML	MLL
A	B	C	D		
121560	13			446	586
121566	13			464	615
121572	13			476	641
121584	13			506	695

How to Order


ML MLL	ABC	D	
		RS	13
series (Appx. B)	dimensions	code	height

Example ML 121560 RS 13




Transaction-top Extensions

RSL



RSR



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions			ML	MLL
A	B	C		
124	21	3	239	316
124	8	13	253	340
125	4	13	269	368
126	0	13	284	391

How to Order

ML MLL	AB	RS	C 13	L R
series (Appx. B)	dimensions	code	height	return location
Example ML	1242	RS	13	L

Hutches and Wall Storage

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit

Wall Shelves


Tackboards



Cabinet Hutches with One Door


HARL

Door opening to the left



HARR

Door opening to the right



Manufacturing Standards

- HJAB handle;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Options

Lock



LK

\$34 ea.

How to Order

		AB	HARL HARR	C	HJAB (std)	LKBL LKSN	
ML							
series (Appx. B)	dimensions		code	height	handles (p. 206)	lock (p. 216)	
Example	ML	1620	HARL	43	HJAB	LKBL	

Prices

Dimensions

A	B	C	ML
161837			441
162037			474
162437			504

161843	485
162043	518
162443	548

161855	530
162055	562
162455	592

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches

Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches


Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Cabinet Hutches with One Glass Door


HARLFL

Door opening to the left



HARRFL

Door opening to the right



Manufacturing Standards

- Aluminum-frame door with white glass (V4) and built-in aluminum handle;
- Soft-close door;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Prices

Dimensions			
A	B	C	ML
161837			761
162037			830
162437			931
161843			859
162043			930
162443			1046
161855			1007
162055			1091
162455			1227

How to Order

ML	AB	HARLFL HARRFL	C	KB PL V4 (std)
series (Appx. B)	dimensions	code	height	glass

Example ML 1620 HARLFL 43 V4

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches

Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches



Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Cabinet Hutches with One Glass Door

HARLPV

HARRPV



Manufacturing Standards

- Satin nickel aluminum frame;
- Adjustable shelves;
- HJA handle;

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 37" and 43" units.

Options

Lock



LK
\$34 ea.

How to Order

ML	AB	HARLPV HARRPV	C	V4 KB PL VS (std)	HJA (std)	LKBL LKSN
series (Appx. B)	dimensions	code	height	glass	handles (p. 206)	lock (p. 216)
Example ML	1620	HARLPV	43	VS	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
161837			761
162037			830
162437			931
161843			859
162043			930
162443			1046
161855			1007
162055			1091
162455			1227

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Doors

HAR



Manufacturing Standards

- HJAB handles;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Options

Lock



LK
\$34 ea.

How to Order

				HJAB (std)		LKBL LKSN
ML	AB	HAR	C			
series (Appx. B)	dimensions	code	height	handles (p. 206)	lock (p. 216)	
Example ML	1636	HAR	43	HJAB	LKSN	

Prices

Dimensions			ML
A	B	C	
163037			695
163637			725
164237			768
163043			774
163643			803
164243			846
163055			855
163655			884
164255			927

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Glass Doors

HARFL



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;

55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Prices

Dimensions

A	B	C	ML
163037			1390
163637			1419
164237			1547

163043	1430
163643	1609
164243	1747

163055	1757
163655	1964
164255	2139

How to Order

ML	AB	HARFL	C	KB PL V4 (std)
series (Appx. B)	dimensions	code	height	glass

Example ML 1636 HARFL 43 V4

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Glass Doors

HARPV



Manufacturing Standards

- Satin nickel aluminum frame;
- Adjustable shelves;
- HJA handles;

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 37" and 43" units.

Options

Lock



LK
\$34 ea.

How to Order

AB		C		V4 KB PL VS (std)	HJA (std)	LKBL LKSN
ML		HARPV				
series (Appx. B)	dimensions	code	height	glass	handles (p. 206)	lock (p. 216)
Example ML	1636	HARPV	43	VS	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
163037			1390
163637			1419
164237			1547
163043			1430
163643			1609
164243			1747
163055			1757
163655			1964
164255			2139

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
 Adjustable Shelf Hutches

Wall Hutches
 Wall Hutches / Pigeon Hole Unit
 Desk Hutches


Desk Hutches / Pigeon Hole Unit
 Wall Shelves
 Tackboards




Corner Hutches

HOBL

HOBR



Wood Grain Direction



Manufacturing Standards


- Adjustable shelves.

Adjustable Shelves:
 37" - 43" high: 2 adjustable shelves;
 55" high: 3 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

Prices

Dimensions

A	B	C	ML
161837			483
161843			522
161855			558

How to Order

		AB	HOBL HOBR	C		
ML						
series (Appx. B)	dimensions		code	height	shelves	
Example	ML	1618	HOBL	43	SH	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Adjustable Shelf Hutches

HAS



Leg Bases



Manufacturing Standards


- Horizontal wood grain on back panel;
- Vertical middle panel on hutches 54" wide or more;
- Flexible grommet on back.

A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Options

Tackboard



LI
TB

How to Order

ML	AB	HAS	C	TB LI	HH HR LH LR (std)
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base
Example ML	1636	HAS	43	TB	LR

Prices

Dimensions			ML
A	B	C	
163037			610
163637			632
164237			709
164837			746
165437			797
166037			827
166637			880
167237			984
168437			1169
163043			650
163643			671
164243			782
164843			820
165443			870
166043			894
166643			952
167243			1056
168443			1259

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Retractable Doors

HZW



Manufacturing Standards

- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions

A	B	ML
1630		671
1636		709
1642		746
1648		782
1654		894
1660		961
1666		1006
1672		1044
1684		1152

How to Order

AB			LKBL LKSN		
ML		HZW			
series (Appx. B)	dimensions	code	lock (p. 216)	dividers	handles (p. 206)
Example	ML	1636	HZW	LKSN	DVD

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Doors

HPW



Manufacturing Standards

- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

AB			LKBL LKSN		
ML		HPW			
series (Appx. B)	dimensions	code	lock (p. 216)	dividers (p. 215)	handles (p. 206)
Example	ML	1636	HPW	LKSN	DVD

Prices

Dimensions		
A	B	ML
1630		424
1636		483
1642		544
1648		604
1654		685
1660		746
1666		810
1672		842
1684		920

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors

HPFLW



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Soft-close doors;
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options


Pre-drilled Holes with 3 Dividers



DVD

\$21

Handles



H001

\$11 ea.

Prices

Dimensions

A	B	ML
1630		653
1636		741
1642		853
1648		992
1654		1134
1660		1253
1666		1367
1672		1451
1684		1651

How to Order

					+	
AB			KB PL V4 (std)	DVD	H001	
ML		HPFLW				
series (Appx. B)	dimensions	code	glass	dividers	handles	
Example	ML	1636	HPFLW	V4	DVD	H001

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors

HPVW



Manufacturing Standards

- Satin nickel aluminum frames;
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions



A	B	ML
1630		653
1636		741
1642		853
1648		992
1654		1134
1660		1253
1666		1367
1672		1451
1684		1651

How to Order

AB		VS (std)		LKBL LKSN		DVD
ML		HPVW				
series (Appx. B)	dimensions	code	glass	lock (p. 216)	dividers	handles (p. 206)
Example ML	1636	HPVW	VS	LKSN	DVD	

Wall Hutches with Retractable Doors and Pigeon Hole Unit

HZPGW



Manufacturing Standards

- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions

A	B	ML
1630		953
1636		990
1642		1058
1648		1095
1654		1252
1660		1319
1666		1400
1672		1437
1684		1578

How to Order

AB			LKBL LKSN		
ML		HZPGW		DVD	
series (Appx. B)	dimensions	code	lock (p. 216)	dividers	handles (p. 206)
Example ML	1636	HZPGW	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Doors and Pigeon Hole Unit

HPPGW



Manufacturing Standards

- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Lock

LK
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

How to Order

ML	AB	HPPGW	LKBL LKSN	DVD	handles (p. 206)
series (Appx. B)	dimensions	code	lock (p. 216)	dividers	
Example ML	1636	HPPGW	LKSN	DVD	

Prices

Dimensions	
A B	ML
1630	709
1636	768
1642	857
1648	917
1654	1044
1660	1104
1666	1204
1672	1235
1684	1358

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors and Pigeon Hole Unit

HPFLPGW



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Soft-close doors;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Pre-drilled Holes with 3 Dividers

DVD
\$21

Handles

H001
\$11 ea.

Prices

Dimensions		
A	B	ML
1630		902
1636		1008
1642		1134
1648		1293
1654		1475
1660		1594
1666		1737
1672		1828
1684		2060

How to Order

ML	AB	HPFLPGW	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	glass	dividers	handles
Example ML	1636	HPFLPGW	V4	DVD	H001

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors and Pigeon Hole Unit

HPVPGW



Manufacturing Standards

- Satin nickel aluminum frames;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Lock

LK
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

Prices

Dimensions		
A	B	ML
1630		902
1636		1008
1642		1134
1648		1293
1654		1475
1660		1594
1666		1737
1672		1828
1684		2060

How to Order

ML	AB	HPVPGW	V4 KB PL VS (std)	LKBL LKSN	DVD	+
series (Appx. B)	dimensions	code	glass	serrure (p. 216)	dividers	handles (p. 206)
Example ML	1636	HPVPGW	VS	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Open Hutches

HO



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back;
- Vertical middle panel on hutches 54" wide or more.


A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.


Options

Tackboard



LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

ML	AB	HO	C	TB LI	HH HR LH LR (std)	DVD
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	dividers
Example ML	1636	HO	43	TB	LR	DVD

Prices

Dimensions		
A	B	C ML
163037		424
163637		471
164237		515
164837		568
165437		626
166037		655
166637		685
167237		746
168437		894
163043		487
163643		526
164243		575
164843		621
165443		680
166043		698
166643		728
167243		880
168443		1006

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Retractable Doors

HZ



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions			ML
A	B	C	
163037			801
163637			860
164237			902
164837			975
165437			1118
166037			1158
166637			1201
167237			1304
168437			1386

163043	873
163643	935
164243	962
164843	1028
165443	1192
166043	1210
166643	1267
167243	1415
168443	1513

How to Order

AB		C		TB	HH HR LH LR (std)	LKBL LKSN	DVD	
ML		HZ		LI				
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	lock (p. 216)	dividers	handles (p. 206)
Example ML	1636	HZ	37	TB	LR	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Doors

HP



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

AB		C		TB	HH HR LH LR (std)	LKBL LKSN	DVD	
ML	HP			LI				
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	lock (p. 216)	dividers	handles (p. 206)
Example ML	1636	HP	43	TB	LR	LKSN	DVD	

Prices

Dimensions		ML
A	B C	
163037		590
163637		660
164237		689
164837		752
165437		935
166037		940
166637		975
167237		1049
168437		1139
163043		654
163643		730
164243		760
164843		833
165443		999
166043		1044
166643		1079
167243		1158
168443		1289

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPFL



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



How to Order

AB		C		TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD H001	
ML	HPFL							
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	dividers	handles
Example ML	1636	HPFL	43	TB	LR	V4	DVD	H001

Prices

Dimensions	
A B C	ML
163037	864
163637	961
164237	1044
164837	1184
165437	1423
166037	1484
166637	1572
167237	1714
168437	2198
163043	952
163643	1068
164243	1149
164843	1288
165443	1525
166043	1589
166643	1675
167243	1846
168443	2363

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPV



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Satin nickel aluminum frames;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

ML	AB	HPV	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	LKBL LKSN	DVD	handles (p. 206)
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	lock (p. 216)	dividers	
Example ML	1636	HPV	43	TB	LR	VS	LKSN	DVD	

Prices

Dimensions	
A B C	ML
163037	864
163637	961
164237	1044
164837	1184
165437	1423
166037	1484
166637	1572
167237	1714
168437	2198
163043	952
163643	1068
164243	1149
164843	1288
165443	1525
166043	1589
166643	1675
167243	1846
168443	2363

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Doors

HPA



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions			ML
A	B	C	
163055			1108
163655			1178
164255			1274
164855			1378
165455			1608
166055			1691
166655			1788
167255			1833
168455			2002

How to Order

AB		C		TB	LI	HH HR LH LR (std)	LKBL LKSN	DVD	handles
ML		HPA	55						
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	lock (p. 216)	dividers	handles (p. 206)	
Example ML	1636	HPA	55	TB	LR	LKSN	DVD		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPAFL



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



How to Order

How to Order								
ML	AB	HPAFL	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	dividers	handles
Example ML	1636	HPAFL	55	TB	LR	V4	DVD	H001

Prices

Dimensions			ML
A	B	C	
163055			1631
163655			1801
164255			2010
164855			2218
165455			2207
166055			2744
166655			2942
167255			3098
168455			3476

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPAV



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- One adjustable shelf per section;
- Satin nickel aluminum frames;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.


Options

Tackboard



LI
TB

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

How to Order								
ML	AB	HPAV	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	DVD	+
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	dividers	handles (p. 206)
Example ML	1636	HPAV	55	TB	LR	VS	DVD	

Prices

Dimensions			ML
A	B	C	
163055			1631
163655			1801
164255			2010
164855			2218
165455			2207
166055			2744
166655			2942
167255			3098
168455			3476

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Open Hutches with Pigeon Hole Unit

HOPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Vertical middle panel on hutches 54" wide or more;
- Task light concealer;
- Flexible grommet on back.


Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.


Options

Tackboard



LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

							+
ML	AB	HOPG	C	TB LI	HH HR LH LR (std)	DVD	
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	dividers	
Example ML	1636	HOPG	43	TB	LR	DVD	

Prices

Dimensions		ML
A	B C	
163037		707
163637		754
164237		830
164837		881
165437		984
166037		1012
166637		1077
167237		1178
168437		1319
163043		770
163643		786
164243		890
164843		936
165443		1037
166043		1055
166643		1121
167243		1274
168443		1400

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Retractable Doors and Pigeon Hole Unit

HZPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD

\$21

Prices

Dimensions			ML
A	B	C	
163037			1085
163637			1143
164237			1216
164837			1289
165437			1476
166037			1517
166637			1559
167237			1698
168437			1797

How to Order

AB		C		TB	LI	HH HR LH LR (std)	LKBL LKSN	DVD	+
ML		HZPG							
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	lock (p. 216)	dividers	handles (p. 206)	
Example ML	1636	HZPG	43	TB	LR	LKSN	DVD		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Doors and Pigeon Hole Unit

HPPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

How to Order								
ML	AB	HPPG	C	TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	+
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	lock (p. 216)	dividers	handles (p. 206)
Example ML	1636	HPPG	43	TB	LR	LKSN	DVD	

Prices

Dimensions

A	B	C	ML
163037			873
163637			943
164237			1000
164837			1067
165437			1306
166037			1298
166637			1369
167237			1443
168437			1572

163043	938
163643	980
164243	1046
164843	1120
165443	1350
166043	1374
166643	1431
167243	1517
168443	1624

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Glass Doors and Pigeon Hole Unit

HPFLPG



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- Pigeon hole compartment interiors are 2-3/8";
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



How to Order

Example								
ML	AB	HPFLPG	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	dividers	handles
ML	1636	HPFLPG	43	TB	LR	V4	DVD	H001

Prices

Dimensions			
A	B	C	ML
163037			1129
163637			1230
164237			1318
164837			1473
165437			1760
166037			1833
166637			1935
167237			2080
168437			2570

163043	1292
163643	1410
164243	1510
164843	1681
165443	1985
166043	2070
166643	2187
167243	2350
168443	2869

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPVPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Satin nickel aluminum frames;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LK
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

ML	AB	HPVPG	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	LKBL LKSN	DVD	handles (p. 206)
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	lock (p. 216)	dividers	
Example ML	1636	HPVPG	43	TB	LR	VS	LKSN	DVD	

Prices

Dimensions	
A B C	ML
163037	1129
163637	1230
164237	1318
164837	1473
165437	1760
166037	1833
166637	1935
167237	2080
168437	2570

163043	1292
163643	1410
164243	1510
164843	1681
165443	1985
166043	2070
166643	2187
167243	2350
168443	2869

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Doors and Pigeon Hole Unit

HPAPG



Leg Bases



55" high hutch

Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard

LI
TB

Lock

LK
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

How to Order

ML	AB	HPAPG	C	TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	handles (p. 206)
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	lock (p. 216)	dividers	
Example ML	1636	HPAPG	55	TB	LR	LKSN	DVD	

Prices

Dimensions	
A B C	ML
163055	1391
163655	1451
164255	1589
164855	1668
165455	1957
166055	2049
166655	2166
167255	2210
168455	2388

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPAFLPG



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Soft-close doors;
- One adjustable shelf per section;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.


Options

Tackboard



LI
TB


Pre-drilled Holes with 3 Dividers



DVD

\$21

Handles



H001

\$11 ea.

How to Order

How to Order								
ML	AB	HPAFLPG	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	dividers	handles
Example ML	1636	HPAFLPG	55	TB	LR	V4	DVD	H001

Prices

Dimensions			ML
A	B	C	
163055			1903
163655			2078
164255			2294
164855			2517
165455			2897
166055			3096
166655			3312
167255			3473
168455			3858

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPAVPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Satin nickel aluminum frames;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard
LI
TB

Pre-drilled Holes with 3 Dividers
DVD
\$21

How to Order

ML	AB	HPAVPG	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	DVD	handles (p. 206)
series (Appx. B)	dimensions	code	height	tackboard (p. 158)	leg base	glass	dividers	
Example ML	1636	HPAVPG	55	TB	LR	VS	DVD	

Prices

Dimensions A B C	ML
163055	1903
163655	2078
164255	2294
164855	2517
165455	2897
166055	3096
166655	3312
167255	3473
168455	3858

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards




Wall Shelves

WWS



WWST



Manufacturing Standards


- 12" high interior;
- Z-bars for wall mounting (hardware not included);

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

ML	AB	WWS WWST	DVD
series (Appx. B)	dimensions	code	dividers
Example ML	1636	WWS	DVD

Prices

WWS - Wall Shelf (no top)

Dimensions		
A	B	ML
1336		284
1342		321
1348		440
1354		522
1360		650
1372		671

WWST - Wall Shelf (with top)

Dimensions		
A	B	ML
1336		334
1342		350
1348		476
1354		551
1360		671
1372		709

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Fabric Tackboards for Hutches

TB



Manufacturing Standards

Standard Fabric: Please choose from the Logiflex color chart.

Chair Fabric: Please submit a quotation request providing the following information: manufacturer's name, pattern name/number and color name/number. Price available upon request.

COM Fabric: (Provided by the customer). COM fabrics must be sent directly to your Customer Service Representative, **Prepaid**. It is important to indicate the reference number of your purchase order on the package containing your fabric.

Tackboards with COM Fabric:
30" - 42" tackboards = 1.5 yards
48" - 60" tackboards = 2 yards
66" - 78" tackboards = 2.5 yards
84" - 96" tackboards = 3 yards

Tackboards for Existing Hutches:
If ordering a tackboard for an existing hutch, please specify the code of the existing hutch. Logiflex can then make the tackboard to the exact dimensions for easy installation of the product.

Prices


Dimensions B	COM	GR1	GR2	GR3	GR4	GR5
30	155	239	282	315	348	371
36	155	239	282	315	348	371
42	155	239	282	315	348	371
48	155	239	282	315	348	371
54	155	239	282	315	348	371
60	155	314	357	391	415	428
66	155	314	357	391	415	428
72	155	350	393	426	461	485
84	180	389	463	465	500	512

How to Order

ML	B	TB	GR1 GR2 GR3 GR4 GR5 COM	ex: 37, 43, 55	ex: HPPG, HOPG	See Logiflex color chart or COM fabric number
series	dimensions	code	fabric	existing hutch height	hutch code (for existing hutch)	fabric
Example ML	30	TB	GR1			

Fabric Tackboards and Display Boards

TBW



Manufacturing Standards

- Spaces on back to allow for passage of wiring;
- Attaches to wall with Velcro system.

Standard Fabric: Please choose from the Logiflex color chart.

Chair Fabric: Please submit a quotation request providing the following information: manufacturer's name, pattern name/number and color name/number. Price available upon request.

COM Fabric: (Provided by the customer). COM fabrics must be sent directly to your Customer Service Representative, **Prepaid**. It is important to indicate the reference number of your purchase order on the package containing your fabric.

Tackboards with COM Fabric:

30" - 42" tackboards = 1.5 yards

48" - 60" tackboards = 2 yards

66" - 72" tackboards = 2.5 yards

84" tackboards = 3 yards

Prices


Dimensions		COM	GR1	GR2	GR3	GR4	GR5
A	B						
2430		155	239	282	315	348	371
2436		155	239	282	315	348	371
2442		155	239	282	315	348	371
2448		155	239	282	315	348	371
2454		155	239	282	315	348	371
2460		155	314	357	391	415	428
2466		155	314	357	391	415	428
2472		155	350	393	426	461	485
2484		180	389	463	465	500	512

How to Order

AB		TBW	GR1 GR2 GR3 GR4 GR5 COM	See Logiflex color chart or COM fabric number
ML				
series	dimensions	code	fabric	fabric
Example ML	2442	TBW	GR1	

Cork Tackboards for Hutches

LI



Manufacturing Standards

Tackboards for Existing Hutches:
If ordering a tackboard for an existing hutch, please specify the code of the existing hutch. Logiflex can then make the tackboard to the exact dimensions for easy installation of the product.

Prices


Dimensions	
B	
30	239
36	239
42	239
48	239
54	239
60	314
66	314
72	350
84	389

How to Order

B		ex: 37, 43, 55		ex: HPPG, HOPG	
ML		LI			
series	dimensions	code	existing hutch height	hutch code (for existing hutch)	
Example ML	30	LI			

Cork Tackboards and Display Boards

LIW



Manufacturing Standards

- Spaces on back to allow for passage of wiring;
- Attaches to wall with Velcro system.

Prices

Dimensions	
A	B
2430	239
2436	239
2442	239
2448	239
2454	239
2460	314
2466	314
2472	350
2484	389

How to Order


AB		
ML		LIW
series	dimensions	code
Example ML	2442	LIW

Bookcases and Cabinets




Corner Bookcases


BBC



Woodgrain Direction




Left (L)



Right (R)

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		L R	SH
	BB		C		
series (Appx. B)	code	dimensions	code	wood grain direction	shelves
Example ML	BB	151529	C	L	SH

Manufacturing Standards

- 1" thick adjustable shelves;
- Shelf brackets.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 17


Prices

Dimensions			ML	MLL
A	B	C		
121229			643	705
121236			683	
121242			712	
121248			751	
121254			788	
121260			834	
121266			878	
121272			907	
121284			937	
151529			707	736
151536			742	
151542			771	
151548			810	
151554			840	
151560			878	
151566			907	
151572			921	
151584			951	
202029			742	815
202036			771	
202042			804	
202048			834	
202054			862	
202060			891	
202066			921	
202072			951	
202084			982	
242429			771	832
242460			921	
242466			949	
242472			981	
242484			1009	
303029			921	1026




30" Bookcases with Masonite Back


BB1230



BB1530



BB2030



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- Black masonite back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves

SH

How to Order


ML MLL		ABC		SH
	BB			
series (Appx. B)	code	dimensions	shelves	
Example	ML	BB	153029	SH

Prices


Dimensions				
A	B	C	ML	MLL
123029			358	414
123036			373	
123042			381	
123048			394	
123054			411	
123060			424	
123066			455	
123072			568	
123084			671	
153029			440	509
153036			455	
153042			476	
153048			492	
153054			515	
153060			522	
153066			573	
153072			663	
153084			700	
203029			470	557
203036			483	
203042			506	
203048			522	
203054			544	
203060			551	
203066			618	
203072			692	
203084			730	

30" Bookcases with Laminate Back


BBL1230



BBL1530



BBL2030



Manufacturing Standards

- 1" thick adjustable shelves;
- Shelf brackets;
- 5/8" thick laminate back.


Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML MLL	ABC	SH
BBL		
series (Appx. B)	code	dimensions
Example ML	BBL	153029 SH


Prices

Dimensions A B C	ML	MLL
123029	440	500
123036	470	
123042	500	
123048	515	
123054	528	
123060	551	
123066	581	
123072	692	
123084	782	
153029	460	521
153036	490	
153042	520	
153048	533	
153054	548	
153060	572	
153066	602	
153072	713	
153084	818	
203029	551	616
203036	581	
203042	618	
203048	632	
203054	655	
203060	671	
203066	709	
203072	820	
203084	864	




36" Bookcases with Masonite Back


BB1236



BB1536



BB2036



Manufacturing Standards

- 1" thick adjustable shelves;
- Shelf brackets;
- Black masonite back.


Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order


ML MLL	BB	ABC	SH
series (Appx. B)	code	dimensions	shelves
Example ML	BB	153629	SH

Prices


Dimensions		
A	B	C
ML	MLL	
123629	394	459
123636	411	
123642	424	
123648	440	
123654	455	
123660	470	
123666	500	
123672	610	
123684	692	
153629	476	557
153636	492	
153642	515	
153648	528	
153654	551	
153660	558	
153666	587	
153672	700	
153684	738	
203629	506	607
203636	522	
203642	544	
203648	558	
203654	581	
203660	587	
203666	655	
203672	730	
203684	768	

36" Bookcases with Laminate Back


BBL1236



BBL1536



BBL2036



Manufacturing Standards

- 1" thick adjustable shelves;
- Shelf brackets;
- 5/8" thick laminate back.


Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order



ML MLL	ABC	SH
BBL		
series (Appx. B)	code	dimensions
Example ML	BBL	153629 SH

Prices

Dimensions A B C	ML	MLL
123629	476	536
123636	506	
123642	534	
123648	551	
123654	568	
123660	587	
123666	626	
123672	738	
123684	827	
153629	497	563
153636	526	
153642	554	
153648	572	
153654	585	
153660	607	
153666	646	
153672	758	
153684	845	
203629	587	657
203636	618	
203642	655	
203648	671	
203654	692	
203660	709	
203666	746	
203672	857	
203684	901	

Display Cases with 5 Angled Shelves

MD5



Manufacturing Standards

- 5 angled shelves with fixed horizontal shelves underneath.

Prices

Dimensions



A	B	ML
1830		1489
1836		1530
1842		1610

How to Order

AB		
ML		MD5
series (Appx. B)	dimensions	code
Example ML	1836	MD5

Display Cases with 3 Angled Shelves and 2 Door Cabinet

MD3AR



Manufacturing Standards

- 3 angled shelves with fixed horizontal shelves underneath;
- HJAB handles;
- 2-door cabinet with 1 adjustable shelf;
- Lock.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions

A	B	ML
1830		1449
1836		1489
1842		1569

How to Order


AB			
ML		MD3AR	
series (Appx. B)	dimensions	code	handles (p. 206)
Example ML	1836	MD3AR	



Wardrobes with One Door


VL

Door opening to the left



VR

Door opening to the right



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handle;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML
A	B	C	
201866			638
202466			730
241866			781
242466			820
201872			698
202472			792
241872			841
242472			901
201884			820
202484			899
241884			963
242484			1022

How to Order


					+
ML	ABC	VL VR	PSQ OVAMBL OVAMSN	HJAB (std)	
series (Appx. B)	dimension	code	legs (p. 207)	handles (p. 206)	
Example ML	202466	VL	PSQ	HJAB	



Wardrobes with One Glass Door


VLFL

Door opening to the left



VRFL

Door opening to the right



Manufacturing Standards

- Aluminum-frame door with white glass (V4) and built-in aluminum handle;
- Soft-close door;
- 5/8" laminate back;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

Dimensions			ML
A	B	C	
201866			1279
202466			1555
241866			1422
242466			1696
201872			1399
202472			1692
241872			1541
242472			1832
201884			1686
202484			2017
241884			1830
242484			2144

How to Order

ML	ABC	VLFL VRFL	KB PL V4 (std)	PSQ OVAMBL OVAMSN
series (Appx. B)	dimension	code	glass	legs (p. 207)


Example ML 202466 VLFL V4 PSQ



Wardrobes with One Glass Door


VLPV

Door opening to the left



VRPV

Door opening to the right



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJA handle;
- 5/8" laminate back;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 66" and 72" units.

Options

Lock



LK

\$34 ea.

How to Order

ML	ABC	VLPV VRPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN
series (Appx. B)	dimension	code	glass	legs (p. 207)	handles (p. 206)	lock (p. 216)
Example	ML	202466	VLPV	VS	PSQ	HJA


Prices

Dimensions	
A B C	ML
201866	1279
202466	1555
241866	1422
242466	1696
201872	1399
202472	1692
241872	1541
242472	1832
201884	1686
202484	2017
241884	1830
242484	2144



Wardrobes with Two Doors

V



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handles;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML
A	B	C	
203066			916
203666			1006
204266			1131
243066			1059
243666			1121
244266			1251
203072			975
203672			1090
204272			1237
243072			1118
243672			1194
244272			1311
203084			1185
203684			1261
204284			1389
243084			1342
243684			1414
244284			1530


How to Order

ABC			PSQ OVAMBL OVAMSN	HJAB (std)	
ML		V			
series (Appx. B)	dimension	code	legs (p. 207)	handles (p. 206)	
Example	ML	203066	V	PSQ	HJAB



Wardrobes with Two Glass Doors

VFL



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- 5/8" laminate back;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices


Dimensions			ML
A	B	C	
203066			1810
203666			2083
204266			2308
243066			1962
243666			2231
244266			2486
203072			1943
203672			2245
204272			2463
243072			2116
243672			2376
244272			2650
203084			2377
203684			2642
204284			2903
243084			2482
243684			2788
244284			3050

How to Order

ML		ABC		VFL		KB PL V4 (std)		PSQ OVAMBL OVAMSN	
series (Appx. B)	dimension	code	glass	legs (p. 207)					

Example ML 203066 VFL V4 PSQ

VPV



 Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJA handle;
- 5/8" laminate back;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

 Options

Lock



LK
34 ea.

[How to Order](#)

				V4 KB PL	PSQ OVAMBL OVAMSN		LKBL LKSN
	ABC		VS (std)			HJA (std)	
ML		VPV					
series (Appx. B)	dimension	code	glass	legs (p. 207)	handles (p. 206)	lock (p. 216)	
Example ML	203066	VPV	VS	PSQ	HJA	LKSN	

Prices


Dimensions	
A B C	ML
203066	1810
203666	2083
204266	2308
243066	1962
243666	2231
244266	2486
203072	1943
203672	2245
204272	2463
243072	2116
243672	2376
244272	2650
203084	2377
203684	2642
204284	2903
243084	2482
243684	2788
244284	3050



Wardrobes with Two Doors and Cabinet

ARV

VAR



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handles;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH):


66" H - 72" H: 4 shelves / 84" high: 5 adjustable.

Additional shelves, see Appendix G for prices, p. 17.

Prices

Dimensions			
A	B	C	ML
202466			1191
203066			1259
203666			1327
204266			1393
204866			1461
242466			1267
243066			1332
243666			1401
244266			1467
244866			1535
202472			1251
203072			1319
203672			1399
204272			1517
204872			1519
242472			1341
243072			1393
243672			1461
244272			1525
244872			1595
202484			1457
203084			1525
203684			1613
204284			1737
204884			1745
242484			1555
243084			1608
243684			1680
244284			1752
244884			1828

Options

Adjustable Shelves

SH


How to Order

ABC		ARV VAR	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
ML						
series (Appx. B)	dimension	code	legs (p. 207)	handles (p. 206)	shelves	
Example ML	202466	ARV	PSQ	HJAB	SH	




Wardrobe on Right and Cabinet with Pedestal on Left

AREV



ARFV



Manufacturing Standards

- 2 utility drawers and 1 file drawer or 2 file drawers;
- 2 adjustable shelves;
- Shelf brackets;
- Fixed shelf;
- Clothes rail;
- HJAB handles;
- Locks;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

	ABC	AREV ARFV	PSQ OVAMBL OVAMSN	HJAB (std)	SH
ML					
series (Appx. B)	dimension	code	legs (p. 207)	handles (p. 206)	shelves
Example ML	203066	AREV	PSQ	HJAB	SH


Prices

Dimensions			ML	Wardrobe Interior Width
A	B	C		
202466			1728	6-7/8"
203066			1788	12-7/8"
203666			1841	18-7/8"
204266			1906	24-7/8"
204866			1967	27-7/8"
242466			1794	6-7/8"
243066			1853	12-7/8"
243666			1913	18-7/8"
244266			1982	24-7/8"
244866			2046	27-7/8"
202472			1781	6-7/8"
203072			1841	12-7/8"
203672			1899	18-7/8"
204272			1967	24-7/8"
204872			2025	27-7/8"
242472			1853	6-7/8"
243072			1913	12-7/8"
243672			1974	18-7/8"
244272			2042	24-7/8"
244872			2100	27-7/8"
202484			1967	6-7/8"
203084			2048	12-7/8"
203684			2114	18-7/8"
204284			2186	24-7/8"
204884			2252	27-7/8"
242484			2061	6-7/8"
243084			2127	12-7/8"
243684			2193	18-7/8"
244284			2294	24-7/8"
244884			2485	27-7/8"




Wardrobe on Left and Cabinet with Pedestal on Right

VARE



VARF



Manufacturing Standards

- 2 utility drawers and 1 file drawer or 2 file drawers;
- 2 adjustable shelves;
- Shelf brackets;
- Fixed shelf;
- Clothes rail;
- HJAB handles;
- Locks;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

	ABC	VARE VARF	PSQ OVAMBL OVAMSN	HJAB (std)	SH
ML					
series (Appx. B)	dimension	code	legs (p. 207)	handles (p. 206)	shelves
Example ML	203066	VARE	PSQ	HJAB	SH

Prices


Dimensions			ML	Wardrobe Interior Width
A	B	C		
202466			1728	6-7/8"
203066			1788	12-7/8"
203666			1841	18-7/8"
204266			1906	24-7/8"
204866			1967	27-7/8"
242466			1794	6-7/8"
243066			1853	12-7/8"
243666			1913	18-7/8"
244266			1982	24-7/8"
244866			2046	27-7/8"
202472			1781	6-7/8"
203072			1841	12-7/8"
203672			1899	18-7/8"
204272			1967	24-7/8"
204872			2025	27-7/8"
242472			1853	6-7/8"
243072			1913	12-7/8"
243672			1974	18-7/8"
244272			2042	24-7/8"
244872			2100	27-7/8"
202484			1967	6-7/8"
203084			2048	12-7/8"
203684			2114	18-7/8"
204284			2186	24-7/8"
204884			2252	27-7/8"
242484			2061	6-7/8"
243084			2127	12-7/8"
243684			2193	18-7/8"
244284			2294	24-7/8"
244884			2485	27-7/8"



Cabinets with One Door


ARL

Door opening to the left



ARR

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handle;
- Lock;
- 5/8" laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each.
Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

	ML	ABC	ARL ARR	PSQ OVAMBL OVAMSN	HJAB (std)	SH
Example	ML	241866	ARL	PSQ	HJAB	SH

Prices


Dimensions			ML
A	B	C	
201866			788
202466			880
241866			928
242466			990
201872			844
202472			952
241872			989
242472			1049
201884			901
202484			1025
241884			1050
242484			1108



Cabinets with One Glass Door


ARLFL

Door opening to the left



ARRFL

Door opening to the right



Manufacturing Standards

- Aluminum-frame door with white glass (V4) and built-in aluminum handle;
- Soft-close door;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML	ABC	ARLFL ARRFL	KB PL V4 (std)	PSQ OVAMBL OVAMSN	SH	
series (Appx. B)	dimensions	code	glass	legs (p. 207)	shelves	
Example ML	241866	ARLFL	V4	PSQ	SH	

Prices


Dimensions		
A	B	C ML
201866		1415
202466		1689
241866		1558
242466		1844
201872		1529
202472		1701
241872		1678
242472		1981
201884		1672
202484		1713
241884		1798
242484		2119



Cabinets with One Glass Door


ARLPV

Door opening to the left



ARRPV

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handle;
- 5/8" laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 66" and 72" units.

Adjustable shelves (SH): see Appendix G for prices, p. 17


Options

Lock



LK
\$34 ea.

Adjustable Shelves



SH

How to Order

					+			
	ABC	ARLPV ARRPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	SH	
ML								
series (Appx. B)	dimensions	code	glass	legs (p. 207)	handles (p. 206)	lock (p. 216)	shelves	
Example ML	241866	ARLPV	VS	PSQ	HJA	LKSN	SH	


Prices

Dimensions		ML
A	B C	
201866		1415
202466		1689
241866		1558
242466		1844
201872		1529
202472		1701
241872		1678
242472		1981
201884		1672
202484		1713
241884		1798
242484		2119




Cabinets with Two Doors

AR1530




AR1536



Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series (Appx. B)		dimensions		code	legs (p. 207)	handles (p. 206)
Example ML		153029		AR	PSQ	HJAB
						SH

Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17


Price

Dimensions			
A	B	C	
153029			609
153036			663
153041			751
153048			819
153053			893
153060			980
153066			1042
153072			1116
153084			1272
153629			635
153636			690
153641			778
153648			800
153653			844
153660			1007
153666			1067
153672			1141
153684			1337




Cabinets With Two Doors


AR2030



AR2036



AR2042



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series (Appx. B)		dimensions		code	legs (p. 207)	handles (p. 206)
Example		ML	203629	AR	PSQ	HJAB
						SH


Prices

Dimensions			ML	MLL
A	B	C		
203029	680	767		
203036	748			
203041	831			
203048	910			
203053	978			
203060	1050			
203066	1108			
203072	1182			
203084	1246			
203629	732	832		
203636	797			
203641	880			
203648	962			
203653	1031			
203660	1074			
203666	1147			
203672	1222			
203684	1372			
204229	843	958		
204236	906			
204241	986			
204248	1066			
204253	1132			
204260	1168			
204266	1220			
204272	1282			
204284	1406			




Cabinets with Two Doors


AR2430



AR2436



AR2442



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable
Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series (Appx. B)	dimensions	code	legs (p. 207)	handles (p. 206)	shelves	
Example ML	243629	AR	PSQ	HJAB	SH	


Prices

Dimensions			ML	MLL
A	B	C		
243029			749	861
243036			817	
243041			899	
243048			978	
243053			1046	
243060			1118	
243066			1176	
243072			1251	
243084			1405	
243629			799	924
243636			865	
243641			947	
243648			1028	
243653			1097	
243660			1142	
243666			1217	
243672			1297	
243684			1441	
244229			859	985
244236			931	
244241			1010	
244248			1087	
244253			1153	
244260			1220	
244266			1296	
244272			1371	
244284			1523	




Cabinets with Two Glass Doors


ARFL2030



ARFL2036



ARFL2042



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		KB PL V4 (std)	PSQ OVAMBL OVAMSN	SH
series (Appx. B)		dimensions		code	glass	legs (p. 207)
Example ML		203629		ARFL	V4	PSQ


Prices

Dimensions			ML	MLL
A	B	C		
203029			1128	1261
203036			1306	
203041			1479	
203048			1657	
203053			1822	
203060			1952	
203066			2100	
203072			2255	
203084			2547	
203629			1264	1423
203636			1463	
203641			1661	
203648			1853	
203653			2035	
203660			2187	
203666			2353	
203672			2525	
203684			2858	
204229			1372	1550
204236			1594	
204241			1805	
204248			2017	
204253			2213	
204260			2384	
204266			2567	
204272			2758	
204284			3140	




Cabinets with Two Glass Doors


ARPV2030



ARPV2036



ARPV2042



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handles;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17


Options

Lock



LK
\$34 ea.

Adjustable Shelves



SH

How to Order

ML MLL	ABC	ARPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	SH
series (Appx. B)	dimensions	code	glass	legs (p. 207)	handles (p. 206)	lock (p. 216)	shelves
Example ML	203629	ARPV	VS	PSQ	HJA	LKSN	SH


Prices

Dimensions			ML	MLL
A	B	C		
203029	1128	1261		
203036	1306			
203041	1479			
203048	1657			
203053	1822			
203060	1952			
203066	2100			
203072	2255			
203084	2547			
203629	1264	1423		
203636	1463			
203641	1661			
203648	1853			
203653	2035			
203660	2187			
203666	2353			
203672	2525			
203684	2858			
204229	1372	1550		
204236	1594			
204241	1805			
204248	2017			
204253	2213			
204260	2384			
204266	2567			
204272	2758			
204284	3140			




Cabinets with Two Glass Doors


ARFL2430



ARFL2436



ARFL2442



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		KB PL VS (std)	PSQ OVAMBL OVAMSN	SH
series (Appx. B)		dimensions		code	glass	legs (p. 207)
Example	ML	243629	ARFL	V4	PSQ	SH


Prices

Dimensions			ML	MLL
A	B	C		
243029			1188	1340
243036			1367	
243041			1541	
243048			1718	
243053			1882	
243060			2012	
243066			2161	
243072			2314	
243084			2607	
243629			1323	1502
243636			1520	
243641			1718	
243648			1911	
243653			2094	
243660			2244	
243666			2411	
243672			2584	
243684			2930	
244229			1427	1629
244236			1649	
244241			1860	
244248			2071	
244253			2269	
244260			2439	
244266			2622	
244272			2812	
244284			3192	




Cabinets with Two Glass Doors


ARPV2430



ARPV2436



ARPV2442



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handles;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17


Options

Lock



LK
\$34 ea.

Adjustable Shelves



SH

How to Order


ML MLL	ABC	ARPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	SH
series (Appx. B)	dimensions	code	glass	legs (p. 207)	handles (p. 206)	lock (p. 216)	shelves
Example ML	243629	ARPV	VS	PSQ	HJA	LKSN	SH

Prices


Dimensions			ML	MLL
A	B	C		
243029			1188	1340
243036			1367	
243041			1541	
243048			1718	
243053			1882	
243060			2012	
243066			2161	
243072			2314	
243084			2607	
243629			1323	1502
243636			1520	
243641			1718	
243648			1911	
243653			2094	
243660			2244	
243666			2411	
243672			2584	
243684			2930	
244229			1427	1629
244236			1649	
244241			1860	
244248			2071	
244253			2269	
244260			2439	
244266			2622	
244272			2812	
244284			3192	

Pigeonhole Units


F5




F10



F15



F20



Manufacturing Standards

- Frame is 5/8" laminate frame with 2.5 mm PVC edge;
- Fixed 5/8" thick laminate shelves with 2.5 mm PVC edge.

Prices

F5 - 5 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F5	16-3/8"	11-5/8"	13-5/8"	200
F5LS	13"	11-5/8"	13-5/8"	200

F10 - 10 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F10	16-3/8"	22-3/8"	13-5/8"	383
F10LS	13"	22-3/8"	13-5/8"	383

F15 - 15 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F15	16-3/8"	33-1/8"	13-5/8"	575
F15LS	13"	33-1/8"	13-5/8"	575

F20 - 20 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F20	16-3/8"	22-3/8"	25-7/8"	760


How to Order

		5 10 15 20	LS
ML	F		
series (Appx. B)	code	compartments	letter format


Example ML F 20 LS

Pigeonhole Units


F30



F45



F45B



Manufacturing Standards

- Frame and vertical separators are 1" laminate with 2.5 mm PVC edges;
- Fixed 5/8" thick laminate shelves with 2.5 mm PVC edge.

Prices

F30 - 30 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F30	16-3/8"	34-5/8"	26-5/8"	1145

F45 - 45 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F45	16-3/8"	34-5/8"	38-7/8"	1646

F45B - 45 Compartment Form Holder with Base

Code	Dimensions			ML
	A	B	C	
F45B	16-3/8"	34-5/8"	42-1/4"	1720

How to Order


		30 45 45B
ML	F	
series (Appx. B)	code	compartments

Example ML F 30




Multiple Units


BBLE




BBRE



BBLF



BBRF



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handle;
- Lock.

Number of Shelves Included:

51" = 2 adjustable shelves, 66" - 72" = 3 adjustable shelves,
84" high = 4 adjustable shelves.

Legs: To add metal legs under the multiple units add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML		ABC	BBLE BBRE BBLF BBRF	PSQ OVAMBL OVAMSN	HJAB (std) SH
series (Appx. B)		dimensions	code	legs (p. 207)	handles (p. 206) shelves
Example	ML	201851	BBLE	PSQ	HJAB SH


Prices

Dimensions			ML
A	B	C	
201851			1051
241851			1077
301851			1104
201866			1074
241866			1099
301866			1125
201872			1097
241872			1122
301872			1148
201884			1121
241884			1147
301884			1171




Multiple Units

MU2



MU4



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

PSQ OVAMBL OVAMSN HJAB (std) SHA SHB							
ML	AB	MU	2 4				
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	cabinet shelves	bookshelf shelves
Example ML	2030	MU	4	PSQ	HJAB		

Prices

MU2 - Height: 41", 1 adjustable shelf

Dimensions

A	B	ML
2030		797
2036		827
2042		872
2430		944
2436		973
2442		1020

MU4 - Height: 66", 3 adjustable shelves


Dimensions

A	B	ML
2030		1054
2036		1084
2042		1130
2430		1201
2436		1232
2442		1277




Multiple Units

MU5



MU5A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

AB		5A		PSQ OVAMBL OVAMSN	HJAB (std)	SHA	SHB
ML		MU					
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	cabinet shelves	bookshelf shelves
Example	ML 2030	MU	5	PSQ	HJAB		

Prices

MU5 - Height: 72", 4 adjustable shelves

Dimensions

A	B	ML
2030		1093
2036		1125
2042		1169
2430		1239
2436		1271
2442		1317

MU5A - Height: 84", 4 adjustable shelves


Dimensions

A	B	ML
2030		1300
2036		1339
2042		1390
2430		1453
2436		1490
2442		1544




Multiple Units


MU7



MU8



MU8A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- Task-light concealer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

				7 8 8A	PSQ OVAMBL OVAMSN	HJAB (std)	SHA	SHB	
ML	AB	MU							
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	cabinet shelves	bookshelf shelves		
Example	ML	2030	MU	7	PSQ	HJAB			

Prices

MU7 - Height: 66", 2 adjustable shelves

Dimensions		
A	B	ML
2030		1125
2036		1153
2042		1199
2430		1271
2436		1300
2442		1345

MU8 - Height: 72", 2 adjustable shelves

Dimensions		
A	B	ML
2030		1162
2036		1191
2042		1237
2430		1308
2436		1339
2442		1383


MU8A - Height: 84", 3 adjustable shelves

Dimensions		
A	B	ML
2030		1369
2036		1405
2042		1457
2430		1523
2436		1558
2442		1611




Multiple Units


MU10



MU11



MU11A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	10 11 11A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves	
Example ML	2030	MU	10	PSQ	HJAB	SH	

Prices

MU10 - Height: 66", 3 adjustable shelves

Dimensions	
A B	ML
2030	1222
2036	1252
2042	1297
2430	1368
2436	1399
2442	1444

MU11 - Height: 72", 3 adjustable shelves

Dimensions	
A B	ML
2030	1260
2036	1292
2042	1337
2430	1407
2436	1439
2442	1484


MU11A - Height: 84", 4 adjustable shelves

Dimensions	
A B	ML
2030	1467
2036	1506
2042	1557
2430	1621
2436	1658
2442	1710




Multiple Units

MU13



MU15



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Adjustable Shelves



SH

How to Order

ML AB MU 13 15 PSQ OVAMBL OVAMSN HJAB (std) SH						
ML	AB	MU	13 15	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves
Example ML	2030	MU	15	PSQ	HJAB	SH

Prices

MU13 - Height: 41"

Dimensions

A	B	ML
2030		1048
2036		1114
2042		1188
2430		1197
2436		1262
2442		1342

MU15 - Height: 66", 2 adjustable shelves


Dimensions

A	B	ML
2030		1310
2036		1404
2042		1491
2430		1416
2436		1502
2442		1608




Multiple Units

MU16



MU16A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	16 16A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves	
Example ML	2030	MU	16	PSQ	HJAB	SH	

Prices

MU16 - Height: 72", 3 adjustable shelves

Dimensions

A	B	ML
2030		1384
2036		1497
2042		1624
2430		1461
2436		1572
2442		1699

MU16A - Height: 84", 3 adjustable shelves


Dimensions

A	B	ML
2030		1592
2036		1710
2042		1799
2430		1674
2436		1792
2442		1926




Multiple Units


MU18



MU19



MU19A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 3 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	18 19 19A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves	
Example ML	2030	MU	18	PSQ	HJAB	SH	

Prices

MU18 - Height: 66", 1 adjustable shelf

Dimensions	
A B	ML
2030	1654
2036	1717
2042	1783
2430	1726
2436	1807
2442	1903

MU19 - Height: 72", 2 adjustable shelves


Dimensions	
A B	ML
2030	1658
2036	1759
2042	1874
2430	1803
2436	1881
2442	1991

MU19A - Height: 84", 2 adjustable shelves


Dimensions	
A B	ML
2030	1866
2036	1973
2042	2094
2430	1999
2436	2101
2442	2220

Multiple Units


MU23



MU24



MU24A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

How to Order							+
ML	AB	MU	23 24 24A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves	
Example ML	2030	MU	24	PSQ	HJAB	SH	

Prices

MU23 - Height: 66", 2 adjustable shelves

Dimensions		
A	B	ML
2030		1704
2036		1846
2042		2002
2430		1781
2436		1923
2442		2086

MU24 - Height: 72", 2 adjustable shelves

Dimensions		
A	B	ML
2030		1729
2036		1878
2042		2050
2430		1853
2436		1995
2442		2160


MU24A - Height: 84", 3 adjustable shelves

Dimensions		
A	B	ML
2030		1937
2036		2093
2042		2270
2430		2067
2436		2214
2442		2387




Multiple Units


MU23FL



MU24FL



MU24AFL



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Lock;
- HJA handles;
- 5/8" laminate back.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

AB		23FL 24FL 24AFL		V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	KB PL V4 (std)	SH
ML		MU						
series (Appx. B)	dimension	code	number	glass	legs (p. 207)	handles (p. 206)	glass	shelves
Example ML	2030	MU	24FL	VS	PSQ	HJA	V4	SH

Prices

MU23FL - Height: 66", 2 adjustable shelves

Dimensions

A	B	ML
2030		2113
2036		2350
2042		2600
2430		2184
2436		2421
2442		2671

MU24FL - Height: 72", 2 adjustable shelves

Dimensions

A	B	ML
2030		2267
2036		2517
2042		2790
2430		2338
2436		2588
2442		2812

MU24AFL - Height: 84", 3 adjustable shelves

Dimensions

A	B	ML
2030		2795
2036		3086
2042		3399
2430		2877
2436		3164
2442		3428

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




Multiple Units


MU23PV



MU24PV



MU24APV



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Lock;
- 2 crossbars per file drawer;
- HJA handles;
- 5/8" laminate back.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).


Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Locks: the MU24APV includes a satin nickel lock (LKSN) only on the lateral filing drawers.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

ML		MU		VS (std)		HJA (std)		SH
series (Appx. B)	dimension	code	number	glass	legs (p. 207)	handles (p. 206)	shelves	
Example ML	2030	MU	24PV	VS	PSQ	HJA	SH	

Prices

MU23PV - Height: 66", 2 adjustable shelves

Dimensions	
A B	ML
2030	2113
2036	2350
2042	2600
2430	2184
2436	2421
2442	2671

MU24PV - Height: 72", 2 adjustable shelves

Dimensions	
A B	ML
2030	2267
2036	2517
2042	2790
2430	2338
2436	2588
2442	2812


MU24APV - Height: 84", 3 adjustable shelves

Dimensions	
A B	ML
2030	2795
2036	3086
2042	3399
2430	2877
2436	3164
2442	3428




Multiple Units


MU26



MU27



MU27A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- Task-light concealer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	26 27 27A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves	
Example ML	2030	MU	27	PSQ	HJAB	SH	

Prices

MU26 - Height: 66", 1 adjustable shelf

Dimensions

A	B	ML
2030		1704
2036		1846
2042		2013
2430		1825
2436		1974
2442		2144

MU27 - Height: 72", 1 adjustable shelf

Dimensions

A	B	ML
2030		1781
2036		1923
2042		2086
2430		1899
2436		2048
2442		2222


MU27A - Height: 84", 2 adjustable shelves

Dimensions


A	B	ML
2030		1988
2036		2137
2042		2307
2430		2114
2436		2268
2442		2449

Multiple Units


MU32



MU33



MU33A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 3 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

How to Order						
ML	AB	MU	32 33 33A	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series (Appx. B)	dimension	code	number	legs (p. 207)	handles (p. 206)	shelves
Example ML	2030	MU	33	PSQ	HJAB	SH

Prices

MU32 - Height: 66", 1 adjustable shelf

Dimensions	
A B	ML
2030	1994
2036	2138
2042	2295
2430	2106
2436	2240
2442	2403

MU33 - Height: 72", 2 adjustable shelves

Dimensions	
A B	ML
2030	2067
2036	2212
2042	2369
2430	2180
2436	2314
2442	2477


MU33A - Height: 84", 2 adjustable shelves

Dimensions	
A B	ML
2030	2274
2036	2427
2042	2589
2430	2394
2436	2534
2442	2704




Multiple Units

MU34



MU34A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 4 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 17

Options

Adjustable Shelves



SH

How to Order

							+
AB		34 34A		PSQ OVAMBL OVAMSN	HJAB (std)	SH	
ML		MU					
series (Appx. B)	dimension	code	product	legs (p. 207)	handles (p. 206)	shelves	
Example	ML	2030	MU	34	PSQ	HJAB	SH

Prices

MU34 - Height: 72", 1 adjustable shelf

Dimensions

A	B	ML
2030		2287
2036		2434
2042		2589
2430		2401
2436		2534
2442		2697

MU34A - Height: 84", 2 adjustable shelves

Dimensions

A	B	ML
2030		2495
2036		2647
2042		2809
2430		2616
2436		2754
2442		2924


Accessories



Handles

HJA

Handle




- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	\$	Description
HJA	11	<i>Satin Nickel</i>
HJAB	11	<i>Black</i>

H011

Handle




- 9-1/8" metal handle;
- 5" (224mm) center to center.

Code	\$	Description
H011	11	<i>Satin Nickel</i>

H030

Handle




- 1-1/2" metal handle;
- 5/8" (15.875mm) center to center.

Code	\$	Description
H030	11	<i>Satin Nickel</i>

H031

Handle




- 6-1/4" metal handle;
- 3-3/4" (95.25mm) center to center.

Code	\$	Description
H031	11	<i>Satin Nickel</i>

H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	\$	Description
H051CHR	11	<i>Chrome</i>
H051PB	11	<i>White</i>
H051SN	11	<i>Satin Nickel</i>

H052

Handle




- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	\$	Description
H052CHR	11	<i>Chrome</i>
H052PB	11	<i>White</i>
H052SN	11	<i>Satin Nickel</i>

H060

Handle




- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	\$	Description
H060BN	11	<i>Brushed Nickel</i>
H060CHR	11	<i>Chrome</i>

H070

Handle




- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	\$	Description
H070BN	11	<i>Brushed Nickel</i>
H070CHR	11	<i>Chrome</i>

SXP002

Handle




- 9-1/2" metal handle;
- 7-9/16" (192mm) center to center.

Code	\$	Description
SXP002	11	<i>Satin Nickel</i>

SXP003

Handle




- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.

Code	\$	Description
SXP003	11	<i>Satin Nickel</i>

Legs

OVAM

Oval Corner Leg




- Oval metal corner leg / on leveler;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 2-1/8"

Code	\$	Description
OVAMBL	49	Black
OVAMSN	49	Satin Nickel

PSQ

Corner Leg




- Metal corner leg / on leveler;
- Finish: Satin Nickel (SN);
- Height: 2-5/8"

Code	\$	Description
PSQ	68	Satin Nickel

4SQ

Square Leg



- Fixed metal square leg / on leveler;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
4SQBL	181	Black
4SQSN	181	Satin Nickel

4.5

Round Leg




- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
4.5BL	193	Black
4.5SN	193	Satin Nickel

IFN

Round Leg




- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
IFNBL	68	Black
IFNSN	68	Satin Nickel

IFW

Round Leg



- Fixed round metal leg;
- 2-1/2" diameter;
- Locking wheel;
- 3-3/4" x 3-3/4" end plate;
- Finish: Black (BL) and Satin Nickel (SN).


Code	\$	Description
IFWBL	119	Black
IFWSN	119	Satin Nickel



Legs

IAW

Round Leg



- Fixed round metal leg;
- 2-1/2" diameter;
- Wheel (no locking mechanism);
- 5" x 5" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
IAWSN	188	Satin Nickel
IAWB	188	Black
*IAWFBL	194	Black with locking mechanism
IAWFSN	194	Satin Nickel with locking mechanism

*With locking mechanism

OVAS

Oval Leg




- Fixed single oval metal leg / on leveler;
- 1-9/16" x 3-3/16";
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
OVASBL	125	Black
OVASSN	125	Satin Nickel

OVAD

Double Oval Leg




- Fixed double oval metal leg / on leveler;
- 2 x 1-9/16" x 3-3/16";
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
OVADBL	227	Black
OVADSN	227	Satin Nickel

CF

C Leg




- Fixed metal C leg / on levelers;
- 24" or 30";
- 5" x 12" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
CF24NBL		Black
CF24NSN	200	Satin Nickel
CF30NBL	213	Black
CF30NSN	213	Satin Nickel

MT

T Leg



- Fixed metal T leg;
- 22" (CHR), 26", 30" or 36" (BL) and (CHR);
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR).


Code	\$	Description
MT26BL	177	
MT30BL	177	
MT36BL	177	
MT22CHR	177	
MT26CHR	177	
MT30CHR	177	
MT36CHR	177	



Legs

MY

V Leg




- Fixed metal V leg;
- 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR).

Code	\$	Description
MY26BL	177	Black
MY30BL	177	Black
MY36BL	177	Black
MY26CHR	177	Chrome
MY30CHR	177	Chrome
MY36CHR	177	Chrome

MXLX

Deluxe Cross Leg




- Fixed Deluxe metal cross leg / on leveler;
- 24", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
MXLX24BL	490	Black
MXLX30BL	490	Black
MXLX36BL	490	Black
MXLX24SN	490	Satin Nickel
MXLX30SN	490	Satin Nickel
MXLX36SN	490	Satin Nickel

TF

Deluxe T Leg




- Fixed Deluxe metal T leg / on levelers;
- 24", 30" or 36";
- 5" x 12" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
TF24NBL	200	Black
TF30NBL	213	Black
TF36NBL	370	Black
TF24NSN	200	Satin Nickel
TF30NSN	213	Satin Nickel
TF36NSN	370	Satin Nickel

MX

Cross Leg




- Fixed metal cross leg;
- 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR).

Code	\$	Description
MX26BL	197	Black
MX30BL	230	Black
MX36BL	230	Black
MX26CHR	230	Chrome
MX30CHR	230	Chrome
MX36CHR	230	Chrome

MXH44

Heavy Duty Cross Leg




- Fixed Heavy Duty metal cross leg / on leveler;
- 12" x 12" end plate;
- Finish: Black (BL) and Chrome (CHR).

Code	\$	Description
MXH44BL	361	Black
MXH44CHR	451	Chrome

Legs

HATLEY

Fixed Leg



- Set of two 28" tapered legs with wooden inserts that match the surface finish;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN) and Chrome (CHR).

Code	\$	Description
HATSN	250	<i>Satin Nickel</i>
HATCHR	250	<i>Chrome</i>

Stain and Paint Colors of Wooden Insert

Stained Wood


Ginger Root	GIA	Natural Maple	NM
Storm	STA	Porto	PO
Audacity	AU	Smoked Walnut	SV
Brown Cherry	BC	Tan	T
Caramel	CA	Tobacco	TO
Cherry	CH	Whisky	WK
Cognac	CO	Zebra	Z
Legno Dark	DL		
Driftwood	DR		
Finesse	FI		
Legno Light	LL		
Light Maple	LM		
Natural Cherry	NC		

Painted Wood

Polar White	VV
Slate	C
Jet Black	B

MAGOG

Fixed Leg




- Fixed Magog leg 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN) and Chrome (CHR).

Code	\$	Description
MAGSN	435	<i>Satin Nickel</i>
MAGCHR	887	<i>Chrome</i>

Keyboard Trays

KB360M

Keyboard Tray




- Black plastic 24-1/2" wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10° to 15°;
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	\$	Description
KB360M	467	

KBMODR

Keyboard Tray




- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	239	

KB

Keyboard Tray




- 24-1/2" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	147	1" thick laminate
KBT	139	5/8" thick laminate

AP

Wrist Rest




- Black gel wrist rest.

Code	\$	Description
AP	56	

KBMOD

Keyboard Tray



- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KBMOD	176	1" thick laminate
KBMODT	168	5/8" thick laminate


To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27



CPU Holders

MCPU50

Miniature CPU Holder




- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	\$	Description
MCPU50	130	

MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
 - Height: 15.5" x 20"
 - Width: 5.5" x 9.8"
- Horizontal adjustment:
 - Height: 17.5" x 22"
 - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	165	<i>per unit</i>

CPUIND

CPU Holder




- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	\$	Description
CPUIND	140	<i>per unit</i>

Computer Monitor Brackets

C-1A

Computer Monitor Bracket




- Computer monitor bracket with fixed arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1A	107	

C-1B

Computer Monitor Bracket




- Computer monitor bracket with flexible arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1B	179	

C-2A

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A	178	

C-2B

Double Computer Monitor Bracket




- Double computer monitor bracket with flexible arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B	318	

C-2A-1S

Triple Computer Monitor Bracket




- Triple computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A-1S	209	

C-2B-1S

Triple Computer Monitor Bracket



- Triple monitor bracket with 2 flexible arm supports;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B-1S	349	

GROM-01

Grommet Clamp



- Option: Grommet mounted;
- Finish: Black.


Code	\$	Description
GROM-01	17	



Computer Monitor Brackets

BRSC1M4

Monitor Arm




- Monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC1M4	519	

BRSC1M7

Monitor Arm




- Monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC1M7	367	

BRSC2M4

Double Monitor Arm




- Double monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC2M4	913	

BRSC2M7

Double Monitor Arm




- Double monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC2M7	567	

BRSG1M4

Computer Monitor Bracket




- Computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M4	499	

BRSG1M7

Computer Monitor Bracket




- Computer monitor bracket with fixed-height arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M7	343	

BRSG2M4

Double Computer Monitor Bracket




- Double computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M4	907	

BRSG2M7

Double Computer Monitor Bracket



- Double computer monitor bracket with fixed height;
- Grommet mounted;
- Finish: Satin Nickel.


Code	\$	Description
BRSG2M7	541	



Miscellaneous Accessories

WD

Wire Separators




- Set of 3 wire separators.

Code	\$	Description
WD	22	Set of 3

SB

Suspension Bars




- Short suspension bars: 1 or 2 suspension bars for a left/right filing for a regular file drawer;
- Long suspension bars: 1 or 2 suspension bars for a front/back filing for a lateral file drawer.

Code	\$	Description
SBV1	7	1 short suspension bar
SBV2	14	2 short suspension bars
SBH1	7	1 long suspension bar
SBH2	14	2 long suspension bars

GRILLB

Ventilation Grill




- Black ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLB	43	

GRILLW

Ventilation Grill




- White ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLW	55	

GRILLSN

Ventilation Grill




- Satin nickel ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLSN	55	

PS

Black Paper Grommet




- Black paper grommet, sold separately or factory installed;
- Installation location must be specified.

Code	\$	Description
PS	14	Sold separately
PSINS	71	Factory installed

TCPM

Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.

Code	\$	Description
TCPM	147	

TCPM2

Sliding Drawer




- Sliding drawer with compartments to organize with ball bearing slides.

Code	\$	Description
TCPM2	170	

Miscellaneous Accessories

LK

Lock





- Locks with keys
- Finish: Satin nickel or black finish;
- Additional locks, sold separately or factory installed;
- Please specify the type of furniture on which the will be installed.

Code	\$	Description
LKSN	34	Satin Nickel lock (factory installed)
LKSNF	22	Satin Nickel facad lock
LKSNP	22	Satin Nickel door dock
LKBL	34	Black lock (factory installed)
LKBLF	22	Black facad lock
LKBLP	22	Black door dock

CAPF/CCPF

Grommet




- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin Nickel and Chrome;
- 2-1/2" diameter cutout.

Code	\$	Description
CAPF	20	Unit price - Satin Nickel
CCPF	20	Unit price - Chrome

WBRNS

Wall Bracket for Shelves




- Satin nickel finish.

Code	\$	Description
WBRNS	78	Sold in pairs

ELPF

Black Plastic Grommet



- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.


Code	\$	Description
ELPF	6	Unit price



Electrical Accessories

WM41

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 1 circuit power block with 4 Simplex included. (Maximum of 4 power blocks can be joined together);
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM41 18	280		Length: 18.5", 4 Simplex, 1 circuit
WM41 32	285		Length: 32.5", 4 Simplex, 1 circuit
WM41 44	300		Length: 44.5", 4 Simplex, 1 circuit

To be used with starter cable 8420AP1

WM81

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 1 circuit power block with 8 Simplex included. (Maximum of 2 power blocks can be joined together);
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM81 18	330		Length: 18.5", 8 Simplex, 1 circuit
WM81 32	375		Length: 32.5", 8 Simplex, 1 circuit
WM81 44	380		Length: 44.5", 8 Simplex, 1 circuit

To be used with starter cable 8420AP1

WM44

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 4 circuit power block with 4 Simplex included. (Maximum of 10 power blocks can be joined together);
- Mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM44 18	290		Length: 18.5", 4 Simplex, 4 circuits
WM44 32	315		Length: 32.5", 4 Simplex, 4 circuits
WM44 44	330		Length: 44.5", 4 Simplex, 4 circuits

To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).

WM84

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 4 circuit power block with 8 Simplex included. (Maximum of 5 power blocks can be joined together);
- Mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.



Code	A	\$	Description
WM84 18	350		Length: 18.5", 8 Simplex, 4 circuits
WM84 32	400		Length: 32.5", 8 Simplex, 4 circuits
WM84 44	405		Length: 44.5", 8 Simplex, 4 circuits


To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).



Electrical Accessories

PW41

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 1 circuit power block with 4 Simplex included.
(Maximum of 4 power blocks can be joined together).

Code	A	\$	Description
PW41	200		4 Simplex, 1 circuit

To be used with starter cable 8420AP1

PW44

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 4 circuit power block with 4 Simplex included.
(Maximum of 10 power blocks can be joined together).

Code	A	\$	Description
PW44	220		4 Simplex, 4 circuits

To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).

PW81

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 1 circuit power block with 8 Simplex included.
(Maximum of 2 power blocks can be joined together).

Code	A	\$	Description
PW81	240		8 Simplex, 1 circuit

To be used with starter cable 8420AP1

PW84

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 4 circuit power block with 8 Simplex included.
(Maximum of 5 power blocks can be joined together).

Code	A	\$	Description
PW84	290		8 Simplex, 4 circuits

To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).

SMWM

Cable Support




Ex: TELC

- 3.5" metal wire support with 1 telecom plate cutout;
- Satin nickel finish.

Code	\$	Description
SMWM	22	

TEL

Telecom Plate




Ex: TELC

- Grey telecom plate.


Code	\$	Description
TELA	17	Blank plate
TELB	171	CAT6 data / USB / CAT3 phone
TELC	147	(2) CAT6 data
TELD	277	(4) CAT6 data




TELA



TELB



TELC




TELD



Electrical Accessories

84SB2

Starter Cable with Hardwire



- Starter cable with hardwire at one end;
- Minimum 12" - maximum 180".




Code	\$	Description
84 SB2 72	144	8 wire 4 circuit - 72"
84 SB2 84	159	8 wire 4 circuit - 84"
84 SB2 96	175	8 wire 4 circuit - 96"
84 SB2 108	190	8 wire 4 circuit - 108"
84 SB2 120	206	8 wire 4 circuit - 120"

To be connected to an electrical box by an electrician.

8420AP1

Starter Cable with Plug




- 72" starter cable with electric plug at one end.



Code	\$	Description
84 20 AP1 48 24	180	8 wire 1 circuit - 72"

84SB1

NYC Starter Cable with Hardwire



- NYC Starter cable with hardwire at one end;
- Minimum 12" - maximum 180".




Code	\$	Description
84 SB1 72	222	8 wire 4 circuit - 72"
84 SB1 84	238	8 wire 4 circuit - 84"
84 SB1 96	253	8 wire 4 circuit - 96"
84 SB1 108	269	8 wire 4 circuit - 108"
84 SB1 120	285	8 wire 4 circuit - 120"

To be connected to an electrical box by an electrician.

84FF

Junction Cable




- Minimum 12" - maximum 180".

Code	\$	Description
84 FF 12	92	8 wire / 4 circuit jumper cable 12"L
84 FF 18	99	8 wire / 4 circuit jumper cable 18"L
84 FF 24	106	8 wire / 4 circuit jumper cable 24"L
84 FF 30	109	8 wire / 4 circuit jumper cable 30"L
84 FF 36	113	8 wire / 4 circuit jumper cable 36"L
84 FF 42	121	8 wire / 4 circuit jumper cable 42"L
84 FF 48	129	8 wire / 4 circuit jumper cable 48"L
84 FF 54	136	8 wire / 4 circuit jumper cable 54"L
84 FF 60	145	8 wire / 4 circuit jumper cable 60"L
84 FF 66	152	8 wire / 4 circuit jumper cable 66"L
84 FF 72	160	8 wire / 4 circuit jumper cable 72"L
84 FF 78	168	8 wire / 4 circuit jumper cable 78"L
84 FF 84	176	8 wire / 4 circuit jumper cable 84"L
84 FF 96	191	8 wire / 4 circuit jumper cable 96"L
84 FF 108	207	8 wire / 4 circuit jumper cable 108"L
84 FF 120	223	8 wire / 4 circuit jumper cable 120"L
84 FF 132	238	8 wire / 4 circuit jumper cable 132"L
84 FF 144	252	8 wire / 4 circuit jumper cable 144"L
84 FF 156	257	8 wire / 4 circuit jumper cable 156"L
84 FF 168	281	8 wire / 4 circuit jumper cable 168"L
84 FF 180	296	8 wire / 4 circuit jumper cable 144"L

83CMM

Rigid Junction




- Minimum 2" - maximum 12".

Code	\$	Description
83 CMM 02 76		8 wire 4 circuit M/M Rigid Channel - 2"L
83 CMM 06 81		8 wire 4 circuit M/M Rigid Channel - 6"L
83 CMM 12 91		8 wire 4 circuit M/M Rigid Channel - 12"L

84CFF

Rigid Junction



- Minimum 2" - maximum 12".


Code	\$	Description
84 CFF 02 72		8 wire 4 circuit F/F Rigid Channel - 2"L
84 CFF 06 77		8 wire 4 circuit F/F Rigid Channel - 6"L
84 CFF 12 85		8 wire 4 circuit F/F Rigid Channel - 12"L



Electrical Accessories

8SR


Simplex Removal Tool



Code	\$	Description
8SR	5	Simplex removal tool

844AA

Power Block




Ex: 84S

- Electri-Pak, 8 wire 4 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required; 4 ports: 1 input and up to 3 outputs;
- Max. 8 Simplex total per block.

Code	\$	Description
844AA	68	

84S

Circuit - electric plug




- Simplex for 84 system.

Code	\$	Description
84 S1-BL-150	15	Circuit 1 - 20A
84 S2-BL-150	15	Circuit 2 - 20A
84 S3-BL-150	15	Circuit 3 - 20A
84 S4-BL-150	15	Circuit 4 - 20A
84 S3IG-OR-150	17	Circuit 3 isolated ground - 20A
84 SB-BL-150	7	Blank

PMDBRKTKIT

Bracket




Ex: 844AA + 84S

- 844AA metal mounting bracket assembly and mounting plate included.

Code	\$	Description
PMD BRKT KIT	45	

WMS

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal power and data support for 844AA power block with 2 telecom plate cutouts;
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- Satin nickel finish.

Code	A	\$	Description
WMS18	158		18.5" support
WMS32	208		32.5" support
WMS44	213		44.5" support

WM

Velcro Tie



- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: 3/4" x 10";
- Color: black.


Code	\$	Description
WM	7	Unit price



Electrical Accessories : Communication Boxes - Single Stations

POP-UP1

Retractable box for single station




- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
POP-UP1	253	Available in black only

POP-UP2

Retractable box for single station




- 3 electrical outlets;
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
POP-UP2	253	Available in black only

BCSS1BL

Communication Box




- Communication box to be installed under surface;
- 2 empty telecommunication outlets (outlets not included);
- 15A/125V;
- 1 set of universal adapters.

Code	\$	Description
BCSS1BL	125	Available in black only

BCSS2BL

Communication Box




- Communication box to be installed under surface;
- 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS2BL	125	Available in black only

BCSS3BL

Communication Box




- Communication box to be installed under surface;
- 2 electrical outlets;
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS3BL	125	Available in black only

MPORT

Retractable Communication Box



- Plastic retractable communication box;
- 2 electrical outlets;
- 2 telecommunications outlets (outlets not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.




Code	\$	Description
MPORTSN	301	Satin Nickel
MPORTBL	301	Black

Electrical Accessories: Communications Boxes - Multiple Stations

MPLK1

Starter Kit




- Plastic retractable communication box;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 120" starter cable with electric plug;
- 12" junction cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
MPLK1SN	238	Satin Nickel, out: black
MPLK1BL	238	Black, out: black

MPLK8

Ending Set




- Plastic retractable communication box;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 60" connection cable;
- 15A/125V;
- 1 set of universal adapters.

Code	\$	Description
MPLK8SN	238	Satin Nickel, in: white
MPLK8BL	238	Black, in: white

MPLK2 - MPLK7

Junction Kit



- Plastic retractable communication box;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 12" junction cable (to connect to the next box);
- 15A/125V;
- 1 set of universal adapters.


Code	\$	Description
MPLK2SN	238	Satin Nickel, in: black / out: red
MPLK2BL	238	Black, in: black / out: red
MPLK3SN	238	Satin Nickel, in: red / out: blue
MPLK3BL	238	Black, in: red / out: blue
MPLK4SN	238	Satin Nickel, in: blue / out: orange
MPLK4BL	238	Black, in: blue / out: orange
MPLK5SN	238	Satin Nickel, in: orange / out: yellow
MPLK5BL	238	Black, in: orange / out: yellow
MPLK6SN	238	Satin Nickel, in: yellow / out: green
MPLK6BL	238	Black, in: yellow / out: green
MPLK7SN	238	Satin Nickel, in: green / out: white
MPLK7BL	238	Black, in: green / out: white



Electrical Accessories - Miscellaneous

SPINE

Wire Management Spine




- 2" diameter;
- Gray plastic.

Code	\$	Description
SPINE	122	

T5

Fluorescent task light



- Fluorescent lamp (T5) with swivel reflector and electronic ballast;
- 120" power cable with electric plug;
- Finish: Black.



Code	\$	Description
T524	136	24" length
T536	181	36" length
T548	238	48" length

T5LINK


Fluorescent task light connection

- 12" or 24" connection wire for T524, T536 or T548 fluorescent lamp.

Code	\$	Description
T5LINK12	18	12" length
T5LINK24	23	24" length

PBL

Power bar




- Power bar with 6 electric outlets;
- 120" power cable with electric plug.



Code	\$	Description
PBL	49	

MH1SN

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 72" power cable with electric plug;
- 15A/125V. 1 set of universal adapters.



Code	\$	Description
MH1SN	494	Satin Nickel, 72" power cable
MH1SN120	504	Satin Nickel, 120" power cable

MH1B

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets, 1 USB (charger) and 1 empty telecommunication outlet (outlet not included);
- 72" or 120" power cable with electric plug;
- 1 set of universal adapters.



Code	\$	Description
MH1B	555	Satin Nickel, 72" power cable
MH1B120	565	Satin Nickel, 120" power cable

MH2SN

Power/Data Centre




- Power/data centre with retractable door;
- 3 electrical outlets and 4 empty telecommunication outlets (outlets not included);
- 72" power cable with electric plug;
- 1 set of universal adapters.



Code	\$	Description
MH2SN	577	Satin Nickel, 72" power cable
MH2SN120	587	Satin Nickel, 120" power cable

MH2B

Power/Data Centre



- Power/data centre with retractable door;
- 3 electrical outlets, 1 USB (charger) and 3 empty telecommunication outlets (outlets not included);
- 72" or 120" power cable with electric plug;
- 1 set of universal adapters.




Code	\$	Description
MH2B	665	Satin Nickel, 72" power cable
MH2B120	675	Satin Nickel, 120" power cable

Electrical Accessories - Miscellaneous

POR 01

RJ45, CAT 6 connectivity port




- RJ45, CAT6 connector;
- RJ45 M/F cable - 72" ;
- Finish: Black.

Code	\$	Description
POR 01	105	

POR 04

HDMI connectivity port




- HDMI connector;
- HDMI M/F cable - 18" ;
- Finish: Black.

Code	\$	Description
POR 04	95	

POR 02

RJ11 connectivity port




- RJ11 connector, 4 pin
- RJ11 M/F cable - 84" ;
- Finish: Black.

Code	\$	Description
POR 02	30	

POR 05

Mini Stereo Jack




- 3.5 mm Mini Stereo Jack, M/F;
- Audio M/F cable -120" ;
- Finish: Black.

Code	\$	Description
POR 05	35	

POR 03

USB connectivity port




- 1 USB (data/passive);
- USB M/F cable - 72" ;
- Finish: Black.

Code	\$	Description
POR 03	65	

POR 06

VGA Connector



- VGA connector, 15 pin;
- VGA M/F cable -120" ;
- Finish: Black.

Code	\$	Description
POR 06	120	

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca

