

This product is for use on hard, non-porous environmental surfaces in: Hospitals, nursing homes, medical and dental offices, patient care rooms & facilities, emergency vehicles, crime scenes, correctional institutions, hotels and motels, public restrooms, shower rooms, public transportation, institutions, schools, athletic facilities and locker rooms, exercise facilities, spas, tanning salons. This product when used as directed is formulated for use on washable hard, non-porous environmental surfaces such as: countertops, sinks, tub surfaces, drinking fountains, tanning beds, shower stalls, shower doors and glazed tiles, toilet bowl surfaces, restroom fixtures, windows and mirrors, tables, chairs, garbage cans, glass, metal, stainless steel, glazed porcelain, glazed ceramic, plastic such as polycarbonate or polypropylene, sealed stone, wrestling and gymnastic mats, athletic training tables, physical therapy tables, exercise equipment, telephones. This product is a phosphate-free formulation designed to provide effective cleaning, deodorizing and disinfection in areas where housekeeping is of prime importance in controlling the hazard of cross-contamination on treated surfaces.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected.

**DISINFECTANT PERFORMANCE IN INSTITUTIONS** (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) **AND NON-MEDICAL FACILITIES** (Schools and Other Non-Medical Facilities): At 4-6 oz of this product per one gallon of water use level and with a 10-minute contact time, this product exhibits effective disinfectant activity and is bactericidal according to the AOAC Use Dilution Test method on hard non-porous environmental surfaces against the following: *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Enterococcus faecalis* Vancomycin resistant – VRE, *Escherichia coli*, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Proteus mirabilis*, *Pseudomonas aeruginosa*, PRD-10, *Salmonella enterica*, *Salmonella schottmuelleri*, *Serratia marcescens*, *Shigella dysenteriae*, *Staphylococcus aureus* Methicillin resistant, *Staphylococcus aureus* Vancomycin resistant – VISA, *Staphylococcus aureus*, Community Associated Methicillin Resistant *Staphylococcus aureus* (CA-MRSA), *Streptococcus faecalis*, *Streptococcus salivarius*

**VIRUCIDAL\* PERFORMANCE:** At 4 ounces of this product per one gallon of water use level, this product was evaluated in the presence of 5% serum with a 10-minute contact time and found to be effective against the following viruses on hard, non-porous environmental surfaces: Avian Influenza A H5N1 virus, Adenovirus Type 2, Herpes simplex Type 1, Herpes simplex Type 2, HIV-1 (AIDS Virus), Human Coronavirus, Influenza A H1N1 virus, Influenza A2 (Japan). At 6 ounces of this product per one gallon of water use level and with a 10-minute contact time, this product is effective against the following viruses on hard, non-porous environmental surfaces: Avian Influenza A/Turkey/Wisconsin virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV). At 6 ounces per 1 gallon of water in the presence of 5% organic load, this product was proven to be effective against Duck Hepatitis B Virus and Bovine viral diarrhea virus (BVDV) Surrogate for human Hepatitis C virus with a contact time of 10 minutes.

**FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS:** For use in hospitals, hotels, motels, schools and other non-animal use sites, follow the **INSTITUTIONAL DISINFECTANT DIRECTIONS**.

**FUNGICIDAL PERFORMANCE:** At 4 ounces of this product per one gallon of water use level and with a 10-minute contact time, this product is effective against the following on pre-cleaned hard non-porous environmental surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: *Trichophyton mentagrophytes* - athlete's foot fungus/a cause of Ringworm

**MOLD AND MILDEW PERFORMANCE:** At 4 ounces of this product per one gallon of water use level and with a 10-minute contact time, this product is effective against the following on hard non-porous environmental surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: *Aspergillus niger*

Not for use on medical devices or medical equipment surfaces.

**INSTITUTIONAL DISINFECTANT DIRECTIONS** (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions): For heavily soiled areas, a pre-cleaning step is required. For disinfecting hard, non-porous environmental surfaces such as floors, walls, countertops, bathing areas, lavatories, tables, chairs, garbage pails, add 4-6 ounces of this product to one gallon of water to disinfect hard, non-porous environmental surfaces. Apply use solution to surfaces, thoroughly wetting surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device, hand pump, coarse pump, or trigger spray device or by immersion. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Wipe up excess liquid. Allow to air dry. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

**\*KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard nonporous environmental surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) associated with AIDS, Hepatitis B virus (HBV) and Hepatitis C virus (HCV).

**"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."** **Personal Protection:** Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard nonporous environmental surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Manufactured For:  
CANBERRA CORPORATION  
3610 N. Holland-Sylvania Rd.  
Toledo, OH 43615  
P 419-841-6616 • F 419-841-7597

**Contact Time:** Leave surfaces wet with 4-6 ounces of this product per one gallon of water solution for 2 minutes for HIV. This contact time will not control other common types of viruses and bacteria. Leave surfaces wet with 6 ounces of this product per one gallon of water for ten minutes for HBV and HCV. **FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE OPEN AREAS WITH FLOOR DRAINS:**

1. Pre-clean heavily soiled areas. 2. Apply use solution of 4 ounces of this product to one gallon of water to floors, walls and ceilings making sure not to over spray. To disinfect, all hard nonporous environmental surfaces must remain wet for 10 minutes. 3. Scrub surface using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

**FUNGICIDAL DIRECTIONS:** For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Pre-clean all surfaces prior to use. Use as directed at 4 ounces of this product per one gallon of water. Allow surface to remain wet for ten minutes. Wipe surfaces or let air dry.

**MILDEWSTAT:** Controls the growth of mold and mildew on pre-cleaned hard, non-porous environmental surfaces such as floors, walls, table tops. Add 4 oz. of this product per one gallon of water. Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for ten minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

**PREPARATION OF CLEANING DEODORIZING USE SOLUTION:** Add 4 to 8 ounces of this product to one gallon of water.

**CLEANING/DEODORIZING DIRECTIONS:** Use cleaning/deodorizing solution to clean and deodorize windows, mirrors, glass and other surfaces. Apply solution with a brush, mop, cloth, sponge, auto scrubber, or mechanical spray device, coarse pump or trigger spray device so as to wet all surfaces thoroughly. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, sponge, mop, or cloth. Wipe up excess liquid. Allow to air dry. Change cloth, sponge or towels frequently to avoid redeposition of soil.

**GENERAL DEODORIZATION:** Apply deodorizing solution to surface. Wipe up excess liquid. Allow to air dry.

**FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND GARBAGE HANDLING EQUIPMENT:** It is especially important to pre-clean for the product to perform properly. Apply cleaning/deodorizing solution. Allow to air dry. **FOR DISINFECTION AND TO CONTROL THE GROWTH OF MOLD AND MILDEW ON NON-POROUS ATHLETIC EQUIPMENT:** For use on wrestling and gymnastic mats, athletic mats, exercise equipment, athletic training tables, physical therapy tables, athletic helmets, wrestling/boxing headgear, athletic shoe soles, and other nonporous environmental surfaces. Saturate nonporous environmental surfaces with a use solution of 4 ounces of this product per one gallon of water. Apply by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not use equipment until treatment has been absorbed, set or dried. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING. KEEP OUT OF REACH OF CHILDREN.** Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARD** This product is toxic to fish.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**CONTAINER DISPOSAL/PESTICIDE STORAGE:** Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinse. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

**RESIDUE REMOVAL INSTRUCTIONS:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinse disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

E.P.A. REG. NO. 10324-167-8155 E.P.A. EST. NO. 8155-OH-1

E12 042314-PINE



Husky®  
802

## HIGH FRAGRANCE DETERGENT/DISINFECTANT

ANTIBACTERIAL. CLEANER, DISINFECTANT, DETERGENT, FUNGICIDE AGAINST PATHOGENIC FUNGI, DEODORIZER, VIRUCIDE\*, MILDEWSTAT ON HARD INANIMATE SURFACES – FOR HOSPITALS, NURSING HOMES, INSTITUTIONAL, INDUSTRIAL, SCHOOL, ATHLETIC SURFACE DISINFECTION.

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride.....	0.781%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....	0.781%
INERT INGREDIENTS:.....	98.438%
TOTAL:.....	100.000%

**KEEP OUT OF REACH OF CHILDREN**

## WARNING ADVERTENCIA

**ADVERTENCIA: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.**

**WARNING: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.**

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

**Net Contents: One Gallon (128 Fl. Oz.) 3.78 liters**